


53  
8  
1  
**nce Abstracts**

**Section A**



# **Physics Abstracts**

**Published by  
the Institution of  
Electrical Engineers**

**Vol. 64**

**Author Index Number 1961**

**U OF I  
LIBRARY**





# AUTHOR INDEX

For the sake of simplicity and uniformity, all names beginning with articles or prepositions are listed as if written as single words, regardless of nationality (e.g. Van Vleck is listed as if written VanVleck). Cross-references are included in appropriate places. Compound names are generally listed under the last component, unless hyphenated; exceptions to this rule are appropriately cross-referenced.

All names are reproduced in the abstracts and the index with the same spelling as in the original articles; in the case of articles printed in Cyrillic characters, a letter-by-letter transliteration is given, in accordance with the scheme given at the beginning of this volume of "Science Abstracts". Russian authors' names may appear in Latin-alphabet publications in various forms, due to the use of different transliteration schemes; these names are reproduced as printed in the articles abstracted.

In anticipation of reprinting the entries in future cumulative indexes, the Abstract Number given with each entry below incorporates the final digit of the year of publication in "Science Abstracts". The headline at the top of each page supplies the remaining digits to complete the year (1961), and indicates the section (Physics Abstracts). Thus "1=1234" in this index means "Abstract 1234 in the 1961 volume of Physics Abstracts".

- Aaron, R., Amado, R.D. and Lee, B.W. Divergence of the Green's function series for rearrangement collisions, 1=427
- Aarons, J., Basu, S., Kidd, W. and Allen, R. Very-low frequency modulation of discrete frequency solar noise bursts, 1=15549
- Aarons, J. See Castelli, J.P., 1=6595
- Aarons, J. See Gustafsson, G., 1=15317
- Aarseth, S. The rotation of a barred galaxy under gravitational forces, 1=12774
- Aarseth, S. The rotation of barred galaxies under gravitational forces. II, 1=18131
- Abakarov, Dzh.I. and Seidov, Yu.M. Theory of the magnetic susceptibility of a polaron, 1=6247
- Abarenkov, I.V. A polarizable point-lattice approximation in the theory of impurity centres in ionic crystals, 1=3663
- Abarenkov, I.V. See Kiselev, A.A., 1=4555
- Abarenkov, I.V. See Petrashen', M.I., 1=14200
- Abashian, A. See Booth, N.E., 1=16846
- Abashian, A. See Booth, N.E., 1=16847
- Abbiss, C.P. See Huzan, E., 1=4971
- Abbott, A.N. See Lavik, M.T., 1=14931
- Abbott, G.L. See Parker, W.J., 1=13006
- Abdel Monem I. Kabil. See Ali Abdel-Kerim Ibrahim, 1=6823
- Abdullaev, G.B., Aliev, M.I. and Akhundova, S.A. On the influence of thallium on the thermal conductivity of polycrystalline selenium, 1=9989
- Abdullaev, G.B., Aliev, M.I. and Akhundova, S.A. On the influence of thallium on the thermal conductivity of polycrystalline selenium, 1=11170
- Abdurazakov, A., Gromov, K., Dalkhsuren, B., Dzelepov, B., Levenberg, I., Murin, A., Norseyev, Yu., Pokrovsky, V., Chumin, V. and Yutlandov, I. The decay chain  $\text{Yb}^{164} \rightarrow \text{Tm}^{164} \rightarrow \text{Er}^{164}$ , 1=646
- Abe, H. Temperature dependence of E.S.R. linewidth in  $\text{K}_2\text{CuCl}_4 \cdot 2\text{H}_2\text{O}$ , 1=20225
- Abe, H. and Shirai, H. Electron spin resonance of manganese in ammonium chloride, 1=14790
- Abe, K. See Shoda, K., 1=17082
- Abe, R. Theoretical study on the properties of coercive field of  $\text{BaTiO}_3$  single crystal, 1=8975
- Abe, R. and Aizu, K. Mobility of ions in a system of interacting Bose particles, 1=10672
- Abeledo, C.R. and Selwood, P.W. Temperature dependence of spontaneous magnetization in superparamagnetic nickel, 1=6307
- Abelishvili, T.L. Neutron transfer in nuclear collisions, 1=19486
- Abella, I.D. and Cummins, H.Z. Thermal tuning of ruby optical maser, 1=12488
- Abels, J.C. See Michels, A., 1=5294
- Abel's, V.R. The theory of the anisotropy of coercive forces in single crystal disks, 1=10141
- Abel's, V.R. See Shur, Ya.S., 1=6296
- Abel'skii, Sh.Sh. and Turov, E.A. A theory of the temperature dependence of the electrical and thermal conductivities of ferromagnetics at low temperatures, 1=6121
- Abernethy, L.L., Ramsey, T.H.Jr. and Ross, J.W. Growth of yttrium iron garnet single crystals by the floating zone technique, 1=6499
- Abetti, G. Modern astronomy, 1=15397
- Abidi, S.T.H. See Deodhar, G.B., 1=2296
- Abillon, J.M. and Kessler, P. Bremsstrahlung in muon-proton scattering experiments, 1=16835
- Ablova, M.S. Microstructure of the indentations obtained during microhardness measurements on germanium, 1=20362
- Ablov, C.M. See Wise, H., 1=11615
- Abonyi, I. Classical relativistic motion of a pole particle under the action of external and proper scalar fields, 1=15611
- Abonyi, I. The most probable speed and the mean momentum of a relativistic Maxwellian ensemble, 1=15708
- Abonyi, I. See Szabo, J., 1=16537
- Abraham, A. and Boutron, F. Quadrupole moment of the first excited nuclear state of  $\text{Fe}^{57}$ , 1=13623
- Abraham, A. See Landesman, A., 1=2769
- Abraham, A. See Tauc, J., 1=17772
- Abraham, C. and Aharoni, A. Linear decrease in the magnetocrystalline anisotropy, 1=1211
- Abraham, G. and Gupta, K.K. Pairing interaction in nuclei, 1=618
- Abraham, R.J. Solvent effects in nuclear magnetic resonance, 1=8139
- Abrahams, M.S. and Ekstrom, L. Dislocations and brittle fracture in elemental and compound semiconductors, 1=2516
- Abrahams, M.S. See Rosi, F.D., 1=20386
- Abrahamson, A.A. Statistical electron density distributions and Thomas-Fermi-Dirac screening functions for neutral atoms, 1=11063
- Abrahamson, A.A., Hatcher, R.D. and Vineyard, G.H. Interatomic repulsive potentials at very small and intermediate separations, 1=819
- Abrahamson, P. See Eisemberg, Y., 1=16893
- Abramchik, M. and Maletskii, I. Influence of position on the action of spatial [sound] absorbers, 1=18518
- Abramov, A.I. and Iutkin, M.G. A measurement of the high-energy neutron spectrum in the reactor BR-5 using a  $^3\text{He}$  ionization chamber, 1=19565
- Abramova, K.B. See Peregud, B.P., 1=5713
- Abrams, R.H. and Jamerson, F.E. Thermionic emission of  $\text{UC-Nb}$ , 1=13102
- Abrikosov, A.A. Some properties of highly compressed matter. I, 1=17434
- Abrikosov, A.A. Some properties of highly compressed matter. II, 1=17435



- Abrikosov, A.A. and Fal'kovskii, L.A. Raman scattering of light in superconductors, 1=14614
- Abrikosov, A.A. and Gor'kov, L.P. Contribution to the theory of superconducting alloys with paramagnetic impurities, 1=18706
- Abrikosov, A.A. and Khalatnikov, I.M. Scattering of  $\gamma$ -rays in liquid He<sup>3</sup>, 1=16735
- Abrosimov, A.T. See Vernov, S.N., 1=3280
- Abroyan, I.A. Extraction of electrons from germanium by ions of caesium, potassium, lithium and hydrogen, 1=11966
- Abroyan, I.A. and Movnin, S.M. On the emission of oxide-coated cathodes, bombarded by charged particles, 1=11963
- Acharya, A. See Sen Gupta, R.L., 1=5745
- Acharya, R. and Sudarshan, E.C.G. "Front" description in relativistic quantum mechanics, 1=4764
- Acharya, R. See Bardakci, K., 1=18261
- Achyuthan, K. and Breazeale, M.A. Photoelastic constants of ammonium dihydrogen phosphate (adp), 1=12483
- Ackerman, M., Stafford, F.E. and Drowart, J. Mass spectrometric determination of the dissociation energies of the molecules AgAu, AgCu, and AuCu, 1=3573
- Ackermann, P. See Berthet, C., 1=12311
- Ackroyd, R.T., Burton, E.J. and Perks, M.A. A unified theory of interaction for two arbitrarily mixed multi-group arrays set in well-defined and random reflectors, 1=17226
- Ackroyd, R.T. and Perks, M.A. Accuracy and scope of variational and difference solutions of the diffusion equations of reactor theory, 1=784
- Acloque, P. and Guillemet, C. Method for the photoelastic measurement of stresses "in equilibrium in the thickness" of a plate. (particular cases of toughened glass and bent glass), 1=11725
- Acquista, N. See Mann, D.E., 1=4932
- Adachi, H. See Miyake, A., 1=2349
- Adachi, H. See Miyake, A., 1=10508
- Adachi, I. Quantitative measurement of aberration by Ronchi test, 1=1807
- Adachi, I. Quantitative measurement of aberration by Ronchi test, 1=8214
- Adachi, R. The motion of a pendulum whose supporting axis moves two dimensionally, 1=99
- Adachi, T. and Nakai, S. Note on the forbidden processes of the leptonic decays, 1=466
- Adair, R.K. Some considerations concerning final-state interactions and the reaction  $K_2^+ + p \rightarrow \lambda^0 + \pi^+ + \pi^0$ , 1=16898
- Adair, R.K. See Martin, H.J., 1=8514
- Ádám, A., Bod, L. and Pál, L. Measurement of thermal neutron diffusion parameters in water and in solid diphenyl with pulsed neutron source, 1=13445
- Ádám, A., Bod, L., Szabó, Z. and Szeghő, L. A pulsed (d,t) neutron source, 1=508
- Adam, A. See Bizette, H., 1=10174
- Adam, J. See Rezanka, I., 1=19413
- Adamchuk, Yu.V., Moskalev, S.S. and Pevzner, M.I. The total neutron cross-section of <sup>23</sup>Np between 2 and 10 000 eV, 1=19492
- Adamov, M.N. An integral representation of dispersion formula for the hydrogen atom in the ground state, 1=4698
- Adamov, M.N., Kagana, V.K. and Orlov, B.I. Dispersion formula for the electron in a potential box of finite depth and the optical polarizability of molecules, 1=17338
- Adamov, M.N. and Zubkov, V.A. Remark on the variational calculations of the polarizability, 1=13922
- Adamovich, M.I., Panova, N.M., Popova, V.M. and Yagudina, F.R. Ratio of cross-sections for production of negative and positive photo-mesons in beryllium, 1=17084
- Adams, A.N. and Bestul, S.M. Meridian observations of the moon, 1958-59, 1=4190
- Adams, C.E. and Jackson, F.J. On the role of microbubbles in the nonlinear transmission of sound in liquids, 1=11812
- Adams, C.R. See Ibers, J.A., 1=5075
- Adams, E.H. See Lloyd, R.A., 1=18338
- Adams, E.N. See Haering, R.R., 1=19894
- Adams, L.H. and Waxler, R.M. Temperature-induced stresses in solids of elementary shape, 1=15763
- Adams, M.A. and Higgins, P.R.B. The hardening of copper by neutron irradiation, 1=1336
- Adams, O.W. and Lykos, P.G. Open- and closed-shell s.c.f. method for conjugated systems, 1=9935
- Adams, R.V. Infra-red absorption due to water in glasses, 1=17878
- Adams, R.V. Infra-red absorption and the structure of glasses, 1=20636
- Adams, W.H. On the solution of the Hartree-Fock equation in terms of localized orbitals, 1=4890
- Adamski, T. Some features of the precipitation of barium chromate by an extra-slow technique, 1=14978
- Adamson, J. The compensation of the effects of potential-gradient variations in the measurement of the atmospheric air-earth current, 1=20847
- Adawi, I. Negative resistance and hot electrons, 1=11277
- Adda, Y. and Philibert, J. Diffusion in the uranium-titanium systems, 1=982
- Addey, F. Solar activity during 1959, 1=4197
- Addink, N.W.H. A note on the determination of the Avogadro number, 1=1678
- Adelson, E. See Cloud, W.H., 1=1242
- Aden, H. A calculation of the  $R_{ik}$ -integrals for the ground state of the lithium atoms, 1=13929
- Ader, M. Some remarks on the radiations recorded in Ilford D<sub>19</sub> and K<sub>2</sub> emulsions during their exposure to 14 MeV neutron generators, 1=2227
- Ader, M. Residual presence of boron, sodium and potassium in heavy-metal radioactive  $\alpha$ -ray sources, 1=7338
- Ader, M. and Houard-Cabannes, M.P. Some aspects of tracks due to ionizing particles in photographic emulsions of low sensitivity, 1=16634
- Ader, M. and Houard-Cabannes, M.P. Some aspects of tracks due to ionizing particles in photographic emulsions of low sensitivity (continued), 1=16635
- Adey, A.W. and Heikkilä, W.J. Rocket electron density measurements at Fort Churchill, 1=7936
- Adgie, R.L. An attempt to detect the 327 Mc/s line of galactic deuterium, 1=18008
- Adhav, R.S. On the optical and electrical properties of semitransparent copper films, 1=1142
- Adirovič, E.I. Kinetics of impurity photoconductivity and a new method for the determination of the effective cross-sections of impurity centres, 1=6173
- Adirovich, E.I. A new method of determining the effective cross-sections of localized centres, 1=1100
- Adirovich, E.I. Kinetics of impurity photoconductivity and effective cross-sections of local centres, 1=1102
- Adirovich, E.I. The influence of field emission of electrons on the distribution of strong fields in solids, 1=3584
- Adirovich, E.I. A new method of determining the effective cross-sections of localized centres, 1=6174
- Adirowitsch, E.I. The influence of field emission [from the cathode] on the distribution of strong fields in solids, 1=14565
- Aditya, P.K. Some observations on the energy spectrum of low energy bremsstrahlung from electrons of energy  $< \sim 10^{12}$  eV, 1=13382
- Aditya, P.K. See Bøggild, J.K., 1=5778
- Adkins, C.J. Device for the stabilization of helium cryostat temperatures, 1=10631
- Adler, E. and Baer, H.G. Preferred directions in secondary recrystallized tapes with 50% Ni and Fe, 1=12536
- Adler, H. The effect of  $\alpha$ -particles and X-rays on coloured rocksalt, 1=1001
- Adler, J. and Spalding, D.B. One-dimensional laminar flame propagation with an enthalpy gradient, 1=16156
- Adler, R., Ashkin, A. and Gordon, E.I. Excitation and amplification of cyclotron waves and thermal orbits in the presence of space charge, 1=8390
- Adler, S. A generalized Ewald method for lattice sums, 1=19685
- Ado, I.M. and Elian, V.V. Coherent radiation from the electrons in a synchrotron, 1=16459
- Ado, Yu.M., Savel'eva, T.I. and Yablokov, B.N. Operation of a synchrotron with two internal targets, 1=4680
- Adrian, F.J. See Cochran, E.L., 1=6042
- Adrian, W. Nomographic solution of the formula for the range of light signals, 1=9234
- Adrianova, I.I., Kokurina, M.V. and Popov, Yu.V. Complex wideband ultrasonic radiators for diffraction-type light modulators, 1=18612
- Adrianova, I.I., Popov, Yu.V. and Lapina, A.V. Amplitude and phase characteristics of an interference modulator of light, 1=2879



- Adrianova, I.I., Popov, Yu.V. and Rotenberg, B.A. Application of barium titanate piezoceramic transducers for studying ultrasound in diffraction-type light modulators, 1=18530
- Aerts, E. Surface states of one-dimensional crystals. I, 1=7521
- Aerts, E. Surface states of one-dimensional crystals. II, 1=7522
- Aerts, E. Surface states of one-dimensional crystals. III, 1=7523
- Aeschlimann, F. Barycentre in functional theory of particle systems, 1=7221
- Aeschlimann, F. The fusion of two particles in functional theory, 1=13295
- Afanas'ev, I.I. See Nastyukha, A.I., 1=16432
- Afanas'ev, V.P. [Electronic] current stabilizer for a precision mass spectrometer [magnet], 1=4662
- Afanas'eva, E.A., Vinogradov, V.S. and Konorova, E.A. The dependence of current on temperature and voltage in pre-breakdown fields in KBr single crystals, 1=14392
- Afanas'eva, M.A. See Malkovich, R.Sh., 1=17564
- Afanas'eva, V.I. Solar corpuscular streams and families of geomagnetic storms, 1=6652
- Afanasieva, V.I. and Kalinin, J.D. Solar corpuscular streams and geomagnetic field in July 1959, 1=18084
- Afrosimov, V.V., Gladkovskii, I.P., Gordeev, Yu.S., Kalinkevich, I.F. and Fedorenko, N.V. A method for investigating the flux of atoms emitted by a plasma, 1=9608
- Afrosimov, V.V., Gladkovskii, I.P., Gordeev, Yu.S., Kalinkevich, I.F., Petrov, M.P. and Fedorenko, N.V. Investigation of the flux of neutral atomic particles emitted by the plasma in the device "Alpha", 1=9609
- Afrosimov, V.V., Glukhikh, V.A., Golant, V.E., Zaidel, A.N., Komar, E.G., Konstantinov, B.P., Malyshev, G.M., Malyshev, I.F., Monoszon, N.A., Stolov, A.M. and Fedorenko, N.V. Plasma investigation in the device "Alpha", 1=9602
- Aftergut, S. and Brown, G.P. Electronic properties of phenazine, 1=10037
- Aftergut, S. and Brown, G.P. Electronic properties of imidazole, 1=17745
- Agae, Ya., Emel'yanenko, O.V. and Nasledov, D.N. Investigation of the Nernst-Ettingshausen thermomagnetic effects in solid solutions of the system InSb-AlSb, 1=11267
- Agar, J.N. The rate of attainment of Soret equilibrium, 1=15857
- Agarichanu, I.I., Blanu, L., Draganesku, V., Ionesco-Pallas, N.I., Komanichu, N. and Tatu, V. Determination of the nuclear magnetic moment of Hg<sup>199</sup> from the hyperfine structure of the Hg I 5461 Å line, 1=19342
- Agarwal, D.B. Hall mobility of degenerate semiconductors, 1=11287
- Agarwal, S.P. See Pomerantz, M.A., 1=8525
- Agdur, B. Microwaves in plasma, 1=2987
- Ageev, V.N., Balabanova, L.A. and Bredov, M.M. Investigation of the spectra of plasmons, 1=2385
- Ageeva, N.S. Ultrasonic method for measuring the height of the liquid level in a vessel by means of flexural oscillations of a thin elastic strip, 1=2723
- Agărîbiceanu, I., Comaniciu, N. and Tatu, V. On the variation of the refractive index of air with pressure, 1=5296
- Agărîbiceanu, I., Drăgănescu, V. and Chetroui, A. The collimation of atomic beams, 1=5982
- Agărîbiceanu, I.I. and Tatu, V. Decay period of Zn<sup>65</sup>, 1=13689
- Agodi, A. and Eberle, E. An unified theory of direct reactions, 1=5880
- Agostinelli, C. The wave surface in magnetohydrodynamics. I, 1=4713
- Agostinelli, C. The wave surface in magnetohydrodynamics. II, 1=4714
- Agostinelli, C. On the magnetodynamic and adiabatic equilibrium of a gaseous mass with a uniform rotational and gravitational motion, 1=5567
- Agranovich, V.M. The problems of the defects in the process of exciton luminescence of molecular crystals, 1=3851
- Agranovich, V.M. Letter to the editor, 1=6225
- Agranovich, V.M. and Konobelev, Yu.V. The theory of thermal conductivity of dielectrics below the Debye temperature, 1=14187
- Agranovich, V.M. and Konobelev, Yu.V. The theory of the edge of exciton absorption bands, 1=14224
- Agranovskaya, A.I. See Smolenskii, G.A., 1=6195
- Agranovskaya, A.I. See Smolenskii, G.A., 1=12478
- Agranovskaya, A.I. See Smolenskii, G.A., 1=14560
- Agrawal, B.K. and Verma, G.S. Strain energy of dislocations in anisotropic crystals, 1=11190
- Agrawal, B.K. and Verma, G.S. Dislocation relaxation in zinc at low temperatures, 1=17535
- Agresta, J. and Borst, L.B. Space-dependent prompt kinetics of a subcritical reactor, 1=13882
- Agrinier, B. and Raviart, A. Determination, to within  $3 \times 10^{-10}$  sec, of the instant of emission of a photon in the visible region, 1=6948
- Aguiar, J., de la Cuadra, M. and Font, R. Study of neutron-proton scattering in photographic emulsions. I. Angular distribution of recoil protons scattered by neutrons of the reaction  $\text{Li}^7(d,n)\text{Be}^8$ , 1=16796
- Aguiar, J., Garcia, A., England, J.B.A., Hodgson, P.E. and Toner, W.T. The elastic scattering of 29 MeV <sup>4</sup>He-particles by Cl, Kr and Xe, 1=12216
- Aguiar, J. See Catalá, J., 1=17138
- Aguiar, J. See Catalá, J., 1=17150
- Aguiar, J. See Hodgson, P.E., 1=2228
- Aguiar, M., Sauras, E. and Gómez, M. On the existence of Panum's zones, 1=21127
- Aguiar, M., Sauras, E. and Gómez, M. Visual acuity in mesopic vision, 1=21128
- Aharoni, A. On additivity of imperfections as means for domain nucleation, 1=6300
- Aharoni, A. Remanent state in one-dimensional micromagnetics, 1=11421
- Aharoni, A., Frei, E.H., Scheidlinger, Z. and Schieber, M. Curie temperature of some garnets by the differential thermal analysis technique, 1=14749
- Aharoni, A. and Schieber, M. Magnetic moment of lanthanum magneto-plumbite ferrite, 1=11452
- Aharoni, A. See Abraham, C., 1=1211
- Aharonov, Y. and Bohm, D. Time in the quantum theory and the uncertainty relation for time and energy, 1=8052
- Aharonov, Y. and Bohm, D. Further considerations on electromagnetic potentials in the quantum theory, 1=12042
- Ahearn, A.J. Mass spectrographic analysis of insulators using a vacuum spark positive ion source, 1=11640
- Ahearn, A.J. Mass spectrographic detection of impurities in liquids, 1=11641
- Ahern, S.A. Simple laboratory electromagnetic using aluminum foil magnetizing coils, 1=10762
- Ahlborn, H. and Wassermann, G. Formation and orientation of tungsten whiskers, 1=15003
- Ahmad, H. See Chowdhry, A.M., 1=15781
- Ahmadzadeh, A. and Biswas, N.N. Velocity dependence of track density in propane and hydrogen bubble chambers, 1=7177
- Ahnström-Sandgren, B. See Ohman, Y., 1=15400
- Ahsanullah, A.K.M. See Qurashi, M.M., 1=4324
- Ahsanullah, A.K.M. See Qurashi, M.M., 1=15780
- Ahsanullah, A.K.M. See Qurashi, M.M., 1=18643
- Aigrain, P. See Moch, P., 1=928
- Ailloud, M. See Tacussel, J., 1=15931
- Ainslie, D.S. Rotating coil magnetometer for the measurement of the Earth's magnetic field, 1=5525
- Ainslie, N.G., Hoffman, R.E. and Seybolt, A.U. Sulfur segregation at  $\alpha$ -iron grain boundaries. I, 1=3690
- Ainslie, N.G., Phillips, V.A. and Turnbull, D. Sulfur segregation at  $\alpha$ -iron grain boundaries. II, 1=3691
- Ainsworth, J. See Lagow, H.E., 1=7927
- Ainsworth, J.E. See Flanick, A.P., 1=8169
- Ainsworth, J.E. See Flanick, A.P., 1=10471
- Ainutdinov, M.S., Zombkovskii, S.M., Nikitin, S.Ya. and Selektor, Ya.M. A liquid-hydrogen bubble chamber with a diameter of 25cm, 1=10818
- Aitchison, I.J.R. See Bonnevey, G., 1=19113
- Aitken, D.K., Heymann, F.F., Jennings, R.E. and Kalmus, P.I.P. The design and construction of a 29 MeV microtron, 1=9663
- Aitken, J.H. See Dixon, W.R., 1=8747
- Aitken, J.H. See Dixon, W.R., 1=19062
- Aitken, M.J. Physics and archaeology, 1=6756
- Aizu, H., Fujimoto, Y., Hasegawa, S., Koshiba, M., Mito, I., Nishimura, J. and Yokoi, K. Heavy primary cosmic radiations. Prince Albert project, 1=13548
- Aizu, H., Fujimoto, Y., Hasegawa, S., Koshiba, M., Mito, I., Nishimura, J., Yokoi, K. and Schein, M. The primary cosmic radiation at Prince Albert, Canada, 1=3316
- Aizu, H., Fujimoto, Y., Hasegawa, S., Koshiba, M., Mito, I., Nishimura, J., Yokoi, K. and Schein, M. Heavy nuclei in the primary cosmic radiation at Prince Albert, Canada. II, 1=3317



## AUTHOR INDEX

- Aizu, K. and Nakada, O. Perfectness of macrodomains of BaTiO<sub>3</sub> crystals, 1=14553
- Aizu, K. See Abe, R., 1=10672
- Ajdačić, V.S., Cerineo, M.A., Dimitrijević, Z.D. and Milojević, A.A. Low pressure expansion cloud chamber, 1=13238
- Akabane, K. and Cohen, M.H. Polarization measurements of Type III bursts and Faraday rotation in the corona, 1=2658
- Akano, M. See Suzuki, R., 1=18711
- Akashi, T. and Okado, T. Magnetic after effects in manganese zinc ferrites, 1=20136
- Akasofu, S. and Chapman, S. The ring current, geomagnetic disturbance, and the Van Allen radiation belts, 1=21089
- Akasofu, S.I. Thickness of an active auroral curtain, 1=21038
- Akasofu, S.I. and Chapman, S. A neutral line discharge theory of the aurora polars, 1=7943
- Akcasu, A.Z. Measurement of noise power spectra by Fourier analysis, 1=7970
- Akcasu, A.Z. and Dalfes, A. A study of nonlinear reactor dynamics, 1=17202
- Akerib, R. and Borowitz, S. Application of the impulse approximation to the scattering of electrons by atoms. I. Inelastic scattering by hydrogen atoms, 1=8822
- Akerlind, L. See Uhler, U., 1=19634
- Akhiezer, A.I., Akhiezer, I.A. and Pomeranchuk, I.Ya. On the theory of scattering of slow neutrons in a Fermi liquid, 1=18323
- Akhiezer, A.I., Akhiezer, I.A. and Sitenko, A.G. Contribution to the theory of plasma fluctuations, 1=18906
- Akhiezer, A.I. and Bar'yakhtar, V.G. The theory of thermal conductivity of ferromagnetic dielectrics at low temperatures, 1=922
- Akhiezer, A.I., Bar'yakhtar, V.G. and Kaganov, M.I. Spin waves in ferromagnets and antiferromagnets. I, 1=7739
- Akhiezer, A.I., Bar'yakhtar, V.G. and Kaganov, M.I. Spin waves in ferromagnets and antiferromagnets. II, 1=11417
- Akhiezer, A.I., Lyubarskii, G.Ya. and Polovin, R.V. Stability conditions on the electron distribution function for a plasma, 1=18818
- Akhiezer, A.N. Coupling of rectangular waveguides by means of a hole in the wide wall, 1=4725
- Akhiezer, I.A. Theory of the interaction of a charged particle with a plasma in a magnetic field, 1=18832
- Akhiezer, I.A., Bar'yakhtar, V.G. and Peletminskii, S.V. The theory of low-temperature, high-frequency magnetic susceptibility of a ferriodielectric, 1=14683
- Akhiezer, I.A. and Peletminskii, S.V. Application of the quantum field theory methods in investigation of the thermodynamical properties of an electron and photon gas, 1=5236
- Akhiezer, I.A. and Peletminskii, S.V. On the theory of the magnetic properties of a nonideal Fermi gas at low temperatures, 1=18314
- Akhiezer, I.A. See Akhiezer, A.I., 1=18323
- Akhiezer, I.A. See Akhiezer, A.I., 1=18906
- Akhiyezer, A.Y., Lyubars'kiy, H.Ya. and Polovin, R.V. Simple waves in magneto-hydrodynamics, 1=13168
- Akhiyezer, O.I. and Sytenko, O.H. Diffraction nuclear processes at high energies, 1=10997
- Akhmatov, A.P., Blinov, P.I., Bolotin, V.F., Borodin, A.V., Gavrinn, P.P., Zavoiskii, E.K., Kovan, I.A., Oganov, M.N., Patrushev, B.I., Piskarev, E.V., Rusanov, V.D., Smolkin, G.E., Striganov, A.R., Frank-Kamenetskii, D.A., Cheremnykh, P.A. and Chikin, R.V. Magneto-acoustic resonance in a plasma, 1=4628
- Akhundova, S.A. See Abdullaev, G.B., 1=9989
- Akhundova, S.A. See Abdullaev, G.B., 1=11170
- Akiba, T. Photodisintegration of the deuteron at high energies, 1=9778
- Akiba, T. See Kimura, M., 1=5909
- Akiba, T. See Kimura, M., 1=12194
- Akima, H. See Hirono, M., 1=15338
- Akimchenko, I.P. and Milevskii, L.S. Diffusion of antimony in germanium alloyed with aluminium, 1=988
- Akimchenko, I.P. and Milevskii, L.S. Diffusion of antimony in germanium alloyed with aluminium, 1=4989
- Akimoto, K. See Sonoike, S., 1=14635
- Akimoto, S. See Nagata, T., 1=12534
- Akimov, I. See Terenin, A., 1=6060
- Akimov, Yu.K., Komarov, V.I., Savchenko, O.V. and Soroko, L.M. The separating of particles according to their ionization value in several scintillation counters, 1=1985
- Akimov, Yu.K., Savchenko, O.V. and Soroko, L.M. The reaction  $p + d \rightarrow t + \pi$  at 670 MeV proton energy, 1=13410
- Akimov, Yu.K., Savchenko, O.V. and Soroko, L.M. Experimental verification of the charge invariance principle in the  $d + d \rightarrow \text{He}^4 + \pi^0$ . Reaction for 400 MeV deuterons, 1=19287
- Akimova, M.K., Blokhintsev, L.B. and Dolinsky, E.I. Angular distribution and polarization of the neutrons emitted in  $\mu$ -capture in certain light nuclei, 1=5929
- Akimova, M.K., Blokhintsev, L.D. and Dolinskii, E.I. The angular distribution and polarization of the neutrons that are emitted in  $\mu$  capture in certain light nuclei, 1=17134
- Akinyan, S.T. See Mogilevsky, E.I., 1=18147
- Akiyama, Y. Surface diffusiveness and phenomenological treatment of O<sup>17</sup> nucleus, 1=3399
- Akkerman, A.F., Kaipov, D.K. and Shubnyi, Yu.K. Resonance scattering of gamma rays by Te<sup>134</sup> nuclei, 1=16974
- Akkerman, H.J. See Hollstein, V., 1=13215
- Akon, C.D. and Iredale, T. The nuclear quadrupole and electron spin resonance spectra of some chlorine compounds including (Me<sub>2</sub>PhN)(FeCl<sub>3</sub>), 1=7808
- Aksenov, E.P. One class of periodic solutions in the restricted three-body problem, 1=17986
- Aksenov, S.I., Alfimenkov, V.P., Lushchikov, V.I., Ostanevich, Yu.M., Shapiro, F.L. and Yen Wu-Kuang. Observation of resonance absorption of gamma rays in Zn<sup>67</sup>, 1=13633
- Alaga, G., Šips, L. and Tadić, D. Calculation of some relativistic corrections to the allowed and *l*-forbidden beta transitions, 1=13722
- Albares, D.J., Krall, N.A. and Oxley, C.L. Rayleigh-Taylor instability in a stabilized linear pinch tube, 1=11448
- Albasiny, E.L. and Cooper, J.R.A. A one-centre S.C.F. wave function for the methane molecule, 1=19659
- Albers, W. Diffusion of arsenic in germanium from the vapour phase, 1=7592
- Albers, W., Haas, C. and van der Maesen, F. The preparation and the electrical and optical properties of SnS crystals, 1=17760
- Albers, W., Haas, C., Vink, H.J. and Wasscher, J.D. Investigations on SnS, 1=17759
- Albers, W.A., Jr and Thomas, J.E., Jr. Observations of surface transverse magnetoresistance effects on n-type germanium, 1=1049
- Albert, L. and Jaenicke, W. Electron microscope charge images, 1=20705
- Albert, P.A. and Carr, W.J.Jr. Temperature dependence of magnetostriction and anisotropy in MnBi, 1=6333
- Albert, R.D., Anderson, J.D. and Wong, C. Evidence for the statistical model obtained from (p,n) spectra of the odd-even elements V, Mn, Co, Nb, Rh, and In, 1=696
- Albert, R.D., Bloom, S.D. and Glendenning, N.K. (p,n) angular distributions from mirror nucleus targets: C<sup>13</sup>, B<sup>11</sup>, and Be<sup>9</sup>, 1=7373
- Albert, R.D. and Hansen, L.F. 10 MeV proton reaction cross-sections for Cu<sup>63</sup> and Cu<sup>65</sup>, 1=3447
- Albert, R.D. and Hansen, L.F. 10 MeV proton reaction cross sections compared with surface and volume absorption optical models of the nucleus, 1=12193
- Albert, R.D. See Fox, R., 1=2214
- Albert, R.D. See Fox, R., 1=4854
- Albertson, J. Von Neumann's hidden-parameter proof, 1=10425
- Albini, F.A. and Jahn, R.G. Reflection and transmission of electromagnetic waves at electron density gradients, 1=3057
- Alblas, J.B. On the diffraction of sound waves in a heat-conducting viscous medium, 1=12946
- Albouy, G., Gusakov, M.M. and Poffé, N. New short period isotopes obtained by gold spallation, 1=13686
- Albouy, G. See Poffé, N., 1=13804
- Albrecht, A.C. On the theory of Raman intensities, 1=8841
- Albrecht, A.C. Polarizations and assignments of transitions: the method of photoselection, 1=17331
- Albrecht, J.W. Elastic and inelastic scattering cross-sections, 1=4768
- Albridge, R.G. and Hollander, J.M. The decay of neptunium-238, 1=5862
- Albridge, R.G. and Hollander, J.M. The K- and L-Auger spectrum of uranium, 1=19416
- Albridge, R.G., Hollander, J.M., Gallagher, C.J. and Hamilton, J.H. The energy levels of U<sup>233</sup>, 1=19373



- Albright, C.H., Blankenbecler, R. and Goldberger, M.L. Bound-state model of weak and strong interactions, 1-16680
- Alburger, D.E. Gamma-ray decay of the 7.66 MeV level of  $C^{12}$ , 1-10758
- Alburger, D.E. Gamma-ray decay of the 7.66 MeV level of  $C^{12}$ , 1-19363
- Alburger, D.E., Pixley, R.E., Wilkinson, D.H. and Donovan, P. Beta-decay of  $^{10}N$ : conservation of spin and parity in  $^{10}O$ , 1-9830
- Alburger, D.E. and Wilkinson, D.H. Nonexistence of a 9.0 MeV level in  $C^{12}$ , 1-8619
- Alburger, D.E. See Donovan, P.F., 1-19387
- Alden, T.H. Growth of seeded aluminium crystals of irregular shape, 1-1379
- Alderson, J.E. and Williams, S.E. Luminescence in KI:Tl, 1-20006
- Aldred, A.T. and Pratt, J.N. Thermodynamic properties of liquid silver-lead alloys, with an appendix on the vapour pressure of lead, 1-8111
- Alexandre Campos, V. See González Ibeas, J., 1-5242
- Aleksandrov, A.P., Khanin, Ya.I. and Yashchin, E.G. Observation of the spontaneous coherent radiation of a ferrite in a resonator, 1-1238
- Aleksandrov, B.P. and Andreev, G.A. Influence of impurities on the density of single crystals of LiF, 1-19768
- Aleksandrov, I.A. Some cavitation characteristics of ship propellers, 1-15806
- Aleksandrov, I.V. The influence of the tunnel transition on the form of the line signal of nuclear magnetic resonance in crystals, 1-1279
- Aleksandrov, I.V. The influence of the tunnel transition on the form of the line signal of nuclear magnetic resonance in crystals, 1-6427
- Aleksandrov, I.V. On the theory of the hyperfine structure of electron spin resonance spectra, 1-13189
- Aleksandrov, K.S., Gurovits, L.S. and Kamenskii, E.I. Effect of an intermediate layer on the frequency characteristics of ultrasonic delay lines, 1-16013
- Aleksandrov, K.S., Lundin, A.G. and Mikhailov, G.M. Positions of the hydrogen atoms in the structure of guanidinium aluminum sulfate hexahydrate, 1-4059
- Aleksandrovskaya, A.M. and Godnev, I.N. A rough estimate of the frequencies of normal vibrations of hafnium halides, 1-2320
- Aleksandrovskaya, A.M. See Godnev, I.N., 1-14001
- Alekseev, E.S. See Ryabinin, Yu.N., 1-8883
- Alekseev, N.V., Gerassimov, Ya.I. and Evseev, A.M. Investigation of thermodynamic properties of liquid In-Bi alloys, 1-143
- Alekseev, N.V., Zherebtsova, K.I., Litvin, V.F. and Nemilov, Yu.A. Stripping reactions on  $Cu^{13}$ ,  $O^{16}$ , and  $Si^{28}$ , 1-17144
- Alekseev, U.J. and Vitkevich, V.V. On the polarization of solar radio emission at 1.5 m wavelength, 1-15533
- Alekseev, V.M. A theorem in the theory of perturbed motion, 1-17995
- Alekseeva, E.S. See Berestnev, V.A., 1-20654
- Alekseeva, V.G., Karpova, I.V. and Kalashnikov, S.G. Recombination on atoms of gold in p-type germanium, 1-17685
- Alekseevskii, N.E. and Gaidukov, P. Anisotropy of the electrical resistance of Mg and Pt single crystals in a magnetic field at 4.2°K, 1-3728
- Alekseevskii, N.E. and Gaidukov, Yu.P. Fermi surface of lead, 1-17464
- Alekseevskii, V.P. A problem in the theory of jets, 1-8102
- Alekseiko, Yu.N. and Kakushadze, L.E. Radiation-induced changes in some physical properties of graphites of various degrees of graphitization, 1-17586
- Aleksin, V.F. and Yashin, V.I. Investigation of the stability of a plasma by a generalized energy principle, 1-4602
- Aleksin, V.F. and Yashin, V.I. Stability of a plasma pinch with anisotropic particle velocity distribution and arbitrary current distribution, 1-18885
- Aléonard, R. Paramagnetic study of yttrium and rare-earth ferrites of formula  $5Fe_2O_3 \cdot 3M_2O_3$ , 1-20142
- Aléonard, R. and Pauthenet, R. Magnetic properties of manganese niobate and of cobalt niobate, 1-2488
- Alers, G.A. and Thompson, D.O. Dislocation contributions to the modulus and damping in copper at megacycle frequencies, 1-3955
- Alers, G.A. and Waldorf, D.L. Variation of the elastic moduli at the superconducting transition, 1-11884
- Alers, P.B. Effects of gamma radiation on cerium-bearing phosphate glasses, 1-17870
- Aleskovskii, Yu.M. and Granovskii, V.L. Recombination radiation of a caesium plasma in a homogeneous magnetic field, 1-18890
- Alessio, M., Allegri, L. and Bella, F. A  $CO_2$  proportional counter of small volume and high efficiency for low level  $\beta$ -counting, 1-5610
- Alexander, E. See Steilberger, I.T., 1-1190
- Alexander, G., Avidan, J., Avni, A. and Yekutieli, G. Meson production in nucleus-nucleus collisions, 1-13459
- Alexander, G. and Yekutieli, G. Nucleus-nucleus reaction cross section at high energy collisions, 1-5903
- Alexander, G. See Wolf, S.E., 1-16890
- Alexander, J.M. On complete solutions for frictionless extrusion in plane strain, 1-15764
- Alexander, J.M. and Winsberg, L. Recoil studies of nuclear reactions induced by heavy ions, 1-2245
- Alexander, J.M. See Brewer, R.C., 1-1322
- Alexander, J.M. See Winsberg, L., 1-2244
- Alexander, K.F. Isotope separation by thermal diffusion in the liquid phase, 1-3524
- Alexander, K.F. and Brinckmann, H.F. Triple isomerism in  $Ir^{194}$ , 1-8631
- Alexander, P. and Steffen, R.M. Determination of the nuclear matrix elements in the 2.31 MeV  $\beta$  transition of  $Sb^{124}$  through measurement of the  $\beta$ - $\gamma$  (circularly polarized) angular correlation, 1-17035
- Alexander, P.W., Lacey, A.R. and Lyons, L.E. Absorption and luminescence origins in anthracene crystals, 1-14644
- Alexander, S. Spin-spin interactions in nuclear magnetic resonance. Contact contribution, 1-3570
- Alexeff, I. and Neidigh, R.V. Observations of ionic sound waves in plasmas, 1-18861
- Alfandari, R. and Pauchard, R. Propagation of H modes in a ferrite-loaded rectangular waveguide with transverse magnetization, 1-3062
- Alfant, S. See Rough, F.A., 1-13905
- Alferov, Zh.I., Gordeev, G.V. and Stafeev, V.I. The temperature dependence of the breakdown voltage of germanium and silicon diodes, 1-6168
- Alff, C. and Wertheim, G.K. Hyperfine structure of  $Fe^{57}$  in yttrium-iron garnet from the Mössbauer effect, 1-9036
- Alfimenkov, V.P. See Aksenov, S.I., 1-13633
- Alford, W.L., Koehler, D.R. and Mandeville, C.E. Evidence for an isomeric state of  $Y^{90}$ , 1-12184
- Alford, W.P., Bilaniuk, O.M. and Marsh, B.B. Double pick-up of inequivalent nucleons in  $C^{13}(d, \alpha)B^{11}$ , 1-19504
- Alford, W.P. and French, J.B. Isotopic spin admixtures in  $Ge^{76} \rightarrow Ga^{76} \rightarrow Zn^{76}$   $\beta$  transitions, 1-5861
- Alfred, L.C.R. Quantum-corrected statistical method for many-particle systems: the density matrix, 1-4276
- Al'ftan, E.A. See Mes'kin, V.S., 1-7614
- Alfvén, H. On the theory of sunspots, 1-1641
- Alfvén, H. Momentum spectra of cosmic radiation, 1-2143
- Alfvén, H. Physics of plasma: experimental and technical, 1-5438
- Alfvén, H. Collision between a non-ionized gas and a magnetized plasma, 1-5447
- Alfvén, H. On the origin of cosmic magnetic fields, 1-8335
- Alfvén, H., Lindberg, L. and Mitlid, P. Experiments with plasma rings, 1-9612
- Alfvén, H. and Smars, E. Gas-insulation of a hot plasma, 1-1905
- Alger, R.S., Anderson, T.H. and Webb, L.A. Trapped radicals in irradiated n-propanol at 77°K, 1-11130
- Ali Abdel Kerim Ibrahim. The theory of an oscillating cylinder viscometer. IV, 1-6820
- Ali Abdel-Kerim Ibrahim. An exact graphical method for determining the coefficient of viscosity of non-elastic liquids. V, 1-6821
- Ali Abdel-Kerim Ibrahim. A method for measuring the dynamic viscosity and dynamic rigidity of visco-elastic liquids, 1-6822
- Ali Abdel-Kerim Ibrahim and Abdel Monem I.Kabel. A graphical method for determining the coefficient of viscosity of Newtonian liquids using an oscillating cylinder viscometer, 1-6823
- Ali, M.I., Hossain, A., Islam, M. and Sarker, A.Q. Elastic scattering of protons by  $He^3$  and of neutrons by  $H^3$ , 1-556



## AUTHOR INDEX

- Ali-Zade, S.A., Gurevich, I.I. and Nikol'skii, B.A. Asymmetry in the angular distribution of electrons from  $\mu^-e$  decay in magnetic fields up to 35 000 oersted, 1=16832
- Ali-Zade, S.A. See Gurevich, I.I., 1=8468
- Aliev, M.I. See Abdullaev, G.V., 1=9989
- Aliev, M.I. See Abdullaev, G.B., 1=11170
- Aliev, V.I. See Kashkai, M.A., 1=5140
- Aliev, V.I. See Kashkai, M.A., 1=10384
- Alikhanov, A.I., Eliseev, G.P. and Lyubimov, V.A. Longitudinal polarization of  $\beta$ -electrons from  $Au^{199}$ , 0=3411
- Alikhanov, R.A. The antiferromagnetism of  $CoCO_3$ , 1=3919
- Alikhanyan, A.I. The scattering of  $\mu$ -mesons in various substances, 1=2124
- Alikhanyan, A.T. Polarization of cosmic ray  $\mu$ -mesons, 1=3279
- Aline, P.G., Novak, P.E. and Wolfe, B. On the fast effect in beryllium, 1=13817
- Alire, R.M. See Crosby, G.A., 1=6228
- Allaby, J.V., Ashmore, A., Diddens, A.N., Eades, J., Huxtable, G.B. and Skarsvåg, K. Spin correlation measurements in p-p scattering at 382 and 320 MeV, 1=5725
- Allam, D.S. and Lee, W.H. Ultrasonic velocity in aqueous silver nitrate solution, 1=18407
- Allan, D.L. An experimental test of the statistical theory of nuclear reactions, 1=8680
- Allan, D.L. An experimental test of the statistical theory of nuclear reactions, 1=8867
- Allan, H.R., Beamish, R.F., Bryant, D.A., Kasha, H. and Wills, R.D. An investigation of extensive air showers, using Cerenkov detectors, 1=577
- Allan, R.R. Satellite orbit perturbations in vector form, 1=15574
- Allard, E.M. Construction and utilization of pressure transducers, 1=9210
- Allard, G. See Combet-Farnoux, F., 1=6780
- Allbutt, M. Cubic and octahedral etch pits in aluminium, 1=1365
- Allcock, G.R. A space-time model of isospace, 1=19102
- Allcock, G.R. and Kamal, A.N. The S wave pion-pion interaction, 1=7272
- Allegra, G. A simplified formula for the calculation of the X-ray intensity diffracted by a monodimensionally disordered structure, 1=20499
- Allegrì, L. See Alessio, M., 1=5610
- Allen, C.C. and Runyan, W.R. An a.c. silicon resistivity meter, 1=10651
- Allen, F.G. Field emission from silicon and germanium; field desorption and surface migration, 1=18908
- Allen, F.G. See Gobeli, G.W., 1=1362
- Allen, H.C., Jr. The structure of the vibrational-rotational bands of an asymmetric rotor, 1=7461
- Allen, J.E. and Apostolakis, A.J. Sea-level cosmic ray spectra at large zenith angles, 1=19323
- Allen, J.E., Apostolakis, A.J., Lee, Y.J., Major, J.V. and Ferreira, E.P. The interactions of  $\pi^-$ -mesons with complex nuclei in the energy range (100-800) MeV. II. The interaction lengths and elastic scattering of 750 MeV  $\pi^-$ -mesons in G5 emulsion, 1=17136
- Allen, J.E. and Magistrelli, F. The plasma-sheath transition in a magnetic field, 1=5454
- Allen, J.W. The diffusion of ionized impurities in semiconductors, 1=17566
- Allen, J.W. and Cherry, R.J. Space-charge currents in gallium arsenide, 1=5022
- Allen, J.W. and Eagles, D.M. On the possibility of gradual phase transitions in solids, 1=7835
- Allen, L., Jr. See Holly, F.E., 1=21068
- Allen, L.C. Wave functions and correlation energies for F, F<sup>-</sup>, and Ne, 1=5965
- Allen, L.R., Palmer, H.P. and Rowson, B. New limits to the diameters of some radio sources, 1=1662
- Allen, M.A. and Kino, G.S. Interaction of an electron beam with a fully ionized plasma, 1=5441
- Allen, R. See Aarons, J., 1=15549
- Allen, R.C. See Hall, J.F., Jr., 1=10095
- Allen, T. and Ingram, D.J.E. E.S.R. studies on the semi-conductor theory of free electrons in large organic molecules, 1=11115
- Allen, T.K. and Bickerton, R.J. Experiments on the compression of plasma in cusp geometry, 1=18869
- Allen, T.K., Paulikas, G.A. and Pyle, R.V. Instability of a positive column in a magnetic field, 1=284
- Allen, T.L. and Shull, H. The chemical bond in molecular quantum mechanics, 1=19647
- Allen, W.A. and Rogers, J.W. Hugoniot curve determined by shock wave detachment from an infinite wedge, 1=5293
- Allerhand, A. See Kuntz, I.D., Jr., 1=19669
- Alles, W. Dispersion relation analysis of p-wave K-meson nucleon scattering, 1=12118
- Allofer, O.C. A new kind of cosmic-ray momentum spectrograph, 1=581
- Algaler, R.S. Valence bands in lead telluride, 1=17749
- Allison, K. and Kamegai, M. Lithium ion sources, 1=16433
- Allnatt, A.R. and Jacobs, P.W.M. The thermoelectric power of ionic crystals. I. Theoretical, 1=14527
- Allnatt, A.R. and Rice, S.A. On the kinetic theory of dense fluids. VII. The doublet distribution function for rigid spheres with an attractive potential, 1=10446
- Allnatt, A.R. See Rice, S.A., 1=4329
- Allnatt, A.R. See Rice, S.A., 1=10445
- Almazov, A.B. The effect of short-range order on electrical properties of a substance, 1=7611
- Almer, H.E. Response of microchemical balances to changes in relative humidity, 1=103
- Almqvist, E., Bromley, D.A. and Kuehner, J.A. Resonant reactions involving heavy ions, 1=8783
- Almqvist, E. and Kuehner, J.A. Magnetic spectrometer measurements of levels of Ne<sup>20</sup>, 1=16991
- Almqvist, E. See Bromley, D.A., 1=2237
- Almqvist, E. See Bromley, D.A., 1=8754
- Almqvist, E. See Bromley, D.A., 1=8755
- Almqvist, E. See Bromley, D.A., 1=8782
- Almqvist, E. See Bromley, D.A., 1=11039
- Almqvist, E. See Kuehner, J.A., 1=2235
- Almqvist, E. See Kuehner, J.A., 1=4875
- Almqvist, E. See Kuehner, J.A., 1=7323
- Almqvist, E. See Kuehner, J.A., 1=8784
- Almqvist, E. See Kuehner, J.A., 1=8759
- Almqvist, E. See Litherland, A.E., 1=13660
- Almqvist, E.A., Bromley, D.A., Kuehner, J.A. and Vogt, E.W. Search for proton size resonances, 1=8720
- Almqvist, E.A. See Kuehner, J.A., 1=8758
- Aloisio, C.J. Low temperature ultraviolet cell, 1=10594
- Alper, S. Investigations on the identification of unstopped particles in nuclear emulsions. III. On mass estimation of non-stopped ionizing particles in nuclear emulsions, 1=404
- Alper, S., Ausländer, J., Bercea, C. and Friedländer, E. Investigations on the identification of unstopped particles in nuclear emulsions. I. Estimation of ionization range from averages of characteristic quantities on two sections of the track, 1=402
- Alper, S., Balea, E., Friedländer, E. and Mayer, M. The nature of showers generated in lead by the penetrating component of cosmic rays, 1=572
- Al'per, Z. and Fridlander, E. A new method of determining the parameter of multiple coulomb scattering, 1=13262
- Alperin, H.A. Aspherical 3d electron distribution in Ni<sup>++</sup>, 1=6103
- Alpern, M. and Sugiyama, S. Photoc driving of the critical flicker frequency, 1=21130
- Alpert, D. Recent advances in ultra-high vacuum technology, 1=4382
- Alpert, L. A note to the paper by C.B. Moore, B. Vonnegut, B.A. Stein and H.J. Survilas "Observations of electrification and lightning in warm clouds", 1=15236
- Al'pert, Ya.L. Investigation of the ionosphere and of the interplanetary gas with the aid of artificial satellites and space rockets, 1=9303
- Alpher, R.A. Experiments in magneto-fluid dynamics, 1=8381
- Alpher, R.A., Hurwitz, H.Jr., Johnson, R.H. and White, D.R. Some studies of free-surface mercury magnetohydrodynamics, 1=5548
- Alstad, J.K., Colvin, R.V. and Legvold, S. Single-crystal and polycrystal resistivity relationships for yttrium, 1=11261
- Alstad, J.K., Colvin, R.V., Legvold, S. and Spedding, F.H. Electrical resistivity of lanthanum, praseodymium, neodymium, and samarium, 1=5003
- Alston, M., Alvarez, L.W., Eberhard, P., Good, M.L., Graziano, W., Ticho, H.K. and Wojcicki, S.G. Resonance in the  $\Lambda^0$  system, 1=3240



- Alston, M., Alvarez, L.W., Eberhard, P., Good, M.L., Graziano, W., Ticho, H.K. and Wojcicki, S.G. Resonance in the  $K-\pi$  system, 1=8502
- Alston, M.H., Alvarez, L.W., Eberhard, P., Good, M.L., Graziano, W., Ticho, H.K. and Wojcicki, S.G. Study of resonances of the  $\Sigma-\pi$  system, 1=12126
- Alston, M.H. and Ferro-Luzzi, M. Pion-hyperon resonances, 1=16866
- Altamari, L.A. See Leipziger, F.D., 1=20645
- Altemose, V.O. Helium diffusion through glass, 1=10010
- Altenburg, K. Velocity of sound and molecular structure.  
I. A general point of view on molecular kinetic theory calculations of the velocity of sound in liquids, 1=9389
- Altenburg, K. Velocity of sound and molecular structure.  
II. On the temperature dependence of the velocity of sound, 1=9390
- Altenburg, K. Velocity of sound and molecular structure.  
III. The velocity of sound and the intermolecular potential energy, 1=9391
- Altenpohl, D. and Post, W. Hydrated oxide films on aluminum. Their growth and their importance in electrolytic capacitors, 1=14964
- Alter, D. The evolution of the moon, 1=10378
- Alterman, Z. Kelvin-Helmholtz instability in media of variable density, 1=11740
- Alterman, Z. Capillary instability of liquid jet, 1=11742
- Alterman, Z. Effect of magnetic field and rotation on Kelvin-Helmholtz instability, 1=15787
- Alterman, Z. Effect of surface tension of the Kelvin-Helmholtz instability of two rotating fluids, 1=15821
- Alterman, Z., Jarosch, H. and Pekeris, C.L. Propagation of Rayleigh waves in the earth, 1=9182
- Alterman, Z. See Pekeris, C.L., 1=10302
- Alterman, Z. See Pekeris, C.L., 1=20797
- Altes, M.C. See Catalá, J., 1=17150
- Altman, C. Structure, variations and measurements of the earth's ionosphere and exosphere, 1=10317
- Al'tshuler, S.A. and Zariopov, M.M. On the theory of paramagnetic resonance of Ti and Co ions in corundum, 2=20234
- Alvager, T. The high-frequency deflection method for measuring short half-lives. II. The electron coincidence spectrometer and related arrangements used in connection with the high frequency deflection, time measuring instrument, 1=4835
- Alvåger, T. The empirical matrix element of the M4 transition in  $Xe^{136}$ , 1=5865
- Alvåger, T. and Ryde, H. On the possibility of the detection of double quantum emission in atomic nuclei, with special application to the decay of  $Xe^{131m}$ , 1=5853
- Alvåger, T. See Forsling, W., 1=19386
- Alvåger, T. See Ryde, H., 1=13732
- Alvarez, L.W. See Alston, M., 1=3240
- Alvarez, L.W. See Alston, M., 1=8502
- Alvarez, L.W. See Alston, M.H., 1=12126
- Alvarez, L.W. See Maglic, B.C., 1=16840
- Alves, R.V. See Tochilin, E., 1=5736
- Alvial, G. Determination of the electric charge of a high-charged nucleus of the primary cosmic rays with nuclear emulsions, 1=13545
- Alwar, R.S. Araldite used for model analysis of composite structures, 1=18332
- Amado, R.D. V- $\theta$  collisions in the Lee model, 1=7204
- Amado, R.D. See Aaron, R., 1=427
- Amaglobeli, N.S., Kazarinov, Yu.M., Sokolov, S.N. and Silin, I.N. Determination of the pion-nucleon coupling constant from differential cross-sections for elastic  $n-p$  scattering, 1=19246
- Amaldi, E. Antiparticles, 1=16726
- Amano, H. Reactions of argon-40 with alpha-particles, 1=8776
- Amano, H. See Tanaka, S., 1=2241
- Amano, H. See Tanaka, S., 1=8776
- Amano, H. See Tanaka, S., 1=8779
- Amano, H. See Tanaka, S., 1=12219
- Amano, H. See Tanaka, S., 1=12220
- Amar, V. and Pauri, M. On the  $K^+ + n \rightarrow K^0 + p$  scattering amplitude poles, 1=16899
- Amat, G. and Henry, L. K-type resonance and doubling in axially symmetric molecules, 1=8829
- Amat, G. See Grenier-Besson, M.L., 1=17304
- Amat, G. See Henry, L., 1=4921
- Amat, G. See Henry, L., 1=5991
- Amati, D., Fubini, S., Stanghellini, A. and Tonin, M. A theoretical approach to high-energy pion phenomena, 1=19242
- Amati, D., Leader, E. and Vitale, B. Theory of low energy nucleon-nucleon scattering. II. High waves, 1=5717
- Amati, D., Leader, E. and Vitale, B. Theory of low energy nucleon-nucleon scattering. III. Partial wave integral equations for low orbital momentum amplitudes, 1=5718
- Amati, D. and Vitale, B. Some topics regarding the strong interactions of strange particles, 1=2018
- Amati, D., Vitale, B. and Stanghellini, A. Some considerations on the recently found evidence for a  $\pi\Lambda$  resonance, 1=3241
- Amati, L. See Panattoni, C., 1=10246
- Amatuni, A.Ts. Calculation of the ground state of an anti-ferromagnetic material with uniaxial anisotropy, 1=5068
- Amatuni, A.Ts. and Korkhmazyan, N.A. Transition radiation in the case of a diffuse boundary between two media, 1=19162
- Ambartsumian, V.A. On the evolution of stellar systems, 1=8011
- Ambartsumyan, V.A. and Saakyan, G.S. The degenerate superdense gas of elementary particles, 1=19154
- Ambegaokar, V. Electromagnetic properties of insulators, II, 1=1118
- Ambegaokar, V. See Garofalo, F., 1=2517
- Ambegaokar, V. See Langer, J.S., 1=3617
- Ambiye, K.S.Y., Bhagwat, S.D., Joshi, M.C., Sharma, R.P. and Subbarao, B.N. Decay scheme of  $Eu^{156}$ , 1=17021
- Ambiye, K.S.Y., Joshi, M.C. and Thosar, B.V. Decay of  $Eu^{156}$ , 1=656
- Ambler, E. Methods of nuclear orientation, 1=4827
- Ambler, E. and Dove, R.B. Continuously operating  $He^3$  refrigerator for producing temperatures down to  $\frac{1}{2}^\circ K$ , 1=10633
- Ambler, E. See Hoppes, D.D., 1=5859
- Ambrosino, G. See Blanc, D., 1=7162
- Ambrosino, G. See Cambou, F., 1=7168
- Ambroży, B., Faudrowicz, A., Jasiński, A., Kownacki, J., Lancman, H. and Ludziejewski, J. Measurement of the mean life of the first excited state of  $Na^{23}$ , 1=16995
- Amdur, I., Jordan, J.E. and Colgate, S.O. Scattering of high-velocity neutral particles, XI. Further study of the He-He potential, 1=8825
- Amdur, I., Longmire, M.S. and Mason, E.A. Scattering of high-velocity neutral particles. XII. He- $CH_4$ ; He- $CF_4$ ;  $CH_4$ - $CH_4$  and  $CF_4$ - $CF_4$  interactions, 1=14124
- Ameer, G.A. and Benesch, W.M. Interferometrically controlled hydraulic wavelength drive, 1=4462
- Amelinckx, S. and Delavignette, P. Electron optical study of basal dislocations in graphite, 1=969
- Amelinckx, S. and Delavignette, P. Direct evidence for the presence of quarter-dislocations in talc monocrystals, 1=3674
- Amelinckx, S. and Delavignette, P. Electron microscope observation of dislocations in talc, 1=4985
- Amelinckx, S. See Cuypers, R., 1=2398
- Amelinckx, S. See Delavignette, P., 1=7585
- Amelinckx, S. See Delavignette, P., 1=11217
- Amelinckx, S. See Delavignette, P., 1=12385
- Amelinckx, S. See Pelsmaekers, J., 1=10470
- Amelinckx, S. See Remaut, G., 1=14933
- Amelinckx, S. See Ruedl, E., 1=11246
- Amelinckx, S. See Schüller, E., 1=8910
- Amemiya, A. and Inokuti, M. Mathematical considerations on chemical kinetics of radiation-induced
- Amemiya, A. See Okada, Y., 1=10103
- Amerighi, M. See Evans, D., 1=19267
- Amerighi, M.C. See Jones, B.D., 1=8500
- Ames, D.B. See Boucher, R.A., 1=7140
- Ames, I. See Christensen, R.L., 1=4429
- Ames, O., Bernstein, A.M., Brennan, M.H. and Hamilton, D.R. Magnetic moments of 69 min  $Ag^{104}$  and 27 min  $Ag^{104m}$ , 1=12148
- Amiet, J.P. A semi-phenomenological model of the nucleus based on the pion-nucleon interaction, 1=13601
- Aminov, L.K. and Morocha, A.K. The theory of spin-spin interactions in crystals containing rare-earth ions, 1=20243
- Amirkhanov, Kh.I. and Kerimov, A.M. Heat capacity  $C_V$  of water and water vapour at high temperatures and high pressures, 1=18395



## AUTHOR INDEX

- Amirkhanova, D.Kh. and Bashirov, R.I. Nernst-Ettingshausen effect in n-InSb. 1=17629
- Amith, A. Galvanomagnetic properties of semiconductor thin films and surface layers. 1=3723
- Amma, E.L. and Jeffrey, G.A. Study of the wurtzite-type compounds. V. Structure of aluminum oxycarbide,  $\text{Al}_2\text{CO}$ ; A short-range wurtzite-type superstructure. 1=4052
- Ammar, R.G., Crayton, N., Jain, K.P., Levi Setti, R., Mott, J.E., Schlein, P.E., Skjeggstad, O. and Srivastava, P.K. Search for  $\Sigma^-$  hyperfragments. 1=607
- Ammar, R.G., Levi Setti, R., Slater, W.E., Limentani, S., Schlein, P.E. and Steinberg, P.H. Mesic decays of hypernuclei from  $\text{K}^-$ -capture. II, branching ratios in the charged mesic decay modes of  $^3\text{H}_\Lambda$ ,  $^4\text{H}_\Lambda$ ,  $^6\text{He}_\Lambda$  and  $^8\text{He}_\Lambda$ . 1=5832
- Amoignon, J. and Moreau, J. Ultra-high vacua and diffusion pumps. (Industrial production of a pressure of  $4 \times 10^{-10}$  torr). 1=2794
- Amonenko, V.M., Tikhinski, G.F., Finkel', V.A., Azhazha, V.M. and Shpagin, I.V. Plastic deformation of textured beryllium. 1=12593
- Amonenko, V.M. See Ivanov, V.E., 1=12654
- Amonenko, V.M. See Popov, B.E., 1=6545
- Amorós, J.L., Canut, M.L., de Acha, A., Moreno, M. and Guibert, M. An X-ray diffractometer for single crystals. 1=1390
- Amoros, J.L., Guibert, M., Canut, M.L. and Arrese, F. A vertical Weissenberg camera for high and low temperatures. 1=20455
- Amoros, J.L. See Annaka, S., 1=9969
- Amoros, J.L. See Canut, M.L., 1=9972
- Amos, A.T. and Hall, G.G. Single determinant wave functions. 1=15679
- Amov, B. and Kamborov, Kh. On a method of rapid separation of the activity of the decay products of radon, thorium-B and the long-lived activity of the atmospheric aerosols by the analysis of the general  $\alpha$  or  $\beta$  decay curves. 1=7337
- Amram, Y., Guillon, H., Hugot, C. and Thenard, J. Time of flight selector with electrostatic memory. 1=2931
- Amrhein, E.M. and Dietzel, A. Experiments on the bending of microwaves by surface grids. 1=19034
- Amsel, G., Baruch, P. and Smulkowski, O. High resolution study of nuclear reactions by p-n junction detectors. 1=3086
- Amsel, G., Baruch, P. and Smulkowski, O. Heavy-particle detector using a silicon p-n junction. 1=5615
- Amsel, G. and Bishop, G.R.  $T = 3/2$  level in  $\text{F}^{18}$  at 9.07 MeV. 1=10966
- Amsel, G. and Smulkowski, O. High resolution spectroscopy using p-n junctions applied to the study of nuclear reactions: The  $\text{O}^{16}(\text{d}, \text{p})\text{N}^{16}$  reaction. 1=1991
- Amson, J.C. Method for the consistent transformation of physical equations into non-dimensionally parametric form. 1=5116
- Amstutz, G.C. See Petz, J.I., 1=5101
- Amus'ya, M.Ya. The ground states of nuclei. I. 1=3391
- Amus'ya, M.Ya. Fermi systems with attractive and repulsive interactions. 1=16688
- Ananiades, C.S. and Dewdney, J.W. Transistor alpha-particle detector. 1=5795
- Ananthakrishnan, R. Distribution of heights of prominences. 1=7992
- Ananthakrishnan, R. Anomalies in the light curves of meteors resulting from fragmentation. 1=15434
- Ananthanarayanan, V. Raman spectra of crystalline double sulphates. 1=12499
- Anantharaman, T.R. Study of X-ray line-broadening due to plastic deformation in face-centered cubic metals. 1=7886
- Anantharaman, T.R. See Schubert, K., 1=6528
- Anastasiadis, E. Growth kinetics of crystals of tin. 1=4021
- Anastasov, A. A solution of geodesical lines equations. 1=6774
- Anastasiadis, M., Ilias, D. and Caroubalos, C. Ionospheric absorption and solar activity at middle latitudes. 1=20915
- Anatolović, B., Winterhalter, D. and Turk, M. Measurement of the yield and energy spectra of D-D neutrons by means of nuclear emulsions. 1=16915
- Anbar, M., Guttman, S. and Stein, G. Radiolysis of aqueous solutions highly enriched in  $\text{O}^{18}$ . 1=6577
- Anell, J.E. See Hardy, H.C., 1=16032
- Ancenot, C. and Couture, L. Optical study of magnetically dilute chromium potassium alums at low temperature. 1=7710
- Anderman, A.I. See Reiss, H., 1=8934
- Anders, E. and Stevens, C.M. Search for extinct lead 205 in meteorites. 1=15438
- Anders, E. See Fish, R.A., 1=2607
- Anders, E. See Goles, G.G., 1=14417
- Anders, E. See Goles, C.C., 1=15440
- Anders, O.U. and Meinke, W.W. Absolute ( $\text{d}, \alpha$ )-reaction cross sections of zirconium, molybdenum, titanium, and sulfur. 1=722
- Andersen, S.L., Dörum, O., Gautvik, E. and Holtebekk, T. Resonance energies and half-widths for proton capture in sodium and phosphorus. 1=5915
- Andersen, T., Bisgård, K.M. and Hansen, P.G. Low lying states of  $\text{Th}^{229}$ . 1=19371
- Andersen, W.H. and Hornig, D.F. The structure of shock fronts in various gases. 1=167
- Anderson, A.C., Reese, W., Sarwinski, R.J. and Wheatley, J.C. Self-diffusion coefficient and nuclear susceptibility of liquid helium-three. 1=18691
- Anderson, A.C., Salinger, G.L., Steyert, W.A. and Wheatley, J.C. Specific heat and thermal boundary resistance of liquid  $\text{He}^3$ . 1=8276
- Anderson, A.C., Salinger, G.L. and Wheatley, J.C. Thermal conductivity of liquid  $\text{He}^3$ . 1=11871
- Anderson, A.C., Salinger, G.L. and Wheatley, J.C. Transfer of heat below  $0.15^\circ\text{K}$ . 1=16141
- Anderson, A.D. A theory for close-in fallout from land-surface nuclear bursts. 1=20872
- Anderson, A.E. The transmission secondary emission image intensifier and its application to low light level imaging. 1=3001
- Anderson, C.E., Quinton, A.R., Knox, W.J. and Long, R. Apparatus for the investigation of heavy ion induced reactions. 1=733
- Anderson, C.E. See Hubbard, E.L., 1=10749
- Anderson, C.E. See Knox, W.J., 1=734
- Anderson, C.E. See Ladenbauer, I.M., 1=12223
- Anderson, D.C. On the temperature dependence of the thermal neutron flux kernel. 1=16807
- Anderson, D.C. and Shure, K. Thermal neutron flux distributions in metal-hydrogenous shields. 1=17237
- Anderson, D.H. Quadrupole coupling in lithium nitrate. 1=20280
- Anderson, D.L. The physical constants of sea ice. 1=1502
- Anderson, E.E. See Cunningham, J.R.Jr., 1=6372
- Anderson, E.W. See Douglass, D.C., 1=4330
- Anderson, E.W. See McCall, D.W., 1=4331
- Anderson, E.W. See McCall, D.W., 1=5273
- Anderson, E.W. See McCall, D.W., 1=15855
- Anderson, G.R. See Person, W.B., 1=14029
- Anderson, G.S. and Wehner, G.K. Atom ejection patterns in single-crystal sputtering. 1=1929
- Anderson, H.R. See Neher, H.V., 1=2148
- Anderson, H.R. See Neher, H.V., 1=3342
- Anderson, J.A., Bang, V.X., Burke, P.G., Carmony, D.D. and Schmitz, N. Experimental results on the  $\pi-\pi$  cross section. 1=7273
- Anderson, J.A., Bang, V.X., Burke, P.G., Carmony, D.D. and Schmitz, N. Pion-pion interactions. 1=16867
- Anderson, J.A. See Wolf, S.E., 1=16890
- Anderson, J.C. Internal ferromagnetic resonance and magnetostatic modes in nickel-iron alloys. 1=1252
- Anderson, J.C. Magnetic anisotropy in single-crystal nickel films. 1=12530
- Anderson, J.C., Chasson, R.L., Liwschitz, M.P. and Suda, T. The solar cosmic-ray outburst of May 4, 1960. 1=13557
- Anderson, J.C. See Heavens, O.S., 1=12664
- Anderson, J.C. See Logie, H.J., 1=14360
- Anderson, J.D. and Wong, C. Evidence for charge independence in medium weight nuclei. 1=16983
- Anderson, J.D. See Albert, R.D., 1=696
- Anderson, J.D. See Goldberg, M.D., 1=8520
- Anderson, J.D. See Wong, C., 1=11010
- Anderson, J.H. See Weil, J.A., 1=20201
- Anderson, J.M. Cavity method suitable for measurement of high electron densities in plasmas. 1=13094
- Anderson, J.R. The adsorption of halogens on metal films. I. Adsorption measurements and surface potentials for chlorine on nickel. 1=20688
- Anderson, K.A. Secondary cosmic-ray photons below cascade energy. 1=12140
- Anderson, K.A. and Enemark, D.C. Observations of solar cosmic rays near the north magnetic pole. 1=13561



- Anderson, K.A. and Enemark, D.C. Balloon observations of X-rays in the auroral zone. II, 1=15307
- Anderson, L.J. 108-216 Mc/s radio signals from satellites below the horizon, 1=16582
- Anderson, M.E., Pake, G.E. and Tuttle, T.R., Jr. Proton resonance in diphenyl picryl hydrazyl, 1=878
- Anderson, M.E., Rhodes, R.S. and Pake, G.E. Proton resonance shifts and electron susceptibilities in 1, 3-bisdiphenylene 2-phenyl allyl, 1=19668
- Anderson, M.E., Zandstra, P.J. and Tuttle, T.R., Jr. Proton resonance shifts in pyrene mononegative ion at 4.2°K, 1=880
- Anderson, N. Oscillations of a plasma in a static magnetic field, 1=3614
- Anderson, N. Equilibrium electron distributions in electric and magnetic fields, 1=11976
- Anderson, P.W. Generalized B.C.S. states and aligned orbital angular momentum in the proposed low-temperature phase of liquid <sup>3</sup>He, 1=5391
- Anderson, P.W. Localized magnetic states in metals, 1=14666
- Anderson, P.W. and Morel, P. Generalized Bardeen-Cooper-Schrieffer states and the proposed low-temperature phase of liquid He<sup>3</sup>, 1=13038
- Anderson, R.C., Cooke, G.M., Kenyon, L.C. Jr. and Mathiasen, R.L. The tensimeter, a new vacuum gauge, 1=10555
- Anderson, R.L., Turkot, F. and Woodward, W.M. Photoproduction of K<sup>+</sup> mesons from deuterium, 1=10925
- Anderson, T.H. See Alger, R.S., 1=11130
- Anderson, W.A. Electrical current shims for correcting magnetic fields, 1=8369
- Anderson, W.H. and Hornig, D.F. Structure of weak shock fronts in argon-helium mixtures, 1=8154
- Anderson, W.R. and Beriman, I.B. Radiant flux from a cylindrical distributed source, 1=16150
- Andersson, G. Systematic trends in half-lives of beta-decaying nucleides, 1=9828
- Andersson, G. and Ringh, R. 39 min Au<sup>190</sup>, 20 min Hg<sup>190</sup>, and 10 min Hg<sup>199</sup>, 1=13738
- Andersson, G., Rudstam, G. and Stenström, T. Recoil technique in cyclotron bombardments using powder targets, 1=2202
- Andersson, G. See Gupta, R.K., 1=13758
- Andersson, S. and Wadsley, A.D. The crystal structure of Na<sub>2</sub>Ti<sub>2</sub>O<sub>7</sub>, 1=20557
- Ando, K. Indirect transition in narrow junction of Ge-Si alloy, 1=14487
- Ando, K. See Kamiya, Y., 1=12387
- Ando, S. General theory of electrically conducting perfect gas flow past a three-dimensional thin body, 1=7133
- Ando, S. Some remarks on the magnetogasdynamic linearized theory, 1=12005
- Ando, T. See Koshino, S., 1=14408
- Ando, T. See Koshino, S., 1=14410
- Andrá, W. The theory of magnetization reversals in thin films, 1=10159
- Andrá, W. On the theory of magnetization reversal of thin films. I. Nucleation in homogeneous material, 1=20098
- Andrá, W., Greiner, C. and Schwab, W. Observation of magnetic domain structure during magnetization in alternating fields, and their relevance to reversal losses, 1=20088
- Andrá, W. and Stemme, O. On the uniaxial magnetic anisotropy of thin electrolytically prepared layers, 1=6276
- Andrá, W. See Danan, H., 1=20100
- Andrade, E.N. da C. A simple method of investigating the creep of metals under simple shear, 1=1326
- Andrade e Silva, J. The theory of systems of particles in the causal interpretation of wave mechanics, 1=1699
- Andrade e Silva, J., Fer, F., Leruste, P. and Lochak, G. Quantization, stationarity and nonlinearity, 1=2705
- Andrade e Silva, J., Fer, F., Leruste, P. and Lochak, G. Exchanges of energy in quantized systems, 1=5214
- Andrade e Silva, J., Fer, F., Leruste, P. and Lochak, G. Non-linearity, limiting trajectories, and quantization, 1=5215
- Andrade e Silva, J., Fer, F., Leruste, P. and Lochak, G. Quantization, stationarity and nonlinearity, 1=15690
- André, G.O. See van Beek, A.M.K., 1=8765
- André, S. See Duclos, J., 1=18740
- Andre-Louisfert, J. The infrared absorption spectra of the harmonics and combinations of internal vibrations of calcite, dolomite, and magnesite between 1400 and 7000 cm<sup>-1</sup>, 1=17896
- Andrescu, I., Angelescu, T., Besliu, C., Coditã, V., Martalogu, N., Pîrvu, V. and Gheordănescu, N. Depolarization of  $\mu^-$ -mesons in Nikfi emulsions subjected to a magnetic field of 10<sup>4</sup> Oe, 1=2076
- Andreev, A.A. and Regel', A.R. Electrical conductivity of liquid selenium in strong electric fields, 1=4355
- Andreev, G.A. See Aleksandrov, B.P., 1=19768
- Andreev, M. and Borisov, M. Parametric ionic resonance in a plasma in magnetic field, 1=6096
- Andreev, V.V. and Kosevich, A.M. Quantum oscillations of the thermal conductivity of an electron gas in a magnetic field, 1=3614
- Andreev, Yu.N. See Rusinov, L.I., 1=17013
- Andreeva, I.A. See Likhtman, V.I., 1=14907
- Andreeva, I.A. See Likhtman, V.I., 1=20370
- Andreeva, M.G. Application of electron multipliers to increase the sensitivity of a mass spectrometer, 1=4663
- Andres, H.G. and Brodhun, D. Accuracy of sound absorption coefficients in reverberation chambers, 1=16042
- Andres, U.Ts. Equilibrium and motion of a sphere in a viscoplastic liquid, 1=6826
- Andresciani, V. The photomagnetolectric effect and photoconductivity in semiconductors, 1=3794
- Andresciani, V. and Schippa, G. A device for orienting single crystals by X-ray diffraction, 1=9124
- Andresen, H.G. Electron paramagnetic resonance of manganese in TiO<sub>2</sub>, 1=1263
- Andresen, H.G. Hyperfine structure and g-tensor anisotropy of the paramagnetic resonances of manganese in TiO<sub>2</sub>, 1=14805
- Andrew, A. and Fitzpatrick, J.P. Velocity and impulse of an accelerated plasma, 1=9560
- Andrew, E.R., Bradbury, A., Eades, R.G. and Jenks, G.J. Fine structure of the nuclear magnetic resonance spectra of solids: chemical shift structure of the spectrum of phosphorus pentachloride, 1=6430
- Andrew, E.R., Bradbury, A., Eades, R.G. and Jenks, G.J. Nuclear magnetic resonance spectra of crystals rotated macroscopically: fine structure of the spectrum of phosphorus pentachloride, 1=10187
- Andrew, E.R., Eades, R.G., El Saffar, Z.M. and Llewellyn, J.P. Proton magnetic resonance at low temperatures of molecular solids containing CH<sub>3</sub> groups, 1=10197
- Andrew, E.R., Swanson, K.M. and Williams, B.R. Angular dependence of nuclear spin-lattice relaxation time for several alkali halide crystals, 1=3942
- Andrew, E.R. and Tunstall, D.P. Spin-lattice relaxation in imperfect cubic crystals and in non-cubic crystals, 1=12565
- Andrew, E.R. See Hennel, J.W., 1=14838
- Andrew, K.F. See Gulbransen, E.A., 1=6502
- Andrews, A.L. and Buckingham, A.D. The effect of strong electric and magnetic fields on the depolarization ratios of gases, 1=15957
- Andrews, D.J. See Rustgi, M.L., 1=553
- Andrews, E.H. Crack propagation in a strain-crystallizing elastomer, 1=5084
- Andrews, E.H. Stresses at a crack in an elastomer, 1=6479
- Andrews, F. See Henin, F., 1=5210
- Andrews, F.C. The Green's function of the Liouville equation, 1=4274
- Andrews, F.C. On the general theory of the approach to equilibrium. III. Inhomogeneous systems, 1=5211
- Andrews, F.C. On the classical Boltzmann equation for gases, 1=12923
- Andrews, F.C. Dynamical derivation of equilibrium correlations for dense fluids in statistical mechanics, 1=18284
- Andrews, H.L. Accelerators in biology and medicine, 1=10342
- Andrews, K.W. The structure of non-destructive testing, 1=6065
- Andreyev, D.S., Grinberg, A.P., Erokhina, K.I. and Lemberg, I.Kh. Coulomb excitation of the first levels of spherical even nuclei by multiply charged ions, 1=2243
- Andreyeva, I.N. See Bryukhanova, L.S., 1=20383
- Andriankin, É.I. See Zaidel', R.M., 1=16138
- Andrianov, A.M., Bazilevskaya, O.A. and Prokhorov, V.G. Investigation of pulse discharges in gases with a current of 500 kA, 1=9583
- Andrievskii, A.I. and Nabitovich, I.D. On the structure of the  $\beta$ -cubic modification of selenium, 1=10257



- Andrievskii, A.I., Nabitovich, I.D. and Voloshchuk, Ya.V. An electron-diffraction study of the structure of thin layers of amorphous selenium, 1=11595
- Andrillat, H. See Andrillat, Y., 1=15517
- Andrillat, Y. and Andrillat, H. A spectral study of some planetary nebulae in the photographic infrared, 1=15517
- Androes, G.M., Hammond, R.H. and Knight, W.D. Device for evaporating multiple films, 1=9162
- Androes, G.M. and Knight, W.D. Nuclear magnetic resonance in superconducting tin, 1=2922
- Andronikashvili, E.L. and Kasarov, R.E. Study of the energy spectrum of extensive air shower penetrating component, 1=2130
- Andronikashvili, E.L. and Roinishvili, N.N. Transverse momentum component of strange particles produced in penetrating cosmic-ray showers, 1=574
- Andrussow, L. The viscosity of macromolecules, 1=2729
- Andrussow, L. Temperature dependence of the permittivity, 1=8133
- Andruszkiewicz, J., Kuźma, W. and Polacki, Z. Plastic scintillators, 1=16615
- Ang, C.Y. and Burkhammer, E.W. Sintering of high density uranium dioxide bodies, 1=20646
- Angel, D.W., Hunter, W.R., Tousey, R. and Hass, G. Extreme ultraviolet reflectance of LiF-coated aluminum mirrors, 1=16070
- Angel, Y. and Marie, G. Determining hysteresis loops using magnetic open circuits, 1=4690
- Angelescu, T. See Andreescu, I., 1=2076
- Angello, S.J. See Herwald, S.W., 1=1099
- Angelopoulos, M. On the calculation of the thermal utilization, 1=776
- Angelopoulos, M. The linear extrapolation length on the surface of an infinite plate [in a reactor cell], 1=13876
- Angelopoulos, M. The criticality condition of a cylindrical heterogeneous reactor, without reflector, in the multi-group theory, 1=17184
- Anger, C.D. and Brown, R.R. Observations of the temporary presence of radioactive matter in the atmosphere, 1=15244
- Anger, C.D. See Ehmert, A., 1=13583
- Anger, C.D. See Ehmert, A., 1=19310
- Angle, K. Observation of a white-light flare, 1=18099
- Anisimov, A.I., Vinogradov, N.I., Golant, V.E. and Konstantinov, B.P. Method of investigating the space distribution of electrons in a plasma, 1=293
- Anisimov, S.I. The strong discontinuity [at a shock front] in a non-ideal gas, 1=1764
- Anisimov, S.I. See Perel'man, T.L., 1=6704
- Anisomova, Yu.V. See Vystavkin, A.N., 1=4646
- Anisovich, V.V. A resonance model for the reactions  $N + \pi \rightarrow N + \pi + \pi$  and  $\gamma + N \rightarrow N + \pi + \pi$ , 1=19247
- Ankermuller, F. See König, H., 1=15241
- Ankudinov, E.P. See Shvedov, V.P., 1=3400
- Annaka, S. and Amoros, J.L. On the X-ray temperature diffuse scattering of anthracene and stearic acid, 1=9969
- Anno, T. and Coulson, C.A. The structure of graphite, 1=20527
- Anoshkin, V.A., Golant, V.E., Konstantinov, B.P., Poloskin, B.P. and Shcherbinin, O.N. Microwave investigations of plasma in the apparatus "alpha", 1=4616
- Ansell, G.S. and Leneil, F.V. Criteria for yielding of dispersion-strengthened alloys, 1=3970
- Ansel'm, A.A. Solution of equations for the meson-meson scattering amplitude in the asymptotic region, 1=4805
- Ansel'm, A.A., Gribov, V.N., Danilov, G.S., Dyatlov, I.T. and Shekhter, V.M. The maximum value of the coupling constant in field theory, 1=19111
- Ansel'm, A.I. and Askerov, B.M. Magnetothermal effects in semimetals in strong magnetic fields, 1=10032
- Ansel'm, A.I. and Askerov, B.M. The chemical potential and the criterion of degeneracy of conduction electrons in a strong magnetic field, 1=12427
- Ansel'm, A.I. and Lang, I.G. Estimation of the role of many-phonon processes in the scattering of conduction electrons in atomic crystals, 1=6083
- Antell, G.R. Investigation of a method of growing crystals of GaP and GaAs from the vapour phase, 1=20418
- Anthrop, D.F. See Davis, S.G., 1=4514
- Antier, G. See Grunberg, J.G., 1=21160
- Antolković, B. A device for dip-angle measurement of tracks in nuclear emulsions, 1=13258
- Antončík, E. A remark on the use of the repulsive potential, 1=17386
- Anton'eva, N.M., Bashilov, A.A., Dzhelepov, B.S., Kaun, K.G., Meyer, A.F.A. and Smirnov, V.B. Radiations from  $\text{Eu}^{146}$ ,  $\text{Eu}^{148}$  and  $\text{Eu}^{147}$ , 1=13750
- Antonov, A.V., Korshunov, Yu.V., Meleshko, E.A. and Panasyuk, V.S. Stabilization of the r.f. voltage applied to cyclotron dees, 1=4679
- Antonov, A.V., Korshunov, Yu.V., Meleshko, E.A. and Panasyuk, V.S. Automatic control of the reactive parameters of cyclotron resonance systems, 1=16457
- Antonov, R.A., Smorodin, Yu.A. and Tulinova, Z.I. Air showers at altitudes of 9-12 km, 1=3284
- Antonov-Romanovskii, V.V. Some special cases of luminescence kinetics, 1=17907
- Antonov-Romanovskii, V.V. Final stages of luminescence decay in phosphors with levels of several kinds, 1=20026
- Antonova, L.A. See Ivanov-Kholodnyi, G.S., 1=10970
- Antonowicz, K. Field homogenizing iron plates for nuclear spin resonance spectrometer, 1=1879
- Antropov, G.M., Belyaev, V.A. and Romanovskii, M.K. The behaviour of fast electrons in the electron model of a trap with magnetic stoppers [mirrors], 1=7061
- Antropov, G.P., Zisin, Iu.A., Kovrizhnikh, A.A. and Lbov, A.A. The  $\text{U}^{238}(n, 2n)\text{U}^{237}$  cross-section at 15 MeV, 1=3454
- Antsilevich, M.G. and Shevkin, A.D. The question of geomagnetic observations by the first Soviet cosmic rocket, 1=6651
- Antuf'ev, V.V., Votinov, M.P., Kuvshinskii, E.V. and Savin, A.G. Investigation of the ageing process in titanium-containing ceramics by means of electron paramagnetic resonance, 1=12659
- Anufriev, A.A. See Tolstoi, N.A., 1=20016
- Anufrieva, E.V. The effect of vitrification on polarization of long-lived luminescence of organic substances, 1=14647
- Anzai, T. Generation and detection of ultrasonic waves in solids by small barium titanate transducers, 1=206
- Aoki, A. Angular correlation of the  $\text{Mo}^{95}$  gamma-gamma cascades, 1=13730
- Aoki, A. See Kawamura, M., 1=16998
- Aoki, S. Discussion of longitude differences of catalogues in view of determining Ephemeris time, 1=4202
- Aono, Y. See Ichimiya, T., 1=1535
- Aono, Y. See Ichimiya, T., 1=11648
- Aoyagi, K. The additional magnetic anisotropy induced by magnetic anneal in ferromagnetic face-centered cubic solid solutions. II. Crystal orientation dependence of the induced magnetic anisotropy in face-centered cubic nickel-cobalt and nickel-iron alloys, 1=17952
- Aoyagi, K. and Kuwabara, G. Optical properties of KCl:Ti in the extreme ultraviolet region, 1=12494
- Aoyagi, K. and Sugihara, M. Magnetic anisotropy of Heusler single crystal, 1=20072
- Aoyagi, K. See Kuwabara, G., 1=1181
- Aoyagi, K. See Yamamoto, M., 1=17951
- Apae, B.A. and Syusuev, Yu.A. The effect of plastic deformation on the phase composition of steel alloyed with Cr and Mn, 1=6456
- Apae, B.A. and Yakovlev, B.M. Application of the magnetic phase analysis for separate determination of free and bound carbon, 1=15212
- Apalin, V.F. See Spivak, P.E., 1=4791
- Apalin, V.F. See Spivak, P.E., 1=5900
- Apelt, C.J. See Thom, A.E., 1=9245
- Apfel, J.H. and Portis, A.M. Exciton-induced photoconductivity in  $\text{Cu}_2\text{O}$ , 1=17800
- Apostolakis, A.J. See Allen, J.E., 1=17136
- Apostolakis, A.J. See Allen, J.E., 1=19323
- Apostolescu, S. See Teutsch, H., 1=3481
- Apostolescu, S. See Teutsch, H., 1=5954
- Apostolov, D. See Mitran, L., 1=7301
- Appa Rao, M.V.K. Isotopic composition of the low-energy helium nuclei in the primary cosmic radiation, 1=10940
- Appa Rao, M.V.K. and Kaplon, M.F. The influence of isotopic composition on the maximum in the cosmic ray energy spectra, 1=13549
- Appel, J. Thermal conductivity of semiconductors, 1=6077
- Appel, J. Electron-electron scattering and transport phenomena in nonpolar semiconductors, 1=8936
- Appel, J. Remark on the Seebeck coefficient of polar semiconductors, 1=14523

- Appel, J. and Kurnick, S.W. Polaron band model and its application to Ce-S semiconductors, 1=17479
- Appel, K. See Ritter, Z.W., 1=12243
- Appelman, E.H. Half-lives of  $\text{At}^{211}$  and  $\text{Bi}^{207}$ , 1=634
- Applebaum, P.S. See Lamb, W.R., 1=9432
- Appleton, E. and Lyon, A.J. Studies of the E-layer of the ionosphere. II. Electromagnetic perturbations and other anomalies, 1=20973
- Apstein, C.S. See Wachtman, J.B., Jr., 1=10204
- Aptekar, I.L. and Gorbunov, V.I. A relationship between the degree of ordering in the  $\alpha$ -phase and the  $\alpha$ - $\gamma$  transformation in Fe-Co-V alloys, 1=6532
- Aptekar, R.L. See Rusinov, L.I., 1=13733
- Arafa, A.A., Shafie, I.S. and Sultan, F.S.A. Measurement of the thermoelectric power of lead sulphide, 1=6184
- Arai, S. On the widths of energy loss lines in the discrete energy loss spectrum of electrons passing through aluminium foil, 1=17493
- Arai, S. Measurement of half-width of energy loss line in the energy loss spectra of 20 keV electrons passing through foils of aluminium and magnesium, 1=19759
- Arai, T. The study of the optical properties of conducting tin oxide films and their interpretation in terms of a tentative band scheme, 1=8959
- Arai, T. See Ichijo, B., 1=4534
- Arai, T.T. and Madigan, J.R. Response of a thermocouple circuit to nonsteady currents, 1=8301
- Arajs, S. Electrical resistivities of [nickel-rich] nickel-niobium solid solutions, 1=3711
- Arajs, S., Chessin, H. and Miller, D.S. First magnetocrystalline anisotropy constants of some iron-silicon alloys, 1=7747
- Arajs, S. and Colvin, R.V. Paramagnetism of polycrystalline gadolinium, terbium, and dysprosium metals, 1=6259
- Arajs, S., Colvin, R.V. and Peck, J.M. Paramagnetic susceptibility of polycrystalline praseodymium metal, 1=10129
- Arajs, S. See Colvin, R.V., 1=7734
- Araki, H. On asymptotic behavior of vacuum expectation values at large space-like separation, 1=2008
- Araki, H. Hamiltonian formalism and the canonical commutation relations in quantum field theory, 1=4753
- Araki, H. Generalized retarded functions and analytical function in momentum space in quantum field theory, 1=4755
- Araki, H. On the connection of spin and commutation relations between different fields, 1=7184
- Araki, H. and Burgoyne, N. Properties of the momentum space analytic function, 1=446
- Araki, H., Haag, R. and Schroer, B. The determination of a local or almost local field from a given current, 1=5632
- Araki, H. See Nishi, M., 1=14044
- Aramaki, S. Dispersion relations and high energy limits in quantum field theory. II, 1=12066
- Aramaki, S. High energy limit of vertex function in quantum field theory, 1=13274
- Aramaki, S. Dispersion relations and high energy limits in quantum field theory. III, 1=16719
- Arase, E.M. and Hatcher, R.D. Frequency distribution and the specific heat of NaCl at low temperatures, 1=2378
- Arata, H. See Kobayashi, A., 1=1048
- Arata, Y., Shimizu, H. and Fujiwara, S. Analysis of the N.M.R. spectra of acrylic acid and ethyl acrylate, 1=20254
- Arbell, H. See Halperin, A., 1=6230
- Arbman, E., Björnholm, S. and Nielsen, O.B. Levels in  $\text{Th}^{230}$  excited in the electron capture decay of  $\text{Pa}^{230}$ , 1=4832
- Arbman, E. and Hüller, I.B. On the decay of barium 129, 1=5870
- Arbuzov, B.A., Tavkhelidze, A.N. and Faustov, R.N. On the fermion mass problem in the  $\gamma^5$  invariant model of
- Arbuzov, B.A., Tavkhelidze, A.N. and Faustov, R.N. On the fermion mass problem in the  $\gamma^5$  invariant model of quantum field theory, 1=19083
- Arcan, L. See Bîrcă-Gălăţeanu, D., 1=6017
- Archambault, Y., Descoubes, J.P., Priou, M., Omont, A. and Pébay-Peyroula, J.C. Study by electron bombardment of the lifetime and hyperfine structure of the D levels sodium and caesium, 1=17260
- Archard, G.D., Gair, F.C. and Hirst, W. The elasto-hydrodynamic lubrication of rollers, 1=15785
- Archard, G.D. Back scattering of electrons, 1=12078
- Archard, J.F. Single contacts and multiple encounters, 1=11522
- Archard, J.F. and Kirk, M.T. Lubrication at point contacts, 1=14930
- Archer, R.R. Small vibrations of thin incomplete circular rings, 1=5319
- Archer, S., Baldwin, J.E., Edge, D.O., Elmsmore, B., Scheuer, P.A.G. and Shakeshaft, J.R. Studies of radio sources at 159 Mc/s, 1=18135
- Arditi, M. Application of the principles of double resonance to the realization of atomic clocks, 1=15778
- Arduino, H.A., Guerri, J.C., Levialdi, A. and Majlis, N. Fluorescence, phosphorescence and "reduction" of a sample of willemite activated with manganese, 1=14639
- Arecchi, F.T., Cavalleri, G., Gatti, E. and Redaelli, G. On the operation of the discharge chamber, 1=12038
- Arecchi, F.T., Cavalleri, G., Gatti, E. and Svelto, V. Signal to noise ratio and resolving time in pulse amplifier for nuclear detectors, 1=7010
- Arecchi, F.T., De Matteis, A. and Gatti, E. Statistical limits in timing with slow scintillators, 1=7171
- Arend, H. See Coufová, P., 1=14327
- Arend, H. See Coufová, P., 1=17873
- Arend, H.T. On the preparation of  $\text{BaTiO}_3$  single crystals by an evaporation method, 1=14988
- Argan, P.E., Gigli, A., Picasso, E., Bisi, V., Piragino, G., Bendiscioli, G. and Piazzoli, A. Diffusion cloud chambers for use with electron synchrotrons of 1100 MeV at Frascati and of 100 MeV at Turin, 1=13242
- Argence, E., Harnischmacher, E., Hess, H.A. and Rawer, K. On the calculation of the Faraday effect relative to the ionosphere, 1=377
- Argent, B.B. See Videira, F.H.M., 1=15131
- Argent, B.B. See Chadwick, G.A., 1=15158
- Argue, A.N. Photographic photometry with the Cambridge Schmidt telescope. I. Three-colour survey of the Praesepe region, 1=9280
- Argyle, B.E. See Pugh, E.W., 1=6275
- Argyres, P.N. Derivation of the Boltzmann transport equation for inelastic collisions, 1=18321
- Ari Ben-Menahem. Radiation of seismic surface-waves from finite moving sources, 1=20796
- Arif-Uz-Zaman. Calculation of the fermion mass in non-linear spinor theory, 1=7191
- Arima, A. Residual interaction and the deformation of nuclei, 1=8556
- Arima, A. and Terasawa, T. Spin-orbit splitting and tensor force. II, 1=3386
- Ariya, S.M. and Soboleva, M.S. The lattice energies of oxides, 1=19684
- Ariya, S.M. See Grossmann, G., 1=1214
- Ariyama, K. See Suzuki, H., 1=19758
- Arkad'eva, E.N., Kasymova, R.S. and Rývkin, S.M. The kinetics of induced impurity photoconductivity in cadmium telluride, 1=19904
- Arkhangel'skii, M.E. Accelerating action of sound on the development of a photographic emulsion, 1=16127
- Arkhangel'skii, M.E. and Pinus, G.N. Investigation of the effect of ultrasonic oscillations on the diffusion of an electrolyte in a gelatin gel, 1=4106
- Arkharov, V.I. A more precise formulation of the theory of the localized character of the chemical reaction during reactive diffusion in solids. I. Partial delocalization of the reaction in phases of the substitutional type with linear concentration gradient, 1=984
- Arkharov, V.I. A more precise formulation of the theory of the localized character of the chemical reaction during reactive diffusion in solids. II. Conditions of the maximum degree of localization of the reaction at the boundaries of the phase of the substitutional type, 1=14290
- Arkharov, V.I. and Blankova, E.B. On the structural characteristics of [surface] scale which are utilized in studies of the mechanism of reactive diffusion, 1=14291
- Arkharov, V.I. and Blankova, E.B. Investigation of reactive diffusion in binary metal-gas systems. IV, 1=14292
- Arkharov, V.I., Borisov, B.S. and Vangengeim, S.D. Determination of the nature of the grain boundaries from the X-ray scattering pattern, 1=15115
- Arkharov, V.I., Konev, V.N. and Gerasimov, A.F. Investigation of reactive diffusion in "metal-composite gas" systems. IV. The molybdenum-nitrogen-carbon system, 1=14310
- Arkharov, V.I., Konev, V.N. and Pavlova, V.P. Investigation of reactive diffusion in "metal-composite gas" systems. V. The chromium-sulphur-nitrogen system, 1=14311



- Arking, A. Electromagnetic effects of the nucleon spin-orbit interaction, 1=19180
- Arlt, G. Hall effect four-pole with high efficiency, 1=14497
- Armbruster, R. See Gorodetzky, S., 1=7360
- Armbruster, R. See Gorodetzky, S., 1=13736
- Armbruster, R. See Gorodetzky, S., 1=17062
- Armington, J.C., Tepas, D.L., Kropfl, W.J. and Hengst, W.H. Summation of retinal potentials, 1=11665
- Armstrong, A.H., Harrison, F.B., Heckman, H.H. and Rosen, L. Charged particles in the inner Van Allen radiation belt, 1=15335
- Armstrong, H.L. Comment on multilayer dielectric filters, 1=231
- Armstrong, J., Bloembergen, N. and Gill, D. Linear effect of applied electric field on nuclear quadrupole resonance, 1=14837
- Armstrong, J., Bloembergen, N. and Gill, D. Linear effect of electric field on the  $\text{Cl}^{35}$  quadrupole interaction in paradichlorobenzene, 1=17351
- Armstrong, J. See Benedek, G.B., 1=6432
- Armstrong, J.C. and Quisenberry, K.S. Analysis of some deuteron-induced reactions in oxygen-18, 1=7399
- Armstrong, J.C., Jr. See Levy, H.B., 1=17167
- Armstrong, N.H.K. See Coulter, J.R.M., 1=5432
- Armstrong, R. See Conrad, H., 1=3986
- Armstrong, R.W. On size effects in polycrystal plasticity, 1=14887
- Armstrong, R.W., Hirth, J.P. and Pound, G.M. A discussion of "Self-diffusion and inter-diffusion in gold nickel alloys": a correlation with absolute rate theory, 1=980
- Arndt, R. The glow-to-arc transition on easily vaporized cathodes, 1=5433
- Arndt, R.A. and Hines, R.L. Radiation enhancement of bulk diffusion in 10% Zn-90% Cu by 30 keV  $\text{Ne}^+$  ion bombardment, 1=14322
- Arnell, S.E. Proton capture in  $\text{A}^{40}$ , 1=8727
- Arnikar, H.J. and Lal, A. An isotope effect in the collection on charged plates of  $(n, \gamma)$  recoil products of bromine, 1=13818
- Arnikar, H.J. and Mehta, O.P. Kinetics of adsorption of iodide and sulphate ions on copper, 1=20685
- Arnold, C.B. See Bair, M.E., 1=8018
- Arnold, C.B. See Cook, J.J., 1=43
- Arnold, M., Hodgson, P.E., Shaw, D.F. and Skyrme, D.M. The interaction of 40-160 MeV neutrons with helium nuclei, 1=558
- Arnold, R.R. and Parker, R.J. Resistance to deformation of aluminium and some aluminium alloys. Its dependence on temperature and rate of deformation, 1=20347
- Arnold, W.H., Jr. Age in  $\text{D}_2\text{O}$ - $\text{H}_2\text{O}$  mixtures, 1=3191
- Arnoldy, R.L., Hoffman, R.A. and Winkler, J.R. Solar cosmic rays and soft radiation observed at 5 000 000 km from earth [in the space probe Pioneer V], 1=20949
- Arnott, R.J. and Wold, A. The preparation and crystallography of  $\text{FeNiN}$  and the series  $\text{Fe}_{1-x}\text{Ni}_x\text{N}$ , 1=20554
- Arnott, R.J. See Ferretti, A., 1=7846
- Arnott, R.J. See Goodenough, J.B., 1=14670
- Arnous, E. Corrections to the Coulomb interaction in non-local electrodynamics, 1=16649
- Arnous, E. New type of interaction in the non-local theory of the meson field, 1=16695
- Arnowitt, R., Deser, S. and Misner, C.W. Canonical variables, expression for energy, and the criteria for radiation in general relativity, 1=61
- Arnowitt, R., Deser, S. and Misner, C.W. Wave zone in general relativity, 1=4249
- Arnowitt, R., Deser, S. and Misner, C.W. Heisenberg representation in classical general relativity, 1=5192
- Arnowitt, R., Deser, S. and Misner, C.W. Coordinate invariance and energy expressions in general relativity, 1=8047
- Arns, R.G. and Wiedenbeck, M.L. Energy levels of  $\text{Re}^{187}$ , 1=620
- Arns, R.G. See Martin, M.B., 1=5866
- Arnulf, A., Bricard, J., Cure, E. and Veret, C. Study of the transmission of light by mist and fog, 1=9189
- Arnulf, A. and Dupuy, O. Contribution to the study of microfluctuations of the accommodation of the eye, 1=21136
- Arnulf, A., Dupuy, O. and Flamant, F. The influence of visual acuity of slight variations in the power of the eye or of the correcting glasses, 1=1617
- Arnulf, A. See Fleury, P., 1=1803
- Aron, J.C. On the hydrodynamic representation of the Feynmann and Gell-Mann equation, 1=5648
- Aron, J.C. On a physical model of the quantum wave, 1=5649
- Aron, J.C. On the relation between diffusion theory and non-relativistic quantum mechanics, 1=5650
- Aron, J.C. On the introduction of statistical ideas in the quantum mechanics of particles with spin, 1=5651
- Aron, J.C. On the hydrodynamic representation of the Feynmann and Gell-Mann equation, and on a physical model for the quantum wave, 1=5652
- Aronov, D.A. See Avak'yants, G.M., 1=17768
- Aronova, P.N. See Startsev, V.I., 1=1330
- Arons, A.B. See Brockhurst, R.R., 1=6889
- Aronson, S. and Clayton, J.C. Thermodynamic properties of nonstoichiometric uranium-zirconia solid solutions, 1=14193
- Aronson, S., Rulli, J.E. and Schaner, B.E. Electrical properties of nonstoichiometric uranium dioxide, 1=17641
- Arora, O.P. and Metzger, M. Effect of vacancy condensation on the corrosion susceptibility of subgrain boundaries in aluminum, 1=959
- Arp, H. Transformation of photographic magnitudes, 1=7971
- Arp, H. U-B and B-V colors of black bodies, 1=8002
- Arp, H. Supernova in NGC 7331, 1=8005
- Arp, H. Stellar content of galaxies, 1=18133
- Arp, H.C. and Kraft, R.P. A comparison of cepheids in the small Magellanic Cloud with those in the vicinity of the sun, 1=5159
- Arp, V.D. and Kropschot, R.H. Simple adiabatic demagnetization apparatus, 1=10632
- Arp, V.D., Kropschot, R.H., Wilson, J.H., Love, W.F. and Phelan, R. Superconductivity of  $\text{Nb}_3\text{Sn}$  in pulsed fields of 185 kilogauss, 1=9513
- Arpigny, C. The spectrum of the polar aurora. I. Atomic identifications, 1=9202
- Arrese, F. See Amoros, J.L., 1=20455
- Arrott, A. and Coles, B.R. Antiferromagnetism of  $\alpha$ -Mn and its alloys, 1=6379
- Arsen'eva-Geil', A.N. and Van Bao-Kun' [Wang Pao-K'un]. Properties of photoemission from indium arsenide, 1=13107
- Arsen'eva-Geil', A.H. and Van Bao-Kun' [Wang Pao-K'un]. Properties of photoemission from indium arsenide, 1=16380
- Arslanov, Kh.A. See Protopopov, Kh.V., 1=4348
- Art, A. and Ponslet, A. Growth of twinning in thin film silver crystals, 1=14950
- Artamonova, K.P., Gustova, L.V., Podkopaev, Yu.N. and Chubinskii, O.V. The gamma spectrum of  $\text{Na}^{24}$  in the 2.5-5.5 MeV energy range, 1=17063
- Artandi, C. and Stonehill, A.A. Rigid vinyl film dosimeter, 1=399
- Artemov, K.P. and Vlasov, N.A. Charged products of the reactions  $\text{He}^4 + d$  (20 MeV), 1=16913
- Arthur, G. and Priest, J.H. Small high-temperature vacuum furnace, 1=4507
- Arthur, P.Jr. See Swoboda, T.J., 1=6272
- Arthurs, A.M. The mathematical equivalence of the Born approximation and the method of impact parameters, 1=18282
- Artiges, J.C. and Brun, J.C. Fast coincidence circuits using transistors in the avalanche region, 1=16225
- Artua, A. and Law, M.E. The decay of  $\text{Pm}^{140}$ , 1=640
- Artobolevskii, I.I. Linearly skirting curves of connecting rods in mechanisms with a translational couple, 1=18330
- Artobolevskii, I.I. Linearly skirting curves of connecting rods in an ellipsograph with four links, 1=18331
- Artsimovich, L.A. The magnetic flux in a contracting cylinder, 1=7045
- Artsimovich, L.A. On the passage of high current through a plasma in the presence of a longitudinal magnetic field, 1=9579
- Artsimovich, L.A. An analysis of the equation of plasma column contraction if the presence of an external magnetic field, 1=9580
- Artsimovich, L.A. [S.] Research on controlled thermonuclear reactions in the USSR, 1=5949
- Arunasalam, V. and Trimmer, J.D. Pulse conduction in decaying plasma, 1=8327



- Arushanov, G.G. See Azimov, S.A., 1=19227
- Arutyunyan, V.M. See Kerimov, B.K., 1=4860
- Arvieu, R. and Vénéroni, M. On the first excited states of spherical even-even nuclei, 1=7318
- Arya, A.P. Gamma-gamma directional correlations in  $\text{Cs}^{133}$ , 1=7351
- Arya, A.P. Gamma-gamma directional correlations in  $\text{Nd}^{147}$ , 1=8649
- Arzhanov, A.S. See Gordov, A.N., 1=5381
- Asaad, W.N. Relativistic K electron wave functions by the variational principle, 1=2274
- Asada, T., Saito, H., Omura, K., Oku, T. and Oka, M. Annealing of  $\gamma$ -ray damage in germanium, 1=7609
- Asada, T., Sugihara, K., Nakatsuka, T. and Takeda, Y. A.C. type ear oximeter, 1=21113
- Asai, H. Study of the hydration-dehydration in polyelectrolyte solutions by the ultrasonic technique, 1=15865
- Asakawa, T. The effect of heat treatment on the minority carrier lifetime in silicon, 1=19861
- Asakura, T. See O'Neill, E.L., 1=12965
- Asami, M. and Takano, F. Notes on the theory of Meissner effect, 1=8281
- Asanabe, S. and Okazaki, A. Electrical properties of germanium selenide  $\text{GeSe}$ , 1=8953
- Asano, S. Photoconductivity of Cu-activated cadmium sulphide-selenide, 1=14506
- Asano, T. See Wada, Y., 1=2502
- Asanuma, M. The ferromagnetism of the compound  $\gamma\text{-FeSn}$ , 1=11430
- Asanuma, M. The recovery of initial magnetic susceptibility in pure nickel, 1=11442
- Asanuma, M. The magnetic properties of Mn-Sn-C alloys, 1=14688
- Asanuma, M. Magnetic properties of B8 type compounds in manganese-tin system, 1=20150
- Asanuma, M. See Tsushima, K., 1=2481
- Asao, Y. See Nomura, S., 1=14552
- Asaro, F., Thompson, S.G., Stephens, F.S. and Perlman, I. Decay scheme of  $\text{E}^{259}$ , 1=8660
- Asawa, C.K. See Maiman, T.H., 1=11391
- Ascarelli, G. Interaction of high-energy phonons in germanium, 1=1058
- Ascarelli, G. Low-field breakdown in n-type germanium, 1=19855
- Ascarelli, G. and Brown, S.C. Recombination of electrons and donors in n-type germanium, 1=1055
- Ascarelli, G. and Rodriguez, S. Recombination of electrons and donors in n-type germanium, 1=19856
- Asch, G. See Meyer, A.J.P., 1=6332
- Aschenbrand, L. See Marmo, F.F., 1=6612
- Aschenbrand, L.M. See Marmo, F.F., 1=6608
- Aschenbrand, L.M. See Marmo, F.F., 1=6609
- Aschenbrand, L.M. See Marmo, F.F., 1=6610
- Aschenbrand, L.M. See Pressman, J., 1=6611
- Aschenbrand, L.M. See Pressman, J., 1=10324
- Ascoli, R. Poles in production cross sections, 1=5672
- Ascoli, R. Analytic properties of production amplitudes as functions of two momentum transfers, 1=5673
- Ascoli, R., Bottino, A. and Molinari, A. Unitarity of the S-matrix and analyticity. I, 1=5683
- Ascoli-Bartoli, U., De Angelis, A. and Martellucci, S. Wavelength dependence of the refractive index of a plasma in the optical region, 1=5473
- Asdente, M. and Friedel, J. 3d band structure of Cr, 1=17446
- Ash, R. and Barrer, R.M. Diffusion with a concentration discontinuity: the hydrogen-palladium system, 1=17555
- Ash, R. and Grove, D.M. Low-pressure gas flow in consolidated porous media. I. Flow through a porous ceramic, 1=18447
- Ashby, D.E.T.F., Roberts, K.V. and Roberts, S.J. Experimental and theoretical observations on a fast linear pinch, 1=16335
- Ashby, M.F. and Smith, G.C. Direct electron microscopy of thin foils of internally oxidized dilute copper, 1=4986
- Ashe, J.B. and McCrary, J.H. Method for determining the photopeak efficiency of scintillation counters, 1=9705
- Ashkin, A. See Adler, R., 1=8390
- Ashkin, A. See Gordon, E.I., 1=10785
- Ashmore, A., Cocconi, G., Diddens, A.N. and Wetherell, A.M. Total cross-sections of protons with momentum between 10 and 28 GeV/c, 1=3185
- Ashmore, A. See Allaby, J.V., 1=5725
- Ashraf El-Bayoumi, M. and Kasha, M. Energy transfer in hydrogen-bonded n-heterocyclic complexes and their possible role as energy sinks, 1=11136
- Ashton, F. The range-energy relation for high energy  $\mu$ -mesons 1=9792
- Ashwin, B.S., Hagyard, T., Saunders, I.C.B. and Young, T.E. Viscometers having damped torsional oscillation, 1=107
- Ask, L. Relative intensities of gamma rays from the reaction  $\text{F}^{19}(\text{p}, \alpha\gamma)\text{O}^{16}$ , 1=19467
- Ask, L., Erlandsson, B., Persson, B. and Valli, K. A three crystal pair spectrometer, 1=19064
- Askaryan, G. On the nature of the external radiation belt of the earth, 1=3313
- Askaryan, G.A. Electromagnetic radiation caused by the diffusion of electrons, 1=3053
- Askaryan, G.A. On the behaviour of small plasma bunches in a waveguide and their interaction with the conducting walls, 1=10718
- Askaryan, G.A. Self-acceleration of a flux of charged particles by induction, 1=16280
- Askaryan, G.A. Excess negative charge of an electron-photon shower and the coherent radio emission from it, 1=19316
- Askaryan, G.A. and Rabinovich, M.S. A resonance method for localising and heating a plasma by means of a varying electromagnetic pressure, 1=10713
- Askerov, B.M. See Ansel'm, A.I., 1=10032
- Askerov, B.M. See Ansel'm, A.I., 1=12427
- Askew, R.F. and Batson, A.P. Energy spectrum of the photoneutrons from gold, 1=2205
- Askochinskii, A.A. See Perekalina, T.M., 1=20092
- Aslam Khan, M. MgH and MgD bands at 2819 Å and 2702 Å, 1=11101
- Aslanian, J., Cailat, R., Salesse, M. and Weil, L. Contribution to the study of the aggregation of helium from measurements of the specific heat of irradiated beryllium oxide, 1=18693
- Aslanian, J. and Weil, L. Procedure for cooling samples in calorimetry at very low temperatures, 1=2917
- Aslanov, S.K. The motion of a rhombiform profile with velocity not exceeding the velocity of sound, 1=10532
- Asplund, I., Strömberg, L.G. and Weidling, T. Mixing ratios of 2+2 transitions in even-even nuclei in the mass region A=122-128, 1=5863
- Assovskaya, A.S. and Ivanova, N.S. Production of nuclear fragments in photographic emulsion by 80 MeV positive pions, 1=17135
- Astakhov, A.V. The problem of proving double dispersion relations, 1=5669
- Astbury, A., Hattersley, P.M., Hussain, M., Kemp, M.A.R. and Muirhead, H. A note on the Fermi-Teller "Z-law", 1=8472
- Astoin, N., Granier, J. and Cordier, M. Absorption spectra in the far ultraviolet of gaseous and solid methyl and ethyl iodide and ethyl bromide, 1=855
- Aston, G.H. See Barsard, G.P., 1=8405
- Aston, J.G. See Fritz, J.J., 1=10630
- Aston, J.G. See Fritz, J.J., 1=11866
- Aston, J.G. See Mitacek, P., Jr., 1=17418
- Åström, B. See Forsling, W., 1=19386
- Åström, H.U. Measurements on the contribution of thermal lattice defects to structural energy and expansion in pure metals, 1=14289
- Astrov, D.N. On the magnetoelectric effect in antiferromagnetics, 1=1244
- Astrov, D.N. Magnetoelectric effect in chromium oxide, 1=20160
- Astrov, D.N. and Borovik-Romanov, A.S. A precision mercury manometer, 1=4299
- Ata, H.O.K. See Schubert, K., 1=6528
- Atabek, B.H. See Lundgren, T.S., 1=12008
- Ataka, Y. Soluble examples in field theory with Fermi interactions, 1=12064
- Ataka, Y. The composite model of mesons as a limit of meson theory, 1=13457
- Ataka, Y. Some remarks on the Fermi-Yang model, 1=16856
- Atanasiu, G. The role of radio-carbon  $\text{C}^{14}$  in the ionization of the air of grottoes, 1=5850
- Atanasiu, G., Neştianu, T. and Bucur, I. The magnetic declination in Transylvania, 1=6647

- Atanasiu, G., Zugrăvescu, D. and Bucur, I. Contributions to the geomagnetic study of Transylvania. Annual survey, 1956, 1-1575
- Atanasiu, G., Zugrăvescu, D., Bucur, I. and Neştianu, T. Some contributions to the study of the earth's magnetic field in Transylvania, 1-1574
- Atanassov, A.A. On the passage of slow neutrons through a crystal plate, 1-7251
- Aten, A.H.W., Jr., Heertje, I. and de Jong, W.M.C. Measurements of low level environmental radiation by means of Geiger Müller counters with observations in the Amsterdam area, 1-17708
- Aten, J.B.T. and Schouten, A. Ultra-violet absorption optical system with photoelectric recording for a Phywe ultracentrifuge, 1-11835
- Athay, R.G. Sources of solar ultraviolet radiation, 1-15487
- Athay, R.G. and Moreton, G.E. Impulsive phenomena of the solar atmosphere. I. Some optical events associated with flares showing explosive phase, 1-7989
- Athay, R.G. See House, L.L., 1-5155
- Athenstaedt, H., Ferroelectric and piezoelectric properties of biologically significant substances, 1-17831
- Atherton, N.M. and Whiffen, D.H. Electron resonance study of the carboxylate hydroxy methyl radical ion, 1-2346
- Atkinson, J.H., Hess, W.N., Perez-Mendez, V. and Wallace, R. 5 BeV neutron cross sections in hydrogen and other elements, 1-12206
- Atoji, M. Slow-neutron scattering cross sections of terbium, ytterbium and lutetium, 1-2219
- Atsarkin, V.A. and Mazel', E.Z. Effect of heat treatment on the minority-carrier lifetime in silicon, 1-1064
- Atsarkin, V.A. and Mazel', E.Z. Effect of heat treatment on the minority-carrier lifetime in silicon, 1-6153
- Attix, F.H. See Schulman, J.H., 1-1994
- Atwood, M.R. See Shang Yi Ch'en., 1-19591
- Auberger, M. and Rinehart, J.S. Method for measuring attenuation of ultrasonic longitudinal waves in plastics and rocks, 1-1786
- Auberger, M. and Rinehart, J.S. Ultrasonic attenuation of longitudinal waves in plastics, 1-2822
- Aubert, M. The geometrical representation of certain irreversible phenomena, 1-15717
- Aubrun, J.N. A spectrograph with frequency modulation for nuclear magnetic resonance in ferromagnetics, 1-16603
- Auer, P.L. Potential distributions in a low-pressure thermionic converter, 1-1911
- Auer, P.L., Hurwitz, H., Jr. and Kilb, R.W. Low Mach number magnetic compression waves in a collision-free plasma, 1-11957
- Auerbach, L.B. See Bernardini, G., 1-5702
- Auffray, J.P. Deuteron electric quadrupole moment, 1-5790
- Auffray, J.P. and Cooley, J.W. Nuclear spin-spin interaction energy in the hydrogen molecule, 1-7493
- Auffray, J.P. and Cooley, J.W. Oscillator frequency and vibrational quanta in the hydrogen molecule, 1-17306
- August, L.S. and Friichtenicht, J.F. Gamma rays from  $Ga^{66}$  decay and half-life of the 54 keV level of  $Zn^{66}$ , 1-648
- Augustyniak, W.M. See Logan, R.A., 1-10054
- Auld, B.A., Shaw, H.J. and Winslow, D.K. Traveling-wave frequency doubling in ferrites, 1-5588
- Auld, B.A. See Comstock, R.L., 1-6408
- Auleytner, J. X-ray investigation of disturbance fields due to individual dislocations in Si and Ge, 1-17537
- Auluck, F.C. and Nayyar, N.K. On the stability of a gravitating cylinder in the presence of a magnetic field, 1-16529
- Auluck, F.C. and Nayyar, N.K. The stability of a self-gravitating fluid sphere in presence of a magnetic field, 1-19001
- Auphan, M. Magneto-optical properties of gadolinium, 1-19954
- Auriol, A. and Balazard, J. Similarity of inviscid hypersonic flows near the stagnation point of a blunt obstacle, 1-9413
- Ausburn, K.J. See Milner, C.J., 1-11973
- Ausländer, D. See Maxim, I., 1-3891
- Ausländer, J. and Georgescu, I. On the vapour pressure of polonium at room temperature, 1-1850
- Ausländer, J. See Alper, S., 1-402
- Ausländer, J.S., Labău, V. and Meitert, S. An upper limit for the vapour pressure of bismuth (ThC) at room temperature, 1-179
- Auslander, L. and Trent, H.M. On the realization of a linear graph given its algebraic specification, 1-12732
- Austerman, S.B. Compact high-temperature vacuum furnace, 1-13018
- Austern, N. Direct reaction theories, 1-8670
- Austern, N. Presentation of Newtonian mechanics, 1-11717
- Austern, N. Optical model wave functions for strongly absorbing nuclei, 1-19422
- Austern, N. See Halbert, E.C., 1-19430
- Austin, A.E. and Richard, N.A. Grain-boundary diffusion, 1-11224
- Austin, A.E. See Cloud, W.H., 1-1242
- Austin, I.G. Infrared Faraday rotation and free carrier absorption in  $Bi_2Te_3$ , 1-1146
- Austin, I.G. See Gebbie, H.A., 1-6160
- Austin, S.M., Darden, S.E., Okazaki, A. and Wilhelmi, Z. The polarization of neutrons from the  $Li^7(p, n)Be^7$  reaction. II, 1-5912
- Authier, A. Experimental evidence for double refraction of X-rays, 1-3031
- Authier, A. How to obtain the intrinsic diffraction profiles of X-rays by reflection and by transmission, 1-6511
- Authier, A. Observation of dislocations in silicon using the anomalous transmission of X-rays, 1-14278
- Authier, A. Study of the anomalous transmission of X-rays in crystals of silicon. I. Perfect crystals, 1-15048
- Authier, A. Study of the anomalous transmission of X-rays in crystals of silicon. II. Application to imperfect crystals, 1-15049
- Authier, A. An experimental study, by transmission, of the integrated absolute reflections of X-rays, 1-20486
- Autrum, H. Phasic and tonic responses of the tympanal organs of the tettigonia viridissima grasshopper, 1-21125
- Auzins, P. See Orton, J.W., 1-17536
- Auzins, P. See Wertz, J.E., 1-3653
- Avakian, P. and Smakula, A. Color centers in cesium halide single crystals, 1-992
- Avakyan, R.O., Bayatyan, G.L., Vishnevskii, M.E. and Pushkin, E.V. Measurement of the longitudinal polarization of electrons emitted in the  $\beta$ -decay of  $Au^{198}$ , 1-19391
- Avak'yants, G.M., Aronov, D.A. and Karageorgii-Alkalaev, P.M. The problem of reverse volt-amp characteristics of semiconductor diodes, 1-17768
- Avan, L. and Dubois, C. Investigation of the sensitivity of nuclear emulsions at the temperatures of liquid nitrogen and liquid helium, 1-1998
- Avan, L. and Keller, P. Estimation of uranium and thorium in radioactive ores by  $\gamma$ -spectrometry, 1-7926
- Avan, M., Fain, J., Hugon, L. and Bertin, P.Y. Experimental method for the determination of the effective cross-sections for simple scattering as a function of the atomic number Z using nuclear emulsions, 1-8750
- Avdeev, V.I. Magnitude of nuclear polarization in the transient Overhauser effect, 1-6425
- Avdonin, V.I. Measurement of the velocity of acoustic waves in saturated steam, 1-201
- Aven, M. and Cook, D.M. Some electrical properties of zinc telluride-cadmium sulfide heterojunctions, 1-14483
- Aven, M., Marple, D.T.F. and Segall, B. Some electrical and optical properties of  $ZnSe$ , 1-17763
- Avera, C.B., Jr. Simple flow regulator for extremely low gas flows, 1-18489
- Averbach, B.L. See Dupouy, J.M., 1-20617
- Averbach, B.L. See Hirano, K., 1-17559
- Averbach, B.L. See Nagorsen, G., 1-7890
- Averbach, B.L. See Rosenfield, A.R., 1-3971
- Averbuch, P. Quadrupole interaction in cold worked copper, 1-14834
- Averchenkov, V.Ya. See Veretennikov, A.I., 1-4541
- Averkin, A.A. and Bogomolov, V.N. An apparatus for the investigation of galvanomagnetic effects under hydrostatic pressure, 1-14372
- Avetnikov, V.G., Zlatkis, A.S., Mashkovets, M.D. and Rozenberg, N.Yu. A study of dielectric losses and permittivity of some ceramics at very high frequencies, 1-3800
- Avez, A. Monochromatic waves in general relativity, 1-15646
- Avidan, J. See Alexander, G., 1-13459
- Avient, B.W.E., Goddard, J. and Wilman, H. An experimental study of friction and wear during abrasion of metals, 1-1353
- Avignon, Y. Scintillation of 169 Mc/s solar radiation, 1-15541



- Avignon, Y., Boischot, A. and Simon, P. Interferometric observations at 169 Mc/s of R-regions, the sources of noise storms, 1=6736
- Avinor, M. Effect of aluminium on the green emission of cadmium sulphide, 1=1177
- Avinur, P. and Nir, A. Separation factor of tritiated water in fractional distillation, 1=2306
- Avramenko, V.P. See Sinyakov, E.V., 1=10081
- Avramenko, V.P. See Sinyakov, E.V., 1=11329
- Avrett, E.H. See Carrier, G.F., 1=15751
- Avvakumov, V.I., Garif'yanov, N.S. and Semenova, E.I. Electron paramagnetic resonance and paramagnetic relaxation in liquid and supercooled solutions of  $Ti^{3+}$  salts, 1=18433
- Awane, K. See Ohkura, H., 1=11233
- Awane, K. See Ohkura, H., 1=11236
- Awe, O. The fading of radio waves reflected from the ionosphere at oblique incidence, 1=20934
- Awe, O. The fading of radio waves weakly scattered at vertical incidence from heights near 90 km, 1=20936
- Axe, J.D., Stapleton, H.J. and Jeffries, C.D. Paramagnetic resonance hyperfine structure of tetravalent  $Pa^{231}$  in  $Cs_2ZrCl_6$ , 1=6420
- Axel, P. See Shirley, D.A., 1=11147
- Axel, P. See Sunyar, A.W., 1=3404
- Axelrod, N.N. Spectrophotometric attachment for the vacuum ultraviolet, 1=10593
- Axford, W.I. A boundary layer problem in which the external flow has a free surface, 1=113
- Axford, W.I. Ionization fronts in interstellar gas. The structure of ionization fronts, 1=2597
- Axon, H.J. See Buckley, R.A., 1=15161
- Axton, E.J. Neutron-source calibrations: a review, 1=13455
- Ayant, Y. and Belorizky, E. Hyperfine structure of praseodymium in solids, 1=19979
- Ayant, Y., Buisson, R., Descamps, D. and Soutif, M. Study of a cross-relaxation maser, 1=10787
- Ayer, J.E. and Polorny, G.J. Radiation resistant, remotely operated, high capacity spring balance, 1=15774
- Aylmore, D.W. and Jepson, W.B. Technique using  $^{85}Kr$ -labelled krypton for surface area measurements, 1=5246
- Aynard, R. First ionization potential of elements characterized by their electrons of the outer shells (1 to 7), 1=13955
- Aynard, R. First ionization potential of elements characterized by their s and p electrons of the outer shells (1 to 7). Values calculated from the expression  $E_i(s, p)$  and corresponding curves, 1=13956
- Aynard, R. First ionization potential of elements characterized by their f, d and s electrons of the inner shells (3 to 7), 1=13957
- Ayres, R.U. Distribution functions and quantum statistics, 1=78
- Ayres, R.U. Acceleration of rigid, conducting, diamagnetic bodies by a magnetic field, 1=11932
- Ayub, S.M. The proton as a fundamental particle, 1=7237
- Azam, M.N. and Dickinson, H. Time lags in the electrical breakdown of glass immersed in water, 1=17851
- Azam, N., Bouleau, M. and Jacquet, P.A. A simple electrolytic method for preparing thin metal foils for direct examination in the electron microscope, 1=7891
- Azároff, L.V. Role of crystal structure in diffusion. I. Diffusion paths in closest-packed crystals, 1=12397
- Azároff, L.V. Role of crystal structure in diffusion. II. Activation energies for diffusion in closest-packed structures, 1=12398
- Azároff, L.V. See Mohanty, G.P., 1=20538
- Azbel', M.Ya. Quantum oscillations of thermodynamic properties for an arbitrary Fermi surface, 1=3643
- Azbel', M.Ya. A new resonance effect in metals at high frequencies, 1=3649
- Azbel', M.Ya. Quasiclassical quantization in the neighbourhood of singular classical trajectories, 1=18280
- Azbel', M.Ya. On the possibility of determining the correlation function for a Fermi liquid in metals, 1=19752
- Azbel, M.Ya. and Kaner, E.A. The experimental study of cyclotron resonance in metals, 1=955
- Azbel, M.Ya. See Rozentsveig, L.N., 1=671
- Azer, N.Z. and Chao, B.T. A mechanism of turbulent heat transfer in liquid metals, 1=18645
- Azhazha, V.M. See Amonenko, V.M., 1=12593
- Azimov, S.A., Arushanov, G.G., Zainutdinov, Kh., Karimov, R., Masagutov, V.S. and Esterlis, M.Kh. Scattering of 1-5 BeV/c  $\mu$ -mesons in lead, 1=19227
- Azimov, S.A., Kratenko, Yu.P., Khavin, L.S., Yuldashev, A.A. and Karimov, R. On the absorption of high-energy nuclear-active particles in air and in a dense absorber, 1=3274
- Azimov, S.A., Teshabaev, K.T., Chernova, L.P., Chernov, G.M. and Chudakov, V.M. Angular distribution of shower particles in nuclear interactions of fast nucleons with heavy emulsion nuclei, 1=16936
- Azimov, S.A. and Yuldashbaev, T.S. Investigation of the formation of the soft component using Čerenkov counters, 1=3273
- Azimov, Ya.I. and Shekhter, V.M. On some processes involving high energy neutrinos, 1=19173
- Aziz, A.K., Hurwitz, H. and Sternberg, H.M. Energy transfer to a rigid piston under detonation loading, 1=4271
- Aziz, E. See Wassef, E.G.T., 1=6679
- Azou, P. See Pointu, P., 1=11516
- Azuma, M. and Ebata, T. On the scattering of  $K^+$  by nucleon at low energies, 1=13505
- Azuma, R.E. See Lewis, G.M., 1=5771
- Azuma, S. Energy spectrum and scattering problem in quantized field theory, 1=10856
- Azuma, S. Phase shift and identities in quantized field theory, 1=12065
- Azuma, T., Kanno, T. and Hirota, T. Simple electromanometer utilizing the CdS photoconductive cell, 1=18340
- Baade, W. and Swope, H.H. The draco system, a dwarf galaxy, 1=12772
- Baarli, J. An experimental study of gamma-ray backscattering using scintillation gamma-ray spectroscopy, 1=10869
- Baart, E., Green, L.L. and Willmott, J.C. An investigation of the levels of  $P^{30}$ , 1=8576
- Baba, C.V.K. and Bhattacherjee, S.K. Polarization correlation measurements on  $Eu^{154}$ , 1=10956
- Baba, H. and Suzuki, S. Electronic spectra and hydrogen bonding. I. Phenol and naphthols, 1=17329
- Baba, H. and Suzuki, S. Electronic spectra of substituted anthracenes. Evidences for appearance of the  $^1L_D$  transition, 1=19640
- Babala, D. Two-quantum annihilation of polarized positrons, 1=13402
- Babaráko, A.A. See Guseva, L.N., 1=10268
- Babayan, C.P., Grigorov, N.L., Dubrovin, M.M., Mishchenko, L.S., Murzin, V.S., Sarycheva, L.I., Sobiniakov, V.A. and Rapoport, I.D. A study of the interaction of  $10^{11}$ - $10^{12}$  eV particles with iron and graphite nuclei, 1=3271
- Babb, S.E.Jr. See Scott, G.J., 1=12728
- Babbitt, F.W. See Malinofsky, W.W., 1=6356
- Babcock, H.W. Test for polarization in the integrated light of sunspots, 1=1639
- Babcock, H.W. The topology of the Sun's magnetic field and the 22-year cycle, 1=5149
- Babenko, S.A. See Gol'k, O.Z., 1=12871
- Babetski, S.Yu., Buya, Z.A., Grigorov, N.L., Loskevich, E.S., Massal'ski, E.I., Oles'A.A. and Shestoporov, V.Ya. Investigation of large-ionization bursts produced by cosmic-ray particles at sea level, 1=19314
- Babikov, V.V. A theory of Bremsstrahlung from nonrelativistic electrons, 1=7228
- Babikov, V.V. and Kogan, V.I. Radiative heat transfer from a dense high-temperature plasma, 1=7052
- Babloyantz, A. and Bellemans, A. Statistical mechanics of solid and liquid mixtures of ortho- and para-hydrogen, II, 1=15846
- Babrov, H.J. Instrumental effects in infrared gas spectra and spectroscopic temperature measurements, 1=4378
- Babu Rao, P. and Sreeramamurty, K. Potential constants of certain planar  $XY_2Z$  molecules, 1=9922
- Babu Rao, P. and Sreeramamurty, K. F-G matrix elements for pyramidal  $XY_2Z$  molecules, 1=13982
- Babushkina, N.A. See Kikoin, I.K., 1=1237
- Babushkina, N.A. See Kikoin, I.K., 1=17622
- Babuška, I., Vitásek, E. and Kroupa, F. Some applications of the discrete Fourier transform to problems of crystal lattice deformation. I, 1=17500



- Babuška, I., Vitásek, E. and Kroupa, F. Some applications of the discrete Fourier transform to problems of crystal lattice deformation. II, 1=17501
- Băbutia, I. See Boreneas, M., 1=15822
- Bachelet, F., Balata, P., Conforto, A.M. and Marini, G. N-component intensity from July 1957 to July 1958 and geomagnetic and solar activity, 1=3344
- Bachelet, F., Balata, P., Conforto, A.M. and Marini, G. Cosmic ray and geomagnetic disturbances from July 1957 to July 1958. III. The correlation with solar radio bursts, 1=16926
- Bachelet, F., Conforto, A.M. and Iucci, N. Intensity variation of the total component in Rome, from 1954 to 1957, 1=2150
- Bachynski, M.P., Johnston, T.W. and Shkarofsky, I.P. Universal representation of electromagnetic parameters in presence of d.c. magnetic fields, 1=16313
- Bachynski, M.P. See French, I.P., 1=18857
- Bachynski, M.P. See Graf, K.A., 1=18865
- Bäck, A. See Djurle, E., 1=13003
- Backenstoss, G., Hyams, B.D., Knop, G., Marin, P.C. and Stierlin, U. Helicity of  $\mu^-$  mesons from  $\pi^-$  mesons stopped in light elements and insulators, 1=8477
- Backenstoss, G., Hyams, B.D., Knop, G., Marin, P.C. and Stierlin, U. Helicity of  $\mu^-$  mesons from  $\pi^-$  meson decay, 1=8478
- Bäckström, G. and Marklund, I. The decay of  $As^{76}$  to  $Se^{76}$ , 1=662
- Bäckström, G. See Kern, J., 1=654
- Backus, G., Lenard, A. and Kulsrud, R. Remarks on the adiabatic invariance of the orbital momentum of charged particles, 1=16410
- Backus, G.E. Linearized plasma oscillations in arbitrary electron distributions, 1=4624
- Backus, J. Vibrations of the reed and the air column in the clarinet, 1=9452
- Bacon, A.E. See Schofield, T.H., 1=20610
- Bacon, G.E. Radiation damage in graphite, 1=3701
- Bacquet, G., Gautier, P. and Santouil, A. First order optics of thin magnetic cylindrical lenses, 1=9641
- Bacry, H. Electric and magnetic multipole moments in special relativity, 1=15621
- Bacry, H. The precession of the spin of particles in an arbitrary field, 1=19100
- Baczynski, A. and Czajkowski, M. The concentration dependence of luminescence spectra of organic phosphors, 1=2762
- Baczynski, A., Czajkowski, M. and Trawinski, S. On the fluorescence of fluorescein in methyl methacrylate, 1=9398
- Badalian, A.M. and Baz, A.I. On the mechanism of photonuclear reactions, 1=8687
- Badalyan, A.M. and Baz, A.I. The mechanism of photonuclear reactions, 1=17076
- Bădăraș, E., Guirgea, Gh. and Grumăzescu, M., The effect of absorbent walls of a closed space on the uniformity of the sound field, 1=1792
- Bădăraș, E. and Hagiescu-Miriste, M. The kinetics of positive ions at the cathode of a luminescent discharge in mercury vapour, 1=1893
- Badareu, E. and Wächter, F. On the contribution of photons to the electron emission from the cathode in the mercury vapour glow discharge, 1=9531
- Badenko, L.A. See Konstantinov, B.P., 1=14307
- Bader, R.F.W. The use of the Hellmann-Feynman theorem to calculate molecular energies, 1=823
- Bader, R.F.W. An interpretation of potential interaction constants in terms of low-lying excited states, 1=13998
- Bădescu, A., Kalinkina, O.M., Mitrofanov, K.P., Sorokin, A.A., Forafontov, N.V. and Shpinel', V.S. Decay scheme of  $Te^{131m}$ , 1=13694
- Badoz, J., Billardon, M. and Mathieu, J.P. Photoelectric methods of measuring circular dichroism, 1=10609
- Bady, I., Collins, T., DeBitetto, D.J. and du Pré, F.K. Ferrimagnetic linewidth of single crystals of barium ferrite ( $BaFe_{12}O_{19}$ ), 1=14779
- Badrinathan, C. See Kondaiah, E., 1=17124
- Bady, I. and McCall, G. Ferromagnetic resonance due to magnetic fields generated by displacement currents in ferrites, 1=6396
- Baer, H.G. See Adler, E., 1=12536
- Baerg, A.P. and Bartholomew, R.M. Note on the thermal neutron capture cross section of  $Cs^{133}$ , 1=7388
- Baerg, A.P. and Bowes, G.C. Search for the  $(n, t)$  reaction at 14 MeV in some medium weight nuclei, 1=7391
- Baez, A.V. Fresnel zone plate for optical image formation using extreme ultraviolet and soft X radiation, 1=4448
- Baffier, N. See Goffin, J., 1=15093
- Bagaryatskii, Yu.A. A method of interpreting photographs of diffuse scattering from crystals of the hexagonal system, 1=20514
- Bagaryatskii, Yu.A. and Kolontsova, E.V. Rapid method of growing single crystals of Al and its alloys by recrystallization, 1=20435
- Bagaryatskii, Yu.A. and Tyapkin, Yu.D. More on X-ray diagrams with satellites, 1=15122
- Bagaryatskii, Yu.A. and Tyapkin, Yu.D. Fresh structural data on the decomposition of supersaturated solid solutions of titanium in nickel and nichrome, 1=15133
- Bagd'yk'yants, G.O. See Krylova, T.N., 1=10091
- Bagge, E. and Binder, O. A lunar cosmic ray intensity variation, 1=3353
- Bagguley, D.M.S. and Heath, M. Ferromagnetic resonance in nickel-copper alloys, 1=9047
- Bagguley, D.M.S., Stradling, R.A. and Whiting, J.S.S. Cyclotron resonance over a wide temperature range. I. Germanium, 1=14237
- Bagguley, D.M.S., Stradling, R.A. and Whiting, J.S.S. Cyclotron resonance over a wide temperature range. II. Silicon, 1=14238
- Bagley, F.D. See Smith, G.G., 1=10293
- Baglin, C., Bloch, M., Brisson, V., Hennessy, J., Lagarrigue, A., Mittner, W., Musset, P., Orkin-Lecourtois, A., Rançon, P., Rousset, A., Saruis, A.M., Sauteron, X. and Six, J. Measurements of the branching ratios of  $K^0$  and  $\Lambda^0$ , 1=9764
- Baglin, J.E.E., Thompson, M.N. and Spicer, B.M. Photodisintegration of  $Al^{27}$ . I. Photoneutron cross section, 1=5890
- Baglin, J.E.E., Thompson, M.N. and Spicer, B.M. Photodisintegration of  $Al^{27}$ . II. Theoretical, 1=5891
- Bahadur, J. and Madan, M.P. The third virial coefficient and the force between molecules, 1=14130
- Bahadur, K. Measurements of field ion currents, 1=1923
- Bahadur, K. and Sastry, P.V. A high temperature diffraction adaptor for the RCA EMU-2A electron microscope, 1=7893
- Bahadur, K. and Sastry, P.V. On the extra reflections in electron diffraction patterns from thin evaporated films of some of the face-centred cubic metals, 1=20665
- Bahcall, J. and Curtis, R.B. The mass of the muon's neutrino, 1=16750
- Bahcall, J.N. Theory of bound-state beta decay, 1=17016
- Bahcall, J.N. Virial theorem for many-electron dirac systems, 1=19103
- Bahng, J. and Schwarzschild, M. The temperature fluctuations in the solar granulation, 1=15467
- Bahng, J. and Schwarzschild, M. Lifetime of solar granules, 1=15468
- Baicker, J.A. Dark current in photomultipliers, 1=2998
- Baier, V.N. and Kheifets, S.A. High-energy electron-electron scattering, 1=16759
- Baier, V.N. and Kheifets, S.A. Behaviour of the cross-section of electromagnetic production of particles at the threshold, 1=19094
- Baier, V.N. and Khriplovich, I.B. A scheme of weak interactions with neutral currents, 1=19121
- Baikov, I.S. Polarization of internal-conversion electrons emitted after  $\beta$ -decay of oriented nuclei, 1=3423
- Bailey, A.I. Friction and adhesion of clean and contaminated mica surfaces, 1=11520
- Bailey, A.I. Recent work on solid friction at the research laboratory for the physics and chemistry of solids, 1=11521
- Bailey, D.M. See Meyerhoff, R.W., 1=10245
- Bailey, H.R. Conduction-convection from a cylindrical source with increasing radius, 1=4492
- Bailey, N.A., Grainger, R.J. and Mayer, J.W. Capabilities of lithium drifted p-i-n junction detectors when used for gamma-ray spectroscopy, 1=12075
- Bailey, S.M. Yield ratios for the isomeric pair  $Sc^{44m, 44}$  formed in  $(\alpha, n)$  and  $(\alpha, n)$  reactions, 1=11038
- Bailey, V.A. Existence of net electric charges on stars, 1=5147
- Bailey, V.A. Apparent steady component of the interplanetary magnetic field, 1=5148
- Bailey, V.A. Existence of net electric charges on stars, 1=9285



- Bailey, V.A. Measurement of the net electric charge on the sun by means of the artificial planet "Pioneer V", 1=10386
- Bailey, V.A. See Motz, L., 1=9285
- Bailitis, E. Charge transport with artificial fibres in Van de Graaff generators, 1=9650
- Bailleul-Langlais, J. Thermocouples, 1=4501
- Baillie, L.A. Determination of liquid scintillation counting efficiency by pulse height shift, 1=13217
- Bailyn, M. Appearance and effect of the Debye-Waller factor in the transport coefficients of simple normal metals, 1=4974
- Bain, W.C. Irregular fading of satellite transmissions, 1=6754
- Baines, M.J. Transport properties of thin metallic films, 1=14365
- Bainov, M.A. See Rýbalko, F.P., 1=10231
- Bair, J.K. Levels in  $N^{14}$  at 11.74 and 11.82 MeV, 1=7325
- Bair, J.K. See Cohn, H.O., 1=7387
- Bair, M.E., Cook, J.J., Cross, L.G. and Arnold, C.B. Recent developments and observations with a ruby maser radiometer, 1=8018
- Bair, M.E. See Cook, J.J., 1=43
- Baird, J.G. See Curl, R.F. Jr., 1=3536
- Baird, K.M. Interference comparator for the calibration of line standards directly in terms of standard wavelengths, 1=9359
- Baird, K.M. See Hart, K.H., 1=9306
- Baird, M.H.I. The stability of inverse bubbles, 1=15829
- Baiukov, Yu.D., Kozodaev, M.S., Markov, A.A., Sinaev, A.N. and Tiapkin, A.A. Multichannel pair gamma spectrometer. I. Calculation of the basic parameters of the gamma spectrometer, 1=19167
- Baiukov, Yu.D., Kozodaev, M.S., Markov, A.A., Sinaev, A.N. and Tiapkin, A.A. Multichannel pair gamma spectrometer. II. Description of a 12-channel spectrometer, 1=19168
- Bakakin, V.V. and Belov, N.V. Crystal structure of paracelsian, 1=15106
- Bakakina, V.V. Some results of a spectroscopic study of v.h.f. pulse discharges in a restricted discharge gap, 1=4907
- Bakalíkova, O. See Mašín, A., 1=20364
- Bakamjian, B. Relativistic particle dynamics, 1=5200
- Bakanov, S. and Derjaguin, B.V. The motion of a small particle in a non-uniform gas mixture, 1=11634
- Bakanov, S.P. and Deryagin, B.V. The state of a gas moving in the vicinity of a solid surface, 1=18445
- Bakanov, S.P. See Derjaguin, B.V., 1=10494
- Baker, A.A. See Meleka, A.H., 1=14900
- Baker, A.C. and Morris, W.C. Deposition of metallic films by electron impact decomposition of organometallic vapors, 1=11596
- Baker, C. See Williamson, G.K., 1=10001
- Baker, D.E. See Spogen, L.R., 1=1603
- Baker, E.W. and Katcoff, S. Interactions of 1.0, 2.0, and 3.0 BeV protons with Ag and Br in nuclear emulsion, 1=11015
- Baker, G.A. Jr. One-dimensional order-disorder model which approaches a second-order phase transition, 1=9149
- Baker, G.A., Jr. Application of the Padé approximant method to the investigation of some magnetic properties of the Ising model, 1=17946
- Baker, J. See Terhune, R.W., 1=11490
- Baker, J.C. See Beard, D.B., 1=4609
- Baker, J.C. See Beard, D.B., 1=7084
- Baker, J.G. See Curl, R.F., Jr., 1=3536
- Baker, J.M., Lourens, J.A.J. and Stevenson, R.W.H. Antiferromagnetism of mixed crystals of zinc and manganese fluoride, 1=9046
- Baker, K.D. and Currie, B.W. An observation of noctilucent clouds in Western Canada, 1=20838
- Baker, M.R., Nelson, H.M., Leavitt, J.A. and Ramsey, N.F. Nuclear magnetic interactions in hydrogen fluoride, 1=2347
- Baker, M.R. See Leavitt, J.A., 1=19661
- Baker, M.R. See McLachlan, A.D., 1=19651
- Baker, M.R. See Nelson, H.M., 1=7452
- Baker, R.G. and McNeill, K.G. Yield and angular distribution of fast photoneutrons, 1=8688
- Baker, R.G. and McNeill, K.G. Angular distribution of fast photoneutrons, 1=17073
- Baker, S.C., Jackson, H.G. and Mack, D.A. Transistor counting systems for scintillation detectors, 1=2936
- Baker, S.D. See McIntyre, J.A., 1=8545
- Baker, W.E. and Compton, D.M.J. Incorporation of Au into vapor-grown Ge, 1=1060
- Baker, W.F. See Edelstein, R.M., 1=7394
- Baker, W.R. See Hubbard, E.L., 1=10749
- Bakhareva, I.F. The non-linear thermodynamics of irreversible processes, 1=4516
- Bakhshiev, N.G. Universal molecular interactions and their effect on the position of the electronic spectra of molecules in two-component solutions. I. Theory (liquid solutions), 1=19644
- Baksht, F.G. The Faraday effect of free carriers in Bi<sub>2</sub>Te<sub>3</sub> in a weak magnetic field, 1=14577
- Bakhtin, V.I. A method of automatic compensation in measuring low gas pressures, 1=4298
- Baktavatsalou, M. Application of the Foldy-Wouthuysen transformation to several cases of electron interaction with an electromagnetic field, 1=13283
- Baktavatsalou, M. On a generalization of the Foldy-Wouthuysen transformation to particles of any spin with no external field and some applications, 1=13290
- Bakule, R., Sicha, M., Veselý, V. and Kracík, J. The complex conductivity of the plasma of a d.c. glow discharge in Ne, 1=16287
- Balabanov, E.I., Berlin, A.A., Parini, V.P., Tal'roze, V.L., Frankevich, E.L. and Cherkashin, M.I. Electrical conductivity of polymers with conjugated bonds, 1=3728
- Balabanov, S. See Nadzhakov, G., 1=12372
- Balabanova, L.A. See Ageev, V.N., 1=2385
- Balachandran, A.P. and Deshpande, N.G. Some remarks on Sakurai's theory of strong interactions, 1=16679
- Balachandran, A.P. and Ranganathan, N.R. On a model for  $\Xi$  decays, 1=9774
- Balachandran, A.P. See Bhamathi, G., 1=9768
- Balachandran, A.P. See Ramakrishnan, A., 1=13370
- Balachandran, A.P. See Ramakrishnan, A., 1=16681
- Balandine, M.P. See Laberrigue-Frolow, J., 1=7281
- Balarin, M. Electron energy levels in crystals. I. Thallium-activated alkali halides, 1=3621
- Balashov, D.B. See Ryabinin, Yu.N., 1=6685
- Balashov, D.B. See Volarovich, M.P., 1=6904
- Balashov, D.B. See Voronov, F.F., 1=1292
- Balashov, I.F., Vanyukov, M.P., Muratov, V.R. and Nilov, E.V. Image-converter recording of spark-discharge spectra resolved in time and along the channel cross-section, 1=4456
- Balashov, V.V. and Fetisov, V.N. Role of nucleon clusters in deep photo-disintegration of light nuclei, 1=19441
- Balashov, V.V., Shevchenko, V.G. and Yudin, N.P. Two-body forces and the giant resonance in photonuclear reactions, 1=19442
- Balasubramanian, C. See Venkateswarlu, K., 1=14033
- Balata, P. See Bachelet, F., 1=3344
- Balata, P. See Bachelet, F., 1=16926
- Balatz, M.Ya., Kondrat'ev, L.N., Landsberg, L.G., Lebedev, P.I., Obukhov, Yu.V. and Pontekorvo, B. [Pontekorvo]. Radiationless transitions in heavy  $\mu$ -mesic atoms, 1=4919
- Balazard, J. See Aurio, A., 1=9413
- Balázs, B. and Paál, G. The interpretation of cosmology, 1=9249
- Balazs, L.A.P. Shape-independent theory of high-energy nucleon-nucleon scattering, 1=16772
- Balazs, N.L. Validity of the nonlinear Poisson-Boltzmann equation, 1=16301
- Balchan, A.S. and Drickamer, H.G. High pressure electrical resistance cell, and calibration points above 100 kilobars, 1=8288
- Balchan, A.S. and Drickamer, H.G. Effect of pressure on the resistance of iodine and selenium, 1=10050
- Balchan, A.S. and Drickamer, H.G. Effect of pressure and temperature on the absorption spectra of four alkali halide phosphors, 1=11364
- Balchan, A.S. and Drickamer, H.G. Effect of pressure on the charge transfer spectra of heavy transition metal hexahalide complexes, 1=11367
- Balchin, N.C. and Mordike, B.L. Semi-automatic control of vacuum pumping systems, 1=6913
- Baldassarre, F., Caforio, A., Ferraro, D., Ferilli, A., Merlin, M., Perkins, D.H., Semeraro, S., Combe, J.C., Gibson, W.M., Lock, W.O., Bonetti, A., Di Corato, M., Fedrighini, A., Herz, A.J., Sichirollo, A.E., Tallone, L., Vegni, G. and Villar, E. Observations on the long-range interactions of pions.,



- I. Preliminary results on the coherent production of two charged pions by pions at 14 GeV, 1=16862
- Baldeschwieler, J.D. Quadrupole relaxation effects in nuclear magnetic double resonance, 1=6044
- Baldeschwieler, J.D. See Fulton, R.L., 1=9954
- Baldinger, E. and Czaja, W. Stabilized power supply of high quality employing transistors, 1=13052
- Baldini, G., Dalla Croce, L. and Fieschi, R. X-ray induced conversion in the absorption bands of additively coloured KCl, 1=17580
- Baldo Ceolin, M., Caforio, A., Fabbri, O., Farina, F., Ferilli, A., Miara, G. and Schneps, J.  $\Xi^-$  production in emulsion by 1.1 GeV/c  $K^-$  mesons, 1=551
- Baldo-Ceolin, M., Caforio, A., Farini, F., Ferilli, A. and Miari, G. Interactions of 1.16 GeV/c  $K^-$  in nuclear emulsions, 1=10926
- Baldo-Ceolin, M. See Deka, G.C., 1=5930
- Baldwin, D.E. See Hirshfield, J.L., 1=4608
- Baldwin, J.E. Thermal radiation from the moon and the heat flow through the lunar surface, 1=15423
- Baldwin, J.E. Galactic background surveys and the galactic halo, 1=18186
- Baldwin, J.E. and Shakeshaft, J.R. Radio emission from the direction on the supergalaxy, 1=18194
- Baldwin, J.E. See Archer, S., 1=18135
- Baldwin, J.E. See Pauliny-Toth, I.I.K., 1=10398
- Balea, E. and Friedländer, E. Measurements on a nuclear interaction of energy  $\sim 4.10^{11}$  eV, 1=573
- Balea, E., Friedländer, E. and Potoceanu, C. The azimuthal distribution of meson jets, 1=570
- Balea, E., Friedländer, E.M., Potoceanu, C. and Sahini, M. Angular distribution of jets produced by heavy primaries, 1=569
- Balea, E. See Alper, S., 1=572
- Balea, O. and Friedlander, E. On the behaviour of the soft component of cosmic rays under thick lead layers, 1=13566
- Balent, R. See Dieckamp, H.M., 1=15580
- Balescu, R. Approach to equilibrium of a quantum plasma, 1=2961
- Balescu, R. Transport equation of a plasma, 1=5449
- Balescu, R. Irreversible processes in a quantum plasma, 1=9540
- Balescu, R. The statistical thermodynamics of the approach to equilibrium of a plasma, 1=9541
- Balescu, R. On the approach to non-equilibrium stationary states and the theory of transport coefficients, 1=12828
- Balescu, R. and Taylor, H.S. Binary correlations in ionized gases, 1=2962
- Balescu, R. See Prigogine, I., 1=5205
- Balescu, R. See Prigogine, I., 1=352
- Balescu, R. See Prigogine, I., 1=8353
- Balian, R., Bloch, C. and De Dominicis, C. Formulation of statistical mechanics in terms of occupation numbers. I, 1=12810
- Balian, R., Bloch, C. and De Dominicis, C. Formulation of statistical mechanics in terms of occupation numbers. II, 1=18289
- Balian, R. and Gillet, V. Direct interaction in the reaction  $Be^*(n, 2n)Be^0$ , 1=13816
- Balinkin, I. See Traub, A.C., 1=10356
- Balk, M. See Schubert, K., 1=5098
- Balk, P. See Benson, G.C., 1=3589
- Balk, P. See Benson, G.C., 1=20265
- Balkanski, M. Present state of the exciton problem, 1=14222
- Balkanski, M., Bardeleben, J. and Bogenschütz, A.F. Study of the electronic exchange at the semiconductor-non-aqueous electrolyte interface, 1=1483
- Balkanski, M. and Besson, J.M. Double phonon processes in cadmium sulfide, 1=17401
- Balkanski, M. and des Cloizeaux, J. Band structure of CdS, 1=3619
- Balkanski, M. and des Cloizeaux, J. Band structure of wurtzite-type crystals; intrinsic optical transitions in CdS, 1=17445
- Balkanski, M. and des Cloizeaux, J. Excitons in crystals of the wurtzite type, 1=17472
- Balkanski, M., Nazarewicz, W. and da Silva, E. Optical absorption due to the introduction of carbon into the silicon lattice, 1=2440
- Balkanski, M. See Moch, P., 1=928
- Ball, C.J. On stress-aided cross-slip of dislocations, 1=1331
- Ball, J.J. See Mann, D.E., 1=4932
- Ball, J.S. and Frazer, W.R. Possible explanation of the higher pion-nucleon and  $K^-p$  resonances in terms of inelastic thresholds, 1=16864
- Ball, J.S. and Wong, D.Y.  $NN \leftrightarrow \pi\pi$  amplitude and the electromagnetic structure of the nucleon, 1=3176
- Ball, L.M. See Vachaspati, 1=15623
- Ball, M., Garton, G., Leask, M.J.M., Ryan, D. and Wolf, W.P. Low-temperature magnetic properties of some rare-earth garnet compounds, 1=6365
- Ball, N., Garibotti, C., Giambiagi, J.J. and Pignotti, A. Relativistic pion-nucleon scattering with the determinantal method, 1=13482
- Ballam, J. See Crittenden, R.R., 1=5741
- Ballario, C., De Marco, A., Fortune, R.D. and Verkerk, C. The relativistic increase of the specific primary ionization in helium, 1=8407
- Ballario, M.C. A statistical study of the dimensions of bright flares in hydrogen-light observed at Arcetri, Capri Svezia, Hawaii, Macmath, Mitaka, and U.S. Naval Observatory, 1=2622
- Ballario, M.C. Correction factors for the passage from apparent area to the corrected area of bright flares in hydrogen light, 1=7998
- Ballensiefen, G. See Kohlhaas, R., 1=11436
- Ballentyne, D.W.G. Infra-red emission and electroluminescence in zinc sulphide phosphors, 1=17919
- Ballentyne, D.W.G. and Ray, B. Electroluminescence and crystal structure in the alloys system ZnS-CdS, 1=9012
- Balli, E., Gökdoğan, N., Hotinli, M., Kandel, R., Kiral, A. and Pecker, J.C. Determination of abundances in the solar photosphere. Graphical aids in general, and particularly for the case of iron, 1=18082
- Ballini, R., Cassagnou, Y., Lévi, C. and Papineau, L. Time of flight spectrometry of the neutrons from the (p, n) reaction on vanadium, 1=695
- Ballini, R. and Pomelas, E. Time measurement in the nanosecond region: a time-to-pulse height converter and coincidence circuits, 1=18738
- Ballini, R. and Shfroth, S.M. Detection of low energy neutrons with a NaI(Tl) crystal and time of flight, 1=513
- Ballman, A.A. See Laudise, R.A., 1=14966
- Balloffet, G. A contribution to a study of light sources for the far ultraviolet and their application to spectrochemical analysis, 1=16088
- Balloffet, G., Romand, J. and Vodar, B. An emission source of continuous spectrum extending from the visible to the extreme ultraviolet, 1=16089
- Balloffet, G. See Schwob, J.L., 1=17262
- Balluffi, R.W. and Simmons, R.O. Changes in macroscopic shape, lattice parameter, and density in crystals due to point defects, 1=2388
- Balluffi, R.W. See Darby, J.B., Jr, 1=7598
- Balluffi, R.W. See Heitmann, W.E., 1=12377
- Bally, D. and Glodeanu, A. A study of the magnetic properties of some Cu-Ni-Fe alloys, 1=3886
- Bally, D., Tarin, E. and Pirlogea, P. Optical characteristics of a mechanical neutron monochromator with helical slots, 1=7254
- Balogh, A. Some properties of the characteristic equations of torsional vibrations, 1=8170
- Balser, M. and Wagner, C.A. Observations of earth-ionosphere cavity resonances, 1=2567
- Baltay, C., Courant, H., Fickinger, W.J., Fowler, E.C., Kraybill, H.L., Sandweiss, J., Sanford, J.R., Stonehill, D.L. and Taft, H.D. Production of hyperons in hydrogen by positive pions, 1=16906
- Baltay, C. See Stonehill, D., 1=12102
- Baltensperger, W. and de Graaf, A.M. Long range interactions between magnetic moments in semiconductors, 1=8252
- Baltrukonis, J.H., Gottenberg, W.G. and Schreiner, R.N. Dynamics of a hollow, elastic cylinder contained by an infinitely long rigid circular-cylindrical tank, 1=1777
- Baltrukonis, J.H., Gottenberg, W.G. and Schreiner, R.N. Axial-shear vibrations of an infinitely long composite circular cylinder, 1=18505
- Balýgin, I.E. The migration of silver on the surface of ceramic dielectrics, 1=6187
- Balýgin, I.E. The penetration of silver into amorphous and crystalline quartz under the action of a constant voltage, 1=12404



- Bamford, C.R. A study of the magnetic properties of iron in relation to its colouring action in glass. I. Iron in sodium borate glasses melted under oxidizing conditions, 1=14684
- Bamford, C.R. A study of the magnetic properties of iron in relation to its colouring action in glass. II. Iron in sodium borate glasses melted under reducing conditions, 1=14685
- Bamford, C.R. and Charnock, H. An apparatus for measuring magnetic susceptibility of glasses up to their annealing temperatures, 1=16485
- Ban, M.I., Gilde, F.J. and Horvath, J.I. Contributions to the general theory of LCAO-MO method, 1=7479
- Bán, M.I. See Gilde, F.J., 1=3620
- Banaigs, J. See Duboc, J., 1=13226
- Banasevich, S.N. See Murin, A.N., 1=14314
- Banbury, P.C., Barnes, G.A., Haneman, D. and Mitchell, E.W.J. The attainment of clean surfaces by breaking crystals in ultra-high vacuum, 1=6146
- Banbury, P.C. See Lindley, D.H., 1=1052
- Bancie-Grillot, See Bansi-Grillo, M., 1=11596
- Bancie-Grillot, M. See Grillot, E., 1=7666
- Bancie-Grillot, M. See Grillot, E., 1=7667
- Band, W. and Duval, G.E. Physical nature of shock propagation, 1=15933
- Bandyopadhyay, P. and Chatterjee, S.K. Decay of ionization below the F-layer at night, 1=20983
- Banerjee, B.R., Capenos, J.M., Hauser, J.J. and Hirth, J.P. Dislocation interaction in b.c.c. stainless steel, 1=7584
- Banerjee, B.R. See Capenos, J.M., 1=7892
- Banerjee, H. Effects of screening and multiple scattering of primary electrons on the polarisation of bremsstrahlung, 1=13387
- Banerjee, H. Circular polarization of bremsstrahlung from longitudinally polarized primary electrons, 1=16745
- Banerjee, K. and Srivastava, S.N. Statistical structure of anthrone, 1=9143
- Banerjee, M.K. Intermediate coupling calculations in the  $2s-1d$  shell, 1=8575
- Banerjee, S.B. See Deb, K.K., 1=14035
- Banerji, R.B. Anisotropy in ionospheric diffraction and its effect on drift measurement, 1=2566
- Banford, A.P. and Stafford, G.H. The feasibility of a superconducting proton linear accelerator, 1=18955
- Bang, V.X. See Anderson, J.A., 1=7273
- Bang, V.X. See Anderson, J.A., 1=16867
- Banks, E., Riederman, N.H., Schleuning, H.W. and Silber, L.M. Preparation and properties of thin ferrite films, 1=6350
- Bannik, B.P., Grishin, V.G. and Sil'vestrov, L.V. Elastic scattering of 8.7 BeV protons on the nuclei of photographic emulsions, 1=19451
- Bános, G., Gombay, L. and Hevesi, I. Preparation of photocells from pressed CdSe powder, 1=7665
- Bansal, T.D. and Srivastava, O.N.L. Wheel cock for microflow of liquids, 1=2740
- Bansi-Grillo, M., [Bancie-Grillot], Gross, E.F., Grillo, E., [Grillot] and Razbirin, B.S. The effect of temperature on two series of bands in the green fluorescence spectrum of pure cadmium sulphide at low temperatures, 1=11396
- Banyard, K.E. Diamagnetic susceptibility of Ne, NH<sub>3</sub> and CH<sub>4</sub>, 1=8870
- Banyard, K.E. "Floating" hydrogen densities in some molecules of the type XH<sub>n</sub>, 1=11102
- Banyard, K.E. and March, N.H. The electron distribution in the ammonium ion, 1=20547
- Bao-Syue-Sin' [Pao-Hsueh-Hsin], Bokshtein, B.S. and Zhukhovitskii, A.A. Diffusion in multiphase systems, 1=17557
- Bapat, N.J. See Bhide, V.G., 1=11340
- Baqi Bég, M.A. High-energy pion-nucleus scattering, 1=524
- Baqi Bég, M.A. On the distinguishability of equivalent potentials, 1=7211
- Baqi Bég, M.A. and De Celles, P.C.  $K-\pi$  resonance and lifetime of the  $K^+$  particle, 1=5776
- Baqi Bég, M.A. and De Celles, P.C.  $K-\pi$  resonance and lifetime of the  $K^+$  particle, 1=9767
- Bar, V. See Steinberger, I.T., 1=1190
- Barabanenkov, Yu.N. Change in the momenta of charges colliding in a magnetic field, 1=18989
- Barabashov, N.P. and Garazha, V.I. Some remarks on the dust and haze formations on Mars, 1=18039
- Baradzev, L.T., Rubtsov, V.I., Smorodin, Ym.A., Soloviev, M.V. and Tolkachov, B.V. Absorption of high-energy nucleons in the atmosphere, 1=3291
- Baraff, G.A. Correlation and quantum corrections in the Thomas-Fermi model of the atom, 1=13916
- Baraff, G.A. and Borowitz, S. Green's function method for quantum corrections to the Thomas-Fermi model of the atom, 1=5960
- Barakat, R. Total illumination in a diffraction image containing spherical aberration, 1=4437
- Barakat, R. The intensity distribution and total illumination of aberration-free diffraction images, 1=18547
- Baram, A.A. The extraction of impurities from polyethylene in an ultrasonic field, 1=20638
- Baran, W., Breuer, W., Fahlenbrach, H. and Janssen, K. Some investigations on iron-cobalt permanent magnet alloys of the Vicalloy II type, 1=6343
- Baranger, E. and Chong Wan Lee. Spurious states arising from the centre-of-mass motion of a nucleus, 1=3394
- Baranger, M. Self-consistent field theory of nuclear shapes, 1=7316
- Baranger, M. An extension of the shell model for heavy spherical nuclei, 1=8548
- Baranger, M. and Mozer, B. Light as a plasma probe, 1=10696
- Baranov, A.G. A method to verify experimentally that the speed of light is independent of the velocity of the source, 1=18558
- Baranov, A.I. See Kreimer, G.S., 1=6468
- Baranov, V.F. Double-focusing beta spectrometer without iron, 1=4651
- Baranova, R.V. See Kurdyumova, R.N., 1=20536
- Baranowski, B. Irreversible processes in gases with internal degrees of freedom in weakly coupling approximation, 1=15955
- Baranskii, K.N. See Shustin, O.A., 1=19704
- Baranskii, P.I. Volume-gradient phenomena and the limits of applicability of the probe compensation method for measuring the electrical conductivity of semiconductors, 1=17644
- Baranskii, P.I. Volume-gradient phenomena and the problem of the fulfilment of the second thermoelectric relation, 1=17812
- Baranskii, P.I., Dzyubenko, G.M. and Konoplyasova, N.S. An experimental study of the volume gradient e.m.f. appearing in germanium in the presence of a current, 1=12435
- Baranskii, P.I., Dzyubenko, G.M. and Konoplyasova, N.S. An experimental study of the volume gradient e.m.f. appearing in germanium in the presence of a current, 1=14439
- Baranskii, P.I. Non-calorimetric method for measuring the relative values of Peltier's coefficient on the boundary of a metal with metals or semiconductors, 1=14533
- Barashenkov, V.S. Inelastic interactions of  $\eta$ -mesons with nucleons at 6.3 GeV, 1=2082
- Barashenkov, V.S. Interaction cross-sections of high-energy particles, 1=8492
- Barashenkov, V.S. Pion interaction in Fermi statistical theory, 1=16859
- Barashenkov, V.S. Interaction of  $\pi$ -mesons in the Fermi statistical theory, 1=19239
- Barashenkov, V.S., Kaiser, H.J. and Ogreba, A.A. Electric and magnetic polarizabilities of the nucleon, 1=13404
- Barashenkov, V.S., Maltsev, V.M. and Mikhul, E.K. Mechanism of interaction of fast nucleons with nuclei, 1=9849
- Barashenkov, V.S., Mikhul, E.K. and Huang Tzu-Tzan. Cross section for strange particle generation, 1=16909
- Barashenkov, V.S., Van Shu-Fen and Tolstov, K.D. Collisions of 9 GeV protons with nuclei, 1=3441
- Barashenkov, V.S. See Blokhintsev, D.L., 1=2047
- Barat, J., Lequeux, J. and LeRoux, E. Preliminary observations of the polarization of radio sources at a wavelength of 21 cm, 1=4221
- Barbaro-Galtieri, A., Manfredini, A., Quassiat, B., Castagnoli, C., Gainotti, A. and Ortalli, I. Experimental results on the proton-nucleus collisions at 27 GeV in emulsion, 1=17102
- Barbaro-Galtieri, A. See Castagnoli, C., 1=12088
- Barbashov, B.M. and Efimov, G.V. A model of local field theory with finite charge renormalization, 1=19086
- Barbashov, B.M. See Blokhintsev, D.L., 1=2047



## AUTHOR INDEX

- Barbé, G. The sudden onset of easterly winds in winter in the middle and higher stratosphere and the progressive extension of the change northwards from  $20^\circ$  to  $50^\circ$  latitude in the neighbourhood of the Paris meridian, 1=20823
- Barbé, G. On the existence of different stratospheric air masses above tropospheric jet currents, 1=20826
- Barbe, G. The influence of tropospheric jet currents on the fallout of radioactive particles and a possible mechanism for the vertical transfer of stratospheric air, 1=20871
- Barber, C.R. Resistance thermometers for low temperatures, 1=4504
- Barber, C.R. and Blanke, W.W. A platinum resistance thermometer for use at high temperatures, 1=1843
- Barber, D.R. Variable brightness of comet Burnham (1959k) and auroral activity, 1960 April 27-30, 1=2606
- Barber, W.C., Berthold, F., Fricke, G. and Gudden, F.E. Nuclear excitation by scattering of 40-MeV electrons, 681
- Barber, W.C. and Vanhuyse, V.J. Photoprotons from  $\text{Nb}^{93}$ , 1=13771
- Barber, W.C. See Peterson, G.A., 1=19285
- Barber, W.C. See Vanhuyse, V.J., 1=13770
- Barbetta, M.G., Depietri, C., Lovera, G. and Fedeli, R.P. Angular distribution of meson showers produced by heavy ( $Z \neq 2$ ) cosmic-ray primaries, 1=5804
- Barbier, D. Origin of [OI] 5577 in nightglow and in aurora, 1=1555
- Barbier, D. Emission of the red line of the night sky and the properties of the F-layer of the ionosphere, 1=21027
- Barbier, D. and Glaume, J. Correlations between intensities of various radiations of the night atmospheric luminescence, 1=4131
- Barbier, D. and Glaume, J. The 6300 and 5577 Å radiations due to oxygen in the luminescence from the night sky at a low latitude station, 1=15301
- Barbier, D., Weill, G., Daguijon, J. and Marsan, J. Emission of the red line from the night sky in the inter-tropical zone, 1=7842
- Barbier, J.C. Study of the addition of thermal-fluctuations after-effect and creeping ["reptation"], 1=7748
- Barbier, R. See Danan, H., 1=17939
- Barchewitz, P. See Haeussler, C., 1=16076
- Barchuk, I.F., Pasechnyĭk, M.V. and Tsibul'ko, Yu.A. Gamma spectra due to inelastic scattering of neutrons, 1=12204
- Barclay, A. and Donaldson, J.D. Improved attachment for high temperature single-crystal X-ray work, 1=11552
- Barclay, L.W. See Piggott, W.R., 1=16562
- Barcus, J.R. See Green, J.R., 1=13559
- Bardakci, K. and Acharya, R. Canonical variables in relativistic quantum theory, 1=18261
- Bardakci, K. and Sudarshan, E.C.G. Local fields with terminating expansions, 1=19131
- Bardasis, A. and Schrieffer, J.R. Excitons and plasmons in superconductors, 1=4530
- Bardasis, A. and Schrieffer, J.R. Lifetime effects in condensed fermion systems, 1=15037
- Bardeen, J. Tunnelling from a many-particle point of view, 1=5395
- Bardeen, J. Quantization of flux in a superconducting cylinder, 1=16196
- Bardeleben, J. See Balkanski, M., 1=1483
- Barden, R.G. Resiliently isolated pressure pickup to record explosive disturbances, 1=12841
- Bardin, R.K., Barnes, C.A., Fowler, W.A. and Seeger, P.A. ft value of  $\text{O}^{14}$  and the universal Fermi interactions, 1=645
- Bardina, N.G. and Lukovtsev, P.D. Investigation of the mechanism of rectification in an oxidized zirconium electrode, 1=20747
- Bardocz, A., Vanyek, U.M. and Voros, T. Wavelength shift of spectrum lines in spark spectra, 1=3511
- Bardsley, W. The electrical effects of dislocations in semiconductors, 1=6136
- Barducci, L. Loudness function and differential sensitivity of the intensity, 1=6667
- Barducci, L., Nuovo, M. and Verdini, L. The Bordoni effect in silver-gold alloys, 1=6448
- Barenblatt, G.I. and Zel'dovich, Ya.B. Stability of flame propagation, 1=1473
- Barer, R. Applications of interference microscopy, 1=16068
- Bareyre, P., Detoef, J.F., Smith, L.W., Tripp, R.D. and Van Rossum, L. Polarization in proton-beryllium and proton-proton scattering at 1.7 GeV, 1=13418
- Barfield, W.D. See Rabson, T.A., 1=665
- Barford, N.C. Low-temperature bubble chambers, 1=4749
- Barford, N.C. The most probable path of a scattered particle, 1=10853
- Barger, R.L. and Kessler, K.G.  $\text{Kr}^{86}$  and atomic-beam-emitted  $\text{Hg}^{199}$  wavelengths, 1=10464
- Barger, V. and Kazes, E.  $\text{K}_1^0 - \text{K}_2^0$  mass difference, 1=16887
- Bargmann, V. and Moshinsky, M. Group theory of harmonic oscillators. II. The integrals of motion for the quadrupole-quadrupole interaction, 1=5695
- Barish, B.C., Kurz, R.J., McManigal, P.G., Perez-Mendez, V. and Solomon, J. Pion production by negative pions, 1=8486
- Barjon, R., Lambert, M. and Schmouker, J. Differential cross-section of the reaction  $\text{C}^{13}(\text{He}^3, \alpha)\text{C}^{12}$  at 1.8 MeV, 1=725
- Barjon, R., Lambert, M. and Schmouker, J. Differential cross-section of the reaction  $\text{C}^{13}(\text{He}^3, \alpha)\text{C}^{12}$  at 1.8 MeV, 1=13856
- Barkan, S. Stopping power of C for  $^{210}\text{Po}$   $\alpha$ -particles, 1=12132
- Barkan, S. Branching ratio of  $\alpha$  and  $\beta$  emissions from  $^{212}\text{Bi}$  (ThC), 1=12165
- Barkas, W.H. and von Friesen, S. High-velocity range and energy-loss measurements in Al, Cu, Pb, U and emulsion, 1=13421
- Barkemeyer, H. See Kallmann, H., 1=6181
- Barker, E.F. Elementary analysis of the gyroscope, 1=1719
- Barker, F.C. Two-nucleon interaction from doublet splittings, 1=7308
- Barker, F.C. Positive parity states of  $\text{Be}^9$  and  $\text{C}^{13}$ , 1=19362
- Barker, F.C. and Tassie, L.J. Effects of centre-of-mass motion in the nuclear shell model on scattering problems, 1=8559
- Barker, J.A. The tunnel theory of fluids: the 12:6 fluid, 1=12867
- Barker, R.C. See Brownell, R.M., 1=6302
- Barker, R.S., Harrison, T.K., Richardson, D.A. and Rimmer, R. Absorption spectrum of  $\gamma$ -irradiated lead silicate glass, 1=17886
- Barker, R.S., Richardson, D.A., McConkey, E.A.G. and Yeadon, R.E. Radiation-induced defects in lead silicate glass, 1=6119
- Barker, W.A. Thermodynamics and statistical mechanics of a three-level maser, 1=16551
- Barkhatov, A.N. and Myasnikov, S.P. Experimental investigation of the field in one instance of antiwaveguide propagation of sound, 1=16018
- Barkov, L.M., Mukhin, K.N., Tel'nov, A.V. and Shlyapnikov, R.S. A high-speed double-action gas valve for a bubble chamber, 1=10817
- Barkov, L.M. and Samoilovich, D.M. The development of nuclear emulsions, 1=7180
- Barkov, L.M. and Samoilovich, D.M. The development of nuclear emulsions, 1=10821
- Barkov, V.I. Non-conservative radiative transfer in a uniform medium, 1=2720
- Barkov, A.G., Chamany, B., Haskin, D.M., Jain, P.L., Lohrmann, E., Teucher, M.W. and Schein, M. Nuclear interactions of protons, neutrons, and shower particles of very high energy in nuclear emulsion, 1=7238
- Barlarin, M. Electron energy levels in crystals. II. Series of homologous activators, 1=11177
- Barledzh, S. [Buralge, S.R.] and Kérom, E. [Carome, E.F.]. Absorption of ultrasonic waves in ethyl acetate, 1=2823
- Barlett, B.E. See Trainor, A., 1=10234
- Barlier, F. See Kovalevsky, J., 1=6749
- Barlier, F. See Muller, P., 1=6752
- Barloutaud, R., Faraggi, H., Rosen, L. and Shafroth, S.M. The production and detection of polarized deuterons, 1=13527
- Barlow, A.J. See Tasköprülü, N.Ş., 1=5277
- Barmin, A.A. Surfaces of discontinuity with emission or absorption of energy in magnetohydrodynamics, 1=16521
- Barmin, A.A. and Gogosov, V.V. A problem concerning a piston in magneto-hydrodynamics, 1=356
- Barmin, V.V., Kanavets, V.P. and Morozov, B.V. Polarization of cosmic-ray  $\mu^+$ -mesons, 1=19324
- Barmin, V.V., Krestnikov, Yu.S., Pershin, I.I., Rumyantseva, V.P., Shalakov, Ya.Ya. and Shebanov, V.A. Asymmetry in the decay of  $\Delta^0$ -hyperons generated by 2.8 BeV/c negative pions, determined by observations in a freon bubble chamber, 1=19273
- Barna, A., Marshall, J.H. and Sands, M. A nanosecond coincidence circuit using transistors, 1=1875
- Barnaby, C.F. The energy loss of singly charged heavy relativistic particles in an organic material, 1=10900



- Barnaby, C.F. and Barton, J.C. Performance of large area scintillation counters, 1=396
- Barnard, A.C.L., Bashkin, S., Broude, C. and Hornback, C.E. Capture and inelastic scattering of protons by silicon 30, 1=5914
- Barnard, A.C.L. See Carlson, R.R., 1=7370
- Barnard, A.C.L. See Jones, W.M., 1=9619
- Barnard, G.P., Aston, G.H. and Marsh, A.R.S. Effects of variations in the ambient air on the calibration and use of ionization dosimeters, 1=8405
- Barnard, G.R. and McKinney, C.M. Scattering of acoustic energy by solid and air-filled cylinders in water, 1=4413
- Barnard, R.D. See Bates, L.F., 1=10025
- Barnard, R.D. See Bates, L.F., 1=17609
- Barnes, C., Jr. Comment on paper by Henry G. Booker, "A local reduction of F-region ionization due to missile transit", 1=20985
- Barnes, C.A. See Bardin, R.K., 1=645
- Barnes, C.A. See Nordberg, M.E., 1=639
- Barnes, G.A. See Banbury, P.C., 1=6146
- Barnes, J.C. Uni-axial pantograph, 1=4183
- Barnes, J.F. and Tredgold, R.H. Field-dependent electron mobility in ionic crystals, 1=1022
- Barnes, M.W. and Noyce, R.H. Inert enclosed pump for shaped flow of ultraclean solutions, 1=12859
- Barnes, R.G., Jones, W.H., Jr. and Graham, T.P. Large anisotropic Knight shifts in intermetallic compounds, 1=9069
- Barnes, R.G. See Jones, W.H., Jr., 1=7799
- Barnes, R.S. and Mazey, D.J. The nature of radiation-induced point-defect clusters, 1=1002
- Barnes, R.S. See Silk, E.C.H., 1=19784
- Barnes, R.S. See Westmacott, K.H., 1=966
- Barnes, R.S. See Westmacott, K.H., 1=17511
- Barnett, C.F., Dunlap, J.L., Edwards, R.S., Haste, G.R., Postma, N., Ray, J.A., Reinhardt, R.G., Schill, W.J., Warner, R.M. and Wells, E.R. Lifetimes of fast ions in the plasma of d.c.x., 1=16349
- Barnett, M.P. See Hirschfelder, J.O., 1=4098
- Barnier, Y., Pauthenet, R. and Rimet, G. The temperature dependence of the crystal anisotropy constants and spontaneous magnetization of hexagonal cobalt, 1=14695
- Barnier, Y., Pauthenet, R. and Rimet, G. The field dependence of the magnetization of single-crystal cobalt, 1=14699
- Barnier, Y., Pauthenet, R. and Rimet, G. Study of the process of changing the axis of easy magnetization of cobalt, 1=20069
- Baron, A. See Le Bot, Jean., 1=14535
- Barone, A. and Fantì, F. An experimental contribution to the investigation of an ultrasonic field by means of an optical method, 1=18532
- Baroni, E.E. See Selinov, I.P., 1=17010
- Baroni, G. See Galtieri, A.B., 1=12089
- Baroody, E.M. Differential and transport cross-sections for classical scattering by repulsive potentials, 1=14151
- Baroody, E.M. Focusing collisions in a linear chain of atoms, 1=17588
- Barr, D.W., Browne, C.I. and Gilmore, J.S. Interpretation of experimental (n,2n) excitation functions, 1=11019
- Barr, E.J. See Kramer, H.H., 1=10586
- Barr, E.S. Anniversaries in 1961 of interest to physicists, 1=5179
- Barr, E.S. Concerning the naming of the "practical" electrical units, 1=10647
- Barr, L.W., Hoodless, I.M., Morrison, J.A. and Rudham, R. Effects of gross imperfections on chloride ion diffusion in crystals of sodium chloride and potassium chloride, 1=14323
- Barr, N.F., Stark, M. and Laughlin, J.S. A comparison of two fluorometers designed to measure the radiation-induced fluorescence of silver-activated glass rods, 1=5707
- Barr, W. See McLean, S., 1=18635
- Barr, W. See Meleka, A.H., 1=14900
- Barragán, A. Tables of values of angular momenta and electric quadrupole moments of states associated with the quadrupole-quadrupole interaction in a harmonic oscillator, 1=13625
- Barrar, B. Some remarks on the motion of a satellite of an oblate planet, 1=4225
- Barrat, J.P. On the effect of a nuclear electric dipole moment on the energy levels of an atom in a uniform electric field, 1=796
- Barrat, J.P. Density matrix formalism applied to light beat experiments, 1=17276
- Barrat, J.P. and Cohen-Tannoudji, C. A study of optical pumping in terms of the density matrix, 1=7441
- Barrat, J.P. and Cohen-Tannoudji, C. Broadening and displacement of magnetic resonance lines caused by optical pumping, 1=7442
- Barrat, J.P. and Cohen-Tannoudji, C. Optical pumping and the density matrix formalism, 1=13963
- Barrat, J.P. and Cohen-Tannoudji, C. Enlargement and displacement of magnetic resonance radiation caused by an optical excitation, 1=13964
- Barraud, J. Principles of X-ray crystallography, 1=9121
- Barreau, P. See Bellicard, J.B., 1=13778
- Barrer, R.M. Stabilization of lattices by sorbed and included molecules, 1=9171
- Barrer, R.M. and Petropoulos, J.H. Diffusion in heterogeneous media: lattices of parallelepipeds in a continuous phase, 1=19799
- Barrer, R.M. See Ash, R., 1=17555
- Barrett, A.H. Microwave absorption and emission in the atmosphere of Venus, 1=2659
- Barrett, C.S. The structure of bismuth at low temperatures, 1=1395
- Barrett, E.B. See Whitmer, R.F., 1=3067
- Barrett, W.A. Demagnetization of twistor bits, 1=7124
- Barrington, R.E. and Nishizaki, T. The hydrogen ion effect in whistler dispersion, 1=1549
- Barrington, R.E. and Nishizaki, T. Whistler dispersion and exospheric hydrogen ions, 1=15238
- Barriol, J. The electronic structure of graphite, 1=3623
- Barron, D.W. The numerical solution of differential equations governing the reflexion of long radio waves from the ionosphere. IV, 1=16593
- Barron, D.W. See Farley, D.T., 1=16314
- Barron, T.H.K. Long-wave optical vibrations in simple ionic crystals, 1=14165
- Barros, F. de S., Forsyth, P.D., Jaffe, A.A. and Taylor, I.J. Some (t, d) reactions in light nuclei at 5.5 MeV, 1=8785
- Barros, F. de S., Forsyth, P.D., Jaffe, A.A. and Taylor, I.J. An investigation of some (t, d) reactions in light nuclei at 5.5 MeV, 1=9887
- Barros, F. de S. See Jaffe, A.A., 1=731
- Barros, S.L. de S., See Binnie, D.M., 1=8476
- Barrow, B.B. and Maitland, R. Transients in logarithmic count-rate and period meters, 1=2932
- Barrow, B.B. and Maitland, R. Transients in logarithmic count-rate and period meters, 1=4545
- Barrow, C.H. Magnetic field of Jupiter, 1=2660
- Barrow, R.F. Dissociation energies of the gaseous monohalides of boron, aluminium, gallium, indium and thallium, 1=17365
- Barrow, R.F., Deutsch, J.L. and Travis, D.N. Rotational analysis of absorption bands of lead monoxide, 1=14006
- Barrow, R.F., Dixon, R.N., Lagerqvist, A. and Wright, C.V. Rotational analysis of the absorption spectrum of carbon monosulphide, 1=6003
- Barry, D. and Roberts, R.W. Useful technique for growing large single-crystal Yig, 1=11544
- Barry, J.F., Batchelor, R. and Macefield, B.E.F. Neutrons from the reactions between tritium and helium-3, 1=19293
- Barschall, H.H. See Fossan, D.B., 1=11020
- Barsella, B. and Rosati, S. On the effect of n-p tensor forces in  $^3\text{H}_\Lambda$ , 1=13634
- Barshay, S. and Pendleton, H., III.  $\pi$ - $\Delta$  resonance and the sigma hyperon, 1=8491
- Barsukov, K.A. Transit radiation in a plate placed in a waveguide, 1=375
- Bartell, L.S. and Betts, J.F. A radiotracer study of an optical method for measuring adsorption, 1=15185
- Bartell, L.S., Kuchitsu, K. and deNeui, R.J. Mean and equilibrium molecular structures of methane and deuteromethane as determined by electron diffraction, 1=17370
- Bartels, J. The July 1959 events and associated phenomena. Introduction, 1=18085
- Bartenev, G.M. and Razumovskaya, I.V. Theoretical strength and critical rupture stress of solids, 1=6466



## AUTHOR INDEX

- Barth, C.A. and Hildebrandt, A.F. The 5577 Å airglow emission mechanism, 1=21019
- Barth, C.A. See Kaplan, J., 1=1525
- Barth, H. The use of monochromatic X-ray for the precision measurement of lattice parameters, 1=15034
- Barthle, R.C. See Eshleman, V.R., 1=15331
- Bartholomew, G.A. Anomalous intensities of primary neutron capture  $\gamma$ -rays, 1=8738
- Bartholomew, G.A., Knowles, J.W. and Lee-Whiting, G.E. Precision measurement in gamma-ray spectroscopy, 1=2030
- Bartholomew, G.A. See Knowles, J.W., 1=8739
- Bartholomew, G.A. See Vervier, J.F., 1=8609
- Bartholomew, R.M. See Baerg, A.P., 1=7388
- Bartholomeyczky, W. Use of the Wollaston prism as beam-splitter in shearing interferometers, 1=2880
- Bartke, J., Böck, R., Budde, R., Cooper, W.A., Filthuth, H., Goldschmidt-Clermont, Y., Grard, F., MacLeod, G.R., Minguzzi-Ranzi, A., Montanet, L., Moorhead, W.G., Morrison, D.R.O., Nilsson, S., Peyrou, C., Powell, B.W., Trembley, J., Wiskott, D., Bertanza, I., Franzinetti, C., Manelli, I., Silvestrino, V., Brautti, G., Ceschia, M. and Chervosani, L. Charged hyperon production by 16 GeV/c  $\pi^-$  mesons, 1=8513
- Bartke, J., Ciok, P., Gierula, J., Holyński, R., Miesowicz, M. and Saniewska, T. The angular distribution of secondary particles in high-energy nuclear collisions with heavy nuclei of photographic emulsion, 1=3262
- Bartke, J., Czachowska, Z., Holyński, R. and Rybicki, K. Some examples of interactions of very high energy protons with heavy nuclei of photographic emulsions, 1=13550
- Bartkowski, Z. General consideration of the catacaustic of surfaces of revolution, 1=18563
- Bartky, I.R. Recalculation of the molecular constants of  $\text{Ga}^{61}\text{Cl}^{34}$ , 1=857
- Bartlett, B.E. See King, R.E.J., 1=7653
- Bartlett, B.M. Simple constant-temperature laboratory crystallizer, 1=2527
- Bartlett, J.T. and Mitchell, J.W. Interactions between dislocations with Burgers vectors at  $120^\circ$  in crystals of silver bromide, 1=3670
- Bartley, S.H. and Nelson, T.M. A further study of pulse-to-cycle fraction and critical flicker frequency. A decisive theoretical test, 1=6669
- Bartolini, W. See Passell, L., 1=10896
- Barton, G. Notes on the static parity non-conserving internucleon potential, 1=5681
- Barton, G. and Kacser, C. Some analytic properties of a decay amplitude with final state interactions. I. The vertex diagrams in  $K \rightarrow 3\pi$  decay, 1=16880
- Barton, J.C. Resonant scattering of antineutrinos, 1=483
- Barton, J.C. Intensity of the cosmic radiation at great depths underground, 1=19321
- Barton, J.C. and Michaelis, E.G. Multiple Geiger counter coincidences due to gamma radiation, 1=5809
- Barton, J.C. See Barnaby, C.F., 1=396
- Barton, M.Q. Measurement of betatron oscillation frequencies in the cosmotron, 1=3028
- Bartov, A.V., Zavoiskii, E.K. and Frank-Kamenetskii, D.A. Magnetoacoustic resonance in strong magnetic fields, 1=18859
- Bartz, K.W. See Stehling, F.C., 1=8135
- Barua, A.K. Thermal conductivity and Eucken type correction for binary mixtures of  $\text{N}_2$  with some rare gases, 1=248
- Barua, A.K. Thermal conductivity and eucken-type factor for the binary mixtures H-He, H-Ne, H-Kr and H-Xe, 1=8166
- Barua, A.K. Intermolecular potential of helium, 1=8863
- Barua, A.K. and Chakraborti, P.K. Krypton-krypton molecular interaction, 1=17288
- Barua, A.K. See Srivastava, B.N., 1=9926
- Barua, A.K. See Srivastava, B.N., 1=10549
- Barua, A.K. See Srivastava, B.N., 1=12673
- Barua, A.K. See Srivastava, I.B., 1=14123
- Baruch, P. Mobility of radiation-induced defects in germanium, 1=8902
- Baruch, P. The effect of radiation on semiconductors: recombination centres introduced into germanium by 2 MeV electrons, 1=17680
- Baruch, P. See Amsel, G., 1=3086
- Baruch, P. See Amsel, G., 1=5615
- Barut, A.O. and Fronsdal, C. Spin-orbit correlations in  $\mu-e$  and  $e^-e^-$  scattering, 1=486
- Barut, A.O. and Leiser, M. Note on gauge transformations in quantum mechanics, 1=64
- Barut, A.O. and Ruei, K.H. Extra solutions of the dispersion relations and resonance scattering, 1=3133
- Barut, A.O. and Ruei, K.H. Analytical properties of S matrix and uniqueness of the scattering potential, 1=4772
- Barut, A.O. and Ruei, K.H. Kinematical and dynamical resonances, 1=7218
- Barut, A.O. See Zeleny, W.B., 1=3128
- Bar'yakhtar, V.G. and Peletminskii, S.V. A contribution to the theory of relaxation of the magnetic moment in ferromagnetics, 1=3921
- Bar'yakhtar, V.G. and Urushadze, G.I. Scattering of spin waves and phonons on impurities in ferroelectrics, 1=3884
- Bar'yakhtar, V.G. See Akhiezer, A.I., 1=922
- Bar'yakhtar, V.G. See Akhiezer, A.I., 1=7739
- Bar'yakhtar, V.G. See Akhiezer, A.I., 1=11417
- Bar'yakhtar, V.G. See Akhiezer, A.I., 1=14683
- Bar'yshch, N.S. Illumination recombination of holes and electrons in PbS, PbSe, PbTe, 1=14472
- Bar'yshch, N.S. Illumination recombination of holes and electrons in PbS, PbSe, PbTe, 1=17746
- Bas, E.B. Introduction to problems arising in the production of ultra-high vacua, 1=5301
- Basaev, V.P. See Bashuk, R.P., 1=14996
- Basalae, M.I. and Basalae, N.Ya. Vacuum flowmeter, 1=4394
- Basalae, N.Ya. See Basalae, M.I., 1=4394
- Basco, N., Callear, A.B. and Norrish, R.G.W. Fluorescence and vibrational relaxation of nitric oxide studies by kinetic spectroscopy, 1=14007
- Bashandy, E. Energy dependent instrumental time delays in millimicrosecond delayed coincidence experiments, 1=1873
- Bashilov, A.A. See Anton'eva, N.M., 1=13750
- Bashirov, R.I. See Amirkhanova, D.Kh., 1=17629
- Bashkin, S. and Ophel, T.R. Gamma rays from the  $^{27}\text{Al}(p, \gamma)$  reaction, 1=17097
- Bashkin, S. See Barnard, A.C.L., 1=5914
- Bashkirov, Sh.Sh. Paramagnetic lattice relaxation time for salts of paramagnetic ions in the S-state, 1=3927
- Bashmakov, V.I. See Kosevich, V.M., 1=4010
- Bashuk, R.P., Basaev, V.P., Tsadkina, R.B. and Faivusovich, S.A. Hydrothermal synthesis of corundum with impurities, 1=14996
- Bashuk, R.P., Vol'pert, E.G. and Tsigler, I.N. Annealing boules of synthetic corundum, 1=20324
- Basila, M.R. Hydrogen bonding interaction between adsorbate molecules and surface hydroxyl groups on silica, 1=20691
- Basila, M.R. and Crable, G.F. Variation of the intensity of the methyl symmetrical bending vibration in paraffins, 1=11093
- Basile, R. Injection of very heavy ions in the 2-metre Orsay cyclotron, 1=16456
- Basinski, J., Bok, B.J. and Gottlieb, K. Optical identifications of southern radio sources, 1=18199
- Basinski, S.J. See Bland, J.A., 1=20552
- Basinski, Z.S. The influence of temperature and strain rate on the flow stress of magnesium single crystals, 1=1314
- Basinski, Z.S. The instability of plastic flow of metals at very low temperatures. II, 1=1318
- Basinski, Z.S. and Christian, J.W. The influence of temperature and strain rate on the flow stress of annealed and decarburized iron at subatmospheric temperatures, 1=1315
- Baskova, K.A., Dzhelepov, B.S. and Komissarova, Z.A. Positron annihilation in sulphur, selenium and silicon, 1=19755
- Basov, N.G. and Krokhin, O.N. Production of negative-temperature states by electron excitation in a gas mixture, 1=12728
- Basov, N.G., Krokhin, O.N. and Popov, Yu.M. Semiconductor amplifiers and generators with carriers having negative effective mass, 1=1097
- Basov, N.G., Krokhin, O.N. and Popov, Yu.M. The possibility of use of indirect transitions to obtain negative temperature in semiconductors, 1=5013
- Basov, N.G., Krokhin, O.N. and Popov, Yu.M. Generation, amplification, and detection of infrared and optical radiation by quantum-mechanical systems, 1=9681
- Basov, N.G., Krokhin, O.N. and Popov, Yu.M. Use of indirect transitions in semiconductors for the determination of states with negative absorption coefficients, 1=19848
- Basri, S.A. A method for the dynamic determination of the elastic, dielectric, and piezoelectric constants of quartz, 1=5041



- Bass, A.M. and Broida, H.P. A spectrophotometric atlas of the spectrum of CH from 3000 Å to 5000 Å, 1=14042
- Bass, F.G. The theory of galvanomagnetic effects in semiconductors and metals situated in a strong electrical field, 1=7616
- Bass, J. The existence of turbulent solutions of the hydrodynamic equations, 1=15797
- Bass, R., Bonner, T.W. and Haenni, H.P. Cross-section for the  $\text{Be}^6(n, \alpha)\text{He}^6$  reaction, 1=5921
- Bass, R. See Davis, E.A., 1=19487
- Bassali, W.A. and Hanna, N.O.M. Bending of curvilinear and rectilinear polygonal plates symmetrically loaded over a concentric circle, 1=1715
- Bassani, C., Camagni, P. and Pace, S. Diffusion of cobalt and silver in ordered and disordered CuZn, 1=10009
- Bassani, F. and Celli, V. Energy-band structure of solids from a perturbation of the "empty lattice", 1=19735
- Bassani, F. See Knox, R.S., 1=17444
- Bassel, R.H. and Bender, R.S. The Oak Ridge relativistic isochronous cyclotron. Addendum. Some recent results of orbit studies, 1=1940
- Bassel, R.H. and Drisko, R.M. Optical model analyses of heavy ion scattering, 1=8780
- Bassett, D.C. Surface detachment from polyethylene crystals, 1=20407
- Bassett, D.C. and Keller, A. Some new habit features in crystals of ling chain compound. II. Polymers, 1=7841
- Bassett, G.A. and Edeleanu, C. Pitting of aluminium at grain boundaries after ageing, 1=2520
- Bassett, G.A., Menter, J.W. and Pashley, D.W. Electron optical studies of imperfect crystals and their surfaces, 1=2554
- Bassetti, M. Photoproduction of neutral vector mesons, 1=16823
- Bassi, A. and Corsetti, C. Contribution to the study of the structure of metallic uranium, 1=6485
- Bassi, P., Cano, R., Focardi, S., Michelini, G.G.A. and Saporetto, F. Three liters liquid hydrogen bubble chamber, 1=13243
- Bassompierre, A. Influence of ferromagnetic resonance on the electrical resistance of metals, 1=2401
- Bassompierre, G. See Gorodetzky, S., 1=7326
- Bastard, C. and Lafauciere, J. Resolving power and luminosity of  $\alpha\beta$ -spectrograph, using a magnetic field varying as  $R^{-1}$ , 1=7088
- Bastide, A.B. See Rose, P.H., 1=9645
- Bastide, R.P. See Rose, P.H., 1=9644
- Bastien, P., Ferro-Luzzi, M. and Rosenfeld, A.H. Sigma decay modes of pion-hyperon resonances, 1=12104
- Bastien, P. See Berge, J.P., 1=10932
- Bastien, P. See Pointu, P., 1=11516
- Bastin, E.W. The idea of size in large-scale physics, 1=18005
- Bastin, J.A. Interpretation of cosmology, 1=1629
- Basu, S. See Aarons, J., 1=15549
- Basu, S. See Chowdhury, M., 1=14089
- Bata, L. See Pál, L., 1=13875
- Batanov, G.M. Secondary emission of glass No. 46 bombarded with positive ions, 1=1909
- Batanov, G.M. Secondary emission of glass No. 48 bombarded with positive ions, 1=4638
- Batanov, G.M. Secondary electron (ion-electron) emission from single crystals of NaCl and KCl under bombardment by lithium and potassium ions, 1=11965
- Batanov, G.M. Secondary ion (ion-ion) emission from single crystals of sodium chloride under bombardment by lithium ions, 1=13129
- Batchelor, R., Gilboy, W.B., Purnell, A.D. and Towle, J.H. Improvements in the fast neutron time of flight technique using pulse shape discrimination in an organic phosphor, 1=5734
- Batchelor, R. See Barry, J.F., 1=19293
- Batchelor, R. See Ferguson, A.J., 1=8756
- Batchelor, R. See Gove, H.E., 1=13792
- Batchelor, R. See Litherland, A.E., 1=3465
- Bate, G. Angular variation of the magnetic properties of partially aligned  $\gamma$ - $\text{Fe}_2\text{O}_3$  particles, 1=6310
- Bate, L.C. See Lyon, W.S., 1=12185
- Bate, R.T. and Beer, A.C. Influence of conductivity gradients on galvanomagnetic effects in semiconductors, 1=7620
- Bate, R.T., Bell, J.C. and Beer, A.C. Influence of magnetoconductivity discontinuities on galvanomagnetic effects in indium antimonide, 1=7650
- Bate, R.T. See Simon, R., 1=1838
- Bateman, T., Mason, W.P. and McSkimin, H.J. Third-order elastic moduli of germanium, 1=7810
- Batenin, I.V., Il'ina, V.A., Kritskaya, V.K., Kurdyumov, G.V. and Sharov, B.V. The influence of neutron irradiation on crystal fine structure and the properties of metals and alloys, 1=3698
- Bates, C.W., Jr. Tunneling current in Esaki diodes, 1=3780
- Bates, D.R. Excitation of the  $1s-2p$  transition of atomic hydrogen by proton and alpha-particle impact, 1=3516
- Bates, D.R. and Kingston, A.E. Recombination through electron-electron collisions, 1=18774
- Bates, D.R. and Nicolet, M. Rate of ion-atom interchange, 1=20890
- Bates, H.F. The slant  $E_s$  echo — a high frequency auroral echo, 1=15319
- Bates, J.L. Thermal conductivity of  $\text{UO}_2$  improves at high temperatures, 1=14191
- Bates, L.F. and Barnard, R.D. The electrical resistivities and magnetic susceptibilities of some stable and metastable uranium-molybdenum alloys, 1=10025
- Bates, L.F. and Barnard, R.D. The electrical and magnetic properties of the uranium-niobium system, 1=17609
- Bates, L.F. and Carey, R. Domain patterns on "cube-textured" silicon-iron sheet, 1=1222
- Bates, L.F. and Pacey, A.J. The thermomagnetic behaviour of cobalt ferrite, 1=9035
- Bates, W.J. Conference on Optical Instruments and Techniques — London 11-14 July 1961, 1=18585
- Bateson, S. Dynamics of crack propagation in glass, 1=14919
- Batifol, E. and Duraffourg, G. Determination of the diffusion coefficient of arsenic in germanium by measurement of the thermoelectric voltage, 1=17553
- Batsanov, S.S. See Mazalov, L.N., 1=3818
- Batson, A.P. See Askew, R.F., 1=2205
- Battaglia, A., Gozzini, A. and Polacco, E. A new method of modulation of molecular absorption in microwave spectroscopy; study of the  $J = 0 \rightarrow 1$  transition of OCS, 1=14019
- Battan, L.J. See Herman, B.M., 1=19032
- Batterman, B.W. Effect of long wavelength harmonics on double crystal diffractometer measurements, 1=7858
- Batterman, B.W. Imaginary part of X-ray scattering factor for germanium. Comparison of theory and experiment, 1=11559
- Batterman, B.W., Chipman, D.R. and DeMarco, J.J. Absolute measurement of the atomic scattering factors of iron, copper, and aluminum, 1=7433
- Batthyany, I. and Demers, P. The size of grains during precipitation of nuclear emulsions, 1=9708
- Battut, R., Berthet, G. and Imbaud, J.P. Dynamic nuclear polarization in weak fields (78 G), for solutions of semiquinones, 1=18432
- Batusov, Yu. A., Bunyatov, S.A., Sidorov, V.M. and Yarba, V.A. Formation of charged mesons by 245 MeV  $\pi^-$  mesons on hydrogen, 1=2083
- Batusov, Yu. A., Bunyatov, S.A., Sidorov, V.M. and Yarba, V.A. Production of charged mesons by 290 MeV  $\pi^-$  mesons on hydrogen, 1=16849
- Batty, C.J. Total and absorption cross section for high energy pions, 1=3210
- Batty, C.J. The scattering of high energy nucleons by complex nuclei, 1=5902
- Batzel, R.E. Radioactivity associated with underground nuclear explosions, 1=15217
- Bauche, J. See Blaise, J., 1=16965
- Baucom, H.H., Jr. Nuclear data for reactor studies, 1=11048
- Baudet, J. Magnetic study of the localized chemical bond, 1=14079
- Baudet, J., Cabaret, F., Tillieu, J. and Guy, J. Table of two-centre integrals. II, 1=7451
- Baudet, J., Guy, J. and Tillieu, J. Calculation of the principal magnetic susceptibilities of the benzene molecule, 1=19657
- Baudet, J. See Guy, J., 1=7483
- Baudinet, Y. See Morand, M., 1=7361
- Bauer, A., Cook, M.A. and Keyes, R.T. Detonation-generated plasmas, 1=12915
- Bauer, B.B. Phasor analysis of some stereophonic phenomena, 1=21116
- Bauer, E. Interpretation of low-energy electron diffraction patterns of adsorbed gases, 1=11598



- Bauer, J. The influence of electric fields on the viscosity of dipolar gases, 1=18440
- Bauer, J. and Pflieger, E. A hydrodynamical analogue for the skin-effect in elliptical cylinders, 1=10490
- Bauer, J. and Schneider, J. The distribution of current density in a cylindrical conductor of elliptic cross-section for axial direction of alternating current, 1=18747
- Bauer, R. and Rozwadowski, M. New photoelectric method of measuring the degree of polarization of light, 1=18623
- Bauer, R.W. See Deutsch, M., 1=594
- Bauer, R.W. See Deutsch, M., 1=8549
- Bauer, S.H., Kiefer, J.H. and Loader, B.E. A study of the emission intensities of Cr lines from shocked gases containing Cr(CO), 1=13933
- Bauerle, J.E. Analysis of "immersed" thermocouple error, 1=8259
- Baugnet, J.M. See Willis, A.H., 1=12235
- Baum, E. See Nobe, K., 1=6571
- Baum, F.J. and Billmeyer, F.W., Jr. Automatic photometer for measuring the angular dissymmetry of light scattering, 1=4431
- Baum, L.H. See Siegel, S., 1=8861
- Baum, R.L. See Redfield, D., 1=3816
- Bauman, R.P. and Considine, J.P. Derivation of interelectronic screening parameters from statistical considerations, 1=7428
- Baumann, F. Photoelectric measurements on highly disordered films of Sn, Pb and Cd, 1=16383
- Baumann, G., Braun, H. and Cüer, P. Non-mesonic decay of two hyperfragments, 1=19350
- Baumann, G. See Braun, H., 1=19477
- Baumann, K., Freund, P.G.O. and Thirring, W. On the Fermi-Yang theory of the pions, 1=5747
- Baumann, K. and Sexl, R. A one-dimensional field theory with degenerate vacuum, 1=15678
- Baumann, K. and Thirring, W. The two-body problem in the extreme relativistic limit, 1=447
- Baumeister, P.W. Optical absorption of cuprous oxide, 1=2441
- Baumgardt, E. Pyrometric measurement of the absolute visual threshold, 1=6681
- Baumgardt, E. and Hillmann, B. Duration and size as determinants of peripheral retinal response, 1=4155
- Baumgartner, E. See Galli, R., 1=16443
- Baumgartner, E. See Rudin, H., 1=7288
- Baumgärtner, F. and Reichold, P. Chemistry in nuclear processes. II. Application of uranium fission to the synthesis of carrier-free ruthenocene ( $\text{Ru}^{103}$ ), 1=20736
- Bauminger, R., Cohen, S.G., Marinov, A. and Ofer, S. Study of the internal fields acting on iron nuclei in iron garnets, using the recoil-free absorption in  $\text{Fe}^{57}$  of the 14.4 keV gamma radiation from  $\text{Fe}^{57\text{m}}$ , 1=7769
- Bauminger, R., Cohen, S.G., Marinov, A. and Ofer, S. Hyperfine interactions in the ground state and first excited state of  $\text{Dy}^{161}$  in dysprosium iron garnet, 1=11454
- Bauminger, R., Cohen, S.G., Marinov, A., Ofer, S. and Segal, E. Study of the low-temperature transition in magnetite and the internal fields acting on iron nuclei in some spinel ferrites, using Mössbauer absorption, 1=9037
- Baur, E. A determination in advance of the position of the next sunspot minimum, 1=9269
- Baveja, K.D. Electrical resistivities of metals by the method of magnetic damping, 1=16206
- Baxter, A.M. See McKenna, V.R., 1=10970
- Bay, Z. and Newman, P.A. Comparison of the ionization produced in air by alpha particles near 5 MeV and by beta particles, 1=16268
- Bay, Z., Newman, P.A. and Seliger, H.H. Absolute measurement of W for  $\text{Po}^{210}$  alpha particles in air, nitrogen and carbon dioxide, 1=18760
- Bayatyan, G.L. See Avakyan, R.O., 1=19391
- Bayes, K.D. A study of the CN emission from active nitrogen flames, 1=14045
- Bayh, W. See Müllenstedt, G., 1=18934
- Bayhurst, B.P. See Prestwood, R.J., 1=3452
- Bayle, D. A study of a symmetrical representation of the laws of electromagnetism, 1=16495
- Bayley, R.T., Holzapfel, L. and Lehmann, J. Investigations on the luminescence of quartz activated by X-rays, 1=6227
- Baylin, G.J. See Sanders, A.P., 1=1954
- Bayly, J.G., Duret, M.R., Poulsen, N.B. and Tomlinson, R.H. The  $\text{Xe}^{136}$  yield in thermal fission of  $\text{Pu}^{239}$ , 1=17178
- Baym, G. Thermodynamic Green's function methods in neutron scattering by crystals, 1=2369
- Baym, G. Field-theoretic approach to the properties of the solid state, 1=14175
- Baym, G. and Kadanoff, L.P. Conservation laws and correlation functions, 1=15744
- Baym, G. and Mermin, N.D. Determination of thermodynamic Green's functions, 1=4779
- Bayman, B.F., Brady, F.P. and Sherr, R. ( $p, \alpha$ ) reaction and seniority in the  $f_{7/2}$  shell, 1=19462
- Bayukov, Yu.D., Leksin, G.A., Suchkov, D.A., Shalamov, Ya. Ya. and Shebanov, V.A. Backward elastic scattering of 2.8 BeV/c  $\pi^-$ -mesons on neutrons, 1=19257
- Baz, A.I. Threshold states of nuclei, 1=8571
- Baz, A.I. Allowance for unstable final particles in nuclear reactions, 1=8672
- Baz', A.I. Energy dependence of cross-sections near the "threshold" for unstable particle production, 1=19158
- Baz, A.I. On the existence of light nuclei with large proton or neutron excess, 1=19337
- Baz', A.I., Gol'danskii, V.I. and Zel'dovich, Ya.B. Undiscovered isotopes of light nuclei, 1=11084
- Baz, A.I. See Badalian, A.M., 1=8687
- Baz', A.I. See Badalyan, A.M., 1=17076
- Bazarov, I.P. A contribution to the theory of melting, 1=3611
- Bazarov, I.P. A contribution to the theory of melting, 1=9984
- Bazarov, I.P. The theory of a crystal, 1=19682
- Bazhanov, E.B. and Kul'chitskii, L.A. Investigation of high-energy protons emitted in the photodisintegration of  $\text{Li}^6$ , 1=4856
- Bazhanova, A.E. See Trubnikov, B.A., 1=7056
- Bazhulin, P.A. and Sushchinskii, M.M. Methods of measuring line intensity in Raman spectra, 1=2859
- Bazilevskaia, O.A. See Andrianov, A.M., 1=9583
- Bazley, E.N. See Evans, E.J., 1=12957
- Bazley, N.W. and Fox, D.W. Lower bounds for eigenvalues of Schrödinger's equation, 1=15686
- Bazzard, G.H. Enhancement of ionization in the E-layer due to solar flares during the International Geophysical Year, 1=7937
- Bazzard, G.H. A study of the variations in a daily ionospheric index of solar activity, 1=20975
- Bazzard, G.H. See Minnis, C.M., 1=1660
- Beal, J.B.Jr. See Hilton, A.R.Jr., 1=6007
- Beal, M.T. Electrical resistivity of metallic alloys as a function of ordering, 1=17600
- Béal, M.T. The electrical resistivity of alloys of the type Cu<sub>3</sub>Au as a function of ordering, 1=19827
- Beal, M.T. Variation of thermoelectric power of metallic alloys of the  $\beta$ -CuZn type as a function of ordering, 1=19913
- Beall, E.F., Cork, B., Keefe, D., Murphy, P.G. and Wenzel, W.A. Asymmetry parameters in the decays  $\Sigma^+ \rightarrow p + \pi^0$  and  $\Lambda^0 \rightarrow p + \pi^-$ , 1=19277
- Beall, E.F., Cork, B., Murphy, P.G. and Wenzel, W.A. Properties of a spark chamber, 1=13264
- Beals, R.J. See Bernstein, L., 1=4970
- Beam, J.E. See Davis, H.L., 1=7457
- Beamish, R.F. See Allan, H.R., 1=577
- Beams, J.W., Boyle, R.D. and Hexner, P.E. Magnetically suspended equilibrium ultracentrifuge, 1=10289
- Bean, B.R., Horn, J.D. and Ozanich, A.M.Jr. Climatic charts and data of the radio refractive index for the United States and the world, 1=15240
- Bean, B.R., Thayer, G.D. and Cahoon, B.A. Methods of predicting the atmospheric bending of radio rays, 1=20870
- Bean, C.P. See Livingston, J.D., 1=14178
- Bean, R.J., Gilbert, R.P. and Kendall, H. On a two-dimensional free-boundary problem, 1=18360
- Bear, J. On the tensor form of dispersion in porous media, 1=15834
- Beard, C.I. See Massey, J.T., 1=4930
- Beard, D.B. Optical properties and emission of relativistic plasmas at cyclotron resonance, 1=9556
- Beard, D.B. The interaction of the terrestrial magnetic field with the solar corpuscular radiation, 1=15358
- Beard, D.B. and Baker, J.C. Comment on the angular dependence of plasma synchrotron emission, 1=4609



- Beard, D.B. and Baker, J.C. Synchrotron radiation from mirror machine geometries, 1=7084
- Beard, D.B. and Johnson, F.S. Comment on Wyatt's analysis of charge drag, 1=18223
- Beard, D.B. See Fremlin, J.H., 1=20816
- Beard, D.B. See Squires, R.E., 1=5138
- Beard, G.B. and Kelly, W.H. Beta decay of naturally radioactive  $\text{In}^{115}$ , 1=8638
- Beard, G.B. See Kelly, W.H., 1=14745
- Beard, G.B. See Kelly, W.H., 1=19367
- Bearden, A.J., Ribe, F.L., Sawyer, G.A. and Stratton, T.F. X-ray continua and line spectra from highly stripped atoms in a magnetically compressed plasma, 1=8820
- Bearden, J.A. and Thomsen, J.S. Survey of atomic constants, 1=787
- Bearman, R.J. and Vaidhyanathan, V.S. Composition dependence of the thermal conductivity of regular solutions, 1=4328
- Beasley, J.K. See Billmeyer, F.W.Jr., 1=9237
- Beattie, A.R. and Landsberg, P.T. One-dimensional overlap functions and their application to Auger recombination in semiconductors, 1=1038
- Beaumevielle, H. See Bouchez, R., 1=13791
- Beaumont, J.C. and Cabané, J. Heterodiffusion of chlorine and iodine ions in some alkali-halide single crystals, 1=7594
- Beaumont, J.C. and Cabané, J. Heterodiffusion of chlorine and iodine in some alkali halide polycrystals, 1=7595
- Beaumont, R.H., Chihara, H. and Morrison, J.A. Transitions between different forms of ice, 1=10228
- Beaven, G.H. See Price, W.C., 1=852
- Beavis, L.C. See Kelly, R.D., 1=4885
- Bebchuk, A.S. and Rozenberg, L.D. Dependence of the cavitation erosion on the solubility of gas above a cavitating liquid, 1=10489
- Becart, M. and Declerck, F. Band spectrum of aluminium oxide, 1=2330
- Beccaria, M. See Launay, L., 1=1583
- Becherer, R. Proton resonance in activated carbon at several temperatures, 1=20270
- Bechert, K. and Lindner, J. Model of a coulomb charge in the nonlinear field theory, 1=5638
- Bechmann, R. The piezo-optic and electro-optic constants of zincblende, 1=7702
- Beck, A.E. Energy requirements of an expanding earth, 1=20789
- Beck, D. and Osberghaus, O. The mass-spectrum of uncharged fragments from electron impact studies on molecules, 1=9963
- Beck, G. Remark concerning L.M. Falicov's paper "The theory of photon packets and the Lennuier effect", 1=11825
- Beck, P.A. See Sinha, P.P., 1=11216
- Beck, P.A. See Wei, C.T., 1=8882
- Beckel, C.L. Power series expansions of vibrational potentials. I. The Heitler-London potential for  $\text{H}_2$ , 1=5993
- Beckel, C.L. See Finn, E.J., 1=5994
- Becker, E.J. See Becker, J.A., 1=5109
- Becker, G. Theory of molecular beam formation with long channels, 1=7509
- Becker, G. The production of intense molecular rays in a high vacuum using jets, 1=9962
- Becker, G.W. and Frankenfeld, K. Measurement of the dynamic modulus of surface films, 1=9354
- Becker, H. The deformation of the Littrow mirror for the reduction of astigmatism, 1=4461
- Becker, J. Skew ray tracing through toric refracting surfaces, 1=16052
- Becker, J.A., Becker, E.J. and Brandes, R.G. Reactions of oxygen with pure tungsten and tungsten containing carbon, 1=5109
- Becker, J.A. See Henny, G.C., 1=18968
- Becker, R.S. See Scott, D.R., 1=12290
- Becker, W. The varying electron density profile of the F-region during magnetically quiet nights, 1=20993
- Becker, W.M., Ramdas, A.K. and Fan, H.Y. Energy band structure of gallium antimonide, 1=17733
- Beckett, C.W. See Haar, L., 1=9418
- Beckey, H.D. Mass spectrometric investigations on ion-molecule reactions and on the association of water with a field emission ion source, 1=1478
- Beckey, H.D. and Schütte, D. Instrumentation problems in field-ionization mass spectrometry, 1=1928
- Beckman, O. and Knox, K. Magnetic properties of  $\text{KMnF}_3$ . I. Crystallographic studies, 1=2464
- Beckman, O. See Heeger, A.J., 1=12525
- Beckner, E.H., Bramblett, R.L., Phillips, G.C. and Eastwood, T.A. Absolute measurement of a set of energy calibration standards, 1=13798
- Beckner, E.H., Jones, C.M. and Phillips, G.C. Evidence for sequential two-body decay in three-body decay of  $\text{C}^{12}$  and  $\text{B}^{10}$ , 1=11007
- Beckurts, K.H. A simple "time-to-height convertor" for time-of-flight experiments with slow neutrons, 1=2930
- Beckurts, K.H. Measurement of asymptotic neutron spectra in simple water geometry, 1=19207
- Beckurts, K.H. See Brose, M., 1=5920
- Beckurts, K.H. See Kuchle, M., 1=7249
- Bedard, F. See Webeler, R., 1=9368
- Bedo, D.E. and Tomboulian, D.H. Photon-counting spectrometer for attenuation measurements in the soft X-ray region, 1=4687
- Bedo, D.E., Tomboulian, D.H. and Rigert, J.A. Angular distribution and polarization of the radiation emitted by electrons accelerated in a synchrotron, 1=1944
- Bedo, D.E. See Tomboulian, D.H., 1=1173
- Bedreag, C.G. Nuclear structure of Ne and Mg, 1=2172
- Bedreag, C.G. The analysis of the nucleon spectra,  $A = 4n \text{ Ne}^{20}$ ,  $\text{Mg}^{24}$ ,  $\text{Si}^{28}$ ,  $\text{S}^{32}$ , 1=10969
- Bedyńska, T. On the possibility of determining the density of dislocations by means of an X-ray spectrograph with oscillating film, 1=14279
- Beecroft, R.I. and Swenson, C.A. On the existence of a critical point for the phase transition in cerium, 1=14938
- Beecroft, R.I. and Swenson, C.A. An experimental equation of state for sodium, 1=19728
- Beehler, R.E., Mockler, R.C. and Snider, C.S. A comparison of atomic beam frequency standards, 1=1725
- Beenakker, J.J.M. See Coremans, J.M.J., 1=6877
- Beenakker, J.J.M. See de Bruyn Ouboter, R., 1=8272
- Beenakker, J.J.M. See de Bruyn Ouboter, R., 1=8275
- Beenakker, J.J.M. See de Bruyn Ouboter, R., 1=18674
- Beenakker, J.J.M. See Knaap, H.F.P., 1=6898
- Beenakker, J.J.M. See Knaap, H.F.P., 1=8110
- Beenakker, J.J.M. See Knaap, H.F.P., 1=11137
- Beenakker, J.J.M. See Knobler, C.M., 1=8109
- Beenakker, J.J.M. See Knobler, C.M., 1=9384
- Beer, A.C. Galvanomagnetic effects in III-V compound semiconductors, 1=17672
- Beer, A.C. See Bate, R.T., 1=7620
- Beer, A.C. See Bate, R.T., 1=7650
- Beer, R. and Bovey, L. The hyperfine structure of some uranium and americium lines in the 1.6 - 2.1 micron region, 1=811
- Beers, Y. Comparison of the sensitivities of the beam maser and cavity absorption spectrometers, 1=3074
- Beetz, H. New equipment for vacuum technique, 1=18482
- Bég, M.A.B., DeCelles, P.C. and Marr, R.B. Decay modes of  $\text{K}^*$ , 1=16881
- Beglashvili, G.A. and Gedalin, E.V. Cherenkov radiation of dipole moments in a medium with spatial dispersion, 1=4790
- Begman, O. Some features of the decay of  $\text{Au}^{198}$  to  $\text{Pt}^{198}$ , 1=13739
- Begun, G.M. and Landau, L. Mass spectra and metastable transitions in isotopic nitrous oxides, 1=12324
- Behar, I. Evidence for several features of precipitation on dislocations, 1=20606
- Behnenburg, W. Thermionic and induced photoelectron emission in zinc sulphide, 1=18917
- Behr, A. Remarks on the origin of polarization of starlight, 1=15506
- Behrends, R.E. and Sirlin, A. Weak-coupling currents and symmetries of strong interactions, 1=435
- Behrends, R.E. and Sirlin, A. Possible existence of  $\Delta Q = -\Delta S$  decays, 1=534
- Behrendt, D.R. See Girifalco, L.A., 1=20599
- Behrens, E. Band structure of the layer lattice of the bismuth type, 1=3631
- Behrens, E. On the energy bands of the chain lattice of the selenium type, 1=11178
- Behrens, G. Direct measurement of the radial current density distribution in the Debye-Scherrer electron cone from thin films, 1=16423



- Behringer, J. Methods of obtaining the Raman spectra of powdered crystals, 1-11837
- Beiser, A. and Raab, B. Hydromagnetic and plasma scaling laws, 1-3048
- Bek-Uzarov, D.N., Bulović, V.F., Popović, D.R. and Urošević, V.V. Absolute measurement of  $Au^{199}$  (intercomparison with Harwell), 1-15723
- Bekarevich, I.L. and Khalatnikov, I.M. Theory of the Kapitza thermal discontinuity of the boundary between liquid  $He^3$  and a solid body, 1-18692
- Bekarevich, I.L. and Khalatnikov, I.M. Phenomenological derivation of the equations of vortex motion in  $He$  II, 1-18695
- Bekefi, G. and Brown, S.C. Microwave measurements of the radiation temperature of plasmas, 1-2978
- Bekefi, G. and Brown, S.C. Emission of radio-frequency waves from plasmas, 1-10783
- Bekefi, G., Hirshfield, J.L. and Brown, S.C. Kirchhoff's radiation law for plasmas with non-Maxwellian distributions, 1-2959
- Bekefi, G., Hirshfield, J.L. and Brown, S.C. Cyclotron emission from plasmas with non-Maxwellian distributions, 1-8323
- Bekeshko, N.A. and Kondorskiy, Ye.I. Nuclear polarization in metallic lithium, 1-6429
- Bel, L. Electromagnetic and gravitational induction, 1-15600
- Belar, H. See Olson, H.F., 1-12947
- Belar, H. See Olson, H.F., 1-18527
- Belbeoch, R., Bounin, P. and Proca, G. The modification of the properties of a magnet by fringe effects, in the cases of uniform and non-uniform fields, 1-16494
- Belen'kii, I.M. Quasi-stationary flow of gas from a cylindrical vessel of variable volume, 1-15927
- Belen'kii, S.Z. and Ivanenko, I.P. Cascade theory of showers, 1-9786
- Belenkova, M.M., Kodlubik, I.I., Malyshev, K.A., Mikheev, M.N., Sadovskii, V.D. and Ustyugov, P.A. Influence of martensitic deformation on the cold brittleness of austenitic steels and their hardening on plastic deformation, 1-10214
- Belford, G. See Belford, R.L., 1-7481
- Belford, G.G., Bernheim, R.A. and Gutowsky, H.S. Charge distribution and electric field gradients in ionic crystals, 1-14149
- Belford, R.L. and Belford, G. Pi bonding in uranyl ion, 1-7481
- Belford, R.L. Paramagnetism of uranyl ion. Effect of 6d orbitals and Pi bonding, 1-3561
- Belforti, D., Blum, S. and Bovarnick, B. Highly oriented boron nitride, 1-20534
- Beliaev, S.T. Extension of diagram technique of field theory to Fermi systems with pairing phenomenon (with application to spherical nuclei), 1-5234
- Beliaev, S.T. Concerning the calculation of the nuclear moment of inertia, 1-8564
- Beliaev, S.T. and Budker, G.I. Relativistic plasma in variable fields, 1-13076
- Beliaev, S.T. See Bubker, G.I., 1-7048
- Belikovich, B.A. and Lytkovich, A.B. Growing of single crystals of NaI(Tl) with double temperature control, 1-4025
- Belikovich, B.O., Vyshnevskiy, V.N., Lytkovich, O.B. and Pidzyrailo, N.S. Investigation of activator distribution in NaI:Tl crystals, 1-11542
- Belinfante, J.G. Nucleon-antinucleon mechanism for pion-pion scattering resonances, 1-10908
- Bell, B. On the structure of the sunspot zone, 1-6709
- Bell, C.L. Automatic recording dilatometer, 1-1723
- Bell, E.E., Burnside, P.B. and Dickey, F.P. Spectral radiance of some flames and their temperature determination, 1-1842
- Bell, E.E., Eisner, L., Young, J. and Oetjen, R.A. Spectral radiance of sky and terrain at wavelengths between 1 and 20 microns. II. Sky measurements, 1-1512
- Bell, E.E. See Oetjen, R.A., 1-1511
- Bell, E.G. See Hill, D.W., 1-4140
- Bell, G.D. and King, R.B. The absolute f-value of the Pb I line  $\lambda$  2833, 1-5976
- Bell, G.H. and Groszek, A.J. Measurements of heats of adsorption of organic vapours on adsorbents of high surface area using a continuous flow calorimeter, 1-20679
- Bell, G.M. and Fairbairn, W.M. The critical temperatures of binary alloys with one magnetic component, 1-20036
- Bell, J.C. See Bate, R.T., 1-7650
- Bell, J.C. See Simon, R., 1-4551
- Bell, J.D. See Eastwood, E., 1-6632
- Bell, J.F. Study of initial conditions in constant velocity impact, 1-6457
- Bell, J.F. Experimental study of the interrelation between the theory of dislocations in polycrystalline media and finite amplitude wave propagation in solids, 1-14266
- Bell, R.E. See Kavanagh, T.M., 1-17098
- Bell, R.E. See Pederson, E.C.B., 1-5879
- Bell, R.O. See Rupprecht, G., 1-11342
- Bell, W.E. and Bloom, A.L. Discharge photocells for the detection of resonance radiation, 1-8255
- Bell, W.E. and Bloom, A.L. Optically driven spin precession, 1-8821
- Bell, W.E. and Bloom, A.L. Observation of forbidden resonances in optically driven spin systems, 1-12257
- Bell, W.E., Bloom, A.L. and Lynch, J. Alkali metal vapor spectral lamps, 1-10585
- Bella, F. and Cortesi, C. The  $CO_2$  proportional counter of the Carbon-14 Dating Laboratory of the University of Rome, 1-5609
- Bella, F. See Alessio, M., 1-5610
- Bellamy, E.H., Hogg, W.R. and Miller, D. A thin liquid hydrogen or deuterium target, 1-474
- Bellamy, L.G. See Downes, J.G., 1-21154
- Bellas, F.E. Comparison of a familiar formula for speed of sound in sea water with the Kuwahara-Mackenzie formula, 1-4410
- Bellchambers, W.H. and Piggott, W.R. The ionosphere over Halley Bay, 1-1533
- Bellemans, A. and De Leener, M. Ground-state energy of an electron gas in a lattice of positive point charges, 1-12371
- Bellemans, A. See Babloyantz, A., 1-15846
- Bellemans, A. See Simon, M., 1-10505
- Bellet, J.C. and Manson, N. Expansion of a compressed gas from a container, 1-15950
- Bellicard, J.B. and Barreau, P. Measurements of elastic scattering of 28 MeV electrons by heavy nuclei, 1-13778
- Bellman, R. and Kalaba, R. On the fundamental equations of invariant imbedding. I, 1-6350
- Bellman, R., Kalaba, R. and Prestrud, M. On a new computational solution of time-dependent transport processes. I. One-dimensional case, 1-15746
- Bellman, R., Kalaba, R. and Wing, G.M. Invariant imbedding and the reduction of two-point boundary value problems to initial value problems, 1-4285
- Bellomo, E. The use of projection operators to obtain the matrix elements for particles of spin  $\frac{1}{2}$ , 1-19156
- Bellomonte, L., Palma-Vittorelli, M.B., Palma, M.U. and Persico, F. Further experiments concerning an unusual low-temperature behaviour of some magnetic ammoniate crystals, 1-10179
- Bellon, P.L. See Scatturin, V., 1-20537
- Belna, R. See Guidini, J., 1-7030
- Belogurov, B.V. and Shestopalov, L.M. Change of specific heat of metals during plastic deformation, 1-7535
- Belokon', V.A. The permanent structure of shock waves with Joule dissipation, 1-360
- Belonogov, A.V., Zel'dovich, A.G., Kolganov, V.Z., Landsberg, L.G., Lebedev, A.V., Nikitin, S.Ya., Smolyankin, V.T. and Sokolov, A.P. A photographic system for large hydrogen bubble chambers, 1-3097
- Belorizky, D. A remarkable eruption near the sun's limb on 1 June, 1960, 1-6713
- Belorizky, E. See Ayant, Y., 1-19979
- Belote, T.A., Kashy, E. and Risser, J.R. Excited states in  $P^{32}$  from the scattering of protons by  $Si^{28}$ , 1-7327
- Belous, Yu.V. See Belov, K.P., 1-3719
- Belousov, N.N. See Varich, N.I., 1-10266
- Belov, K.P. The nature of low temperature magnetic transformations in ferrites possessing compensation points, 1-20122
- Belov, K.P. Causes of anomalous broadening of ferromagnetic resonance absorption line in ferrites near the Curie point, 1-20182
- Belov, K.P. and Belov, V.F. On the question of the anomalous increase in the line width of ferromagnetic resonance absorption in ferrites near the Curie point, 1-14773
- Belov, K.P. and Belov, V.F. On the question of the anomalous increase in the line width of ferromagnetic resonance absorption in ferrites near the Curie point, 1-20180



- Belov, K.P., Belov, V.F. and Popova, A.A. Single crystals of magnesium—manganese ferrites with a narrow ferromagnetic resonance absorption curve, 1=1253
- Belov, K.P., Belov, V.F. and Timofeeva, V.A. Ferromagnetic resonance [parameters] in monocrystals of yttrium ferrite at temperatures up to the Curie point, 1=14776
- Belov, K.P., Malevskaya, L.A. and Sokolov, V.I. Resonance and magnetic properties of yttrium iron garnet at low temperatures, 1=20181
- Belov, K.P. and Nikitin, S.A. Study of the low-temperature transformation in a manganese ferrite crystal, 1=14381
- Belov, K.P., Pakhomov, A.S. and Talalaeva, E.V. Measurement of magnetoresistance in ferrites near the Curie point, 1=12414
- Belov, K.P. and Ped'ko, A.V. Anomalies in the temperature dependence of the coercive force in rare earth element garnet ferrites in the neighbourhood of the compensation point, 1=20145
- Belov, K.P. and Svirina, E.P. The Hall effect in monocrystalline manganese ferrites, 1=17627
- Belov, K.P., Svirina, E.P. and Belous, Yu.V. Hall effect in alloys in the region of the ferromagnetic transition, 1=3719
- Belov, K.P., Zaitseva, M.A. and Kadomtseva, A.M. On the magnetic properties of the orthoferrites of lanthanum and praseodymium after partial replacement of  $\text{Fe}^{3+}$  ions  $\text{Al}^{3+}$  ions, 1=1239
- Belov, N.V. The crystal structure of baddeleyite (monoclinic  $\text{ZrO}_2$ ), 1=10261
- Belov, N.V. The basic theorem of the close-packed spherical structure, 1=15026
- Belov, N.V., Borisov, S.V. and Golovachev, V.P. On the arbitrarily chosen signs in direct methods for solving crystal structures, 1=1394
- Belov, N.V. and Tarkhova, T.N. Cayley squares for the cubic groups, 1=6507
- Belov, N.V. See Bakakin, V.V., 1=15106
- Belov, N.V. See Ilyukhin, V.V., 1=4057
- Belov, N.V. See Indenbom, V.L., 1=14943
- Belov, N.V. See Neronova, N.N., 1=20519
- Belov, N.V. See Rumanova, I.M., 1=11570
- Belov, N.V. See Yamzin, I.I., 1=15091
- Belov, S.P. See Kazanskii, Yu.A., 1=5703
- Belov, V.F. Influence of excess manganese ions on the anisotropy of ferromagnetic resonance in single crystals of manganese ferrites, 1=14774
- Belov, V.F. See Belov, K.P., 1=1253
- Belov, V.F. See Belov, K.P., 1=14773
- Belov, V.F. See Belov, K.P., 1=14776
- Belov, V.F. See Belov, K.P., 1=20180
- Belova, E.K. See Palatnik, L.S., 1=12443
- Belova, L.P. See Lyssov, B.A., 1=17277
- Belova, N.A., Kovalev, A.N. and Penin, N.A. The effect of carrier generation in the barrier layer on the reverse current—voltage characteristics of germanium diodes, 1=1091
- Belrose, J.S. and Ross, D.B. Observations of unusual low-frequency propagation made on 12 November 1960, 1=16589
- Bel'skii, N.K. The necessity of protecting spectrographs from dispersed daylight during long exposures, 1=9476
- Belson, H.S. See Matcovich, T., 1=6400
- Beltrametti, E.G. Remarks on the nuclear absorption of negative pions in deuterium, 1=13495
- Beltrametti, E.G., Ciuffolotti, L. and Tomasini, G. Deuteron production in pick-up reactions, I, 1=5916
- Beltrametti, E.G. and Florio, G. Calculation of the nuclear absorption of  $\mu$ -mesons by  $\text{O}^{16}$ , 1=13467
- Beltrametti, E.G. and Tomasini, G. Deuteron production in pick-up reactions, II, 1=5917
- Beltran-Lopez, V. and Robinson, H.G. Microwave Zeeman spectrum of atomic chlorine, 1=11068
- Beltran-Lopez, V. See Radford, H.E., 1=11067
- Belyaev, B.N., Kalyamin, A.V. and Murin, A.N. Experimental and calculated cross-sections of the reactions  $\text{Bi}^{209}(\text{p}, \text{xn})$  Po for bombarding proton energy of 135 MeV, 1=19472
- Belyaev, I.N. See Filip'ev, V.S., 1=15099
- Belyaev, L.M., Perekalina, Z.B., Varfolomeeva, V.N., Panova, V.P. and Dobrzhanskii, G.F. The luminescent properties of lithium fluoride activated by uranium, 1=14632
- Belyaev, S.T. The [approximate] Boltzmann equation for rarefied [ionized] gases in strong fields, 1=7050
- Belyaev, S.T. Kinetics of an ionized gas in a strong magnetic field, 1=7051
- Belyaev, S.T. On the nature of the first  $2+$  level of even—even spherical nuclei, 1=8596
- Belyaev, S.T. The problem of computing moments of inertias of nuclei, 1=16966
- Belyaev, S.T. On the nature of the first excited states of even—even spherical nuclei, 1=19356
- Belyaev, S.T. and Budker, G.I. Multi-quantum recombination in an ionized gas, 1=7027
- Belyaev, V.A. See Antropov, G.M., 1=7061
- Belyaev, V.Kh. Voltage surges in an electrostatic generator, 1=11988
- Belyaev, Yu.I. and Zhudkov, V.A. Diffusion of beryllium in germanium, 1=7593
- Belyaeva, B.A. See Zaidel', A.N., 1=5479
- Belyaeva, B.A. See Zaidel', A.N., 1=9605
- Belyakov, A.N., Vovenko, A.S., Kirillov, A.D., Kulakov, B.A., Lyubimov, A.L., Matulenko, Yu.A. and Savin, I.A. Gas-filled Cherenkov threshold counters for accelerator work, 1=10815
- Belyakov, R.V. Calculation of the coefficient of axial concentration of some discrete radiator—receiver arrays, 1=18516
- Belyakov, V.A. The momentum distribution of particles in a dilute Fermi gas, 1=18305
- Belyakov, V.A., Van Shu-fen, [Wang Shu-fen] Glagolev, V.V., Dalkhazhav, N., Lebedev, R.M., Mel'nikova, N.N., Nikitin, V.A., Petrzhilka, V., Sviridov, V.A., Suk, M. and Tolstov, E.D. Inelastic interaction of 7 BeV negative pions with nucleons, 1=19244
- Belyakov, Yu.I. and Ionov, N.I. Permeation of hydrogen and deuterium through a nickel membrane in the 250–600°C temperature range, 1=6114
- Belyakov, Yu.I. and Ionov, N.I. Permeation of hydrogen and deuterium through a nickel membrane in the 250–600°C temperature range, 1=11227
- Bemski, G. and Szymanski, B. Observations of oscillatory magnetoresistance in InAs at microwave frequencies, 1=19836
- Bemski, G. and Szymanski, B. Spin resonance of electrons on donors in p-type silicon, 1=20231
- Benade, A.H. On the mathematical theory of woodwind finger holes, 1=1800
- Benarie, M.M. Optimal encoding of the visual image, 1=10346
- Benarie, M.M. Rheology of granular material. II. A method for the determination of the intergranular cohesion, 1=20643
- Benco, C. The control of homogeneity of a dielectric by measurement of the dielectric loss-angle tangent at elevated temperatures, 1=17820
- Benczer-Koller, N., Nessin, M. and Kruse, T.H. Nuclear electric monopole transition in  $\text{Ca}^{48}$ , 1=10986
- Benczer-Koller, N. See Simms, P.C., 1=3406
- Benczer-Koller, N. See Wu, C.S., 1=603
- BenDaniel, D.J. Plasma potential in a magnetic mirror system, 1=18871
- BenDaniel, D.J. See Westendorp, W.F., 1=11920
- Bender, P.L. Measurement of weak magnetic fields by optical pumping methods, 1=13148
- Bender, R.S. See Bassel, R.H., 1=1940
- Bender, R.S. See Cohen, B.L., 1=1938
- Bendiscioli, G. See Argan, P.E., 1=13242
- Bendler, H.A. and Wood, W.A. Electron metallographic observations on the formation of fatigue cracks, 1=6476
- Bendt, P.J. and Oliphant, T.A. Hydrodynamics of helium II in annular geometry, 1=6993
- Béné, G.J. Form and structure of magnetic resonance lines in liquids at very low frequencies, 1=12905
- Benedek, G.B. and Armstrong, J. Pressure and temperature dependence of the  $\text{Fe}^{57}$  nuclear magnetic resonance frequency in ferromagnetic iron, 1=6432
- Benedict, W.S. See Tidwell, E.D., 1=832
- Benenson, L.S. See Fel'd, Ya.N., 1=4719
- Benenson, R.E., Chen, H.Y. and Lidofsky, L.J. Low-lying energy states in  $\text{Ne}^{20}$  from the  $\text{F}^{19}(\text{d}, \text{n})\text{Ne}^{20}$  reaction, 1=7398
- Benenson, R.E. and Lidofsky, L.J. Energy levels in  $\text{Na}^{21}$ , 1=10972
- Benenson, R.E. See Smotrich, H., 1=7404
- Beneš, J. and Kubal, J. The action of the internal centres of sensitivity in nuclear emulsions, 1=19079



## AUTHOR INDEX

- Benesch, W.M. See Ameer, G.A., 1-4462
- Beneventano, M., De Agostino, E., R ispoli, B. and Serra, A. A Cherenkov gas counter with efficiency near unity, 1-13227
- Benezech, P. See Papineau, A., 1-18938
- Bengus, V.Z., Lavrent'ev, F.F., Soifer, L.M. and Startsev, V.I. Development of dislocations in calcite crystals, 1-3668
- Bengus, V.Z. See Startsev, V.I., 1-14285
- Benioff, H. See Forward, R.L., 1-8040
- Benioff, P. Nuclear rearrangement and simple nuclear reactions, 1-13789
- Beniston, M.J. See Evans, D., 1-19267
- Beniston, M.J. See Jones, B.D., 1-8500
- Beniston, M.J. See Jones, B.D., 1-19502
- Benisz, J. and Chodźba, W. On the effect of the ageing time of the developer on nuclear emulsion background, 1-16632
- Beniyeva, T.Ya. Effect of composition of the elastic properties of binary nickel alloys, 1-20305
- Benjamin, L. and Strickland-Constable, R.F. Crystallization from dilute metal solutions, 1-1371
- Benjamin, P. and Weaver, C. The adhesion of evaporated metal films on glass, 1-20676
- Bennemann, K.H. Stable atomic configurations for an interstitial in copper, 1-17504
- Bennett, A.S. and Smith, F.G. A comparison of three surveys of radio stars, 1-12783
- Bennett, E.F. (p,d) pickup reactions in light nuclei, 1-7374
- Bennett, E.F. The rice formulation of pile noise, 1-17201
- Bennett, H.E., Bennett, J.M. and Nagel, M.R. Question of the polarization of infrared radiation from the clear sky, 1-9184
- Bennett, H.E. and Porteus, J.O. Relation between surface roughness and specular reflectance at normal incidence, 1-4471
- Bennett, J.M. Method for determining comparator screw errors with precision, 1-12979
- Bennett, J.M. See Bennett, H.E., 1-9184
- Bennett, L.C. and Wiese, J.R. Effects of doping additions on the thermoelectric properties of the intrinsic semiconductor  $\text{Bi}_2\text{Te}_{3-x}\text{Se}_x$ , 1-8968
- Bennett, L.H. and Budnick, J.I. Magnetic resonance determination of the nuclear moment of tantalum-181 in  $\text{KTaO}_3$ , 1-597
- Bennett, L.H. See Budnick, J.I., 1-7802
- Bennett, M.J. and Tompkins, F.C. The low-temperature interaction of oxygen with evaporated germanium films, 1-1481
- Bennett, R.A. and Heineman, R.E. Neutron rethermalization cross-section measurements in graphite, 1-17239
- Bennett, R.A. See Donahue, D.J., 1-13820
- Bennett, R.G. Instrument to measure fluorescence lifetimes in the millimicrosecond region, 1-2458
- Bennett, R.G. Dielectric relaxation in phenyl alcohols at low temperatures, 1-9405
- Bennett, R.G.T. and Burren, J.W. An achromatic system of extraction for proton synchrotrons, 1-9657
- Bennett, R.G.T. See Ellyett, C., 1-18064
- Bennett, R.M. and Holmes, O.G. Electronic states of hydrated vanadium (II) ion, 1-2448
- Bennett, W.R., Jr. See Javan, A., 1-7440
- Bennwitz, H.G. See Christensen, R.L., 1-8566
- Benoist-Gueutal, P. Dipole excitation of  $\text{C}^{12}$  in the inelastic scattering of 156 MeV protons, 1-8721
- Benoit, H. Damping by coherent radiation in nuclear magnetic resonance, 1-8396
- Benoit, H. and Ottavi, H. Applications for an n.m.r. spectrometer using weak field. I. Double irradiation of the ammonium ion. II. The Bloch-Siegert effect, 1-12567
- Benoit, H. See Luzzati, V., 1-20485
- Ben-Reuven, A., Kimel, S., Hirschfeld, M.A. and Jaffe, J.H. Theory and measurement of pressure-induced shifts of HCl lines due to noble gases, 1-14030
- Ben-Sira, M.Y. See Pratt, B., 1-6145
- Bensasson, R., Leibler, K., Marx, R. and Szwarc, H. Electron paramagnetic resonance studies of some free radicals produced by irradiation in solids at low temperature, 1-14107
- Benson, G.C. and Balk, P. Estimation of the effect of surface on the dipolar broadening of magnetic resonance lines in crystals, 1-20266
- Benson, G.C., Dempsey, E. and Balk, P. Distortion correction to the surface energy of the (110) face of alkali halide crystals, 1-3589
- Benson, S.W. Reaction of cyclopropane with iodine and some observations on the isomerization of cyclopropane, 1-7903
- Benson, S.W. and O'Neal, E. Kinetics of the reactions of alkyl iodides with HI, 1-5108
- Bent, R.D. and Eidson, W.W. Gamma radiation from low levels of  $\text{Al}^{27}$ , 1-8618
- Bentley, G.G. Gas bubble formation in irradiated plastics and reactor fuels, 1-19818
- Bentley, P.G. Polymers of carbon dioxide, 1-9960
- Bentley, W.H. and Drickamer, H.G. Effect of pressure on the spectra of  $\text{MnO}$  and  $\text{CrO}_2$ , 1-11369
- Benton, D.P. and Elton, G.A.H. Droplet interaction in aqueous-disperse aerosols, 1-11630
- Benveniste, J., Booth, R. and Mitchell, A. Proton interactions with  $\text{Cu}^{63}$  and  $\text{Cu}^{65}$ , 1-12196
- Benveniste, J., Booth, R. and Mitchell, A.C. Level structure of  $\text{A}^{40}$ , 1-19361
- Benveniste, J., Mitchell, A., Schrader, C. and Zenger, J. "Verni-ray", an instrument to measure the uniformity of thin foils, 1-12640
- Benveniste, J., Mitchell, A.C., Schrader, C.D. and Zenger, J.H. The problem of measuring the absolute yield of 14 MeV neutrons by means of an alpha counter, 1-2070
- Benveniste, J., Mitchell, A.C., Schrader, C.D. and Zenger, J.H. Gamma-rays from the interaction of 14 MeV neutrons with carbon, 1-2221
- Benyon, D.E. See Carruthers, J.A., 1-10656
- Benzler, H. [Coolant] flow inversion in gas-cooled reactors, 1-13902
- Bér, K.V. [Boer, K.W.]. Some theoretical ideas on non-uniform distribution of electric field during breakdown, 1-14563
- Beran, M.J. A note on non-equilibrium species concentrations in air, 1-18470
- Beranek, L.L. See Johnson, F.R., 1-8205
- Bercea, C. See Alper, S., 1-402
- Berdyshev, A.A. and Vlasov, I.N. The electrical resistance of an antiferromagnetic, 1-5000
- Berdyshev, A.A. See Karpenko, B.V., 1-3917
- Berenbaum, L. "Spire" growth on bismuth-manganese alloys in the absence of a magnetic field, 1-14965
- Berenbaum, R. See Ormerod, A., 1-7828
- Berencz, F. The relation between Löwdin's spin projection operator and Pratt's spin operator, 1-791
- Berencz, F. The role of multipole interaction effects in van der Waals attraction, 1-884
- Berencz, F. The contribution of octupole forces to Van Der Waals attraction, 1-5980
- Berencz, F. Bose statistics in relativity theory, 1-8077
- Berenda, C.W. Temporal reversal of events in restricted relativity, 1-1688
- Berényi, D. See Mathe, G., 1-8654
- Berényi, D. See Scharbert, T., 1-13753
- Berestetskii, V.B. Anomalous magnetic moments of the muon and of the electron, 1-19224
- Berestetskii, V.B. and Pomeranchuk, I.Ya. Asymptotic behaviour of cross-sections at high energies, 1-19116
- Berestetskii, V.B. and Terent'ev, M.V. Higher moments of the charge and magnetic moment distributions of nucleons, 1-13406
- Berestetskii, V.B. and Pomeranchuk, Ya, I. On the asymptotic behaviour of cross-sections at high energies, 1-5665
- Berestnev, V.A., Razikov, K.Kh., Alekseeva, E.S. and Kargin, V.A. The structure of orientated polymeric materials, 1-20654
- Berezhnaya, I.A. and Kurbatov, L.N. Investigation of the surface of lead sulphide photoresistors by adsorption, 1-17802
- Berezhnoi, Yu.A. See Sytenko, O.H., 1-13835
- Berezin, A.A., Stoliarov, G.A., Nikol'skii, Yu.V. and Chelnokov, I.E. 14.6 MeV fission cross-sections of  $\text{U}^{235}$  and  $\text{Th}^{232}$ , 1-19547
- Berezin, A.A. See Flerov, N.N., 1-19546
- Berezin, A.B. See Zaidel', A.N., 1-5479
- Berezin, A.B. See Zaidel', A.N., 1-5481
- Berezin, A.B. See Zaidel', A.N., 1-9605
- Berezin, A.B. See Zaidel', A.N., 1-9607



- Berezin, A.K., Nekrashevych, A.M., Silenok, H.A., Fainberh, Ya.B. and Khlyzhnyak, N.A. Investigation of a helical waveguide with an artificially anisotropic dielectric. II, 1=19038
- Berezin, A.K. See Fainberh, Ya.B., 1=19037
- Berezin, F.A. The Thirring model, 1=19091
- Berezin, O.A. Some "progressive" [self-similar] plane-wave motions of a gas in magnetohydrodynamics, 1=5540
- Berezinskii, V.S. and Zatspin, G.T. Some energy relations obtained with allowance for parity nonconservation in  $\mu^-e$  decay, 1=16831
- Berezovskii, V.N. See Finkel', V.M., 1=15188
- Berg, B.A. Deformation anisotropy, 1=6439
- Berg, H.F. See Wiese, W., 1=2782
- Berg, R.A. and Lindner, C.N. Electron-proton bremsstrahlung, 1=13385
- Berg, R.S. and Howland, B. Design of wide-band shielded toroidal r.f. transformers, 1=16208
- Berg, T.G.O. Background spectra of solids, 1=10113
- Bergamaschi, C., Brun, J.C., Cabrespine, A., Gayraud, R., Génin, J., Langevin-Joliot, H., Marty, N., Michalowicz, A., Radvanyi, P., Riou, M., Teillac, J. and Victor, C. The 157 MeV synchrocyclotron, 1=16462
- Berge, J.P., Bastien, P., Dahl, O., Ferro-Luzzi, M., Kirz, J., Miller, D.H., Murray, J.J., Rosenfeld, A.H., Tripp, R.D. and Watson, M.B. Pion-Lambda resonance ( $Y_1^*$ ), 1=10932
- Berge, J.P., Solmitz, F.T. and Taft, H.D. Kinematical analysis of interaction vertices from bubble chamber data, 1=8408
- Bergé, P. Effect of irradiation on the electrical and optical properties of lithium fluoride. I. Electrical conductivity of non-irradiated lithium fluoride single crystals, 1=14391
- Berge, P. and Blanc, G. An adiabatic calorimeter, 1=16167
- Bergé, P. and Blanc, G. Radiation effects on the electrical properties of lithium fluoride, 1=17634
- Bergé, P. and Tournarie, M. Histogram. An entirely automatic system for step counting for an X-ray spectrometer constructed from standard components, 1=20460
- Berge, P. See Dubois, M., 1=10020
- Berger, J., Favier, J. and Nault, Y. Determination of the detonation characteristics of solid explosives, 1=15192
- Berger, M.A. See Smith, P., 1=6517
- Berger, W. and Kössler, H.J. Orientation dependence of the paramagnetic resonance in copper sulfate  $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$ , 1=1261
- Berger, Z. The luminescence of AgCl crystals doped with thallium, 1=20008
- Bergère, R. See Michaudon, A., 1=13868
- Bergeron, C. and Penciolelli, G. Clairaut-Mossotti [cemented doublet aplanat] objectives and new glasses, 1=4441
- Bergh, H.W. and King, J.W. Ionosphere critical frequencies and magnetic parameters of the previous day, 1=21005
- Berghezan, A. See Fourdeux, A., 1=8906
- Bergia, S. and Stanghellini, A. The resonant pion-pion model for the nucleon structure, 1=16766
- Bergia, S., Stanghellini, A., Fubini, S. and Villi, C. Electromagnetic form factors of the nucleon and pion-pion interaction, 1=8450
- Bergman, A.A. and Shapiro, F.L. Deviations of the cross sections of slow-neutron reactions on light nuclei from the  $1/v$  law, 1=19491
- Bergman, O. Note on collective excitation of odd nuclei of supposed "spherical" core, 1=7321
- Bergmann, P.G. "Gauge-invariant" variables in general relativity, 1=15645
- Bergman, R.S. See Hill, R.M., 1=6409
- Bergmann, F. High-permeability, low-loss melt-ferrite, 1=2483
- Bergmann, G. and Kaiser, H. Methods and tools for the redrawing of spectral diagrams, 1=10596
- Bergmann, L. Experiments with vibrating soap films, 1=188
- Bergqvist, I. and Starfelt, N. Gamma-ray spectra from capture of fast neutrons, 1=4870
- Bergsma, J. and Goedkoop, J.A. Thermal motion in palladium hydride studies by means of elastic and inelastic scattering of neutrons, 1=7532
- Bergson, G. Some aspects of elemental sulphur. A study by means of the semi-empirical MO-LCAO method, 1=9938
- Bergstein, A. and Červinka, L. Influence of manganese and oxygen content of tetragonal deformation of copper ferrite, 1=15094
- Bergstein, A. and Gerber, R. A remark on the structure of non-stoichiometric copper-manganese ferrite, 1=20131
- Bergstrom, B.H. See Gilvarry, J.J., 1=6473
- Bergström, I., Bonacalza, E.C.O., Jech, A., Perez, M. and Thieberger, P. The oscilloscope method of measuring nuclear half-lives, 1=5855
- Bergström, J., Holmberg, S. and Lehnert, B. Experiments on the energy balance and confinement of a magnetized plasma, 1=11940
- Bergwerk, W. Flow pattern in Diesel nozzle spray holes, 1=123
- Berhenke, L.F. An automatic melting point recorder, 1=1846
- Beri, J.N. Flow through nozzles — frictional and heat transfer effects, 1=15803
- Beri, J.N. Covolume effects in one-dimensional gas flow, 1=15920
- Berinde, A. See Hulubei, H., 1=5735
- Beringer, R. and Knox, W.J. Liquid-drop nuclear model with high angular momentum, 1=3383
- Beringer, R. See Hubbard, E.L., 1=10749
- Berkelman, K. Phenomenological analysis of photon-proton elastic scattering, 1=16730
- Berkelman, K., Cortellesa, G. and Reale, A. Search for the  $\omega^0$  in photoproduction, 1=7268
- Berkelman, K. See Wilson, R.R., 1=3165
- Berkes, I. and Demeter, I. Small-angle coherent scattering of 500 keV electrons, 1=329
- Berkes, I. See Keszthelyi, L., 1=5896
- Berkling, K., Schlier, C. and Toschek, P. Scattering of gallium atoms in different Zeeman states, 1=13969
- Berkovskii, F.M., Rývkin, S.M. and Stokan, N.B. Effect of trapping levels on the decay of the n-p junction current, 1=12450
- Berkowitz-Mattuck, J.B. See Büchler, A., 1=11790
- Berlad, A.L. Flame propagation in free-radical-containing solids at low temperatures, 1=20737
- Berlaga, R.Ya. and Bykova, T.T. The effect of adsorbed oxygen on the photo-e.m.f. of lead sulphide layers, 1=10065
- Berlaga, R.Ya. and Rudenok, M.I. Obtaining a replica from a transverse section of a thin film, 1=10284
- Berlaga, R.Ya. and Rudenok, M.I. Obtaining a replica from a transverse section of a thin film, 1=11607
- Berlin, A.A. See Balabanov, E.I., 1=3728
- Berlin, T.H. See Cohen, E.G.D., 1=6759
- Berlincourt, D. See Gerson, R., 1=20376
- Berlincourt, D. See Krueger, H.H.A., 1=17856
- Berlincourt, T.G., Hake, R.R. and Leslie, D.H. Superconductivity at high magnetic fields and current densities in some Nb-Zr alloys, 1=11878
- Berlincourt, T.G. See Thorsen, A.C., 1=12515
- Berlincourt, T.G. See Thorsen, A.C., 1=17931
- Berlman, I.B. Luminescence in a scintillation solution excited by  $\alpha$  and  $\beta$  particles and related studies in quenching, 1=4347
- Berlman, I.B. Transient dimer formation by 2,5-diphenyl-oxazole, 1=8131
- Berlman, I.B. See Anderson, W.R., 16150
- Berlovich, É.E., Bonits, M.P. and Nikitin, M.K. The g-factors for collective and internal motion in  $\text{Tb}^{159}$  and  $\text{Yb}^{173}$  nuclei, 1=19341
- Berlovich, E.E., Klement'ev, V.N., Krasnov, L.V. and Nikitin, M.K.  $\gamma$ -transitions in the  $\text{Sm}^{146}$  nucleus, 1=17045
- Berlovich, É.E., Klemen'tev, V.N., Krasnov, L.B., Nikitin, M.K. and Yursik, I. The new isomeric states of spherical nuclei of europium with odd mass number, 1=2181
- Berlovich, E.E., Klemen'tev, V.N., Krasnov, L.B., Nikitin, M.K. and Yursik, I. The new isomeric states of spherical nuclei of europium with odd mass number, 1=3405
- Berlovich, E.J. See Bonitz, M., 1=18739
- Berlovich, E.Ye., Klementyev, V.N., Krasnov, L.V., Nikitin, M.K. and Yursik, I. Isomeric states of the spherical nuclei of  $\text{Eu}^{147}$ ,  $\text{Eu}^{149}$  and  $\text{Eu}^{151}$ , 1=5852
- Berman, L.S. and Subashiev, V.K. Investigation of the barrier capacitance of diffused p-n junctions in silicon, 1=1090
- Berman, R., Foster, E.L., Schneidmesser, B. and Tirmizi, S.M.A. Effects of irradiation on the thermal conductivity of synthetic sapphire, 1=1005
- Berman, S.M. Coherent and incoherent nuclear  $\pi^0$  photoproduction, 1=19232



## AUTHOR INDEX

- Berman, S.M. and Geffen, D.A. The electromagnetic structure and alternative decay modes of the  $\pi^0$ , 1=5749
- Bermond, J., Patou, C. and Scherer, M. Spurious scattering and the processing of nuclear emulsions, 1=13251
- Bernal, I. and Harrison, S.E. Electron spin resonance and optical absorption of  $K_2[Cr(CN)_6] \cdot H_2O$ , 1=3566
- Bernal, J.D. and Mason, J. Co-ordination of randomly packed spheres, 1=6554
- Bernard, D.L. See Rabson, T.A., 1=665
- Bernard, M. See Joliet, J.F., 1=18387
- Bernard, M.P. Investigation of vibrational frequencies of the system O—H ... O in glycine sulphate by infrared spectroscopy, 1=14027
- Bernard, P. Discussion of paper by R.C.Bliss, C.W.Gartlein, D.S.Kimball and D.Sprague, "Auroras, magnetic bays, and protons", 1=1559
- Bernard, R., Davoine, F. and Pinard, P. Fluorescent scanning microscopy, 1=1463
- Bernard, R. See Gaume, F., 1=9003
- Bernard, W. See Neuringer, L.J., 1=10045
- Bernardes, N. Theory of the compressibility of solid  $He^4$  and  $He^3$  at 0°K, 1=257
- Bernardini, C., Corazza, G.F., Ghigo, G. and Tuschek, B. The Frascati storage ring, 1=9653
- Bernardini, G., Hanson, A.O., Odian, A.C., Yamagata, T., Auerbach, L.B. and Filosofo, I. Proton Compton effect, 1=5702
- Bernas, R. Evidence of a process causing contamination in electromagnetic isotope separators, 1=17293
- Bernas, R., Sarrouy, J.L. and Camplan, J. Production of very high purity isotopes by a double magnetic deflection isotope separator, 1=5984
- Bernas, R., Sarrouy, J.L. and Camplan, J. A double magnetic deflection isotope separator for the production of very high purity isotopes, 1=17294
- Bernas, R. See Poffé, N., 1=13804
- Bernas, R. See Camplan, J., 1=13973
- Berner, R. The temperature and rate dependence of work hardening in cubic face-centred single crystals, 1=1333
- Bernhard, F., Krebs, K.H. and Rotter, I. On the detection of single ions with the ion-electron converter, 1=9707
- Bernheim, R.A. and Das, T.P. Relation between the proton hyperfine interaction and the  $C^{13}$ — $H^1$  spin-spin coupling in free radicals, 1=3574
- Bernheim, R.A., Gutowsky, H.S. and Lawrenson, I.J. Temperature dependence of the proton spin-lattice relaxation time in liquid butyl alcohols, 1=4362
- Bernheim, R.A. See Belford, G.G., 1=14149
- Bernheim, R.A. See Brown, T.H., 1=4361
- Berning, W.W. A sounding rocket measurement of electron densities to 1500 kilometers, 1=15323
- Bernstein, A.M. See Ames, O., 1=12148
- Bernstein, B. See Toupin, R.A., 1=4408
- Bernstein, D. See Muller, G.M., 1=11620
- Bernstein, E.M. and Skurnik, E.Z. Comparison of inelastic scattering from  $Sm^{152}$  with Coulomb excitation theory, 1=2208
- Bernstein, H. and Forster, H.H. Gamma-gamma directional correlation in  $Ba^{136}$  and  $Mo^{94}$ , 1=9833
- Bernstein, I.B. and Kulsrud, R.M. Ion wave instabilities, 1=314
- Bernstein, I.B. and Kulsrud, R.M. Stability of a current-carrying plasma, 1=11542
- Bernstein, I.B. and Trehan, S.K. Plasma oscillations (I), 1=18894
- Bernstein, J. and Oehme, R. Consequences of a scalar  $\Sigma \wedge \pi$  coupling, 1=12125
- Bernstein, J. and Weinberg, S. Partially conserved currents and the  $K^0$  meson, 1=2096
- Bernstein, L. and Beals, R.J. Thermal expansion and related bonding problems of some III-V compound semiconductors, 1=4970
- Bernstein, R.B. Quantum calculations of the velocity dependence of the differential and total cross sections for elastic scattering of molecular beams, 1=4957
- Bernstein, R.B. See Hostettler, H.U., 1=820
- Bernstein, W., Kranz, A.Z. and Tenney, F. Kinematics of ohmic heated plasmas in the B-1 stellarator, 1=312
- Berry, H.W. Energy distribution of electrons from ionizing collisions of heavy particles, 1=4560
- Berry, P.F. Gamma-ray attenuation coefficients, 1=13375
- Berry, R.S. Remarks on the electronic spectra and structures of compounds of chromium and benzene, 1=11103
- Berry, R.S., Dehl, R. and Vaughan, W.R. Nuclear magnetic resonance spectrum of the triphenylcarbonium ion, 1=12313
- Bershader, D. Some remarks of electric-discharge shock tube diagnostics, 1=5475
- Bersohn, R. and Isenberg, I. Metallic nature of the starch-iodine complex, 1=19670
- Berstein, A.M. See Posner, M., 1=16968
- Bersuker, I.B. The problem of quantum transitions in the self-consistent field approximation, 1=4891
- Bertanza, I. See Bartke, J., 1=8513
- Bertanza, L., Carrara, R., Drago, A., Franzini, P., Mannelli, I., Silvestrini, G.V. and Stoker, P.H.  $\pi^- + p$  elastic scattering at 1200 MeV, 1=5765
- Bertanza, L., Franzini, P., Mannelli, I. and Silvestrini, G.V. A rapid cycling bubble chamber, 1=19075
- Bertanza, L., Franzini, P., Mannelli, I., Silvestrini, G.V. and Peterson, V.Z. A bubble chamber experiment to measure the polarization of the recoil proton in the photoproduction of  $\pi^0$  mesons from hydrogen, 1=7265
- Bertaut, F. Magnetic configurations, 1=10132
- Bertaut, F. Colinear spin configurations in corundum type structures, 1=10133
- Bertaut, F. Spin configuration in the general case, 1=10134
- Bertaut, F., Corliss, L. and Forrat, F. The crystal structure and magnetic structure of niobates and tantalates of bivalent transition metals, 1=2535
- Bertaut, F. See Chevreton, M., 1=15078
- Berteaud, A.J. Apparent permeability and intrinsic permeability at microwaves, 1=14778
- Berteaud, A.J. Variation of the resonance properties of yttrium iron garnet with the substitution of  $Al^{3+}$ , 1=14781
- Bertein, F. Electrical analogue in the study of the treatment of an ingot by the molten zone method, 1=1382
- Bertein, F. Several aspects of the application of the matrix calculus of non-linear circuits to local oscillations, 1=16222
- Bertelsen, U., Borggreen, J. and Nathan, O. Directional correlation measurements in  $Hf^{178}$ , 1=10992
- Berthelot, A., Daudin, A., Goussu, O., Grard, F., Jabiol, M.A., Lévy, F., Lewin, C., Rogozinski, A., Laberrigue-Frolow, J., Ouannés, C. and Vigneron, L. 1.15 GeV/c study of the associated production  $\pi^+ + p \rightarrow \Sigma^+ + K^+$ , 1=19281
- Berthet, C., Imbaud, J.P., Ackermann, P. and Rondet, R. The dynamic polarization of nuclei in solutions of free radicals, 1=12311
- Berthet, G. and Dupuis, J. Nuclear resonance in metallic cobalt powders, 1=12569
- Berthet, G. See Battut, R., 1=18432
- Berthier, J., Debrunner, P., Lambert, M. and Lombard, R. Circularly polarized angular correlations in the case of Europium 152, 1=2188
- Berthiers, J., Lombard, R. and Sunier, J.W. Study of the first forbidden transition ( $3^- \rightarrow 2^+$ ) on  $Eu^{153}$  by means of the correlation between the electron and  $\gamma$ -ray polarization, 1=7348
- Berthold, F. See Barber, W.C., 1=681
- Berthold, F. See Clerc, H.G., 1=7107
- Bertin, P.Y. See Avan, M., 1=8750
- Bertinchamps, A. See Duchesne, J., 1=6129
- Bertinchamps, A.J. See Van de Vorst, A., 1=9952
- Bertocchi, L., Ceolin, C. and Tonin, M. Analytic properties of bound states in potential theory, 1=5674
- Bertolini, G., Cappellani, F. and Rota, A. Corrections for back-scattering and energy resolution in beta spectroscopy by scintillation detectors, 1=17015
- Bertolini, G., Del Turco, A.M. and Restelli, G. Alpha-pulse analysis by scintillation detectors, 1=2175
- Bertolotti, M. and Sette, D. On recombination processes in neutron-irradiated n-type germanium, 1=12437
- Bertotti, B. Theory of an electrostatic probe in a strong magnetic field, 1=11949
- Bertotti, B. Quantum mechanics and the uniqueness of the world, 1=15666
- Bertotti, B. and Plebanski, J. Theory of gravitational perturbations in the fast motion approximation, 1=1682



- Bertozi, W., Demos, P., Kowalski, S., Paolini, F. and Sargent, C. The photodisintegration of  $\text{Be}^9$ , 1=8689
- Bertrand, G. See Blottiau, F., 1=18626
- Bertrand, P. and Briffod, G. Effect of an electric field on wave propagation in a plasma, 1=18866
- Berzina, I. G., Naumov, A. F. and Savintsev, N. A. Dissolution and contact melting of irradiated crystals, 1=19819
- Bès, D. R. A study of nuclear potential energy surfaces and gamma vibrations, 1=12146
- Bès, D. R. and Szymański, Z. The ground-state equilibrium deformation in rare-earth nuclei, 1=19346
- Besliu, C. See Andreescu, I., 1=2076
- Besliu, C. See Hulubei, H., 1=5735
- Besnainou, S. Some recent results on electronic wave-functions involving the interelectron separation  $r_{12}$ , 1=13924
- Besnainou, S. See Bratož, S., 1=6032
- Bessis, G. Study of the bifluoride ion  $\text{FHF}^-$  by wave mechanics, 1=12295
- Besson, J. M. See Balkanski, M., 1=17401
- Bessonov, M. I. and Kuvshinskii, E. V. Features of the development of fracture cracks in solid polymers, 1=11519
- Bessonov, M. I. and Kuvshinskii, E. V. Features of the development of fracture cracks in solid polymers, 1=12605
- Bessonov, M. I. and Kuvshinskii, E. V. The kinetics of growth of "silver" cracks in transparent solid polymers, 1=12607
- Bessonov, M. I. and Kuvshinskii, E. V. The kinetics of growth of "silver" cracks in transparent solid polymers, 1=20387
- Best, K. J. On the optical absorption of films of  $\text{PbCl}_2$  and the system  $\text{TlCl-KCl}$ , 1=14583
- Best, P. E. and Robins, J. L. An X-ray absorption process in ionic crystals, 1=8997
- Bestul, S. M. See Adams, A. N., 1=4190
- Betheder-Matibet, O. and Nozières, P. Influence of quasi-particle damping on the properties of a superconductor, 1=16195
- Betchov, R. On the mechanism of turbulent transition, 1=4309
- Betchov, R. Semi-isotropic turbulence and helicoidal flows, 1=15801
- Betekhtin, V. I., Zhurkov, S. N. and Savitskii, A. V. The effect of impurities on the temperature and time dependences of the strength of metals, 1=12599
- Betev, B. See Kavlaikov, S., 1=7302
- Betev, B. See Mitrani, L., 1=7301
- Betev, B. See Mitrani, L., 1=8292
- Betev, B. See Rouskov [Ruskov], T., 1=386
- Bethe, H. A. See Schumacher, C. R., 1=4794
- Bethge, H., Hellgardt, J. and Heydenreich, J. The construction of simple apparatus for investigations with the electron mirror, 1=325
- Bethge, H. and Heydenreich, J. Investigation of the sensitivity of the electron mirror for imaging potential distributions, 1=326
- Bethge, H., Kästner, G. and Krohn, M. Surface structure of cleaved  $\text{NaCl}$  single crystals, 1=10278
- Bethge, H. and Keller, W. The electron-microscope observation of elementary glide steps on  $\text{NaCl}$  crystals, 1=19787
- Bethge, K. Charge transfer measurements on  $\text{Li}$  ions in the energy range from 3 to 10 keV, 1=4565
- Betrencourt, M. See Morand, M., 1=9709
- Betterton, J. O., Jr., Boom, R. W., Kneip, G. D., Worsham, R. E. and Roos, C. E. Superconductivity of  $\text{Nb}_3\text{Sn}$  in a pulsed magnetic field, 1=9513
- Betts, D. D. The extension of Houston's method with application to Debye  $\Theta_D$ , 1=3608
- Betts, J. F., Pauve, E. H. and Wiley, W. C. Output systems for time-of-flight mass spectrometers, 1=333
- Betts, J. F. See Bartell, L. S., 1=15185
- Betts, R. H. See Glentworth, P., 1=5926
- Beun, J. A., Nitsche, R. and Lichtensteiger, M. Photoconductivity in ternary sulphides, 1=10066
- Beun, J. A., Nitsche, R. and Lichtensteiger, M. Optical and electrical properties of ternary chalcogenides, 1=11321
- Beurtey, R., Catillon, P., Chaminade, R., Crut, M., Faraggi, H., Papineau, A., Saudinos, J. and Thirion, J. Anomalies in the angular distributions of  $\alpha$ -particles inelastically scattered by  $\text{Fe}^{56}$  and  $\text{Ni}^{60}$ , 1=9883
- Beurtey, R., Catillon, P., Chaminade, R., Crut, M., Faraggi, H., Papineau, A., Saudinos, J. and Thirion, J. The inelastic scattering of 44.4 MeV alpha-particles by  $\text{Ni}^{58}$ ,  $\text{Ni}^{60}$ ,  $\text{Ni}^{64}$ , 1=13852
- Beurtey, R., Guillou, and Raynal, J. The optical model for the elastic scattering of charged particles, 1=13759
- Beurtey, R., Papineau, A. and Thirion, J. Sources of polarized protons and deuterons, 1=16786
- Beurtey, R. See Saudinos, J., 1=7402
- Beurtey, R. See Saudinos, J., 1=7403
- Beurtey, R. See Saudinos, J., 1=13858
- Beven, H. C. See Naismith, R., 1=20974
- Bevensee, R. M. Periodic electromagnetic and quantum systems, 1=8371
- Bevensee, R. M. A unified theory of electron beam interaction with slow wave structures, with application to cut-off conditions, 1=18927
- Bevington, P. R., Rolland, W. W. and Lewis, H. W. Relative yields of neutron groups from the  $\text{Li}^7(p,n)\text{Be}^7, \text{Be}^{7*}$  reactions, 1=2212
- Beznosikova, A. V. See Chebotarev, N. T., 1=19726
- Bezugiĭ, P. A. and Galkin, A. A. Anisotropy of the energy gap Bezus, E. V. See Venetsev, Yu. N., 1=15018
- Bezverkhii, V. D. A new focusing X-ray tube design with cathode filament replacement under vacuum, 1=11994
- Bhaduri, R. K. See Kumar, K., 1=9800
- Bhagavantam, S. and Chelam, E. V. Elastic behaviour of matter under very high pressures — uniform compression, 1=3958
- Bhagavantam, S., Krishnamurthi, M. and Ramakrishna, S. Studies in cosmic radio noise at Bangalore (some special features), 1=18137
- Bhagiratha Rao, E. and Ramachandra Rao, B. Diurnal variation of  $F_1$  region drifts at Waltair, 1=9199
- Bhagiratha Rao, E. and Ramachandra Rao, B. Travelling disturbances in the F-region over Waltair [India], 1=15291
- Bhagiratha Rao, E. and Ramachandra Rao, B. Horizontal drifts in the ionosphere in relation to random fading, 1=20927
- Bhagwat, S. D. See Ambiye, K. S. Y., 1=17021
- Bhalla, M. S. and Craggs, J. D. Measurement of ionization and attachment coefficients in carbon dioxide in uniform fields, 1=1892
- Bhalla, M. S. and Craggs, J. D. Measurement of ionization and attachment coefficients in carbon monoxide in uniform fields, 1=16264
- Bhamathi, G. and Indumathi, S. A model of hyper-fragments, 1=9808
- Bhamathi, G., Indumathi, S., Balachandran, A. P. and Deshpande, N. G. Some tests for compound models of elementary particles, 1=9768
- Bhan, S. See Schubert, K., 1=5099
- Bhargava, B. N. and Subrahmanyam, R. V. Geomagnetic disturbance effects in equatorial  $E_g$ , 1=15276
- Bhargava, B. N. and Subrahmanyam, R. V. Movements in the F region of the ionosphere during solar eclipses, 1=15294
- Bhargava, J. C. See Rao, C. S. R., 1=8394
- Bhargava, R. D. See Jaswon, M. A., 1=14841
- Bhargava, R. N. See Varshni, Y. P., 1=19383
- Bhaskara Rao, A. and Gill, P. S. Influence of geomagnetic field on extensive air showers of cosmic radiation, 1=8527
- Bhatia, A. B. and Moore, R. A. Ultrasonic attenuation in normal metals at low temperatures, 1=3596
- Bhatnagar, C. S. Characteristic curves of a pyramid type of electret, 1=6198
- Bhatnagar, C. S. Perspex electrets, 1=11346
- Bhatnagar, L. Light scattering by anisotropic inhomogeneities in thin polymer films under strain. II, 1=14624
- Bhatnagar, M. S. and Kushwaha, R. S. Propagation of intense shock waves in stellar envelopes, 1=15508
- Bhatnagar, P. L. Vorticity and circulation in a compressible viscous flow in the presence of magnetic field, 1=5537
- Bhatnagar, P. L. Superposability and harmonic analysis of a viscous liquid in the presence of magnetic fields, 1=16511
- Bhatnagar, P. L. On two-dimensional boundary layer in non-Newtonian fluids with constant coefficients of viscosity and cross-viscosity, 1=18370
- Bhatnaga, P. L. and Chakraborty, B. B. Hydromagnetic model for a quiescent prominence, 1=25
- Bhatnagar, P. L. See Chakraborty, B. B., 1=16493
- Bhatnagar, P. L. See Chakraborty, B. B., 1=18994
- Bhatnagar, P. L. See Devanathan, C., 1=19006



- Bhattacharyya, B.K. Dipole-field type magnetic disturbances and auroral activities, 1=4137
- Bhattacharya, R. On the electronic structure of  $\text{HeH}^+$ , 1=14058
- Bhattacharya, R. See Das, M., 1=3563
- Bhattacharyya, R.L. See Mukherjee, P.N., 1=5860
- Bhattacharjee, S.K. See Baba, C.V.K., 1=10956
- Bhave, S.S. See George, K.A., 1=341
- Bhavsar, C.M. See Patel, N.J., 1=17086
- Bhavsar, P.D. Scintillation-counter observations of auroral X-rays during the geomagnetic storm of May 12, 1959, 1=21054
- Bhavsar, P.D. See Winckler, J.R., 1=10936
- Bhavsar, P.D. See Winckler, J.R., 1=13585
- Bhavsar, P.D. See Winckler, J.R., 1=16927
- Bhawalkar, D.R. and Khanna, S.M. D.C. field characteristics of laminated plastics, 1=6130
- Bhide, V.G. Surface sensitivity of rectification, 1=1079
- Bhide, V.G. and Bapat, N.J. Interferometric study of domain structure in barium titanate, 1=11340
- Bhide, V.G. and Chandratreya, V.M. Surface studies of dendritic growth of germanium crystals, 1=6503
- Bhide, V.G. and Dani, R.H. Electrical conductivity in oxides of manganese and related compounds, 1=19839
- Bhide, V.G. and Multani, M.S. Electrical anomaly at the Curie temperature for ferroelectric substances, 1=7690
- Bhide, V.G. See Deshpande, L.V., 1=8974
- Bhimasenachar, J. See Subrahmanyam, S.V., 1=15868
- Bhonsle, R.V. Study of solar flares using cosmic radio noise on 25 Mc/s at Ahmedabad ( $23^{\circ}02' \text{ N}$ ,  $73^{\circ}38' \text{ E}$ ), 1=15551
- Bhonsle, R.V. and Ramanathan, K.R. Magnetic storms and cosmic radio noise on 25 Mc/s at Ahmedabad ( $23^{\circ}02' \text{ N}$ ;  $73^{\circ}38' \text{ E}$ ), 1=6653
- Bhonsle, R.V. See Ramanathan, K.R., 1=20982
- Bhowmick, S.K. Note on the displacements in a heavy vertical circular disk with fixed edge and having an isolated load at a point inside the disk, 1=12832
- Bhowmik, B. Leptonic decay of  $\Sigma$ -hyperon, 1=16904
- Bhowmik, B., Goyal, D.P. and Yamdagni, N.K. The mass of the  $\Lambda^0$ -hyperon, 1=19276
- Bhowmik, B., Jain, P.C. and Mathur, P.C. The decay modes and lifetime of negative K-mesons, 1=13496
- Bhowmik, G. Phase-transitions in  $\text{Cu}[(\text{NH}_4)\text{SO}_4] \cdot 6\text{H}_2\text{O}$ , 1=14936
- Bhupala Rao, Y. Structure of the spectrum of doubly ionised bromine, 1=19587
- Bhutani, O.P. Flow over a wavy wall in magneto-gas-dynamics. I. Equilibrium flow, 1=10775
- Bialkowski, See Byalkovski, G., 1=19233
- Bialynicki-Birula, I. New approach to perturbation theory in quantum electrodynamics, 1=5635
- Bialynicki-Birula, I. Finite perturbation theory in quantum electrodynamics, 1=9718
- Bialynicka-Birula, Z. Remark on the radioactive muon decay in the theory with an intermediate vector meson, 1=16701
- Biamukhanov, B.B. See Kim, E.L., 1=18637
- Bianchi, E. See Rossi, C., 1=10509
- Bianco, L. See Giannuzzi, M.A., 1=18111
- Biasutti, M. See Piron, C., 1=5716
- Bibby, J.R. Method of modulating a high-intensity searchlight, 1=6956
- Biberman, L.M., Norman, G.E. and Ulyanov, K.N. On the calculation of photoionization absorption in atomic gases, 1=19598
- Biberman, L.M. and Veklenko, B.A. A generalized reciprocity principle [g.r.p.], 1=2708
- Bibhuti Bhusan Deo. Electromagnetic interaction of charged pions, 1=19240
- Bibl, K. On the mechanism of ionization of the sporadic Es layer in the ionosphere, 1=1537
- Bibring, H. and Graf, R. Study of precipitation phenomena in the binary alloys Co-Mo and Co-W, 1=20604
- Bibron, R., Delibrias, G. and Leger, C. Apparatus for the detection of carbon 14 and tritium, 1=8629
- Bice, R.C. Electromechanical transducer for vibrotactile stimulation, 1=15367
- Bickemuehl, R.R., Kaupila, J.E. and Eddy, D.S. Analysis of photojunctions formed by diffusing copper into insulating cadmium sulfide crystals, 1=10059
- Bickerton, R.J. See Allen, T.K., 1=18869
- Biczó, G., Bozóki, G., Fenyves, E. and Gombosi, E. High-energy interactions of a heavy primary in emulsion, 1=15592
- Bidinosti, D.R., Irish, D.E. and Tomlinson, R.H. The thermal neutron fission yields of  $\text{U}^{235}$ , 1=7405
- Biedenharn, L.C. Wigner coefficients for the R<sub>g</sub> group and some applications, 1=6784
- Biedenharn, L.C. See Phillips, G.C., 1=3402
- Biedenharn, L.C. See Phillips, G.C., 1=8589
- Biellmann, J. See Nikitine, S., 1=1160
- Biem, W. The temperature dependence of the absorption of light by excitons, 1=17468
- Bienenstock, A. Determination of crystallite size distributions from X-ray line broadening, 1=4037
- Biener, M. and Bleuler, K. Geometrical representation of nuclear properties, 1=5817
- Bierig, R. See Zdanuk, E.J., 1=16438
- Bierlein, T.K. and Mastel, B. Damage in  $\text{UO}_2$  films and particles during reactor irradiation, 1=3699
- Bierlein, T.K. and Mastel, B. Fission fragment damage in nonfissionable thin films, 1=3700
- Bierman, A. Derivation of the displacement current from the Biot-Savart law, 1=7125
- Biermann, L. Relations between plasma physics and astrophysics, 1=5150
- Biermann, L. and Davis, L., Jr. Considerations bearing on the structure of the Galaxy, 1=29
- Biermann, L. and Davis, L. On the acceleration of cosmic rays during the early part of the evolution of our Galaxy, 1=3332
- Biersack, J. Energy losses in the F.F.F.A.G. accelerator, 1=16447
- Bierstedt, P.E. See Jarrett, H.S., 1=6375
- Bierstedt, P.E. See Kepler, R.G., 1=2402
- Bies, D.A. Effect of a reflecting plane on an arbitrarily oriented multipole, 1=5330
- Bies, D.A. and Franken, P.A. Flow resistance of fibrous materials, 1=6931
- Bies, D.A. and Franken, P.A. Notes on scaling jet and rocket noise, 1=12955
- Biesalski, J. Measurement of rate of removal of material in grinding optical glass, 1=12727
- Biesert, N. See Westermarck, T., 1=20760
- Biet, J.P. The determination from electrical measurements of the impurity concentration in the base region of a low frequency germanium transistor, 1=17780
- Bietti, A.  $\alpha$ -particle wave functions and the muon capture in  $^4\text{He}$ , 1=13466
- Bigeleisen, J. Vapor pressures and related thermodynamic properties of the isotopic nitric oxide molecules, 1=3581
- Bigeleisen, J. Statistical mechanics of isotope effects on the thermodynamic properties of condensed systems, 1=8065
- Bigeleisen, J. and Ribnikar, S.V. Structural effects in the vapor pressures of isotopic molecules.  $\text{O}^{18}$  and  $\text{N}^{15}$  substitution in  $\text{N}_2\text{O}$ , 1=16171
- Bigeleisen, J. and Roth, E. Vapor pressures of the neon isotopes, 1=10628
- Bigg, P.H. Standard unit of pressure in vacuum physics, 1=5298
- Bigg, P.H. Basis of verification of metal and glass Sikes hydrometers, 1=9366
- Bigg, P.H. See Florescu, N.A., 1=9425
- Bigham, C.B. The temperature dependence of the fission cross-sections of  $\text{Pu}^{239}$ ,  $\text{U}^{235}$ , and  $\text{U}^{233}$ , 1=741
- Bigham, C.B. and Pearce, R.M. The slowing-down spectrum in a heterogeneous reactor, 1=2266
- Biglin, A.S. A quantitative measure of texture in polycrystalline materials: texture function, 1=1358
- Biibosunov, I. An example of transonic flow of a gas with a supersonic zone terminated by a curved shock which ends inside the flow, 1=6886
- Bijl, D. and Campbell, C.K. A two-level maser, 1=9682
- Bijvoet, J. See Bindels, J., 1=6298
- Bilaniuk, O.M. See Alford, W.P., 1=19504
- Bilaniuk, O.M. See Parkinson, W.C., 1=16618
- Bilby, B.A. Lattice defects and the mechanical properties of solids, 1=956
- Bilby, B.A. and Frank, F.C. The analysis of the crystallography of martensitic transformations by the method of prism matching, 1=1406
- Bilby, B.A. See Crocker, A.G., 1=20582
- Bil'dzyukevych, I.A. See Kurdyumov, H.V., 1=15127
- Bilen'kii, S.M. and Ryndin, R.M. Emission of low-energy  $\gamma$ -quanta by electrons scattered on protons, 1=19175



- Bilen'skii, S.M. Energy dependence of the scattering cross-section at small energies, 1=19161
- Bilger, R.C. See Eldredge, D.H., 1=4152
- Bilhorn, D.E. and Tobocman, W. Coupled square well model for elastic scattering, 1=8743
- Billardon, M. Rotary dispersion of some Werner complexes, 1=2756
- Billardon, M. See Badoz, J., 1=10609
- Billings, C.E., Megaw, W.J. and Wiffen, R.D. Sampling of sub-micron particles for electron microscopy, 1=7895
- Billings, D.E. See Lowman, K.M., 1=1644
- Billings, D.E. See Williamson, N.K., 1=7993
- Billington, E.W. Some measurements of the elastic and viscous properties of thixotropic fluids, 1=109
- Billmeyer, F.W. Jr., Beasley, J.K. and Sheldon, J.A. Color-order system predicting constant hue, 1=9237
- Billmeyer, F.W., Jr. See Baum, F.J., 1=4431
- Bills, D.G. See Oldenberg, O., 1=8831
- Bills, K.W. Jr. and Salcedo, F.S. The swelling of unfilled and highly filled polymers, 1=18400
- Biloni, H. Substructures and dislocations produced during solidification of aluminum, 1=19773
- Bilpuch, E.G., Seth, K.K., Bowman, C.D., Tabony, R.H., Smith, R.C. and Newson, H.W. s- and p-wave neutron spectroscopy VII. Widths of neutron resonances, 1=15654
- Bilpuch, E.G. See Newson, H.W., 1=13652
- Bilpuch, E.G. See Newson, H.W., 1=13653
- Bilwes, R., Gérardin, C. and Magnac-Valette, D. The spectrum of  $\alpha$ -particles from the reaction  $B^{10}(\alpha, d)Be^8$  and the excited levels of  $Be^8$  between 0 and 8 MeV, 1=3458
- Bilwes, R., Seltz, R., Gérardin, C. and Magnac-Valette, D. The spectrum of  $Be^8$  produced in the  $\beta$ -decay of  $Li^8$ , 1=2182
- Bilwes, R., Seltz, R., Suffert, M., Gérardin, C., Linck, J., Magnac-Valette, D. and Cüer, P. Disintegration spectrum of  $Li^8$ . Calibration of the Buchner spectrometer of the Cronenbourg Van de Graaff, 1=13701
- Bilwes, R. See Gérardin, C., 1=16919
- Bilwes, R. See Magnac-Valette, D., 1=7289
- Bilz, H., Genzel, L. and Happ, H. The infrared dispersion of alkali halides. I. The interpretation of the spectra according to the Born-Huang theory, 1=1168
- Bimschas, G. The theory of secondary electron emission from metals, 1=5493
- Bimschas, G. and Schubert, G.U. On the theories of secondary electron emission of metals. II, 1=10735
- Bindal, V.N. See Parthasarathy, S., 1=12876
- Bindels, J., Bijvoet, J. and Rathenau, G.W. Stabilization of definable domain structure by interstitial atoms, 1=6298
- Binder, D. Effect of fission spectrum neutrons on n-type germanium, 1=8941
- Binder, O. See Bagge, E., 1=3353
- Binder, R. See Newman, P.A., 1=16049
- Bing, G.F. and Roberts, J.E. End-losses from mirror machines, 1=11953
- Bingel, W.A. Spin dependence of the first-order transition density matrix, 1=7432
- Bingel, W.A. Potential curves of diatomic molecules and potential energy surfaces of polyatomic molecules for small nuclear separations, 1=17377
- Bingel, W.A., Preuss, H. and Schmidtke, H.H. The variation of potential of the low-lying singlet and triplet states of  $H_2$  for large inter-nuclear distances using the Heitler-London approximation, 1=11105
- Binnendijk, L. The light variation and orbital elements of AK Herculus, 1=4204
- Binnie, A.M. Self-induced waves in a conduit with corrugated walls. I. Experiments with water in an open horizontal channel with vertically corrugated sides, 1=127
- Binnie, D.M., Barros, S.L. de S., and Hyams, B.D. Photons from the radiative pion decay, 1=8476
- Biondi, M.A. and Chanin, L.M. Blanc's law — ion mobilities in helium-neon mixtures, 1=7228
- Biorci, G., Ferro, A. and Montalenti, G. Magnetic viscosity and annealing in magnetic field, 1=1216
- Biorci, G., Ferro, A. and Montalenti, G. Magnetic viscosity due to solute atom pairs. I. Theory of the effect, 1=1226
- Biorci, G., Ferro, A. and Montalenti, G. Magnetic viscosity due to solute atom pairs. II. Experimental results, 1=9033
- Biorci, G., Ferro, A. and Montalenti, G. On the nature of radiation damage due to fast neutron bombardment in ferromagnetic materials: very high permeability pure iron and nickel, 1=14730
- Biot, A. Periaxial aberrations of the eye. I, 1=6668
- Biot, M.A. and Rosenbaum, J.H. Trapping of acoustic energy near a source above a submerged elastic plate, 1=2818
- Bir, G.L. and Pikus, G.E. Deformation potential theory of semiconductors with complex band structure, 1=1030
- Bir, G.L. and Pikus, G.E. Deformation potential theory of semiconductors with complex band structure, 1=6142
- Bir, G.L. See Pikus, G.E., 1=6097
- Bir, G.L. See Pikus, G.E., 1=10178
- Bir, G.L. See Pikus, G.E., 1=11472
- Biram, J.G. Measurement of slip (Ko) and viscous (Bo) flow coefficients of permeable solids, 1=2513
- Birbrair, B.L. Analysis of the angular distribution of reaction products in light nuclei, 1=19432
- Birbrair, B.L. Effect of superfluidity of atomic nuclei on stripping and pick-up reactions, 1=19434
- Bîrcă-Gălăţeanu, D., Arcan, L. and Lupu, C. Spectra of aromatic nitrosoderivatives, 1=6017
- Birch, K.G. A scanning instrument for the measurement of optical frequency response, 1=9473
- Birchenall, C.E. See Rosenblatt, G.M., 1=13023
- Bird, G.R. An infrared gas microcell, 1=8231
- Bird, G.R. See Curl, R.F. Jr., 1=3536
- Bird, J.R., Waters, J.R. and Wells, F.H. A three dimensional analyzer using digital recording on magnetic tape, 1=2935
- Bird, J.R. See Waters, J.R., 1=15391
- Bird, L., Christmas, P., Taylor, A.E. and Wood, E. De-polarization parameter in p-p scattering at 143 MeV, 1=19198
- Birds, L., Edwards, D.N., Rose, B., Taylor, A.E. and Wood, E. Determination of the [Wolfenstein] parameter R in 142 MeV proton scattering, 1=13412
- Birge, R.T. A survey of the systematic evaluation of the universal physical constants, 1=1673
- Birge, R.W. See Fowler, W.B., 1=5788
- Birger, N.G., Slavatskiy, S.A. and Smorodin, Yu.A. On one particularity of interactions of particles with an average energy of 200 BeV, 1=3267
- Birgfellner, H. and Müller, H. On the temperature dependence of exo-electron emission, 1=9634
- Birken, S.H. See Murray, R.L., 1=17211
- Birkenbeil, H.J. and Cahn, R.W. Induced magnetic anisotropy created by magnetic or stress annealing of ion-aluminum alloys, 1=6280
- Birkgan, A.Yu. and Vol'mir, A.S. Investigation of the dynamic stability of plates using an electronic digital computer, 1=4292
- Birkgan, A.Yu. and Vol'mir, A.S. Investigation of the dynamic stability of plates using an electronic digital computer, 1=10457
- Birkhoff, R.D., Kohn, J.M., Eldridge, H.B. and Ritchie, R.H. The spherical condenser as a high transmission particle spectrometer. II. Disc source, 1=18947
- Birkhoff, R.D. See Ritchie, R.H., 1919
- Birkholz, U. On the experimental determination of the thermoelectric efficiency of semiconductors, 1=14524
- Birks, F.T. See Bovey, L., 1=385
- Birks, J.B. The scintillation process in organic systems, 1=2459
- Birks, J.B. [Ed.] Proceedings of the Rutherford Jubilee International Conference on Nuclear Physics, 1=16610
- Birks, J.B. and Dyson, D.J. Phase and modulation fluorometer, 1=11834
- Birks, J.B. and Hart, J. [Eds.] Progress in dielectrics. Volume 3, 1=5414
- Birks, J.B. and Hart, J. [Eds.] Progress in dielectrics. Volume 3, 1=8294
- Birks, J.B. and Kuchela, K.N. Energy transfer in fluorescent plastic solutions, 1=6865
- Birks, J.B. and Kuchela, K.N. Energy transfer in organic systems. II. Solute-solute transfer in liquid solutions, 1=9401
- Birks, J.B., Kuchela, K.N. and Read, F.H. Energy transfer in organic systems. III. Spectral effects in liquid solutions, 1=9402
- Birks, J.B. and Munro, I.H. Spectral response of antimony-caesium photocathodes, 1=16378



- Birks, J.B. and Schulman, J.H. [Eds.]. Progress in dielectrics, Volume 2, 1-5413
- Birks, J.B. and Schulman, J.H. [Eds.]. Progress in dielectrics, Volume 2, 1-8293
- Birks, L.S. Calculation of X-ray intensities from electron probe specimens, 1-6219
- Birman, J.L. Electronic structure of the centers in ZnS, 1-1182
- Birman, J.L., Samelson, H. and Lempicki, A. Reflection and emission of polarized light in ZnS and CdS, 1-10090
- Birnbaum, G. See Wagner, W.G., 1-10789
- Birnbaum, H.K. and Tuler, F.R. Deformation-produced point defects, 1-14260
- Birnboim, M.H. and Ferry, J.D. Method for measuring dynamic mechanical properties of viscoelastic liquids and gels; the gelation of polyvinyl chloride, 1-18349
- Biro, I. The calculation of the Grüneisen constant for metallic silver, 1-17429
- Birss, I.R. Bubble counting on low energy particle tracks, 1-406
- Birss, R.R. and Dey, S.K. The temperature dependence of the resistivity of ferromagnetic metals, 1-17601
- Birss, R.R. and Lee, E.W. The saturation magnetostriction constants of nickel within the temperature range  $-196^{\circ}$  to  $365^{\circ}\text{C}$ , 1-1225
- Birss, R.R. and Lee, E.W. The magnetostriction of ferromagnetic crystals below saturation, 1-20105
- Birss, R.R. See Lee, E.W., 1-3907
- Birss, R.R. See Lee, E.W., 1-17969
- Birtley, W.B. See Rank, D.H., 1-842
- Bisgård, K.M. See Andersen, T., 1-19371
- Bishara, L.B., Noor El Din Abd El Aziz and Haddara, S.R. Multiple scattering of  $\mu$ -mesons in lead, 1-7258
- Bishara, L.B., Noor El-Din Abd Aziz and Haddara, S.R. Large angle scattering of  $\mu$ -mesons, 1-7259
- Bishay, A.M. A bismuth lead borate glass dosimeter for high-level gamma measurements, 1-16623
- Bishay, A.M. Ultraviolet transmitting glass, 1-12982
- Bishop, C.M. See Westendorp, W.F., 1-11920
- Bishop, F.W. and Bogitch, S. Automatic shadowing device for electron microscopy, 1-12671
- Bishop, G.R. See Amsel, G., 1-10966
- Bishop, G.R. See Lacoste, F., 1-17280
- Bishop, J., Davidson, D.F., Evans, P.B.F., Hamer, A.N., McKnight, J.A. and Robins, E.J. The high-precision isotopic analysis of uranium hexafluoride, 1-5986
- Bishop, R.L. See Magarvey, R.H., 1-4319
- Bishop, R.L. See Magarvey, R.H., 1-6987
- Bishop, R.L. See Magarvey, R.H., 1-10482
- Bishop, R.L. See Magarvey, R.H., 1-18374
- Bisi, A., Bisi, F., Fasana, A. and Zappa, L. Influence of a static electric field on positronium formation in polymers, 1-8901
- Bisi, A., Fasana, A., Gatti, E. and Zappa, L. Positron annihilation in insulators, 1-19918
- Bisi, A., Fasana, A. and Zappa, L. Enhancement of the long-lived positronium annihilation rate by a static electric field, 1-19754
- Bisi, F. See Bisi, A., 1-8901
- Bisi, V. See Argan, P.E., 1-13242
- Biswas, A.B. See Irani, K.S., 1-20556
- Biswas, M.M. See Sen Gupta, R.L., 1-5745
- Biswas, N.N. See Ahmadzadeh, A., 1-7177
- Biswas, S. Forbush decrease of the flux of heavy primary nuclei of cosmic rays on May 12 and July 12, 1959, 1-16928
- Biswas, S. and Freier, P.S. The high-energy cosmic-ray flare of May 4, 1960. II. Emulsion measurements, 1-16932
- Biswas, S., Lavakare, P.J., Neelakantan, K.A. and Shukla, P.G. The energy spectrum of heavy nuclei in the primary cosmic radiation, 1-3318
- Biswas, S.G. Space groups of crystals of  $\alpha$ -,  $\beta$ - and  $\gamma$ -picoline at  $-180^{\circ}\text{C}$ , 1-15110
- Biswas, S.G. Space groups of crystals of ortho, meta and paraxylene at  $-180^{\circ}\text{C}$ , 1-15113
- Biswas, S.N. and Gupta, V. Effective range for  $K^{+}$ -nucleon interaction from dispersion relations, 1-539
- Biswas, S.N. and Gupta, V. Pion-hyperon resonances in pion production in hyperon-nucleon collisions, 1-9761
- Biswas, S.N. See Rajasekaran, G., 1-8570
- Bither, T.A. See Cloud, W.H., 1-6374
- Bitler, W.R. See Pound, G.M., 1-11220
- Bitó, J. See Lakatos, G., 1-18798
- Bitó, J. See Lakatos, G., 1-18799
- Bittel, H. Fluctuation phenomena in electrical conduction in solid bodies, 1-5417
- Bitter, F. New developments in high-magnetic field research, 1-18976
- Bittini, M. Note on the efficiency of triangular light pulses, 1-21126
- Bivens, L.W. Color induction and hue discrimination, 1-21142
- Bizard, G. and Seguinot, J. Solution of statistical problems of Poisson accumulation by electronic analogy, 1-15396
- Bizette, H., Terrier, C. and Adam, A. Principal magnetizations of chromic chloride, 1-10174
- Bizouard, M. Electrical conductivity and cryometry of solutions of fused salts, 1-15899
- Bizzeti, P.G. See Jones, B.D., 1-8500
- Björngard, B. and Hettlinger, G. Spectra of scattered radiation behind slabs of water irradiated by X-rays, 1-19171
- Bjorken, J.D. and Nauenberg, M. Symmetry of the  $\text{ND}^{-1}$  solutions for coupled scattering amplitudes, 1-3137
- Björklund, A. Analyses of soprano voices, 1-7954
- Bjorklund, W.R. See Weitzel, D.H., 1-5312
- Bjorling, C.G. See Riesz, R.P., 1-12672
- Björnholm, S. See Arbman, E., 1-4832
- Blaauw, A. Concluding lecture [Part IV—the large-scale structure of galaxies], 1-18187
- Black, P.J. and Moon, P.B. Resonant scattering of the 14 keV iron-57  $\gamma$ -ray, and its interference with Rayleigh scattering, 1-601
- Black, R.M. and Charlesby, A. Irradiated polymers, 1-7603
- Black, W., de Jongh, J.G.V., Overbeek, J.T.G. and Sparnaay, M.J.S. Measurements of retarded van der Waal's forces, 1-20397
- Blackburn, D.H. Interferometric instrument for the rapid measurement of small diameters, 1-4295
- Blackburn, W.S. Effect of irradiation growth on the creep of uranium under a uniaxial load, 1-11514
- Blackett, P.M.S. Comparison of ancient climates with the ancient latitudes deduced from rock magnetic measurements, 1-21111
- Blackett, P.M.S., Clegg, J.A. and Stubbs, P.H.S. An analysis of rock magnetic data, 1-1578
- Blackford, B.L. See Magarvey, R.H., 1-6987
- Blackie, R.F., Engler, A. and Mulvey, J.H. Estimate of the neutral  $\pi$ -meson lifetime, 1-520
- Blackman, L.C., Saunders, G. and Ubbelohde, A.R. Defect structure and properties of pyrolytic carbons, 1-17525
- Blackman, L.C.F., Dundas, P.H., Moore, A.W. and Ubbelohde, A.R. An induction furnace to attain temperatures above  $3000^{\circ}\text{C}$  in controlled atmospheres, 1-16163
- Blackman, L.C.F., Mathews, J.F. and Ubbelohde, A.R. Electrical properties of crystal compounds of graphite. I. Conductance of graphite/bromine, 1-1014
- Blackman, L.C.F., Mathews, J.F. and Ubbelohde, A.R. Electrical properties of crystal compounds of graphite. II. Acid salts of graphite, 1-1015
- Blackman, L.C.F., Mathews, J.F. and Ubbelohde, A.R. Electrical properties of crystal compounds of graphite. III. The role of electron donors, 1-1016
- Blackman, M. and Khan, I.H. The polymorphism of thallium and other halides at low temperatures, 1-6516
- Blackstock, D.T. Lagrangian one-dimensional equations of hydrodynamics for a viscous thermally conducting fluid, 1-12845
- Blackwell, D.E. and Ingham, M.F. Observations of the zodiacal light from a very high altitude station. I. The average zodiacal light, 1-12745
- Blackwell, D.E. and Ingham, M.F. Observations of the zodiacal light from a very high altitude station. II. Electron densities in interplanetary space, 1-12746
- Blackwell, D.E. and Ingham, M.F. Observations of the zodiacal light from a very high altitude station. III. The disturbed zodiacal light and corpuscular radiation, 1-12747
- Blackwell, D.E., Ingham, M.F. and Rundle, H.N. Observations of twilight and night sky airglow near the equator, 1-1553
- Blackwell, J.H. See Manuel, P.W., 1-12011
- Blade, J.C., Clare, J.W.H. and Lamb, H.J. The recrystallization characteristics of dilute aluminium solid solutions prepared from zone-refined aluminium by levitation melting, 1-15157
- Blahoi, Yu.P. Densities of solutions of condensed gases  $\text{A}-\text{CH}_3$ ,  $\text{N}-\text{CH}_3$ , 1-12873
- Blaine, L.R. See Plyler, E.K., 1-16075



- Blair, A.G. and Hamburger, E.W. Inelastic scattering of deuterons from the magnesium isotopes, 1=7396
- Blair, A.G. and Quisenberry, K.S.  $\text{Si}^{28}(\text{d}, \text{p})\text{Si}^{29}$  reaction, 1=7400
- Blair, J. and Smith, A.C. Phase transition in mercury telluride, 1=14473
- Blair, J.A. See Pillinger, W.L., 1=554
- Blair, J.M. See Leigh, J.J., 1=738
- Blair, J.S. Elastic and inelastic diffraction scattering, 1=8679
- Blair, J.S. Photodisintegration of  $\text{Be}^9$ , 1=13769
- Blair, J.S. and Wilets, L. Gamma-ray correlation function in the adiabatic approximation, 1=4848
- Blaise, J., Bauche, J., Gerstenkorn, S. and Tomkins, F.S. Spectroscopic determination of the spin of  $\text{Lu}^{176}$  and the nuclear magnetic and quadrupole moments of  $\text{Lu}^{176}$  and  $\text{Lu}^{178}$ , 1=16965
- Blake, B.H. See Erley, D.S., 1=7923
- Blake, L.R. and Eames, A.R. Electrical-resistivity meter monitors oxygen content of liquid metals, 1=16209
- Blakely, J.M. and Mykura, H. Surface self-diffusion measurements on nickel by the mass transfer method, 1=19804
- Blakemore, J.S. and Nomura, K.C. Enantiomorphous character of etch pits in tellurium, 1=11534
- Blakemore, J.S., Schultz, J.W. and Nomura, K.C. Some effects occurring in dislocated tellurium, 1=3666
- Blakemore, J.S. See Nomura, K.C., 1=2406
- Blamont, J., Lory, M.L. and Courtès, G. Reactivity of sodium and of lithium in the upper atmosphere, 1=15254
- Blamont, J.E. and Donahue, T.M. The dayglow of the sodium D lines, 1=21016
- Blamont, J.E., Donahue, T.M. and Lory, M.L. Measurement of the temperature in the upper atmosphere to 150 km in a rocket experiment, 1=10319
- Blamont, J.E., Hiéblot, J. and Selzer, E. Chemical explosion in the high atmosphere, 1=20879
- Blanaru, L. See Agarbichanu, I.I., 1=19342
- Blanc, A. and Roux, G. Detection of plutonium in the air by the application of coincidence techniques, 1=7332
- Blanc, D. and Ambrosino, G. The elements of nuclear physics, 1=7162
- Blanc, D. and Cabé, J. The use of cyclopropane vapour in Geiger-Müller counters, 1=13197
- Blanc, D., Cabé, J. and Giron, G. Measurements of positive ion mobilities of cyclopropane and ammonia in argon, 1=2945
- Blanc, D. and Degeilh, A. On the optimum working pressure of high frequency sources giving positive argon ions. Roles of extraction potential, oscillator power and frequency, 1=3022
- Blanc, D. and Degeilh, A. Ion sources excited by high-frequency oscillators, 1=16428
- Blanc, D., Fontan, J., Souhier, R. and Vedrenne, G. Detection and dosimetry of natural atmospheric radioactivity, 1=15243
- Blanc, D., Fontan, J. and Vedrenne, G. A continuous dosage system for radon in atmospheric air. Application to uranium prospecting, 1=15242
- Blanc, D., Fort, E., Lacoste, R. and Lagasse, J. Measurement of high electric resistances using an ionization chamber as a source of current, 1=8287
- Blanc, D., Fort, E., Lacoste, R. and Lagasse, J. Technique for measuring high electrical resistances by means of an ionization chamber, 1=16205
- Blanc, D. and Laborie, P. Form of the sensitive volume of spark counters (wire-plane), 1=19057
- Blanc, D. and Mathieu, J. Evidence of pulses produced by alpha-particles in an ionization chamber filled with hexane liquid, at laboratory temperature, 1=19055
- Blanc, D., Mathieu, J. and Boyer, J. Use of an ionization chamber filled with a dielectric liquid at room temperature, 1=9697
- Blanc, G. See Berge, P., 1=16167
- Blanc, G. See Bergé, P., 1=17634
- Blanc, G. See Dubois, M., 1=10020
- Blanc, J., Bube, R.H. and MacDonald, H.E. Properties of high-resistivity gallium arsenide compensated with diffused copper, 1=12446
- Blanc, J. See Brecher, C., 1=14603
- Blanchard, C.H. See Lombard, D.B., 1=16805
- Blanchard, C.H. See Seyler, R.G., 1=16957
- Blanchard, M.L. See Le Bot, Jean., 1=14535
- Blanco, V.M. and Lennon, C.J. The ratio of total to selective absorption, 1=18112
- Bland, D.R. The generalized plane strain of an elasto-plastic material, 1=6460
- Bland, J.A. and Basinski, S.J. The crystal structure of  $\text{Bi}_2\text{Te}_3$ , 1=20552
- Bland, J.A. and Flengas, S.N. The crystal structure of  $\text{K}_2\text{TiCl}_6$ , 1=10263
- Blander, M. Quasi-lattice model of reciprocal salt systems. A generalized calculation, 1=4325
- Blander, M. Some calculations for a one-dimensional salt mixture, 1=7514
- Blandin, A. Long range effects in the electronic structure of impurities in metals, 1=17516
- Blandin, A. and Friedel, J. On the quenching of vacancies in a fine-grained polycrystal, 1=960
- Blandin, A. and Friedel, J. Quadrupole effects in the nuclear magnetic resonance of dilute alloys, 1=9075
- Blandin, A. and Friedel, J. On quadrupolar effects in alloys, 1=20630
- Blandin, J. See Rose, A.J., 1=16471
- Blange, T. See David, R., 1=9974
- Blank, A.A. Curvature of binocular visual space. An experiment, 1=4153
- Blank, J.M. Equilibrium atmosphere schedules for the cooling of ferrites, 1=6549
- Blank, K. and Hersping, A. Space charge polarization and dielectric after-effect in glass, 1=1120
- Blanke, W.W. See Barber, C.R., 1=1843
- Blankenbecler, R. Construction of unitary scattering amplitudes, 1=7216
- Blankenbecler, R., Goldberger, M.L., MacDowell, S.W. and Treiman, S.B. Singularities of scattering amplitudes on unphysical sheets and their interpretation, 1=10855
- Blankenbecler, R. and Nambu, Y. Anomalous thresholds in dispersion theory. I, 1=5670
- Blankenbecler, R. See Albright, C.H., 1=16680
- Blankenship, J.L. and Borkowski, C.J. Performance of silicon surface barrier detectors with charge sensitive amplifiers, 1=3085
- Blankenship, J.L. and Borkowski, C.J. Silicon surface-barrier nuclear particle spectrometer, 1=3250
- Blankenship, J.L. See Halbert, M.L., 1=5616
- Blankova, E.B. See Arkharov, V.I., 1=14291
- Blankova, E.B. See Arkharov, V.I., 1=14292
- Blann, H.M. Fission of gold with 112-MeV  $\text{C}^{12}$  ions: A yield-mass and charge-distribution study, 1=12230
- Blanpain, R. Level gauge for liquid hydrogen and helium, 1=16184
- Blanter, M.S. See Piguzov, Yu.V., 1=14855
- Blaquière, A. Extension of the method of Nyquist to nonlinear loops, 1=6805
- Blaquière, A. Scintillation effect in valve self-oscillators, 1=16394
- Blaquière, A. and Pačhowska, R. The background noise of nuclear reactors. A simple electric model, 1=7415
- Blässer, G. Slowing down of neutrons in a heterogeneous system, 1=2065
- Blässer, G. Resonance capture of neutrons in a bundle arrangement of fuel elements, 1=3485
- Blässer, G. and Wirtz, K. Nuclear bases for the siting and building of nuclear reactors, 1=17225
- Blatt, F.J. On the metastable  $\gamma$ -phase uranium-molybdenum alloys, 1=17450
- Blatt, F.J., Garber, M., Kropschot, R.H. and Scott, B. Thermoelectric power of dilute copper and silver alloys, 1=1116
- Blatt, F.J. and Satz, H.G. Resistivity of thin metallic wires, 1=3710
- Blatt, J. See Katz, A., 1=5826
- Blatt, J.M. An alternative approach to the ergodic problem, 1=73
- Blatt, J.M. Electron pairs in the theory of superconductivity, 1=2920
- Blatt, J.M. Local properties in non-equilibrium systems, 1=10441
- Blatt, J.M. The Meissner effect in the quasi-chemical equilibrium theory of superconductivity, 1=10644
- Blatt, J.M. Persistent ring currents in an ideal Bose gas, 1=13047
- Blatt, J.M. See Derrick, G., 1=5793
- Blatt, J.M. See Matsubara, T., 1=4278
- Blatt, S.L. See Wells, D.O., 1=5612



## AUTHOR INDEX

- Blattner, D.J. See Ginsberg, L.H., 1=20868
- Blau, E.J., Hochheimer, B.F. and Unger, H.J. Infrared spectrum of diimide, 1=7715
- Blaugher, R.D. and Hulm, J.K. Superconductivity in the  $\delta$  and  $\alpha$ -Mn structures, 1=18718
- Blaugher, R.D. See Hulm, J.K., 1=11882
- Blaugrund, A.E., Dar, Y. and Goldring, G. Magnetic dipole transition probabilities in some odd- $a$  rotational nuclei, 1=8597
- Bleakney, H.H. Vacancies and the Kirkendall effect, 1=14250
- Bleaney, B. Quadrupole-quadrupole interaction in the rare earths, 1=6426
- Bleaney, B. and Hill, R.W. Hyperfine structure in terbium metal, 1=17422
- Bleaney, B. and Rubins, R.S. Explanation of some "forbidden" transitions in paramagnetic resonance, 1=3928
- Bleichrodt, J.F., Blok, J. and Dekker, R.H. On the spring maximum of radioactive fall-out nuclear test explosions, 1=13682
- Bleichrodt, J.F., Blok, J. and van Abkoude, E.R. Origin of radioactive fallout in the northern hemisphere after the spring maximum in 1959, 1=20873
- Blessing, W.G. Techniques for the irradiation of ceramic fuels in a moderate thermal neutron flux, 1=17234
- Blet, G. Study of the crystallization of selenium, 1=14967
- Blet, G. See Vincent, J., 1=8966
- Bleuler, K. See Biener, M., 1=5817
- Blevin, W.R. and Brown, W.J. Effect of particle separation on the reflectance of semi-infinite diffusers, 1=4476
- Blevin, W.R. and Brown, W.J. Light-scattering properties of pigment suspensions, 1=11845
- Blevis, B.C. See Serson, H.V., 1=10332
- Blewitt, T.H., Coltman, R.R., Jamison, R.E. and Redman, J.K. Radiation hardening of copper single crystals, 1=20391
- Blewitt, T.H., Coltman, R.R. and Klabunde, C.E. Annealing kinetics of neutron-irradiated aluminium and copper, 1=1003
- Blewitt, T.H., Sekula, S.T. and Diehl, J. Energy release in reactor-irradiated copper. II. 600 to 700°K release, 1=7608
- Blicharski, J., Hennel, J.W., Krynicki, K., Mikulski, J., Waluga, T. and Zapalski, G. Temperature dependence of proton spin-lattice relaxation times in some pure liquids, 1=9409
- Blicks, H., Riehl, N. and Sizmann, R. Reversible transformations of luminescence centres in ZnS phosphors, 1=17914
- Blikhintsev, D.L., Barashenkov, V.S. and Barbashov, B.M. The structure of nucleons, 1=2047
- Blin-Stoyle, R.J. and Feshbach, H. Effects of parity non-conserving internucleon potentials on the photoeffect in  $H^2$  and  $H^3$ , 1=19288
- Blin-Stoyle, R.J. and Le Tournoux, J. Beta-decay coupling constant and the ft value of  $O^{14}$ , 1=10983
- Blin-Stoyle, R.J. See Stroke, H.H., 1=8547
- Blin-Stoyle, R.J. See Stroke, H.H., 1=12152
- Blinic, R., Brenman, M. and Waugh, J.S. Proton magnetic resonance study of ferroelectric potassium ferrocyanide trihydrate, 1=20274
- Blinic, R., Detoni, S. and Pintar, M. Nature of the ferroelectric transition in triglycine sulfate, 1=17833
- Blinic, R. and Pintar, M. Proton magnetic resonance study of ferroelectric  $NaH_2(SeO_3)_2$  and  $LiH_2(SeO_3)_2$ , 1=19924
- Blinder, S.M. Dipole moment of HD. II, 1=17373
- Blinder, S.M. See Lord, N.W., 1=8860
- Blinov, G.A., Lomanov, M.F., Meshkovskii, A.G., Shalakov, Ya.Ya., and Shebanov, V.A. Large freon bubble chamber, 1=3098
- Blinov, M.V. See Protopopov, A.N., 1=742
- Blinov, P.I. See Akhmatov, A.P., 1=4628
- Blinov, V.A. See Shvedov, V.P., 1=5400
- Blinowski, K. Neutron diffraction studies in solid state physics, 1=20451
- Bliss, J.C. and Macurdy, W.B. Linear models for contrast phenomena, 1=21129
- Blistanov, A.A. See Shaskol'skaya, M.P., 1=3677
- Bloch, A. Mass spectrum of argon at raised pressure in the ion source, 1=16430
- Bloch, A. Damping without influence on frequency, 1=18497
- Bloch, B.L. See Maier, E., 1=9871
- Bloch, C. On the theory of imperfect Fermi gases, 1=5230
- Bloch, C. The structure of nuclear matter, 1=8533
- Bloch, C. See Balian, R., 1=12810
- Bloch, C. See Balian, R., 1=18289
- Bloch, J. Change of phase and disordering of the compound  $U_2Mo$  by irradiation, 1=1415
- Bloch, J. Radiocrystallography of strongly radioactive materials, 1=20468
- Bloch, M. See Baglin, C., 1=9764
- Bloch, M. See Laffineur, M., 1=9271
- Block, M. See Leitner, J., 1=16901
- Block, M.M., Brucker, E.B., Gessaroli, R., Kikuchi, T., Kovacs, A., Meltzer, C.M., Kraemer, R., Nussbaum, M., Pevsner, A., Schlein, P., Strand, R., Cohn, H.O., Harth, E.M., Leitner, J., Lendinara, L., Monari, L., and Puppi, G.  $K^-$  absorption in  $^4He$ . I. The hyperon-pion resonance, 1=13500
- Block, M.M. Three-body final states from  $K^-$  capture in helium and deuterium, 1=13510
- Block, R.C., Slaughter, G.G. and Harvey, J.A. Thermal neutron cross-section measurements of  $U^{233}$ ,  $U^{235}$ ,  $Pu^{240}$ ,  $U^{234}$ , and  $^{138}La$  with the O.R.N.L. fast chopper time-of-flight neutron spectrometer, 1=17131
- Bloembergen, N. Cross-relaxation effects in magnetic resonance, 1=11491
- Bloembergen, N. Linear effect of applied field on magnetic hyperfine interaction, 1=14823
- Bloembergen, N. Theory of the variation of the nuclear quadrupole interaction in covalent bonds with applied electric field, 1=17350
- Bloembergen, N. and Morgan, L.O. Proton relaxation times in paramagnetic solutions. Effects of electron spin relaxation, 1=5285
- Bloembergen, N., Pershan, P.S. and Wilcox, L.R. Microwave modulation of light in paramagnetic crystals, 1=1149
- Bloembergen, N. See Armstrong, J., 1=14837
- Bloembergen, N. See Armstrong, J., 1=17351
- Bloembergen, N. See Pershan, P.S., 1=20262
- Bloembergen, N. See Weinberg, D.L., 1=20259
- Blohinčev, D.I.  $\pi\pi$  interaction peripheral  $\pi N$  collisions, 1=2080
- Bloidze, Iu.A. See Selinov, I.P., 1=17010
- Blois, M.S.Jr., Brown, H.W. and Maling, J.E. The precise measurement of free radical g-values and their dependence on structure, 1=14090
- Blok, J. See Bleichrodt, J.F., 1=13682
- Blok, J. See Bleichrodt, J.F., 1=20873
- Blok, J. See Klaassen, F.M., 1=7633
- Blok, J. See Klaassen, F.M., 1=7674
- Blok, J. See Klaassen, F.M., 1=8942
- Blok, J. See Klaassen, F.M., 1=8955
- Blokh, V.I. Representation of the general solution of the basic equations of the static theory of elasticity for an isotropic body using harmonic functions, 1=8090
- Blokh, Y.L., Dorman, L.I. and Kammer, N.S. Unusual cosmic ray variations in July 1959, 1=19308
- Blokh, Ya.L. On the meteorological effects of the soft component of cosmic radiation, 1=3337
- Blokh, Ya.L., Dorman, L.I. and Kammer, N.S. Determining the character of earth-envelopment by a stream, and the properties of corpuscular streams from cosmic-ray variations during different magnetic storms, 1=3345
- Blokh, Ya.L., Dorman, L.I. and Kammer, N.S. The effect of intensity-increase of cosmic radiation prior to magnetic storms, 1=3347
- Blokh, Ya.L., Glokova, E.S., Dorman, L.I. and Inozemtseva, G.I. Electromagnetic conditions in interplanetary space according to the data of cosmic-ray variations during the period from August 20 to September 10, 1957, 1=3346
- Blokhintsev, D.I. and Wang Yung.  $\pi\pi$  interactions in  $\pi N$ -collisions at high pion energies, 1=5767
- Blokhintsev, L.B. See Akimova, M.K., 1=5929
- Blokhintsev, L.D. See Akimova, M.K., 1=17134
- Blokhintsev, L.D. See Shapiro, I.S., 1=19500
- Blokhra, R.L. See Rastogi, R.P., 1=11624
- Blom, B.V. See Spogen, L.R., 1=1603
- Blomberg, P. See Hellstrand, E., 1=16810
- Blomgren, E., Inman, D. and Bockris, J.O'M. Arrangement for electrochemical potential-time measurement in the millimicrosecond range, 1=4105
- Blomgren, G.E. An extended hole theory of liquids, 1=6855
- Blomgren, G.E. and Kommandeur, J. Organic semiconductors: aromatic hydrocarbon positive ions in solids, 1=19866
- Blomqvist, G. See Lundén, A., 1=15198
- Bloom, A.L. See Bell, W.E., 1=8255



- Bloom, A.L. See Bell, W.E., 1=8821  
 Bloom, A.L. See Bell, W.E., 1=10585  
 Bloom, A.L. See Bell, W.E., 1=12257  
 Bloom, M., Lipsicas, M. and Muller, B.H. Proton spin—lattice relaxation in polyatomic gases, 1=18476  
 Bloom, M. See Lipsicas, M., 1=8146  
 Bloom, M. See Lipsicas, M., 1=15965  
 Bloom, M. See Oppenheim, I., 1=9410  
 Bloom, S.D. and Glendenning, N.K. (p,n) reactions in mirror nuclei and the nuclear two-body force, 1=19463  
 Bloom, S.D., Kaifer, R.C. and Schrader, C.D. Space scintillator-detector distinguishing between protons and electrons, 1=3080  
 Bloom, S.D. and Mann, L.G. Isospin conservation and  $\beta$ - $\gamma$  circular-polarization correlation, 1=19405  
 Bloom, S.D., Mann, L.G. and Miskel, J.A. Isotopic spin conservation and beta—gamma circular polarization correlation in  $A^{41}$  and  $SC^{46}$ , 1=660  
 Bloom, S.D. See Albert, R.D., 1=7373  
 Bloom, S.D. See Wong, C., 1=11010  
 Bloomer, R.N. On the general principles of chemical and ionic pumping, 1=15970  
 Bloomfield, P., Lawson, A.W. and Rey, C. Crystal field splitting and covalent bonding in Fe++ silicate garnets, 1=6066  
 Bloor, D., Dean, T.J., Jones, G.O., Martin, D.H., Mawer, P.A. and Perry, C.H. Spectroscopy of extreme infra-red wavelengths, 1=16077  
 Bloore, P.D. and Botterill, J.S.M. Similarity in behaviour between gas bubbles in liquid and fluidized solid systems, 1=12858  
 Bloss, W. On an arrangement for the direct conversion of heat energy into electrical energy, 1=18748  
 Blosser, H.G. See Cohen, B.L., 1=1938  
 Blottiau, F. and Bertrand, G. Repercussion of spectrophotometric errors on colorimetric calculations, 1=18626  
 Bludman, S.A. Absence of  $\mu$ -e conversion processes and the  $\Delta I = \frac{1}{2}$  rule, 1=19222  
 Blue, E. and Flatt, H.P. Convergence of the  $S_n$  method for thermal systems, 1=13885  
 Blue, M.D. Resistivity and thermoelectric power of transition metals in copper—gold alloys, 1=11254  
 Blue, M.H., Lord, J.J., Parks, J.G. and Tsao, C.H. Transverse momentum of particles emitted in 4.2 GeV proton—proton collisions, 1=8456  
 Blüh, O. Physics for the biologist, 1=15589  
 Blum, E.J. The north—south multiple-lobe array of the large interferometer at Nançay, 1=18141  
 Blum, E.J. and Boischoit, A. Eclipse of the Crab nebula by the solar corona, 1=15537  
 Blum, E.J., Delannoy, J. and Joshi, M. Method for putting the elements of an aerial system in phase, 1=15526  
 Blum, L. On the transport equation in quantum mechanics, 1=12827  
 Blum, L. See Henin, F., 1=9986  
 Blum, S. See Belforti, D., 1=20534  
 Blumberg, B. See Thornton, G., 1=11055  
 Blumberg, W.E. and Eisinger, J. Effective mass in gray tin from Knight shift measurements, 1=1283  
 Blumberg, W.E., Eisinger, J. and Klein, M.P. Isotope effect in the nuclear magnetic resonance in rubidium, 1=14824  
 Blume, H. See Brauer, P., 1=9010  
 Blume, M. Orbital contribution to the magnetic form factor of  $Ni^{++}$ , 1=14667  
 Blume, P. See Ettinger, R., 1=2350  
 Blume, R.J. R.F. gate with  $10^9$  carrier suppression, 1=9521  
 Blume, R.J. "Boxcar" integrator with long holding times, 1=13058  
 Blume, R.J. Transmission-type piezoelectricity detector, 1=16218  
 Blume, R.J. See Bruner, L.J., 1=1281  
 Blume, R.J. See Budnick, J.I., 1=6433  
 Blumenthal, B. Constitution of low carbon U—C alloys, 1=20586  
 Blyumenfel'd, L.A. and Voevodskii, V.V. Radio spectroscopy and contemporary theoretical chemistry, 1=4743  
 Blyumenfel'd, L.A. See Chernyakovskii, F.P., 1=5072  
 Board, A.J. See Pearson, S., 1=19807  
 Boardman, L.J. New photometer for visual heterochromatic photometry, 1=10576  
 Boas, M.L. Apparent shape of large objects at relativistic speeds, 1=5188  
 Boatman, P.M. Three dimensional pressure temperature entropy diagram, 1=6989  
 Boato, G. and Casanova, G. A self-consistent set of molecular parameters for neon, argon, krypton and xenon, 1=12335  
 Boato, G., Casanova, G., Scoles, G. and Vallauri, M.E. Vapour pressure of isotopic liquids. III. Some corrections to previous papers, 1=8262  
 Boato, G., Sanna, R., Vallauri, M.E. and Reinharz, M. A mass spectrometer of high sensitivity, 1=15211  
 Bobber, R.J. Interference versus frequency in measurements in a shallow lake, 1=12944  
 Bobber, R.J. and Sabin, G.A. Cylindrical wave reciprocity parameter, 1=6927  
 Bobin, J.L. and Despres, J. Note on the M X-ray emission spectrum of plutonium, 1=7718  
 Bobka, R.J. See Pace, E.L., 1=11861  
 Bobovich, Ya.S. and Tulub, T.P. The temperature dependence of the Raman band intensities in crystalline and vitreous solids. I. An experimental study in the Stokes region of the spectrum, 1=5052  
 Bobovich, Ya.S. See Tulub, T.P., 1=11385  
 Bobroff, D.L., Haus, H.A. and Kluver, J.W. On E.L.Chu's definition of small signal r.f. power of electron beams, 1=16398  
 Bobrov, M.S. A study of solar corpuscular streams based on world-wide geomagnetic disturbances observed during the I.G.Y., 1=1591  
 Bobrov, M.S. The estimation of some parameters describing the non-uniformity of solar corpuscular streams, 1=6646  
 Bobýl, V.G. See Mitskevich, P.K., 1=5280  
 Bobýr, V.V., Strýzhak, V.I. and Tots'kii, I.A. Angular distribution of 2.8 MeV neutrons elastically scattered by Bobyr', V.V. See Strizhak, V.I., 1=17094  
 Bobýr, V.V. See Strizhak, V.I., 1=19425  
 Bobýr, V.V. See Strýzhak, V.I., 1=12201  
 Boccaletti, D., De Franceschi, G. and Gualdi, C. A model for double photoproduction of charged pions. II, 1=8480  
 Boccaletti, D. and Gualdi, C. A model for double photoproduction of charged pions, I, 1=5752  
 Boccara, N. Effective charges of the ions in alkali halide crystals. Duplication of the frequencies of oscillations of the optical branch, 1=2363  
 Boccara, N. Force field in the crystalline state and the Fourier matrix of alkali halides, 1=4962  
 Boček, M. The temperature dependence of some characteristics of the hardening curve of zinc single crystals, 1=20366  
 Boček, M. The influence of impurity content on some characteristics of the hardening curve of zinc single crystals, 1=20367  
 Bochenek, K. Evaluation of errors arising in the theory of antennae due to the use of geometrical optics, 1=4728  
 Bochkova, O.P. See Razumovskaya, L.P., 1=2950  
 Bochvar, D.A., Stankevich, I.V. and Chistyakhov, A.L. Entropy of localization and extension in a quantum mechanical system, 1=4272  
 Bochvar, D.A., Stanevich, I.V. and Christakhov, A.L. Entropy of localization and extension in a quantum mechanical system, 1=10434  
 Bock, R. Determination of the compound nucleus and stripping fraction of (d,p) and (d,n) reactions in  $Zr^{94}$  and  $Zr^{96}$ , 1=19523  
 Böck, R. See Bartke, J., 1=8513  
 Bockasten, K. Transformation of observed radiances into radial distribution of the emission of a plasma, 1=11937  
 Bockemuhl, R.R. Field-effect modulation of photoconductance in a quasi-intrinsic semiconductor, 1=2420  
 Bocker, P. and Mrass, H. Determination of the free field response of headphones, 1=213  
 Bockris, J.O'M. See Blomgren, E., 1=4105  
 Bod, L. See Ádám, A., 1=508  
 Bod, L. See Ádám, A., 1=13445  
 Bodansky, D., Cole, R.K., Cross, W.G., Gruhn, C.R. and Halpern, I. The evaporation of protons from rapidly rotating nuclei, 1=8773  
 Bodenseh, H.K. See Zeil, W., 1=3537  
 Bodendst, E., Körner, H.J., Gerdau, E., Radloff, J., Günther, C. and Strube, G. Angular correlation measurements of  $Hf^{180}$  and the determination of the  $g_R$  factors of the  $2^+$  and  $4^+$  rotational states, 1=19410



- Bodenstedt, E., Körner, H.J., Günter, C., Hovestadt, D. and Radeloff, J. A new isomeric state of Cs<sup>131</sup>, 1=632
- Bodenstedt, E., Körner, H.J., Günther, C. and Radeloff, J. The gyromagnetic ratio of the 80 keV rotational state of Erbium 166, 1=2160
- Bodenstedt, E., Körner, H.J., Strube, G., Günther, C., Radeloff, J. and Gerda, E. The gyromagnetic ratio of the 137 keV rotational level of Os<sup>186</sup>, 1=8568
- Bodin, H.A.B., Fitch, R.A. and Peacock, N.J. Neutron emission from linear pinches in deuterium at high rates of current rise, 1=9589
- Bodin, H.A.B., Newton, A.A. and Peacock, N.J. Rapid compression heating of a plasma in the linear Z-pinch, 1=18880
- Bodmann, H.W. Universally applicable scale of brightness sensation, 1=6680
- Bodmer, A.R. Isotope shift calculations for non-uniform charge distributions, 1=3512
- Bodmer, A.R. and Rook, J.R. Reaction cross-sections and the shape of the imaginary part of the optical potential, 1=19447
- Bodner, V.A. and Seleznev, V.P. Behaviour of unperturbed systems in an inertial space, 1=15585
- Bodner, V.A. and Seleznev, V.P. Behaviour of unperturbed systems in an inertial space, 1=18231
- Boegehold, H. Additions to the works of abbe. I, 1=8222
- Boehm, F. See Edwards, W.F., 1=4849
- Boehm, F. See Edwards, W.F., 1=8662
- Boehm, F. See Edwards, W.F., 1=16738
- Boehm, F. See Muir, A.H., 1=8627
- Boekelheide, I.F. See Wells, D.O., 1=5612
- Boelhouwer, J.W.M. PVT relations of five liquid n-alkanes, 1=6108
- Bör, K.W. Optical properties and photoconduction of CdS, 1=2436
- Bör, K.W. Remarks about the nature of problems in reaction kinetics, 1=6079
- Bör, K.W. Plasma-like space charge effects and their demonstration by means of electro-optic effects, 1=17860
- Bör, K.W. and Borchardt, W. Photochemical reactions and lifetime of photocells, 1=5031
- Bör, K.W. and Gutjahr, H. The ionic contribution to the current through CdS at high temperatures, 1=17720
- Bör, K.W., Oberländer, S. and Voigt, J. The steady photoconduction in the more complex reaction kinetic models, 1=6176
- Bör, K.W. and Wantosch, H. Slow growth of photoconductivity as a method for determining parameters, 1=3785
- Boer, K.W. See Bör, K.W., 1=14563
- Boerdijk, A.H. Zero-, first-, and second-order theories of a general thermocouple, 1=11902
- Boersch, H. Experiments on ferromagnetic layers with optical and electron irradiation, 1=3822
- Boersch, H., Geiger, J. and Reich, H.J. Energy losses of 25 keV electrons in atomic hydrogen, 1=9919
- Boersch, H., Hamisch, H., Wöhleben, D. and Grohmann, K. Antiparallel Weiss domains as biprisms for electron interference, 1=3017
- Boersch, H., Hamisch, H., Wöhleben, D. and Grohmann, K. Electron wave diffraction at magnetic structures, 1=16422
- Boersch, H., Radeloff, C. and Sauerbrey, G. Experimental detection of transition radiation, 1=16427
- Boersch, H., Raith, W. and Rehmet, M. Determination of spin polarization from the transparency variations in the case of optical pumping with the NaD line, 1=12255
- Boersch, H., Raith, W. and Weber, H. The magnetic deflection of electron beams in thin iron films, 1=10157
- Boersch, H., Raith, H. and Wöhleben, D. Electron-optical studies of Weiss domains in thin layers of iron, 1=2479
- Boesman, E. and Schoemaker, D. Paramagnetic resonance of the Fe<sup>3+</sup> ion in kaolinite, 1=10180
- Boesman, E. See Schoemaker, D., 1=10181
- Boeters, K.E. See Gobrecht, H., 1=2547
- Boeters, K.E. See Gobrecht, H., 1=8951
- Boettner, A. and Miedler, L.J. Transmittance changes in glasses induced by ultraviolet radiation, 1=19963
- Boffi, V.C. On the exact theory of the slowing-down of neutrons in an infinite homogeneous medium, 1=19209
- Boffi, V.C. and Molinari, V.G. Thermal utilization factor calculation in heterogeneous lattices, 1=11051
- Bogachev, I.N. See D'yakova, M.A., 1=10270
- Bogachev, I.N. See Mel'nikova, V.I., 1=10171
- Bogacheva, G.N. See Sadovskii, V.D., 1=10227
- Bogatskii, D.P. and Mineeva, I.A. An X-ray diffraction study of nickel oxides and their solid solutions, 1=10259
- Bogat'yev, A.N. See Fridkin, V.M., 1=2463
- Bogat'yev, A.N. See Fridkin, V.M., 1=6241
- Bogdan, D. Calculation of probabilities of M3 transitions and second-forbidden beta transitions in the Nilsson model, 1=19409
- Bogdankevich, O.V., Lazareva, L.E. and Moiseev, A.M. Inelastic scattering of photons on Rh<sup>108</sup> nuclei, 1=19436
- Bogdanov, G.F., Panov, D.A. and Semashko, N.N. The lifetime of fast ions in OGRA, 1=9614
- Bogdanov, S.V., Kopylovskii, B.D. Use of the phase method in measurement of the non-equilibrium carrier lifetime in semiconductors, 1=17704
- Bogdanova, N.B. and Popkov, V.I. Some properties of high-frequency corona radiation discharge, 1=4575
- Bogdanova, N.B. and Popkov, V.I. Some properties of high-frequency corona radiation discharge, 1=7033
- Bogdanowicz, J., Danysz, M., Filipkowski, A., Marquit, E., Skrzypczak, E., Wróblewski, A. and Zakrzewski, J. Determination of the mass of the  $\Lambda^0$  hyperon, 1=12122
- Boge, M. See Bouchez, R., 1=13796
- Boge, M. See Fleury, J., 1=13534
- Bogenschutz, A.F. See Balkanski, M., 1=1483
- Bogert, B.P. See Kramer, H.P., 1=7853
- Boggild, J.K., Hansen, K.H., Hooper, J.E., Scharff, M. and Aditya, P.K. A contribution to the K<sup>+</sup>-decay statistics, 1=5778
- Boggs, J.E. and Deam, A.P. Nonresonant dielectric dispersion in asymmetric rotors, 1=15963
- Boggs, J.E., Deam, A.P. and King, J.M. Temperature variation of the linewidth in nonresonant microwave absorption, 1=3535
- Bogitch, S. See Bishop, F.W., 1=12671
- Bogle, G.S. and Gardner, F.F. Cross-relaxation effects in a ruby L-band (1440 Mc/s) maser at low magnetic fields, 1=19016
- Bogle, G.S., Symmons, H.F., Burgess, V.R. and Sierins, J.V. Paramagnetic resonance spectrometry at zero magnetic field, 1=9694
- Bogolubov, N.N. On some problems of the theory of superconductivity, 1=6897
- Bogolyubov, N.N. The compensation principle and the self-consistent field method, 1=2714
- Bogomolov, V.N. See Averkin, A.A., 1=14372
- Bogoroditskii, N.P., Kulik, B.A. and Fridberg, I.D. Dielectric losses in relation to structure of ionic crystals, 1=14537
- Bogorodskii, O.V. See Fomin, V.G., 1=20607
- Bogoslovskii, V.N. and Shchepetkin, A.A. The X-ray determination of the oxygen parameter in ferrites with spinel structure, 1=12640
- Boguth, W. and Habermalz, F. A photoelectric indicator for the measurement of interference fringes, 1=18610
- Bohm, D., Hillion, P., Takabayasi, T. and Vigier, J.P. Relativistic rotators and bilocal theory, 1=2696
- Bohm, D., Hillion, P. and Vigier, J.P. Internal quantum states of hyperspherical (Nakano) relativistic rotators, 1=10423
- Bohm, D. See Aharonov, Y., 1=8052
- Bohm, D. See Aharonov, Y., 1=12042
- Bohm, H.V. Some Fermi surface measurements in silver, 1=19741
- Bohm, H.V. See Horwitz, N.H., 1=11868
- Böhm, K.H. A basic limit of the information contained in center-to-limb observations, 1=11678
- Böhme, H., Fromm, E. and Sittig, E. Oscillations of the isotropic circular cylinder with a vanishing axial component of motion, 1=8174
- Bohn, L. and Oberst, H. Data from vibration experiments on the technical behaviour of plastics in the case of transient (shock) stresses, 1=1296
- Bohr, A. Selected topics concerning nuclear spectra, 1=19351
- Bohun, A. The effect of annealing on thermally stimulated processes of coloured sodium chloride crystals, 1=17925
- Bohun, A., Dolejší, J., Kaderka, M., Kantárek, J., Kunzlová, I., Lébl, M. and Trnka, J. Electronic processes in coloured NaCl crystals with cadmium, 1=4998
- Bohun, A., Kantárek, J., Trnka, J. and Lébl, M. Electronic processes and Z centres in NaCl and KCl crystals, 1=17584
- Bohun, A. See Dolejší, J., 1=14662



- Boiko, I.I. and Rashba, E.I. Properties of semiconductors with a [Brillouin zone] extremum loop. II. Magnetic susceptibility in a field perpendicular to the plane of the loop, 1=14402
- Boiko, I.I. See Rashba, E.I., 1=14403
- Boillet, P. Critical study of the principal methods of illumination of spectrographs, 1=16079
- Boischot, A. Type IV [solar] emissions, 1=2652
- Boischot, A. Preliminary results of the observation of radio sources with the Nançay interferometer, 1=18136
- Boischot, A. and Fokker, A.D. The 1957 November 4 event, 1=18163
- Boischot, A. and Simon, P. The slowly varying component of solar emission at 169 Mc/s, 1=2645
- Boischot, A. and Simon, P. Effect of an increase of radiowave continuum emission on the emission of solar type I bursts, 1=15539
- Boischot, A. See Avignon, Y., 1=6736
- Boischot, A. See Blum, E.J., 1=15537
- Boischot, A. See Moutot, M., 1=15440
- Boivin, A. and Tremblay, R. Microwave interferometer with coherent background, 1=13185
- Boivin, G. See Lansraux, G., 1=2882
- Boivin, M. The widening of an electron beam by the space charge, 1=16401
- Bok, B.J. See Basinski, J., 1=18199
- Bokhan, N.A. See Makover, S.G., 1=2605
- Bokii, G.B. and Porai-Koshits, M.A. Crystal chemistry of complex compounds of group eight metals, 1=15017
- Bokov, V.A. and Mýl'nikova, I.E. Ferroelectric properties of monocystals of new perovskite-type compounds, 1=12473
- Boksha, S.S. and Shakhovskoi, G.P. An apparatus of a super-high pressure with a simultaneous achievement of high temperatures, 1=6686
- Bokshtein, B.S., Magidson, I.A. and Svetlov, I.L. On diffusion in volume and along grain boundaries, 1=7588
- Bokshtein, B.S. See Bao-Syue-Sin', 1=17557
- Bokut', B.V. and Fedorov, F.I. Reflection and refraction of light in optically-active isotropic media, 1=13002
- Boland, J.W. See Sloanaker, R.M., 1=5168
- Boldt, E. and Tsipis, C. Utilization of optical filters in a scintillation detector, 1=7172
- Boldt, W. and Reimann, H. The long-wavelength infrared emission from gas-discharge lamps, 1=4467
- Bolef, D.I. Elastic constants of single crystals of the B.C.C. transition elements V, Nb, and Ta, 1=3954
- Bolef, D.I., Melamed, N.T. and Menes, M. Elastic constants of hexagonal cadmium sulfide, 1=20292
- Bolef, D.I. See Menes, M., 1=19702
- Bolen, K.T. See Norris, G.F., 1=4449
- Bölger, B. On the power transfer between paramagnetic spins and crystal lattice, I, 1=9064
- Bölger, B., Noothoven van Goor, J.M. and van Damme, K.J. On the power transfer between paramagnetic spins and crystal lattice. II, 1=9065
- Bölger, B. and Robinson, B.J. Paramagnetic relaxation rates determined by pulsed double resonance experiments, 1=6414
- Bolk, A. Kirkendall effect and diffusion in the gold-platinum system. I. The Kirkendall effect, 1=14312
- Bolk, A. Kirkendall effect and diffusion in the gold-platinum system. II. The concentration penetration curves and the diffusion coefficients, 1=14313
- Boll, R. Metallic magnetic materials at high frequencies, 1=3910
- Boll, R.H. Calculation of complex equilibrium with an unknown number of phases, 1=7899
- Bollhagen, H. See Carr, T.D., 1=1658
- Bollhagen, H. See Carr, T.D., 1=11685
- Bolling, G.F., Massalski, T.B. and McHargue, C.J. An X-ray study of deformation stacking faults at low temperatures in lead, some lead alloys, and aluminium, 1=12395
- Bolling, G.F. and Tiller, W.A. Growth from the melt. II. Cellular interface morphology, 1=1368
- Bollinger, L.M. and Thomas, G.E. Measurement of the time dependence of scintillation intensity by a delayed-coincidence method, 1=13223
- Bollinger, L.M. See Carpenter, R.T., 1=705
- Bollinger, L.M. See Côté, R.E., 1=17111
- Bollinger, L.M. See Du Toit, S.J., 1=10994
- Bollinger, L.M. See Jackson, H.E., 1=5927
- Bollini, C.G. Total Compton cross section for arbitrary spin, 1=475
- Bollini, C.G. and Giambiagi, J.J. On a generalized Foldy-Wouthuysen transformation, 1=13289
- Bollmann, W. Electron microscope study of radiation damage in graphite, 1=7610
- Bologa, M.K. See Boyarskaya, Yu.S., 1=4001
- Bolotin, H. See Hughes, D.J., 1=8667
- Bolotin, H.H., Li, A.C. and Schwarzschild, A. Level structure of  $\text{Sn}^{118}$  and  $\text{Sn}^{120}$  from the decay of Sb isotopes, 1=16997
- Bolotin, L.I., Kliutcharev, A.P., Revutskii, E.I. and Rutkevitch, N.Ya. Elastic scattering of 5.4 MeV protons against the isotopes in  $\text{Ni}^{54}$ ,  $\text{Zn}^{64}$  and  $\text{Zn}^{68}$ , 1=8705
- Bolotin, V.F. See I'khmatov, A.P., 1=4628
- Bolshakova, O.V. See Troitskaya, V.A., 1=20800
- Bol'shakova, T.V. See Nikitinskaya, T.I., 1=19920
- Bol'shova, K.M. and Elkina, T.A. Low-temperature viscosity and hysteresis of manganese iron ferrites containing cobalt admixtures, 1=20132
- Bol'shutkin, D.N., Gavranek, V.V. and Fuks, M.Ya. X-ray investigation of cavitation erosion of metals, 1=14915
- Bol'shutkin, D.N. See Gavranek, V.V., 1=20393
- Bolsterli, M. and Geffen, D.A.  $\text{K}_e$  decay as a test of universal V-A lepton, 16882
- Bolt, B.A. Spheroidal oscillations of the moon, 1=5135
- Bolt, B.A. and Butcher, J.C. Rayleigh wave dispersion for a single layer on an elastic half space, 1=192
- Bolt, R.H. See Johnson, F.R., 1=8205
- Bolt, R.H. See Kurtze, G., 1=193
- Boltaks, B.I., Kulikov, G.S. and Malkovich, R.Sh. Electrical transport of gold in silicon, 1=1756
- Boltaks, B.I. and Syue Shi-in' [Hsileh Shih-yin]. Diffusion, solubility, and the influence of admixtures of silver upon the electrical properties of silicon, 1=3688
- Bolton, H.C. and Heaton, J.W. The electronic distribution in diamond and the intensities of X-ray reflections, 1=20526
- Bombré, F. and Gans, F. The luminous emission of cadmium sulphide bombarded by cathode rays, 1=11403
- Bonacalza, E.C.O. See Bergström, L., 1=5855
- Bonalumi, R. Theoretical thermal neutron flux shape in a solid cylindrical rod, 1=5729
- Bonalumi, R. Neutron first collision probabilities in reactor physics, 1=13877
- Bonalumi, R., Bruschetti, S., Bruschi, C. and Zordoli, G.B. Thermal diffusion length measurements on graphite impregnated by diphenyl, 1=5732
- Bonalumi, R., Bruschi, C. and Zorzoli, G.B. Neutron age measurement in graphite impregnated by diphenyl, 1=2060
- Bonar, D.C. See Drake, C.W., 1=13524
- Bonch-Bruевич, V.L. The dependence of the phonon spectrum on the concentration of free current carriers, 1=2375
- Bonch-Bruевич, V.L. Application of the Green function method to the multi-electron problem in a solid, 1=3615
- Bonch-Bruевич, V.L. A theory of impurity states in semiconductors, 1=5011
- Bonch-Bruевич, V.L. Theory of the electron states due to dislocations. II. Screw dislocations, 1=6086
- Bonch-Bruевич, V.L. Application of renormalization group to the Coulomb problem in a solid, 1=6091
- Bonch-Bruевич, V.L. and Glasko, V.B. Theory of the electron states due to dislocations. I. Edge dislocations, 1=6085
- Bonch-Osmolovskaya, N.A., Dzelepov, B.S., Kraft, O.E. and Wang Young-Yu. 2.5 h 27 min  
Decay chain  $\text{Er}^{158} \rightarrow \text{Ho}^{158} \rightarrow \text{Dy}^{158}$  1=19393  
E  $\text{E}, \beta^+$  stab
- Bond, F.R. Motion of the aurora and magnetic bays, 1=1587
- Bond, F.R. A preliminary account of the auroral display of 15 July 1959 as recorded in Australia and at A.N.A.R.E. stations, 1=21041
- Bond, F.R. and Jacka, F. Distribution of auroras in the southern hemisphere, 1=1558
- Bond, F.R. See Cole, K.D., 1=21093
- Bond, F.R. See Denholm, J.V., 1=10331
- Bond, W.L. Precision lattice constant determination, 1=20463
- Bond, W.L. and Kaiser, W. Interstitial versus substitutional oxygen in silicon, 1=7578
- Bondar, N.M. See Dutchak, Ya.I., 1=15141
- Bondarenko, B.V. On the temperature dependence of work function of semiconductor thermocathodes, 1=4632
- Bondarenko, R.M. See Lashkar'ov, V.Ye., 1=14453
- Bondarenko, V.S. See Venetsev, Yu.N., 1=20504



- Bondarev, Yu.E. Microhardness of ferrite in carbon steels, 1=11507
- Bondelid, R.O. See Butler, J.W., 1=4847
- Bondi, H. On the reception of electromagnetic waves, 1=16545
- Bonera, G., Chiodi, L., Lanzi, G. and Rigamonti, A. Nuclear magnetic relaxation in colloidal solutions, 1=6560
- Bonera, G., Chiodi, L., Lanzi, G. and Rigamonti, A. Longitudinal and transverse nuclear relaxation in pure liquids and colloidal solutions, 1=12900
- Bonera, G. and De Stefano, P. Transient effects in nuclear magnetic resonance with the rotating co-ordinates method, 1=9068
- Bonera, G., de Stefano, P. and Giulotto, L. Adiabatic passage and transient effects in N.M.R. by rotating coordinates, 1=11492
- Bonetti, A. See Baldassarre, F., 1=16862
- Bonetti, A. See Jones, B.D., 1=8500
- Boni, A.L. A polyacrylamide gamma dosimeter, 1=8406
- Bonits, M.P. See Berlovich, E.E., 1=19341
- Bonitz, M. and Berlovich, E.J. Notes on a fast time analyser for short lifetime measurements, 1=18739
- Bonjour, E. and Verdier, J. Mechanism of boiling under electric field, 1=2912
- Bonnal, J.F., Briffod, G. and Manus, G. Enhanced diffusion and oscillations in weakly ionized plasmas, 1=11956
- Bonnel. See Lévy, P., 1=17108
- Bonnel, C. and Lévy, P. Study of the first levels of  $O^{18}$  by the reaction  $F^{19}(n, d)O^{18}$  by means of a telescope selecting the deuterons, 1=9816
- Bonnel, C. and Levy, P. A study of the break-up of deuterons by 14.1 MeV neutrons, 1=19286
- Bonnelle, C. and Jacquot, F. Study of the crystalline structure of thin films of nickel by electron diffraction, 1=7864
- Bonnelle, C. and Senemaud, C. Comparison study of the L emission bands of palladium, 1=13946
- Bonner, T.W. Measurements of neutron spectra from fission, 1=5947
- Bonner, T.W. and Bramblett, R.L. Neutrons from (p, n) reactions in several intermediate weight nuclei, 1=8714
- Bonner, T.W., Davis, E.A., Din, G. and Kuan, H.M. Excited states on  $N^{16}$  and  $F^{18}$ , 1=8577
- Bonner, T.W. See Bass, R., 1=5921
- Bonner, T.W. See Bramblett, R.L., 1=2209
- Bonner, T.W. See Bramblett, R.L., 1=16813
- Bonner, T.W. See Davis, E.A., 1=19487
- Bonner, T.W. See Rabson, T.A., 1=665
- Bonner, W.A. See Montgomery, P.O'B., 1=8219
- Bonnet, G. The validity of the electric model representation of the effects of nuclear magnetic resonance, 1=16604
- Bonnet, M. and Servoz-Gavin, M. A method of measuring weak fields by free precession in conjunction with electronic pumping, 1=13149
- Bonnevay, G., Aitchison, I.J.R. and Dowker, J.S. Analytic properties of the three point function, 1=19113
- Bonnevier, B. Experiments on the confinement of an electron gas in a magnetic field, 1=13089
- Bonnier, E. and Desré, P. On the applications of phase diagrams to the knowledge of thermodynamic interactions, 1=1435
- Bonnier, E. and Desré, P. The use of phase diagrams for information of thermodynamic interactions, 1=19711
- Bonnier, E. and Desré, P. On the application of phase diagrams in the study of thermodynamic interactions, 1=20583
- Bonnor, W.B. The field of an electric current in general relativity, 1=1694
- Bonnor, W.B. Exact solutions of the Einstein-Maxwell equations, 1=2684
- Bonnor, W.B. The relativistic model of the steady-state universe, 1=12736
- Bonnor, W.B. and McVittie, G.C. Hoyle's covariant formulation of the law of creation of matter, 1=15410
- Bonsack, W.K. The abundance of lithium in T Tauri stars: further observations, 1=5160
- Bonse, U. Measurements of anomalous transmission and reflection of X-rays on good germanium single crystals in the Bragg case of interference: comparison with the dynamical theory of X-ray interference, 1=10253
- Bonsignori, F., Bortolani, V. and Stanghellini, A. Pion-pion interaction from  $\pi$  production in  $\pi N$  collision, 1=5759
- Bonstrom, D.B., Morrish, A.H. and Watt, L.A.K. Magnetic properties of the low-temperature form of magnetite, 1=6281
- Booker, C.J.L. and Wood, J.L. Further electrical effects of the adsorption of water vapour by anodized aluminium, 1=1124
- Booker, H.G. A local reduction of F-region ionization due to missile transit, 1=20984
- Boom, R.W. See Betterton, J.O., Jr., 1=9513
- Booman, K.A. See Piette, L.H., 1=17343
- Boonstra, B.P.A. See Duijvestijn, A.J.W., 1=14714
- Boos, E.G. Analysis of nuclear interactions of  $E \geq 10^{11}$  eV nucleons in photographic emulsions, 1=3438
- Boot, H.A.H. See Conder, P.C., 1=5311
- Booth, E.C. Nuclear resonance scattering of Bremsstrahlung, 1=2168
- Booth, K.H.V. and Harris, I.A. The effect of elastically reflected electrons on the characteristic of a thermionic diode, 1=16395
- Booth, N.E., Abashian, A. and Crowe, K.M. Anomaly in meson production in p + d collisions, 1=16846
- Booth, N.E., Abashian, A. and Crowe, K.M. Double meson production in proton-deuteron collisions, 1=16847
- Booth, N.E., Chamberlain, O. and Rogers, E.H. Search for a neutral meson of zero I-spin, 1=7262
- Booth, R. See Benveniste, J., 1=12196
- Booth, R. See Benveniste, J., 1=19361
- Boothroyd, G. Photographic technique for the determination of metal cutting temperatures, 1=6969
- Booy, H.C. See Klaassen, F.M., 1=7674
- Booy, H.C. See Klaassen, F.M., 1=8942
- Boozer, C.E. See Reddy, G.S., 1=7489
- Bopp, G.R. See Weitzel, D.H., 1=5312
- Borchardt, W. See Bßer, K.W., 1=5031
- Borchers, H.J. On the completeness of Lorentz invariant fields in a timelike tube, 1=9716
- Borchers, R.R. See Dagley, P., 1=8715
- Bordone-Sacerdote, C. Measurements of damping materials sprayed on steel tubes, 1=4397
- Bordoni, P.G. Dislocation relaxation at high frequencies, 1=17407
- Bordoni, P.G., Nuovo, M. and Verdini, L. Low-temperature dissipation peak in niobium, 1=11504
- Bordoni, P.G., Nuovo, M. and Verdini, L. Dynamic behaviour of polymethyl methacrylate between 60 and 300°K, 1=14850
- Bordoni, P.G., Nuovo, M. and Verdini, L. Dislocation relaxation in silver, gold, palladium and platinum, 1=17533
- Bordovskii, G.A. See Kushnir, Yu.M., 1=4648
- Boreli, F.M. Thorium fission chamber, 1=13449
- Borello, O., Costa, S. and Ferrero, F. The  $E.C./\beta^+$  ratio in  $Pr^{139}$ , 1=17049
- Borelowski, Z. On a modification of Weyssenhoff's homogeneous variational principle with higher derivatives, 1=16657
- Borgeaud, P. See Straumanis, M.E., 1=10258
- Borggreen, J. See Bertelsen, U., 1=10992
- Borghini, M. Dynamic polarization of nuclei by "solid effect", 1=20248
- Borie, B. The separation of short range order and size effect diffuse scattering, 1=20490
- Borie, B. Temperature diffuse scattering for cubic powder patterns, 1=20500
- Borie, B. A diffraction measurement of the structure of  $Cu_2O$  films grown on copper, 1=20540
- Borie, B. and Sparks, C.J. A determination of thin oxide film thickness by integrated intensity measurements, 1=20663
- Borisevich, N.A., El'yashevich, M.A. and Stepanov, B.I. Eighth All-Union Conference on Luminescence, 1=2450
- Borisoglebskii, L.A. Forbidden lines in atomic spectra, 1=13931
- Borisoglebskii, V.P. See Timrot, D.L., 1=4327
- Borisov, B.S. See Arkharov, V.I., 1=15115
- Borisov, M., Georgieva, I. and Milyashev, M. The influence of infrared radiation on the photoconductivity of cadmium sulphide single crystals, 1=7668
- Borisov, M., Kynev, S., Vateva, E. and Georgieva, I. Electrically stimulated currents in cadmium sulphide monocrystals illuminated with light, 1=7678
- Borisov, M. See Andreev, M., 1=6096
- Borisov, S.V. See Belov, N.V., 1=1394
- Borisov, V.T. Crystallization of binary alloys under conditions of stable equilibrium, 1=10272



- Borkowski, C.J. See Blankenship, J.L., 1=3085  
 Borkowski, C.J. See Blankenship, J.L., 1=3250  
 Borland, R.E. One-dimensional chains with random spacing between atoms, 1=8895  
 Borlera, M.L. See Burdese, A., 1=2537  
 Borman, G. See Podolsky, B., 1=16303  
 Bormann, M. and Langkau, R. The study of (n,p) and (n, $\alpha$ ) reactions in CsI with 12.1 to 19.6 MeV neutrons, 1=11022  
 Bormann, M. and Langkau, R. Direct interaction effects in (n,p)- and (n, $\alpha$ )-reactions in CsI, 1=19490  
 Born, H.J. and Vogg, H. Electron exchange between thallium (I) and thallium (III), 1=1476  
 Borneas, M. Correction to the empirical formula for the influence of temperature on surface tension, 1=6846  
 Borneas, M. and Băbutia, I. On the surface tension of rotating liquids, 1=15822  
 Bornkessel, K. and Pilot, J. Mass spectrometric investigation of the degassing products from magnesium which contains hydrogen and silicon, 1=20784  
 Bornman, C.H. See Stoker, P.H., 1=19178  
 Borob'ev, A.A. and Kononov, B.A. An electrostatic method of extracting electrons from a betatron, 1=16453  
 Borodin, A.V., Gavrin, P.P., Kovan, I.A., Patrushev, B.I., Nedoseev, S.L., Rusanov, V.D. and Frank-Kamenetskii, D.A. Magnetoacoustic oscillations and the instability of an induction pinch, 1=18886  
 Borodin, A.V. See Akhmatov, A.P., 1=4628  
 Boróki, G. and Gombosi, É. On the size distribution of stars observed in nuclear emulsions, 1=405  
 Borough, H.C. See Shorthill, R.W., 1=10377  
 Borovik, E.S. and Mamalui, Yu.A. Temperature dependence of the magnetization of hexagonal ferrites in weak fields, 1=11449  
 Borovik-Romanov, A.S. See Astrov, D.N., 1=4299  
 Borovikov, A.V. See Rusinov, L.I., 1=17059  
 Borovikov, V.A., Gel'fand, I.M., Grashin, A.F. and Pomeranchuk, I.Ya. Phase shift analysis of pp scattering at 95 MeV, 1=16785  
 Borovikova, G.P. See Korsunskii, M.I., 1=17904  
 Borovikova, G.P. See Korsunskii, M.I., 1=20002  
 Borovskii, I.B. See Gurov, K.P., 1=4060  
 Borowitz, S. See Akerib, R., 1=8822  
 Borowitz, S. See Baraff, G.A., 1=5960  
 Borowitz, S. See Brudner, H.J., 1=792  
 Borst, L.B., Borst, S.L., Koysooko, L., Patel, H. and Stusnick, E. Nuclear spin states in molecular crystals, 1=19687  
 Borst, L.B. See Agresta, J., 1=13882  
 Borst, S.L. See Borst, L.B., 1=19687  
 Bortner, T.E. See Hurst, G.S., 1=13065  
 Bortolani, V. Production of  $\sigma$ -electrons in distant collisions by charged ultrarelativistic particles, 1=13121  
 Bortolani, V. See Bonsignori, F., 1=5759  
 Borzunov, N.A. and Orlinski, D.V. The distribution of intensity of neutron radiation along the axis of a straight tube during a strong pulsed discharge in deuterium, 1=7246  
 Borzyak, P.G. and Fedorovich, R.D. Optical properties and photoelectron emission of amorphous and crystalline films of germanium, 1=17872  
 Borzyak, P.H. Increasing the sensitivity of Cs<sub>3</sub>Sb photocathodes by optical methods, 1=15110  
 Borzyak, P.H., Marchuk, P.M. and Sarbei, O.H. Volt-ampere characteristics of the photoelectric emission of Ge, 1=13116  
 Borzyak, P.H., Myroshnychenko, L.S. and Sarbei, O.H. Photoelectric emission of Ge and Si in the amorphous and crystalline states, 1=13115  
 Bosanquet, C.H., Horn, G. and Thring, M.W. The effect of density differences on the path of jets, 1=18378  
 Bosco, B. Analytic properties and rescattering correction to the Born approximation for transition matrix elements, 1=12058  
 Bosco, B. and Sucher, J. Analyticity in the coupling constant and bound states in potential theory, 1=8056  
 Bose, A., Chakravarty, A.S. and Chatterjee, R. On the magnetic anisotropy and susceptibility of Fe(NH<sub>4</sub>SO<sub>4</sub>)<sub>6</sub>·6H<sub>2</sub>O, 1=14697  
 Bose, A., Chakravarty, A.S. and Chatterjee, R. Crystalline electric fields in hydrated Co<sup>2+</sup> salts, 1=14698  
 Bosgra, S.J. See Lim, T.G., 1=5774  
 Boskma, P. The collective model of deformed nuclei without axial symmetry, 1=13647  
 Bosman, A.J., Brommer, P.E., Eijkelenboom, L.C.H., Schinkel, C.J. and Pathenau, G.W. The influence of pressure on the mean time of stay of interstitial carbon in iron, 1=6118  
 Bosman, A.J., Brommer, P.E., Eijkelenboom, L.C.H., Schinkel, C.J. and Pathenau, G.W. Note on the interaction of interstitially dissolved carbon atoms in  $\alpha$ -iron, 1=6546  
 Bossolasco, M. and Elena, A. On some characteristics of the E<sub>-</sub> layer, 1=6616  
 Boston, C.R. See Smith, G.P., 1=6861  
 Bostrom, C.O. and Draper, J.E. Anticoincidence gamma-ray spectrometer for neutron capture spectroscopy, 1=13380  
 Botham, J.H. Observations of the planets Jupiter and Saturn in 1960, 1=4193  
 Bothe, H.K. The energy transfer in luminescent solutions. II. Solutions with two luminescent solutes, 1=1745  
 Bothe, H.K. and Wangermann, G. Measurement of elementary sulphur-35 with a liquid scintillation counter, 1=20778  
 Bothorel, P. See Pacault, A., 1=3764  
 Bots, G.J.C. and Coremans, M.J.F.J. The mechanocaloric effect in liquid helium above 0.3°K, 1=5386  
 Bots, G.J.C. and Gorter, C.J. Recalculations on earlier experiments on the fountain effect below 1°K, 1=5393  
 Bots, G.J.C. See Reynolds, J.M., 1=5387  
 Böttcher, H. and Schubert, M. Ruling errors in reflection gratings, 1=1827  
 Bottema, M. Spectral lines of narrow breadth, 1=16086  
 Botterill, J.S.M. See Bloore, P.D., 1=12858  
 Bottger, G. See Dows, D.A., 1=7713  
 Bottino, A. See Ascoli, R., 1=5683  
 Botvin, V.A. See Takibaev, Zh.S., 1=2052  
 Botzian, R. Stripping reactions with polarized deuterons, 1=714  
 Boucher, R.A. and Ames, D.B. End effect losses in d.c. magnetohydrodynamic generators, 1=7140  
 Boucherie, A. Subtraction system with a memory cathode-ray tube, 1=1866  
 Bouchez, R., Beaumevielle, H., Fleury, J., Perrin, P., de Swiniarski, R. and Chabre, M. Angular distribution of the <sup>11</sup>B(p, $\alpha$ ) reaction at 100 to 300 keV, 1=13791  
 Bouchez, R., Delorme, C., Fleury, J., Krafft, J., Perrin, P., Goldman, L., Boge, M. and Dudek, B. Angular distribution of the reaction Li<sup>6</sup>(p, $\alpha$ )He<sup>3</sup> from 100 to 300 keV, 1=13796  
 Bouchez, R. and Depommier, P. Orbital electron capture by the nucleus, 1=2192  
 Bouchez, R. See Corompt, E., 1=16760  
 Bouchez, R. See David, J.E., 1=18953  
 Bouchez, R. See Depommier, P., 1=17048  
 Bouchez, R. See N'guyen Huu Khanh., 1=13797  
 Bouchiat, C. and Michel, L. The  $\pi$ - $\pi$  meson scattering resonance and the anomalous magnetic moment of the  $\mu$  meson, 1=16873  
 Bouchiat, M.A., Carver, T.R. and Varnum, C.M. Nuclear polarization in He<sup>3</sup> gas induced by optical pumping and dipolar exchange, 1=1772  
 Boudouris, G. See Ilias, D., 1=8395  
 Boudreaux, L.J. See Hasty, T.E., 1=14767  
 Bouix, M. Complement to a study of electromagnetic point sources, 1=18981  
 Bouleau, M. See Azam, N., 1=7861  
 Boulloud, J.P. and Schweitzer, J. Experimental study of metal gasketed joints for ultra-high vacuum, 1=2799  
 Bouman, N. Calculations of the lower excited energy levels of the cyclic polyenes, radicals, and ions, 1=19658  
 Bounden, J.E. See Whitlock, W.S., 1=9532  
 Bounin, P. See Belbooch, R., 1=16494  
 Bourdy, C. Relative sizes of retinal images and binocular space vision, 1=21135  
 Bourelie, F. and Montuelle, J. Micrographical evidence of the polygonization of high-purity copper, 1=4011  
 Bourelie, F. See Le Héricy, J., 1=4012  
 Bourguet, J.C. See Vergnoux, A.M., 1=1144  
 Bourguignon, J. Accurate measurement of time intervals of the order of a microsecond, 1=15777  
 Bourlange, C. and Petit, G. Structure of potassium fluorosilicate, in solution in an alkaline halide and in the pure melt, 1=20722  
 Bourret, R.C. Coherence properties of blackbody radiation, 1=226  
 Bourret, R.C. Turbulent diffusion in two and three dimensions by the random-walk model with memory, 1=2709



## AUTHOR INDEX

- Bourton, F. Transmission factor of a Bloch wall for spin waves with a wave vector normal to the boundary, 1=17959
- Boury, A. Models of pure hydrogen stars, 1=37
- Boury, A. See Ledoux, P., 1=18108
- Bousquet, P. and Rouard, P. Optical constants and structure of thin films, 1=14569
- Boussard, D. Realization of a high-frequency phasemeter, 1=18954
- Bousseau, G. On the simultaneous excitation of two frequencies produced by a system of coupled acoustic tubes, 1=9443
- Bousseau, G. Electroacoustic self-maintenance of resonant tubes. Application to the study of coupling with a passive tube of adjustable length, 1=18511
- Boussières, G., Hussonnois, M., Lefort, M., Legoux, Y., Simonoff, G. and Tarrago, X. Cross-section for the formation of  $\text{Pa}^{237}$  in the spallation of thorium by 155 MeV protons, 1=2215
- Boutron, F. and Mériel, P. Correction of the sample-holder error in neutron diffraction, 1=20481
- Boutron, F. and Robert, C. The influence of the dipolar field on the nuclear resonance of  $\text{Fe}^{57}$  in yttrium iron garnet, 1=20263
- Boutron, F. See Abragam, A., 1=13623
- Boutry, G.A. and Robert, M. Study of the effect of illumination and temperature on an isolated p-n junction, 1=14476
- Bowknegt, A. See Dymanus, A., 1=5580
- Bovarnick, B. See Belforti, D., 1=20534
- Bovenker, H.P. See Bundy, F.P., 1=12621
- Bovet, C.A. and Jeannot, E. Automatic development of nuclear emulsions, 1=10822
- Bovey, L. The interpretation of complex spectra, 1=799
- Bovey, L. and Birks, F.T. Summarized proceedings of a Conference on Applied Spectroscopy - Seascale, June 1960, 1=385
- Bovey, L. and Gerstenkorn, S. Ground state of the first spectrum of plutonium ( $\text{Pu I}$ ), from an analysis of its atomic spectrum, 1=8817
- Bovey, L. See Beer, R., 1=811
- Bow, N. See Czyzak, S.J., 1=20320
- Bowcock, J., Cottingham, W.N. and Lurié, D.  $\pi - \pi$  scattering, nucleon structure and  $\pi - N$  scattering, 1=2088
- Bowcock, J., Cottingham, W.N. and Lurié, D. The effect of a pion-pion interaction on low-energy meson-nucleon scattering. II, 1=5764
- Bowden, F.P. and Brunton, J.H. The deformation of solids by liquid impact at supersonic speeds, 1=20329
- Bowden, F.P. and Chadderton, L.T. Molecular disarray in a crystal lattice produced by a fission fragment, 1=19817
- Bowden, F.P. and Persson, P.A. Deformation, heating and melting of solids in high-speed friction, 1=14897
- Bowden, P. See Brandon, D.G., 1=14346
- Bowen, E.J. Viscosity and temperature effects in fluorescence, 1=6862
- Bowen, I.S. Wave lengths of forbidden nebular lines. II, 1=2639
- Bowen, I.S. Problems in future telescope design, 1=15399
- Bowen, J.I. and Meijer, P.H.E. Master equation solution of Ornstein-Uhlenbeck processes, 1=6789
- Bowen, P.H., Scanlon, J.P., Stafford, G.H., Thresher, J.J. and Hodgson, P.E. Neutron total cross-sections in the energy range 15 to 120 MeV, 1=5922
- Bowen, T., Sun, C.R. and Werbrouck, A.E. The determination of the sign of the asymmetry parameter in  $\Lambda^0$  decay from the scattering of the decay proton, 1=8508
- Bowen, W.A., Jr. Buchanan, R.A., 1=7898
- Bowers, R., Legendy, C. and Rose, F. Oscillatory galvanomagnetic effect in metallic sodium, 1=19837
- Bowers, V.A. See Cochran, E.L., 1=6042
- Bowes, G.C. See Baerg, A.P., 1=7391
- Bowes, P.C. See Thomas, P.H., 1=7906
- Bowhill, S.A. Statistics of a radio wave diffracted by a random ionosphere, 1=6607
- Bowhill, S.A. The effective recombination coefficient of an ionosphere containing a mixture of ions, 1=15278
- Bowhill, S.A. The scattering of radio waves by an extended randomly refracting medium, 1=16587
- Bowhill, S.A. Rocket measurements of F-layer electron density and their interpretation, 1=20992
- Bowhill, S.A. See Nisbet, J.S., 1=15287
- Bowhill, S.A. See Nisbet, J.S., 1=15288
- Bowles, J.A. See Cherry, E.C., 1=11662
- Bowles, J.S. See Smith, R., 1=2540
- Bowles, K.L. Incoherent scattering by free electrons as a technique for studying the ionosphere and exosphere: some observations and theoretical considerations, 1=6613
- Bowles, K.L. See Cohen, R., 1=21006
- Bowles, K.L. See Van Zandt, T.E., 1=15263
- Bowley, A.E., Cowles, L.E.J., Williams, G.J. and Goldsmid, H.J. Measurement of the figure of merit of a thermoelectric material, 1=18752
- Bowman, C.D. See Bilpuch, E.G., 1=13654
- Bowman, C.D. See Newson, H.W., 1=13653
- Bowman, G.G. Further studies of "Spread-F" at Brisbane. I. Experimental, 1=7939
- Bowman, G.G. Further studies of "Spread-F" at Brisbane. II. Interpretation, 1=7940
- Bowman, G.G. Some aspects of sporadic-E at mid-latitudes, 1=10325
- Bowman, G.G. Triple splitting with the F2-region of the ionosphere at high and mid-latitudes, 1=10327
- Bowman, H.A. and Macurdy, L.B. Gimbal device to minimize the effects of off-center loading on balance pans, 1=102
- Bowman, H.R. See Muga, M.L., 1=747
- Bowsher, H.F., Dell, G.F. and Hausman, H.J.  $\text{Si}^{28}(\text{p}, \text{p}')\gamma$  angular correlations, 1=4868
- Boy, F. See Pacault, A., 1=3764
- Boyarskaya, Yu.S., Keloglu, Yu.P., Bologa, M.K. and Dunaeva, S.M. Study of the influence of some factors on the microhardness of single crystals of KCl and NaCl, 1=4001
- Boyce, I.S. and Cameron, J.F. Assay of  $\text{C}^{14}\text{O}_2$  in Geiger counters, 1=15210
- Boyce, I.S., Cameron, J.F. and Taylor, K.J. A simple plastic scintillation counter for tritiated hydrogen, 1=13220
- Boyce, I.S. See Cameron, J.F., 1=13219
- Boyd, E.L. See Budnick, J.L., 1=6433
- Boyd, G.D. and Gordon, J.P. Confocal multimode resonator for millimeter through optical wavelength masers, 1=7144
- Boyd, G.D. and Gould, R.W. Travelling wave interaction in plasmas, 1=9568
- Boyd, R.H. Extension of stokes' law for ionic motion to include the effect of dielectric relaxation, 1=15894
- Boyd, R.L.F. Instruments for space research, 1=49
- Boyd, R.L.F. and Twiddy, N.D. Electron energy distributions in plasmas. II. Hydrogen, 1=16315
- Boyer, J. See Blanc, D., 1=9697
- Boyer, J.M. A radio wave mechanism to account for the known distribution of Van Allen belts about the earth, 1=10337
- Boykin, T.R., Jr. See Curtis, A.J., 1=6925
- Boyle, A.J.F., Bunbury, D.S.P. and Edwards, C. Polarization of the conduction electrons in the ferromagnetic metals, 1=6273
- Boyle, A.J.F., Bunbury, D.S.P. and Edwards, C. The nuclear Zeeman effect, and quadrupole splitting in  $^{119}\text{Sn}$ , 1=9806
- Boyle, A.J.F., Bunbury, D.S.P., Edwards, C. and Hall, H.E. The Mössbauer effect in tin from 120°K to the melting point, 1=3604
- Boyle, A.J.F., Bunbury, D.S.P., Edwards, C. and Hall, H.E. A thermal red shift of the recoilless  $\gamma$ -emission of  $^{119}\text{Sn}^{\text{m}}$ , 1=5831
- Boyle, R.D. See Beams, J.W., 1=10289
- Boyle, W.S. and Brailsford, A.D. Far infrared studies of bismuth, 1=1147
- Boyne, H.S. and Franken, P.A. Magnetic moment of the proton in units of the nuclear magneton, 1=10886
- Boynton, R.M., Sturr, J.F. and Ikeda, M. Study of flicker by increment threshold technique, 1=6671
- Boynton, R.M. and Wagner, M. Two-color threshold as test of color vision, 1=6675
- Božek, E., Niewodniczanski, H., Ogaza, S., Szymczyk, S. and Norseev, Yu.V. Energy levels in  $^{188}\text{Er}$  nucleus, 1=16984
- Božek, E., Niewodniczanski, H., Ogaza, S., Szymczyk, S., Walczak, T. and Yutlandov, I.A. Gamma-vibrational levels in  $^{188}\text{Er}$ , 1=13726
- Bozenberg, G.V. Light scattering in the earth's atmosphere, 1=4110
- Božóki, G., Fenyves, E., Gombosi, E. and Surányi, P. Investigation of the mechanism of high energy nucleon-nucleus interaction, 1=12190
- Božóki, G., Fenyves, E. and Janossy, L. Measurement of the collision mean free path of penetrating shower producing cosmic ray neutrons in lead, 1=8460



- Bozóki, G. See Biczo, G., 1=13592
- Bozorth, R.M. New varieties of magnetic materials, 1=3911
- Bozorth, R.M., Wolff, P.A., Davis, D.D., Compton, V.B. and Wernick, J.H. Ferromagnetism in dilute solutions of cobalt in palladium, 1=9022
- Bozorth, R.M. See Matthias, B.T., 1=17947
- Bozorth, R.M. See Wolf, W.P., 1=14746
- Braams, C.M. and Smith, P.B. The Utrecht 850 kV cascade generator. I. Beam deflection and energy control, 1=5506
- Brabec, V., Kracik, B. and Vobecký, M. Decay of  $\text{Nd}^{140} \rightarrow \text{Pr}^{140} \rightarrow \text{Ce}^{140}$ , 1=13721
- Brabec, V., Kracik, B. and Vobecký, M. A study of the radioactive decay of  $\text{Tm}^{168}$ , 1=17029
- Brabec, V. and Vinduška, M. The nonlinearity of Fermi diagrams [Kurie] plots for  $\text{P}^{31}$ , 1=17024
- Brace, W.F. See Dulaney, E.N., 1=1345
- Bracewell, R.N. Interferometry and the spectral sensitivity island diagram, 1=6019
- Bracewell, R.N. and Swarup, G. The stanford microwave spectroheliograph antenna, a microsteradian pencil beam interferometer, 1=6016
- Brach, B.Ya., Zhdanova, V.V. Lev, E.Ya. Thermoelectric properties of the  $\text{HgSe-HgTe}$  system, 1=17813
- Brachet, C. and Vasseur, P. Apparatus for producing an arc plasma suitable for injection into a magnetic bottle, 1=16344
- Brackenridge, J.B. and Nyborg, W.L. Transverse oscillations of a liquid jet. II, 1=11741
- Brackett, F.S. Digital recording for spectrum analysis, 1=1818
- Brackmann, R.T. and Fite, W.L. Condensation of atomic and molecular hydrogen at low temperatures, 1=8838
- Bradbury, A. See Andrew, E.R., 1=6430
- Bradbury, A. See Andrew, E.R., 1=10187
- Bradbury, A. See Eades, R.G., 1=7160
- Braddick, H.J.J. Photoelectric photometry, 1=1805
- Braddock, J.V., Bullen, T.G., Dunn, B.J., McDonald, D.F. and Miranda, H.A. Jr. High yield generator of pulsed 14 MeV neutrons, 1=13454
- Braddock, J.V. See McDonald, D.F., 1=2765
- Bradfield, G. The use of radially graded ultrasonic radiators to improve the uniformity of the near field, 1=8193
- Bradford, E. and Robson, B.A. Inelastic scattering of 18.9 MeV nucleons from the 9.6 MeV state of  $\text{C}^{13}$ , 1=11004
- Bradley, D.E. Simple methods for preparing pointed filaments for the electron microscope, 1=7894
- Bradley, D.J. The rapid measurement of spectral intensity with an oscillating Fabry-Perot spectrometer: Isotope abundance in mercury, 1=16081
- Bradley, E.F. and Porter, N.F. The distribution in declination and the curvature of the shower front, 1=2133
- Bradley, G.E., Pipkin, F.M. and Simpson, R.E. Beta-decay matrix elements in  $\text{Sb}^{122}$ , 1=12173
- Bradley, G.E. See Pipkin, F.M., 1=19390
- Bradley, J.N. Mechanism of disproportionation in alkyl radical reactions, 1=17362
- Bradley, J.N. and Kistiakowsky, G.B. Shock wave studies by mass spectrometry. I. Thermal decomposition of nitrous oxide, 1=11617
- Bradley, J.N. and Kistiakowsky, G.B. Shock wave studies by mass spectrometry. II. Polymerization and oxidation of acetylene, 1=11618
- Bradley, L.C. See O'Neill, E.L., 1=16048
- Bradner, H. See Stubbs, T.F., 1=16896
- Brady, F.P. See Bayman, B.F., 1=19462
- Brady, G.W. and Petz, J.I. Clustering in the critical region, 1=6854
- Brady, P.T., House, A.S. and Stevens, K.N. Perception of sounds characterized by a rapidly changing resonant frequency, 1=15373
- Braffort, P. Recent progress in the simulation of nuclear phenomena, 1=2261
- Bragança Gil, F., Foucher, R. and Petit, G.Y. Angular correlation [of  $\gamma$ -rays] of  $\text{Ra}^{223}$  ( $\text{AcX}$ ), 1=13754
- Braginski, A. On the rectangularity of the hysteresis loop of solid solutions belonging to the system  $\text{Mn}_{1-x}\text{Fe}_x\text{O}_4$ ,  $-0.1 < x < 0.14$ , 1=17955
- Braginski, A., Marais, A. and Merceron, T. Some experimental results on the phenomenon of relaxation in  $\text{Mn-Zn}$  ferrites, 1=17974
- Braginski, A. and Merceron, T. Magnetic relaxation in magnetite and in its solid solutions with manganese and nickel ferrites, 1=20137
- Braginskii, S.I. and Kadomtsev, B.B. Stabilisation of a plasma by the use of guard conductors, 1=7065
- Braginskii, V.B., Ivanenko, D.D. and Rukman, G.I. The possibility of performing laboratory experiments to measure the rate of diffusion of the gravitational interaction, 1=55
- Braginskii, V.B. and Rukman, G.I. On the possibility of recording gravitational radiation under laboratory conditions, 1=18245
- Braginsky, S.I. and Migdal, A.B. Processes associated with rapid current rise in a plasma column, 1=7044
- Braginsky, S.I. and Shafronov, V.D. A plasma column with heat losses at electrodes, 1=9577
- Braginsky, S.I. and Shafronov, V.D. Plasma column in an external longitudinal magnetic field, 1=9578
- Brahmachary, R.L. A solution of the combined gravitational and mesic field equations in general relativity, 1=4256
- Brahms, S. and Mathieu, J.P. Raman spectrum of mercuric chloride in various physical states, 1=846
- Braier, A. See Rosman, H., 1=354
- Brailion, B. and Ramanet, R. Chemical shifts in the n.m.r. spectra of acetylenes, 1=9953
- Brailsford, A.D. Abrupt-kink model of dislocation motion, 1=7583
- Brailsford, A.D. and Overhauser, A.W. Theory of the resistance minimum in dilute paramagnetic alloys, 1=17602
- Brailsford, A.D. See Boyle, W.S., 1=1147
- Brainin, É.I. The question of strength anisotropy of constructional materials, 1=3991
- Brainina, Z.Z., Mikheev, M.N., Rudomanov, P.G. and Selyakhina, V.P. Investigation of ageing of silicon-manganese bronze by measurements of magnetic susceptibility and electrical resistivity, 1=15149
- Brakhman, É.V. See Fridkin, V.M., 1=2463
- Brakhman, É.V. See Fridkin, V.M., 1=6241
- Bramblett, R.L. and Bonner, T.W. Neutron evaporation spectra from (p,n) reactions, 1=2209
- Bramblett, R.L., Ewing, R.I. and Bonner, T.W. A new type of neutron spectrometer, 1=16813
- Bramblett, R.L. See Beckner, E.H., 1=13798
- Bramblett, R.L. See Bonner, T.W., 1=8714
- Brammer, W.G. Self-diffusion of alpha-iron in a large temperature gradient, 1=2393
- Brandes, R.G. See Becker, J.A., 1=5109
- Brandon, D.G. and Bowden, P. Low energy ion bombardment of gold, 1=14346
- Brandon, D.G. and Wald, M. The direct observation of lattice defects by field ion microscopy, 1=19788
- Brandon, M., Franzini, P. and Lee, J. Helicity of  $\mu^-$  mesons; Mott scattering of polarized muons, 1=12093
- Brandon, M.K. See Stewart, J.L., 1=12954
- Brands, C.W. See Raymo, C.T., 1=11303
- Brandsden, B.H. and Moffat, J.W. Coupled s- and p-wave solutions for pion-pion scattering, 1=12109
- Brandt, J.C. Interplanetary gas. IV. Neutral hydrogen in a model solar corona, 1=5158
- Brandt, J.C. Density of the Lunar atmosphere, 1=6702
- Brandt, J.C. Density of the lunar atmosphere, 1=6703
- Brandt, J.C. On the study of comet tails and models of the interplanetary medium, 1=11675
- Brandt, J.C. Interplanetary gas. V. A hydrogen cloud of terrestrial origin, 1=15415
- Brandt, N.B. and Ginzburg, N.I. Superconductivity of crystalline modifications of bismuth, 1=18714
- Brandt, N.B. and Razumeenko, M.V. Effect of impurities on the energy spectrum of electrons in bismuth, 1=1191
- Brandt, N.B. and Tomashchik, A.K. Application of alcohol in water solutions for obtaining required pressures at low temperatures, 1=21167
- Brânduș, I. The variational principle in the optical model of nuclear reactions with neutrons, 1=699
- Brânduș, I. and Săndulescu, A. Proper frequencies of the compressible nucleus in an unstatic statistical model, 1=587
- Brannen, E. and Froelich, H. Preliminary operation of a four-sector racetrack microtron, 1=11990
- Brannen, E. See Greenwood, R.C., 1=9842
- Branover, G., Dukure, R., Lielausis, O. and Tsinober, A. Local hydraulic resistances in the flow of a liquid metal mercury in a transverse magnetic field, 1=7137



- Branover, H. and Lielausis, O. The effect of a transverse magnetic field on internal structure and hydraulic resistance in turbulent flow of liquid metal, 1=16526
- Bransden, B.H. and Hamilton, R.A.H. The elastic scattering of  $^3\text{He}$  by  $^4\text{He}$ , 1=3249
- Bransden, B.H. and Moffat, J.W. Solutions of the coupled S and P-wave equations for pion-pion scattering, 1=16874
- Bransden, B.H., Rashid, H. and Moorhouse, R.G. A model for s-wave K-N scattering, 1=8505
- Brański, W. See Leibler, K., 1=17845
- Branwood, A. and Tredgold, R.H. The electrical conductivity of barium titanate single crystals, 1=1071
- Brar, S.S. See Gustafson, P.F., 1=6596
- Braslau, N., Brink, G.O. and Khan, J.M.  $\text{Rb}^{85}-\text{Rb}^{86}$  hyperfine-structure anomaly, 1=12149
- Bratina, W.J. See Martius, U.M., 1=6335
- Bratož, S. and Besnainou, S. Influence of the molecular environment on the carbonyl frequency. Electronic calculation, 1=6032
- Brauer, K.H. and Fröhlich, F. Two devices for microspectrometry with spectrophotometers, 1=1821
- Brauer, P., Blume, H. and Huber, H.J. The decay of the luminescence of NaI and CsI activated with Tl under excitation with ultraviolet light, 1=9010
- Braun, E.A. Some properties of alkali halide crystals, 1=3582
- Braun, H. Method and formula of fixing for thick nuclear plates eliminating the corrosion of silver grains, 1=13250
- Braun, H., Baumann, G. and Ciferri, P. Emission of hammer tracks from interactions of 24.8 GeV/c protons with the nuclei of nuclear emulsion, 1=19477
- Braun, H. See Baumann, G., 1=19350
- Braun, H. See Stein, R., 1=13855
- Braun, M.A. The normalization constants of the state vectors in field theory, 1=3107
- Braun, M.A. A dressed particle analysis of the  $\pi + d \rightarrow 2N$  reaction, 1=16858
- Braun, M.A. and Novozhilov, Yu.V. Some properties of dressed particle operators in field theory, 1=19085
- Braun, M.A. and Prokhorov, L.V. Properties of the scattering amplitude resulting from the unitarity condition, 1=16710
- Braun, P.B. and Kwestroo, W. On some calcium-iron-oxygen compounds, 1=14743
- Braun, P.B. and van Bommel, A.J. X-ray determination of crystal structures, 1=7859
- Braunersreuther, E., Kuhrt, F. and Lippmann, H.J. Hall constant and electron mobility of InSb, InAs, and  $\text{In}(\text{As}_{0.8}\text{P}_{0.2})$  in high magnetic fields, 1=1077
- Braunstein, A. The magnetic field in iron with variable permeability, 1=16491
- Brautti, G., Chersovani, L., Franzinetti, C., Sedmak-Furlan, M. and Tosi-Torelli, R. Measurements on the  $\pi^- - \text{He}$  cross sections at high energy, 1=9758
- Brautti, G. See Bartke, J., 1=8513
- Bray, B.J. See Loughhead, R.E., 1=11679
- Bray, P.J., Edwards, J.O., O'Keefe, J.G., Ross, V.F. and Tatsuzaki, I. Nuclear magnetic resonance studies of  $\text{B}^{11}$  in crystalline borates, 1=12568
- Bray, P.J. See Kim, Y.W., 1=3935
- Bray, P.J. See Negita, H., 1=4950
- Bray, R.J. and Loughhead, R.E. Facular granule lifetimes determined with a seeing-monitored photoheliograph, 1=7966
- Bray, R.J. See Loughhead, R.E., 1=19072
- Brdička, M., Dvořáček, Z. and Nováková-Dvorská, M. The elastic coupling between longitudinal and transversal vibrations of isotropic rods. I. Rods of square and rectangular cross-section, 1=15985
- Brdička, M., Dvořáček, Z. and Nováková-Dvorská, M. The elastic coupling between longitudinal and transversal vibrations of isotropic rods. II. Rods of circular cross-section, 1=15986
- Breazeale, M.A. and Hiedemann, E.A. Diffraction patterns produced by finite amplitude waves, 1=6964
- Breazeale, M.A. and Hiedemann, E.A. Determination of the non-linearity parameter for liquids from optical measurements, 1=10496
- Breazeale, M.A. and Kneser, H.O. Rotational relaxation in hydrogen chloride, 1=9419
- Breazeale, M.A. See Achyuthan, K., 1=12483
- Brebrick, R.F. Composition stability limits of binary semiconductor compounds, 1=19844
- Brecher, C. and Halford, R.S. Motions of molecules in condensed systems. XI. Infrared spectrum and structure of a single crystal of ethylene, 1=14604
- Brecher, C., Krikorian, E., Blanc, J. and Halford, R.S. Motions of molecules in condensed systems. X. The infrared spectrum and structure of a single crystal of cyclopropane, 1=14603
- Bredig, M.A. See Bronstein, H.R., 1=9406
- Bredov, M.M., Lepilin, V.A., Shestakov, I.B., and Shakh-Budagov, A.L. The effect of the type of ion on the changes in the electrical properties of semiconductor surfaces produced by bombardment with medium-energy ions, 1=17771
- Bredov, M.M. See Ageev, V.N., 1=2385
- Bree, A. and Schneider, W.G. "Sub-threshold" photocurrents of high-quantum yield in 9, 10-dichloroanthracene, 1=10062
- Bree, A. See Bryant, F.J., 1=2422
- Breene, R.G., Jr. The bound free continuum for  $\text{C}^-$ , 1=5963
- Breene, R.G., Jr. Wave functions for the free electron. II. The inclusion of polarization and exchange, 1=12239
- Breene, R.G., Jr. Deionization cross section for oxygen, 1=12245
- Breene, R.G., Jr. and Nardone, M.C. Free-free continuum of nitrogen, 1=11069
- Breger, A.Kh. See Riabukhin, Iu.S., 1=13878
- Brehm, B., Demtröder, W. and Osberghaus, O. Determination of oscillator strengths through lifetime measurements of the first excited levels for the elements, Ga, Al, Tl, Mg, and Na, 1=17272
- Breimer, H. See Schubert, K., 1=5098
- Breit, G. and Gluckstern, R.L. Effect of finite life of upper level on probability of Coulomb excitation, 1=2201
- Breit, G., Hull, M.H., Jr., Lassila, K.E. and Pyatt, K.D., Jr. Phase-parameter representation of proton-proton scattering from 9.7 to 345 MeV, 1=499
- Breit, G., Hull, M.H., Lassila, K.E. and Ruppel, H.M. Tests of form of the one-pion exchange potential, 1=3138
- Breit, G., Hull, M.H., Jr., Lassila, K. and Ruppel, H.M. Form of the one-pion exchange potential, 1=7217
- Breit, G., Hull, M.H., Jr., Lassila, K.E. and Ruppel, H.M. Nucleon-nucleon interaction, 1=19181
- Breit, G., Lassila, K.E., Ruppel, H.M. and Hull, M.H., Jr. Two pion exchange interaction, 1=4807
- Breit, G. See Huli, M.H., 1=8461
- Breit, G. See Rustgi, M.L., 1=553
- Breitling, G. See Richter, H., 1=12863
- Brekhovskikh, L.M. and Eliseevnin, V.A. Propagation of [acoustic] waves in a nonuniform waveguide, 1=4405
- Brekhovskikh, L.M., Evtushenko, V.A., Makarov, S.S. and Pisarenko, V.F. The calculation of the vertical sound velocity propagation profiles in marine media, 1=5327
- Bremermann, H.J. and Durand, L., III. On analytic continuation, multiplication, and Fourier transformations of Schwartz distributions, 1=4177
- Bremont, B. On the effective interaction in finite nuclei, 1=4820
- Brenan, P.M. Ionospheric drifts determined from radio-star scintillation observations, 1=1534
- Brenan, P.M. The correlation of radio source scintillation in the southern and northern hemispheres, 1=4223
- Brendush, I. Unitarity relations between the parameters of the scattering matrix for elastic collisions of particles with arbitrary spin, 1=457
- Brene, N., Egardt, L. and Qvist, B. On the  $\text{K}_{\mu_3}$  and  $\text{K}_{e_3}$  decay modes, 1=5779
- Brenig, W. Long range correlations and photo effect in nuclei, 1=3382
- Brenig, W. Long range correlations and photo effect in nuclei, 1=8691
- Brenman, M. See Blinc, F., 1=20274
- Brennan, D., Hayward, D.O. and Trapnell, B.M.W. The calorimetric determination of the heats of adsorption of oxygen on evaporated metal films, 1=1459
- Brennan, J.G. Limit of a one-dimensional square well, 1=1698
- Brennan, M.H. See Hooke, W.M., 1=11960
- Brennan, M.H. See Ames, O., 1=12148
- Brenner, M. See Simons, L., 1=17061
- Brett, N.H. See Russell, L.E., 1=15097
- Bretz, M. See Laffineur, M., 1=9271
- Breuer, G., Riech, V., Thormann, E. and Neuert, H. Investigations of the non-resonant part of the  $\text{Li}^7(p, \gamma)$  radiation, 1=3448
- Breuer, W. See Baran, W., 1=6343



- Brus, S.N. The stability of a current-carrying fluid cylinder in the case of finite conductivity, 1=1863
- Brewer, A.W. and Milford, J.R. The Oxford-Kew ozone sonde, 1=1503
- Brewer, A.W. and Milford, J.R. Vertical distribution of atmospheric ozone. Comparison of various methods. B. Electro-chemical ozone sonde, 1=1504
- Brewer, D.F. and Edwards, D.O. Heat conduction by liquid helium II in capillary tubes. I. Transition to supercritical conduction, 1=15035
- Brewer, D.F. and Keyston, J.R.G. Specific heat and expansion coefficient of liquid helium-3 under pressure below 0.1°K, 1=18688
- Brewer, D.F. and Mendelssohn, K. Transfer of the unsaturated helium II film, 1=13033
- Brewer, R.C. and Alexander, J.M. A new technique for engraving and measuring grids in experimental plasticity, 1=1522
- Březina, B., Fousek, J. and Glanc, A. Barkhausen pulses in BaTiO<sub>3</sub> connected with 90° switching processes, 1=20081
- Březina, B. See Fousek, J., 1=14559
- Březina, B. See Fousek, J., 1=17841
- Březina, B. See Fousek, J., 1=17842
- Březina, B. See Janovec, V., 1=17839
- Briand, J., Delcroix, J.L. and Fânzeres de Castro Fernandes, M.L. Excitation of acoustic waves by interaction between charged particles and neutral molecules in a discharge tube, 1=18783
- Bricard, J. See Arnulf, A., 1=9189
- Brice, J.C. Measurement of tellurium vapour pressure using electrical discharges, 1=2913
- Brice, J.C. and Moore, P. Contactless resistivity meter for semiconductors, 1=15049
- Brice, J.C. See Newman, P.C., 1=15134
- Brice, N.M. Traveling wave amplification of whistlers, 1=15239
- Brice, N.M. See Crouchley, J., 1=10311
- Brichard, J., Pradel, J. and Renoux, A. The concentration in air of small and large radioactive ions, 1=9821
- Bricker, P.D. See Gerstman, L.J., 1=9215
- Brickwedde, F.G. The "1958 He<sup>4</sup> scale of temperatures". I. Introduction, 1=16183
- Bricman, C., Csejthey-Barth, M., Lagnaux, J.P. and Sacton, J. Interaction of high energy protons from the Cern proton synchrotron with photographic emulsion nuclei, 1=17101
- Bridge, H.S., Dilworth, C., Rossi, B., Scherb, F. and Lyon, E.F. An instrument for the investigation of interplanetary plasma, 1=15583
- Bridgman, C.S. Analysis of Wald's data on dark adaptation, 1=9230
- Bridgman, P.W. Significance of the Mach principle, 1=12
- Bridgman, P.W. Critique of critical tables, 1=4234
- Brient, S.J. See Brigman, G.H., 1=5969
- Briere, G. Obtaining ionically pure polar liquids, 1=20723
- Briffod, G. See Bertrand, P., 1=18866
- Briffod, G. See Bonnal, J.F., 1=11956
- Briffod, G. See Guidini, J., 1=7030
- Briggs, B.H. Diffraction by an irregular screen of limited extent, 1=6962
- Briggs, B.H. The correlation of radio star scintillations with geomagnetic disturbances, 1=21100
- Briggs, B.H. and Rishbeth, H. An analogue solution of the continuity equation of the ionospheric F region, 1=20996
- Briggs, B.R. See Spreiter, J.R., 1=20971
- Briggs, B.R. See Spreiter, J.R., 1=20972
- Bright, J.E. and Ridge, M.J. Etch pits and dehydration nuclei on crystals of gypsum, 1=7843
- Briglia, D.D. See Hertzberg, M., 1=8313
- Brigman, G.H., Brient, S.J. and Matsen, F.A. Interaction of a triplet and a normal helium atom, 1=5969
- Brigoli, B. Recent advances of distillation techniques, I, 1=5363
- Brill'O.D., Vlasov, N.A., Kalinin, S.P. and Sokolov, L.S. Cross sections for the (n, 2n) reaction in C<sup>12</sup>, N<sup>14</sup>, O<sup>16</sup> and F<sup>19</sup> in the energy range 10-37 MeV, 1=11021
- Brill'O.D., Vlasov, N.A., Kalinin, S.P. and Sokolov, L.S. Cross sections for the (n, 2n) reaction in C<sup>12</sup>, N<sup>14</sup>, O<sup>16</sup> and F<sup>19</sup> in the energy range 10-37 MeV, 1=12207
- Brilliantov, N.B. See Grum-Grzhimailo, S.V., 1=3835
- Brillouin, L. Thermodynamics, statistics and information, 1=5207
- Brim, W.W., Hoffman, J.M., Nielsen, H.H. and Narahari Rao, K. Measurements on higher J rotational lines of vibration rotation bands and study of resonances in linear polyatomic molecules. I.  $\nu_2$  and  $2\nu_2$  bands of HC<sup>13</sup>N, 1=829
- Brin, A. and Méricoux, R. Relation between molecular pressure and internal pressure, 1=1856
- Brinckmann, H.F. See Alexander, K.F., 1=8631
- Brindley, J. Stability of flow in a rotating viscous incompressible fluid subjected to differential heating, 1=2731
- Brinen, J.S. and Goodman, L. Low-resolution analysis of the  $n \rightarrow \pi^*$  (3000 Å) absorption spectrum of s-triazine, 1=17322
- Brini, D., Gandolfi, A. and Tabellini, G.L. Transistorized apparatus for accumulation and binary-decimal conversion, 1=5119
- Brini, D., Gandolfi, A. and Tabellini, G.L. Multichannel transistorized apparatus for data recording, 1=13538
- Brink, G.O. See Braslau, N., 1=12149
- Brinton, H.C. See Taylor, H.A., Jr., 1=20892
- Brian, H., Moser, C. and Yamazaki, M. Erratum: electronic structure of nitric oxide, 1=14061
- Brisbout, F.A., Gauld, C., Lehane, J., McCusker, C.B.A., Malos, J., Nishikawa, K. and van Loon, L.G. The production and properties of mesons at high energies, 1=16844
- Brisbout, F.A., Gauld, C.F. and McCusker, C.B.A. The fragmentation probabilities of fast heavy cosmic-ray primaries in Teflon, 1=2111
- Brisbout, F.A., Gauld, C., McCusker, C.B.A., Malos, J., Nishikawa, K., Peak, L.S. and van Loon, L.G. A comparison of pion and nucleon interactions in nuclear emulsions between 10<sup>11</sup> and 10<sup>13</sup> eV, 1=13562
- Briscoe, H.W. See Pineo, V.C., 1=20919
- Brisson, J.C., Detoeuf, J.F., Falk-Vairant, P., Van Rossum, L. and Valladas, G. Measurement of the total cross-section of  $\pi^+ - p$  and  $\pi^- - p$  from 400 MeV to 1.5 GeV, 1=5770
- Brisson, V. See Baglin, C., 1=9764
- Brissonneau, P. See Moser, P., 1=1227
- Bristow, J.R. and Rees, B.L. Dislocations in non-metallic layer structures, 1=3673
- Britsyn, K.I. and Vavilov, V.S. The effect of an h.f. electric field on the fundamental absorption edge in silicon, 1=19972
- Britsyn, K.I. See Vavilov, V.S., 1=1153
- Britt, C.O., Tolbert, C.W. and Straiton, A.W. Radio wave absorption of several gases in the 100 to 117 Mc/s frequency range, 1=4380
- Britt, H.C. and Quinton, A.R. Fission of Au<sup>197</sup> and Bi<sup>209</sup> by C<sup>12</sup> and O<sup>16</sup> projectiles, 1=746
- Brittain, C.P. and Smith, G.C. The [micro-] structure and hardness of electrodeposited chromium, 1=20713
- Brittain, J.O. See Mura, T., 1=3963
- Brittin, W. and Gamow, G. Negative entropy and photosynthesis, 1=12703
- Britton, D. and Hugus, Z.Z. Jr. Nuclear spin conservation in ortho-para hydrogen conversion, 1=3565
- Broadhurst, M.G., Fitzgerald, E.R. and Bur, A.J. Dielectric properties and side-chain crystallinity of polyvinyl stearate, 1=11534
- Broberg, K.B. The propagation of a brittle crack, 1=6475
- Brochard, J. See Fontaine, H., 1=16090
- Brochet, C., Leyer, J.C. and Manson, N. Oscillatory phenomena in unstable detonation waves, 1=19456
- Brochocki, A. and Świdorski, J. Photoelectric method for determining interface shape in germanium monocrystals, 1=15055
- Brock, E.G., Csavinsky, P., Hormats, E., Nedderman, H.C., Stirpe, D. and Unterleitner, F. Coherent stimulated emission from organic molecular crystals, 1=12489
- Brockhouse, B.N. See Sinclair, R.N., 1=1228
- Brockhurst, R.R., Bruce, J.G., Jr and Arons, A.B. Refraction of underwater explosion shock waves by a strong velocity gradient, 1=6889
- Brockman, K.W., Jr. See van Oers, W.T.H., 1=3246
- Brode, R.B., Brown, R.R. and Steiger, W.R. Solar flare cosmic-ray increase of May 4, 1960, 1=16930
- Broder, D.L., Kutuzov, A.A., Levin, V.V., Orlov, V.V. and Turusova, A.V. The passage of fast neutrons through lead and iron, 1=19213
- Brodersen, S. Computation of profiles of infrared and Raman bands of symmetric top molecules, 1=14025



- Brodersen, S. and Richardson, E.H. Computer analysis of infrared and Raman bands of symmetric top molecules, 1=7456
- Brodhun, D. See Andres, H.G., 1=16042
- Brodie, I. Emission fluctuations of tungsten-based barium dispenser cathodes, 1=16365
- Brodie, I. See Ormerod, A., 1=7828
- Brodin, M.S. Optical properties of CdS monocrystals, 1=2437
- Brodin, M.S. Optical properties of CdS monocrystals, 1=6202
- Brodin, M.S. and Prykhot'ko, A.F. Absorption and dispersion of light in certain crystals of the polycyclic series, 1=11382
- Brodskii, A.M. Effect of weak interactions on the electron properties of fermions, 1=431
- Brodwin, M.E. and Davis, J.W. Effect of magnetic fields upon reflex klystron characteristics, 1=16393
- Brodwin, M.E. See Furdyna, J.K., 1=17666
- Brody, J.K. See Ramakoteswara Rao, P., 1=19638
- Brody, T.A. and Moshinsky, M. Tables of transformation brackets for nuclear shell-model calculations, 1=13600
- Bródy, T.A. See Alba, A.F., 1=398
- Brody, T.P. Impurity band conduction and the problem of excess current in tunnel diodes, 1=11314
- Brody, T.P. See McKelvey, J.P., 1=11279
- Broek, H.W. Neutron emission from compound nuclear systems of high angular momentum, 1=17157
- Broer, L.J.F. Motion of a charged particle in a slowly varying magnetic field, 1=5535
- Broer, L.J.F. Mechanical analogy of the hall effect, 1=5562
- Broersma, S. See Furdyna, J.K., 1=1063
- Brogren, E.W. See Yuan, S.W., 1=4367
- Broida, H.P. See Bass, A.M., 1=14042
- Broida, H.P. See Krishnamachari, S.L.N.G., 1=3842
- Broida, H.P. See Schoen, L.J., 1=6221
- Broida, H.P. See Tanaka, I., 1=12321
- Broise, M. Construction of a covariant density matrix in the theory of the spin  $\frac{1}{2}$  particle, 1=13294
- Brokaw, R.S. Estimated collision integrals for the exponential attractive potential, 1=11786
- Brokaw, R.S. "Thermal conductivity" and chemical kinetics, 1=20726
- Brolley, J.E.Jr. See Gammel, J.L., 1=8521
- Brolley, J.E., Jr. See Rosen, L., 1=3440
- Brolley, J.E., Jr. See Rosen, L., 1=16920
- Brolley, J.E., Jr. See Rosen, L., 1=17092
- Bromley, D.A. Mechanism for reactions involving mass two and three nuclei, 1=8753
- Bromley, D.A. and Almqvist, E.  $^3\text{He}$  induced reactions, 1=2237
- Bromley, D.A., Kuehner, J.A. and Almqvist, E. Large angle stripping angular distribution fitting, 1=8754
- Bromley, D.A., Kuehner, J.A. and Almqvist, E. Distorted wave effects in stripping, 1=8755
- Bromley, D.A., Kuehner, J.A. and Almqvist, E. Resonant elastic scattering of heavy ions, 1=8782
- Bromley, D.A., Kuehner, J.A. and Almqvist, E. Elastic scattering of identical spin-zero nuclei, 1=11039
- Bromley, D.A., Nagatani, K., Northcliffe, L.C., Ollerhead, R. and Quinton, A.R. Studies of the  $\text{Li}^6(\text{Li}^6, d)\text{B}^{10}$  and  $\text{Li}^7(\text{Li}^6, t)\text{B}^{10}$  reactions with 6 MeV lithium ions, 1=19533
- Bromley, D.A. and Vogt, E.W. [Eds.]. Proceedings of the International Conference on Nuclear Structure, Kingston, Canada, August 29 - September 3, 1960, 1=2153
- Bromley, D.A. See Almqvist, E.A., 1=8720
- Bromley, D.A. See Almqvist, E., 1=8783
- Bromley, D.A. See Kuehner, J.A., 1=2235
- Bromley, D.A. See Kuehner, J.A., 1=4875
- Bromley, D.A. See Kuehner, J.A., 1=7323
- Bromley, D.A. See Kuehner, J.A., 1=8758
- Bromley, D.A. See Kuehner, J.A., 1=8759
- Bromley, D.A. See Kuehner, J.A., 1=8784
- Bromley, D.A. See Litherland, A.E., 1=1868
- Bromley, D.A. See McCallum, G.J., 1=2187
- Bromley, D.A. See Reeves, E.M., 1=2311
- Brommer, P.E. See Bosman, A.J., 1=6118
- Brommer, P.E. See Bosman, A.J., 1=6546
- Bronisz, S.E. and Gorum, A.E. The plastic deformation of monoclinic alpha plutonium, 1=20355
- Bronshtein, I.M. and Freiman, B.S. On certain regular features of the secondary electron emission of thin layers of metals and semiconductors, 1=4637
- Bronshtein, I.M. and Freiman, B.S. On certain regular features of the secondary electron emission of thin layers of metals and semiconductors, 1=10734
- Bronshtein, I.M. and Freiman, B.S. The range of kilovolt electrons in solid bodies, 1=17495
- Bronshtein, I.M. and Freiman, B.S. The determination of the range of slow truly secondary electrons, 1=18925
- Bronshtein, I.M. and Segal', R.B. The secondary electron emission of calcium, 1=4639
- Bronshtein, I.M. and Segal', R.B. Inelastic scattering of electrons and secondary electron emission of certain metals. III, 1=13127
- Bronstein, H.R., Dworkin, A.S. and Bredig, M.A. Electrical conductance of solutions of salts in liquid metals. Potassium iodide in potassium, 1=9406
- Brooker, H.R., Haigh, P.J. and Scott, T.A. Nuclear magnetic moment ratio and line-widths of  $\text{N}^{14}$  and  $\text{N}^{15}$ , 1=13622
- Brooks, F.D., Pringle, R.W. and Funt, B.L. Pulse shape discrimination in a plastic scintillator, 1=3078
- Brooks, H. See Deutsch, T., 1=17625
- Brooks, H. See Nathan, M.L., 1=14448
- Brookshier, W.K. Accurate low level current source, 1=16249
- Brophy, J.J. Current noise and distributed traps in cadmium sulfide, 1=7671
- Brophy, J.J. Organic semiconductors, 1=17676
- Brophy, J.J. Fluctuations in solids, 1=19840
- Brophy, J.J. See Robinson, R.J., 1=10057
- Brophy, V.A. See Samelson, H., 1=6500
- Bros, J., Messiah, A. and Stora, R. A problem of analytic completion related to the Jost-Lehmann-Dyson formula, 1=16640
- Brose, M. and Beckurts, K.H. A measurement of the neutron absorption cross section of aluminium, 1=5920
- Broser, I. The application of quasi-Fermi statistics to problems of luminescence and photoconductivity, 1=3852
- Broser, I. and Schulz, H.J. A comparative study of infrared luminescence and some other optical and electrical properties of ZnS:Cu single crystals, 1=10112
- Brosio, E. Measurement of the sound insulation by random and by normal incidence of sound, 1=8211
- Bross, H. The direction dependence of physical properties of crystals. particularly galvano- and thermomagnetic effects, 1=14375
- Bross, H. and Ricker, T. Experimental determination of the galvanomagnetic constant of copper single crystals, 1=17620
- Bross, H. See Seeger, A., 1=968
- Brossel, J. See Decomps, B., 1=2280
- Brossel, J. See Decomps, B., 1=7431
- Brossel, J. See Omont, A., 1=9904
- Brot, C. Direct measurement of the hyperfine structure of the  $6^3\text{P}_1$  level of the nuclear isomer  $\text{Hg}^{197*}$ , 1=13937
- Broutzen, F.R. See Zama, W.A., 1=1325
- Broude, C. and Gove, H.E. Study of low levels in even-even nuclei of the 1d-2d shell, 1=8578
- Broude, C. and Gove, H.E. Giant resonance region of excitation in  $\text{Ne}^{20}$ , 1=8722
- Broude, C. and Gove, H.E. The spin of a new level in  $^{24}\text{Mg}$ , 1=13658
- Broude, C. See Barnard, A.C.L., 1=5914
- Broude, V.L., Prykhot'ko, A.F. and Rashba, E.I. Some problems of crystal luminescence, 1=3850
- Brousides, F.J. See Hommel, C.O., 1=20779
- Brout, R. Ferromagnetic spin waves, 1=6265
- Brout, R. Statistical mechanics of ferromagnetism; spherical model as high-density limit, 1=7737
- Brout, R. Phonons and Plasmons, 1=9994
- Brout, R. and Englert, F. Linked-clusters expansion in quantum statistics: petit canonical ensemble, 1=77
- Brout, R. See Coopersmith, M., 20062
- Brouwer, D. and Hori, G. Theoretical evaluation of atmospheric drag effects in the motion of an artificial satellite, 1=9295
- Brouwer, D. and Hori, G. Appendix to theoretical evaluation of atmospheric drag effects in the motion of an artificial satellite, 1=11689
- Brouwer, W. See McPherson, P.M., 1=10589
- Brown, A. and Norreys, J.J. Uranium disilicide, 1=15089
- Brown, A. See Lempicki, A., 1=2867
- Brown, A.L. See Conwell, E.M., 1=17693
- Brown, B.F. See Strauss, S.W., 1=18388
- Brown, C.A. See Callahan, J.L., 1=9119



- Brown, C.R. and Rubenstein, H. Test of response bias explanation of word-frequency effect, 1=4147
- Brown, C.R. See Forsyth, D.M., 1=21137
- Brown, D., Ferguson, A.T.G. and White, R.E. Polarization of 0.3 to 1.4 MeV neutrons scattered by copper, zinc, molybdenum and cadmium, 1=13807
- Brown, D.E. See Mundie, L.G., 1=1841
- Brown, E.A., Charlson, R.J. and Johnson, D.L. Steady-state heat flux gauge, 1=16136
- Brown, E.N. Rotating bowl for the production of uniform drops, 1=12854
- Brown, F., Graham, R.L., Ewan, G.T. and Uhler, J. The conversion electron spectrum from a mass-separated source of  $\text{Xe}^{133}$ , 1=10991
- Brown, F. and Oliver, B.H. The kinetic energy of  $\text{Cs}^{138}$  primary fragments from fission of  $\text{U}^{235}$ , 1=9890
- Brown, F.C. and Inchauspé, N. Photoelectric Hall effect in KCl at low temperatures, 1=5028
- Brown, F.C. See Wild, R.L., 1=5027
- Brown, F.H., Furst, M. and Kallmann, H. Light and high energy induced energy transfer in liquid and rigid organic scintillators, 1=6864
- Brown, G.B. Reply to Lustig's comments, 1=1680
- Brown, G.E. Foundations of the optical model and direct interactions, 1=8542
- Brown, G.E., Castillejo, L. and Evans, J.A. The dipole state in nuclei, 1=3381
- Brown, G.E., Evans, J.A. and Thouless, D.J. Vibrations of spherical nuclei, 1=8560
- Brown, G.E. and Thouless, D.J. Relation between many-body and single-particle aspects in nuclei, 1=4830
- Brown, G.P. See Aftergut, S., 1=10037
- Brown, G.P. See Aftergut, S., 1=17745
- Brown, H. See Watson, K., 1=18032
- Brown, H. See Watson, K., 1=18034
- Brown, H.W. See Blois, M.S.Jr., 1=14090
- Brown, J. Artificial dielectrics, 1=7013
- Brown, J.L., Bryant, H.C., Burnstein, R.A., Glaser, D.A., Hartung, R., Kadyk, J.A., Van Putten, J.D., Sinclair, D., Trilling, G.H. and Van der Velde, J.C. Properties of neutral strange particles produced in a xenon bubble chamber, 1=8515
- Brown, L. See Rudin, H., 1=7288
- Brown, L.M. and Calogero, F. Pion-Pion interaction in electromagnetic processes, 1=522
- Brown, L.M. See Kroupa, F., 1=19782
- Brown, M.A.C.S. and Paige, E.G.S. Electric-field-induced modulation of the absorption due to interband transitions of free holes in germanium, 1=14580
- Brown, M.G. Electronegativity effects of hybridized carbon atoms, 1=6028
- Brown, M.V. and Ricard, J. Fluctuations in surface-reflected pulsed C.W. arrivals, 1=1795
- Brown, N. See Marcinkowski, M.J., 1=6535
- Brown, N. See Marcinkowski, M.J., 1=14280
- Brown, N. See Marcinkowski, M.J., 1=20595
- Brown, P.K. System for microspectrophotometry employing a commercial recording spectrophotometer, 1=11840
- Brown, R.F. Effect of two-dimensional mechanical stress on the dielectric properties of poled ceramic barium titanate and lead zirconate titanate, 1=8973
- Brown, R. Hanbury. The distribution and identification of the sources [Introductory lecture to Part V—Discrete sources and the universe], 1=18197
- Brown, R.J.S. Distribution of fields from randomly placed dipoles: free-precession signal decay as result of magnetic grains, 1=4693
- Brown, R.J.S. and Thompson, D.D. Second-order effects in low-field N.M.R. for ammonium ion solutions, 1=8142
- Brown, R.N., Mavroides, J.G., Dresselhaus, M.S. and Lax, B. Interband magnetoreflexion [cyclotron resonance] experiments in bismuth, 1=17488
- Brown, R.R. X-rays accompanying the magnetic storm of June 27, 1960, 1=20947
- Brown, R.R. Balloon observations of auroral-zone X-rays, 1=21053
- Brown, R.R. and D'Arcy, R.G. Solar protons from the flare of July 10, 1959, 1=20948
- Brown, R.F., Hartz, T.R., Landmark, B., Leinbach, H. and Ortnier, J. Large-scale electron bombardment of the atmosphere at the sudden commencement of a geomagnetic storm, 1=15349
- Brown, R.R. and Weir, R.A. Ionospheric effects of solar protons, 1=20958
- Brown, R.R. See Anger, C.D., 1=15244
- Brown, R.R. See Brode, R.B., 1=16930
- Brown, R.R. See Ehmert, A., 1=13583
- Brown, R.R. See Ehmert, A., 1=19310
- Brown, S.A. See Jones, B.D., 1=8500
- Brown, S.C. See Ascarelli, G., 1=1055
- Brown, S.C. See Bekefi, G., 1=2859
- Brown, S.C. See Bekefi, G., 1=2978
- Brown, S.C. See Bekefi, G., 1=8323
- Brown, S.C. See Bekefi, G., 1=10783
- Brown, S.C. See Buchsbaum, S.J., 1=9571
- Brown, S.C. See Hall, R.B., 1=16419
- Brown, S.C. See Hirshfield, J.L., 1=4608
- Brown, S.C. See Hirshfield, J.L., 1=7075
- Brown, S.C. See Hirshfield, J.L., 1=16324
- Brown, T.H., Bernheim, R.A. and Gutowsky, H.S. Temperature dependence of proton relaxation times in aqueous solution of paramagnetic ions. II.  $\text{CrCl}_3$ , 1=4361
- Brown, T.H. See Schug, J.C., 1=19660
- Brown, W.E.Jr. A lunar and planetary echo theory, 1=15559
- Brown, W.F.Jr. Domains and extreme-value statistics, 1=6301
- Brown, W.F.Jr. Rigorous calculation of the nucleation field in a ferromagnetic film or plate, 1=20099
- Brown, W.F.Jr. See Johnson, C.E.Jr., 1=6312
- Brown, W.J. See Blevin, W.R., 1=4476
- Brown, W.J. See Blevin, W.R., 1=11845
- Brown, W.L. Introduction to semiconductor particle detectors, 1=3084
- Brown, W.L. See Miller, G.L., 1=3082
- Browne, C.I. See Barr, D.W., 1=11019
- Browne, C.I. See Cowan, G.A., 1=8799
- Browne, C.P. See Erskine, J.R., 1=11033
- Browne, M.E. Effects of applied electric fields on paramagnetic resonance in chrome alums, 1=5071
- Brownell, G.L. See Ellett, W.H., 1=2034
- Brownell, R.M. and Barker, R.C. Measurements of the domain wall area—mobility product during slow flux reversals, 1=6302
- Brownlee, R.R. See Cox, A.N., 1=18069
- Broyles, A.A. Derivation of the Fermi-Thomas equation, 1=3500
- Broyles, A.A. Solution at high density to the Born-Green equation, 1=4321
- Broyles, A.A. Radial distribution function from the Percus-Yevick equation, 1=8105
- Broyles, A.A. Solution to the Percus-Yevick equation, 1=11752
- Brož, J. The distribution of ions and their valencies in magnesium manganese ferrites, 1=14738
- Brož, J. and Šternberk, J. The relation between the inner demagnetizing factor of manganese magnesium ferrites and their porosity and permeability, 1=17975
- Brož, J. and Šternberk, J. A remark on the anomalous course of the rectangularity coefficient in manganese magnesium ferrites, 1=20133
- Brú, L., Márquez, R. and Ramos, F. Diffraction of electrons that have traversed a finite thickness of material, 1=6512
- Brubaker, T.A. and Korn, G.A. Accurate amplitude distribution analyzer combining analog and digital logic, 1=7968
- Bruce, C.E.R. Cosmical electrical discharges, 1=9289
- Bruce, C.E.R. Cosmical electrical discharges. II. Spiral stellar nebulae, 1=9290
- Bruce, C.E.R. Spiral stellar nebulae and cosmic gas jets, 1=9291
- Bruce, C.E.R. Cosmic electrical discharges. III. Galactic evolution and cosmological controversies, 1=18189
- Bruce, C.E.R. Cosmic electrical discharges. IV. The energy radiated by radio galaxies, 1=18190
- Bruce, C.F. and Hill, R.M. Wavelengths of krypton 86, mercury 198, and cadmium 114, 1=8814
- Bruce, J.G., Jr. See Brockhurst, R.R., 1=6889
- Brucer, M. A total-body irradiator, 1=15364
- Brüche, E. and Schulze, K.J. Electron microscope examination of rapidly grown spinel single crystals, 1=10286



- Bruck, H. See Gendreau, G., 1=16460
- Brucker, B. See Leitner, J., 1=16901
- Brucker, E.B. See Block, M.M., 1=13500
- Brucker, G.J. and Rogers, K.C. A kilovolt, kiloampere low pressure switch, 1=5402
- Bruckmann, H. A modulator for the Bonn synchrocyclotron using ferroelectric ceramic, 1=1947
- Brückner, G. An intensity recording microphotometer and the recording of the U.V. solar spectrum, 1=7973
- Bruder, K. Third-order aberrations in anamorphic systems, 1=18576
- Brudner, H.J. and Borowitz, S. Thomas-Fermi technique for determining wave functions for alkali atoms with excited valence electrons, 1=792
- Brueckner, K.A. The properties of nuclear forces which are relevant to nuclear structure, 1=8532
- Brueckner, K.A. The properties of finite nuclei, 1=8535
- Brueckner, K.A., Lockett, A.M. and Rotenberg, M. Properties of finite nuclei, 1=589
- Brueschke, E.E. Ultra-high vacuum seal for space simulation systems, 1=10557
- Brugger, R.M. See Randolph, P.D., 1=15945
- Brugger, R.M. See Schmunk, R.E., 1=13827
- Brugger, R.M. See Tolk, N.H., 1=5737
- Bruhat, Y. An elliptic system of equations for the constraint problem in general relativity, 1=15634
- Bruin, F. and Shahin, N. The absolute measurement of paramagnetic susceptibilities at radio frequencies, 1=16484
- Bruin, P.J. On the asymptotic growth rate of vapour bubbles in superheated binary liquid mixtures, 1=5376
- Bruin, O. and Hjalmar, S. An alternative formulation of the linearized classical theory of gravitation as a zero mass limit, 1=9309
- Brümmer, O. The simultaneous production of X-ray interference and X-ray shadow pictures of crystals, 1=11604
- Brun, E., Hafner, S. and Hartmann, P. Nuclear quadrupole effects in spinels ( $\text{MgAl}_2\text{O}_4$ ), 1=14835
- Brun, E., Hafner, S., Hartmann, P. and Laves, F. Electric quadrupole interaction of  $\text{Al}^{17}$  and positive ion distribution in spinel ( $\text{MgAl}_2\text{O}_4$ ), 1=1286
- Brun, E.A. and Plum, H. Experimental study of a boundary layer along a rough plate, 1=15919
- Brun, J.C. See Artiges, J.C., 1=16225
- Brun, J.C. See Bergamaschi, C., 1=16462
- Brune, J., Ewing, M. and Kuo, J. Group and phase velocities for Rayleigh waves of period greater than 380 seconds, 1=6585
- Bruner, E.C. Jr. See Roach, F.E., 1=15310
- Bruner, L.J., Budnick, J.I. and Blume, R.J. Nuclear magnetic resonance of  $\text{Ni}^{61}$  in metallic nickel, 1=1281
- Bruner, L.J. and Keyes, R.W. Electronic effect in the elastic constants of germanium, 1=14846
- Bruner, L.J. See Budnick, J.I., 1=6433
- Brunet, H. The excitation of ferrimagnetic resonance by a pulsed magnetic field, 1=14783
- Bruning, H.A.C.M. See Rieck, G.D., 1=14326
- Brunner, G. The pile-up of pulses in scintillation spectrometry with high pulse rates, 1=16624
- Brunner, J.H. See Leisi, H.J., 1=9832
- Brunner, W. and Paul, H. Theory of nuclear fission, 1=3467
- Brunner, W. and Paul, H. On the theory of nuclear fission. I. The nuclear exchange forces between the fragments, 1=4878
- Brunner, W. and Paul, H. The kinetic energy of fission fragments, 1=4881
- Brunner, W. and Paul, H. On the theory of nuclear fission. II-III, 1=7409
- Brunner, W. and Paul, H. The theory of nuclear fission. IV. The influence of the magic numbers on nuclear fission, 1=13867
- Brunner, W. and Paul, H. The deformation of fission fragments, 1=19550
- Brunton, J.H. See Bowden, F.P., 1=20329
- Bruschetti, S. See Bonalumi, R., 1=5732
- Bruschi, C. See Bonalumi, R., 1=2060
- Bruschi, C. See Bonalumi, R., 1=5732
- Brush, S.G. Origin of the word "neutron", 1=7245
- Brush, S.G. Functional integrals and statistical physics, 1=9328
- Brush, S.G. Statistical thermodynamics of mixtures. II. Convergence of the quasi-chemical method for the Ising square lattice, 1=12812
- Brush, S.G. Development of the kinetic theory of gases. V. The equation of state, 1=12922
- Brush, S.G. See Trulio, J.G., 1=4275
- Bruyère, J.C. A photoelectric device for the trip gear of a chronometer, 1=18341
- Bruzek, A. The rotational velocity of polar prominences, 1=2623
- Bryan, M.E. and Parbrook, H.D. Just audible thresholds for harmonic distortion, 1=9226
- Bryant, C.A. and Keesom, P.H. Low-temperature specific heat of indium and tin, 1=11162
- Bryant, C.A. and Keesom, P.H. Low-temperature specific heat of germanium, 1=17420
- Bryant, C.A. and Keesom, P.H. Low temperature specific heat of molybdenum, 1=19715
- Brvant, D.A. See Allan, H.R., 1=577
- Bryant, F.J., Bree, A., Fielding, P.E. and Schneider, W.G. Trapping centres in anthracene crystals, 1=2422
- Bryant, G.W. and Mason, B.J. Etch pits and dislocations in ice crystals, 1=973
- Bryant, H.C. See Brown, J.L., 1=8515
- Bryant, R.T. and Evans, E.W. Observations on the oxygen solubility and magnetic susceptibility of body-centred cubic transition metal alloys, 1=20040
- Bryant, R.W. The effect of solar radiation pressure on the motion of an artificial satellite, 1=18214
- Bryngdahl, O. Effect of retinal image motion on visual acuity, 1=6676
- Bryukhanov, V.A. See Delyagin, N.N., 1=2164
- Bryukhanova, L.S., Andreyeva, I.N. and Likhtman, V.I. Effect of surface-active metallic melts on the creep resistance of metals, 1=20383
- Bryukhanova, L.S. See Likhtman, V.I., 1=14907
- Bryukhanova, L.S. See Likhtman, V.I., 1=20370
- Bub, G.J. and Webb, W.H. Electrodialysis unit for fission product separation, 1=20751
- Bubáková, R., Drahoš, J. and Fingerland, A. Single crystal diffraction pattern of germanium, 1=9134
- Bubáková, R., Drahoš, J. and Fingerland, A. A contribution to the theory of the triple crystal diffractometer, 1=15030
- Bubáková, R., Drahoš, J. and Fingerland, A. Single crystal diffraction pattern of germanium, 1=15069
- Bubb, I.F. See Legg, G.J.F., 1=16981
- Bube, R.H. Mechanism of photoconductivity in micro-crystalline powders, 1=3784
- Bube, R.H. Monotonic trap distributions, 1=14423
- Bube, R.H. Cross-section ratios of sensitizing centers in photoconductors, 1=14438
- Bube, R.H. and MacDonald, H.E. Effect of photoexcitation on the mobility in photoconducting insulators, 1=2421
- Bube, R.H. See Blanc, J., 1=12446
- Bubelev, E.G. A model for multiple meson production with finite  $N-\pi$  and  $\pi-\pi$  interaction, 1=2091
- Bubker, G.I. and Beliaev, S.T. [Simplified] Boltzmann's equation for an electron gas in which collisions are infrequent, 1=7048
- Bucci, P. Apparatus for measuring nuclear quadrupole resonance at frequencies of the order of 1 Mc/s, 1=9695
- Buchanan, R.A. and Bowen, W.A., Jr. LiOH hydration effects in pressed alkali halide pellets, 1=7898
- Buchdahl, H.A. On the nonexistence of a class of static Einstein spaces asymptotic at infinity to a space of constant curvature, 1=4253
- Buchdahl, H.A. Optical aberration coefficients, IX. Theory of reversible optical systems, 1=8215
- Buchert, H. See Zeil, W., 1=3537
- Blüchler, A., Berkowitz-Mattuck, J.B. and Dugre, D.H. Infrared spectra of some group IV halides, 1=11790
- Buchmann, F. See Röhler, R., 1=18636
- Buchsbaum, S.J. Ion resonance in a multicomponent plasma, 1=7070
- Buchsbaum, S.J. and Galt, J.K. Alfvén waves in solid-state plasmas, 1=19751
- Buchsbaum, S.J., Gordon, E.I. and Brown, S.C. Experimental study of a plasma column in a microwave cavity, 1=9571
- Buchsbaum, S.J. See Platzman, P.M., 1=16355
- Buchta, J.W. Physics education, 1=5181



- Buchwald, V.T. and Davis, A. Surface waves in anisotropic elastic media, 1=16008
- Buck, B. and Hodgson, P.E. The analysis of (d, p) stripping reactions by the distorted wave Born approximation, 1=19517
- Buck, B. and Satchler, G.R. Effects of a resonance on direct reactions, 1=8673
- Buck, O. See Seeger, A., 1=2501
- Buck, W.L. The origin of scintillations in organic materials, 1=2460
- Bucka, H., Kopfermann, H. and Minor, A. Precise measurement of the hyperfine structure of  $6^2\text{P}_{3/2}$  term of Rb I spectrum, 1=2284
- Bucka, H. and Nagel, H.H. The lifetime of the  $6^3\text{P}_1$  term in the barium-1 spectrum, 1=17257
- Bucka, H. and Schüssler, H.J. A double resonance experiment on the  $6^3\text{P}_1$  term of the even barium isotope in the Ba I spectrum, 1=4901
- Buckel, W. See Fortmann, J., 1=3725
- Buckingham, A.D. and Lawley, K.P. Nuclear magnetic shielding of a hydrogen atom in (1) an electric field-gradient and (2) a cage, 1=13926
- Buckingham, A.D., Schaefer, T. and Schneider, W.G. Solvent effects in nuclear magnetic resonance, 1=8140
- Buckingham, A.D. See Andrews, A.L., 1=15957
- Buckle, E.R. Phase changes in salt vapours, 1=11629
- Buckle, E.R. Studies on the freezing of pure liquids. II. The kinetics of homogeneous nucleation in supercooled liquids, 1=16176
- Buckle, E.R. and Ubbelohde, A.R. Studies on the freezing of pure liquids. I. Critical supercooling in molten alkali halides, 1=8266
- Buckle, E.R. and Ubbelohde, A.R. Studies on the freezing of pure liquids. III. Homogeneous nucleation in molten alkali halides, 1=16177
- Buckler, A.N. and Carter, C. Composite reactor lattices, 1=768
- Buckley, J.I. See Kitchingman, W.J., 1=1411
- Buckley, J.K. and Hupert, J.J. Experimental verification of the gain formula for parametric amplifiers, 1=7146
- Buckley, R.A., Axon, H.J. and Conacher, J. Lattice spacings of silver-magnesium solid solutions in the ordered and random conditions, 1=15161
- Bucklow, I.A. See Cole, M., 1=9240
- Bucklow, I.A. See Cole, M., 1=16411
- Buckmaster, H.A. Angular variation of axial spin-Hamiltonian eigenvalues in strong magnetic field, 1=18281
- Bucur, I. See Atanasiu, G., 1=1574
- Bucur, I. See Atanasiu, G., 1=1575
- Bucur, I. See Atanasiu, G., 1=6647
- Buczko, M. See Csikai, J., 1=5608
- Budagov, Yu.A., Ermolov, P.F., Kushnirenko, E.A. and Moskalev, V.I. Excitation of the  $\text{He}^4$  nucleus by 150 MeV  $\pi^-$ -mesons, 1=19297
- Budagov, Yu.A., Wiktor, S., Dzhelepov, V.P., Yermolov, P.F. and Moskalev, V.I. Elastic scattering of negative pions by protons at 128 and 162 MeV, 1=5766
- Budde, R. See Bartke, J., 1=8513
- Budden, K.G. The edge focusing of a radio signal received from outside the earth by an aerial within the ionosphere, 1=18145
- Budini, P. and Fonda, L. Pion-pion interaction from threshold anomalies in  $\text{K}^+$  decay, 1=8490
- Budini, P. and Furlan, G. Electroproduction of schizons, 1=8423
- Budini, P., Taffara, L. and Viola, C. On the total specific ionization, 1=5423
- Budini, P., Taffara, L. and Viola, C. On a possible enhancement of relativistic increase in ionization, 1=8441
- Budker, G.I. Some problems of the spatial stability of a ring current in a plasma, 1=7049
- Budker, G.I. Thermonuclear reactions in a system with magnetic stoppers mirrors and the problem of direct transformation of thermonuclear energy into electrical energy, 1=7419
- Budker, G.I. See Belyaev, S.T., 1=7027
- Budker, G.I. See Beliaev, S.T., 1=13076
- Budnick, J.I. and Bennett, L.H. Nuclear magnetic resonance in tantalum metal, 1=7802
- Budnick, J.I., Bruner, L.J., Blume, R.J. and Boyd, E.L. Nuclear magnetic resonance of  $\text{Fe}^{57}$  in unenriched Fe, 1=6433
- Budnick, J.I. See Bennett, L.H., 1=597
- Budnick, J.I. See Bruner, L.J., 1=1281
- Budnick, J.I. See Quinn, D.J., 1=10642
- Budnick, J.I. See Seraphim, D.P., 1=16200
- Budó, A., Dombi, J. and Horvai, R. Contributions to the question of the spectral effect of secondary fluorescence, 1=8126
- Budó, A. and Ketskeméty, I. Observations on the question of fluorescence polarization, 1=8129
- Budworth, D.W., Hoare, F.E. and Preston, J. The thermal and magnetic properties of some transition element alloys, 1=1441
- Budyansky, G.M., Zavenyagin, Yu.A., Fedorov, N.D. and Khrabrov, V.A. On the possibility of accelerating polarized protons in a cyclotron, 1=9655
- Budýlin, B.V. Effect of radiation on mechanical properties of ionic crystals, 1=12588
- Budzanowski, A., Clifft, R.W. and Hird, B. Inelastic proton scattering asymmetries at 8.9 MeV, 1=19452
- Budzanowski, A., Grotowski, K., Niewodniczański, H. and Nurzynski, J. The polarization of neutrons from the  $^{12}\text{C}(\text{d}, \text{n})^{13}\text{N}$  reaction, 1=719
- Budzanowski, A., Grotowski, K., Niewodniczański, H. and Nurzynski, J. The polarization of neutrons from the stripping reaction  $\text{C}^{13}(\text{d}, \text{n})\text{N}^{13}$ , 1=13845
- Buechner, W.W. See Hoogenboom, A.M., 1=19510
- Buehler, E. See Kunzler, J.E., 1=3037
- Buehler, E. See Kunzler, J.E., 1=5399
- Buff, F.P. The molecular hydrostatic analysis of Gibbs' theory of capillarity, 1=10493
- Buffington, F.S., Hirano, K. and Cohen, M. Self diffusion in iron, 1=17556
- Buffler, C.R. See Muller, M.W., 1=6387
- Bugai, I.D. See Shestopalov, V.P., 1=265
- Bugg, W. See Leitner, J., 1=16901
- Bugnolo, D.S. Radio star scintillation and multiple scattering in the ionosphere, 1=9196
- Bugnolo, D.S. Spread F and multiple scattering in the ionosphere, 1=15293
- Bugnolo, D.S. Author's reply to the preceding discussion, 1=21008
- Buhl, P.A. See Kelsch, J.J., 1=2246
- Buhl, R. Three-beam electron interference with electrostatic biprisms, 1=16417
- Buhl, R. Method of compensating alternating magnetic fields in electron interferometers, 1=16418
- Bühler, H. and Schmidt, F.J. Heat transfer from heated bodies to liquids with vaporization, with reference to flow conditions, 1=17228
- Bühning, W. and Heintze, J. An evaporation apparatus for radioactive substances, 1=1774
- Buhrow, J. Traps in inorganic crystalline phosphors in the atomic configuration coordinate model, 1=6222
- Buijs, K. See Strasheim, A., 1=7714
- Buimistrov, V.M. Excited states of a local electron centre interacting with a quantized field at arbitrary values of the coupling constant. II. Application to the theory of light absorption by local electron centres, 1=11229
- Buinov, N.I. See Zakharova, R.R., 1=15148
- Buinov, N.N. See Rakin, V.G., 1=4015
- Buinov, N.N. See Rakin, V.G., 1=10219
- Buishvili, L.L. The Overhauser effect in metals containing paramagnetic impurities, 1=1274
- Buishvili, L.L. The Overhauser effect in metals containing paramagnetic impurities, 1=6424
- Buishvili, L.L., Khutsishvili, G.R. and Cheishvili, O.D. Magnetic relaxation in ferromagnetic metals, 1=3922
- Buisson, R., Chicault, R., Deschamps, D., Galland, J. and Soutif, M. Achievements of a ruby maser using cross-relaxation pumping, 1=9683
- Buisson, R. See Ayant, Y., 1=10787
- Bukat, G.M. Calculation of  $\ell$ -forbidden transition probabilities, 1=17042
- Bukata, R.P. See Standil, S., 1=7300
- Bukhanova, A.A. See Petrov, D.A., 1=20437
- Bukhvostova, N.G. See Lapkin, N.I., 1=6359
- Bukovska, M. and Porai-Koshits, M.A. The structures of Millon's salt and Becton's salt, 1=4056
- Bulakh, B.M. Nonlinear conical flow of a gas, 1=6883
- Bulashevich, T.Yu. See Korovin, L.I., 1=12495
- Bulatov, B.P. and Garusov, E.A.  $^{60}\text{Co}$  and  $^{198}\text{Au}$   $\gamma$ -ray albedo of various materials, 1=16736
- Bulatova, R.F., Kogan, V.S. and Lazarev, B.G. Crystal structure of solid deuterohydrogen, 1=4043
- Bulatova, R.F. See Kogan, V.S., 1=15070



## AUTHOR INDEX

- Bulewicz, E.M. and Padley, P.J. Asymmetry of cyclotron resonance lines in the reaction zones of low-pressure acetylene and cyanogen flames, 1=20738
- Bulgakov, B.M., Shestopalov, V.P., Shishkin, L.A. and Yakimenko, L.P., Slow waves in a helical guide with plasma, 1=4724
- Bull, C.S. and Fitch, R.K. Estimation of the total emission of a diode under normal operating conditions without removing the space-charge, 1=16396
- Bull, V.A. See Evans, D., 1=19267
- Bull, W.E. See Palko, A.A., 1=11611
- Bullen, T.G. See Braddock, J.V., 1=13454
- Bullock, W.R. and Hutton, D.M. Vertical distribution of sodium in the upper atmosphere, 1=21024
- Bulloff, J.J. and Peet, C.S. Eds. Semiconductor abstracts. Vol. VI - 1958 issue, 1=17643
- Bullough, K. Observations of aurorae by radar in Terre Adélie (November 1957 to January 1958), 1=4132
- Bullough, K. Radio-echo observations of the aurora in Terre Adélie, 1=15316
- Bullough, R. and Newman, R.C. The kinetics of impurity precipitation on dislocations: small drift theory, 1=8905
- Bulman, J.B. and Russek, A. Ionization produced by atomic collisions at keV energies. III, 1=7024
- Bulović, V.F. See Bek-Uzarov, D.N., 1=13723
- Bumiller, F., Croissiaux, M. and Hofstadter, R. Electron scattering from the proton, 1=2039
- Bumiller, F. See Hofstadter, R., 1=3178
- Bunbury, D.S.P. See Boyle, A.J.F., 1=3604
- Bunbury, D.St.P. See Boyle, A.J.F., 1=5831
- Bunbury, D.S.P. See Boyle, A.J.F., 1=6273
- Bunbury, D.St.P. See Boyle, A.J.F., 1=6806
- Bund, G.W. and Leal Ferreira, P. On the meson mass differences, 1=3228
- Bundy, F.P. Effect of pressure on e.m.f. of thermo-couples, 1=5035
- Bundy, F.P., Bovenkerk, H.P., Strong, H.M. and Wentorf, R.H.Jr. Diamond-graphite equilibrium line from growth and graphitization of diamond, 1=12621
- Buneman, O. Maintenance of equilibrium by instabilities, 1=9550
- Buneman, O. Gas law and conductivity of a collision-free plasma, 1=10702
- Buneman, O. Resistance as dissipation into many reactive circuits: Landau damping and Nyquist's noise theorem, 1=13048
- Buneman, O. Fluctuations in a multicomponent plasma, 1=18820
- Bunge, M. Laws of physical laws, 1=10406
- Bunkin, F.V. The inversion of Zeeman split levels, 1=10587
- Bünnagel, R. A study of the measurement of the phase difference in doubly refracting plates using the Soleil-Babinet compensator, 1=18624
- Bunt, B.P. Measurement of thickness of thin transparent films using fluorescence, 1=5245
- Bunyatov, S.A. See Batusov, Yu.A., 1=2083
- Bunyatov, S.A. See Batusov, Yu.A., 1=16849
- Bur, A.J. See Broadhurst, M.G., 1=11334
- Buralge, S.R. See Barledzh, S., 1=2823
- Buravikhin, V.A. See Kirenski, L.V., 1=7753
- Buravikhin, V.A. See Kirenski, L.V., 1=10152
- Buravleva, M.G. See Geguzin, Ya.E., 1=4024
- Burbank, R.D. Molecular structure in crystal aggregates of linear polyethylene, 1=3579
- Burbank, R.D. Correction for nonlinearity in X-ray counting systems, 1=10874
- Burbidge, E.M. and Burbidge, G.R. The radio sources in the Cygnus Loop and IC443, 1=18179
- Burbidge, G.R. Galactic explosions as sources of radio emission, 1=15563
- Burbidge, G.R. See Burbidge, E.M., 1=18179
- Burcev, P. On the theory of gravitational radiation, 1=15601
- Burcev, P. On the mechanics of a mass point in the general theory of relativity, 1=15636
- Burch, J.M. and Palmer, D.A. Interferometric methods for the photographic production of large gratings, 1=5353
- Burch, P.R.J. Gamma-ray spectra in large organic scintillators, 1=10810
- Burcham, W.E. Nuclear resonant scattering without recoil (the Mössbauer effect), 1=5828
- Burcham, W.E. Rutherford Jubilee International Conference — Manchester, September 1961, 1=19052
- Burcham, W.E., Burkhardt, G.H. and Rolph, P.M. The Birmingham conference on nuclear physics, April 1961, 1=13194
- Burck, E.J. and Newman, R.C. The damping of vibratory motion by soap films, 1=4318
- Burck, H. The dependence of electron mobility on temperature in mercury, 1=16272
- Burckel, J. See Nikitine, S., 1=1160
- Burde, J. and Rakavy, M. Determination of the lifetime of the 283 keV excited level of Dy<sup>160</sup>, 1=19365
- Burdese, A. and Borlera, M.L. Crystal structure of zirconium ortho-phosphate Zr<sub>3</sub>(PO<sub>4</sub>)<sub>4</sub>, 1=2537
- Burdick, G.A. Topology of the Fermi surface of copper, 1=14215
- Burdukov, Yu.M., Imenkov, A.N., Nasledov, D.N. and Tsarenkov, B.V. Planar alloy GaAs diodes, 1=12452
- Bureau, A.J. and Hammer, C.L. Procedure for making intense sources in an electron synchrotron, 1=5516
- Burge, E.J. Definitions of resonance and exact conditions for resonance in some electrical circuits. I. Definitions of resonance for series and parallel LCR circuits, 1=261
- Burge, E.J. Statistical errors in particle polarization measurements, 1=472
- Burge, E.J. Further comments on errors in polarization measurements, 1=473
- Burge, E.J. Definitions of resonance and exact conditions for resonance in some electrical circuits. II. Tuned coupled circuits, 1=4536
- Burge, R.E. See Silvester, N.R., 1=4090
- Burgeat, M. and Hirsh, I.J. Changes in masking with time, 1=12714
- Bürger, A. and Šebek, S. Influence of the dislocation density on germanium p-n junctions, 1=19857
- Burger, E. See Eckardt, A., 1=5523
- Burger, E.E. See Cobine, J.D., 1=10554
- Burger, J.F. See Lochner, J.P.A., 1=16046
- Burger, J.P. Hall effect in dilute Pd-Co-H alloys, 1=14383
- Burger, J.P., Poulis, N.J. and Hass, W.P.A. Nuclear magnetic resonance of protons absorbed in Pd and some dilute Pd-Fe alloys, 1=14827
- Burger, J.P. and Taylor, M.A. Anomalies in the magnetic susceptibility and electrical resistivity of vanadium, 1=7735
- Burger, J.P. and Wucher, J. Thermomagnetic study of dilute Pd-Cr hydrogenized alloys, 1=6257
- Burgerjon, J.J. and Weidemann, W. The Pretoria cyclotron. Second report, 1=18957
- Burgers, J.H. See Rhodes, R.S., 1=11483
- Burgers, J.M. Motion of a completely ionized gas across a magnetic field in the presence of an electric force, 1=5452
- Burgers, W.G. Optical demonstration of Bragg's law, 1=9484
- Burgers, W.G. See De Lange, R.G., 1=11505
- Burgers, W.G. See Tiedema, T.J., 1=1461
- Burgess, J.H. See Roberts, R.W., 1=3941
- Burgess, R.E. Homophase and heterophase fluctuations in semiconducting crystals, 1=3737
- Burgess, R.E. See Gibson, A.F., 1=5008
- Burgess, V.R. Analogue method for computing the number of spins contributing to a magnetic resonance absorption, 1=4739
- Burgess, V.R. See Bogle, G.S., 1=9694
- Burget, J. and Odehnal, M. The polarization of nuclei by the "effet solide" method and the relaxation of nuclear spins during rapid passage through a field, 1=20247
- Burget, J., Odehnal, M., Petříček, V. and Šácha, J. Two-quantum transitions in electron paramagnetic resonance, 1=20192
- Burgiel, J.C., Jaccarino, V. and Schawlow, A.L. Nuclear quadrupole resonance in an antiferromagnet, 1=7807
- Burgmann, V.D. See Downes, J.G., 1=21154
- Burgoynne, N. See Araki, H., 1=446
- Burgy, M.T., Krohn, V.E., Novey, T.B., Ringo, G.R. and Telegdi, V.L. Measurements of spatial asymmetries in the decay of polarized neutrons, 1=500
- Burhop, E.H.S. See Jones, B.D., 1=8500
- Burhop, E.H.S. See Jones, B.D., 1=19502
- Burhorn, F. and Wienecke, R. Plasma composition, plasma density, enthalpy and specific heat of nitrogen, nitric oxide and at 1, 3, 10 and 30 atm. In the temperature range between 1000 and 30 000°K, 1=10700
- Burhorn, F. and Wienecke, R. Plasma composition, plasma density, enthalpy and specific heat of hydrogen and water vapour at 1, 3, 10 and 30 atm. In the temperature range between 1000 and 30 000°K, 1=10701



- Burkard, O. A maximum of temperature in the middle ionosphere, 1=7935
- Burke, B.F. Contributions of overseas observatories, 1=12778
- Burke, B.F., Ecklund, E.T., Firor, J.W., Tatel, H.E. and Tuve, M.A. Atomic hydrogen survey near the galactic plane, 1=18011
- Burke, E.A. and Lowe, L.F. Derivation of thermal neutron spectra from transmission data, 1=505
- Burke, J.J. See Kapany, N.S., 1=12975
- Burke, P.G. and Laskar, W. Four-nucleon reactions with central forces, 1=3171
- Burke, P.G. See Anderson, J.A., 1=7273
- Burke, P.G. See Anderson, J.A., 1=16867
- Burke, P.G. See Laskar, W., 1=9739
- Burke, P.G. See Smith, K., 1=11080
- Burke, V.M. and Seaton, M.J. The calculation of electron-hydrogen collision cross-sections using the Born approximation for the reactance matrix, 1=3509
- Burkhammer, E.W. See Ang, C.Y., 1=20646
- Burkhard, D.G. Internal angular momentum in hindered rotation, 1=830
- Burkhardt, G., Fahl, C. and Larenz, R.W. Coupling mechanisms between longitudinal and transverse waves in a plasma, 1=2986
- Burkhardt, G.H. See Burcham, W.E., 1=13194
- Burkhardt, H. See Byers, N., 1=549
- Burkhardt, W. and Herrmann, D. The calibration of beta dose-measurement devices, 1=19068
- Burkhardt, W. See Schubert, K., 1=5099
- Burlage, S.R. See Gerson, R., 1=20376
- Burlakov, A.V. See Oksman, Ya.A., 1=2434
- Burlefinger, R. and Ewald, H. Sensitivity of Ilford Q<sub>1</sub> plates, 1=9711
- Burleson, G.R. Inelastic scattering of electrons from He<sup>+</sup>, 1=2106
- Burleson, G.R., Roberts, A. and Romanowski, T.A. Use of spark chambers in magnetic fields, 1=16631
- Burley, D.M. A lattice model of a classical hard sphere gas, II. 1=6378
- Burley, D.M. Critical curves of an antiferromagnetic on the Ising model for loose packed lattices, 1=20152
- Burmakina, O.P. and Savitskii, F.S. Failure of hardened steel under compression along two directions, 1=12608
- Burman, R.L. and Yavin, A.I. Multi-purpose magnetic particle analyzer, 1=1996
- Burmistrov, V.R. Cascade  $\gamma$ -transitions in Cl<sup>36</sup> accompanying thermal neutron capture, 1=17120
- Burmistrov, V.R. and Radchenko, V.P. Two-cascade  $\gamma$ -transition in the Nd<sup>144</sup> nucleus accompanying capture of thermal neutrons, 1=341b
- Burnat, M. On the conditions of simple wave formation, 1=6841
- Burnelle, L. SCF LCAO study of linear and bent acetylene, 1=11109
- Burnett, T.B., Lorch, H.O. and Thompson, J.E. Some problems in the development of a commercial thermoelectric refrigerator, 1=18751
- Burnham, D. See Cassen, B., 1=15981
- Burnham, D.C. See Moser, F., 1=4029
- Burns, G. Nuclear magnetic resonance in (NH<sub>4</sub>)<sub>2</sub>(BeF<sub>4</sub>)<sub>x</sub>(SO<sub>4</sub>)<sub>1-x</sub> and other ferroelectric systems, 1=11496
- Burns, G. Nuclear quadrupole resonance and electron spin resonance in C(NH<sub>3</sub>)<sub>2</sub>Al(SO<sub>4</sub>)<sub>2</sub>·6H<sub>2</sub>O and isomorphous compounds, 1=12573
- Burns, G. Nuclear quadrupole moment of Fe<sup>57m</sup>, 1=16971
- Burns, G. Electron spin resonance in powders, 1=20208
- Burns, G. and Wikner, E.G. Antishielding and contracted wave functions, 1=795
- Burns, J. and Neumann, M.J. Present status of the channeled image intensifier, 1=3002
- Burns, R.P. See Grimley, R.T., 1=4513
- Burns, R.P. See Grimley, R.T., 1=11864
- Burns, S.H. and Jeppesen, M.A. Photographing and projecting crystal patterns in convergent polarized light, 1=1383
- Burnside, P.B. See Bell, E.E., 1=1842
- Burnstein, R., Kitamura, T. and Millar, D.D. The anomalous scattering of underground  $\mu$ -mesons, 1=2075
- Burnstein, R.A. See Brown, J.L., 1=8515
- Burren, J.W., Morgan, D. and Walkinshaw, W. Production of high density currents for colliding beam accelerators, 1=9648
- Burren, J.W. See Bennett, R.G.T., 1=9657
- Burris-Meyer, H. and Mallory, V. Psycho-acoustics, applied and misapplied, 1=1613
- Burrus, C.A. Gallium arsenide Esaki diodes for high-frequency applications, 1=11317
- Burrus, C.A. High-frequency silicon varactor diodes, 1=11318
- Burrus, W.R. Unscrambling scintillation spectrometer data, 1=1987
- Burshtein, A.I. On the efficiency of cascade thermo-generators, 1=268
- Burshtein, A.I. On the efficiency of refrigerating thermo-battery cascades, 1=269
- Burshtein, A.I. Hyperfine structure of e.p.r. spectra for single electrons in double potential wells, 1=4893
- Burshtein, E.L. and Solov'ev, L.S. The Hamiltonian of averaged motion, 1=18991
- Burshtein, R.Kh. and Sergeev, S.I. The influence of absorbed oxygen on the lifetime of free charge carriers on germanium surfaces, 1=17684
- Burson, S.B. See Grench, H.A., 1=2196
- Burson, S.B. See Helmer, R.G., 1=10976
- Burson, S.B. See Helmer, R.G., 1=10977
- Burstein, E., Langenberg, D.N. and Taylor, B.N. Superconductors as quantum detectors for microwave and sub-millimeter-wave radiation, 1=5400
- Burstein, E. See Stiles, P.J., 1=12516
- Burstein, E. See Stiles, P.J., 1=17930
- Bursuc, I.D. See Tutovan, V., 1=20097
- Burt, F.S. Hydrodynamic research, 1=11736
- Burt, P. and Harris, E.G. Unstable cyclotron oscillations in a cylindrical plasma shell, 1=18902
- Burton, E.J. See Ackroyd, R.T., 1=17226
- Burton, J.T.A. See Zieband, H., 1=18396
- Burton, L.K. and Trott, N.G. The design and applications of a demountable 4  $\pi$  Geiger-Müller counter, 1=13204
- Burton, M. and Dreeskamp, H. On luminescence decay times and their relation to mechanisms of energy transfer in radiation chemistry of liquids, 1=5279
- Burton, M. See Dreeskamp, H., 1=8227
- Burton, M. See Nosworthy, J.M., 1=4349
- Burtsev, V.A., Stolov, A.M. and Shakhov, V.V. Measurement of the flow of energy radiated by the plasma in the apparatus "Alpha", 1=5478
- Burtsev, V.A., Stolov, A.M. and Shakhov, V.V. Measurement of the flow of energy radiated by the plasma in the apparatus "Alpha", 1=9604
- Burt, R.B., Colligon, J.S. and Leck, J.H. Sorption and replacement of ionized noble gases at a tungsten surface, 1=20690
- Burwell, J.R. See Holm, G.B., 1=8770
- Busbridge, I.W. On inhomogeneous stellar atmospheres, 1=2634
- Busbridge, I.W. The mathematics of radiative transfer, 1=4289
- Busch, G., Fröhlich, C., Hulliger, F. and Steigmeier, E. Structure, electrical and thermoelectric properties of SnSe<sub>3</sub>, 1=14475
- Busch, G. and Hulliger, F. Minerals as models for new semiconducting compounds, 1=10040
- Busch, G. and Steigmeier, E. Thermal and electrical conductivities, Hall effect and thermoelectric power of InSb, 1=7649
- Busch, G. and Vogt, O. Magnetic susceptibility of Ge-Si mixed crystals, 1=6253
- Bushmanov, V.K. Hydrodynamic stability of a liquid layer on a vertical wall, 1=18358
- Busing, J.A. See Tanner, C.B., 1=15221
- Buslaev, V.S. Dispersion relations in the nonrelativistic scattering theory with spin-orbit interaction, 1=19133
- Bussetti, G. Thick-walled ionization chamber for measuring  $\gamma$ -ray intensity up to 100 MeV, 1=13210
- Bussiére De Nercy, A. Study of the 11.12 MeV level in Si<sup>28</sup> by resonant scattering and absorption, 1=16993
- Bussiére de Nercy, A. and Langevin, M. Resonant scattering and absorption of bremsstrahlung, 1=13763
- Bussiére de Nercy, A., Langevin, M. and Spighe, M. Resonant gamma-ray absorption, without nucleus recoil, by Ho<sup>166</sup> and Os<sup>193</sup>, 1=13632
- Bussiére De Nercy, A. See Langevin, M., 1=2203



## AUTHOR INDEX

- But, Z.P. Influence of surface working methods on the photo-electric emission of germanium, 1=16379
- Butcher, B.M. and Ruoff, A.L. Effect of hydrostatic pressure on the high-temperature steady-state creep of lead, 1=14894
- Butcher, J.C. See Bolt, B.A., 1=192
- Butera, R.A., Craig, R.S. and Cherry, L.V. Electromagnetic servo-balance employing a differential transformer, 1=10757
- Butler, C.P. See Parker, W.J., 1=13006
- Butler, J.N. Distribution of space charge in homogeneous metal oxide films, 1=11593
- Butler, J.P. and Santry, D.C.  $\text{Th}^{232}(n, 2n)\text{Th}^{231}$  cross section from threshold to 20.4 MeV, 1=7393
- Butler, J.W. Neutron-absorbing bricks made from  $\text{CaB}_6$ , 1=2061
- Butler, J.W. High-efficiency, long-lived vacuum cold trap, 1=5313
- Butler, J.W.  $\text{Ca}^{40}(p, \gamma)\text{Sc}^{41}$  reaction, 1=11011
- Butler, J.W. and Bondelid, R.O.  $\text{O}^{14}$  decay energy and the Fermi interaction constant, 1=4847
- Butler, J.W. and Dunning, K.L. Decay of  $\text{Ne}^{19}$ , 1=4850
- Butler, J.W. See Dunning, K.L., 1=12218
- Butler, R.A. See Konishi, T., 1=6664
- Butler, S.T. and Pearson, C.A. Photostar cross-section from coulomb disintegrations of high energy heavy primaries, 1=10946
- Butler, S.T. and Pearson, C.A. Deuterons from high-energy proton bombardment of matter, 1=12199
- Butler, S.T. See Pearson, C.A., 1=575
- Butomo, S.V. See Protopopov, Kh.V., 1=4348
- Butorina, L.N. An electron diffraction study of tungsten carbide WC, 1=11566
- Butorina, L.N. and Pinsker, Z.G. Electron-diffraction study of  $\text{W}_2\text{C}$ , 1=15083
- Butra, F.P. See Konobeevskii, S.T., 1=3703
- Butslov, M.M. See Kushnir, Yu.M., 1=4648
- Butt, D.K. and Nicholson, P.W. Vibration micro-dispenser, 1=21164
- Butterworth, J. Nuclear spin-lattice relaxation in vanadium metal, 1=1284
- Butterworth, J. Nuclear magnetic relaxation in vanadium, 1=10193
- Buttinelli, D. and de Gregorio, G. Cyclic terms of zinc obtained as monocrystals, 1=12625
- Button, J., Eberhard, P., Kalbfleisch, G.R., Lannutti, J.E., Lynch, G.R., Maglic, B.C., Stevenson, M.L. and Xuong, N.H. Reaction  $\bar{p} + p \rightarrow \bar{Y} + Y$ , 1=5727
- Button, J. See Wolf, S.E., 1=16890
- Buttweiler, T.B. Optimum modulation characteristics for amplitude-modulated and frequency-modulated infrared systems, 1=11828
- Butusov, Yu.M. and Kopytina, M.V. The basis of band theory, 1=14201
- Butýlenko, O.K., Kurdyumova, I.H. and Trefilov, V.I. Determination of the activation energy of recrystallization of Cr, 1=14985
- Buwalda, P. See Press, F., 1=15422
- Buya, Z.A. See Babetski, S.Yu., 1=19314
- Byalkovskii, G. See Solov'ev, L.D., 1=19233
- Byatt, W.J. and DeVault, G.P. An iteration-variation method for wave propagation problems, 1=16579
- Býchkov, Yu.A. Quantum theory of the electrical conductivity of metals in strong magnetic fields, 1=3705
- Byckling, E. The equation of state of hard spheres, 1=18311
- Byelyayev, A.D., Hlinchuk, K.D. and Miselyuk, O.H. Investigation of recombination processes in germanium doped with some impurities. I. Pure and doped with Sb or Ga, 1=11298
- Byers, C.C. Cross sections of various materials in the [Los Alamos] Godiva and Jezebel critical assemblies, 1=17116
- Byers, N. and Burkhardt, H.  $\Sigma^0 \rightarrow \Lambda^0 + e^+ + e^-$  and the  $\Sigma^0 - \Lambda^0$  relative parity, 1=549
- Byers, N. and Yang, C.N. Theoretical considerations concerning quantized magnetic flux in superconducting cylinders, 1=13044
- Byers, N. and Zachariasen, F. A note concerning the magnetic moment of the muon, 1=9755
- Býkhovskaya, L.N. A 20-30 kilovolt ion gun, 1=4659
- Býkhovskiy, A.I. Effect of volume pressure on the kinetics of phase transformations of the first kind, 1=14940
- Býkov, N.S. and Shneider, Yu.G. Experimental study of the effect of surface quality on the damping of surface waves [in solids], 1=18506
- Býkov, V.N. and Kazarnikov, V.V. The structure of an intermetallic compound of Zr, 1=20579
- Býkov, V.N. See Lyashenko, V.S., 1=6115
- Býkov, V.N. See Lyashenko, V.S., 1=6116
- Býkov, V.P. Measurements of the energy of a large radiator at 3 cm wavelength, 1=5586
- Býkov, V.P. See Kapitza, S.P., 1=18965
- Býkov, V.P. See Kapitza, S.P., 1=18966
- Býkova, T.T. See Berlaga, R.Ya., 1=10065
- Byram, E.T., Chubb, T.A. and Friedman, H. Attempt to measure night helium glow — evidence for metastable molecules in the night ionosphere, 1=21031
- Byram, E.T. See Kupperian, J.E.Jr., 1=6629
- Byrne, J.G., Fine, M.E. and Kelly, A. Precipitate hardening in an aluminium-copper alloy, 1=20602
- Býstrikov, A.S. See Predvoditelev, A.A., 1=3667
- Býstrov, V.F., Utyanskaya, É.Z. and Yagupol'skii, L.M. Nuclear magnetic resonance spectra of  $\text{F}^{19}$  in fluorinated aromatic compounds, 1=11127
- Bytner, É.K. The time of the establishment of a stationary quantity of oxygen in the atmospheres of planets containing water vapour, 1=20810
- Cabané, J. See Beaumont, J.C., 1=7594
- Cabané, J. See Beaumont, J.C., 1=7595
- Cabannes, H. Attached stationary shock waves in ionized gases, 1=5569
- Cabaret, F. See Baudet, J., 1=7451
- Cabaret, F. See Guy, J., 1=7485
- Cabaret, F. See Guy, J., 1=14097
- Cabaret, F. See Guy, J., 1=14098
- Cabé, J. See Blanc, D., 1=2945
- Cabé, J. See Blanc, D., 1=13197
- Cabell, M.J. The thermal neutron capture cross-section and the resonance capture integral of  $^{100}\text{Mo}$ , 1=706
- Cabezas, A., Lindgren, I., Lipworth, E., Marrus, R. and Rubinstein, M. Nuclear spins of neodymium-147 and promethium-147, 1=2159
- Cabezas, A.Y., Lindgren, I. and Marrus, R. Atomic-beam investigations of electronic and nuclear ground states in the rare-earth region, 1=9900
- Cabibbo, N. The nucleon core in high energy neutrino processes, 1=16768
- Cabibbo, N. and Ferrari, E. Some rare decay modes of the K-meson, 1=5777
- Cabibbo, N. and Gatto, R. Consistency of the  $K^+ \rightarrow \pi^+ + \pi^0 + \gamma$  rate with the  $\Delta T = \frac{1}{2}$  rule, 1=2095
- Cabibbo, N. and Gatto, R. Further remarks on the proposed  $\mu - e$  selection rule, 1=12048
- Cabibbo, N. and Gatto, R. Theoretical discussion of possible experiments with electron-positron colliding beams, 1=12077
- Cable, J.W., Wilkinson, M.K. and Wollan, E.O. Neutron diffraction investigation of antiferromagnetism in  $\text{CrCl}_2$ , 1=20159
- Cable, J.W., Wollan, E.O., Koehler, W.C. and Wilkinson, M.K. Neutron diffraction study of metallic erbium, 1=6348
- Cable, J.W. See Wilkinson, M.K., 1=1251
- Cable, J.W. See Wilkinson, M.K., 1=6347
- Cabrera, N. The structure of crystal surfaces, 1=6489
- Cabrespine, A. Methods of improving the time distribution of the synchrocyclotron external beam, 1=16463
- Cabrespine, A. See Bergamaschi, C., 1=16462
- Cabrini, A. See Vacilago, A., 1=17372
- Cacace, F. Labeled organics in gas chromatography, 1=20776
- Cacace, F., Guarino, A., Montefinale, G. and Possagno, E. Radioactive atoms distribution in aromatic compounds labelled by exposure to tritium gas, 1=15206
- Cacciari, A. See Ippolito, F., 1=7412
- Cadeville, M.C. and Meyer, A.J.P. Magnetic properties of  $\text{Fe}_2\text{P}$ , 1=3889
- Cadeville, M.C. and Meyer, A.J.P. The magnetic properties of  $\text{Fe}_2\text{P}$ , 1=7743
- Cadoff, I. See Miller, E., 1=17750
- Cady, W.G. Comment on monograph by S.A. Bessri, 1=5042
- Caffier, P. See Magnac-Valette, D., 1=7411



- Caffyn, J.E. and Ridley, B.K. Z-centres in sodium chloride containing calcium, 1=3694
- Caforio, A., Ferilli, A., Ferraro, D., Merlin, M., Guerriero, L., Laboragine, I., Salandin, G.A., Waldner, F., Poiani, G. and de P. Cagnodo, M. On the parity conservation in the reaction  $K^- + p = \Sigma^+ + \pi^-$ , 1=5780
- Caforio, A. See Baldassarre, F., 1=16862
- Caforio, A. See Baldo Ceolin, M., 1=551
- Caforio, A. See Baldo-Ceolin, M., 1=10926
- Cafta, H. Modified derivation of the dispersion law for long spin waves in antiferromagnetic regular superstructures, 1=20153
- Cagan, V. Experimental studies of the properties of certain ferrites in the 10 kMc/s range, 1=14737
- Cagan, V. Orientation of single crystal garnet by magnetic resonance, 1=14782
- Caglioti, G., Paoletti, A. and Ricci, F.P. On resolution and luminosity of a neutron diffraction spectrometer for single crystal analysis, 1=20470
- Caglioti, V. The problem of the double table of atomic weights and the Report of the Commission for Atomic Weights of the International Union for Chemistry for the year 1954-1955, 1=3523
- Cagniard, L. Approximate empirical relation between the secular magnetic variation and the fluctuations of the earth's rotation, 1=6650
- Cagniard, L. The magnetic secular variation interpreted as a "Rowland effect" accompanying electromagnetic induction phenomena, 1=9209
- Cagniard, L. Essay on the internal electrical constitution of the earth, 1=20801
- Cahn, M. See Debever, R., 1=2690
- Cahn, J.H. See Simon, R., 1=4551
- Cahn, J.W. Theory of crystal growth and interface motion in crystalline materials, 1=2523
- Cahn, J.W. and Kikuchi, R. Theory of domain walls in ordered structures. I. Properties at absolute zero, 1=20086
- Cahn, J.W. See Horvay, G., 1=15004
- Cahn, R.W. and Tomlinson, H. The nature of subgrain boundaries due to phase transformation in uranium, 1=1414
- Cahn, R.W. See Birkenbeil, H.J., 1=6280
- Cahn, R.W. See Feder, R., 1=19828
- Cahoon, B.A. See Bean, B.R., 1=20870
- Caianiello, E.R. Remarks on a paper by Bialynicki-Birula on some properties of Green's functions, 1=7187
- Caianiello, E.R. Questions regarding the fundamentals of field theory, 1=11703
- Caianiello, E.R. and Campolattaro, A. A solvable model of field theory, 1=9714
- Caianiello, E.R., Campolattaro, A. and Preziosi, B. Regularization and renormalization. III. Finite-part integrals, 1=5653
- Caianiello, E.R. and Okubo, S. Lie equations for a Lee model, 1=5658
- Caianiello, E.R. and Shen, K.Y. Interferences among Feynman graphs of different topology, 1=13341
- Caianiello, E.R. and Umezawa, H. Unitarity conditions in terms of propagation kernels, 1=12808
- Caillat, R. See Aslanian, J., 1=18693
- Caillon, P. See Groubert, E., 1=16236
- Cain, J.C., Shapiro, I.R., Stolarik, J.D. and Heppner, J.P. A note on whistlers observed above the ionosphere, 1=20899
- Cairó, L. and Kahan, T. The variational principle relating to systems of equations with common eigenvalues. Application to the calculation of the propagation constant of electromagnetic waves in anisotropic guides, 1=3064
- Calame, G.P. A few-group theory of water gap peaking, 1=17216
- Calawa, A.R. See Rediker, R.H., 1=19893
- Calcaterra, P., Stolz, G.Jr. and Paschkis, V. Mechanical reader for oscillograms, 1=11668
- Caldirola, P. The excitation of an airglow by radio waves, 1=21023
- Caldow, C.L. and Coulson, C.A. Lower-bound energies and the virial theorem in wave mechanics, 1=15687
- Caldwell, D.O. Method for determining the spin of the  $K-\pi$  resonance, 1=16886
- Caldwell, D.O. See Hill, D.A., 1=4747
- Caldwell, P. See Lippincott, E.R., 1=12271
- Caldwell, R.L., Mills, W.R., Jr and Hickman, J.B., Jr. Gamma radiation from inelastic scattering of 14 MeV neutrons by the common earth elements, 1=17114
- Callaby, D.R. Determination of the directions of magnetization in polycrystalline ferrites, 1=6368
- Callahan, J.L., Petrucci, R.H. and Brown, C.A. The hydrothermal growth of molybdena whiskers on  $\text{MoO}_3-\text{SiO}_2$  substrate, 1=9119
- Callaway, J. d bands in cubic lattices. III, 1=4978
- Callaway, J. Low-temperature lattice thermal conductivity, 1=7544
- Callaway, J. Electron wave functions in metallic sodium, 1=11173
- Callear, A.B. See Basco, N., 1=14007
- Callen, E.R. Anisotropic Curie temperature, 1=6274
- Callen, E.R. Anisotropic Curie temperature, 1=20074
- Callen, E.R. and Callen, H.B. Anisotropic magnetization, 1=20073
- Callen, H. Note on the back reaction term in ferromagnetic relaxation equations, 1=10165
- Callen, H.B. See Callen, E.R., 1=20073
- Callen, H.B. See Haas, C.W., 1=6398
- Callen, H.B. See Haas, C.W., 1=7782
- Callender, E.D. On the almost periodicity of satellite motion, 1=6748
- Callinan, T.D. See Frisco, L.J. [Ed.], 1=1882
- Calogero, F. Covariant spin operators and associated conservation laws for a spinor field, 1=8416
- Calogero, F. Non-local transformations and non-local conservation laws for free fields, 1=8417
- Calogero, F. and Zemach, C. Particle creation in electron-electron collisions, 1=485
- Calogero, F. See Brown, L.M., 1=522
- Calucci, G. and Furlan, G. Hyperon photon-decay, 1=16900
- Calvert, J.M. See Garg, J.B., 1=5932
- Calvert, J.M. See Read, F.H., 1=3446
- Calvert, J.M. See Read, F.H., 1=5934
- Calvert, N.M. See Gale, N.H., 1=3460
- Calvert, I.W.G. The determination of stress concentrations with an electrolytic tank model, 1=6808
- Calvet, E., Chovin, P., Moureu, H. and Tachoire, H. Calorimetric microbomb suitable for E. Calvet's type of microcalorimeter, 1=2910
- Calvet, E. and Duthel, C. Measurements of true specific heats by the Calvet microcalorimeter, 1=16670
- Calvet, E. and Tikhomiroff, N. Measurement of true specific heats by microcalorimetry, 1=16166
- Calvin, M. See Kearns, D.R., 1=10676
- Calvin, M. See Kearns, D.R., 1=11307
- Calvo, C. On the molecular nature of the dielectric anomalies in thiourea, 1=2431
- Camac, M.  $\text{O}_2$  vibration relaxation in oxygen-argon mixtures, 1=4925
- Camac, M. and Vaughan, A.  $\text{O}_2$  dissociation rates in  $\text{O}_2$ -Ar mixtures, 1=4926
- Camagni, P., Chiarotti, G. and Manara, A. Generation of vacancies during plastic deformation of KCl crystals, 1=19783
- Camagni, P. See Bassani, C., 1=10009
- Cambel, A.B. See Duclos, D.P., 1=18829
- Cambou, F., Cretiez, J.P. and Ambrosino, G. Discrimination of pulse shape with a mineral scintillator (CsI). Application to the plotting of  $\alpha$ -spectra or of proton spectra in the presence of  $\gamma$ -rays, 1=7168
- Cameo, M. The use of infrared reflection spectra for the determination of the optical constants of liquids in regions of strong absorption, 1=7668
- Cameo, M. and Vincent-Geisse, J. Calculation of the intensity and the breadth of infrared bands in liquids from dispersion measurements, 1=9334
- Cameron, J.A. See King, H.J., 1=5820
- Cameron, J.F. The uses of radio-active isotopes in non-destructive testing, 1=13676
- Cameron, J.F. and Boyce, I.S. Liquid scintillation counting of tritiated water, 1=13219
- Cameron, J.F. and Rhodes, J.R. X-ray spectrometry with radioactive sources, 1=20786
- Cameron, J.F. See Boyce, I.S., 1=13220
- Cameron, J.F. See Boyce, I.S., 1=15210
- Cameron, L.M. See Holmgren, H.D., 1=19530
- Camia, F. Ballistic equation of heat, following the lines of flux in the case of stable lines of flux, and reaching a universal impulse equation, 1=16145



- Camichel, C. Variations and turbulence of a vortex containing a colorant, 1-9373
- Camiscoli, J.F. See Rosenberg, B., 1-14513
- Camky, P. See White, D., 1-1766
- Camnitz, H. See Renau, J., 1-19041
- Camp, D.C., Langer, L.M. and Smith, D.R. Twice forbidden beta-ray transition of  $\text{Co}^{60}$ , 1-10981
- Campanile, V.A. See Wagner, C.D., 1-1933
- Campbell, A.W., Davis, W.C. and Travis, J.R. Shock initiation of detonation in liquid explosives, 1-7910
- Campbell, A.W., Davis, W.C., Ramsay, J.B. and Travis, J.R. Shock initiation of solid explosives, 1-7911
- Campbell, C.K. See Bijl, D., 1-9682
- Campbell, D.S. and MacSwan, A.M. The coupling factor of piezoelectric ceramic disks, 1-6920
- Campbell, E.C. See Fowler, J.L., 1-8737
- Campbell, R.A. See Small, A.M., Jr., 1-15371
- Campbell, R.A. See Small, A.M., Jr., 1-21121
- Campbell, R.B. and Julien, C.A. Ferromagnetic phase of Mn-Al, 1-6288
- Campbell, R.B. and Julien, C.A. Structure of Alnico V, 1-6525
- Campbell, R.B. and Muldrew, L. Dislocation decoration by precipitation in gold-cobalt alloys, 1-12384
- Campbell, W.H. Magnetic micropulsations and the pulsating aurora, 1-1585
- Campbell, W.H. Magnetic micropulsations, pulsating aurora, and ionospheric absorption, 1-15345
- Campbell, W.H. and Leinbach, H. Ionospheric absorption at times of auroral and magnetic pulsations, 1-15232
- Campbell, W.H. and Rees, M.H. A study of auroral coruscations, 1-15306
- Campbell, W.H. See Pope, J.H., 1-1517
- Campbell, W.S. and Hubert, P.L. The ionospheric disturbance of November 12 and 16, 1960, 1-20913
- Campion, P.J. and Taylor, J.G.V. Statistical errors in disintegration rate measurements by the coincidence technique, 1-19071
- Campion, P.J., Taylor, J.G.V. and Merritt, J.S. The efficiency tracing technique for eliminating self-absorption errors in  $4\pi\beta$ -counting, 1-13235
- Campion, P.J. See Knowles, J.W., 1-8739
- Campise, A.V. Accuracy of the  $S_n$  code in cell calculations, 1-13883
- Campisi, R. See Fracastoro, M.G., 1-18081
- Camplan, J., van Ments, M. and Bernas, R. A study of ionic contamination of electromagnetic isotope separators. Application to the production of high purity isotopes, 1-13973
- Camplan, J. See Bernas, R., 1-5984
- Camplan, J. See Bernas, R., 1-17294
- Campolattaro, A. See Caianiello, E.R., 1-5653
- Campolattaro, A. See Caianiello, E.R., 1-9714
- Canac, F. Ultrasonic beam in a waveguide, 1-6939
- Canac, F. and Merle, M. Flow phenomena associated with a super-sonic wave. Verification (in a shock tube) of theoretical predictions, 1-8150
- Candau, S., Zana, R. and Cerf, R. Ultrasonic spectroscopy in solutions of high polymers. Influence of the nature of the polymer and of its molecular weight, 1-10512
- Candau, S. See Cerf, R., 1-6938
- Candler, C. The gradation and inertia of Hurter and Driffield: a study in theory, 1-8244
- Candy, M.P. Comet notes, 1-4194
- Canfield, E.H. See Hess, W.N., 1-13593
- Canfield, E.H. See Lingenfelter, R.E., 1-18033
- Canfield, L.R. See Madden, R.P., 1-11836
- Cann, G.L. Electrical conductivity of a partially ionized gas, 1-2946
- Cano, R. See Bassi, P., 1-13243
- Canon, J.R. and Duffey, G.H. Cuboctahedral bonding, 1-19648
- Canty, B.R. and Kirkpatrick, G.P. Color temperature diagram, 1-13014
- Canut, M.L. and Amoros, J.L. On the inversion temperature function of the first order (one phonon) scattering and the determination of Debye characteristic temperatures, 1-9972
- Canut, M.L. See Amoros, J.L., 1-1390
- Canut, M.L. See Amoros, J.L., 1-20455
- Cao Xuan Chuan. The range-energy relation of low-energy light ions in nuclear emulsions, 1-12225
- Cao Xuan Chuan and Nguyễn bích Nho. Remarks on the use of powders in nuclear emulsions, 1-16636
- Cap, F. and Reimann, H. The continuous solution of the stationary multi-group diffusion equation of a reflected spherical reactor and the adaptation of the cylindrical reactor to the spherical reactor, 1-3487
- Cape, J.A. Photochemically produced color centers in KCl and KBr, 1-7601
- Capella, A. Quantization on a Riemannian manifold, 1-6762
- Capella, A. On the quantization of the super-energy of the gravitational field, 1-15641
- Capella, L. Epitaxy of crystals of nickel and of iron obtained by reduction in the gaseous phase of nickel chloride and of iron perchloride and their deposition on cleavages of alkali halide and muscovite crystals, 1-15012
- Capellaro, D.F. See Kapany, N.S., 1-2844
- Capenos, J.M. and Banerjee, B.R. Transmission electron microscopy of Alnico V, 1-7892
- Capenos, J.M. See Banerjee, B.R., 1-7584
- Capildeo, R. The kinematics of inertial frames, 1-15618
- Caplan, H.S. and Stewart, D.T. Simple millimicrosecond pulse generator, 1-5409
- Capon, I.N. The application of ray tracing methods to radio signals from satellites, 1-6753
- Capone, B.R. See Masters, J.L., 1-7159
- Capp, P. See Newson, H.W., 1-13652
- Cappellani, F. See Bertolini, G., 1-17015
- Capps, R.H. Possible effect of  $\bar{K}$ -N reactions on K-N scattering, 1-544
- Capps, R.H. Method of determining the spin and parity of a pion-hyperon resonance, 1-7263
- Capps, R.H.  $K^-$  absorption and the K N parity, 1-8503
- Capps, R.H. Odd  $\Sigma$ - $\Lambda$  parity and pion-hyperon scattering, 1-19279
- Capps, R.H. See Schult, R.L., 1-12115
- Cappuller, H. Determination of the gyromagnetic ratio of the proton, 1-19191
- Carabateas, E.N., Pezaris, S.D. and Hatsopoulos, G.N. Interpretation of experimental characteristics of cesium thermionic converters, 1-4641
- Caravel, A. Passive stabilizers of voltage and current in bridge form, 1-16211
- Carbenay, F. Definition and measurement of the mean field of atmospherics of impulsive type, 1-7930
- Carbenay, F. The notation of sudden ionospheric disturbances (s.i.d.) observed on recordings of atmospherics, 1-20910
- Carbonell, J.R. and Zuccoli, J.L. Volume per seat and variation of the reverberation time with the size of the audience, 1-9460
- Card, F.E. and Galen, J.J. Method for evaporation in vacuum of sublimable materials, 1-12665
- Cardew, M.H. and Eley, D.D. The semiconductivity of organic substances. III. Haemoglobin and some amino acids, 1-7654
- Cardon, F. Polarization and space-charge-limited currents in rutile ( $\text{TiO}_2$ ), 1-17819
- Cardona, M. Optical investigation of the band structure of GaSb, 1-1143
- Cardona, M. Electron effective masses of InAs and GaAs as a function of temperature and doping, 1-2414
- Cardona, M. Optical studies of the band structure of InP, 1-10094
- Cardona, M. Fundamental reflectivity spectrum of semiconductors with zinc-blende structure, 1-17762
- Cardona, M. Optical determination of the conduction band structure of GaSb, 1-19878
- Cardona, M. and Paul, W. Pressure dependence of the direct energy gap in germanium, 1-17447
- Cardona, M. and Sommers, H.S., Jr. Effect of temperature and doping on the reflectivity of germanium in the fundamental absorption region, 1-8982
- Cardús, J.O. Note on solar, geomagnetic and ionospheric activity, 1-10387
- Carelli, A. and Marinaro, M. Velocity of propagation of thermoelastic waves in liquids, 1-15809
- Careri, G. Foreign particles in liquid helium II, 1-5389
- Careri, G., Cunsolo, S. and Mazzoldi, P. Critical drift velocity of ions in liquid helium, 1-16189
- Careri, G. and Gaeta, F. Ionic recombination in liquid helium, 1-8271



- Careri, G., Scaramuzzi, F. and Thomson, J.O. Heat flush and mobility of electric charges in liquid helium. II. Turbulent flow, 1=5390
- Caretto, A.A.Jr. See Merz, E.R., 1=8645
- Caretto, A.A., Jr. See Strohal, P.P., 1=4869
- Carey, R. Measurement of optimum domain width in silicon-iron, 1=3901
- Carey, R. See Bates, L.F., 1=1222
- Carey, S.W. Paleomagnetic evidence relevant to a change in the earth's radius, 1=10300
- Cargvillano, R.L. Non-locality in the second order potential, 1=9733
- Caris, J.C., Goodwin, L.K., Kenney, R.W., Perez-Mendes, V. and Perkins, W.A.III. Total cross sections for negative pions on protons at 230, 290, 370, 427, and 460 MeV, 1=7270
- Caris, J.C., Kenney, R.W., Perez-Mendes, V. and Perkins, W.A.III. Charge-exchange scattering of negative pions by hydrogen at 230, 260, 290, 317, and 371 MeV, 1=2086
- Carleton, F.J. and Roberts, H.R. Determination of the specific activity of tritiated compounds on paper chromatograms using an automatic scanning device, 1=20777
- Carleton, H.R. Theoretical development of volume reverberation as a first-order scattering phenomenon, 1=5331
- Carleton, N.P. See Oldenberg, O., 1=8831
- Carlin, R.L. See Piper, T.S., 1=19976
- Carlisle, R.W. See Levy, S.E., 1=10563
- Carlson, B.C. Ellipsoidal distributions of charge or mass, 1=6761
- Carlson, B.C. and Keller, J.M. Eigenvalues of density matrices, 1=2713
- Carlson, E.H. and Dieke, G.H. The state of the  $\text{Nd}^{3+}$  ion as derived from the absorption and fluorescence spectra of  $\text{NdCl}_3$  and their Zeeman effects, 1=8984
- Carlson, F.F., King, G.J. and Miller, B.S. Hyperfine structure of F-center spin resonance in sodium azide, 1=1269
- Carlson, F.F. See King, G.J., 1=8921
- Carlson, F.F. See King, G.J., 1=17579
- Carlson, H.A. and Wegener, H.A.R. Variant in technique for A.R.Lang's X-ray diffraction topography, 1=7888
- Carlson, H.G. See Westrum, E.F.Jr., 1=19718
- Carlson, R.R., Kim, C.C., Jacobs, J.A. and Barnard, A.C.L. Elastic scattering and reactions of protons on  $\text{O}^{18}$ , 1=7370
- Carlson, R.W. See Schluderberg, D.C., 1=17232
- Carman, P.C. See Mason, E.A., 1=18463
- Carmichael, A.J. and Holdaway, H.W. Phenomenological elastomechanical behavior of rubbers over wide ranges of strain, 1=3965
- Carmichael, A.J. and Holdaway, H.W. Application of the three-parameter stress function to natural rubbers of widely different hardness, 1=14866
- Carmichael, C.M. The magnetic properties of ilmenite-haematite crystals, 1=20070
- Carmichael, H. and Steljes, J.F. Collected results from the cosmic ray stations for July 1959, 1=19304
- Carmichael, H., Steljes, J.F., Rose, D.C. and Wilson, B.G. Cosmic-ray neutron increase from a flare on the far side of the sun, 1=3363
- Carmichael, H. See Steljes, J.F., 1=16935
- Carmony, D.D. See Anderson, J.A., 1=7273
- Carmony, D.D. See Anderson, J.A., 1=16867
- Caro, D.E. See Kenny, M.J., 1=17000
- Caro, L.G. Proposed use of magnetic fields in electron microscopic radioautography, 1=18929
- Caroli, B. The perturbations in a metal by two impurity [atoms], 1=14244
- Carome, E.F. and Witting, J.M. Theory of ultrasonic attenuation in cylindrical and rectangular waveguides, 1=4411
- Carome, E.F., Witting, J.M. and Fleury, P.A. Experimental study of diffraction and waveguide effects in ultrasonic attenuation measurements, 1=16029
- Carome, E.F. See Kérom, E., 1=2823
- Caron, A. See Donohue, J., 1=20531
- Caroumbalos, C. See Anastasiades, M., 1=20915
- Carovillano, R.L. See Rose, M.E., 1=8810
- Carpenter, C.P. and Mezger, F.W. General spherical harmonics formulation of plasma Boltzmann equation, 1=15740
- Carpenter, D.L. See Smith, R.L., 1=20855
- Carpenter, R.L. See Muhleman, D.O., 1=51
- Carpenter, R.T. and Bollinger, L.M. Parameters and gamma-ray spectra of neutron resonances in the isotopes of mercury, 1=705
- Carr, H.Y. See Streever, R.L., 1=1758
- Carr, R.J. See Lindsay, R.H., 1=729
- Carr, T.D., Smith, A.G. and Bollhagen, H. Evidence for the solar corpuscular origin of the decameter-wavelength radiation from Jupiter, 1=1658
- Carr, T.D., Smith, A.G., Bollhagen, H., Slx, N.F., Jr and Chatterton, N.E. Recent decameter-wave-length observations of Jupiter, Saturn, and Venus, 1=11685
- Carr, T.R. See Masterson, J.E., 1=20888
- Carr, W.J.Jr. Energy, specific heat, and magnetic properties of the low-density electron gas, 1=8899
- Carr, W.J., Jr, Coldwell-Horsfall, R.A. and Fein, A.E. Anharmonic contribution to the energy of a dilute electron gas—interpolation for the correlation energy, 1=17481
- Carr, W.J.Jr. See Albert, P.A., 1=6333
- Carrara, R. See Bertanza, L., 1=5765
- Carré, J.C., Robin, M. and Vidal, R. Measurement of the absorption cross-section of natural neon for thermal neutrons, 1=13823
- Carrelli, A. and Porreca, F. On the viscosity of liquids, 1=5250
- Carrelli, A. and Porreca, F. Variation of the rotatory power in an optical antipode, produced by 2 MeV electrons, 1=11355
- Carreras-Patxot, R. and Sängner, R. A method for studying the diffusion of silver iodide particles in the atmosphere by means of  $\text{I}^{131}$ , 1=4109
- Carrier, G.F. and Avrett, E.H. A non-gray radiative-transfer problem, 1=15751
- Carrington, T. Transition probabilities in multilevel systems: calculation from impulsive and steady-state experiments, 1=14125
- Carrington, T. See Tanaka, I., 1=12321
- Carrington, W., Hale, K.F. and McLean, D. Arrangement of dislocations in iron, 1=14272
- Carroll, P.K. and Rubalcava, H.E. Rotational analysis of the 5-1 band of the  $\text{B}^1-\text{B}$  system of  $\text{N}_2$ , 1=2315
- Carru, H., Gendrin, R. and Reyssat, M. A transatlantic communication experiment via echo I satellite, 1=8030
- Carruthers, J.A., Benyon, D.E. and Nicholls, J. Low temperature electrometer circuit, 1=10656
- Carruthers, P. Theory of thermal conductivity of solids at low temperatures, 1=8891
- Carruthers, P. Production of pion pairs — isospin, analysis, 1=9757
- Carruthers, P. Pion-nucleon interaction in the region of the higher resonances, 1=10915
- Carruthers, P. Pion production and the higher resonances in pion-nucleon scattering, 1=13484
- Carson, J.W., Devor, D.P. and Hoskins, R.H. Paramagnetic resonance of  $\text{Cr}^{3+}$  in yttrium oxide, 1=9053
- Carson, J.W. and White, R.L. Zero-field splitting of the  $\text{Cr}^{3+}$  ground state in YGa and YAl garnet, 1=14806
- Carstou, J. On the effects of dissipation in the propagation of magnetohydrodynamic waves, 1=9672
- Carstou, J. Note on hydromagnetic waves in a compressible fluid conductor, 1=16534
- Carswell, W.S. Investigation of strain ageing of quench-aged  $\alpha$ -iron containing nitrogen, using internal-friction technique, 1=20611
- Carte, A.E. Air bubbles in ice, 1=9114
- Carter, A.F. See Wood, G.P., 1=10715
- Carter, C. See Buckler, A.N., 1=768
- Carter, G. Electrical clean-up of gases in hot cathode discharge tubes, 1=9433
- Carter, G. and Leck, J.H. A study of the mechanism of ion pumping for the noble gases, 1=20677
- Carter, G. See Cobic, B., 1=10552
- Carter, R.E. Kinetic model for solid-state reactions, 1=11613
- Carter, R.W. See Palmer, R.C., 1=13668
- Carter, W.S. The specific heats of two polymorphic forms of manganous sulphide, and the inferred possibility of anti-ferromagnetic ordering in stacking faults, 1=912
- Carter-Waschek, C. and Linder, B. An isomeric state of  $\text{Y}^{90}$ , 1=19374
- Cartraud, R. and Zouckermann, R. Rotational slip and pseudo-structure of Muscovite mica, 1=10006
- Cartwright, D.G. Direction-finding on diffuse sources of electromagnetic radiation, 1=9194



- Carver, J.H. The reaction  $^{51}\text{V}(\gamma, \alpha)^{47}\text{Sc}$  and some remarks on  $(\gamma, \alpha)$  reactions, 1=5898
- Carver, J.H. and Jones, G.A. (N - Z) dependence of radiative deuteron capture cross-sections, 1=9879
- Carver, J.H. and Peaslee, D.C. Nuclear E1 peak energies, 1=608
- Carver, J.H., Taylor, R.B. and Turchinets, W. Photoprotons from tantalum, 1=677
- Carver, T.R., Lewis, F.R., Jr., Pollock, R.E. and Schrank, G. Practical differential filter for optical pumping with sodium light, 1=11075
- Carver, T.R. See Bouchiat, M.A., 1=1772
- Casal, F.G. See Vette, J.I., 1=9270
- Casanova, G., Fieschi, R. and Terzi, N. Calculation of the vapour pressure ratio of Ne, Ar, Kr, and Xe isotopes in the solid state, 1=6067
- Casanova, G. See Boato, G., 1=8262
- Casanova, G. See Boato, G., 1=12335
- Casanova, J. See Catala, J., 1=412
- Casanova, J. See Catala, J., 1=7407
- Casanova, J. See Catala, J., 1=19388
- Casanova, J. See Catala, J., 1=19542
- Casanova, J. See Catala, J., 1=19543
- Casanova, J. See Catala, J., 1=19554
- Casaverde, M. Introduction to geomagnetism: the equatorial electrojet, 1=21082
- Casaverde, M. See Silverman, S.M., 1=21029
- Casella, R.C. Toroidal energy surfaces in crystals with wurtzite symmetry, 1=934
- Casey, J. See Castelli, J.P., 1=6595
- Cash, A.H., Hughes, E.W. and Murdock, C.C. The structure of crystalline uranium, 1=20533
- Cashion, J.K. and Polanyi, J.C. Infrared chemiluminescence in the system  $\text{H} + \text{NOCl}$ , 1=11792
- Cashwell, E.D. and Everett, C.J. A practical manual on the Monte Carlo method for random walk problems, 1=2585
- Casimir, H.B.G. A note on multipole radiation, 1=13153
- Caspar, A. See Singleton, W.R., 1=15369
- Caspari, M.E., Frankel, S., Ray, D. and Wood, G.T. Direction of internal fields in rare earth ions, 1=9039
- Caspers, W.J. On the theory of spin-spin relaxation. I, 1=7789
- Caspers, W.J. On the theory of spin-spin relaxation. II, 1=7790
- Caspers, W.J. On the theory of spin-spin relaxation. III, 1=7791
- Cassagnou, Y. See Ballini, R., 1=695
- Cassel, H.M. and Liebman, I. Note on the sublimation of ammonium perchlorate, 1=8261
- Cassels, J.M. See Wilson, R.R., 1=3165
- Cassen, B. and Burnham, D. A method of leak testing hermetically sealed components utilizing radioactive gas, 1=15981
- Cassignol, C. Isotopic contamination in electromagnetic isotope separators, 1=13974
- Cassuto, A. Variations of mass spectra with temperature between -195 and 200°C, 1=9525
- Castagnoli, C., Lamborizio, C., Ortalli, I. and Barbaro-Galtieri, A. Azimuthal symmetry in 27 GeV jets, 1=12088
- Castagnoli, C. See Barbaro-Galtieri, A., 1=17102
- Castagnoli, C. See Galtieri, A.B., 1=12089
- Castaing, R. and Jouffrey, B. Effects of ionic bombardment of short duration on metal single crystals, 1=14345
- Castaing, R., Jouffrey, B. and Slodgian, G. On the possibilities of local analysis of a specimen using its secondary ion emission, 1=3020
- Castáns Camargo, M. Quantum statistics of distributions with maximum randomness, 1=5213
- Castellano, S. and Waugh, J.S. Strong coupling in nuclear resonance spectra. IV. Exact analysis of three-spin spectra, 1=4738
- Castelli, J.P., Aarons, J., Ferioli, C. and Casey, J. Absorption, refraction, and scintillation measurements at 4700 Mc/s with a traveling-wave tube radiometer, 1=6595
- Castillejo, L. See Brown, G.E., 1=3381
- Castle, J.G., Jr., Chandrasekhar, B.S. and Rayne, J.A. Cyclotron resonance in indium, 1=9995
- Castle, J.G., Jr. and Feldman, D.W. Electron spin-lattice relaxation of chromium in MgO, 1=5073
- Castle, J.G., Jr. See McAvoy, B.R., 1=14333
- Castro V., I. See Alba A., F., 1=398
- Caswell, H.L. Effect of residual, gases on superconducting characteristics of tin films, 1=2921
- Caswell, H.L. See Priest, J., 1=12663
- Catalá, J. and Casanova, J. Recovery of the thickness of nuclear photographic emulsions by treatment with colophony resin, 1=412
- Catalá, J. and Casanova, J. A photographic plate study of the uranium-235 radioactivity, 1=19388
- Catalá, J., Casanova, J. and Domingo, V. Two triple fission events in thermal neutron bombardment of  $\text{U}^{235}$ , 1=19543
- Catalá, J., Casanova, J., Domingo, V., Senent, F., Villar, E. and Font, R. The upper limit of the energy spectrum of light fragments emitted in thermal neutron fission of  $\text{U}^{235}$ , 1=19554
- Catalá, J., Domingo, V. and Casanova, J. Nuclear emulsion study of the ternary fission of  $\text{U}^{235}$  bombarded with thermal neutrons, 1=7407
- Catalá, J., Domingo, V., Casanova, J., Senent, F. and Lleó, A. A study of  $\text{U}^{235}$  fission with emission of a light fragment, 1=19542
- Catalá, J., Lleó, A., García, A., Altés, M.C. and Aguilar, J. Scattering of 29 MeV  $\text{He}^3$  particles by  $\text{CCl}_4$ , 1=17150
- Catalá, J., Villar, E., García, A., Senent, F. and Aguilar, J. Analysis of elastic and inelastic scattering of 19 MeV deuterons by  $\text{C}^{12}$ , 1=17118
- Catalá, J. See Senent, F., 1=411
- Catalan, L.A. and Putner, T. Study of the performance of dielectric thin film beam dividing systems, 1=16097
- Cataland, G., Edlow, M.H. and Plumb, H.H. Liquid helium vapor pressure regulator, 1=16185
- Catalano, M. See Fracastoro, M.G., 1=18081
- Catalina, F. Analyser filter for an electron-optical system and its application to electron diffraction. II Kikuchi lines and the spots of athracene, 1=6521
- Catania, A.C. See Lane, H.L., 1=4142
- Cater, E.D., Gilles, P.W. and Thorn, R.J. Uranium monosulfide. I. Vaporization, thermodynamics, and phase behaviour, 1=11862
- Cater, E.D., Rauh, E.G. and Thorn, R.J. Uranium monosulfide. II. Mass spectrometric study of its vaporization, 1=11863
- Catillon, P. See Beurtey, R., 1=9883
- Catillon, P. See Beurtey, R., 1=13853
- Catillon, P. See Saudinos, J., 1=7402
- Catillon, P. See Saudinos, J., 1=7403
- Catillon, P. See Saudinos, J., 1=13858
- Catlin, A. and Walker, W.P. Mechanical properties of thin single-crystal gold films, 1=1452
- Catlin, A., Walker, W.P. and Lawless, K.R. Mechanical twinning in thin evaporated gold films, 1=4009
- Catron, H.C., Goldberg, M.D., Hill, R.W., LeBlanc, J.M., Stoering, J.P., Taylor, C.J. and Williamson, M.A. Deuterium and beryllium (n,2n) cross sections between 6 and 10 MeV, 1=11023
- Cattaneo, C. The Gauss-Poisson equations for stationary universes, 1=15620
- Cattaneo, C. Relativistic Gauss-Poisson equation in static universes, 1=15631
- Cattaneo, F. and Germagnoli, E. Influence of silver impurities on the annealing kinetics of quenched gold specimens, 1=14256
- Cattani, D., Galli, M. and Randi, P. Diurnal variation and Forbush decrease, 1=19320
- Caughy, T.K. and Dienes, J.K. Analysis of a nonlinear first-order system with a white noise input, 1=17981
- Caughy, T.K. and O'Kelly, M.E.J. Effect of damping on the natural frequencies of linear dynamic systems, 1=18498
- Caughy, W.S. See Roberts, E.M., 1=4948
- Caughlan, G.R. and Towe, G.C. Laboratory performance testing, 1=15590
- Cause, J.P. New rugged high-temperature photo-multipliers, 1=2996
- Cause, R. and Poirier, Y. The setting in motion and stopping of a conducting liquid in a rotating cylindrical vessel in a magnetic field, 1=3044
- Cavalante, C.C. See Guman, W.J., 1=160
- Cavalleri, G. See Arecchi, F.T., 1=7010
- Cavalleri, G. See Arecchi, F.T., 1=12038
- Cavanaugh, J.R. and Dailey, B.P. N.M.R. spectra of propyl derivatives, 1=6048
- Cavanaugh, J.R. and Dailey, B.P. Proton chemical shifts for the alkyl derivatives, 1=6049



- Caverzasio, C. and Michalowicz, A. Proton-proton scattering at 155 MeV: differential cross-section between  $30^\circ$  and  $110^\circ$  c.m., 1=16782
- Caw, W.A. and Wylie, R.G. Capillary viscometers of negligible kinetic energy effect, 1=4302
- Caw, W.A. and Wylie, R.G. Effect of dissolved air on the viscosity of water, 1=9367
- Cawley, J.H. Transistor counting-rate channel for triga reactors, 1=18733
- Cayless, M.A. Thermionic generation of electricity, 1=16371
- Cayless, M.A. Average kinetic energy of diffusing particles in discharge and electron tubes, 1=18816
- Ceely, F.F., Jr. Simultaneous adjustment of angular and distance measurements, 1=15773
- Celano, A. See de Carvalho, H.G., 1=8800
- Celli, V. Screw dislocation in crystals with diamond structure, 1=19775
- Celli, V. See Bassani, F., 1=19735
- Cely, J. See Litzman, O., 1=17396
- Cence, R.J. and Moyer, B.J. Photoprotons produced by  $245 \pm 15$  MeV gamma rays on carbon, 1=8700
- Ceolin, C. See Bertocchi, L., 1=5674
- Cerf, R., Zana, R. and Candau, S. Ultrasonic spectroscopy employing continuously variable frequencies, 1=6938
- Cerf, R. See Candau, S., 1=10512
- Cerf, R. See Koyama, R., 1=19678
- Cerineo, M. See Cindro, N., 1=711
- Cerineo, M. See Cindro, N., 1=8764
- Cerineo, M.A. See Ajdačić, V.S., 1=15238
- Čermák, J. Wavelength distribution of X-rays in the focus of a [Johansson] monochromator and an estimate of the influence of this distribution on precision measurements of lattice constants, 1=9122
- Čermák, J. The intensity distribution in the focus of curved-crystal monochromators and an estimate of its influence on precision measurements of lattice parameters, 1=15044
- Cernigoi, C., Gabrielli, I. and Iernetti, G. Behaviour of photo-multipliers against high-frequency modulated light, 1=2991
- Cernigoi, C., Gabrielli, I. and Iernetti, G. On the simulation of a synchro-cyclotron particle beam by means of a light modulator, 1=13224
- Černohorský, M. Determination of accuracy in measuring the parameters of tetragonal and hexagonal lattices, 1=9127
- Černohorský, M. The ratio method for absolute measurements of lattice parameters with cylindrical cameras, 1=15033
- Cernv, J. See Harvey, B.G., 1=727
- Cerulus, F. Closed formulae for the statistical weights, 1=5740
- Červinka, L. See Bergstein, A., 1=15094
- Ceschi, M. See Bartke, J., 1=8515
- Cess, R.D. Laminar-film condensation on a flat plate in the absence of a body force, 1=18446
- Ceulemans, H., de Keyser, A. and Mies, E. Electronic circuits of the BR-1 time-of-flight spectrometer, 1=11891
- Ceuleneer, R. Contribution to the study of nonrelativistic dispersion formulae, 1=19132
- Cevolani, M., Petralia, S., Righini, B., Valdré, U. and Venturini, G. A 500 kV ion accelerator, 1=16445
- Chaban, A.A. See Davydov, A.S., 1=2169
- Chaban, A.A. See Davydov, A.S., 1=16973
- Chabre, M. See Bouchez, R., 1=13791
- Chabre, M. See Depommier, P., 1=7340
- Chabre, M. See Depommier, P., 1=16761
- Chadderton, L.T. Electron microscopy of crystal lattices: an anomalous effect, 1=12632
- Chadderton, L.T. See Bowden, F.P., 1=19817
- Chadwick, G.A. and Argent, B.B. The lattice parameters of the alpha solid solutions of copper-zinc-nickel and copper-zinc-manganese, 1=15158
- Chagnon, C.W. See Junge, C.E., 1=10306
- Chagnon, P.R. Low-level linear microsecond gate, 1=4544
- Chagnon, P.R. See Treado, P.A., 1=4871
- Chahine, C. and Jouvét, B. An explanation of the anomalies in  $\beta^-$  and  $\beta^+$  spectra by an Uhlenbeck-Konopinski type coupling, 1=17019
- Chaika, M.P. See Kaliteevskii, N.I., 1=19345
- Chaika, M.P. See Zaidel', A.N., 1=13971
- Chaikovskii, E.F. See Pines, B.Ya., 1=983
- Chaikovskii, V.G. See Tolchenov, Yu.M., 1=13377
- Chairotti, G., Giuliani, G. and Lynch, D.W. Alpha and beta bands in KCl and NaCl, 1=993
- Chako, N. On the stability of dynamical systems and Schrödinger's equation. On the passage from geometrical optics to wave optics, 1=1700
- Chakrabarti, A. On certain representations of the Dirac equation, 1=5640
- Chakrabarty, S.K. Contribution of electron tridents in cascade showers, 1=13551
- Chakraborti, P.K. Gas properties at high temperatures on the exponential model, 1=18466
- Chakraborti, P.K. See Barua, A.K., 1=17288
- Chakraborty, B.B. On the stability of a gravitating liquid cylinder carrying a non-uniform volume current and surface charge, 1=1962
- Chakraborty, B.B. On the stability of a rigidly rotating liquid column with axial magnetic field, 1=18995
- Chakraborty, B.B. and Bhatnagar, P.L. The stability of force-free magnetic fields, 1=16493
- Chakraborty, B.B. and Bhatnagar, P.L. The stability of an infinitely conducting liquid column with uniform volume current and surface charge, 1=18994
- Chakraborty, B.B. See Bhatnagar, P.L., 1=25
- Chakraborty, B.B. See Ramamoorthy, P., 1=358
- Chakraborty, S.C. See Srivastava, R.C., 1=14842
- Chakravarty, A.S. and Chatterjee, R. A preliminary note on the magnetic anisotropy and susceptibility of  $\text{Fe}(\text{NH}_4\text{SO}_4)_2 \cdot 6\text{H}_2\text{O}$ , 1=9017
- Chakravarty, A.S. See Bose, A., 1=14697
- Chakravarty, A.S. See Bose, A., 1=14698
- Chakravorty, A. Torsion and bending of an aeolotropic beam having a curvate section, 1=91
- Chakravorty, A. U.V. spectrum of  $\text{KAuCl}_4$ , 1=12885
- Challis, L.J., Dransfeld, K. and Wilks, J. Heat transfer between solids and liquid helium II, 1=13034
- Chalmers, J.A. The electricity of precipitation, 1=20828
- Chalmers, J.A. A criterion for thunderstorm theories, 1=20861
- Chalmers, J.A. See Maund, J.E., 1=15235
- Chalmers, J.A. See Smiddy, M., 1=15234
- Chaloupka, P., Jireš, M. and Kowalski, T. The influence of small flares on the intensity of the neutron component of cosmic rays, 1=16943
- Chalupnik, J.D., Rule, E. and Suellentrop, F.J. Pressure response of condenser microphones at low ambient pressures, 1=4417
- Chalupnik, J.D., Rule, E. and Suellentrop, F.J. Statement in answer to comments by Mr. Massa on our paper "pressure response of condenser microphones at low ambient pressures", 1=12950
- Chamany, B. See Barkow, A.G., 1=7258
- Chamberlain, A.C., Eggleton, A.E.J., Megaw, W.J. and Morris, J.B. Behaviour of iodine vapour in air, 1=11635
- Chamberlain, J.R. Magnetocrystalline anisotropy and coercivity in a "square-loop" ferrite material, 1=20127
- Chamberlain, J.R. A temperature dependent relaxation in a square loop ferrite, 1=20128
- Chamberlain, J.W. Interplanetary gas. III. A hydrodynamic model of the corona, 1=5157
- Chamberlain, J.W. On the polarization of the oxygen red line in aurorae, 1=11650
- Chamberlain, J.W. Theory of auroral bombardment, 1=21044
- Chamberlain, J.W., Kern, J. and Vestine, E.H. Some consequences of local acceleration of auroral primaries, 1=1560
- Chamberlain, J.W. and Sagan, C. The origin of nitrogen ionization in the upper atmosphere, 1=6626
- Chamberlain, J.W. See Wallace, L., 1=6639
- Chamberlain, L.L. See McLachlan, D.Jr., 1=10366
- Chamberlain, O. See Booth, N.E., 1=7262
- Chamberlain, O. See Foote, J.H., 1=7279
- Chamberlain, O. See Foote, J.H., 1=7280
- Chamberlain, O. See Rogers, E.H., 1=16876
- Chambers, B. See Wright, J.K., 1=18876
- Chambers, F.W. See Cole, H., 1=16473
- Chambers, L.G. The steady universe with charge excess, 1=15408
- Chambers, L.G. An unsteady universe with excess of charge, 1=18003
- Chambers, R.G. Magnetoresistance, 1=17615
- Chambers, R.G. and Park, J.G. Measurement of electrical resistivity by a mutual inductance method, 1=16204



- Chambers, R.H. and Schultz, J. Low-temperature stress-relaxation peaks in plastically deformed polycrystalline niobium, 1=6446
- Chambers, R.H. and Schultz, J. Dislocation relaxation spectra of cold-worked body-centered cubic transition metals, 1=7821
- Chaminade, R., Cros, M., Crut, M. and Papineau, A. A detecting system for scattering studies, 1=13207
- Chaminade, R. See Beurtey, R., 1=9883
- Chaminade, R. See Beurtey, R., 1=13853
- Chaminade, R. See Saudinos, J., 1=7402
- Chaminade, R. See Saudinos, J., 1=7403
- Chaminade, R. See Saudinos, J., 1=13858
- Champeney, D.C. and Moon, P.B. Absence of doppler shift for gamma ray source and detector on same circular orbit, 1=5827
- Champion, K.W. and Minzner, R.A. Atmospheric densities from satellites and rocket observation, 1=6603
- Champlin, K.S. On the influence of diffusion and surface recombination upon the G.R. noise spectrum of semiconductors, 1=8937
- Champness, C.H. Magnetoresistance and Hall effect in oriented single crystal samples of n-type indium antimonide, 1=6159
- Champness, C.H. Investigations on the diffusion of minority carriers from a point on silicon, 1=8947
- Chan, C.-H. Spin of the  $K^+$ , 1=7283
- Chan, C.H. Double pion production in  $K^-N$  collisions 1=16891
- Chan Hong-Mo. On the Edwards-Matthews approach to  $\pi-N$  scattering, 1=4808
- Chan Hong-Mo. The Reimann surface of the scattering amplitude, 1=13342
- Chan Hong-Mo and Valatin, J.G. On the density field description of a boson system, 1=5217
- Chan Lin-Yan'. See Van Gan-Chan, 1=16902
- Chan, S.I., Zinn, J., Fernandez, J. and Gwinn, W.D. Trimethylene oxide. I. Microwave spectrum, dipole moment, and double minimum vibration, 1=2322
- Chan, S.I., Zinn, J. and Gwinn, W.D. Trimethylene oxide. II. Structure, vibration-rotation interaction, and origin of potential function for ring-puckering motion, 1=7500
- Chandler, D.A. See Prakash, Y., 1=13636
- Chandra, A.K. Spectral shift in alkyl-phenols, 1=14018
- Chandrasekhar, B.S. Spark cutting of metal crystals, 1=11669
- Chandrasekhar, B.S. and Rayne, J.A. Limiting value of Debye temperature for superconducting and normal indium from low-temperature elastic constants, 1=2923
- Chandrasekhar, B.S. and Rayne, J.A. Elastic constants of indium from 1.4° to 300°K, 1=20295
- Chandrasekhar, B.S. See Castle, J.G., Jr, 1=9995
- Chandrasekhar, B.S. See Rayne, J.A., 1=1293
- Chandrasekhar, B.S. See Rayne, J.A., 1=10203
- Chandrasekhar, S. Extinction in X-ray crystallography, 1=11555
- Chandrasekhar, S. An experimental method of correcting for extinction in crystals, 1=15039
- Chandrasekhar, S. Optical rotatory dispersion of crystals, 1=16122
- Chandrasekhar, S. A theorem on rotating polytropes, 1=17993
- Chandrasekhar, S. and Elbert, D.D. The stability of viscous flow between rotating cylinders in the presence of a magnetic field. II. 1=16527
- Chandrasekhar, S., Elbert, D.D. and Lebovitz, N.R. The stability of viscous flow in a curved channel in the presence of a magnetic field, 1=18999
- Chandrasekhar, S. and Phillips, D.C. Correction for extinction errors in crystal structure analysis, 1=15040
- Chandrasekhar, S. and Wright, J.P. The geodesics in Gödel's universe, 1=9311
- Chandrasekhar, S. See Horak, H.G., 1=12830
- Chandrasekharan, V., Rajagopal, E.S. and Krishnan, R.S. Wave-forms of the lattice vibrations of diamond, 1=17398
- Chandrasekharan, V. See Ch'en Shang-Yi., 1=8813
- Chandrasekharan, V. See Krishnan, R.S., 1=6442
- Chandrasekharan, V. See Krishnan, R.S., 1=14845
- Chandratreya, P.V. See Tawde, N.R., 1=14060
- Chandratreya, V.M. See Bhide, V.G., 1=6503
- Chang, C.C. and Ramanaiah, P. Unified rheological relation of non-Newtonian fluids, 1=11739
- Chang, C.C. See Lundgren, T.S., 1=12008
- Chang, C.C. See Yen, J.T., 1=19003
- Chang, C.T. Shock wave phenomena in coaxial plasma guns, 1=11777
- Chang, E. See Grönvold, F., 1=19717
- Chang, F.C. Formation of alpha clusters in even-even nuclei, 1=8562
- Chang, H. Fields external to open-structure magnetic devices represented by ellipsoid or spheroid, 1=5529
- Chang, I. On the Wall effect correction of the Stokes drag formula for axially symmetric bodies moving inside a cylindrical tube, 1=18362
- Chang, I.Y. See Ferguson, E.E., 1=6015
- Chang Nai-sên. See Syui Guin-chan, 1=19265
- Chang Pei-Huan. The spectroscopic estimation of boron in silicoh, 1=19864
- Chang, R. Dislocation relaxation phenomena in oxide crystals, 1=11204
- Chang, R. Phase transformation, twinning and anelastic phenomenon associated with zirconium dihydride, 1=14939
- Chang Tsung. See Chzhan Tszun., 1=20125
- Chanin, L.M. Temperature variation of ionic mobilities in hydrogen, 1=10673
- Chanin, L.M. See Biondi, M.A., 1=7228
- Channapragada, R. and Rose, W. Capillary pressure and surface discontinuity in porous media, 1=15823
- Chanter, J.B. See Farnell, G.C., 1=16125
- Chantreau, J. Calculation of the trajectories of ions in an ion source of the Nier type, in the presence of an auxiliary magnetic field, 1=3359
- Chantreau, J. See Vauthier, R., 1=3013
- Chantry, G.W. and Plane, R.A. Raman intensities and the structure of some oxyanions of group VII, 1=7474
- Chantry, G.W. and Plane, R.A. Nature of the metal-ligand bond in some complex cyanides from a study of Raman intensities, 1=17333
- Chanyshev, S.M. and Zgaevskii, V.É. The temperature dependence of the chemical potential of a semiconductor, 1=12448
- Chao, B.T. See Azer, N.Z., 1=18645
- Chaperot, D. See Sella, C., 1=20652
- Chapiro, A. and Stannett, V. Direct radiation grafting on to hydrophilic polymers, 1=15205
- Chaplik, A.V. See Dykhne, A.M., 1=18274
- Chaplik, A.V. See Dykhne, A.M., 1=18988
- Chaplin, G.B.B. and Cole, A.J. A linear gate of 10 to 100  $\mu$ sec duration, 1=1879
- Chaplin, R.L. and Shearin, P.E. Energy-dependent behavior of intrinsic close-pair defects within copper, 1=17505
- Chapman, C.J.S., Grace, M.A., Gregory, J.M. and Sowter, C.V. The nuclear alignment of promethium isotopes and the decay scheme of  $^{149}\text{Pm}$ , 1=8633
- Chapman, C.J.S., Gregory, J.M., Hill, R.W. and Johns, M.W. Nuclear alignment of cobalt and the decay of cobalt-55, 1=13684
- Chapman, D.R. Recent re-entry research and the cosmic origin of tektites, 1=1637
- Chapman, H.T. See Skibitzke, H.E., 1=15830
- Chapman, J.H. and Molozzi, A.R. Interpretation of cosmic noise measurements at 3.8 Mc/s from satellite 1960-7, 1=18138
- Chapman, K.R. and Gowariker, S. A convenient method of constructing accelerator sections, 1=1936
- Chapman, K.R. and Wrenn, G.L. Modified design for ion-source canals, 1=1924
- Chapman, K.R. See Martelli, G., 1=16770
- Chapman, R.M. Spectral sensitivity of single neural units in the bullfrog retina, 1=15383
- Chapman, S. Scale times and scale lengths of variables: with geomagnetic and ionospheric illustrations, 1=5185
- Chapman, S. Regular motions in the ionosphere: electric and magnetic relationships, 1=6604
- Chapman, S. Idealized problems of plasma dynamics relating to geomagnetic storms, 1=6654
- Chapman, S. and Kendall, P.C. An idealized problem of plasma dynamics that bears on geomagnetic storm theory; oblique projection, 1=21095
- Chapman, S. See Akasofu, S.I., 1=7943
- Chapman, S. See Akasofu, S., 1=21089
- Chappelear, J.E. Direct numerical calculation of wave properties, 1=15808
- Charachyan, A.N., Tulinov, U.F. and Charachyan, T.N. Cosmic rays emitted by the sun, 1=19305



- Charahchyan, T.N. See Charahchyan, A.N., 1-19305
- Charakhchyan, A.N. and Charakhchyan, T.N. Energy spectrum of primary cosmic particles, 1-3324
- Charakhchyan, A.N. and Charakhchyan, T.N. Energy spectrum and total number of low-energy cosmic-ray photons in the stratosphere, 1-19322
- Charakhchyan, A.N., Tulinov, V.F. and Charakhchyan, T.N. The energy spectrum and time dependence of the intensity of solar cosmic ray protons, 1-19302
- Charakhchyan, T.N. See Charakhchyan, A.N., 1-3324
- Charakhchyan, T.N. See Charakhchyan, A.N., 1-19302
- Charakhchyan, T.N. See Charakhchyan, A.N., 1-19322
- Charap, J.M. and Tausner, M.J. The field theoretic definition of the nuclear potential. III, 1-445
- Charette, J.J. The infrared spectrum at large dispersion of three types of diamond and its variations as a function of the temperature, 1-1170
- Chari, M.S.R. Anomalous conductivity and Lorenz parameter in dilute silver-manganese alloys at low temperatures, 1-1257
- Chari, M.S.R. Inelastic scattering of conduction electrons in dilute silver-manganese alloys at low temperatures, 1-14243
- Charles, R.J. Polarization and diffusion in a silicate glass, 1-11332
- Charles, R.J. See Hillig, W.B., 1-4072
- Charlesby, A. High-voltage accelerators, 1-1931
- Charlesby, A. See Black, R.M., 1-7603
- Charlesby, A. See Fukada, E., 1-9080
- Charlson, R.J. See Brown, E.A., 1-16136
- Charney, E. Use of two polarizing components in prism or grating spectrometers, 1-12990
- Charnock, H. See Bamford, C.R., 1-16485
- Charnyi, I.A., Vil'ker, D.S., Mitel'man, B.I. and Rozenberg, G.D. Supersonic current of [matter in] two phases, 1-11774
- Charpak, G., Farley, F.J.M., Garwin, R.L., Muller, T., Sens, J.C., Telegdi, V.L. and Zichichi, A. Measurement of the anomalous magnetic moment of the muon, 1-5742
- Charru, A. Apparatus for the study of the electron paramagnetic resonance in circular excitation. Application to the study of solutions of lithium in liquid ammonia, 1-16600
- Charsley, P. Some observations of slip lines on deformed copper whiskers, 1-1329
- Chase, A.B. See Lefever, R.A., 1-9113
- Chase, A.B. See Lefever, R.A., 1-10235
- Chase, C.E., Maxwell, E. and Whitney, W.M. The effect of a density maximum near the  $\lambda$  point on the temperature distribution in liquid helium. I, 1-9509
- Chase, J.W. See Johnson, N.R., 1-8640
- Chase, L.F., Jr., Johnson, R.G. and Warburton, E.K. Endothermic deuteron stripping reactions. II.  $C^{12}(d, p_{\theta})C^{13*}$  reaction, 1-718
- Chase, L.F., Jr. See Cladis, J.B., 1-21075
- Chase, L.F., Jr. See Johnson, R.G., 1-19526
- Chase, L.F., Jr. See Warburton, E.K., 1-717
- Chase, R.L. A two-dimensional kicksorter with magnetic drum storage, 1-8291
- Chase, R.L., Higinbotham, W.A. and Miller, G.L. Amplifiers for use with p-n junction radiation detectors, 1-2938
- Chashchina, G.I. See Zaidel', A.N., 1-5480
- Chashchina, G.I. See Zaidel', A.N., 1-9606
- Chasman, R. Calculations in nuclear evaporation theory, 1-7365
- Chasman, R.R. Eigenvalue problems in matrix mechanics, 1-15675
- Chasnikov, L.Ya. See Takibaev, Zh.S., 1-2052
- Chasset, R. The influence of nitric acid on the sensitivity of nuclear emulsions to  $\alpha$  particles, and on the eradication of the tracks, 1-13247
- Chasson, R.L. and Maeda, K. Local and worldwide c.r. intensity variations during geomagnetic storms and small geomagnetic disturbances, 1-3348
- Chasson, R.L. See Anderson, J.C., 1-13557
- Chastel, R. See Gauvin, H., 1-17105
- Chateau, H. and De Cugnac, A. Sub-structures in silver bromide crystals, 1-15073
- Chateau, M. See Jacq, J., 1-18654
- Chateau, M. See Jacq, J., 1-18655
- Chatt, J., Duncanson, L.A., Shaw, B.L. and Venanzi, L.M. The transmission of electronic effects through a heavy metal atom, 1-869
- Chatterjee, B.K., Murthy, G.T., Naranan, S., Sreekantan, B.V. and Srinivasa Rao, M.V. Studies on extensive air showers. I. Sea level observations on the variation with shower size of the total number of nuclear-interacting particles in showers of  $(10^4 - 2.5 \times 10^6)$  particles, 1-5805
- Chatterjee, B.K., Murthy, G.T., Naranan, S., Sreekantan, B.V. and Srinivasa Rao, M.V. Studies on extensive air showers. II. Sea level observations on the fluctuations in the densities of N-particles, in showers of the same size, 1-8528
- Chatterjee, H.K. See Ghosh, N.L., 1-122
- Chatterjee, H.K. See Ghosh, N.L., 1-18448
- Chatterjee, H.K. See Ghosh, N.L., 1-18449
- Chatterjee, J.S. Influence of Hall effect on the induced current in the earth owing to magnetic disturbances, 1-1597
- Chatterjee, J.S. Magnetic disturbances and the earth's magnetic field, 1-21084
- Chatterjee, R. See Bose, A., 1-14697
- Chatterjee, R. See Bose, A., 1-14698
- Chatterjee, R. See Chakravarty, A.S., 1-9017
- Chatterjee, S.K. See Bandyopadhyay, P., 1-20983
- Chatterton, N.E. See Carr, T.D., 1-11685
- Chaudhri, M.M. See Katti, P.K., 1-10629
- Chaudhri, M.M. See Katti, P.K., 1-15858
- Chaudhri, R.M. and Khan, M.Y. Emission of soft electromagnetic radiation from metals by the impact of high-energy protons and positive ions, 1-18951
- Chaudhri, R.M. and Ullah, R. Soft ultra-violet photons in self-quenching Geiger-Müller counters, 1-389
- Chaudhuri, S.N. The calculation of the velocity distribution in the field of a two-dimensional symmetrical aerofoil with arbitrary circulation, 1-15930
- Chaudry, R. See Ramanna, R., 1-9889
- Chaventon, J. High resolution infrared absorption spectra in the  $1.65 \mu$  region for molecules of  $C_{2v}$  symmetry, 1-19635
- Chebotaeva, N.T. and Beznosikova, A.V. Thermal expansion of  $\alpha$ -plutonium, 1-19726
- Chechernikov, V.I. The temperature dependence of the paramagnetic susceptibility of iron-nickel alloys, 1-5063
- Chechernikov, V.I. and Uchaikina, R.F. Investigation of the ferrites-yttrium and gadolinium garnets, near the ferromagnetic Curie point, 1-10172
- Chechik, L.Yu. See Faizyash, O.M., 1-11399
- Cheek, C.H. and Linnenbom, V.J. Calculation of absorbed dose, 1-11656
- Cheglov, E.I. Structure of the valence band of bismuth-type conductivity, 1-7545
- Cheishvili, O.D. See Buishvili, L.L., 1-3922
- Cheka, J.S. See Ritchie, R.H., 1-1919
- Chekmarev, I.B. Nonstationary flow of incompressible viscous and conducting fluid in the presence of transverse magnetic field, 1-4703
- Chelam, E.V. Elastic behaviour of matter under very high pressures — simple shear, 1-3959
- Chelam, E.V. Elastic behaviour of matter under very high pressures — considerations of instability, 1-3960
- Chelam, E.V. See Bhagavantam, S., 1-3958
- Chelkowski, A. See Piekara, A., 1-12890
- Chelnokov, I.E. See Berezin, A.A., 1-19547
- Chelnokov, I.E. See Flerov, N.N., 1-19546
- Chelnokov, I.E. See Lazukov, N.A., 1-750
- Chen, C.L., Leiby, C.C. and Goldstein, L. Electron temperature dependence of the recombination coefficient in pure helium, 1-4562
- Chen, C.W. Metallurgy and magnetic properties of an Fe-Co-V alloy, 1-6523
- Chen Fan-Yun. See Molchanov, A.P., 1-2650
- Chen, H.Y. See Benenson, R.E., 1-7398
- Chén'-Ké-Min. See Chuenkov, V.A., 1-19843
- Ch'en-K'o-Ming. See Chuenkov, V.A., 1-19843
- Chen Lin-yan'. See Van Gan-chan., 1-2099
- Ch'en Shang-Yi and Chandrasekharan, V. The shift of the absorption lines of Fe I due to the presence of helium, 1-8813
- Ch'en Shang-Yi and Smith, A. The oscillator strengths and the transition probabilities of the first sharp series doublet: lines of indium, 1-809
- Chen' Tsun-mo. See Syan' Din-chan., 1-19160
- Cheng, C.H. See Schröder, K., 1-1198
- Cheng, C.H. See Straumanis, M.E., 1-20520
- Cheng, C.H. See Wei, C.T., 1-8882
- Cheng, Chin-huan. See Wei, Chuan-tseng, 1-17414



- Cheng, H. Spin absorption of solids, 1=20251  
 Ch'eng Ling-Yen. See Van Gan-Chan, 1=16902  
 Cheng P'u-ying. See Chzhen Pu-in., 1=18282  
 Chentsov, R. Fifth All-Union conference on low-temperature physics, 1=1857  
 Chentsov, R. Sixth all-union conference on low temperature physics, 1=2916  
 Cherdyntsev, V.V., Kashkarov, L.L., Ivanenko, V.M. and Kudashev, E.F.. Asymmetry of neutrons from a  $\mu$ -meson reaction in lead, 1=3304  
 Cheremisov, V.P. See Sobolev, N.N., 1=2326  
 Cheremnykh, P.A. See Akhmatov, A.P., 1=4628  
 Cherepanov, V.I. Influence of unidirectional deformation of cubic crystals on the quadrupole extinction absorption of light, 1=16121  
 Cherepanov, V.I. and Galishev, V.S. Anisotropy of the quadrupole exciton absorption of light in cubic crystals, 1=17875  
 Cherepanov, V.I. See Galishev, V.S., 1=17874  
 Cherkashin, M.I. See Balabanov, E.L., 1=3728  
 Cherkasov, A.S. Fluorescence yields of acetylanthracenes in some solvent mixtures, 1=9400  
 Chernavskii, D.S. Non-linear quantization of a spinor equation, 1=18267  
 Chernavskii, D.S. See Dremine, I.M., 1=19184  
 Chernavskii, D.S. See Gramenitskii, I.M., 1=19183  
 Chernavskii, D.S. See Gramenitskii, I.M., 1=19245  
 Chernavskii, D.S. See Rus'kin, V.I., 1=19249  
 Chernavsky, D.S. See Slavatsky, S.A., 1=3269  
 Chernavsky, D.S. See Yemelyanov, A.A., 1=3276  
 Chernaya, N.S. The energy distribution of electron states on the surface of germanium in very high vacuum, 1=7637  
 Chernaya, N.S. See Lyashenko, V.I., 1=1045  
 Chernick, J. The dynamics of a xenon-controlled reactor, 1=17208  
 Chernick, J. and Moore, S.O. Breeding potential of thermal reactors, 1=757  
 Chernick, J. See Rothenstein, W., 1=16806  
 Chernikov, N.A. The relativistic kinetic equation and the equilibrium state of a gas in a static spherically-symmetric gravitational field, 1=6768  
 Chernikov, N.A. See Logunov, A.A., 1=3124  
 Chernikov, N.A. See Logunov, A.A., 1=9727  
 Chernogorova, V.A. See Evseev, V.S., 1=19499  
 Chernov, A.A. The theory of "shock wave" steps on a crystal surface, 1=4023  
 Chernov, A.A. Velocity of layer-spiral growth of crystals from solution and from the melt, 1=6496  
 Chernov, A.A. Layer-spiral growth of crystals, 1=7845  
 Chernov, A.A. and Dukova, E.D. Influence of supersaturation on the stepped relief of a crystal surface and its rate of growth, 1=14974  
 Chernov, A.A. See Lemmlein, G.G., 1=14975  
 Chernov, G.M. See Azimov, S.A., 1=16936  
 Chernov, N.N. See Komar, A.P., 1=4683  
 Chernov, N.N. See Komar, A.P., 1=5515  
 Chernov, N.N. See Komar, A.P., 1=11992  
 Chernov, Yu.M. and Stepanov, A.V. Temperature dependence of the elastic constants of single crystal lithium fluoride, 1=20303  
 Chernova, L.P. See Azimov, S.A., 1=16936  
 Chernyakovskii, F.P., Kalmanson, A.E. and Blyumenfel'd, L.A. Electron paramagnetic resonance in crystals of triphenylmethane dyes, 1=5072  
 Chernyavskii, K.K. See Valtier, A.K., 1=15536  
 Chernyshev, K.V. Instrument for measuring amplitudes of small vibrations, 1=9434  
 Chernysheva, M.A. See Klassen-Neklyudova, M.V., 1=14891  
 Cherpak, V.A. See Rivin, A.N., 1=16037  
 Cherry, E.C. and Bowles, J.A. Contribution to a study of the "cocktail party problem", 1=11662  
 Cherry, E.C. and Phillips, V.J. Some possible uses of single sideband signals in Formant-tracking systems, 1=12719  
 Cherry, L.V. and Wallace, W.E. Magnetic characteristics of some intermetallic compounds between manganese and the lanthanide metals, 1=9024  
 Cherry, L.V. See Butera, R.A., 1=10757  
 Cherry, L.V. See Nassau, K., 1=7877  
 Cherry, L.V. See Nassau, K., 1=9041  
 Cherry, R.J. See Allen, J.W., 1=5022  
 Chervosani, L. See Bartke, J., 1=8513  
 Chersovani, L. See Brautti, G., 1=9758  
 Chertock, G. Sound radiation from prolate spheroids, 1=10562  
 Cherville, J. See Pacault, A., 1=3764  
 Chervyakova, V.V. See Presnyakov, A.A., 1=10215  
 Chéry, R. Contribution to the study of the variation of the gain of photomultipliers as a function of the counting rate of pulses, 1=19065  
 Chesnut, D.B., Foster, H. and Phillips, W.D. E.P.R. studies of spin correlation in some ion radical salts, 1=9056  
 Chesnut, D.B. and Phillips, W.D. E.P.R. studies of spin correlation in some ion radical salts, 1=14804  
 Chesnut, D.B. and Sloan, G.J. Paramagnetic resonance absorption of the dimethylmethyl radical, 1=12319  
 Chessin, H. See Aarj, S., 1=7747  
 Chester, G.V. and Thellung, A. The law of Wiedemann and Franz, 1=8890  
 Chester, P.F. Cross-doping agents for rutile masers, 1=7788  
 Chester, P.F. Electron spin resonance in semiconducting rutile, 1=20229  
 Chestnykh, L. See Oshurkov, P., 1=5067  
 Chetaev, D.N. Effect of the elasticity of the medium on the radiation impedance of a piston set in a baffle, 1=2824  
 Chetaev, N.G. Extension of the optico-mechanical analogy, 1=6944  
 Chetham-Strode, A., Tarrant, J.R. and Silva, R.J. The application of silicon detectors to alpha particle spectroscopy, 1=3254  
 Chetkarov, M.L. On the theory of photoelectretites, 1=7664  
 Chetkarov, M.L. The effect of temperature on photoelectretite state, 1=7655  
 Chetkarov, M.L. The kinetics of E.M.F. from high-voltage polarization of dielectrics, 1=19934  
 Chetkarov, M.L. The theory of photoelectrets, 1=19935  
 Chetkin, M.V. See Krinchik, G.S., 1=19957  
 Chetroui, A. See Agiriceanu, I., 1=5982  
 Chetverikova, G.A. See Mashkova, E.S., 1=13122  
 Chevallier, P. See Gorodetzky, S., 1=7360  
 Chevallier, P. See Gorodetzky, S., 1=13736  
 Chevallier, P. See Gorodetzky, S., 1=17062  
 Chevreton, M. and Bertaut, F. Study of chromium selenides, 1=15078  
 Chew, G.F. A unified dynamical approach to high and low-energy strong interactions, 1=16678  
 Chew, G.F. and Frautschi, S.C. Unified approach to high- and low-energy strong interactions on the basis of the Mandelstam representation, 1=4765  
 Chew, G.F. and Frautschi, S.C. Dynamical theory for strong interactions at low momentum transfers but arbitrary energies, 1=12054  
 Chew, G.F. and Frautschi, S.C. Potential scattering as opposed to scattering associated with independent particles in the S-matrix theory of strong interactions, 1=16702  
 Chew, G.F. and Mandelstam, S. Theory of the low-energy pion-pion interaction. II, 1=5780  
 Chew, H. Structure of radiative decay amplitudes, 1=10838  
 Cheynier, B., Leroy, J.L. and Prelec, K. Rapid pulsation device for an electrostatic low-energy accelerator, 1=16434  
 Chezem, C.G. A uranium-metal exponential experiment, 1=17166  
 Chhonkar, M.S. See Mookherji, A., 1=11756  
 Chhonkar, N.S. See Mookherji, A., 1=12881  
 Chhonkar, N.S. See Mookherji, A., 1=12882  
 Chhonkar, N.S. See Mookherji, A., 1=15883  
 Chiang P'i-Huang. See Tszyan Pi-Khuan, 1=9518  
 Chiao, L.W. See Rasmussen, J.O., 1=8554  
 Chiao, Lung-Wen. See Hansen, P.G., 1=8655  
 Chiarotti, A.R. See Fieschi, R., 1=11223  
 Chiarotti, A.R. See Nardelli, G.F., 1=6104  
 Chiarotti, G. See Camagni, P., 1=19763  
 Chiba, R.  $C^{14}(d,n)N^{15}$  reaction, 1=12212  
 Chiba, R., Conzett, H.E., Morinaga, H., Mutsuro, N., Shoda, K. and Kimura, M.  $He^3$ -alpha scattering, 1=15331  
 Chiba, S. Magnetic properties of iron phosphide  $Fe_2P$ , 1=9013  
 Chiba, S., Oneda, S. and Pati, J.C.  $\Sigma^- \Lambda$  relative parity and the  $\Sigma^0 \rightarrow \Lambda^0 + \gamma + \gamma$  decay, 1=16905  
 Chiba, S. See Hirone, T., 1=12527  
 Chiba, S. See Tsubokawa, I., 1=1248  
 Chibisov, K.V. Methods of raising the effective sensitivity of the photographic system, 1=2895  
 Chibisov, K.V. The development of scientific photography in pre-revolutionary and Soviet Russia, 1=9489  
 Chibisov, M.I. See Firsov, O.B., 1=17087



- Chicault, R. See Buisson, R., 1=9683  
 Chicherov, V.M. See Molchanov, V.A., 1=10745  
 Chicherov, V.M. See Molchanov, V.A., 1=11985  
 Chicherov, V.M. See Molchanov, V.A., 1=17590  
 Chick, D.R. Plasma research, 1=287  
 Chidambaram, R. Q-multiplication for increasing nuclear magnetic resonance signals, 1=383  
 Chidambaram, R. A bent hydrogen bond model for the structure of ice-I, 1=20543  
 Chids, W.J., Goodman, L.S. and Kieffer, L.J. Nuclear spin and moments of 14 hr Ga<sup>74</sup>, 1=593  
 Chiesa, A.M., Quassiat, B. and Rinaudo, G. Interactions of 1.15 GeV/c K<sup>-</sup>-mesons in emulsion. II, 1=8501  
 Chigo, G. See de Carvalho, H.G., 1=8800  
 Chihara, H. See Beaumont, R.H., 1=10228  
 Chikahisa, Y. See Nakada, O., 1=7505  
 Chikawa, J. Multiple-anode proportional counter X-ray diffractometer, 1=9123  
 Chikawa, J., Imamura, S., Tanaka, K. and Shiojiri, M. Crystal structures and electrical properties of alkali antimonides, 1=15081  
 Chikazumi, S. Epitaxial growth and magnetic properties of single crystal films of iron, nickel and permalloy, 1=6318  
 Chikazumi, S., Suzuki, K. and Iwata, H. Studies on the magnetic anisotropy induced by cold rolling of ferromagnetic crystal. II. Iron-aluminum alloys, 1=7746  
 Chikazumi, S. See Wakiyama, T., 1=12535  
 Chikhachev, B.M. See Karlov, N.V., 1=4215  
 Chikhachev, B.M. See Karlov, N.V., 1=4216  
 Chikhladze, V.L. See Vartanov, N.A., 1=19398  
 Chikin, R.V. See Akhmatov, A.P., 1=4628  
 Chikovani, G.E. See Manjavidze, Z.Sh., 1=3303  
 Chikovani, G.E. See Mikhailov, V.A., 1=13265  
 Chikvashvili, Ya.M. See Kaganov, M.I., 1=14170  
 Chilashvili, G.A. See Kopaleishvili, T.I., 1=4824  
 Chilashvili, G.A. See Kopaleishvili, T.I., 1=5818  
 Chilashvili, G.A. See Vashakidze, I.Sh., 1=5414  
 Chilashvili, G.A. See Vashakidze, I.Sh., 1=5856  
 Chilashvili, G.A. See Vashakidze, I.Sh., 1=17077  
 Child, H.R. See Wilkinson, M.K., 1=1251  
 Child, H.R. See Wilkinson, M.K., 1=9135  
 Child, M.S. Dynamical Jahn-Teller effect in molecules possessing one four-fold symmetry axis, 1=14100  
 Childress, J.D. Intermediary effects in nuclear beta decay, 1=12167  
 Childs, B.G., Gardner, W.E. and Penfold, J. The magnetic susceptibility of vanadium-chromium solid solutions, 1=1195  
 Childs, C.B. Broad-band ultraviolet filters, 1=10579  
 Childs, C.B. Quantum yield of gold-cathode photomultipliers, 1=13119  
 Childs, C.B. and Shifkin, L. Room-temperature dislocation decoration inside large crystals, 1=3679  
 Childs, W.J. and Goodman, L.S. Nuclear spin of Ho<sup>166</sup>, 1=7314  
 Childs, W.J., Goodman, L.S. and Kieffer, L.J. Nuclear spin and magnetic moment of 2.6 hr Mn<sup>56</sup>, 1=7315  
 Chilos, G., Cuzzocrea, P., Ricci, R.A. and Vingiani, G.B. Gamma rays from <sup>180</sup>Eu, 1=13751  
 Chilos, G., Ricci, R.A., Varcaccio, G. and Vingiani, G.B. On the decay of the <sup>98</sup>Tc isomer, 1=8657  
 Chilton, C.J. V.L.F. phase perturbation associated with meteor shower ionization, 1=15298  
 Chilton, F. Pion production in electron-positron collisions, 1=10903  
 Chilton, F. Nuclear de-excitation following muon capture and the bound muon decay anomaly, 1=12210  
 Chin, C.W. See Sanders, A.P., 1=1954  
 Chin, D. and Giguère, P.A. The torsional oscillation frequency of H<sub>2</sub>O<sub>2</sub>, 1=7468  
 Chin, F.K. See Standil, S., 1=7300  
 Chinowsky, W. See Martin, H.J., 1=8514  
 Chinowsky, W. See Stubbs, T.F., 1=16896  
 Chiodi, L. See Bonera, G., 1=6510  
 Chiodi, L. See Bonera, G., 1=12900  
 Chiou, C. See Priest, J., 1=12663  
 Chiplis, V.I. See Vizbaraitė, Ya.I., 1=3502  
 Chiplonkar, M.W., Karekar, R.N. and Marwadi, P.R. Radio-meteorological study of thunderstorms on 85 kc/s band in the tropics, 1=20862  
 Chiplonkar, V.T. and Joshi, S.B. Space-charge density in the dark space of a cold cathode glow discharge and its dependence on discharge current, 1=18802  
 Chiplonkar, V.T. and Maneck, S.S. Effect of electrical oscillations on the electric field in the cathode dark space of a cold cathode glow discharge, 1=10685  
 Chiplonkar, V.T. and Mangaly, J. Electrical oscillations in a d.c. glow discharge, 1=4578  
 Chiplonkar, V.T. and Nadkarni, S.A. Contribution of photoelectric emission from cathode to secondary processes in a self-maintained cold cathode glow discharge, 1=18801  
 Chiplonkar, V.T. See Nagamani, K.D.V., 1=13073  
 Chipman, D.R. See Batterman, B.W., 1=7433  
 Chirkov, B.V. Resonance processes in magnetic traps, 1=9615  
 Chirkin, G.K. See Vinokurov, V.M., 1=20205  
 Chisholm, J.S.R. Change of variables in quantum field theories, 1=13351  
 Chistovich, L.A. Classification of rapidly repeated speech sounds, 1=4146  
 Chistovich, L.A. See Lyan Chzhi-an', 1=1605  
 Chistyakhov, A.L. See Bocharov, D.A., 1=4272  
 Chistyakov, I.G. Liquid crystals, 1=15838  
 Chistyakov, V.F. The circulatory nature of the eleven-year cycle of solar activity, 1=18074  
 Chistyakov, Yu.D. See Krucheanu, E., 1=4045  
 Chitá, C. See Giurgea, M., 1=145  
 Chittenden, D.M., II, Gardner, D.G. and Fink, R.W. New isotope of manganese; cross-sections of the iron isotopes for 14.8 MeV neutrons, 1=7390  
 Chiu, H.Y. Annihilation process of neutrino production in stars, 1=10875  
 Chiu, H.Y. Neutrino emission processes, Stellar evolution and supernovae, I, 1=15495  
 Chiu, H.-Y. and Morrison, P. Neutrino emission from black-body radiation at high stellar temperature, 1=2636  
 Chiu Hong-Yee. and Stabler, R.C. Emission of photoneutrons and pair annihilation neutrons from stars, 1=8445  
 Chiuderi, C. and Morpurgo, G. Coulomb photoproduction of  $\pi^0$  at high energy and  $\pi^0$  lifetime, 1=5754  
 Chivers, H.J.A. A statistical study of ionospheric drifts measured by the radio star scintillation technique, 1=20937  
 Chizhov, V.P. See Kulikov, A.V., 1=13240  
 Chkalova, V.V. See Venevtsev, Yu.N., 1=20504  
 Chkuaseli, D.V., Nikoleishvili, U.D. and Guldashvili, A.I. Resonance charge transfer in the case of positive potassium ions, 1=278  
 Chkuaseli, D.V., Nikoleishvili, U.D. and Guldashvili, A.I. Resonance charge transfer in the case of positive potassium ions, 1=4566  
 Chlebowska, D. and Szymański, J. On the possibility of determining the spin of  $\Lambda^4$  from the angular distribution for mesonic decay, 1=2166  
 Chlebowska, D. See Smirnov, Yu.F., 1=13607  
 Chleck, D. See Hommel, C.O., 1=20779  
 Cho, K.S. See Lee, B.W., 1=12113  
 Cho Yen Ho. See Penrod, E.B., 1=16252  
 Chobanu, G. A theory of transport on the surfaces of semi-conducting filaments, 1=17647  
 Chobanu, G. and Kroitoru, N. Electrical conductivity of thin films of semiconductors, 1=1039  
 Chocholle, R. The differential intensity threshold in the presence of a contralateral tone of different frequency, 1=1608  
 Chodźba, W. See Benisz, J., 1=16632  
 Chojnacki, S., Jasinski, A., Kusch, W., Kownacki, J., Lancman, H. and Yutlandov, J.A.  $\gamma$ -spectra of <sup>180</sup>Tu and <sup>187</sup>Tu. [Tm<sup>180</sup> and Tm<sup>187</sup>], 1=670  
 Chojnacki, S., Sosnowski, R., Wołczek, O., Yutlandov, I.A., Lancman, H. and Zylicz, J. Internal conversion electrons of <sup>187</sup>Tm, 1=2195  
 Chojnacki, S. See Zylicz, J., 1=13720  
 Chollet, L. and Rossel, J. Experimental investigation of the polaron. Measurement of the electron mobility in AgCl and AgBr, 1=949  
 Cholpan, P.F. See Golik, A.Z., 1=15872  
 Cholpan, P.P. See Holýk, O.Z., 1=20642  
 Chong, P. and Inuishi, Y. Drift mobility of photo-injected electrons in hexane-silicone mixture, 1=18427



## AUTHOR INDEX

- Chong, P., Sugimoto, T. and Inuishi, Y. Conductivity induced by injected electrons in liquid dielectric, 1=12899
- Chong, P., Yamanaka, C. and Suita, T. Pre-breakdown phenomena in nitrobenzene by means of the Kerr electro-optical effect, 1=5437
- Chong Wan Lee. See Baranger, E., 1=3394
- Chopra, K.P. On simulation studies of motion of bodies in ionized atmosphere, 1=2668
- Chopra, K.P. Hydromagnetic flow in a circular pipe, 1=4701
- Chopra, K.P. Interactions of rapidly moving bodies in terrestrial atmosphere, 1=12787
- Chopra, K.P. and Singh, I.J. Magnetohydrodynamic shock waves in a gas mixture, 1=1971
- Chopra, K.P. See Singh, I.J., 1=13169
- Chopra, K.P. See Singh, I.J., 1=16524
- Chorna, N.S. Energetic distribution of electron states on a germanium surface, 1=12438
- Chorna, N.S. Influence of illumination on the field effect, 1=14450
- Chornyi, V.G. See Kurdyumov, H.V., 1=15127
- Chou Hung-Yuan. Integral equation for pion-nucleon scattering at low energies, 1=13492
- Chou Kuang-chao. See Chzhou Guan-Chzhao, 1=3198
- Chou Kuang-Chao. See Chzhou Guan-Chzhao, 1=19289
- Chou Kuang-chao. See Chzhou Guan-chzhao, 1=19435
- Chou Kuang-Chao. See Ké Tszo-Syu, 1=3211
- Chou Kuang-chao. See Lapidus, L.I., 1=2025
- Chou Kuang-chao. See Lapidus, L.I., 1=16734
- Chou, Y.T., Garofalo, F. and Whitmore, R.W. Interactions between glide dislocations in a double pile-up in  $\alpha$ -iron, 1=2510
- Chou, Y.T. and Whitmore, R.W. Single and double pile-up of dislocations in MgO crystals, 1=14276
- Chou, Y.T. See Garofalo, F., 1=2517
- Choudhury, A. On magnetic and luminescent centres induced in the crystal of lithium fluoride by X-ray irradiation, 1=20051
- Choudhury, A.K. See Roy, B., 1=13679
- Choudhury, N.K. and Ganguly, S.C. The absorption and fluorescence spectra of naphthacene molecules in anthracene crystal, 1=8983
- Chovin, P. See Calvet, E., 1=2910
- Chow, R.H. Supplemental viewpoints of the relativistic length contraction and time dilation helpful to the teaching of introductory special relativity, 1=11699
- Chow, Y. Scattering of electromagnetic waves by coaxial ferrite cylinders of different tensor permeabilities, 1=16566
- Chowdhry, A.M., Ahmad, H. and Qurashi, M.M. Studies in the relationship between viscosity and molecular structure. V. Preliminary investigation of periodicity in the temperature variation of the activation energy in aqueous ethyl alcohol in the temperature range of 5°C to 55°C, 1=15781
- Chowdhury, M. and Basu, S. Nature of intermolecular forces in quinydrone, 1=14089
- Choyke, W.J. See Patrick, L., 1=11372
- Chrenko, R.M. See Corbett, J.W., 1=3657
- Chrien, R. See Hughes, D.J., 1=8667
- Chrien, R.E. Resonance parameters for the 8-eV level of  $\text{Sm}^{132}$ , 1=17129
- Christakhov, A.L. See Bocharov, D.A., 1=10434
- Christenhuss, R. See Reimer, L., 1=10741
- Christensen, D. See Lide, D.R., Jr., 1=17371
- Christensen, R.L. and Ames, J. Absolute calibration of a light detector, 1=4429
- Christensen, R.L., Hamilton, D.R., Bennewitz, H.G., Reynolds, J.B. and Stroke, H.H. Spin and hyperfine structure of arsenic-76, 1=8566
- Christensen, S.H. See Moran, P.R., 1=14330
- Christenson, E.L. See Domenicali, C.A., 1=17605
- Christian, J.E. See Dunavant, B.G., 1=13218
- Christian, J.L. See Smith, J.F., 1=1437
- Christian, J.W. See Basinski, Z.S., 1=1315
- Christiansen, E.B., Kistler, S.S. and Gogarty, W.B. Design and construction of multi-ring apparatus for use at high pressures, 1=10364
- Christiansen, W.H. Use of fine unheated wires in shock tubes, 1=2786
- Christiansen, W.N. and Høgbom, J.A. The cross-antenna of the proposed Benelux radio telescope, 1=15528
- Christie, D.G. Stress wave propagation as applied to the detection of flaws by ultrasonic detection, 1=10572
- Christman, D.R. Counting soft betas, 1=13397
- Christmas, P. See Bird, L., 1=19198
- Christopher, M.E. See Machlup, S., 1=10083
- Christy, R.F. Corrections to nuclear Q values resulting from atomic binding and excitation, 1=5882
- Christy, R.F. and Duck, I.  $\gamma$  rays from an extranuclear direct capture process, 1=8682
- Christy, R.W. Thermoelectric power of silver halides, 1=6185
- Christy, R.W. and Daniels, W.E., Jr. Electrical conductivity of NaCl during high-temperature creep, 1=10034
- Christy, R.W. and Davis, W.P., Jr. Power supply for the e/m experiment, 1=1865
- Christy, R.W. and Phelps, D.H. Production of V<sub>K</sub> centers in KCl by X-rays, 1=17583
- Chu Chiang-chung. See Wang Yeh-ning, 1=1305
- Chu, Hu-Nan. Simple axisymmetric thickness vibrations of a soft elastic cylinder with a hard, thin, elastic skin, 1=15994
- Chu Hung-yuan. See Khe Tszo-syu, 1=4766
- Chubb, T.A. See Byram, E.T., 1=21031
- Chubb, T.A. See Kupperian, J.E.Jr., 1=6629
- Chubinskiy, O.V. See Artamonova, K.P., 1=17063
- Chudakov, A.E., Nesterova, N.M., Zatsepin, V.I. and Tukish, E.I. Cerenkov radiation produced by extensive air showers of cosmic ray, 1=3282
- Chudakov, A.E. See Kulikov, G.V., 1=3283
- Chudakov, A.E. See Vernov, S.N., 1=3309
- Chudakov, A.E. See Vernov, S.N., 1=4815
- Chudakov, A.E. See Vernov, S.N., 1=5797
- Chudakov, A.E. See Vernov, S.N., 1=7946
- Chudakov, A.E. See Vernov, S.N., 1=10939
- Chudakov, V.M. Measurements of angles in nuclear interactions of fast particles, 1=13261
- Chudakov, V.M. The azimuthal angular distribution of shower particles, 1=13563
- Chudakov, V.M. See Azimov, S.A., 1=16936
- Chudley, C.T. and Elliott, R.J. Neutron scattering from a liquid on a jump diffusion model, 1=5271
- Chudnovskii, A.F. Some variants of non-stationary methods for measuring the thermal conductivity of semi-conductors, 1=4490
- Chuenkov, V.A. and Chén'-Ké-Min. [Ch'en-K'o-Ming]. Generalization of the criterion for breakdown of semiconductors in a constant electric field, 1=19843
- Chuev, V.I. See Vlasov, N.A., 1=728
- Chuev, V.I. See Vlasov, N.A., 1=17142
- Chuev, V.I. See Vlasov, N.A., 17149
- Chueva, S.A. See Varfolomeev, A.A., 1=2139
- Chuiko, L.I. See Eremenko, V.V., 1=11365
- Chuistov, K.V. See Nesterenko, E.G., 1=1412
- Chuistov, K.V. See Nesterenko, Ye.H., 1=15136
- Chûjô, R. N.m.r. second moment of a radical oscillating in a periodic potential, 1=9959
- Chûjô, R. Transition phenomena in high polymers, 1=15167
- Chûjô, R. See Miyake, A., 1=881
- Chûjô, R. See Miyake, A., 1=2349
- Chûjô, R. See Miyake, A., 1=10189
- Chukichev, M.V. and Vavilov, V.S. Formation of lattice defects under the action of thermal neutrons on irradiating silicon single crystals in a nuclear reactor, 1=14347
- Chukichev, M.V. and Vavilov, V.S. The mean energy of generation of non-equilibrium carrier pairs by exposure of germanium to  $\gamma$ -rays from cobalt-60, 1=14443
- Chukichev, M.V. and Vavilov, V.S. Formation of lattice defects under the action of thermal neutrons on irradiating silicon single crystals in a nuclear reactor, 1=17593
- Chulanovskii, V.M. Intensity measurements in infrared spectra, 1=4458
- Chulli, I. See Van Zhun, 1=16751
- Chulli, S. and Fisher, J. On the polarization cross-section for scattering of fast nucleons, 1=16775
- Chulli, S. See Fisher, Ya., 1=4771
- Chulli, S. See Fisher, Ya., 1=19123
- Chulli, S. See Fisher, Ya., 1=19259
- Chulli, S. See Van Zhun, 1=16751
- Chultem, D. See Egorov, L.B., 1=5988
- Chultem, D. See Egorov, L.B., 1=17298
- Chumin, V. See Abdurazakov, A., 1=646



- Chun, K.W. Charged-scalar strong-coupling theory for two-nucleon system, 1=723b
- Chupis, I.E. See Kaganov, M.I., 1=11456
- Chupp, E.L., Jewell, R.W., Jr and John, W. Binding energy of the deuteron measured with a bent crystal spectrometer, 1=552
- Churchhouse, R.F. The age of the galaxy, 1=10391
- Churchill, S.W., Clark, G.C. and Slepcevic, C.M. Light-scattering by very dense monodispersions of latex particles, 1=11638
- Churchman, A.T. Cleavage fracture in niobium, 1=20384
- Churchman, T.N. See Davidenkov, N.N., 1=10209
- Chuvaev, V.F. See Ivanova, L.V., 1=14871
- Chuvaev, V.F. See Ivanova, L.V., 1=20322
- Chuvilo, I.V. See Ivanovskaya, I.A., 1=19501
- Chuyanov, V.A. A multigroup calculation carried out on "Strela" for a power station reactor, 1=19561
- Chynoweth, A.C. Internal field emission, 1=6134
- Chynoweth, A.G. and Feldmann, W.L. Ferroelectric domain delineation in triglycine sulphate and domain arrays produced by thermal shocks, 1=17834
- Chynoweth, A.G., Feldmann, W.L. and Logan, R.A. Excess tunnel current in silicon Esaki junctions, 1=5779
- Chynoweth, A.G. and Gummel, H.K. Photon emission from avalanche breakdown in germanium p-n junctions, 1=17695
- Chynoweth, A.G., Logan, R.A. and Wolff, P.A. Effect of Landau levels upon tunnel currents in indium antimonide, 1=2413
- Chynoweth, A.G. and Murray, A.A. Pinch effect in indium antimonide, 1=11306
- Chyyrko, V.I. See Val'ter, A.K., 1=19455
- Chzhan Nai-sén. See Likhachev, M.F., 1=19265
- Chzhan Tszun. See Smolenskii, G.A., 1=20125
- Chzhen Pu-in. See Dzhaneldidze, L.P., 1=19282
- Chzhou Guan-Chzhao [Chou Kuang-chao]. The pseudovector current and lepton decays of baryons and mesons, 1=3198
- Chzhou Guan-Chzhao. See Khé Tszó-Syu, 1=3211
- Chzhou Guan-chzhao. See Lapidus, L.I., 1=2025
- Chzhou Guan-Chzhao. See Lapidus, L.I., 1=16734
- Chzhou Guan-Chzhao. See Lapidus, L.I., 1=19289
- Chzhou Guan-chzhao. See Lapidus, L.I., 1=19435
- Chzhu Khun-yuan'. See Efremov, A.V., 1=19252
- Chzhu Khun-yuan'. See Khe Tszó-syu, 1=4766
- Ciais, A. Fine structure of the luminescent spectra of organic molecules in crystalline solutions, 1=17917
- Ciampi, M. See Fornaca, G., 1=16311
- Ciccarello, I.S., Cordone, L., Orlando, A. and Palma, M.U. Further experiments with microwaves on the mechanisms of photographic image formation, 1=9490
- Ciccarello, I.S., Garofano, T. and Santangelo, M. Further investigations on the electronic structure of free radicals, 1=14106
- Cid-Dresdner, H. See Garyaycochea, E., 1=20467
- Ciddor, P.E. Phase dispersion in interferometry, 1=5352
- Cilliers, W.A. Changes in the fading speed of low-frequency radio waves, 1=1545
- Cimino, A. and Marezio, M. Lattice parameter and defect structure of cadmium oxide containing foreign atoms, 1=20535
- Cimino, A. and Parry, G.S. Interdomain symmetry in the reversible phase transformation of potassium cyanide, 1=7834
- Cindro, N. A method for charged particles selection, 1=3076
- Cindro, N., Cerineo, M. and Strzalkowski, A. Elastic scattering of 13 MeV deuterons on aluminium, 1=711
- Cindro, N., Cerineo, M. and Strzalkowski, A. (d,  $\alpha$ ) reactions on some light nuclei at 13 MeV, 1=8764
- Cindro, N., Šlaus, I., Tomaš, P. and Eman, B. The  $O^{16}(n, \alpha)C^{13}$  reaction by the thin crystal method, 1=2225
- Cindro, N. See Strohal, P., 1=19484
- Cindro, N. See Swenson, W., 1=11035
- Cini-Castagnoli, G., Giardini-Guidoni, A. and Ricci, F.P. Diffusion of neon, HT, and deuterium in liquid hydrogen, 1=10510
- Ciobanu, G. The light scattering on hemispherical particles, 1=1833
- Ciobanu, G. and Toma, E. Some contributions to the theory of light scattering by systems of particles, 1=16115
- Ciobanu, G. See Grigorevici, D., 1=18618
- Cioek, P. See Bartke, J., 1=3262
- Ciorăscu, F. Electron-energy distribution in a very high-frequency discharge in hydrogen, 1=4587
- Citron, A. Time variations of extensive air showers, 1=3369
- Ciuffolotti, L. See Beltrametti, E.G., 1=5916
- Ciulli, I. See Van Zhun, 1=16751
- Ciulli, S. and Fischer, J. A convergent set of integral equations for singlet proton-proton scattering, 1=8458
- Ciulli, S. and Micu, M. Oscillations of a plasma in a static external magnetic field, 1=5485
- Ciulli, S. See Chulli, S., 1=19259
- Ciulli, S. See Fisher, Ya., 1=4771
- Ciulli, S. See Fisher, Ya., 1=19123
- Ciulli, S. See Fisher, Ya., 1=19259
- Ciulli, S. See Van Zhun, 1=16751
- Claassen, F.S. Excess and hump current in Esaki diodes, 1=17766
- Cladis, J.B., Chase, L.F., Jr, Imhof, W.L. and Knecht, D.J. Energy spectrum and angular distributions of electrons trapped in the geomagnetic field, 1=21075
- Cladis, J.B. and Dessler, A.J. X-rays from Van Allen belt electrons, 1=15330
- Clampitt, B.H. See Hansen, R.S., 1=4107
- Clancy, E.P. Cooperative venture in the philosophy of science, 1=2675
- Clapp, R.E. A complete orthogonal expansion for the nuclear three-body problem. I. Rotational functions, 1=12142
- Clardy, D.E. and Tolbert, C.W. Electronic disdrometer, 1=12687
- Clare, J.W.H. See Blade, J.C., 1=15157
- Clarebrough, L.M. and Hargreaves, M.E. The orientation dependence of work-hardening in crystals of face-centred cubic metals, 1=1332
- Clarebrough, L.M., Hargreaves, M.E., Head, A.K. and Loretto, M.H. Stored energy and flow stress in deformed metals, 1=17505
- Clarebrough, L.M., Hargreaves, M.E. and Loretto, M.H. Order-disorder phenomena in  $\alpha$ -brass. II. Influence of quenching, 1=1419
- Clarebrough, L.M., Hargreaves, M.E. and Loretto, M.H. Order-disorder phenomena in  $\alpha$ -brass. III. Influence of plastic deformation, 1=1420
- Clarebrough, L.M., Hargreaves, M.E. and Loretto, M.H. Stored energy and electrical resistivity in deformed metals, 1=17508
- Clarebrough, L.M., Hargreaves, M.E. and Loretto, M.H. Order-disorder phenomena in  $\alpha$ -brass. IV. Nature of order and role of atomic mobility, 1=20591
- Clarebrough, L.M., Hargreaves, M.E. and Loretto, M.H. Nicholas, J.F. Discussion of Williams' comments on "the influence of grain size on the stored energy and mechanical properties of copper". I-II, 1=6453
- Clarebrough, L.M., Hargreaves, M.E. and Loretto, M.H.; Nicholas, J.F. Discussion of Williams' comments on "The influence of grain size on the stored energy and mechanical properties of copper". I-II, 1=6453
- Clarebrough, L.M. and Loretto, M.H. Order-disorder phenomena in  $\alpha$ -brass. I. Development of order, 1=1418
- Clarence, N.D. and O'Brien, P.A. Dispersions of multiple-stroke whistlers, 1=20859
- Claria, A. See Daubéze, M., 1=6842
- Clark, A.E. and Strakna, R.E. Elastic constants of single-crystal Y.I.G., 1=11502
- Clark, C.A. Improved nickel-base alloys for magnetostrictive transducers, 1=10564
- Clark, C.B. Undergraduate curricula for physics majors in a select sample of institutions, 1=5182
- Clark, G. See Hersil, J., 1=3368
- Clark, G. See Suga, K., 1=19060
- Clark, G.C. See Churchill, S.W., 1=11638
- Clark, G.L. See Weibel, E.S., 1=5592
- Clark, G.W. Applications of large scintillation detectors to cosmic ray experiments, 1=2109
- Clark, G.W., Earl, J., Kraushaar, W.L., Linsley, J., Rossi, B.B., Scherb, F. and Scott, D.W. Cosmic-ray air showers at sea level, 1=7297
- Clark, J. Perturbation techniques for miniaturized coaxial Y-junction circulators, 1=7154
- Clark, J.W. Effective spin-orbit potential in correlated heavy nuclei, 1=4819
- Clark, J.W. The role of repulsive cores in the photonuclear effect, 1=5886
- Clark, K.C. See Sharpless, R.A., 1=9427
- Clark, K.C. See Young, R.A., 1=1552
- Clark, M., Jr. See Robkin, M.A., 1=17215
- Clark, M.A. The lifetime of the 6.25 keV level in  $Ta^{181}$ , 1=17064

## AUTHOR INDEX

- Clark, M.A., Gove, H.E. and Litherland, A.E. Lifetimes of the low-lying levels in  $\text{Ne}^{20}$ , 1=18690
- Clark, M.A. and Robson, J.M. The electron asymmetry in the beta decay of polarized neutrons, 1=2058
- Clark, M.A. and Robson, J.M. A polarized neutron beam produced by Bragg reflection from Co-Fe alloy, 1=2062
- Clark, M.A. See Litherland, A.E., 1=13660
- Clark, M.A. See Litherland, A.E., 1=16989
- Clark, S.P., Jr. Heat flow from a differentiated earth, 1=20794
- Clark, W.G. See Won Choi, Q., 1=9063
- Clarke, E. See Kerwin, L., 1=19620
- Clarke, F.J.J. A study of Troxler's effect, 1=1619
- Clarke, F.J.J. Extra-foveal colour metrics, 1=6682
- Clarke, F.J.J. See Jones, O.C., 1=18561
- Clarke, F.J.P. See Ghosh, T.K., 1=4014
- Clarke, R.B. See Kleppa, O.J., 1=12869
- Clarke, R.L. The spectrum of neutrons from the irradiation of uranium by 14 MeV neutrons, 1=17160
- Clarke, R.L. See Hanna, G.C., 1=17161
- Clarke, R.W. Ryle, M., 1=10368
- Clasen, R. See Deirmendjian, D., 1=8238
- Class, C.M. See Durham, D.E., 1=8661
- Class, C.M. See Rester, D.H., 1=3425
- Clauss, J. The determination of "hot-channel factors [Kühlkanalfaktoren]" in nuclear reactor fuel-elements, 1=17229
- Claussen, B.H. Modulation of light by means of an electric field, 1=11829
- Clavier, P.A. Propagation in a plasma, 1=8391
- Clavier, P.A. Man-made heating and ionization of the upper atmosphere, 1=10314
- Clavier, P.A. Classical theory of radiation solutions for the Coulomb field, 1=16650
- Claxton, T.A., Craig, D.P. and Thirunamachandran, T. Crystal splitting of the anthracene 3800 Å system, 1=19639
- Clay, C.S. Fluctuations of sound reflected from the sea surface, 1=1794
- Clay, C.S. Array steering in a layered waveguide, 1=10567
- Clay, W.G. See Slattery, R.E., 1=15923
- Claydon, D.G.W. Defect assessment using ultrasonic waves, 1=14921
- Clayton, D.D., Fowler, W.A., Hull, T.E. and Zimmerman, B.A. Neutron capture chains in heavy element synthesis, 1=7389
- Clayton, G.T. and Heaton, L.R. Sample assembly for neutron diffraction studies of liquefied gases, 1=2745
- Clayton, G.T. and Heaton, L.R. Neutron diffraction study of krypton in the liquid state, 1=2746
- Clayton, G.T. See Young Soo Kim, 1=8378
- Clayton, J.C. See Aronson, S., 1=14193
- Clayton, R.N. Oxygen isotope fractionation between calcium carbonate and water, 1=7901
- Cleaver, B., Rhodes, E. and Ubbelohde, A.R. Melting and crystal structure: volume changes on mixing nitrate melts, 1=16175
- Clegg, A.B. Rotational bands in the 1p-shell, 1=19449
- Clegg, A.B., Foley, K.J., Salmon, G.L. and Segel, R.E. Gamma radiation from the medium energy proton bombardment of lithium, beryllium, boron, carbon and nitrogen, 1=19473
- Clegg, A.B. and Satchler, G.R. Gamma-rays from inelastic scattering of high energy nucleons, 1=19445
- Clegg, J.A. See Blackett, P.M.S., 1=1578
- Clement, M.J.Y. and Ramsay, D.A. Predissociation in the  $\text{HNO}$  molecule, 1=2352
- Clementi, E. Transition probabilities for low-lying electronic states in  $\text{C}_n$ , 1=2335
- Clementi, E. Accurate partition functions in the determination of the  $\text{C}_n$  abundance, 1=2336
- Clementi, E. Ground-state wave functions for linear molecules, 1=9939
- Clementi, E. On the  $^3\text{E}_{1u} - ^1\text{A}_{1g}$  intercombination in benzene, 1=14052
- Clements, T.P. See Winsberg, L., 1=8683
- Clemett, C. and Davies, M. Molecular rotational relaxation in liquids and solids, 1=12898
- Clemmow, P.C. On the theory of the diffraction of a plane wave by a large perfectly conducting circular cylinder, 1=19026
- Clemmow, P.C. and Weston, V.H. Diffraction of a plane wave by a almost circular cylinder, 1=19027
- Clendenin, W.W. The monatomic gas model for thermal neutron distributions in a physical moderator, 1=19212
- Clerc, H.G., Wäffler, H. and Berthold, F. Range of  $\text{Li}^6$  ions of 40-450 keV energy in hydrogen, deuterium and helium, 1=7107
- Cleveland, F.F. See Gilbert, R.L., 1=14008
- Cleveland, F.F. See Pillai, M.G.K., 1=13986
- Cleveland, F.F. See Thyagarajan, G., 1=6000
- Clifford, C.E. Gamma dose in a hole in a uniformly contaminated plane: contribution by ground penetration, 1=9822
- Clifton, D.G. Calculations of the coefficient of viscosity and the coefficients of diffusion for dissociating hydrogen, 1=15913
- Clift, R.W. See Budzanowski, A., 1=19452
- Cline, J.E. and Heath, R.L. Levels in  $\text{Gd}^{166}$  fed by the decay of 15-day  $\text{Eu}^{166}$ , 1=5877
- Cline, J.E. See Heath, R.L., 1=10974
- Cline, R.S. See Hsun Hu, 1=7873
- Cline, R.S. See Hu, H., 1=10279
- Cline, T.L. Search for high-energy cosmic gamma rays, 1=13543
- Clingman, W.H. and Moore, R.G.Jr. Application of ferroelectricity to energy conversion processes, 1=8296
- Clinton, W. Sum rule for transition probabilities, 1=3498
- Clinton, W.L. Forces in molecules. I. Application of the virial theorem, 1=2312
- Clogston, A.M. and Jaccarino, V. Susceptibilities and negative Knight shifts of intermetallic compounds, 1=5062
- Clogston, A.M. See Matthias, B.T., 1=3882
- Clogston, A.M. See Matthias, B.T., 1=12526
- Cloud, W.H., Bither, T.A. and Swoboda, T.J. Exchange inversion in  $\text{Mn}_{2-x}\text{Cr}_x\text{Sb}$ , 1=6374
- Cloud, W.H., Jarrett, H.S., Austin, A.E. and Adelson, E. Neutron diffraction studies of chromium-modified  $\text{Mn}_2\text{Sb}$ , 1=1242
- Clough, S. Stochastic theory of nuclear magnetic resonance in rotating solids, 1=10188
- Clough, S. See Hennel, J.W., 1=14838
- Cloupeau, M. Properties of shock waves produced by condensed discharges in a low-pressure gas, 1=6888
- Cloupeau, M. On the true nature of luminous phenomena observed in magnetically driven shock tubes, 1=10539
- Cloupeau, M. The origin of the ionization observed in electromagnetically driven shock tubes, 1=18460
- Cloupeau, M. and Szaniawski, A. Optical study of a magnetically driven shock tube, 1=2784
- Cloutier, G.G. See French, I.P., 1=18857
- Cloutier, J.A.R. Room temperature stabilization of radiation-produced free radicals in barbituric acids, 1=9173
- Cloutier, J.A.R., Flann, B.C. and Manson, J.M. Study of the effect of gamma radiation on the molecule of pentobarbital, 1=20762
- Clow, H. Variation of anisotropy axis dispersion with thickness of nickel-iron films, 1=20104
- Clowes, M.B. Some factors in brightness discrimination with constraint of retinal image movement, 1=6663
- Clube, S.V.M. Some observations of the  $\text{H}\alpha$  line at the solar limb, 1=2620
- Clyne, G., Fessler, H. and Wilson, R.W. Improvements of photoelastic technique for strain measurement on flat surfaces, 1=1713
- Clyne, M.A.A. and Thrush, B.A. Kinetics of the reactions of active nitrogen with oxygen and with nitric oxide, 1=20730
- Cnare, E.C. Electrically imploded-exploded aluminum tube, 1=10688
- Cnare, E.C. Observations on the striation of electrically exploded copper foils, 1=10692
- Coates, R.J. Lunar brightness variations with phase at 4.3 mm wave length, 1=5169
- Coates, R.V. A note on the structure of non-ferroelectric lead metatantalate [ $\text{PbTa}_2\text{O}_6$ ], 1=20558
- Cobble, J.W. See Colby, L.J., Jr., 1=3473
- Cobble, J.W. See Colby, L.J., Jr., 1=3474
- Cobic, B., Carter, G. and Leck, J.H. Comprehensive study of the ion pumping of the noble gases, 1=10552
- Cobic, B., Carter, G. and Leck, J.H. Pumping of argon, nitrogen and hydrogen in a Bayard-Alpert gauge, 1=15971
- Cobine, J.D. and Burger, E.E. Ionization gauge for transient gas pressures, 1=10554
- Cobine, J.D. and Farrall, G.A. Experimental study of arc stability. I, 1=1899
- Coble, R.L. Sintering crystalline solids. I. Intermediate and final state diffusion models, 1=7880



- Coble, R.L. Sintering crystalline solids. II. Experimental test of diffusion models in powder compacts, 1=7881
- Coburn, N. and Ong, R.S.B. The characteristic system for three-dimensional, steady, isentropic, compressible, hydromagnetic flows, 1=9670
- Cocconi, G., Diddens, A.N., Lillethun, E. and Wetherell, A.M. Elastic and quasi-elastic collisions of protons with momenta between 9 and 25 GeV/c, 1=7243
- Cocconi, G. See Ashmore, A., 1=3185
- Cocconi, V.T., Fazzini, T., Fidecaro, G., Legros, M., Lipman, N.H. and Merrison, A.W. A redetermination of the Panofsky ratio, 1=19241
- Coche, A. and Laustriat, G. Influence of temperature on photomultipliers, 1=1908
- Coche, A. See Henck, R., 1=14655
- Coche, A. See Henck, R., 1=14656
- Coche, A. See Laustriat, G., 1=10516
- Coche, A. See Laustriat, G., 1=10517
- Coche, A. See Laustriat, G., 1=18418
- Coche, A. See Walter, G., 1=13746
- Cochet, R. See Pauthenier, M., 1=15209
- Cochran, D.R.F. See Frauenfelder, H., 1=8569
- Cochran, D.R.F. See Nagle, D.E., 1=1210
- Cochran, E.L., Adrian, F.J. and Bowers, V.A. Anisotropic hyperfine interactions in the e.s.r. spectra of alkyl radicals, 1=6042
- Cochran, J.F. and Mapother, D.E. Superconducting transition in zinc and gallium, 1=4533
- Cochran, W. Crystal stability and the theory of ferroelectricity, 1=8971
- Cochran, W. "Effective" ionic charge in crystals, 1=19683
- Cochran, W. Crystal stability and the theory of ferroelectricity. II. Piezoelectric crystals, 1=19936
- Cochran, W., Fray, S.J., Johnson, F.A., Quarrington, J.E. and Williams, N. Lattice absorption in gallium arsenide, 1=17898
- Cockayne, B. and Raynor, G.V. The apparent metallic valencies of transition metals and solid solution, 1=20624
- Cocuoni, G. An air shower telescope and the detection of  $10^{12}$  eV photon sources, 1=2140
- Codelupi, R. Movements of electromagnetic fields, 1=3040
- Coditã, V. See Andreescu, I., 1=2076
- Codling, K. Ultra-violet extensions of the arc spectra of the alkaline earths: the absorption spectrum of magnesium vapour, 1=9505
- Codling, K. See Garton, W.R.S., 1=17273
- Coelho, R. Calculation of the parameter D of the crystalline field in lattices of the type NaCl and CsCl, 1=17388
- Coensgen, F.H., Cummins, W.F., Nexsen, W.E. Jr. and Sherman, A.E. Evidence of containment of a 3 keV deuterium plasma, 1=5467
- Coester, E. The velocity of ascent of gas bubbles in liquids of varying viscosity and surface tension, 1=9375
- Coffou, E. On the polarization of protons in (d,p) stripping reactions, 1=9873
- Cofta, H. New possible phenomenon in antiferromagnetics, 1=3916
- Cofta, H. Spin-wave resonances in antiferromagnetics, 1=6410
- Cofta, H. Ferrimagnetic spin-wave resonance, 1=6411
- Cofta, H. Regular superstructures of magnetic translational lattices, 1=14664
- Cofta, H. Influence of next nearest neighbours on the superstructural anisotropy of spin-wave dispersion, 1=14754
- Cofta, H. Superstructural anisotropy of the spin wave dispersion in antiferromagnetics. I. Theory, 1=14756
- Coggeshall, N.D. See Saraceno, A.J., 1=3571
- Coggeshall, N.D. See Schug, J.C., 1=17360
- Coghill, H.D. See Koller, L.R., 1=6560
- Cohan, N.V. See Tschudi, C.S., 1=4945
- Cohen, A. Further investigation of the effects of intensity upon the pitch of pure tones, 1=15374
- Cohen, A.V. and Cookson, J.A. Coulomb excitation of  $\text{Au}^{197}$  and  $\text{W}^{186}$  by protons of energy up to 12.6 MeV, 1=5905
- Cohen, A.V. and Cookson, J.A. Scattering by  $\text{Si}^{28}$  of protons of energy 10.0–12.3 MeV, 1=9854
- Cohen, B.L. Geiger counter backgrounds, 1=391
- Cohen, B.L., Blosser, H.G., Hudson, E.D., Lord, R.S. and Bender, R.S. The Oak Ridge relativistic isochronous cyclotron. II. Magnetic field design for the isochronous cyclotron, 1=1938
- Cohen, B.L., Mayo, S. and Price, R.E. Nuclear structure studies in the lead region with (d,t) reactions, 1=3397
- Cohen, B.L. and Price, R.E. Nuclear structure studies in the tin isotopes with (d,p) and (d,t) reactions, 1=4876
- Cohen, B.L. and Price, R.E. Nuclear structure studies in the tin isotopes with (d,p) and (d,t) reactions, 1=8598
- Cohen, B.L. and Price, R.E. Survey of inelastic scattering of deuterons by heavy elements, 1=11030
- Cohen, B.L., Price, R.E. and Mayo, S. Nuclear structure studies in the lead region with (d,p) reactions, 1=3398
- Cohen, B.L. See Hamburger, E.W., 1=3456
- Cohen, E.G.D. On the connection between various derivations of the Boltzmann equation, 1=8062
- Cohen, E.G.D. Theory of transport phenomena in gases, 1=12924
- Cohen, E.G.D. and Berlin, T.H. Note on the derivation of the Boltzmann equation from the Liouville equation, 1=6799
- Cohen, E.G.D. and van Leeuwen, J.M.J. On phase separation in an isotopic mixture of a hard sphere Bose and Fermi gas, 1=9347
- Cohen, E.G.D. See Dahler, J.S., 1=5269
- Cohen, E.G.D. See Kruseman Aretz, F.E.J., 1=9150
- Cohen, E.G.D. See Kruseman Aretz, F.E.J., 1=9151
- Cohen, E.G.D. See Sengers, J.V., 1=8060
- Cohen, E.R. Mathematical analysis of the universal physical constants, 1=1675
- Cohen, H. and Miranker, W.L. Boundary-layer behavior in the superconductor transition problem, 1=10637
- Cohen, H.M. See Roy, R., 1=12658
- Cohen, J. Polarization effects in electrical "conductivity" of artificial sapphire at high temperatures, 1=17639
- Cohen, J., Quezel, G. and Rimet, G. Investigation of the magnetic properties of gold-manganese compounds, 1=2470
- Cohen, J. and Sandor, A. Precision method for determination of pore structure by photographic photometry, 1=12660
- Cohen, J.B. See Herman, H., 1=20600
- Cohen, L. Classification of alpha particle wave functions, 1=557
- Cohen, L. Matrix elements for the alpha-particle, 1=5794
- Cohen, L. See Olkowsky, J., 1=13794
- Cohen, M. and Coulson, C.A. Appendix by Fox, L. Single-centre expansions for the hydrogen molecular ion, 1=3551
- Cohen, M. and Dalgarno, A. The Hartree energies of the helium sequence, 1=5966
- Cohen, M. and Dalgarno, A. Stationary properties of the Hartree-Fock approximation, 1=8806
- Cohen, M. and Dalgarno, A. An expansion method for calculating atomic properties, 1=13919
- Cohen, M. See Buffington, F.S., 1=17556
- Cohen, M. See Hirano, K., 1=17559
- Cohen, M.H. Energy bands in the bismuth structure. I. A nonellipsoidal model for electrons in Bi, 1=933
- Cohen, M.H. Microwave polarization and coronal magnetic fields, 1=8023
- Cohen, M.H. Radiation in a plasma. I. Čerenkov effect, 1=10704
- Cohen, M.H. Theoretical summary [Fermi surface conference], 1=17462
- Cohen, M.H. and Falicov, L.M. Effect of spin-orbit splitting on the Fermi surfaces of the hexagonal-close-packed metals, 1=2384
- Cohen, M.H. and Fokker, A.D. Some remarks in the polarization of 200 Mc/s solar radio emission, 1=18162
- Cohen, M.H. and Ham, F.S. Electron effective mass in solids —
- Cohen, M.H. and Heine, V. Cancellation of kinetic and
- Cohen, M.H. and Turnbull, D. Composition requirements for glass formation in metallic and ionic systems, 1=6550
- Cohen, M.H. See Akabane, K., 1=2658
- Cohen, M.H. See Turnbull, D., 1=4073
- Cohen, M.S. Anisotropy in permalloy films evaporated at grazing incidence, 1=7756
- Cohen, R. and Bowles, K.L. On the nature of equatorial spread F, 1=21006
- Cohen, S.G., Fisher, P.S. and Warburton, E.K. Inverse photo-nuclear reactions  $\text{N}^{14}(\text{p},\gamma)\text{O}^{15}$  and  $\text{N}^{14}(\text{p},\gamma)\text{O}^{16}$  in the region of the giant resonance, 1=2213
- Cohen, S.G. See Bauminger, R., 1=7769
- Cohen, S.G. See Bauminger, R., 1=9037
- Cohen, S.G. See Bauminger, R., 1=11454

## AUTHOR INDEX

- Cohen-Tannoudji, C. Observation of a displacement of a magnetic resonance line caused by optical excitation, 1-7443
- Cohen-Tannoudji, C. See Barrat, J.P., 1-7441
- Cohen-Tannoudji, C. See Barrat, J.P., 1-7442
- Cohen-Tannoudji, C. See Barrat, J.P., 1-13963
- Cohen-Tannoudji, C. See Barrat, J.P., 1-13964
- Cohn, C.E. A simplified theory of pile noise, 1-17193
- Cohn, H.O., Bair, J.K. and Willard, H.B. Carbon-13 neutron total cross section, 1-7387
- Cohn, H.O. See Block, M.M., 1-13500
- Cohn, H.O. See Leitner, J., 1-16901
- Coin, A. See Michaudon, A., 1-13868
- Coin, A. See Ribon, P., 1-16385
- Cojocaru, V., Cristu, M., Dorcioman, D. and Dragomirescu, D. Low-energy  $\gamma$ -rays from thermal neutron
- Coker, E.H., Decius, J.C. and Scott, A.B. Stretching vibration of sulphate ion in potassium chloride: formation of  $M^{++}SO_4^{--}$  pairs, 1-12497
- Colambani, A., Lavney, J. and Lecordier, J.C. The films of indium antimonide used as magnetic microprobes, 1-16480
- Colard, J., Gepts, P., Grenacs, L., Jones, A. and Lipnik, P. Excited levels of  $Sn^{116}$ , 1-13662
- Colburn, C.B. and Johnson, F.A. Strength of the N-N bond in tetrafluoro-hydrazine, 1-6054
- Colburn, C.B. See Ettinger, R., 1-12326
- Colburn, C.B. See Kennedy, A., 1-19656
- Colburn, C.B. See Piette, L.H., 1-17343
- Colby, L.J., Jr and Cobble, J.W. Charge distribution in the fission of uranium isotopes induced by 20-40 MeV helium ions, 1-3473
- Colby, L.J., Jr, Shoaf, M.L. and Cobble, J.W. Helium-ion-induced fission cross sections of  $U^{233}$  and  $U^{238}$  and the nuclear radii of heavy elements, 1-3474
- Coldwell-Horsfall, R.A. See Carr, W.J., Jr, 1-17481
- Cole, A.E. Suggestion of a second isopycnic level at 80 to 90 kilometers over Churchill, Canada, 1-20883
- Cole, A.J. See Chaplin, G.B.B., 1-1879
- Cole, G.H.A. Fluid superposition approximation and the fourth virial coefficient, 1-10503
- Cole, H., Chambers, F.W. and Wood, C.G. X-ray polarizer, 1-16473
- Cole, J.D. and Messiter, A.F. Expansion procedures and similarity laws for transonic flow, 1-6885
- Cole, J.D. See Greifinger, C., 1-7139
- Cole, J.F.I. See McKenzie, A.S.V., 1-16278
- Cole, K.D. A dynamo theory of the aurora and magnetic disturbance, 1-1588
- Cole, K.D. Hydromagnetics and stellar structure, 1-5156
- Cole, K.D. Electro-hydromagnetic waves in a fully ionized gas. I, 1-7087
- Cole, K.D. and Bond, F.R. Criticism of the theory of magnetic bays of Bless, Gartlein, Kimbrell and Sprague, 1-21093
- Cole, M., Bucklow, I.A. and Grigson, C.W.B. Technique for the rapid, accurate and strain-free machining of metallic single crystals, 1-9240
- Cole, M., Fisher, C. and Bucklow, I.A. Improved electron gun for zone-melting bombardment, 1-16411
- Cole, R.H. Theories of dielectric polarization and relaxation, 1-7014
- Cole, R.K. See Bodansky, D., 1-8773
- Cole, T. Paramagnetic defects in irradiated  $NH_4ClO_4$ , 1-17594
- Cole, T. and Heller, C. Hyperfine splittings in the  $(HOOC)C^{13}H$  (COOH) radical, 1-9059
- Cole, T., Heller, C. and Lambe, J. Electron nuclear double resonance in irradiated organic crystals, 1-10184
- Coleman, B.D. and Noll, W. Foundations of linear viscoelasticity, 1-11737
- Coleman, B.L. The special theory of electromagnetism, 1-5190
- Coleman, L.W. See Glasgow, D.W., 1-10811
- Coleman, P.J., Jr. The effects of betatron accelerations upon the intensity and energy spectrum of magnetically trapped particles, 1-16504
- Coleman, P.J., Jr, Davis, L. and Sonett, C.P. Steady component of the interplanetary magnetic field: Pioneer V, 1-9252
- Coleman, P.J., Jr, Sonett, C.P. and Davis, L.Jr. On the interplanetary magnetic storm: Pioneer V, 1-18019
- Coleman, P.J., Jr. See Rosen, A., 1-7295
- Coleman, R.F., Herbert, D.N. and Perkin, J.L. Upper limits for the radiative capture cross sections of  $^{27}Al$  and  $^{31}P$  for  $^{10}O$  ions, 1-5943
- Coleman, R.V. See Laukonis, J.V., 1-4030
- Coleman, R.V. See Tichelaar, G.W., 1-2396
- Coleman, S. and Glashow, S.L. Electrodynamical properties of baryons in the unitary symmetry scheme, 1-8440
- Coles, B.R. Electrical resistance and electronic structure of  $Cu_3Au$ , 1-11255
- Coles, B.R. and Griffiths, D. Ferromagnetic and antiferromagnetic behaviour in the second transition group, 1-1203
- Coles, B.R. and Griffiths, D. Antiferromagnetic behaviour of  $GdBr_3$ , 1-6383
- Coles, B.R. See Arrott, A., 1-6379
- Colgate, S.A. and Furth, H.P. Stabilization of pinch discharges, 1-307
- Colgate, S.A., Furth, H.P. and Halliday, F.O. Hydromagnetic equilibrium experiments with liquid and solid sodium, 1-5547
- Colgate, S.O. See Amdur, I., 1-8825
- Colin, J.M. Contribution to the design of wide band tuned or untuned amplifiers using transistors up to 250 Mc/s, 1-18729
- Colin, Y. See Le Bott, Jean., 1-14535
- Coll, H. See Debye, P., 1-1743
- Colli, L., Fazio, M. and Rossini, T. The discharge chamber developed as an alpha particle detector, 1-561
- Colli, L., Iori, I., Micheletti, S. and Pignatelli, M. The pick-up reaction on the nuclides  $^{46}Sc$ ,  $^{51}V$ ,  $^{52}Cr$ ,  $^{54}Fe$ ,  $^{56}Fe$ ,  $^{55}Mn$ ,  $^{59}Co$ ,  $^{58}Ni$ ,  $^{60}Ni$ , 1-8749
- Colli, L., Iori, I., Micheletti, S. and Pignatelli, M. Evaporation mechanism and direct effect in n,p reactions on medium weight nuclei, 1-19493
- Colli, L., Marazzan, G.M., Merzari, F., Sona, P.G. and Tomaš, P. Angular distribution of protons from the reaction  $^{28}Si(n,p)^{28}Al$ , 1-13826
- Colligan, G. and Galasso, F. Structure of vapour-deposited carbon, 1-11564
- Colligon, J.S. See Burt, R.B., 1-20690
- Collin, R.E. and Eggimann, W.H. Dynamic interaction fields in a two-dimensional lattice, 1-8295
- Collings, E.W., Hedgcock, F.T. and Sakudo, T. Some remarks on the spectroscopic state of paramagnetic ions in dilute alloys, 1-20213
- Collings, E.W., Hedgcock, F.T. and Siddiqi, A. Magnetic properties of chromium between  $0^\circ$  and  $550^\circ C$ , 1-5069
- Collins, C. and Jelly, D.H. Ionospheric disturbance at the time of cosmic ray increases, 1-6606
- Collins, C., Jelly, D.H. and Matthews, A.G. High-frequency radio-wave black-outs at medium and high latitudes during a solar cycle, 1-3069
- Collins, H.D. See Putnam, L.H., 1-13081
- Collins, J.G. Low-temperature transport properties of the alkali metals. I. The electron-phonon interaction, 1-17418
- Collins, J.G. and Ziman, J.M. Low-temperature transport properties of the alkali metals. II. The transport coefficients, 1-17419
- Collins, K.E. and Steele, D.J. High-sensitivity recording optical density meter, 1-6946
- Collins, M.F. and Dolling, G. Total cross section of lead for slow neutrons 1-12351
- Collins, R.H. and Turnbull, J.C. Evolution and absorption of gases in electron tubes, 1-18478
- Collins, R.J. See Nelson, D.F., 1-12997
- Collins, R.L. Complex cyclotron resonance in dilute gases, 1-6912
- Collins, T. See Bady, I., 1-14779
- Collins, W.D. On some dual series equations and their application to electrostatic problems for spheroidal caps, 1-16241
- Collins, W.D. Note on an electrified circular disk situated inside an earthed coaxial infinite hollow cylinder, 1-16243
- Collins, W.E. Luminosity functions of normal, deuter-anomalous, and deuteranopic subjects as determined by absolute threshold and c.f.f. measurements, 1-4163
- Colomb, A. Photoneutrons and the control of a pool type reactor, 1-17238
- Colombani, A. and Daridon, H. Hall effect in thin films of cobalt, 1-17626
- Colombani, A. See Daridon, H., 1-14367



- Colombani, A. See Goureaux, G., 1=7618  
 Colombani, A. See Laniece, B., 1=8924  
 Colombie, N. See Pradal, F., 1=8354  
 Colombino, P., Degregori, I., Mayrone, L., Trossi, L. and DeBenedetti, S. Angular correlation of annihilation radiation in silica and aqueous solutions, 1=5715  
 Coltman, R.R. See Blewitt, T.H., 1=1003  
 Coltman, R.R. See Blewitt, T.H., 1=20391  
 Colvin, R.V., Aaraj, S. and Peck, J.M. Paramagnetic behavior of metallic cerium and europium, 1=7734  
 Colvin, R.V. See Alstad, J.K., 1=5003  
 Colvin, R.V. See Alstad, J.K., 1=11261  
 Colvin, R.V. See Aaraj, S., 1=6259  
 Colvin, R.V. See Aaraj, S., 1=10129  
 Comaniciu, N. See Agirbiceanu, I., 1=5296  
 Combe, J.C. See Baldassarre, F., 1=16862  
 Combe, J.C. See Cvijanovich, G., 1=16778  
 Combet, E. Propagators on a quotient space, 1=15632  
 Combet-Farnoux, F. and Allard, G. On the accuracy in the approximate calculation of energy levels, 1=6780  
 Comeford, J.J. and Gould, J.H. Infrared spectra of solid hydrocarbons at very low temperatures, 1=6213  
 Common, A.K. An investigation of possible bound  $\Sigma$ -hyperon-nucleon systems and their decay, 1=13517  
 Compton, D.M.J. See Baker, W.E., 1=1060  
 Compton, V.B., Corenzwit, E., Maita, J.P., Matthias, B.T. and Morin, F.J. Superconductivity of technetium alloys and compounds, 11881  
 Compton, V.B. See Bozorth, R.M., 1=9022  
 Compton, V.B. See Matthias, B.T., 1=18712  
 Compton, W.D. See Faraday, B.J., 1=14341  
 Comşa, G. On the glass wall potential in the ionization pump, 1=15973  
 Comşa, G., Gelberg, A., Georgescu, A. and Grabari, V. A circuit for current stabilization during the measurement of changes in work function, 1=5403  
 Comşa, G., Gelberg, A. and Iosifescu, B. Temperature dependence of the work function of metals (Mo, Ni), 1=8340  
 Comşa, G., Gelberg, A., Iosifescu, B. and Musa, G. Measurement of the temperature variations in the work function of metals, 1=5488  
 Comşa, G. and Musa, G. A new type of ion pump, 1=2795  
 Comstock, R.L., Auld, B.A. and Wade, G. Parametric effects in magnetoacoustic resonance, 1=6408  
 Comunetti, A. and Huber, P. Determination of the drift velocity of electrons in gas mixtures, 1=13068  
 Conacher, J. See Buckley, R.A., 1=15161  
 Condas, G.A. and Wooten, F.P. Properties of thin antimony films deposited in high vacuum, 1=7885  
 Conder, P.C., Foster, H. and Boot, H.A.H. A versatile metal to dielectric seal, 1=5311  
 Condon, E.U. Graphical representation for unit systems, 1=10405  
 Conforto, A.M. and Iucci, N. Cosmic ray events in November 1960, 1=13586  
 Conforto, A.M. See Bachelet, F., 1=2150  
 Conforto, A.M. See Bachelet, F., 1=3344  
 Conforto, A.M. See Bachelet, F., 1=16926  
 Conger, R.L. Nonlinear damping losses in YIG, 1=12550  
 Conkie, W.R. An iterative method for neutron transport problems with spherical symmetry, 1=3189  
 Conkie, W.R. Velocity dependent neutron transport theory, 1=13433  
 Conlan, J., Diaz, J.B. and Parr, W.E. On the capacity of the icosahedron, 1=4550  
 Conley, J.M. See Shorthill, R.W., 1=10377  
 Conlon, D.C. and Doyle, W.P. Absorption spectra of vanadium, niobium and tantalum pentoxides, 1=12498  
 Conn, J.B. and Taylor, R.C. Thermoelectric and crystallographic properties of  $\text{Ag}_2\text{Se}$ , 1=6186  
 Connes, J. and Gush, H.P. A study of the night sky in the near infrared, 1=15303  
 Connes, J. and Nozal, V. Mathematical filtration in spectroscopy by Fourier transformation, 1=16074  
 Connes, P. Principle and realization of a new type of interference spectrometer, 1=5354  
 Connolly, P.L., McEwen, J.G. and Orear, J. Elastic scattering of muons in nuclear emulsion, 1=10899  
 Connolly, T.J. See McDonald, J.S., 1=18658  
 Connor, A.K. Models as an aid in the acoustical design of auditoria, 1=218  
 Connor, D.W. See Wapstra, A.H., 1=5923  
 Connor, R.D. The action of fast spherical ionization chambers, 1=394  
 Connor, R.D. and Husain, M.K. Some factors affecting the gain and resolution of photomultiplier tubes, 1=2992  
 Connor, R.D. and MacKenzie, D.R. Higher-energy gamma rays in the decay of neptunium-239, 1=19419  
 Connor, T.M. and Reid, C. Nuclear resonance studies of hydrogen bonding in alcohols. I. Dilution shift studies, 1=14081  
 Connors, M.M. and Kelsey, P.A. Shape of the red and green color zone gradients, 1=10357  
 Conrad, D. Measurement of the  $g_I$ -factors of alkali atoms by means of electron paramagnetic resonance, 1=9914  
 Conrad, H., Armstrong, R., Wiedersich, H. and Schoeck, G. Thermally-activated glide in magnesium crystals from 4.2° to 420°K, 1=3986  
 Conrad, H. and Schoeck, G. Cottrell locking and the flow stress in iron, 1=20352  
 Conrad, H. and Wiedersich, H. Activation energy for deformation of metals at low temperatures, 1=1307  
 Conrad, M.A. and Levy, S. Photo-emission from metal surfaces measured with Geiger counters, 1=16374  
 Considine, J.P. See Bauman, R.P., 1=7428  
 Consoli, T. and Dagai, M. Magnetic rotary polarization in plasmas-application to the measurement of the electron density, 1=9597  
 Consoli, T., Geller, R. and Legardeur, R. Influence of pre-ionization on the efficacy of a magnetic compression. Experimental results, 1=2969  
 Constabaris, G. See Sams, J.R.Jr., 1=20684  
 Constant, E. and de Wavrechin, R. An interferometric method for determining complex permittivity at millimetre wavelengths, 1=16235  
 Constant, E. and Lebrun, A. On the radiofrequency [absorption] spectra of some saturated monocarboxylic acids, 1=12894  
 Constant, E. See Lebrun, A., 1=10796  
 Constant, E. See Raczy, L., 1=17826  
 Constantinescu, F. See Labusca, E., 1=6361  
 Constantinescu-Mociutchi, L. and Ionescu, E. On the conductivity of thin Pb films deposited at low temperatures, 1=14368  
 Conversi, M., di Lella, L., Egidi, A., Rubbia, C. and Toller, M. Nuclear capture of negative muons with electron emission, 1=7260  
 Conversi, M., di Lella, L., Egidi, A., Rubbia, C. and Toller, M. Investigation of the process  $\mu^- + N = e^- + N$ , 1=7261  
 Conversi, M., di Lella, L., Egidi, A., Rubbia, C. and Toller, M. On the nuclear capture of muons with electron emission, 1=7395  
 Conversi, M., di Lella, L., Egidi, A., Rubbia, C. and Toller, M. Search for electrons from muon capture, 1=8474  
 Conway, D.C. See Santos-Ocampo, A.G., 1=647  
 Conway, J.G. See Gruber, J.B., 1=4896  
 Conwell, E.M. Galvanomagnetic effects in semiconductors at high electric fields, 1=11285  
 Conwell, E.M. and Brown, A.L. Scattering of hot carriers in germanium, 1=17693  
 Conzett, H.E. See Chiba, R., 1=13531  
 Coogan, C.K. See Stalinski, B., 1=6437  
 Cook, A.F. and Hawkins, G.S. The meteoric head echo, 1=6744  
 Cook, A.H. Resonant orbits of artificial satellites and longitude terms in the earth's external gravitational potential, 1=9297  
 Cook, A.H. Precise measurements of the density of mercury at 20°C. II. Content method, 1=18339  
 Cook, A.H. The comparison of the earth's gravitational potential derived from satellite observations with gravity observations on the surface, 1=20790  
 Cook, B.D. and Hiedemann, E.A. Diffraction of light by ultrasonic waves of various standing wave ratios, 1=10601  
 Cook, B.P. See Steward, E.G., 1=4041  
 Cook, B.P. See Steward, E.G., 1=10255  
 Cook, C.J. and Fredericks, W.J. Interaction of slow electrons with insulating crystals. I. Absorption coefficient for cleaved alkali halides; experimental techniques, 1=7573  
 Cook, C.J. See Fredericks, W.J., 1=11189  
 Cook, C.W. See Schmitt, H.W., 1=2223  
 Cook, D., Kuhn, S.J. and Olah, G.A. Infrared spectra of complexes of  $\text{NO}_2\text{F}$  with  $\text{BF}_3$ ,  $\text{PF}_5$  and  $\text{SbF}_5$ , 1=2325  
 Cook, D.M. See Aven, M., 1=14483

- Cook, G.E. Effect of an oblate rotating atmosphere on the orientation of a satellite orbit, 1=15575
- Cook, G.E., King-Hele, D.G. and Walker, D.M.C. The contraction of satellite orbits under the influence of air drag. I. With spherically symmetrical atmosphere, 1=52
- Cook, G.E., King-Hele, D.G. and Walker, D.M.C. The contraction of satellite orbits under the influence of air drag. II. With oblate atmosphere, 1=18220
- Cook, G.H. Modern trends in ciné lenses, 1=2897
- Cook, H.D. and Marzetta, L.A. An automatic fringe counting interferometer for use in the calibration of line scales, 1=10600
- Cook, J.J., Cross, L.G., Bair, M.E. and Arnold, C.B. Radio detection of the planet Saturn, 1=43
- Cook, J.J. See Bair, M.E., 1=8018
- Cook, J.L. Photoproduction of neutral mesons in helium, 1=12097
- Cook, J.M. Asymptotic properties of a boson field with given source, 1=4760
- Cook, J.R. Internal conversion of  $^{141}\text{Ce}$ , 1=5872
- Cook, J.S. Dislocation etching solution for potassium chloride and other alkali halides, 1=19792
- Cook, J.S. and Dryden, J.S. The intensity of dielectric absorption in alkali halides as a function of the concentration of divalent cation impurities, 1=1128
- Cook, J.S. See Mason, D.R., 1=5093
- Cook, L.F., Jr and Tarski, J. Investigation of the five-point function, 1=2019
- Cook, M.A. See Bauer, A., 1=12915
- Cook, M.I. See Swanson, H.E., 1=15066
- Cook, M.I. See Swanson, H.E., 1=15067
- Cook, V., Cork, B., Hoang, T.F., Keefe, D., Kerth, L.T., Wenzel, W.A. and Zipf, T.F.  $K^-$ -p and  $K^-$ -n cross sections in the momentum range 1-4 BeV/c, 1=10927
- Cook, V., Keefe, D., Kerth, L.T., Murphy, P.G., Wenzel, W.A. and Zipf, T.F. Search for positive particles of masses about 500  $m_e$  and 1400  $m_e$ , 1=10867
- Cook, V., Keefe, D., Kerth, L.T., Murphy, P.G., Wenzel, W.A. and Zipf, T.F. Total cross-section measurements of  $K^+$ -p and  $K^+$ -n interactions in the momentum region 0.77 to 2.83 BeV/c, 1=16895
- Cook, W.R., Jr. See Zare, R., 1=7867
- Cooke, A.H., Finn, C.B.P. and Orbach, R. Spin-lattice relaxation in some rare-earth ethylsulphates, 1=14809
- Cooke, G.M. See Anderson, R.C., 1=10555
- Cookson, J.A. See Cohen, A.V., 1=5905
- Cookson, J.A. See Cohen, A.V., 1=9854
- Cooley, J.W. See Auffray, J.P., 1=7453
- Cooley, J.W. See Auffray, J.P., 1=17306
- Cooper, B.F.C. Use of a Y-type circulator switch with a 21-centimeter maser radiometer, 1=5578
- Cooper, B.F.C. See Jelley, J.V., 1=4214
- Cooper, E. The properties of low frequency radio waves reflected from the ionosphere, calculated by the phase-Cooper, J.R.A. See Albasiny, E.L., 1=19659
- Cooper, L.N. Theory of strongly coupled many-fermion systems. I. Convergence of linked-cluster expansions, 1=8083
- Cooper, L.N. Superconductivity in the neighborhood of metallic contacts, 1=11887
- Cooper, P.F., Jr. See Kuckes, A.F., 1=13525
- Cooper, P.N., Firth, K. and Stephens, K.G. Use of ring-shaped neutron sources in a research reactor, 1=10894
- Cooper, R., Higgin, R.M. and Smith, W.A. The influence of ionic conductivity on the electric strength of KCl and NaCl, 1=2435
- Cooper, R. See Pearson, R.F., 1=12529
- Cooper, R.W. See Pearson, R.F., 1=6364
- Cooper, W.A. and Rose, H. Pile oscillator measurements of highly irradiated plutonium, 1=19566
- Cooper, W.A. See Bartke, J., 1=8513
- Coopersmith, M. and Brout, R. Threshold concentration for the existence of ferromagnetism in dilute alloys, 1=20062
- Coor, T. Plasma diffusion in stellarators, 1=9616
- Coote, G.E., Turchinets, W.E. and Wright, I.F. Cross-sections for the  $(\gamma, n)$  reaction in  $\text{Cu}^{63}$ ,  $\text{Cu}^{65}$ ,  $\text{Zn}^{64}$ ,  $\text{Sb}^{121}$  and  $\text{Pr}^{141}$ , measured with monochromatic gamma rays, 1=5892
- Copan, T.P. See Gulbransen, E.A., 1=4077
- Copan, T.P. See Gulbransen, E.A., 1=6502
- Copenhaver, R.M. See Tansley, K., 1=4156
- Copley, G.J. See Feltham, P.J., 1=3968
- Coppel, W.A. On a differential equation of boundary-layer theory, 1=2774
- Coppola, J.C. Systematic operational testing of the von Eller optical synthesis machine, 1=16066
- Cops, A. See Van Itterbeek, A., 1=8117
- Corazza, G.F. See Bernardini, C., 1=9653
- Corbe, G. See Yuasa, T., 1=13241
- Corben, H.C. Analysis of the zero power reactor transfer function, 1=756
- Corben, H.C. Spin in classical and quantum theory, 1=4262
- Corben, H.C. Spin precession in classical relativistic mechanics, 1=12794
- Corbett, J.W., Watkins, G.D., Chrenko, R.M. and McDonald, R.S. Defects in irradiated silicon. II. Infrared absorption of the Si-A center, 1=3657
- Corbett, J.W. See Watkins, G.D., 1=3656
- Corciovei, A. Magnetic susceptibility of an antiferromagnetic whose magnetic ions form a f.c.c. lattice, 1=1243
- Corciovei, A. The ordering of the sublattices of a binary alloy, 1=1421
- Corciovei, A. Nuclear magnetic absorption curve of a system of three nucleons forming an equilateral triangle, 1=5833
- Corciovei, A. Parallel susceptibility of an antiferromagnetic crystal, with two magnetic sublattices, at low temperatures, 1=6384
- Corciovei, A. On the ferromagnetism of thin films, 1=14716
- Corciovei, A. Magnetic anisotropy in thin ferromagnetic films, 1=17961
- Corciovei, A. and Grecu, D. Energy bands in partially disordered binary alloys, 1=3630
- Corciovei, A. and Grecu, D. Electronic energy bands of partially disordered alloys, 1=8892
- Corciovei, A. and Grecu, D. The effect of long-range order on energy bands in binary alloys, 1=14202
- Corciovei, A. and Grecu, D. The creation of multiple thermal spikes by radiation, 1=17514
- Corciovei, A. and Grecu, D. On order-disorder phenomena in binary alloys, 1=20589
- Corciovei, A. and Mugur, M. Nuclear magnetic resonance in a three-nuclei-system, 1=1276
- Corciovei, A. and Musa, G. The Mathiessen rule in disordered binary alloys, 1=12409
- Corcuff, Y. Choice of a parameter characterizing radio whistlers, 1=1548
- Cordier, H. Experimental study of thermal contact resistances; influence of pressure, 1=18639
- Cordier, M. See Astoin, N., 1=855
- Cordone, L. See Ciccarello, I.S., 1=9490
- Coremans, J.M.J. and Beenakker, J.J.M. The influence of the density on the viscosity coefficient of gases, 1=6877
- Coremans, M.J.F.J. See Bots, G.J.C., 1=5386
- Coremans, M.J.F.J. See Reynolds, J.M., 1=5387
- Coren, R.L. and Juretschke, H.J. Magnetoresistance and magnetic switching in permalloy films, 1=6329
- Corenzwit, E. See Compton, V.B., 1=11881
- Corenzwit, E. See Devlin, G.E., 1=259
- Corenzwit, E. See Geballe, T.H., 1=8285
- Corenzwit, E. See Matthias, B.T., 1=3882
- Corenzwit, E. See Matthias, B.T., 1=12526
- Corenzwit, E. See Matthias, B.T., 1=18712
- Corge, C., Huynh, V.-D., Julien, J., Mirza, S., Netter, F. and Simic, J. Resonance parameters observed in the absorption of neutrons by  $\text{W}^{183}$  and  $\text{Pt}^{195}$ , 1=13828
- Corge, C., Huynh, V.-D., Julien, J., Morgenstern, J. and Netter, F. Spectroscopy at intermediate neutron energy, using a time of flight method with high resolution, 1=17112
- Corge, C., Julien, J. and Netter, F. The analysis of s-wave neutron resonances in time-of-flight experiments, 1=12090
- Corge, C. See Julien, J., 1=16999
- Corge, C. See Netter, F., 1=9870
- Cork, B. See Beall, E.F., 1=13264
- Cork, B. See Beall, E.F., 1=19277
- Cork, B. See Cook, V., 1=10927
- Corless, G.K. and March, N.H. Electron theory of interaction between point defects in metals, 1=19761
- Corliss, C.H. See Martin, W.C., 1=17268
- Corliss, L. See Bertaut, F., 1=2535
- Corliss, L.M., Elliott, N., Hasting, J.M. and Sass, R.L. Magnetic structure of chromium selenide, 1=9042



- Corman, E.G. See Fowler, J.L., 1=8737
- Cormia, R.L. See Turnbull, D., 1=5272
- Cornet, N. See Depireux, J., 1=20277
- Cornet, N. See Duchesne, J., 1=6129
- Cornet, Y. See Haeusler, C., 1=16076
- Corngold, N. Chemical binding effects in the thermalization of neutrons, 1=7252
- Cornille, H. Study of a class of potentials permitting the solution of Schrödinger's equation by iteration, 1=2703
- Cornille, H. Application of the iteration solution of the Schrödinger equation to a class of potentials, 1=2704
- Cornille, H. Approximation method for the determination of semi-phenomenological nucleon-nucleon potentials, 1=19188
- Cornille, M. Study of the effect of ionization and of the chemical bond on the electron density of the CH radical, 1=7477
- Cornish, E.H. Calculator for solving electron irradiation problems, 1=4556
- Cornish, R.F. and Ruoff, A.L. Electrical leads for pressure vessels to 50 kilobars, 1=10585
- Corno, S.E. On the theory of "spiking" in neutron multiplying systems, 1=17187
- Cornwell, J.F. The electronic energy bands of the alkali metals and metallic beryllium, 1=14208
- Cornwell, J.F. The Fermi surfaces of the noble metals, 1=14213
- Cornwell, J.F. See Wohlfarth, E.P., 1=1208
- Cornwell, J.F. See Wohlfarth, E.P., 1=20066
- Corompt, E. and Bouchez, R. The absolute measurement of  $\beta$ -spectra by 4 $\pi$  scintillation spectrometry, 1=16760
- Corruccini, R.J. and Gniewek, J.J. Specific heats and enthalpies of technical solids at low temperatures. A compilation from the literature, 1=910
- Corruccini, R.J. and Gniewek, J.J. Thermal expansion of technical solids at low temperatures. A compilation from the literature, 1=13010
- Corsetti, C. See Bassi, A., 1=6485
- Cortellessa, G. and Reale, A. Electronic set-up for an experiment of photoproduction of  $\pi^0$ -mesons from protons, 1=7264
- Cortellessa, G. and Reale, A. Preliminary results of a measurement of the differential cross-section for single  $\pi^0$  meson photoproduction in hydrogen, 1=8479
- Cortellessa, G., Reale, A. and Salvadori, P. Study of the structure of the proton by measurement of the differential cross-section for single  $\pi^0$ -meson photoproduction, and using the Compton effect, 1=13409
- Cortellessa, G. See Berkelman, K., 1=7268
- Cortesi, C. See Bella, F., 1=5609
- Cortini, G. See de Carvalho, H.G., 1=8800
- Coryell, C.D., Kaplan, M. and Fink, R.D. Search for correlations of most probable nuclear charge  $Z_p$  of primary fission fragments with composition and excitation energy, 1=9892
- Coryell, C.D. See Gleit, C.E., 1=7344
- Cosgrove, G.J., McHugh, J.P. and Tiller, W.A. Effect of freezing conditions on the thermoelectric properties of BiSbTe<sub>3</sub> crystals, 1=8969
- Cossee, P. Magnetic properties of Co<sup>2+</sup> ions in octahedral interstices of an oxide lattice, 1=17944
- Cossee, P. and Van Arkel, A.E. Magnetic properties of Co<sup>2+</sup> ions in tetrahedral interstices of an oxide lattice, 1=20056
- Cosslett, V.E. X-ray microscopy—retrospect and prospect, 1=6659
- Costa, G., Ferrari, F. and Pusterla, M. Pion-hyperon resonance from K nucleon Coulomb constructive S-wave parameters, 1=13502
- Costa, G. and Tenaglia, L. On a quadrilinear K<sup>2</sup>- $\pi^1$  coupling, 1=538
- Costa, R.B. See Wataghin, A., 1=7367
- Costa, S. See Borello, O., 1=17049
- Costa de Beauregard, O. Planck's constant as the square of the gravitational charge, 1=6767
- Costa de Beauregard, O. On the equivalence of information and entropy in the ratio  $1/(k \ln 2)$ , 1=6791
- Costa de Beauregard, O. Equivalence of the Bayes principle, the principle of increasing entropy and the principle of retarded quantized waves, 1=6792
- Costa de Beauregard, O. The principle of equivalence, negative mass and gravitational repulsion, 1=9317
- Costa de Beauregard, O. An attempt at a phenomenological theory of the proper masses of elementary particles, 1=9738
- Costain, C.H. and Smith, F.G. The radio telescope for 7.9 metres wavelength at the Mullard observatory, 1=12782
- Coste, M., Lemeille, C., Saunier, N. and Marquez, L. Nuclear reactions produced by 2 MeV Li<sup>6</sup> on Be<sup>9</sup>, 1=19532
- Coste, M. See Lemeille, C., 1=13863
- Costello, D.G. See Dahl, P.F., 1=691
- Coté, R.E. and Bollinger, L.M. Interference in the radiative capture of neutrons, 1=17111
- Coté, R.E. See Jackson, H.E., 1=5927
- Cotsaftis, M. See Mercier, C., 1=18992
- Cotte, M. Various scalar potentials, magnetic and electric fields and magnetic induction in the plane of symmetry of a slab of constant thickness, 1=15125
- Cotte, M. and Durier, R. Potential and field of a uniformly charged disk; application to the leakage field of a [disk] magnet, 1=4692
- Cotterill, R.M.J. An experimental determination of the electrical resistivity of stacking faults and lattice vacancies in gold, 1=19832
- Cottier, J.M., Denis, P., Philippe, M. and Roux, D. Construction of a neutron spectrometer, 1=13447
- Cottingham, D.M. Simple viscometer for use with low melting point metals, 1=18347
- Cottingham, N. See Bowcock, J., 1=5764
- Cottingham, W.N. See Bowcock, J., 1=2088
- Cottini, C., Fabri, G., Gatti, E. and Germagnoli, E. Influence of Cotton, E. Emission and absorption of gamma-rays without recoil of the emitting nucleus, held in a crystal lattice (Mössbauer effect), 1=17394
- Cotton, F.A. Relative bond strengths in trigonal bipyramid molecules, 1=11112
- Cotton, F.A. and Meyers, M.D. Magnetic and spectral properties of the spin-free 3d<sup>6</sup> systems iron (II) and cobalt (III) in cobalt (III) hexafluoride ion: probable observation of dynamic Jahn-Teller effects, 1=3831
- Couder, A. The large telescope of the C.N.R.S., general description, 1=7
- Coufová, P. and Arend, H. On the nature of colour centres in oxygen-deficient BaTiO<sub>3</sub> single crystals, 1=14327
- Coufová, P. and Arend, H. On the relation between the thickness dependence of optical absorption and the surface layers of barium titanate single crystals, 1=17873
- Coulson, C.A. and Rogers, M.T. Homopolar dipole, 1=12332
- Coulson, C.A. and Schaad, L.J. On the approximation of zero differential overlap, 1=11108
- Coulson, C.A. See Anno, T., 1=20527
- Coulson, C.A. See Caldwell, C.L., 1=15687
- Coulson, C.A. See Cohen, M., 1=3551
- Coulson, K.L. Characteristics of the radiation emerging from the top of a Rayleigh atmosphere, I, intensity and polarization, 1=6587
- Coulson, K.L. Characteristics of the radiation emerging from the top of a Rayleigh atmosphere, II, total upward flux and albedo, 1=6588
- Coulter, J.R.M. Negative striations, 1=8314
- Coulter, J.R.M., Armstrong, N.H.K. and Emeleus, K.G. Moving striations and anode spots in neon, 1=5432
- Coulter, J.R.M. See Woolsey, G.A., 1=18796
- Coumes, A. Collective oscillations of a system of holes in the presence of phonons, 1=8897
- Coumes, A. A few consequences of the theory of phases of elementary domains on ferromagnetic resonance, 1=11463
- Coumou, D.J. Apparatus for the measurement of light scattering in liquids. Measurement of the Rayleigh factor of benzene and of some other pure liquids, 1=6966
- Counsell, J.F. and Everett, D.H. Nature of fluids in the hypercritical region, 1=1769
- Courant, H. See Baltay, C., 1=16906
- Courant, H. See Smith, G.A., 1=3222
- Courant, H. See Smith, G.A., 1=13415
- Courant, H. See Stonehill, D., 1=12102
- Courtes, G. and Cruvellier, P. Optical detection of ionized hydrogen in the direction of the galactic centre, 1=4209
- Courtes, G. and Cruvellier, P. The detection of new clouds of ionized hydrogen in the galaxies, 1=18015
- Courtes, G. See Blamont, J., 1=15254
- Courtney-Pratt, J.S. A note on the possibility of photographing a satellite near the Moon, 1=2669
- Courtrez, R. Radio emission of solar origin, 1=18150

## AUTHOR INDEX

- Courty, C. Calculation of the diamagnetic coefficient of free atoms, 1=8827
- Couture, L. See Ancenot, C., 1=7710
- Couvertier, P. Electrostatic phenomenon resulting from the presence of solid particles in aerodynamic flows, 1=9522
- Covell, W.P. See Eldredge, D.H., 1=4152
- Covington, A.E. Solar emission at 10 cm wavelength, 1=2648
- Covington, A.E. Solar emission at ten centimetre wave-length, 1947-1960, 1=15550
- Covington, A.E. and Harvey, G.A. 10.7 cm solar noise burst of November 20, 1960, 1=4217
- Covington, A.E. and Harvey, G.A. Coincidence of the explosive phase of solar flares with 10.7 cm solar noise bursts, 1=18098
- Covington, A.E., Harvey, G.A. and McNarry, L.R. The solar noise burst of November 12, 1960, 1=10303
- Cowan, D.J. See Hanson, H.P., 1=14620
- Cowan, G.A. Scientific applications of nuclear explosions, 1=12030
- Cowan, G.A., Turkevich, A., Browne, C.I. and Los Alamos Radiochemistry Group. Symmetry of neutron-induced  $U^{238}$  fission at individual resonances, 1=8799
- Cowan, R.D. Proposed method of measuring thermal diffusivity at high temperatures, 1=10615
- Coward, D.H. See Masek, G.E., 1=17088
- Cowen, J.A. and Kaplan, D.E. Spin-echo measurement of the spin-lattice and spin-spin relaxation in  $Ce^{3+}$  in lanthanum magnesium nitrate, 1=20204
- Cowen, J.A. See Wigan, P.E., 1=20197
- Cowles, L.E.J. See Bowley, A.E., 1=18752
- Cowley, J.M. Short- and long-range order parameters in disordered solid solutions, 1=1417
- Cowley, J.M. and Moodie, A.F. Fourier images. IV. The phase grating, 1=1831
- Cowley, J.M. and Moodie, A.F. Out-of-focus electron microscope images of edges of crystal lattices, 1=20706
- Cowley, J.M., Moodie, A.F., Miyake, S., Takagi, S. and Fujimoto, F. The extinction rule for reflexions in symmetrical electron-diffraction spot patterns, 1=20484
- Cowling, T.G. Nuclear reactions in stars, 1=12759
- Cowling, T.G. Note on magnetic instabilities in stellar structure, 1=12771
- Cox, A. and Doell, R.R. Palaeomagnetic evidence relevant to a change in the earth's radius, 1=5132
- Cox, A. and Doell, R.R. Palaeomagnetic evidence relevant to a change in the earth's radius, 1=10300
- Cox, A.N. and Brownlee, R.R. A time dependent solar model, 1=18069
- Cox, A.P. See Sheridan, J., 1=12284
- Cox, C.W. See Keepin, G.R., 1=17221
- Cox, J. Unilateral color deficiency, congenital and acquired, 1=11666
- Cox, J.A.M. Cherenkov radiation, 1=18747
- Cox, J.P. A preliminary analysis of the effectiveness of second helium ionization in inducing cepheid instability in stars, 1=2630
- Cox, J.P. and Giuli, R.T. Equilibrium models for stars which derive energy from helium-burning. I. Stars composed of pure helium, 1=8000
- Cox, J.P. and Salpeter, E.E. Equilibrium models for stars which derive energy from helium-burning. II. Helium stars with hydrogen-rich envelopes, 1=8001
- Cox, J.R.Jr. and Ray, J.D. Bis-liganded nitrosyl as a reaction intermediate, 1=9168
- Cox, J.T., Hass, G. and Jacobus, G.F. Infrared filters of antireflected Si, Ge, InAs, and InSb, 1=10580
- Cox, M.C. See Mysels, K.J., 1=15828
- Cox, N.L. See Swoboda, T.J., 1=8272
- Cox, S.A. Fast neutron activation cross section of  $Au^{197}$ , 1=8745
- Cox, S.A. Delayed-neutron studies from the thermal-neutron-induced fission of  $Pu^{241}$ , 1=12226
- Coxeter, H.S.M. On Wigner's problem of reflected light signals in De Sitter space, 1=15616
- Crabbe, G.F. See Basila, M.R., 1=11093
- Cragg, T.A. Solar activity in 1959, 1=1640
- Cragg, T.A. Solar activity in 1960, 1=18080
- Craggs, J.D. See Bhalla, M.S., 1=1892
- Craggs, J.D. See Bhalla, M.S., 1=16264
- Craggs, J.D. See Prasad, A.N., 1=1891
- Craggs, J.D. See Prasad, A.N., 1=7026
- Craggs, J.W. On the propagation of a crack in an elastic-brittle material, 1=1346
- Craig, B.G. See Davis, W.C., 1=9497
- Craig, D.P. and Hollas, J.M. Analysis of the naphthalene vapour absorption bands at 3200 Å. II. Naphthalene d-8, 1=8844
- Craig, D.P., Hollas, J.M., Redies, M.F. and Wait, S.C.Jr. Analysis of the naphthalene vapour absorption bands at 3200 Å. I. Naphthalene h-8, 1=8843
- Craig, D.P., Lyons, L.E. and Walsh, J.R. The crystal spectra of very weak transitions I. Measurements of the naphthalene 3200 Å system at 4°K, 1=14592
- Craig, D.P. and Magnusson, E.A. Orbital modification in metal complexes, 1=887
- Craig, D.P. and Walmsley, S.H. The crystal spectra of very weak transitions II. Theoretical, 1=14593
- Craig, D.P. See Claxton, T.A., 1=19639
- Craig, H. and Lal, D. The production rate of natural tritium, 1=12688
- Craig, J.H. and Jeffress, L.A. Why Helmholtz couldn't hear monaural phase effects, 1=12706
- Craig, P.P., Nagle, D.E. and Reisswig, R.D. Resonant absorption of gamma radiation in superconductors, 1=18713
- Craig, P.P., Taylor, R.D. and Nagle, D.E. Mössbauer effect measurements on superconducting indium, 1=19693
- Craig, P.P. See Dash, J.G., 1=8877
- Craig, R.S. See Butera, R.A., 1=10757
- Craik, D.J. and Isaac, E.D. Magnetic interaction domains, 1=3898
- Craik, D.J. and Nuñez, F. The domain structure of ordered platinum-cobalt alloy, 1=14709
- Craik, D.J. and Tebble, R.S. Magnetic domains, 1=14706
- Crain, C.M. Ionization loss rates below 90 km, 1=20903
- Crain, C.M. and Tamarkin, P. A note on the cause of sudden ionization anomalies in regions remote from high-altitude nuclear bursts, 1=15271
- Cramér, H. The structure of purely non-deterministic stochastic processes, 1=17985
- Cramer, W.H. Elastic and inelastic scattering of low-velocity  $H^+$  and  $H_2^+$  in hydrogen, 1=13064
- Cranberg, L. and Glendenning, N.K. Direct-interaction contribution to 3 MeV neutron inelastic scattering from Fe and Pb, 1=8735
- Crancon, J. See Depommier, P., 1=16761
- Crane, H.R.  $CO_2$ - $CS_2$  Geiger counter, 1=13199
- Crane, H.R. See Schupp, A.A., 1=1921
- Crane, L.T. and Zimmerman, J.E. Specific heats of dilute Cu-Co alloys between 1.5° and 4.5°K, 1=11161
- Crangle, J. and Parsons, D. The magnetization of ferromagnetic binary alloys of cobalt or nickel with elements of the palladium and platinum groups, 1=1207
- Crangle, J. See Scott, W.R., 1=18685
- Crannell, H., Helm, R., Kendall, H., Oeser, J. and Yearian, M. Scattering of high-energy electrons from  $Ca^{40}$ ,  $V^{51}$ ,  $Co^{59}$ ,  $In^{115}$ ,  $Sb^{121,123}$ , and  $Bi^{209}$ , 1=679
- Crannell, H., Helm, R., Kendall, H., Oeser, J. and Yearian, M. Electron-scattering study of nuclear levels in cobalt, nickel, lead, and bismuth, 1=10965
- Cranshaw, T.E., DeBeer, J.F. and Parham, A.G. A triggered spark counter telescope investigation on the mu-meson component of extensive air showers, 1=3292
- Cranshaw, T.E. and Hillas, A.M. A model for the interpretation of air shower data, 1=2137
- Cranshaw, T.E. See Johnson, C.E., 1=10135
- Crapo, L.M. and Sederholm, C.H. N.M.R. analysis of  $CF_3CF_2CFCl$ : example of an unexpected spin-coupling constant, 1=879
- Crausse, E. and Poirier, Y. On the flow of a conducting liquid through a diaphragm, in the presence of a magnetic field, 1=1964
- Crawford, A.E. Lead zirconate-titanate piezoelectric ceramics, 1=17854
- Crawford, B.Jr. and Oppenheim, I. The second law of thermodynamics, 1=8268
- Crawford, B., Jr. See King, W.T., 1=4928
- Crawford, C.K. Comments on "Erroneous readings of large magnitude in a Baynard-Alpert ionization gauge and their probable cause", 1=11796
- Crawford, F.S., Jr. See Wolf, S.E., 1=16890
- Crawford, F.W. Electrostatic sound wave modes in a plasma, 1=11961



- Crawford, F.W. and Lawson, J.D. Some measurements of fluctuations in a plasma, 1=16326
- Crawford, G.J.B. Note on the measurement of the figure of merit of thermoelectric materials and of refrigerating junctions, 1=13062
- Crawford, J.E. See Stryland, J.C., 1=919
- Crawford, J.H., Jr and Nelson, C.M. Defect interactions in irradiated calcium-doped potassium chloride, 1=997
- Cravton, N. See Ammar, R.G., 1=607
- Creelman, C.D. Detection of complex signals as a function of signal bandwidth and duration; 1=15370
- Creer, K.M. Superparamagnetism in red sandstones, 1=21105
- Cremer, L. and Heckl, M. Improvement to the theory of the floating floor, 1=189
- Cremer, L., Plenge, G. and Schwarzl, D. Curves of equal loudness with octave-filtered noise in a diffuse sound field, 1=211
- Crettez, J.P. See Cambou, F., 1=7168
- Crew, J.E. Calculated energy dissipation distribution in air by fast electrons from a gun source, 1=16399
- Cribier, D. and Jacrot, B. Quasi-elastic scattering of cold neutrons by water and coefficient of self diffusion of the liquid, 1=9386
- Cribier, D., Jacrot, B. and Saint-James, D. Scattering of neutrons by phonons in a single crystal, 1=9970
- Crisp, L.R. See Norris, G.F., 1=4449
- Crisp, R.S. and Williams, S.E. The soft X-ray spectra of lithium, magnesium and aluminium and their alloys, 1=1174
- Crisp, R.S. and Williams, S.E. The soft X-ray emission spectra of sodium, beryllium, boron, silicon, and lithium, 1=7439
- Cristal, E.G. and Van Bladel, J. Fields in cavity-excited accelerators, 1=13137
- Cristescu, G.D. A new form of electric discharge obtained by the superimposition of two different discharge forms, 1=1896
- Cristescu, N. Spatial motion of elastic-plastic strings, 1=15767
- Cristu, M. See Cojocaru, V., 1=7383
- Crittenden, R.R., Walker, W.D. and Ballam, J. Radiative decay modes of the muon, 1=5741
- Croce, P. The theory of the scattering of waves and the Fourier transformation, 1=20719
- Crocker, A.G. and Bilby, B.A. The crystallography of the martensite reaction in steel, 1=20582
- Crocket, J.H. See Laudise, R.A., 1=14966
- Croft, A.J. Helium liquefiers, 1=18686
- Croft, A.J. and Exell, R.H.B. The direct measurement of the magnetization entropy of a paramagnetic substance: thermal and magnetic properties of ferric methyllumonium alum at low temperatures, 1=14672
- Croft, W.J. See Lemaire, H.P., 1=6351
- Croissiaux, M. See Bumiller, F., 1=2039
- Croissiaux, M. See Hofstadter, R., 1=3178
- Croitoru, N. See Grigorovici, R., 1=1467
- Croitoru, N. See Grigorovici, R., 1=2548
- Croll, I.M. See Greiner, J.H., 1=3875
- Croll, I.M. See Greiner, J.H., 1=6285
- Cromer, D.T. and Larson, A.C. The crystal structure of  $\text{La}_2\text{Co}$ , 1=20544
- Cron, B.F. and Schumacher, W.R. Theoretical and experimental study of underwater sound reverberation, 1=10568
- Cronmeyer, D.C. and Spanberger, L.R. Infrared transmittance and Kerr effect of nitrobenzene, 1=12863
- Cronin, H. See Roach, F.E., 1=15310
- Crookall, J.O. See Parker, R.P., 1=10313
- Cros, M. See Chaminade, R., 1=13207
- Crosby, G.A., Whan, R.E. and Alire, R.M. Intramolecular energy transfer in rare earth chelates. Role of the triplet state, 1=6228
- Cross, L.G. See Bair, M.E., 1=8012
- Cross, L.G. See Cook, J.J., 1=43
- Cross, P.A.E., Lucas, D.H. and Snowsill, W.L. Instrument for recording the dust nuisance emitted by chimneys, 1=1623
- Cross, P.H. Instrument for making individual spheres to a high degree of accuracy, 1=21159
- Cross, S.H. System design and the choice of materials for the "nimrod" vacuum system, 1=18479
- Cross, W.G. See Bodansky, D., 1=8773
- Crosse, P.A.E. and Snowsill, W.L. Method of measuring the growth of a control specimen of graphite after irradiation, 1=17246
- Crosswhite, H.M. and Dieke, G.H. Spectrum and magnetic properties of hexagonal  $\text{DyCl}_2$ , 1=19974
- Crosswhite, H.M. See Dieke, G.H., 1=11071
- Crouch, M.F. See Holzer, F., 1=504
- Crouchley, J. A study of whistling atmospherics. I. Occurrence, 1=10308
- Crouchley, J. and Brice, N.M. A study of "chorus" observed at Australian stations, 1=10311
- Crouchley, J. and Finn, R.J. A study of whistling atmospherics. II. Diffuseness, 1=10309
- Crouzy, R. The absolute limit imposed by quantum fluctuations at the differential threshold of luminance, 1=15378
- Crow, T.T. and Holladay, W.G. A contribution to the anomalous magnetic moments of the baryons, 1=3147
- Crowden, J.B. See Marsden, P.L., 1=579
- Crowe, K.M. See Booth, N.E., 1=16846
- Crowe, K.M. See Booth, N.E., 1=16847
- Crowe, K.M. See Sard, R.D., 1=2072
- Crowell, A.D. Observation of a time interval by a single
- Crowell, A.D. and Steele, R.B. Interaction potentials of simple nonpolar molecules with graphite, 1=7887
- Crowley-Milling, M.C., Jarvis, T.R., Miller, C.W. and Saxon, G. Pulse-shortening in electron linear accelerators, 1=18952
- Crozier, M.H. and Runciman, W.A. Analysis of the spectra of trivalent promethium and holmium, 1=17891
- Crozier, W.D. Micrometeorite measurements — satellite and ground-level data compared, 1=21014
- Crudeli, M. See Spinedi, P., 1=15019
- Crudeli, M. See Spinedi, P., 1=15173
- Cruickshank, A.J.B. The behaviour of two-valued response regulators applicable to adiabatic calorimeters, 1=8260
- Cruickshank, D.W.J. The required precision of intensity measurements for single-crystal analysis, 1=20462
- Crupi, G. The energy theorem in magneto-elasticity, 1=7526
- Crupi, G. A solution of the Euler-Minkowski equations and its physical interpretation, 1=8378
- Crussard, C. Decomposition of dislocations in iron and the body centred cubic metals, 1=7579
- Crussard, C. See Henry, G., 1=15146
- Crut, M. See Beurtey, R., 1=9883
- Crut, M. See Beurtey, R., 1=13853
- Crut, M. See Chaminade, R., 1=13207
- Crut, M. See Saudinos, J., 1=7402
- Crut, M. See Saudinos, J., 1=7403
- Crut, M. See Saudinos, J., 1=13858
- Cruvellier, P. See Courtès, G., 1=4209
- Cruvellier, P. See Courtès, G., 1=18015
- Csada, I.K. A hydromagnetic discussion of the meridional drift of the sunspots, 1=23
- Csada, I.K. General magnetic field of the sun—based on magnetograms. I, 1=7963
- Csada, I.K. On structure of magnetic field of the sun, 1=9267
- Csada, I.K. A hydromagnetic model of the solar magnetic field, 1=18068
- Csavinsky, P. See Brock, E.G., 1=12489
- Csavinsky, P. Effect of impurity-core on carrier mobility in heavily doped germanium, 1=19851
- Csejthey-Barth, M. See Bricman, C., 1=17101
- Csejthey-Barth, M. See Davis, D.H., 1=19498
- Csejthey-Barth, M. See Jones, B.D., 1=19502
- Csikaj, J. and Buczek, M. The effect of gamma-background on the BF<sub>3</sub> proportional counter, 1=5608
- Csongar, E. Investigation of  $\gamma$ -rays from  $\text{Mg}^{24}$ ,  $\text{Mg}^{26}$  isotopes bombarded with Po  $\alpha$  particles, 1=5842
- Cubicciotti, D. Erratum: lattice energies of the alkali halides and the electron affinities of the halogens, 1=14163
- Cucurezeanu, L. Raman spectra of equimolecular solutions of water and acetic acid, 1=146
- Cucurezeanu, L. On the potential energy curves of carboxylic acids, 1=5998
- Cüer, P. See Baumann, G., 1=19350
- Cüer, P. See Bilwes, R., 1=13701
- Cüer, P. See Braun, H., 1=19477
- Cüer, P. See Magnac-Valette, D., 1=7289
- Cüer, P. See Magnac-Valette, D., 1=7411
- Cüer, P. See Schmitt, R., 1=2896

- Cüer, P. See Stein, R., 1=13655
- Cuff, K.F., Ellett, M.R. and Kuglin, C.D. Oscillatory magneto-resistance in the conduction band of PbTe, 1=17748
- Cuff, K.F. See Kuglin, C.D., 1=6162
- Cuffey, J. NGC 5466, 1=5163
- Culhane, L., Keefe, D., Kernan, A., Losty, J. and Montwill, A. Preliminary results on the interactions in photographic emulsion of  $K^-$  mesons at 1.15 GeV/c, 1=2097
- Culligan, G., Harting, D., Lipman, N.H., Madansky, L. and Tibell, G. The decay of negative  $\pi^-$ -mesons stopped in light elements and insulators, 1=8477
- Cullwick, E.G.; Ferraro, V.C.A. Magnetic energy, 1=9667
- Culp, F.L. and Hooper, H.L. Study of impact cratering in sand, 1=18335
- Culshaw, W. Resonators for millimeter and submillimeter wavelengths, 1=8386
- Culvahouse, J.W. Paramagnetic resonance of chromic ions in double nitrate crystals and frozen solution, 1=20206
- Culvahouse, J.W., Unruh, W. and Sapp, R.C. Magnetic interaction of cerium and cobalt ions in double nitrate crystals, 1=6260
- Culvahouse, J.W. See Levi, M.W., 1=3586
- Cummack, C.H. Extensions of the "Chapman" theory of layer formation, 1=20863
- Cummack, C.H. The conductive "Chapman" layer, 1=20964
- Cumming, J.B. and Porile, N.T. Decay of  $Zn^{65}$ , 1=8644
- Cumming, J.B., Poskanzer, A.M. and Hudis, J. Loss of  $C^{11}$  from plastic foils and its effects on cross-section measurements, 1=11008
- Cumming, J.B., Schwarzschild, A., Sunyar, A.W. and Porile, N.T. Nuclear resonance fluorescence in  $Cu^{63}$ . Lifetimes of excited states and the slowing down of recoils (3-100 eV) in condensed media, 1=611
- Cummings, W.V., Jr. See Grav, D.L., 1=2399
- Cummins, D.O. and Delaney, C.F.G. Design studies for a Cs-137 irradiator, 1=13671
- Cummins, D.O., Delaney, C.F.G. and McAulay, I.R. Light collection in liquid scintillation cells, 1=1984
- Cummins, H.Z. See Abella, I.D., 1=12488
- Cummins, W.F. See Coensgen, F.H., 1=5467
- Cuninghame, J.G., Kitt, G.P. and Rae, E.R. The ratio of asymmetric to symmetric fission in p-wave neutron fission of  $U^{235}$ , 1=17169
- Cunnell, F.A. and Gooch, C.H. Diffusion of cadmium into gallium arsenide, 1=6111
- Cunnell, F.A. and Gooch, C.H. Diffusion of zinc in gallium arsenide, 1=17565
- Cunningham, J.R., Jr. and Anderson, E.E. Effect of indium substitution in yttrium iron garnet. High permeability garnets, 1=6372
- Cunsolo, S. A method for the measurement of the mobility of electric charges in liquids, 1=15904
- Cunsolo, S. and Mazzoldi, P. The influence of pressure on the mobility of electric charges in liquid helium II, 1=13032
- Cunsolo, S. See Careri, G., 1=16189
- Cuny, Y. Study of the continuous solar spectrum; systematic investigation of deviations from local thermodynamic equilibrium, 1=15447
- Curcio, J.A. Evaluation of atmospheric aerosol particle size distribution from scattering measurements in the visible and infrared, 1=9186
- Curé, E. See Arnulf, A., 1=9189
- Curie, D. See Curie, G., 1=7722
- Curie, G. and Curie, D. Green and blue emission bands of  $ZnS: Cu$ , 1=7722
- Curien, H. and Petitjean, C. Dielectric dispersion in crystals of
- Curl, R.F., Jr. and Kinsey, J.L. Calculation of interaction matrix elements for asymmetric rotors with resultant electronic spin and nuclear spin, 1=19623
- Curl, R.F., Jr., Kinsey, J.L., Baker, J.G., Baird, J.C., Bird, G.R., Heidelberg, R.F., Sugden, T.M., Jenkins, D.R. and Kenney, C.N. Microwave spectrum of chlorine dioxide. I. Rotational assignment, 1=3536
- Curl, R.F., Jr. See Miller, R.F., 1=12287
- Curle, N. The origins of aerodynamic noise, 1=12956
- Curran, D.R. On the possibility of detecting shock-induced second-order phase transitions in solids. The equation of state of Invar, 1=14937
- Curran, R.K. Low energy process for F-formation in  $SF_6$ , 1=8858
- Curran, R.K. Positive and negative ion formation in  $CCl_4$ , 1=10668
- Curran, R.K. and Fox, R.E. Mass spectrometer investigation of ionization of  $N_2O$  by electron impact, 1=8307
- Curran, R.K. See Fox, R.E., 1=8309
- Currie, B.W. See Baker, K.D., 1=20838
- Currie, J.A. Gaseous diffusion in porous media. III. Wet granular materials, 1=11588
- Currie, W.E. See Hueter, T.F., 1=11820
- Curry, C. and McNeill, D.J. Soft X-ray emission spectra of some transition and noble metals, 1=3514
- Curtis, A.J. Dielectric properties of polymeric systems, 1=7681
- Curtis, A.J. Dielectric properties of polyamides, 1=12305
- Curtis, A.J. and Boykin, T.R., Jr. Response of two-degree-of-freedom systems to white noise base excitation, 1=6925
- Curtis, G.C. and Sherwin, J. Magnetic method for the estimation of ferrite in stainless steel welds, 1=12002
- Curtis, H.J. Limitations on space flight due to cosmic radiations, 1=3173
- Curtis, R.B. See Bahcall, J., 1=16750
- Curtis, R.B. See Wellner, M., 1=16641
- Curtiss, C.F., Hirschfelder, J.O. and Taylor, M.H. Propagation of  $A \rightleftharpoons B \rightarrow C$  flames, 1=11619
- Curtiss, C.F. See Gioumousis, G., 1=4955
- Curtiss, C.F. See Hirschfelder, J.O., 1=4098
- Curtiss, C.F. See Livingston, P.M., 1=10546
- Curtiss, C.F. See Snider, R.F., 1=171
- Curtiss, L.E. See Hett, J.H., 1=8226
- Curzon, F.L. and Greig, J.R. A time-resolved spectrograph for use with triggered light sources, 1=9477
- Cusachs, L.C. On the calculation of the polarizabilities of atoms with incomplete shells, 1=2273
- Cusack, N. and Kendall, P. The hall coefficient of liquid mercury, 1=8134
- Cusack, N.E. See Kendall, P.W., 1=4356
- Cushing, V. Erratum. Induction flowmeter, 1=6845
- Cutkosky, R.E. Anomalous thresholds, 1=16709
- Cutler, M. Thermoelectric behavior of p-n junctions, 1=5033
- Cutler, M. Thermoelectric measurements at small-area contacts, 1=11901
- Cuttriss, D.B. Relation between surface concentration and average conductivity in diffused layers in germanium, 1=7636
- Cuyppers, R. and Amelinckx, S. Annealing of X-ray induced surface hardening in NaCl, 1=2398
- Cuzzocrea, P., Notarrigo, S., Ricamo, R. and Vinci, F. Total neutron cross-section of P and S in the 3 to 5 MeV energy range, 1=5925
- Cuzzocrea, P. See Chilosi, G., 1=13751
- Cvetanović, R.J., Falconer, W.E. and Jennings, K.R. Mechanism of the mercury photosensitized decomposition of n-butane, 1=20753
- Cvetanović, R.J. See Jennings, K.R., 1=20732
- Cyvin, S.J. Vibrational mean-square amplitude matrices. VIII. Mean-square parallel and perpendicular amplitudes of tetrahedral  $XY_4$  molecules, 1=7459
- Cyvin, S.J. Vibrational mean-square amplitude matrices. IX. Germanium tetrachloride, 1=7460
- Cyvin, S.J. Present status of the study of mean amplitudes of vibration, 1=11092
- Cyvin, S.J. and Slater, N.B. Invariance of molecular "inverse" force-constants, 1=824
- Czachor, A. and Piekoszewski, J. Effect of reactor fast neutrons on electron-hole recombination in germanium, 1=14442
- Czachowska, Z. See Bartke, J., 1=13550
- Czaja, W. See Baldinger, E., 1=13052
- Czajkowski, M. See Baczynski, A., 1=2762
- Czajkowski, M. See Baczynski, A., 1=9398
- Czarnecki, S. Anomalous phosphorescence of naphthalene in methyl methacrylate polymer, 1=20023
- Czekalla, J. Electric fluorescence polarization: the determination of dipole moments of excited molecules from the degree of polarization of fluorescence in strong electric fields, 1=9396
- Czekalla, J. See Liptay, W., 1=14118
- Czerny, M. A procedure for simplified evaluation of the Planck radiation law, 1=18661
- Czerwonko, J. On the generalization of the variational method of Bogoljubov, 1=71
- Czerwonko, J. On a generalization of Peierl's theorem, 1=2711



- Czerwonko, J. On the asymptotical formula for the thermo-dynamical potential of Fermi particles, 1=15729
- Czudek, H. Strength of an unlimited disc with a rigid medium, 1=87
- Czyż, W. and Glashow, S.L. Multiple production of mesons in pion-nucleon collisions, 1=3200
- Czyz, W. and Gottfried, K. The momentum distribution in a dilute Fermi gas at zero temperature, 1=4780
- Czyzak, S.J., Bow, N. and Payne, H. On the tensile stress-strain relation and the Bauschinger effect for polycrystalline materials from Taylor's model, 1=20320
- Czyzak, S.J. See Payne, H., 1=1311
- Daane, A.H. See Hanak, J.J., 1=10247
- Dabbs, J.W.T. See Roberts, L.D., 1=8791
- Dabbs, J.W.T. See Walter, F.J., 1=3089
- Dąbek, W. Ion current chambers used in the control of nuclear reactors, 1=763
- Dąbrowski, J. Scattering of particles on heavy nuclei and the nucleon-nucleon correlations, 1=5901
- Dąbrowski, J. and Sawicki, J. The high energy optical model and nuclear forces, 1=5814
- Dąbrowski, J. and Sobiczewski, A. The effect of the exclusion principle on the real part of the optical potential, 1=9795
- Dąbrowski, J. and Sobiczewski, A. On the optical model for the nucleon-nucleus scattering, 1=17089
- Dachert, F. and Schmouchkovitch, A. Measurement of permeability tensor of ferrites at 3000 and 8500 Mc/s, 1=7116
- Dachs, J. Short report on American, English and French work on the use of image storage tubes and image intensifiers in astronomical observations, 1=5126
- Dacus, E.N. See Stern, M.O., 1=4615
- Daddi, L. and de Franceschi, L. Influence of the humidity on the spark formation in Rosenblum counters, 1=13212
- Daehnick, W. and Sherr, R. Pulse shape discrimination in stilbene scintillators, 1=10813
- Dagai, M. See Consoli, T., 1=9597
- Dagley, P., Haerberli, W. and Saladin, J.X. The  $C^{13}(p,n)N^{13}$  reaction cross section from threshold to 13 MeV, 1=8729
- Dagley, P., Haerberli, W., Saladin, J.X. and Borchers, R.R. The neutron yield from the  $C^{13}(pn)N^{13}$  reaction, 1=8715
- Daguillon, J. See Barbier, D., 1=7942
- Dahl, A.J. See Weigang, O.E., Jr., 1=12278
- Dahl, L.F., Martell, C. and Wampler, D.L. Structure of and metal-metal bonding in  $Rh(CO)_2Cl$ , 1=11573
- Dahl, O. See Berge, J.P., 1=10932
- Dahl, O.I., Horwitz, N., Miller, D.H., Murray, J.J. and White, P.G. Influence of the  $\Lambda\pi$  resonance on correlations in the reaction  $K^- + d \rightarrow \Lambda + \pi^- + p$ , 1=5781
- Dahl, P.F., Costello, D.G. and Walter, W.L. Aluminium (d, $\gamma$ ) resonances with  $H^+$ ,  $H_2^+$  and  $H_3^+$  ions, 1=691
- Dahl-Jensen, E. Automatic silver concentration control for nuclear emulsion fixing baths, 1=2000
- Dahl-Jensen, E. Investigations on a hypersensitized Ilford emulsion, 1=13257
- Dahlborg, U. See Larsson, K.E., 1=4966
- Dahler, J.S. and Cohen, E.G.D. A cell-cluster theory for the liquid state. VI. Binary liquid solutions and hole theory, 1=5269
- Daiber, J.W. See Freedman, E., 1=7904
- Dailey, B.P. Halogen bond character in the alkyl halides, 1=2341
- Dailey, B.P. See Cavanaugh, J.R., 1=6048
- Dailey, B.P. See Cavanaugh, J.R., 1=6049
- Dailey, B.P. See Gordon, S., 1=8141
- Dailler, M. See Déjardin, G., 1=7675
- Daion, M.I. Energy losses of fast  $\mu$ -mesons in thick layers of matter, 1=4817
- Daiyasu, K. and Sugano, R.  $K^+ - K^0$  mass difference, 1=3229
- Dakhovskii, I.V. See Samoilovich, A.G., 1=17703
- Dakhovskii, I.V. See Samoilovich, A.G., 1=19858
- Dale, B. and Smith, F.P. Spectral response of solar cells, 1=10067
- Dale, J.W.G. A beta-gamma ionization chamber for substandards of radioactivity. II. Instrument response to gamma radiation, 1=13209
- Dale, J.W.G., Perry, W.E. and Pulfer, R.F. A beta-gamma ionization chamber for substandards of radioactivity. I. Uses and calibration, 1=13208
- Dalfes, A. See Akcasu, A.Z., 1=17202
- Dalgarno, A. The stopping powers of atoms, 1=3522
- Dalgarno, A. Spin-change cross-sections, 1=17290
- Dalgarno, A. and Kingston, A.E. The refractive indices and verdet constants of the inert gases, 1=8164
- Dalgarno, A. and Kingston, A.E. Van der Waals forces for hydrogen and the inert gases, 1=17289
- Dalgarno, A. and McNamee, J.M. The Hartree perturbation method for helium, 1=9805
- Dalgarno, A. and Parkinson, D. Photoionization of atomic oxygen and atomic nitrogen, 1=1888
- Dalgarno, A. and Stewart, A.L. The Lamb shift of helium, 1=805
- Dalgarno, A. and Stewart, A.L. A perturbation-variation calculation of eigenvalues, 1=7430
- Dalgarno, A. See Cohen, M., 1=5966
- Dalgarno, A. See Cohen, M., 1=8806
- Dalgarno, A. See Cohen, M., 1=13919
- Dalitz, R.H. The decay of strange particles, 1=8497
- Dalitz, R.H.  $K$ -nucleon bound state interpretation of the  $1385 \text{ MeV} \pi^- \Lambda$  resonance, 1=9766
- Dalitz, R.H. On the strong interactions of the strange particles, 1=16912
- Dalitz, R.H. and Miller, D.H. Bose statistics and  $Y^*$  production and decay in  $K^-p$  collisions, 1=10933
- Dalkhazhav, N. See Belyakov, V.A., 1=19244
- Dalkhazhav, N. See Van Shu-fen., 1=19182
- Dalkhsuren, B. See Abdurazakov, A., 1=646
- Dalla Croce, L. See Baldini, G., 1=17580
- Dallaporta, N. and Pandit, L.K. Parity conservation and baryon mass-differences in strong interactions, 1=5659
- Dally, E.B. Electron-electron scattering at 500 MeV, 1=12081
- Dalton, A.W., Parry, G. and Scott, H.D. Gross structure in the proton spectra from the  $^{51}V(d,p)^{52}V$  reaction, 1=13851
- Dalton, A.W., Parry, G., Scott, H.D. and Swierszczewski, S. The  $^{56}Ni(d,p)^{57}Ni$  and  $^{60}Ni(d,p)^{61}Ni$  reactions, 1=9878
- Dalton, A.W., Parry, G., Scott, H.D. and Swierszczewski, S. The  $^{55}Mn(d,p)^{56}Mn$  reaction, 1=17145
- Damašková, S. and Pátek, K. The electroluminescence of  $ZnS:Cu, Mn$ , 1=17923
- Damašková, S. and Pátek, K. Influence of an electric field on the absorption edge of  $ZnS$ , 1=19988
- Damay, H. See Fabre, D., 1=16095
- Damburg, N. See Tumul'kan, A., 1=16742
- Damiano, V.V. and Tint, G.S. Dislocations and impurity boundaries in zinc crystals grown from the melt, 1=19772
- Damiano, V.V. See Tint, G.S., 1=7844
- Damm, C.C. See Hunt, A.L., 1=15974
- Dämmig, P. A microphone arrangement with large directional response, 1=8196
- Danan, H. and Barbier, R. The  $1/H^2$  term in the law of approach to saturation as a function of magneto-crystalline energy for several types of poly-crystalline ferromagnetics, 1=17939
- Danan, H., Schuppel, W., Andrä, W. and Gengnagel, H. Study of the magnetization reversal of thin cobalt films using the magneto-optical Kerr effect, 1=20100
- Dandl, R.A. See May, F.T., 1=7007
- Dandurand, P. Automatic control of the E13 reactor, 1=2255
- Dandy, D. See Deuchars, W.M., 1=11037
- Daneyrolle, C. See Sapet, J.C., 1=18443
- Danforth, W.E. and Williams, A.J. III. On the thermionic properties of  $ZrC$ ,  $UC$ , and a  $ZrC$ - $UC$  mixture, 1=11964
- Danforth, W.E. See Goldwater, D.L., 1=1851
- Dang Tran Quan. See Le Bot, Jean., 1=14535
- D'Angelo, N. Recombination of ions and electrons, 1=1894
- D'Angelo, N. Low-frequency oscillations in cesium thermionic converters, 1=11968
- D'Angelo, N. and Rynn, N. Diffusion of a cold cesium plasma across a magnetic field, 1=4600
- D'Angelo, N. and Rynn, N. Diffusion and recombination of a highly ionized cold plasma in a magnetic field, 1=16322
- D'Angelo, N. See Rynn, N., 1=2981
- Danguy, G. Factors influencing photographic sensitivity to nuclear particles, 1=5619

- Dangy, L., Franeau, J. and Lhost, A. Determination of the maximum energy of  $\beta$  radiation by the measurement of the half-thickness of actual absorption, 1=8749
- Dani, R.H. See Bhide, V.G., 1=19839
- Daniel, E. and Vosko, S.H. Momentum distribution of an interacting electron gas, 1=952
- Daniel, H. The four radioactive decay series, 1=4839
- Daniel, H. and Kuntze, M.  $\beta$  -  $\gamma$  circular polarization correlation in  $\text{Sc}^{46}$  and  $\text{V}^{48}$ , 1=7350
- Daniel, H. and Panussi, P. The  $\beta$ -spectrum of  $\text{In}^{114}$ , 1=17023
- Daniel, J.L. See Newkirk, H.W., Jr, 1=17587
- Daniel, T.B. See Lavik, M.T., 1=14931
- Daniel-Szabó, J. See Hajko, V., 1=7749
- Danielian, A. Ground state of an Ising face-centred cubic lattice, 1=12366
- Danielian, A. and Stevens, K.W.H. The estimation of antiferromagnetic exchange interactions, 1=3918
- Danielian, A. and Stevens, K.W.H. Exchange interactions in the polymorphic forms of  $\text{MnS}$ , 1=3920
- Daniels, F. See Johnson, N.M., 1=7731
- Daniels, F.B. A theory of radar reflection from the moon and planets, 1=15557
- Daniels, J.M., Giles, J.C. and LeBlanc, M.A.R. Nuclear orientation in antiferromagnetic single crystals, 1=3585
- Daniels, W.B. and Jones, M.T. Simple apparatus for the generation of pressures above 100 000 atmospheres simultaneously with temperatures above 3000°C, 1=12729
- Daniels, W.E., Jr. See Christy, R.W., 1=10034
- Danielsen, E.F. Trajectories: isobaric, isentropic and actual, 1=20820
- Danielson, G.C. See Ellerbeck, L.D., 1=11259
- Danielson, G.C. See Nishina, Y., 1=11292
- Danielson, R.E. The structure of sunspot penumbras. I. Observations, 1=15462
- Danielson, R.E. The structure of sunspot penumbras. II. Theoretical, 1=15463
- Danilenko, V.M. A theory of scattering of X-rays by domain structures, 1=7876
- Danilenko, V.M. Cottrell atmosphere in dilute solid solutions, 1=15155
- Danilenko, V.M. The solubility of impurities in solids, 1=15156
- Danilenko, V.M., Krivoglag, M.A., Larikov, L.N. and Smirnov, A.A. Ukrainian conference on the theory of metals and alloys, 1=2359
- Danilov, A.D. Molecular ions in the upper atmosphere, 1=12698
- Danilov, G.S. The three-body problem with short-range forces, 1=16713
- Danilov, G.S. See Ansel'm, A.A., 1=19111
- Danilov, G.S. See Gribov, V.N., 1=19152
- Danilov, I.B. See Malkov, M.P., 1=4916
- Danilov, V.I., Denisov, Yu.N., Dmitrievsky, V.P., Dzelepov, V.P., Glazov, A.A., Kolga, V.V., Kropin, A.A., Lu Ne-Chuan, Rybalko, V.S., Sarkisyan, L.A., Savenkov, A.L., Vasilevskaya, D.P., Zamolodchikov, B.I. and Zaplatin, N.L. Starting up of the cyclotron with space variation of the magnetic field, 1=344
- Danis, S. and David, J.P. Reflection and transmission coefficients at oblique incidence for a thin film of silver, 1=10089
- Danjard, J.C. Evolution of some physical properties of vulcanized rubber in its fluidifying degradation, 1=14885
- Danjon, A. Analysis of inequalities in the rotation of the earth. I. Method, and the annual term, 1=10303
- Danjon, A. Variations in the rotation of the earth associated with the solar flares of February 23, 1956 and July 10-14-16, 1959, 1=18021
- Danjon, A. Analysis of inequalities in the earth's rotation. II. The progressive variation and the period of rotation, 1=18025
- Danjon, A. Analysis of inequalities in the earth's rotation. III. Examination of a new hypothesis; conclusion, 1=18026
- Danner, H.R. and Stiller, H.H. Low quantum transitions in water and ice, 1=11158
- Dannhäuser, F. and Koch, K.M. On the anomaly of the Righi-Leduc effect in the system Ni-Cu, 1=9020
- Danno, A. See Koike, M., 1=11158
- Danti, A. See Plyler, E.K., 1=16075
- Danylenko, V.M. Theory of X-ray scattering by ordered alloys, 1=20593
- Danylenko, V.M. and Kozýrs'kyy, H.Ya. Intensity of X-ray reflections, 1=20695
- Danylenko, V.M. and Matysina, Z.A. The theory of nuclear scattering of slow neutrons in alloys, 1=12635
- Danyasz, M. See Bogdanowicz, J., 1=12122
- Dänzer, H. On the stationary vibrations of organ pipes, 1=9453
- da Providencia, J. Perturbation theory in finite nuclei, 1=3376
- Dar, Y. See Blaugrund, A.E., 1=8597
- Darby, J.B., Jr, Tomizuka, C.T. and Balluffi, R.W. Self-diffusion in silver during plastic deformation in torsion, 1=7598
- D'Arcy, R.G. See Brown, R.R., 1=20948
- Darden, S.E., Donoghue, T.R. and Kelsey, C.A. The polarization of neutrons from the  $\text{Li}^7(p, n)\text{Be}^7$  reaction. I, 1=5911
- Darden, S.E. See Austin, S.M., 1=5912
- Daridon, H. and Colombani, A. Electrical conductivity and Hall effect in thin films of cobalt, 1=14367
- Daridon, H. See Colombani, A., 1=17626
- Darlow, S.F. Errors in bond angles, 1=14114
- Darnell, F.J. Magnetization process in small particles of  $\text{CrO}_2$ , 1=1042
- Darnell, F.J. Exchange anisotropy in oxidized iron-cobalt particles, 1=6306
- Darnell, F.J. See Jarrett, H.S., 1=6375
- Darnell, F.J. See Oppegard, A.L., 1=6305
- Darwin, C. The gravity field of a particle. II, 1=15603
- Das, A. Spinning charged test-particles in general relativity, 1=2688
- Das, A. Cellular space-time and quantum field theory, 1=5629
- Das, A. Birkhoff's theorem for electromagnetic fields in general relativity, 1=18256
- Das, A., Florides, P.S. and Synge, J.L. Stationary weak gravitational fields to any order of approximation, 1=15604
- Das, A.J. On the relativity of uniform rotation, 1=58
- Das, A.K. Note on twisting of an isotropic circular cylinder embedded in a resisting medium acted upon by couple at one end, the other end being fixed, 1=6809
- Das, A.K. Oppositions of Mars in 1954 and 1956, 1=15427
- Das, A.K. The solar cycle and the associated behaviours of sunspots and prominences, 1=15464
- Das, M. and Bhattacharya, R. Simple perturbation calculations on the energy levels of  $\pi$ -electron systems. II, 1=3563
- Das, M.R., Patankar, A.V. and Venkataraman, B. Electron spins resonance studies of the free radicals derived from tetraphenylhydrazine, 1=9951
- Das, P.P. See Jones, W.R.D., 1=20372
- Das, T.P. and Mukherjee, A. Variational calculation of magnetic hyperfine interaction. Nitrogen atom, 1=3503
- Das, T.P. and Pomerantz, M. Nuclear quadrupole interaction in pure metals, 1=14207
- Das, T.P. and Sondheimer, E.H. Diamagnetic shielding of nuclei in metals, 1=5061
- Das, T.P. See Bernheim, R.A., 1=3574
- Das, T.P. See Karplus, M., 1=8853
- Das Gupta, K. Conical two-crystal monochromator for scattering, diffraction, and absorption cross-section work with slow neutrons, 1=12091
- Dasarathy, C. See Ramachandran, E.G., 1=6537
- Dasarathy, C. See Ramachandran, E.G., 1=6538
- Dasarathy, C. See Ramachandran, E.G., 1=6539
- D'Asaro, L.A. Diffusion and oxide masking in silicon by the box method, 1=14318
- Dasgupta, A.K. See Farrar, H., 1=7534
- Dasgupta, P. See Mitra, S.N., 1=4125
- Dash, J.G., Taylor, R.D., Nagle, D.E., Craig, P.P. and Visscher, W.M. Polarization of  $\text{Co}^{57}$  in Fe metal, 1=8877
- Dash, W.C. Gold-induced climb of dislocations in silicon, 1=2390
- da Silva, A.G. See de Carvalho, H.G., 1=8801
- da Silva, A.G. See de Carvalho, H.G., 1=13259
- da Silva, E. See Balkanski, M., 1=2440
- da Silveira, A. Kemmer wave equation in Riemann space, 1=4763
- Datars, W.R. and Dexter, R.N. Cyclotron resonance in antimony, 1=14235
- Date, M. Antiferromagnetic resonance in  $\text{CoCl}_2 \cdot 6\text{H}_2\text{O}$ , 1=1256
- Date, M. Magnetic resonance in  $\text{MnCO}_3$ , 1=12560
- Date, M. Magneto-plasma resonance in semiconductors, 1=14406
- Date, M. Antiferromagnetic resonance in  $\text{CoCl}_2 \cdot 6\text{H}_2\text{O}$ , 1=14784



- Datsko, O.I. and Pavlov, V.A. Temperature dependence of internal friction of pure nickel, 1=3962
- Datskovskii, V.M. The optimum parameters for the thermodynamic cycle of an atomic power station, 1=4886
- Datta, B.K. Static electromagnetic fields in general relativity, 1=8049
- Datta, B.K. Static electromagnetic fields in general relativity. III, 1=18254
- Datta, R.L. See Weingaertner, E., 1=4915
- Datta, R.N. Some studies on the spread-F, double-F and forked-F traces as observed at Haringhata (Calcutta), 1=15296
- Datta, S. On the  $F_2$ -region of the ionosphere, 1=8200
- Datta, S.K. On the steady motion of an idealized elastoviscous liquid through channels with suction and injection, 1=12843
- Datta, S.K. Some experiments on the growth and purity of alkali halide crystals and their darkenability under X-irradiation, 1=14980
- Dattilo, J.A. and Van Bladel, C. Fields in gap-excited circular ducts, 1=1974
- Datz, S., Herschbach, D.R. and Taylor, E.H. Collision mechanics in crossed Maxwellian molecular beams, 1=19680
- Datz, S., Minturn, R.E. and Taylor, E.H. Multiple aperture slits for molecular beam sources, 1=4958
- Datz, S., Smith, W.T., Jr., and Taylor, E.H. Molecular association in alkali halide vapors, 1=6061
- Datzeff, A. On the interpretation of quantum mechanics. Uncertainty relations, 1=1701
- Datzeff, A.B. Interpretation of quantum mechanics. II. Determination of probability of occurrence, 1=9323
- Datzeff, A.B. The interpretation of quantum mechanics. III. Mathematical formalism, 1=15670
- Datzeff, A.B. The interpretation of quantum mechanics. IV. Observation and reality, 1=15671
- Daub, E.E. The pseudo-critical constants of gaseous mixtures, 1=4374
- Daubéze, M. and Claria, A. A note on the measurement of the forces exerted by moving fluids on immersed bodies, oscillating about an axis, 1=6842
- Daudin, A. See Berthelot, A., 1=19281
- Dauenbaugh, C.E. See Palmer, D.R., 1=1047
- Dauenbaugh, C.E. See Palmer, D.R., 1=6157
- Daughton, J.M., Smay, T.A., Pohn, A.V. and Read, A.A. Magnetic film devices using passive loading, 1=7120
- Daughtry, J.W. See Pondrom, L.G., 1=3248
- Daughtry, J.W. See Segel, R.E., 1=10971
- Daunt, J.G. and Olsen, J.L. Compressibility, zero-point energy, and specific heat in superconductors, 1=6998
- Daunt, J.G. See Edwards, D.O., 1=18689
- Dauphinee, T.M. Acoustic pump, 1=210
- Dautcourt, G. Energy, momentum and angular momentum in the general theory of relativity, 1=18248
- Dautov, R.A. The change of the electrical resistivity of ferromagnetic metals in a radiofrequency magnetic field, 1=7617
- Dautova, L.I. See Presnyakov, A.A., 1=6125
- Dautreppe, D. See Moser, P., 1=1227
- Dave, J.V. See Sekera, Z., 1=2564
- Dave, S.M. See Saxena, S.C., 1=15947
- Davenport, P.A. Rectification in a 50-cycle discharge, 1=11921
- Davey, J.E. Textural properties of germanium films, 1=7886
- David, E.E., Jr. See Mathews, M.V., 1=4143
- David, J.E., Krafft, J., Bouchez, R. and Felici, N. Magnetic analysis of the [proton] beam of the 600 keV electrostatic accelerator at Grenoble, 1=18953
- David, J.P. Optical properties and structure of thin films of silver, 1=7700
- David, J.P. See Danis, S., 1=10089
- David, K.H. The centre-limb variation of the Balmer lines  $H\alpha$ - $H\delta$  over the solar disk, 1=15470
- David, R. and Blangé, T. Sound velocity in indium at low
- David-Boyer, R. See Vergnes, M., 1=9704
- Davidenkov, N.N. Kinetics of formation of tooth-like curves in deformation graphs, 1=20317
- Davidenkov, N.N. Measurement of residual stresses in electrolytic coatings, 1=20323
- Davidenkov, N.N. and Churchman, T.N. The effect of temperature on the compression stress-strain curves for metals, 1=10209
- Davidenkov, N.N., Likhachev, V.A. and Mal'gin, G.A. Irreversible, thermally-induced changes of the shape of cadmium-lead and cadmium-zinc alloy [specimens], 1=1440
- Davidge, R.W., Silverstone, C.E. and Pratt, P.L. The generation of point defects by deformation and fatigue in alkali halides, 1=6483
- Davidge, R.W. and Whitworth, R.W. Evidence for the production of debris by moving dislocations in sodium chloride, 1=3678
- Davids, N. See Hwang Shoi-Yean, 1=168
- Davidson, B. See Littman, H., 1=5032
- Davidson, D.F. See Bishop, J., 1=5986
- Davidson, D.W. Dielectric relaxation in liquids. I. The representation of relaxation behavior, 1=9404
- Davidson, D.W. See Grant, R.F., 1=1753
- Davidson, E.R. First excited  $^1\Sigma_g^+$  state of  $H_2$ . A double minimum problem, 1=834
- Davidson, E.R. Comparison of theoretical calculations on diatomic molecules with experiment, 1=5999
- Davidson, E.R. First excited  $^1\Sigma_g^+$  state of the hydrogen molecule, 1=17328
- Davidson, J.P. See Lipas, P.O., 1=15643
- Davidson, W. Use of an artificial satellite to test the clock "paradox" and general relativity, 1=2692
- Davidson, W. Cosmological significance of angular measurements of distant radio sources, 1=6248
- Davidson, W.; Singer, S.F. Use of an artificial satellite to test the clock "paradox" and general relativity, 1=2692
- Davies, A.L. See Garwood, R.D., 1=15130
- Davies, A.L. See Garwood, R.D., 1=20368
- Davies, C.N. Deposition of lycopodium spores upon glass slides exposed in a wind tunnel, 1=164
- Davies, D.H. See Jones, B.D., 1=19502
- Davies, F.C. See Myers, E.J., 1=20465
- Davies, G.R., Jennings, R.E., Porreca, F. and Rand, R.E. Magnet design of a 29 MeV microtron, 1=16467
- Davies, J.A. and Sims, G.A. The range of  $Na^{24}$  ions of kiloelectron volt energies in aluminium, 1=7106
- Davies, J.G. and Gill, J.C. Radio echo measurements of the orbits of faint sporadic meteors, 1=12785
- Davies, J.T. and Mayers, G.R.A. Studies on the interfacial viscosities of monolayers, 1=15782
- Davies, K. and King, G.A.M. On the validity of some approximation to the Appleton-Hartree formula, 1=12695
- Davies, K. See Knecht, R.W., 1=20997
- Davies, L.W. and Storm, A.R., Jr. Recombination radiation from silicon under strong-field conditions, 1=2410
- Davies, M. See Clemett, C., 1=12898
- Davies, P.W. and Dennison, J.P. The role of voids in creep and fracture of a pure metal, 1=20357
- Davies, P.W., Greenough, A.P. and Wilshire, B. The ledge theory of recrystallization in polycrystalline metals, 1=14979
- Davies, R.D. Substructure within galactic spiral arms as derived from studies at 21 cm, 1=18009
- Davies, R.D. and Jennison, R.C. A radiometer for hydrogen-line extra-galactic studies for continuum observations, 1=2664
- Davies, R.D. and Jennison, R.C. High resolution studies with the 250 ft radio telescope at Jodrell Bank, 1=2665
- Davies, R.D., Slater, C.H., Shuter, W.L.H. and Wild, P.A.T. A new limit to the galactic field set by measurements of the Zeeman splitting of the hydrogen line, 1=31
- Davies, R.D. See Hanbury Brown R., 1=4213
- Davies, R.O. The kinetics of isomeric reactions, 1=1472
- Davies, W.C. See Campbell, A.W., 1=7911
- Davies, W.O. See Steinberg, M., 1=6906
- Davis, A. See Buchwald, V.T., 1=16008
- Davis, C.D. and Hunter, S.C. Assessment of the strain-rate sensitivity of metals by indentation with conical indenters, 1=14925
- Davis, D.D. See Bozorth, R.M., 1=9022
- Davis, D.H., Csejthei-Barth, M., Sacton, J., Jones, B.D., Sanjeevaiah, B. and Zakrzewski, J., 1=19498
- Davis, D.H., Hill, R.D., Jones, B.D., Sanjeevaiah, B., Zakrzewski, J. and Lagnaux, J.P. Elastic scattering of low energy  $K^-$  mesons on protons, 1=5782
- Davis, D.H. See Evans, D., 1=19267
- Davis, D.H. See Jones, B.D., 1=8500
- Davis, D.H. See Jones, B.D., 1=9772
- Davis, E.A., Gabbard, F., Bonner, T.W. and Bass, R. The disintegration of  $B^{10}$  and  $F^{18}$  by fast neutrons, 1=19487

- Davis, E.A. See Bonner, T.W., 1=8577  
 Davis, F.N. See Podgurski, H.H., 1=15978  
 Davis, H. See Eldredge, D.H., 1=4152  
 Davis, H.L. and Beam, J.E. Perturbation formulas for the energy levels of the slightly asymmetric top, 1=7457  
 Davis, J. An instrument for measuring angles on curved photographic plates, 1=2590  
 Davis, J.W. See Brodwin, M.E., 1=16393  
 Davis, L. See Biermann, L., 1=3332  
 Davis, L. See Coleman, P.J., Jr., 1=9252  
 Davis, L., Jr. On the diffusion of cosmic rays in the galaxy, 1=2145  
 Davis, L., Jr. A possible solar particles acceleration mechanism, 1=3331  
 Davis, L., Jr. See Biermann, L., 1=29  
 Davis, L., Jr. See Coleman, P.J., Jr., 1=18019  
 Davis, L.R., Fichtel, C.E., Guss, D.E. and Ogilvie, K.W. Rocket observations of solar protons on September 3, 1960, 1=10937  
 Davis, R., Jr. See Stoenner, R.W., 1=15436  
 Davis, S.G., Anthrop, D.F. and Searcy, A.W. Vapor pressure of silicon and the dissociation pressure of silicon carbide, 1=4514  
 Davis, S.P. Photoelectric effect experiment, 1=17788  
 Davis, T.N. The morphology of the polar aurora, 1=21046  
 Davis, W.C. and Craig, B.G. Smear camera technique for free-surface velocity measurement, 1=9497  
 Davis, W.C. See Campbell, A.W., 1=7910  
 Davis, W.D. See White, F.A., 1=18923  
 Davis, W.P., Jr. See Christy, R.W., 1=1865  
 Davisson, R.J. See Pine, J., 1=2119  
 Davoine, F., Pinard, P. and Martineau, M. Microscopic observation for cadmium sulphide bombarded by 5 keV electrons, 1=7725  
 Davoine, F. See Bernard, R., 1=1463  
 Davydov, A. Rotation-vibration interaction in non-axial even atomic nuclei, 1=8615  
 Davydov, A.S. Collective excitations corresponding to quadrupole nuclear surface vibrations, 1=9799  
 Davydov, A.S. and Chaban, A.A. Rotation-vibration interaction in nonaxial even nuclei, 1=2169  
 Davydov, A.S., Rostovsky, V.S. and Chaban, A.A. The shape of the atomic nucleus and zero spin excited states, 1=16973  
 Davydov, A.S. and Sardaryan, R.A. Rotational states of odd nuclei with small non-axiality, 1=19358  
 Davydov, B.I. A contribution to the statistical dynamics of turbulent [flow of] incompressible liquids, 1=4308  
 Davydov, B.I. A contribution to the statistical dynamics of turbulent [flow of] incompressible liquids, 1=10488  
 Daw, A.N. On the variation of the transport factor of a junction transistor with injected carrier concentration, 1=8963  
 Daw, H.A. and Harris, F.S., Jr. The determination of  $m/e$  for free electrons by momentum transfer, 1=13391  
 Dawson, B. Atomic scattering factors from wave functions calculated by the poly-detector method:  $Cl$ ,  $Cl^-$ ,  $S$  and  $S^-$ , 1=17285  
 Dawson, D.J. See McNeill, K.G., 1=17007  
 Dawson, J. On Landau damping, 1=10727  
 Dawson, P.H. Magnetic crack detector, 1=21156  
 Dawson, P.H. See Haigh, R.E., 1=17231  
 Dawson, W.K. See Neilson, G.C., 1=8587  
 Day, G.F. See LaForce, R.C., 1=7800  
 Day, P. See Klema, E.D., 1=13644  
 Day, P.P. See Freedman, M.S., 1=13399  
 Day, R.B. See Lind, D.A., 1=7381  
 Day, T.B.  $K^-$ -meson capture by helium, 1=545  
 Day, T.B. Demonstration of quantum mechanics in the large, 1=3232  
 Day, T.B. Radiation from fast particles moving through magnetic materials, 1=8443  
 Day, T.B., Rodberg, L.S., Snow, G.A. and Sucher, J. Note on rearrangement collisions, 1=10858  
 Day, T.B. and Sucher, J. Possibility of a spin wave magnetic-moment detector, 1=16486  
 Day, T.B. See Sucher, J., 1=8426  
 Dayal, B. Derivation of potential energy of crystals from thermodynamic data, 1=909  
 Dayal, B. and Sharan, B. The use of electron gas modification in the evaluation of the vibration frequencies and the specific heat of lithium, 1=8880  
 Dayal, B. and Sharan, B. The use of electron gas modification in the evaluation of the vibration frequencies and the specific heats of sodium and potassium, 1=14232  
 Dayal, B. and Singh, S.P. Correct enumeration of vibration frequencies in the Brillouin zone, 1=1552  
 Dayal, B. and Tolpadi, S. A theoretical study of the compressibility, thermal expansion and equation of state of rocksalt up to its melting point, 1=917  
 Dayal, B. and Tripathi, B.B. A revision of Kellermann's calculations of the specific heats of sodium chloride, 1=8076  
 Daykin, P.N. See Wright, R.H., 1=6953  
 Dayton, B. See Cvijanovich, G., 1=16778  
 Dayton, L.E. The Pierre S. du Pont Science Building Swarthmore College, 1=15587  
 Dazai, T. See Sugiyama, K., 1=12170  
 Dazev, M.H. See Josephson, V., 1=1903  
 Dazev, M.H. See Josephson, V., 1=2976  
 De, M. and Sen Gupta, M.K. Measurement of wave aberrations of microscope and other objectives, 1=4439  
 de Acha, A. See Amorós, J.L., 1=1390  
 Deacon, G.E.R. Physics of the ocean, 1=11645  
 De Agostino, E. See Beneventano, M., 1=13227  
 De Alfaro, V. and Regge, T. A discussion of the Noyes and Wong equation for potential scattering, 1=12807  
 De Alfaro, V. and Rossetti, C. Potential model of deuteron photodisintegration and Mandelstam representation, 1=5676  
 De Alfaro, V. and Rossetti, C. A note on the deuteron photodisintegration, 1=12130  
 De Alfaro, V. and Vitale, B. Pion-pion interactions and proton-antiproton annihilation at rest, 1=13423  
 De Alfaro, V. and Vitale, B. Possibility of a 4-pion structure in the  $T = J = 1$  pion-pion scattering amplitude, 1=13494  
 Deam, A.P. See Boggs, J.E., 1=3535  
 Deam, A.P. See Boggs, J.E., 1=15963  
 Dean, P. Vibrational spectra of diatomic chains. II, 1=14167  
 Dean, P. and Martin, J.L. A method for determining the frequency spectra of disordered lattices in two-dimensions, 1=8874  
 Dean, P.J., Kennedy, P.J. and Ralph, J.E. Particle excited luminescence in diamond, 1=1183  
 Dean, T.J. See Bloor, D., 1=16077  
 de Andrés, M.P. See Jellinghaus, W., 1=3714  
 de Andrés, M.P. See Jellinghaus, W., 1=6128  
 de Andrés, M.P. See Jellinghaus, W., 1=10031  
 De Angelis, A. See Ascoli-Bartoli, U., 1=5473  
 Dearborn, E.F. See Nielsen, J.W., 1=2525  
 Deardorff, J.W. On the direction and divergence of the small-scale turbulent heat flux, 1=20821  
 Dearman, H.H. and Lefebvre, R. Method of alternant orbitals for allyl, 1=3560  
 Dearman, H.H. and McConnell, H.M. Spin densities in several odd alternant radicals, 1=6055  
 Dearman, H.H., Porterfield, W.W. and McConnell, H.M. Paramagnetic resonance of bis-cyclopentadienyl vanadium in ferrocene, 1=9058  
 De Armond, K. See Forster, L.S., 1=14630  
 Dearnaley, G. Experience at Harwell with surface-barrier detectors, 1=1992  
 Dearnaley, G. and Whitehead, A.B. How Harwell makes surface-barrier detectors, 1=17785  
 Deatherage, B.H. Binaural interaction of clicks of different frequency content, 1=4149  
 Deaver, B.S., Jr. and Fairbank, W.M. Experimental evidence for quantized flux in superconducting cylinders, 1=13042  
 Deaver, B.S., Jr. See Taimuty, S.I., 1=16400  
 Deb, K.K. and Banerjee, S.B. Raman, infrared and luminescence spectra of some trisubstituted benzenes, 1=14035  
 Deb, S. and Sen, J.K. Transistorized electronic analog multiplier, 1=4181  
 Debeauvais-Wack, M. Comparative study of the sensitivity of nuclear emulsions in the range +20 to -196°C to light radiation and to  $\alpha$ -particles from polonium, 1=414  
 DeBeer, J.F. See Cranshaw, T.E., 1=3292  
 DeBenedetti, S., Lang, G. and Ingalls, R. Electric quadrupole splitting and the nuclear volume effect in the ions of  $Fe^{57}$ , 1=6261  
 DeBenedetti, S. See Colombino, P., 1=5715  
 DeBenedetti, S. See McGervey, J.D., 1=18436  
 de Bergevin, F. and Muldower, L. Crystallographic investigation of some iron-rhodium alloys, 1=9145  
 De Beukelaer, R.C. See Willis, A.H., 1=12235



- Debever, R. Space-times of Petrov type III, 1=1690
- Debever, R. and Cahen, M. Constant electromagnetic fields in general relativity, 1=2690
- DeBitetto, D.J. See Bady, I., 1=14779
- De Blois, R.W. Miniature coils for high magnetic field research, 1=10763
- De Blois, R.W. Ferromagnetic nucleation sources on iron whiskers, 1=11426
- de Bouard, M.X. See Langevin-Joliot, H., 1=13784
- de Bouard, X. See Marty, N., 1=8723
- de Broglie, L. Thermodynamics of the isolated particle, 1=18283
- Debrunner, H., Houtermans, F.G. and Lindt, W. The sudden short-term increase of cosmic radiation on 4 May 1960 as observed by registration of the nucleon component at the Jungfraujoch, 1=3372
- Debrunner, P. See Berthier, J., 1=2188
- de Bruyn Ouboter, R. and Beenakker, J.J.M. Some thermodynamic considerations on the properties of liquid  $^3\text{He}$ - $^4\text{He}$  mixtures, 1=8275
- de Bruyn Ouboter, R. and Beenakker, J.J.M. First and second order transitions in liquid binary mixtures, 1=18674
- de Bruyn Ouboter, R., Taconis, K.W., le Pair, C. and Beenakker, J.J.M. Thermodynamic properties of liquid  $^3\text{He}$ - $^4\text{He}$  mixtures derived from specific heat measurements between 0.4°K and 2°K over the complete concentration range, 1=8272
- de Bruyn Ouboter, R. See Sasaki, W., 1=17700
- de Bruyn Ouboter, R. See van den Meijdenberg, C.J.N., 1=8278
- Debye, P., Coll, H. and Woermann, D. Critical opalescence of polystyrene in cyclohexane, 1=1743
- de Carvalho, H.G., Celano, A., Cortini, G., Rinzivillo, R. and Chigo, G. The photofission of Bi, Th and U between 300 and 1000 MeV, 1=8800
- de Carvalho, H.G. and da Silva, A.G. Discrimination of tracks of photofission fragments with very high background of alpha-particles and electrons in nuclear emulsions, 1=13259
- de Carvalho, H.G., da Silva, A.G. and Goldemberg, J. Angular distribution of photofission fragments from uranium, 1=8801
- Decaux, B. and Gabry, A. Diurnal variation of the path length of 10 km waves, 1=12696
- Decaux, B., Gabry, A., Lachâtre, J. and Lucas, J. Influence of the total eclipse of the sun on February 15th 1961 on the travel time of very long waves, 1=16588
- DeCelles, P.C. Renormalization constants in quantum electrodynamics, 1=421
- De Celles, P.C. See Baqi Bég, M.A., 1=5776
- DeCelles, P.C. See Baqi Bég, M.A., 1=5767
- DeCelles, P.C. See Bég, M.A.B., 1=16881
- de Chateau-Thierry, A. First results obtained with a source of hydrogen negative ions utilizing charge exchange in the gas, 1=18936
- Decius, J.C. See Coker, E.H., 1=12497
- Deck, R.M.R. See Klovestrom, F.A., 1=17235
- Declerck, F. See Becart, M., 1=2330
- Decomps, B., May, A.D. and Pebay-Peyroula, J.C. Magnetic resonance of energy levels of Zn and  $\text{He}^4$  atoms excited by electron impact, 1=12258
- Decomps, B., Pebay-Peyroula, J.C. and Brossel, J. Magnetic resonance of atomic levels of helium-4 excited by electron bombardment, 1=2280
- Decomps, B., Pebay-Peyroula, J.C. and Brossel, J. Magnetic resonance of atomic levels of  $\text{He}^3$  excited by electronic bombardment, 1=7431
- Deconninck, G. and Martegani, A. Angular correlations in  $\text{C}^{12}(\text{n}, \text{n}')\text{C}^{12}$  at 14 MeV, 1=703
- Deconninck, G., Martegani, A., Meulders, J.P. and Stoquart, J. Small-angle elastic scattering of 14 MeV neutrons, 1=13610
- de Croës, M., Deutsch, J.P. and Lipnik, P. Measurement of the beta-gamma circular polarization correlation in  $\text{Au}^{198}$  and  $\text{Sb}^{122}$ , 1=13726
- De Croës, M., Parker, W. and Sevier, K., Jr. Thin film thickness distribution by alpha absorption, 1=630
- De Croës, M. See Parke, W., 1=629
- Decroocq, D. and Junger, J.C. The dielectric constant of ideal mixtures of liquids, 1=8132
- De Cugnac, A. See Chateau, H., 1=15073
- Dedek, W. and Weiss, C.F. The production of air-equivalent material, 1=19069
- Dedenko, L.G. Calculation of some extensive air shower characteristics with allowance for fluctuations, 1=16939
- Dedenko, L.G. and Zatsepin, G.T. Calculation of some characteristics of air showers taking fluctuations into account, 1=2136
- De Dominicis, C. Thermodynamical variables in terms of distribution functions of quasi-particles, 1=5229
- De Dominicis, C. See Balian, R., 1=12810
- De Dominicis, C. See Balian, R., 1=18289
- Deery, R.F. and Neddermeyer, S.H. Cloud-chamber study of hard collisions of cosmic-ray muons with electrons, 1=5743
- Deetscreek, V.D. See Schuele, W.J., 1=6355
- de Feiter, L.D., Fokker, A.D., Van Lohuizen, H.P.Th. and Roosen, J. Solar radio events and geomagnetic storms, 1=10341
- De Felice, J. See Fireman, E.L., 1=12754
- De Felice, J. See Fireman, E.L., 1=15437
- Defrain, A. and Epelboin, I. On some thermodynamic properties of a solid phase of gallium unstable at atmospheric pressure, 1=11527
- De Franceschi, G. See Boccaletti, D., 1=8480
- de Franceschi, L. See Daddi, L., 1=13212
- Degaonkar, S.S. Changes in the electron density distribution in the ionosphere over Ahmedabad associated with solar
- Degaonkar, S.S. See Ramaniathan, K.R., 1=20982
- Degeilh, A. See Blanc, D., 1=3022
- Degeilh, A. See Blanc, D., 1=16428
- De Gennes, P.G. A method for determining the spin of a compound nucleus in the scattering of neutrons by polarized nuclei, 1=13617
- de Gennes, P.G. and Hartmann-Boutron, F. Deformation modes of a Bloch wall, 1=20249
- de Gennes, P.G. See Friedel, J., 1=3945
- de Graaf, A.M. See Baltensperger, W., 1=6252
- de Graaff, W. See Michels, A., 1=5294
- de Graaff, W. See Michels, A., 1=6897
- Degregori, I. See Colombino, P., 1=5715
- de Gregorio, G. See Buttinelli, D., 1=12625
- De Greve, L. See Vrambout, R., 1=14719
- de Grinberg, D.K. and Grinberg, A. The relation between etch pits and the purity of NaCl single crystals, 1=20414
- de Groot, J.H. See Swanson, H.E., 1=15067
- de Groot, M.S. and van der Waals, J.H. Paramagnetic resonance in phosphorescent aromatic hydrocarbons. II. Determination of zero-field splitting from solution spectra, 1=14091
- de Groot, S.R. Non-equilibrium thermodynamics of systems in an electromagnetic field, 1=9668
- de Groot, S.R. See Vlieger, J., 1=8073
- de Groot, T. Spectra of short-lived transients in solar noise at 400 Mc/s, 1=6737
- de Groot, T. Fast-response, narrow-band spectroscopy, 1=18155
- Degtyarev, I.F. See Dylgerov, V.D., 1=17960
- De Haan, Y.M. and Visser, M.P. Structures of sulfur-selenium mixtures, 1=6514
- de Haas, E. See Sluyters, T.J.M., 1=275
- de Heer, F.J. See Gugelot, P.C., 1=8752
- de Heer, F.J. See Tjin A Djie, H.R.E., 1=19072
- de Heer, J. and Pauncz, R. Molecular electronic integrals for cyclic systems, 1=4942
- de Heer, J. See Löwdin, P.O., 1=4173
- Dehl, R. See Berry, R.S., 1=12313
- Dehn, J.T. Interference patterns in the near field of a circular piston, 1=1797
- Dehnen, H. See Hönl, H., 1=1691
- de Hoog, F.J. See Klaassen, F.M., 1=7674
- de Hoog, F.J. See Klaassen, F.M., 1=8955
- de Hoop, A.T. A modification of Cagniard's method for solving seismic pulse problems, 1=15214
- de Hoop, A.T. and Frankena, H.J. Radiation of pulses generated by a vertical electric dipole above a plane, non-conducting, earth, 1=16549
- Deichsel, H. The production and demonstration of polarized electron beams by double scattering of low energy glow electrons (1-2 keV) off atomic beams of mercury, 1=16426
- Deigen, M.F. and Roitsin, A.B. A possibility of realizing zero-field resonance in many-level systems, 1=20246
- Deigen, M.F. and Zevin, V.Ya. Spin-lattice relaxation of local electron centres in non-metallic crystals, 1=20244
- Deihen, M.F. and Roitsyn, O.B. Double paramagnetic resonance of crystal-incorporated atoms and F-centres in mixed crystals, 1=14815

- Deineka, P.G. See Tolstoi, N.A., 1=20016
- Deineko, O.S. Measurement of the effective cross-section of the  $C^{12}(p,\gamma)$  reaction, 1=11009
- Deinker, N.Yu. See Shulman, L.A., 1=13910
- Deirmendjian, D. Atmospheric extinction of infra-red radiation, 1=20840
- Deirmendjian, D., Clasen, R. and V IEEE, W. Mie scattering with complex index of refraction, 1=8238
- Deirmendjian, D. and Vestine, E.H. Some remarks on the nature and origin of noctilucent cloud particles, 1=8627
- Deissler, R.G. Effects of inhomogeneity and of shear flow in weak turbulent fields, 1=15922
- Deissler, R.G. and Perlmutter, M. Analysis of the flow and energy separation in a turbulent vortex, 1=18375
- de Jager, C. The genesis of the elements, 1=15412
- de Jager, C. Interpretation of solar radio-observations, 1=18154
- de Jager, C. and Neven, L. The influence of the metal abundance of the continuous stellar spectra, 1=18118
- Déjardin, G., Janin, J. and Dailier, M. Photoconductivity of magnesium fluorogermanate, 1=7675
- Dejardin, G., Janin, J. and Souillat, J.C. Green photoluminescence from magnesium fluorogermanate at different temperatures, 1=9006
- Déjardin, G., Mesnard, G. and Vasilescu, D. The dielectric properties of ceramic barium titanate between 50 kc/s and 25 Mc/s, 1=1132
- Dejon, B. and Smith, K. Shadow effect in the scattering of GeV pions and nucleons by deuterons, 1=2087
- de Jong, W.M.C. See Aten, A.H.W., Jr., 1=17008
- de Jongh, J.G.V. See Black, W., 1=20397
- de Josselin de Jong, G. Singularity distributions for the analysis of multiple-fluid flow through porous media, 1=15833
- Deka, G.C. The lifetime of hyperfragments, 1=13685
- Deka, G.C., Evans, D., Prowse, D.J. and Baldo-Coelin, M. "Hammer" tracks emitted from nuclear disintegrations produced by 4.6 GeV/c  $\pi^-$ -mesons, 1=5930
- de Keyser, A. See Ceulemans, H., 1=11891
- Dekeyser, W. See Rueda, F., 1=7629
- Dekeyser, W. See Rueda, F., 1=14275
- Dekeyser, W. See Vennik, J., 1=19778
- Dekhtyar, I.Y. and Madatova, E.H. Change in the coercive force during cyclic heat treatment above and below the Curie point and its connection with dislocation structure, 1=11429
- Dekhtyar, I.Ya., Lytovchenko, S.H. and Ursul, D.A. Effect of short-range order on the residual resistance of nickel alloys, 1=15128
- Dekhtyar, I.Ya. and Mikhalev, V.S. Angular correlation of gamma quanta from electron-positron annihilation in bismuth, 1=2046
- Dekhtyar, I.Ya. and Mikhalev, V.S. Angular correlation of gamma quanta from electron-positron annihilation in bismuth, 1=3151
- Dekhtyar, I.Ya. and Mikhalev, V.S. The effect of temperature on the angular correlation of  $\gamma$ -rays emitted during electron-positron annihilation in bismuth, 1=6095
- Dekhtyar, I.Ya. and Mikhalev, V.S. The effect of temperature on the angular correlation of  $\gamma$ -rays emitted during electron-positron annihilation in bismuth, 1=11185
- Dekhtyar, I.Ya. and Mikhalev, V.S. Investigation of atomic mobility at high-temperature axial compression in ferrite-type alloys, 1=14309
- Dekhtyar, I.Ya. and Mikhalev, V.S. Effect of plastic flow on diffusion in nickel-molybdenum alloys, 1=14324
- Dekhtyar, I.Ya. See Hertsrick, S.D., 1=20625
- de Kinder, W. and Vennik, J. The measurement of the lifetime of minority carriers in semiconductors, 1=2405
- Dekker, A.J. The resistivity of dilute magnetic alloys, 1=1010
- Dekker, A.J. See Soshea, R.W., 1=4640
- Dekker, R.H. See Bleichrodt, J.F., 1=13682
- de Kluiver, H. See Michels, A., 1=808
- de Kowalewski, D.G. and Kowalewski, V.J. Nuclear magnetic resonance spectra of various olefins. Influence of a [magnetic] field on spectra of the type ABX., 1=14105
- de Kowalewski, D.G., Kowalewski, V.J., Freymann, R. and Martin, M. Nuclear magnetic resonance spectra of several olefinic compounds, 1=15911
- de Kowalewski, D.G. See Kowalewski, V.J., 1=3567
- de la Cuadra, M. See Aguilar, J., 1=16796
- de Laet, J. Specific heats of helium vapours below 4.2°K, 1=4522
- Delafosse, J. and Mongodin, G. Computations in vacuum techniques, 1=15967
- de La Harpe, A. and Perroud, P. Experimental study of heat transfer with gaseous hydrogen in turbulent flow in a tube and in an annular space (with smooth walls), 1=6973
- Delaney, C.F.G. and McAulay, I.R. A radiocarbon dating system using scintillation techniques, 1=2178
- Delaney, C.F.G. See Cummins, D.O., 1=1984
- Delaney, C.F.G. See Cummins, D.O., 1=13671
- Delaney, E. See Ferretti, A., 1=7846
- de Lange, H., Dzn. Eye's response at flicker fusion to square-wave modulation of a test field surrounded by a large steady field of equal mean luminance, 1=6673
- De Lange, R.G. and Burgers, W.G. Stress release in plastically deformed silverchloride by annealing, 1=11505
- Delannoy, J. On the twilight observations of the lithium line during the International Geophysical Year, 1=1554
- Delannoy, J. See Blum, E.J., 1=15526
- DeLap, J.H. See Poirier, J.C., 1=10511
- Delavignette, P. and Amelinckx, S. Interaction between vacancies and stacking fault ribbons in graphite, 1=7585
- Delavignette, P. and Amelinckx, S. Large dislocation loops in antimony telluride, 1=12385
- Delavignette, P., Kirkpatrick, H.B. and Amelinckx, S. Dislocations and stacking faults in aluminium nitride, 1=11217
- Delavignette, P. See Amelinckx, S., 1=969
- Delavignette, P. See Amelinckx, S., 1=3674
- Delavignette, P. See Amelinckx, S., 1=4985
- Delavignette, P. See Ruedl, E., 1=11246
- Delbecq, C.J., Hayes, W. and Yuster, P.H. Absorption spectra of  $F_2$ ,  $Cl_2$ ,  $Br_2$ , and  $I_2$  in alkali halides, 1=3840
- del Bianco, W. and Stephens, W. Photonuclear activation cross-sections at 20.5 MeV, 1=8690
- Delbouille, L. and Migeotte, M. Infrared solar spectroscopy at the Jungfraujoch (Switzerland), 1=27
- Delbouille, L. See Gebbie, H.A., 1=16078
- Delbore, F. Determination of the heat and entropy of fusion of fluorite, by the cryometric method at high temperature ( $> 1400^\circ C$ ), 1=9507
- Delcroix, J.L. Microscopic theory of ionized gases, 1=15720
- Delcroix, J.L. See Briand, J., 1=18783
- Del Duca, B.S. See Potter, A.E.Jr., 1=15299
- De Leener, M. See Bellemans, A., 1=12371
- Delf, B.W. Response of an X-ray opposite-window monitor system to changes in tube conditions, 1=16469
- Delf, B.W. The effect of absorption in the  $\beta$  filter on the mean wavelength of X-ray emission lines, 1=16472
- Delf, B.W. Method of determining the specimen-surface displacement of an X-ray diffractometer, 1=20466
- Delgado, R.M. The study of emulsions by microscopy and diffraction. I. Completed studies, 1=9177
- Delgado, R.M. Study of emulsions by microscopy and diffraction. II. The interphase membrane, 1=9178
- Delhay, M. and Delhay-Buisset, M.B. Raman spectra of polyhalogen molecules obtained with a plane-grating spectrometer, 1=847
- Delhay-Buisset, M.B. See Delhay, M., 1=847
- Delibrias, G. See Bibrion, R., 1=8629
- Delibrias, G. See Tamers, M.A., 1=19476
- Dell, G.F. See Bowsher, H.F., 1=4868
- Dell, H.A., Hobbs, D.S. and Richards, M.S. An automatic particle counter and sizer, 1=101
- Dellagi, M. A simple gap meter for the study of nuclear emulsions tracks, 1=16637
- Della Torre, E. See Woodward, J.G., 1=7763
- Delloue, J. The determination of the direction of arrival and the polarization of whistling atmospherics. I. Experimental apparatus, 1=20850
- Delloue, J. The determination of the direction of arrival and the polarization of whistling atmospherics. II. Results, 1=20851
- Delmas, G. See Nishikawa, K., 1=16179
- De Loach, B.C., Jr. and Shaffer, W.H. The vibrations of certain one-, two-, and three-dimensional lattices, 1=7528
- Deloff, A., Szymanski, J. and Wrzeczko, J. On the  $\pi^+$  decay of a hyperfragment, 1=605



- Deloff, A. and Wrzecionko, J. The phenomenological Baryon-Baryon scattering theory and the relative parity determination, 1=2017
- Deloff, A. and Wrzecionko, J. Directional correlation of mesons in a cascade decay of baryons resulting from a baryon-baryon reaction, 1=3209
- Delone, B.N. Reduction theory, 1=14945
- De Long, B.C. See Tiedema, T.J., 1=1461
- Delorme, C. See Bouchez, R., 1=13796
- Delorme, P. and Hadni, A. A small-grating spectrometer for the far infrared (45-150  $\mu$ ), 1=6952
- Delorme, P. See Lorenzelli, V., 1=14598
- DeLosh, R.G. See Phillips, R.L., 1=7156
- Deloupy, C. Measurement of the optical constants of beryllium hydroxyacetate from the reflection spectrum between 650 and 900  $\text{cm}^{-1}$ , 1=17862
- Delsemme, A. and Delsemme, D. The night-sky red line at the equator, 1=15302
- Delsemme, D. See Delsemme, A., 1=15302
- Del Turco, A.M. See Bertolini, G., 1=2175
- Delvalle, J., Kendziorowski, F. and Greisen, K. Independence of lateral distribution and size of e.a.s., 1=3285
- Delvalle, J., Kendziorowski, F. and Greisen, K. Absence of solar and sidereal time variations of e.a.s. during 1958, 1=3326
- Delvalle, J., Kendziorowski, F. and Greisen, K. Absorption length versus size of extensive air showers (e a s), 1=5802
- Delvalle, J. See Greisen, K., 1=2132
- Delves, L.M. Tertiary and general-order collisions. II, 1=3134
- Delves, L.M. Elastic and inelastic scattering of neutrons by deuterons near the inelastic threshold, 1=13426
- Delwaulle, M.L. and Wallart, F. Isotopic structure of the Raman line of liquid chlorine and solvent effect of chlorine on arsenic chloride, 1=18414
- Delyagin, N.N., Shpinel', V.S., Bryukhanov, V.A. and Zvenglinskii, B. The nuclear Zeeman effect in  $\text{Sn}^{119}$ , 1=2164
- De Maine, P.A.D. and Russell, E.R. Design and calibration of an inexpensive free-flow electroviscometer, 1=18348
- De Marco, A. See Ballario, C., 1=8407
- DeMarco, J.J. See Batterman, B.W., 1=7435
- DeMars, G.A. See Statz, H., 1=6415
- DeMastry, J.A. and Dickerson, R.F. Niobium - promising high-temperature reactor-core material, 1=5952
- De Matteis, A. See Arecchi, F.T., 1=7171
- Dembiński, S. On the renormalization effects in the threshold behaviour of the perturbation expansion term of the two-point Green function in quantized field theory, 1=13279
- Demers, J. See Fournaux, J., 1=1997
- Demers, P. See Bathfany, I., 1=9708
- Demers, P. See Fournaux, J., 1=1997
- Demeter, I. See Berkes, I., 1=329
- Demeter, I. See Keszthelyi, L., 1=5896
- Demetriades, A. See Marlotte, G., 1=2958
- Demeur, M. Direct interactions and nuclear models, 1=5881
- Demeur, M. On the quasi-molecular interaction between two light nuclei, 1=13596
- Demeur, M. Angular distribution in the reaction  $(n, n')$ , 1=13805
- Demeur, M. and Joachain, C. Nuclear polarization in a mesic deuterium atom, 1=13628
- Demeur, M. and Joachain, C. Rearrangement collisions in the Born approximation, 1=19128
- Demichelis, F. The ground state spin of  $^{212}\text{Po}$ , 1=5821
- Demidenko, A.A. Microtheory of Frenkel excitons with and
- Demidenko, O.A., Demidenko, Z.A. and Tolpýgo, K.B. Normal frequencies and amplitudes and the heat capacity of KBr, 1=12353
- Demidenko, Z.A., Kucher, T.I. and Tolpýgo, K.B. Normal frequencies of vibration of germanium lattice, calculated in different approximations, 1=19699
- Demidenko, Z.A. and Tolpýgo, K.B. [Carrier] injection on the passage of a current through an inhomogeneous semiconductor, 1=3741
- Demidenko, Z.A. See Demidenko, O.A., 1=12353
- Demidov, A.M. See Groshev, L.V., 1=4888
- Demidov, A.M. See Groshev, L.V., 1=17110
- Demidov, B.A. and Fanchenko, S.A. Observation of relativistic charged particles in a luminescence chamber, 1=3374
- Demidov, B.A., Skachkov, Yu.F. and Fanchenko, S.D. Channel expansion in small intense sparks, 1=18790
- Demidov, K.K. and Pozihun, K.A. Photoelectrochemical properties of thallium halides in the presence of sensitizers, 1=15201
- Demildt, A. Excitation functions of  $(d, \alpha)$  and  $(d, \alpha n)$  reactions on natural tungsten, 1=5937
- Demin, V.G. Orbits in the problem of two fixed centres, 1=17994
- Demirkhanov, R.A. and Dorokhov, V.V. Mass of the  $\text{Pu}^{240}$  isotope, 1=19611
- Demirkhanov, R.A., Dorokhov, V.V. and Dzkuya, M.I. Isotope masses and binding energy of nuclei in the region from strontium to ruthenium, 1=19612
- Demirkhanov, R.D., Gevorkov, A.K. and Popov, A.F. Interaction of a beam of charged particles with a plasma, 1=297
- Demkov, Yu.N. Variational principles for non-stationary quantum-mechanical problems and perturbation theory, 1=4778
- Demkov, Yu.N. The virial theorem for the classical problem of the scattering of a particle by a centre of force, 1=15695
- Demkov, Yu.N. The virial theorem for the classical problem of the scattering of a particle by a centre of force, 1=16693
- de Moraes, A. and Pompeia, P.A. Time distribution analysis related to statistical physics, 1=15392
- Demortier, G., Jodogne, J.C. and Macq, P.C. Statistical models in the study of the reaction  $\text{Al}^{27}(d, \alpha)\text{Mg}^{28}$ , 1=13841
- de Morton, M.E. Magnetomechanical damping in chromium, 1=20309
- Demos, P. See Bertozzi, W., 1=8689
- Dempsy, C.W. See Gordon, J.E., 1=17424
- Dempsey, E. See Benson, G.C., 1=3589
- Demtröder, W. See Brehm, B., 1=17272
- deNeui, R.J. See Bartell, L.S., 1=17370
- Den Ge Sen, See Pines, B.Ya., 1=9084
- Den Ge Sen, See Pines, B.Ya., 1=9085
- Denholm, J.V. Some auroral observations inside the southern auroral zone, 1=21051
- Denholm, J.V. and Bond, F.R. Orientation of polar auroras, 1=10331
- Denis, P. and Roux, D. Total effective cross-section of vanadium as a function of temperature, 1=17132
- Denis, P. See Cottier, J.M., 1=13447
- Deniskin, N.A. See Tikhonov, A.N., 1=20798
- Denisov, E.V., Zatsepin, V.I., Nikol'skii, S.I., Pomanskii, A.A., Subbotin, B.V., Tukish, E.I. and Yakolev, V.I. Investigation of nuclear-active particles and electron-photon showers with
- Denisov, F.P. and Kolesov, V.E. Measurement of angular and energy distributions of radioactive recoil nuclei, 1=12187
- Denisov, N.G. The absorption of radio waves in resonance regions of a non-homogeneous plasma, 1=5600
- Denisov, Yu.N. See Danilov, V.I., 1=344
- Denisse, J.F. The relation between solar cosmic-ray increases and certain radiofrequency bursts, 1=6735
- Denisse, J.F. Study of electromagnetic waves in plasmas beginning with Boltzmann's equation, 1=15725
- Denisse, J.F. Remarkable radio-frequency emissions in July 1959, 1=18148
- Dennerly, P. and Kroll, N.M. On conservation of probability in the Lee model, 1=3127
- Dennis, W. See Miller, D.G., 1=1854
- Dennis, W.L. The growth of hygroscopic drops in a humid air stream, 1=11746
- Dennison, D.M. Note on the determination of the potential functions of polyatomic molecules, 1=826
- Dennison, J.P. See Davies, P.W., 1=20357
- Dente, M. Thermal exchange for non-Newtonian fluids in laminar motion in circular tubes. I(1). Thermal exchange for constant wall temperature, 1=5255
- Dente, M. Thermal exchange for non-Newtonian fluids in laminar motion in circular tubes. I(2). Thermal exchange for constant wall temperature, 1=5256
- Dente, M. Thermal exchange for non-newtonian fluids in laminar motion in circular tubes. II. Thermal exchange for variable wall temperature, 1=10617
- Denton, D.H., Jr. See King, R., 1=12693
- Denton, M.J. and Lipson, S.G. Electrolytic tank for studying the flow of liquids through tubes of various cross sections, 1=5264
- Denton, R.T. Theoretical and experimental characteristics of a ferromagnetic amplifier using longitudinal pumping, 1=5582

- Deo, B. On fermion loops of two vertices, 1=8439  
 Deo, B. On zero mass meson-meson scattering, 1=8466  
 Deodhar, G.B. and Abidi, S.T.H. New relationships in the X-ray K and L satellites, 1=2296  
 de Oliveira, D.R. See Katayama, Y., 1=3167  
 de Oliveira, D.R. See Osada, J., 1=13696  
 de Oyarzabal, G.S. See Prieto, F.E., 1=19560  
 de Oyarzabal, J. Angular distributions in  $\beta$ -disintegration, 1=9827  
 de Packh, D.C. and Ulrich, P.B. Brillouin flow in relativistic beams, 1=5494  
 De Palma, J.J. See Lowry, E.M., 1=10354  
 Depatie, D. See Reppy, J.D., 1=4528  
 de P. Cagnodo, M. See Caforio, A., 1=5780  
 Depietri, C. See Barbetta, M.G., 1=5804  
 Depireux, J., Cornet, N., Read, M. and Duchesne, J. Nuclear quadrupole resonance in irradiated crystals, 1=20277  
 Depireux, J. See Duchesne, J., 1=6129  
 Depireux, J. See Van de Vorst, A., 1=9952  
 Depommier, P. and Chabre, M. Exact shape of the  $\beta$ -spectrum from  $\text{Au}^{198}$ , 1=7340  
 Depommier, P., Chabre, M., Crançon, J. and Vialettes, H. Properties of a beta-spectrometer of the Siegbahn-Slatis type, 1=16761  
 Depommier, P., Nguyen-Khac, U. and Bouchez, R. Transition probabilities for orbital electron capture and  $K/\beta^+$  ratios, 1=17048  
 Depommier, P. See Bouchez, R., 1=2192  
 Depraz, J., Legros, G. and Salin, R. The X and  $\gamma$ -ray yields and spectra of the supports of targets bombarded by low energy protons (0.3 to 1 MeV), 1=13795  
 Depraz, J., Legros, G. and Salin, R. Cross-section measurements on some (n,p), (n, $\alpha$ ), (n,2n) reactions, 1=13814  
 Derado, I. and Van de Walle, R. Some remarks on the phase-shift analysis with D-waves for track-chamber histograms, 1=5698  
 De Rafael Gavalda, E. See Fernández Ferrer, J., 1=16503  
 Deresiewicz, H. A note on thermoelastic Rayleigh waves, 1=16006  
 Derick, L. See Frosch, C.J., 1=17734  
 Derjaguin, B.V., Bakanov, S.P. and Kurghin, I.S. The influence of a foreign film on evaporation of liquid drops, 1=10494  
 Derjaguin, B.V. See Bakanov, S.P., 1=11634  
 Derkacheva, L.D. Dependence of fluorescence of naphthalene derivatives on the concentration of hydrogen ions in a solutions, 1=2764  
 Derksen, W.J. and Gardner, W.R. Calculations of turbulent exchange coefficients in air at Wageningen, 1=12690  
 Derksen, W.J. See Van Wijk, W.R., 1=1509  
 Dermit, G. See Weinreich, O., 1=11297  
 Derner, P. and Kappler, E. On temperature change investigation during the plastic deformation of face-centred cubic metals, 1=11510  
 de Rocco, A.G. See Hoover, W.G., 1=8082  
 de Ronde, F.C. See van Es, C.W., 1=7152  
 de Ronde, F.C. See van Es, C.W., 1=7153  
 Derrick, G., Mustard, D. and Blatt, J.M. Binding energy of the triton, 1=5793  
 Der-Shvarts, G.V. and Kushnir, Yu.M. The problem of lens achromatization and scale distortion correction in reflex electron microscopes, 1=4649  
 Deruytter, A. A  $4\pi$ -fission detector, 1=1990  
 Deryagin, B.V. See Bakanov, S.P., 1=18445  
 Deryagin, O.G., Paleolog, E.A. and Tomashov, N.D. Anodic dissolution of germanium containing a p-n junction, 1=7657  
 Deryugin, I.A. and Sigal, M.A. Dispersion of the permeability and permittivity of artificial dielectrics in the frequency range 500-35000 Mc/s, 1=10074  
 Deryugin, I.A. and Sigal, M.A. Dispersion of the permeability and permittivity of artificial dielectrics in the frequency range 500-3500 Mc/s, 1=12470  
 Derzhanski, A. A new method for detecting nuclear magnetic resonance absorption, 1=382  
 De Sabbata, V. On the triple angular correlation, 1=17033  
 Desai, B.P. Low-energy pion-pion s-wave phase shifts, 1=10914  
 Desai, H.S. See Rao, R.D., 1=13007  
 de Santis, V. On some consequences of charge independence for  $K^+$ -nucleon interactions, 1=13501  
 DeSaussure, G. See Macklin, R.L., 1=17163  
 Desbrandes, R., Norel, G. and Morineau, Y. On the behaviour of tubes of rare gases ionized during the passage of a short pulse, 1=16254  
 Descamps, D. See Ayant, Y., 1=10787  
 Deschamps, D. See Buisson, R., 1=9683  
 Deschamps, P. See Pannetier, G., 1=20731  
 des Cloizeaux, J. Extension of a Lagrange formula to some eigenvalue problems, 1=2701  
 des Cloizeaux, J. See Balkanski, M., 1=3619  
 des Cloizeaux, J. See Balkanski, M., 1=17445  
 des Cloizeaux, J. See Balkanski, M., 1=17472  
 Descoubes, J.P. See Archambault, Y., 1=17260  
 de Segovia, J.L. See Martin, C.S., 1=16132  
 Deser, S. See Arnowitt, R., 1=61  
 Deser, S. See Arnowitt, R., 1=4249  
 Deser, S. See Arnowitt, R., 1=5192  
 Deser, S. See Arnowitt, R., 1=8047  
 De-Shalit, A. Effective moments in  $K^{39}$  and  $K^{40}$ , 1=5822  
 de Shalit, A. Models of finite nuclei, 1=8534  
 de-Shalit, A. Core excitations in nondeformed, odd-A nuclei, 1=8616  
 de-Shalit, A. and Walecka, J.D. Ground states of odd-odd nuclei, 1=588  
 De-Shalit, A. and Walecka, J.D. Spectra of odd nuclei, 1=5835  
 De Shong, J.A.Jr. Techniques used to evaluate the dynamic performance of a natural recirculation boiling water reactor, 1=3495  
 Deshpande, C.S. See George, K.A., 1=341  
 Deshpande, D.D. Detection of molecular complexes in gases by ultrasonic method, 1=10547  
 Deshpande, D.D. See Jatkari, S.K.K., 1=8162  
 Deshpande, L.V. and Bhide, V.G. Dielectric properties of  $\text{SnO}_2$ , 1=8974  
 Deshpande, L.V. and Kelkar, V.B. Scattering of high energy electrons by carbon and oxygen, 1=680  
 Deshpande, N.G. See Balachandran, A.P., 1=16679  
 Deshpande, N.G. See Bhamathi, G., 1=9768  
 Deshpande, N.G. See Ramakrishnan, A., 1=13370  
 Deshpande, V.T. and Sirdeshmukh, D.B. Thermal expansion of tetragonal tin, 1=19723  
 Deshpande, V.T. and Sirdeshmukh, D.B. Thermal expansion of ammonium bromide, rubidium bromide and rubidium chloride, 1=19724  
 Dési, S. See Nagy, T., 1=18773  
 Desjardins, J.S., Rosen, J.L., Havens, W.W., Jr. and Rainwater, J. Slow neutron resonance spectroscopy. II. Ag, Au, Ta, 1=700  
 De Socio, M. Further communication on an electromagnetic wave-front in an ionized gas subjected to a magnetic field, 1=5595  
 De Soete, D., Hoste, J. and Leliaert, G. Preparation of carrier-free  $\text{Cr}^{51}$ , 1=17297  
 DeSorbo, W. Low temperature calorimetric measurements on isothermal aging of Al-Ag, 1=4068  
 Desorbo, W. Quenched-in defects in tin and the superconducting transition temperature, 1=17507  
 de Souza Santos, H. Effects of electron bombardment upon inorganic substances observed in an electron microscope, 1=14342  
 D'Espagnat, B.  $|\Delta S|=1, |\Delta I|=\frac{1}{2}$  rules with two charged intermediate boson fields, 1=432  
 d'Espagnat, B. A proposed experimental test of the Day, Snow and Sucher argument based on antiproton annihilation into kaons, 1=13422  
 D'Espagnat, B., Martin, A. and Prentki, J. Experimental tests of certain hypotheses of symmetry relative to strong interactions, 1=434  
 Despres, J. See Bobin, J.L., 1=7718  
 Despres-Rebaud, S. See Morand, M., 1=7179  
 Despres-Rebaud, S. See Morand, M., 1=9709  
 Desré, P. See Bonnier, E., 1=1435  
 Desré, P. See Bonnier, E., 1=19711  
 Desré, P. See Bonnier, E., 1=20583  
 Dessler, A.J. Discussion of paper by R.L. Arnoldy, R.A. Hoffman, and J.R. Winckler, "Observations of the Van Allen radiation regions during August and September 1959. I", 1=15333  
 Dessler, A.J., Francis, W.E. and Parker, E.N. Geomagnetic storm sudden-commencement rise times, 1=15348  
 Dessler, A.J. and Karplus, R. Some effects of diamagnetic ring currents on Van Allen radiation, 1=21074



- Dessler, A.J. and Vestine, E.H. Maximum total energy of the Van Allen radiation belt, 1=1569
- Dessler, A.J. See Cladis, J.B., 1=15330
- De Stefano, P. See Bonera, G., 1=9068
- de Stefano, P. See Bonera, G., 1=11492
- Destouches, J.L. A boundary property of the mean wave in the functional theory of particle systems, 1=8078
- Destouches, J.L. Particles fusion in functional theory, 1=13296
- Destouches, J.L. Properties of fused systems in the functional theory [of particles], 1=13297
- Desvignes, F. and Robert, M. An accumulation phenomenon in cooled germanium p-n junctions, 1=14477
- de Swart, J.J. See Dullemond, C., 1=7242
- de Swiniarski, R. See Bouchez, R., 1=13791
- Detenbeck, R.W. See Marion, J.B., 1=16820
- Detoeuf, J.F. See Bareyre, P., 1=13418
- Detoeuf, J.F. See Brisson, J.C., 1=5770
- Detoeuf, J.F. See De Witt, C., 1=18296
- Detoeuf, J.F. See De Witt, C. [Eds], 1=6800
- Detoeuf, J.F. See Duboc, J., 1=13226
- De Tollis, B., Ferrari, and Munczek, H. The influence of a possible pion-pion interaction on the photoproduction of charged pions, 1=521
- De Tollis, B., Lasinio, G.J. and Liotta, R.S. Inelastic scattering of high energy photons in the Coulomb field of a nucleus with production of electron-positron pairs (radiative pair production), 1=5887
- De Tollis, B. and Verganelakis, A. Pion-pion interaction in the photoproduction of neutral pions with polarized  $\gamma$  rays, 1=8485
- Detoni, S. See Blinc, R., 1=17833
- de Turville, C.M. Terrestrial accretion from the solar wind, 1=11651
- de Turville, C.M. See Frith, R., 1=20806
- Deubner, A., Heise, R. and Wenzel, K. Establishment of the piezoelectric effect in ice, 1=3811
- Deubner, F.L., Kiepenheuer, K.O. and Liedler, R. The magnetograph of the Fraunhofer Institute, 1=15402
- Deuchars, W.M. and Dandy, D. Angular correlations in the reactions  $^{18}\text{O}(\alpha, n\gamma)^{21}\text{Ne}$  and  $^{22}\text{Ne}(\alpha, n\gamma)^{25}\text{Mg}$ , 1=11037
- Deuchars, W.M. and Lawrence, G.P. Interaction of 14 MeV neutrons with a silicon semiconductor nuclear particle detector, 1=19495
- Deutch, B.I. and Metzger, F.R. Nuclear resonance fluorescence from the 279 keV level of  $\text{Tl}^{203}$  with an ultracentrifuge, 1=7357
- Deutsch, C. Calculation of the deuteron ground state with spherical symmetry, 1=2100
- Deutsch, C. Relativistic calculation of the deuteron ground state, 1=2101
- Deutsch, H. Gas mixture processes in alternating current discharges, 1=1898
- Deutsch, J.L. See Barrow, R.F., 1=14006
- Deutsch, J.P. and Lipnik, P. Angular dependence of the  $\beta$ - $\gamma$  correlation (circularly polarized) in  $\text{Au}^{198}$ , 1=8647
- Deutsch, J.P. and Lipnik, P. Circularly polarized beta-gamma correlation measurements on  $\text{Re}^{186}$ , 1=9835
- Deutsch, J.P. and Lipnik, P. Measurements of the beta-gamma correlation in the circular polarization of  $\gamma$ -rays from  $\text{Au}^{198}$  and  $\text{Sb}^{122}$ , 1=17036
- Deutsch, J.P. See de Croës, M., 1=13726
- Deutsch, M. and Bauer, R.W. Spins of the isomeric states of  $\text{Hf}^{176}$  and  $\text{Hf}^{180}$ , 1=594
- Deutsch, M. and Bauer, R.W. Spins of the isomeric states of  $\text{Hf}^{176}$  and  $\text{Hf}^{180}$ , 1=8549
- Deutsch, M. See Stiening, R., 1=4826
- Deutsch, M. See Stiening, R., 1=10978
- Deutsch, T., Paul, W. and Brooks, H. Pressure dependence of the Hall constant of the alkali metals, 1=17625
- Devanathan, C. and Bhatnagar, P.L. Hydromagnetic waves in a compressible fluid, 1=19006
- Devanathan, V. and Ramachandran, G. A note on photo-mesons from deuterons, 1=5751
- Devanathan, V. See Ramakrishnan, A., 1=8481
- Devanathan, V. See Ramakrishnan, A., 1=15699
- Devare, H.G. On the decay of  $\text{I}^{132}$ , 1=19395
- Devare, H.G. See Jha, S., 1=663
- Devare, H.G. See Jha, S., 1=5829
- Devare, H.G. See Jha, S., 1=5868
- Devare, H.G. See Jha, S., 1=8637
- Devare, H.G. See Jha, S., 1=13749
- de Vaucouleurs, G. Transit of mercury observed at Austin, Texas, 1=4192
- de Vaucouleurs, G. Multicolor photometry of Mars in 1958, 1=6700
- de Vaucouleurs, G. and Menzel, D.H. Results of the occultation of Regulus by Venus, July 7, 1959, 1=15
- DeVault, G.P. See Byatt, W.J., 1=16579
- Devaure, J. See Saumagne, P., 1=18413
- Devell, L. See Westermarck, T., 1=19399
- Dévényi, A. The anomalies produced by cracks in thin low-temperature evaporated Ag and Pb-films in relation to the changes in conductivity caused by tempering, 1=6561
- Dévényi, A. Causes of the anomalous variations of electric resistance as a function of temperature in silver films deposited at low temperatures, 1=17614
- Devenyi, A. See Grigorovici, R., 1=1467
- Dévényi, A. See Grigorovici, R., 1=2548
- de Veubeke, B.F. Variational principles in the mechanics of compressible fluids, 1=4303
- Devienne, M. Method of obtaining molecular beams of very high velocity, 1=19679
- Devins, D.W. See Forster, H.H., 1=19458
- Devins, J.C. See Leblanc, O.H., Jr., 1=1890
- Devlin, G.E. and Corenzwit, E. Isotope effect in Nb, Sn, 1=259
- Devlin, G.E. See Schawlow, A.L., 1=6246
- Devons, S. Neutrinos in theory and experiment, 1=3180
- Devons, S. Detector developments in elementary particle physics, 1=8398
- Devons, S. New states of elementary particles, 1=13365
- Devons, S., Gidal, G., Lederman, L.M. and Shapiro, G. Muon mass and charge by critical absorption of mesonic X-rays, 1=517
- Devooght, J. See Gyftopoulos, E.P., 1=17196
- Devooght, J. See Gyftopoulos, E.P., 1=17209
- Devor, D.P. See Carson, J.W., 1=9053
- Devoret, R. Experimental nuclear physics and radio-chemistry. Detection of radiations and methods of study of nuclear structure, (Appendix), 1=4744
- de Vos, K.J. See Koch, A.J., 1=1235
- de Vries, A.E. See van der Valk, F., 1=8156
- De Vries, C. and Wapstra, A.H. A Siegbahn-Edvarson type iron-free double focusing beta-ray spectrometer, 1=5495
- De Vries, C. See Dijkstra, J.H., 1=5873
- de Vries, C. See Hofstadter, R., 1=7233
- de Vries, G.H.F. See Recourt, A., 1=18967
- DeVries, R.C. and Sears, G.W. Step formation during the growth of  $\text{BaTiO}_3$  crystals, 1=5091
- DeVries, R.C. See Sears, G.W., 1=11549
- Devyatkova, E.D., Petrov, A.V. and Smirnov, I.A. The transfer of heat by the bipolar diffusion of current carriers in lead telluride and selenide, 1=14189
- Devyatkova, E.D., Petrov, A.V. and Smirnov, I.S. The transfer of heat by the bipolar diffusion of current carriers in lead telluride and selenide, 1=17432
- Devyatkova, E.D. and Smirnov, I.A. Influence of halogen impurities on the thermal conductivity of lead telluride, 1=19729
- Devyatkova, E.D. and Smirnov, I.A. The mechanism of the scattering of charge carriers in lead telluride, 1=19916
- de Waard, H. An automatic changer for liquid samples, 1=13225
- Dewald, J.F. The charge distribution at the zinc oxide-electrolyte interface, 1=1484
- Dewald, J.F. On the transition to metallic behaviour in zinc oxide, 1=19886
- Dewan, E.M. Generalizations of the Saha equation, 1=10666
- Dewar, M.J.S. and Hojvat, N.L. The Spo (split p-orbital) method and its application to ethylene, 1=6039
- de Wavrechin, R. See Constant, E., 1=16235
- Dewdney, J.W. Domino rule. A way of handling relative velocities, 1=4182
- Dewdney, J.W. See Ananiades, C.S., 1=5795
- de Wette, F.W. Effects of atomic polarization in ionic crystals, 1=894
- de Wette, F.W. Electric field gradients in point-ion and uniform-background lattices, 1=11143
- Dewey, W.C. and Sinclair, W.K. Criteria for evaluating collimators used in "in vivo" distribution studies with radio-isotopes, 1=15366
- Dewhirst, D.W. The optical identification of radio sources, 1=18198
- de Wijn, H.W. High voltage square-wave generator, 1=10664

## AUTHOR INDEX

- DeWire, J.W. See Feldman, M., 1=2092
- DeWitt, B.S. Quantization of fields with infinite-dimensional invariance groups, 1=4759
- De Witt, C. and Detoeuf, J.F. Eds. The theory of neutral and ionized gases. The problem of  $n$  bodies at non-zero temperature, 1=6800
- De Witt, C. and Detoeuf, J.F. [Eds.]. The theory of neutral and ionized gases. The problem of  $n$  bodies at non-zero temperature, 1=18296
- De Witt, C.M. and Ging, J.L. Gravitational radiation damping, 1=2681
- deWitt, H.E. Thermodynamic functions of a partially degenerate, fully ionized gas, 1=9340
- DeWitt, H.E. See Kidder, R.E., 1=9543
- de Wolff, P.M. Diffractometer measurement of low-order powder reflexions, 1=15029
- de Wolff, P.M. Reliability of unit cells derived from powder diffraction patterns, 1=20512
- Dexter, R.N. See Datars, W.R., 1=14235
- Dey, S.K. See Birss, R.R., 1=17601
- D'Haenens, I.J. See Maiman, T.H., 1=11391
- Dharmatti, S.S., Govil, G., Kanekar, C.R. and Virmani, Y.P. Proton magnetic resonance study of hydrogen bonded systems, 1=12902
- Dheer, P.N. The surface impedance of normal and superconducting indium at 3000 Mc/s, 1=14361
- Dhuicq, D. First-order study of an optical system consisting of four electrostatic quadrupole lenses, 1=3015
- Diambrini, G., Figuera, A.S., Rispoli, B. and Serra, A. Bremsstrahlung spectrum of the 1000 MeV electronsynchrotron at Frascati, 1=5524
- Diamond, H. Variation of permittivity with electric field in perovskite-like ferroelectrics, 1=7688
- Diamond, R. and Whittle, J.E. Instrument for the measurement of elastic hysteresis in torsion, 1=20285
- Diamond, R.M., Hollander, J.M., Horen, D.J. and Naumann, R.A. The neutron deficient iridium isotopes  $\text{Ir}^{182}$ ,  $\text{Ir}^{183}$  and  $\text{Ir}^{184}$ , 1=13752
- Dianov, E.M. See Irisova, N.A., 1=2323
- Dianov-Klokov, V.I. A logarithmic photometer for the 0.2-0.7  $\mu$  region, 1=5345
- Diaz, J.B. See Conlan, J., 1=4550
- Diáz-Bejarne, J. The Trouton-Noble experiment in the Palacios theory of relativity, 1=15617
- Dibai, É.A. The origin of cometary nebulae, 1=34
- Dibbern, U. Investigation with a photomultiplier of the electron components of single avalanches, 1=16270
- Dibeler, V.H. See Herron, J.T., 1=273
- Dibeler, V.H. See Herron, J.T., 1=17361
- Dibelius, N.R. See Mullaney, G.J., 1=8167
- Dicke, R.H. and Wittke, J.P. Introduction to quantum mechanics, 1=6779
- Dickens, P.G. and Schofield, D. Multiple vibrational relaxation in gaseous dibromomethane, 1=12280
- Dickerman, C.E., Sowa, E.S. and Okrent, D. Fast-reactor studies in treat - a status report, 1=12234
- Dickerson, R.F. See DeMastry, J.A., 1=5952
- Dickey, F.P. See Bell, E.E., 1=1842
- Dickinson, H. See Azam, M.N., 1=17851
- Dickinson, P.H.G. and Sayers, J. Ion charge-exchange reactions in oxygen afterglows, 1=277
- Dickinson, W.C. See Passell, L., 1=10896
- Dickson, C. See Loeb, M., 1=11660
- Dickson, J.G., Katz, L. and Ward, R. Compounds with the hexagonal barium titanate structure, 1=15100
- Dickstein, S. See Galun, R., 1=2725
- Di Corato, M. See Baldassarre, F., 1=16862
- di Corato, M. See Evans, D., 1=19267
- Di Corato, M. See Jones, B.D., 1=8500
- Diddens, A.N. See Allaby, J.V., 1=5725
- Diddens, A.N. See Ashmore, A., 1=3185
- Diddens, A.N. See Cocconi, G., 1=7243
- Didry, J.R. See Guy, J., 1=7485
- Didry, J.R. See Guy, J., 1=14098
- Diebel, R.N. See Perkins, R.W., 1=2033
- Diebold, R.E. See Kilner, J.R., 1=2093
- Diecksel, E. See Keck, K., 1=7055
- Dieckamp, H.M., Balent, R. and Wetch, J.R. Compact reactors for space power, 1=15580
- Diehl, H. and Flügge, S. New calculation of the binding energy of the hydrogen molecular ion, 1=4924
- Diehl, H., Flügge, S., Schröder, U., Völkel, A. and Weiguny, A. Quantum mechanical three-body problem. I. Foundations, 1=4922
- Diehl, J. See Blewitt, T.H., 1=7608
- Diehl, P. and Freeman, R. The influence of molecular shape on solvent shifts in the proton magnetic resonance spectra of polar solutes, 1=15909
- Diehl, P. and Gränacher, I. Determination of relative signs of spin coupling constants in an  $\text{AB}_2\text{X}$  nuclear magnetic resonance spectrum, 1=11122
- Diehl, P. and Pople, J.A. The analysis of complex nuclear magnetic resonance spectra. II. Some further systems with one strong coupling constant, 1=14095
- Dieke, G.H., Crosswhite, H.M. and Dunn, B. Emission spectra of the doubly and triply ionized rare earths, 1=11071
- Dieke, G.H. and Singh, S. Absorption and fluorescence spectra with magnetic properties of  $\text{ErCl}_3$ , 1=12493
- Dieke, G.H. See Carlson, E.H., 1=8984
- Dieke, G.H. See Crosswhite, H.M., 1=19974
- Dieke, G.H. See Varsanyi, F., 1=2447
- Diemer, G. Nature of an ohmic metal-semiconductor contact, 1=14496
- Dienes, G.J. See Hatcher, R.D., 1=17503
- Dienes, J.K. See Caughey, T.K., 1=17981
- Diesel, T.J. and Love, W.F. Transverse magnetoresistance of germanium in the quantum limit, 1=17698
- Diestel, H.G. Determination of the pressure sensitivity of microphones, 1=214
- Diestel, H.G. Reciprocity calibration of microphones in a diffuse sound field, 1=6941
- Diestel, H.G. Absolute determination of the response characteristic of microphones in the diffuse sound field, 1=8197
- Diestel, H.G. See Mrass, H., 1=1606
- Dietrich, I. and Honrath-Barkhausen, M. Experiments on the transport of matter in make and break contacts using radioactive isotopes, 1=18814
- Dietrich, K., Folk, R. and Mang, H.J. Binding energies of light hyperfragments, 1=19349
- Dietrich, W. Reversible and irreversible magnetization variations in thin magnetic films, 1=3904
- Dietz, K. See Höhler, G., 1=2090
- Dietz, K. See Höhler, G., 1=13470
- Dietz, L.A. Electrostatic field correction using tapered rose shims, 1=16435
- Dietz, L.A. See White, F.A., 1=9920
- Dietz, R.E., Hopfield, J.J. and Thomas, D.G. Excitons and the absorption edge of  $\text{ZnO}$ , 1=17477
- Dietz, R.E. and Selwood, P.W. Effect of chemisorbed hydrogen on the magnetization of nickel, 1=11432
- Dietz, R.E. See Pappalardo, R., 1=11380
- Dietze, H.D. and Thomas, H. Bloch- and Néel-walls in thin ferromagnetic films, 1=20093
- Dietzel, A. See Amrhein, E.M., 1=19034
- Dietzsch, O., Douglas, R.A. and Gomes, V. A search for an isomeric state in  $\text{Mn}^{54}$ , 1=13693
- Dietzsch, O., Hama, Y., Hamburger, E.W. and Zawislak, F.C. Study of the  $\text{O}^{16}(\text{d}, \text{n})\text{F}^{17}$  reaction, 1=17147
- Diffey, C.A. See Maglic, B.C., 1=12105
- Di Giacomo, C. Realization of the control of the G2 reactor, 1=2256
- Dilkov, U.V. See Gordov, A.N., 1=5381
- Dijkerman, H.A. See Dymanus, A., 1=12282
- Dijkstra, J.H. and De Vries, C. Differences in natural widths of conversion lines, 1=5873
- Dik, V.B. and Ostroborodova, V.V. Apparatus for growing very pure single germanium crystals, 1=7851
- Dik, V.B. See Pokrovskii, Ya.E., 1=7846
- Dikii, L.A. Stability of plane-parallel streams of ideal liquids, 1=2734
- di Lella, L. See Conversi, M., 1=7260
- di Lella, L. See Conversi, M., 1=7261
- di Lella, L. See Conversi, M., 1=7395
- di Lella, L. See Conversi, M., 1=8474
- Diliberto, S.P., Kyner, W.T. and Freund, R.B. The application of periodic surface theory to the study of satellite orbits, 1=6745
- Dillard, C.R. and Lawson, J.R. Infrared and Raman spectra of some tin-alkyls, 1=843
- Dillard, C.R. See May, L., 1=7471
- Dillinger, J.R. See Netzel, R.G., 1=11867



- Billon, J.F.Jr. New characteristic in the temperature dependence of ferrimagnetic resonance linewidth in some rare-earth doped yttrium iron garnets, 1=6406
- Billon, J.F.Jr. and Walker, L.R. Ferrimagnetic resonance in rare-earth doped yttrium iron garnet. II. Terbium substitution, 1=20185
- Billon, P.L.P. See Marchant, J.C., 1=8245
- Bills, R.R., Zeitz, L., Keith, D.L. and Higgins, R.A. Modification of a Cosslett-Nixon microfocus X-ray tube for use as an X-ray microanalyzer, 1=13146
- Bilworth, C. See Bridge, H.S., 1=15583
- Bilworth, C.C. See Jones, B.D., 1=8500
- DiMaggio, F.L. and Silbiger, A. Free extensional torsional vibrations of a prolate spheroidal shell, 1=2806
- DiMarzio, E.A. Statistics of orientation effects in linear polymer molecules, 1=12341
- Dimic, V. See Strnad, J., 1=15929
- Dimitrijević, Z.D. See Ajdačić, V.S., 1=13238
- Dimitrov, O. See Frois, C., 1=10236
- Dimmock, J.O. and Wheeler, R.G. Exciton structure and Zeeman effects in cadmium selenide, 1=17474
- Din Da-tsao. See Van Gan-chan., 1=2099
- Din Da-Tsao. See Van Gan-Chan, 1=16902
- Din Da-tsao. See Van Gan-chan., 1=19284
- Din, G. See Bonner, T.W., 1=8577
- Dinger, J.E. See Mastenbrook, H.J., 1=20819
- Dingle, H. A radio-astronomical test of the ballistic theory of light emission, 1=6943
- Dingle, H. Relativity and electromagnetism: An epistemological appraisal, 1=9315
- Dingle, H. The special theory of relativity, 1=11695
- Dinkelacker, A. See Meyer, E., 1=16012
- Dinklage, J.B. The effect of core current on magnetic materials, 1=6337
- Dinter, R. See Holzmüller, W., 1=106
- Dionne, J.G.G. See Wilson, B.G., 1=9785
- Diorio, A.F. See Mandelkern, L., 1=11605
- DiPrima, R.C. Some variational principles for problems in hydrodynamic and hydromagnetic stability, 1=9549
- DiPrima, R.C. Stability of nonrotationally symmetric disturbances for viscous flow between rotating cylinders, 1=10484
- Dirks, D. See Jerger, J., 1=9224
- Dishkant, D.P. Strata in electrodynamic vacuum, 1=10769
- Dishkant, H.P. Possible equation of motion of quantum particles along a trajectory, 1=12072
- Dittmar, W. and Neumann, K. Remarks on the contribution of S.J.Hruska and J.P.Hirth on growth and evaporation of potassium whiskers, 1=20446
- Divatia, A.S. See George, K.A., 1=341
- Dixon, H.D. See Ross, G.S., 1=1844
- Dixon, J.A. See Nelson, R.R., 1=2747
- Dixon, J.R. and Ellis, J.M. Optical properties of n-type indium arsenide in the fundamental absorption edge region, 1=12487
- Dixon, R.N. The absorption spectrum of the free NCO radical, 1=856
- Dixon, R.N. See Barrow, R.F., 1=6003
- Dixon, W.B. and Wilson, E.B.Jr. Microwave spectrum of methyl nitrate, 1=11096
- Dixon, W.R. and Aitken, J.H. Absolute cross section of the  $K^{3/2}(n,p)A^{39}$  reaction for 2.5-MeV neutrons, 1=8747
- Dixon, W.R. and Aitken, J.H. Pulse shape discrimination and energy response of calcium tungstate crystals, 1=19062
- Dixon, W.R. See Szilvasi, A.J.D., 1=17152
- Djurle, E. and Bäck, A. Some measurements of the effect of air turbulence on photographic images, 1=13003
- Dmitrenko, I.M. See Verkin, B.I., 1=20048
- Dmitriev, A.B. and Leven-Fisher, N.P. Apparatus for the production of inert gases at high pressures, 1=4167
- Dmitriev, A.B. and Vorob'ev, M.G. Boron trifluoride chamber with gamma-background compensation, 1=10805
- Dmitriev, I.S., Teplova, Ya.A., Nikolaev, V.S. and Fateeva, L.N. Measuring the thickness of thin celluloid films, 1=9358
- Dmitriev, I.S. See Nikolaev, V.S., 1=18779
- Dmitriev, I.S. See Nikolaev, V.S., 1=18940
- Dmitriev, V.A. See Vernov, S.N., 1=3280
- Dmitriev, V.A. See Vernov, S.N., 1=3287
- Dmitriev, V.A. See Vernov, S.N., 1=3288
- Dmitriev, V.N., Drapchinskii, L.V., Petrzhak, K.A. and Romanov, Yu.F. Energy distribution of the fragments of triple  $U^{235}$  fission, 1=3475
- Dmitrievskii, V.A. and Migachev, A.I. Dissociation of  $UF_6$  by uranium fission fragments, 1=1491
- Dmitrievsky, V.P., Kolga, V.V. and Zamolodchikov, B.I. On the particle loss at a synchrocyclotron limit radius, 1=18962
- Dmitrievsky, V.P. See Danilov, V.I., 1=344
- Dnestrovskii, Yu.N. and Kostomarov, D.P. Electromagnetic waves in a half-space filled with a plasma, 1=4729
- Dnestrovskii, Yu.N. and Kostomarov, D.P. The dispersion equation for an ordinary wave moving in a plasma perpendicular to an external magnetic field, 1=18868
- Dobo, J. See Puig, J.R., 1=20765
- Dobrego, V.P., Rogachev, A.A., Rývkin, S.M. and Yaroshetskii, I.D. Low-temperature breakdown in germanium, connected with radiation defects, 1=17852
- Dobrotin, N.A. International Cosmic-Ray Conference, 1=2108
- Dobrotin, N.A. See Grigorov, N.L., 1=5801
- Dobrovenskii, V.V. and Zherebtsova, N.D. A high-temperature resistance furnace with a graphite heater, 1=5369
- Dobrovinskaya, E.R. and Eidel'man, L.G. Influence of crystallization conditions on the distribution of thallium in single crystals of sodium iodide, 1=14976
- Dobrovol'skii, V.N. Diffusion of the excess current carriers in an anisotropic cubic crystal in the presence of a magnetic field, 1=14401
- Dobrovol'skii, V.N. Diffusion of the excess current carriers in an anisotropic cubic crystal in the presence of a magnetic field, 1=17661
- Dobrovol'skii, V.N. and Litovchenko, V.G. The calculation of bulk lifetime and surface recombination rate of current carriers, 1=6144
- Dobrovol'skii, V.M. See Lashkar'ov, V.Ye., 1=14453
- Dobrowski, T. and Young, J. The determination of the half-life of  $RaC'$ , 1=13702
- Dobrzanski, G.F. See Belyaev, L.M., 1=14632
- Dobson, P.S. and Wilman, H. The compression textures of polycrystalline materials of rocksalt type, 1=20700
- Dockrill, A.G. See Wood, D.L., 1=20508
- Dodd, C.X. and West, T.W. Spectral transmittance properties of rare-earth glasses, 1=19961
- Dodd, J.G. Kinetics of the photolysis of sodium azide, 1=20758
- Dodd, J.N. A "level crossing" experiment in mercury, 1=9908
- Dodd, J.N. The  $g_J$  value of the  $6^3P_1$  level in mercury, 1=12244
- Dodd, J.N. and Series, G.W. Theory of modulation of light in a double resonance experiment, 1=17275
- Dodge, R.P., Templeton, D.H. and Zalkin, A. Crystal structure of vanadyl bisacetyl-acetonate, geometry of vanadium in five-fold coordination, 1=11574
- Dodo, T. Formation of a plasma by low energy ion injection and cyclotron heating, 1=8333
- Dodo, T. Heating of a plasma by acoustic waves, 1=9595
- Dodo, T. Microwave attenuation by cyclotron resonance in a slightly ionized gas, 1=13087
- Dodo, T. Measurements on collision frequencies of electrons in neon gas, 1=16424
- Doell, R.R. See Cox, A., 1=5132
- Doell, R.R. See Cox, A., 1=10300
- Doering, J.P. and Mahan, B.H. Photolysis of nitrous oxide. I. 1236 Å, 1=9174
- Dogramadzi, N.N. and Zmbov, K.F. Mass spectrometric detection of free methyl radicals in methane subjected to electrical discharge, 1=1477
- Doherty, R.H. See Hefley, G., 1=6592
- Doherty, W.R. See Matthews, H., 1=11997
- Dohi, S. Recrystallization of the stretched iron single crystal plates, 1=14868
- Dohi, S. Tensile straining and deformation bands of single crystal of pure iron, 1=14902
- Dohner, A.S. and Wilson, D.J. Photochemical decomposition of nitril chloride, 1=20756
- Doi, K. The structure analysis of AuCu, by means of a fourier transformation of X-ray diffuse scatterings, 1=11567
- Doi, M. A possible mode of twin in the  $\epsilon$ -phase of Cu-Sb alloy, 1=9102
- Doich, R.V. Attenuation of [weak] magnetohydrodynamic and magnetoacoustic waves in a plasma with anisotropic conductivity and viscosity, 1=18862

- Doig, J.R. Jr. and Schwartz, C.M. Amorphous lead lacquer for X-ray diffraction, 1=9126
- Doke, T., Nakamoto, A., Takami, Y., Hattori, M. and Okano, S. Angular dependences of efficiencies for sodium-iodide crystals, 1=12036
- Doke, T. See Ogawa, I., 1=13211
- Dokoupil, Z. See Voorhoeve, W.H.M., 1=17417
- Dokuchaev, I.A. The specific  $\alpha$ -activity of  $\text{Pu}^{239}$  and  $\text{Pu}^{240}$ , 1=17014
- Dokunikhin, N.S. See Nurmukhametov, R.N., 1=10114
- Dolder, K. and Hide, R. Experiments on the passage of a shock wave through a magnetic field, 1=5549
- Dolder, K.T., Harrison, M.F.A. and Thonemann, P.C. A measurement of the ionization cross-section of helium ions by electron impact, 1=18765
- Dole, M. and Williams, T.F. Energy transfer in polyethylene and polyethylene-polybutadiene mixtures during gamma irradiation, 1=7920
- Dolecek, R.L. and Schultz, D.J. Residual resistance of copper annealed in an  $\text{O}_2$  atmosphere, 1=6124
- Dolejš, J. The influence of admixtures of elements of group II on the thermoluminescence of sodium chloride crystals activated by copper and silver, 1=20033
- Dolejš, J. and Bohun, A. Spectral composition of thermoluminescence of coloured NaCl crystals, 1=14662
- Dolejš, J. See Bohun, A., 1=4898
- Dolginov, S.Sh. and Pushkov, N.V. Magnetic field of the outer corpuscular region, 1=3306
- Dolinskii, E.I. See Akimova, M.K., 1=17134
- Dolinsky, E.I. See Akimova, M.K., 1=5929
- Dolique, J.M. Leakage — in a steady regime — of a plasma with two temperatures, confined by a magnetic field, 1=2970
- Dolique, J.M. Neutralization of a beam of ions by injection of electrons. Solutions independent of time, 1=18776
- Dolique, J.M. Neutralization of a beam of ions by injection of electrons. General time-dependent solutions, 1=18777
- Döll, G. Excitation and deterioration of the luminescence of  $\text{CaWO}_4$  and  $\text{Zn:Ag}$  by means of ions, 1=9002
- Doll, R. and Nibbauer, M. Experimental proof of magnetic flux quantization in a superconducting ring, 1=13043
- Dollfus, A. Method of observing the solar corona and jets up to a great height, 1=1645
- Dollfus, A., Marin, M. and Leroy, J.L. Observation of the solar corona before, during, and after the total eclipse of 15 February 1961, 1=15483
- Dolling, G. See Collins, M.F., 1=12351
- Doloupil, Z., Kapadnis, D.G., Sreeramamurthy, K. and Taconis, K.W. Specific heat of mixtures of  $^4\text{He}$  and  $^3\text{He}$  between  $1^\circ\text{K}$  and  $4^\circ\text{K}$ , 1=255
- Domb, C. and Sykes, M.F. Use of series expansions for the Ising model susceptibility and excluded volume problem, 1=6264
- Domb, C. and Sykes, M.F. Cluster size in random mixtures and percolation processes, 1=7512
- Dombey, N. Intermediate boson production in pion-proton collisions, 1=5761
- Dombi, J., Hevesi, J. and Horvai, R. A simple experimental method for the determination of the intensity of secondary fluorescence, 1=8127
- Dombi, J. See Budó, A., 1=8126
- Dombi, J. See Ketskemeti, L., 1=18411
- Domenicali, C.A. and Christenson, E.L. Effects of transition metal solutes on the electrical resistivity of copper and gold between  $4^\circ$  and  $1200^\circ\text{K}$ , 1=17605
- D'Omin, A.G. See Selinov, I.P., 1=17010
- Domingo, V. See Catalá, J., 1=7407
- Domingo, V. See Catalá, J., 1=19542
- Domingo, V. See Catalá, J., 1=19543
- Domingo, V. See Catalá, J., 1=19554
- Domokos, G. On the stability of a solution of a phenomenological optical model, 1=4822
- Domokos, G. Proposal for the determination of the mesonic mean square radius of nucleons from "knock-on" pion production, 1=8452
- Domokos, G. On the high energy behaviour of the pion-nucleon elastic scattering amplitude, 1=13483
- Domokos, G. and Sebestyen, A. Optical model analysis of negative pion-proton elastic scattering between 1.4 and 6.8 GeV, 1=523
- Domoryad, I.A. See Starodubtsev, S.V., 1=14849
- Domoryad, I.A. See Starodubtsev, S.V., 1=20306
- Donahue, D.J. Angular distribution of 2.6 MeV gamma rays from the reaction  $\text{Pb}^{208}(n, n'\gamma)\text{Pb}^{208}$ , 1=17127
- Donahue, D.J., Bennett, R.A. and Lanning, D.D. The absorption cross section of copper for thermal neutrons, 1=13820
- Donahue, D.J. See Welsh, R.E., 1=2207
- Donahue, T.M. and Hushfar, F. Formation of negative ions in a gas by charge transfer from a fast atomic hydrogen beam, 1=16277
- Donahue, T.M. See Blamont, J.E., 1=10319
- Donahue, T.M. See Blamont, J.E., 1=21016
- Donald, D.K. Thermal behavior in vacuum zone refining, 1=10613
- Donaldson, I.G. Temperatures under steadily heated floors, 1=19623
- Donaldson, J.D. See Barclay, A., 1=11552
- Donath, W.E. Atomic wave functions for the ground states of  $\text{Na}^+$ ,  $\text{Ne}$ , and  $\text{F}^-$ , 1=13930
- Doniach, S. Catalytic magnetization of atomic hydrogen, 1=13970
- Donn, B. On ion clusters in the interstellar gas, 1=13
- Donnadieu, A. See Savornin, J., 1=11258
- Donnadieu, G.A. Study of the thermal exchanges between the fluid and the solid particles in fluidized media, 1=2899
- Donnadieu, G.A. Study of the circulation of particles in a fluidized bed, 1=15835
- Donnay, G. See Donnay, J.D.H., 1=7860
- Donnay, G. See Donnay, J.D.H., 1=11571
- Donnay, G. See Donnay, J.D.H., 1=20400
- Donnay, J.D.H. and Donnay, G. "Packing relations" and crystalline structure, 1=7860
- Donnay, J.D.H. and Donnay, G. Outline of a crystal structure by morphological analysis, 1=11571
- Donnay, J.D.H. and Donnay, G. Replacement by points [punctualisation] of charges in crystal structures of ionic type, 1=20400
- Donoghue, T.R. See Darden, S.E., 1=5911
- Donohue, J., Caron, A. and Goldish, E. The crystal and molecular structure of  $\text{S}_8$  (sulfur-6), 1=20531
- Donohue, J. and Heilbronner, E. On the treatment of ill-conditioning, 1=20506
- Donovan, B. Note on the treatment of impurity scattering in optical absorption in semiconductors, 1=3826
- Donovan, B. and Webster, J. The Faraday effect in non-degenerate semiconductors, 1=12431
- Donovan, J.W. and Duncan, A.B.F. Mean lifetime of the lowest excited singlet state of benzene, 1=17330
- Donovan, P. See Alburger, D.E., 1=9830
- Donovan, P.F., Alburger, D.E. and Wilkinson, D.H. Conservation of spin and parity in the alpha decay of  $\text{O}^{16}$ , 1=19387
- Donovan, P.F., Kane, J.V., Pixley, R.E. and Wilkinson, D.H. States of  $\text{Be}^{11}$ ,  $\text{B}^{11}$ , and  $\text{C}^{11}$ , 1=10964
- Donovan, P.F. See Miller, G.L., 1=3082
- Donovan, P.F. See Miller, G.L., 1=3088
- Donth, E. Temperature behaviour of boiling liquids in Dewar flasks, 1=16144
- Doran, G.A. Ionization gauge power supply for use in a pulsed magnetic field, 1=15980
- Doran, G.A., Finlay, E.A., Shaylor, H.R. and Winn, M.M. Extraction of protons from the Birmingham 1000 MeV synchrotron, 1=1945
- Dorcioman, D. See Cojocaru, V., 1=7383
- Dorda, G. Changes in surface recombination caused by sorption of water molecules, 1=14398
- Dorda, G. Influence of relative humidity on surface conductivity of germanium, 1=14431
- Dordević, M. See Juric, M., 1=13451
- Dordević, M.M. See Raišić, N.M., 1=13903
- Doré, R. Some problems arising from the evacuation of a cascade for isotope separation by gas diffusion, 1=3525
- Doremus, R.H. Pre-exponential factor of temperature in the diffusion equation, 1=11782
- Dorfman, A.Sh. Calculation of a laval nozzle, 1=8101
- Dorfman, L.M. See Sauer, M.C.Jr., 1=12681
- Dorfman, Ya.G. Chemical shifts in nuclear magnetic resonance in the light of new investigations of magnetic properties, 1=877
- Dorfman, Ya.G. Life and physical discoveries of Torricelli, 1=1669
- Dorikens, M. See van Camp, K., 1=9710
- Dorikens-Vanpraet, L. See van Camp, K., 1=9710



- orin, V.A. and Filaretova, G.M. Growth of a lead selenide layer, 1=10230
- orman, F.H. and Morrison, J.D. Determination of relative electronic transition probabilities by impact methods, 1=6029
- orman, F.H. and Morrison, J.D. Ionization potentials of multiply charged krypton, xenon, and mercury, 1=7023
- orman, F.H. and Morrison, J.D. Double and triple ionization in molecules induced by electron impact, 1=11906
- orman, L.I. Intensity variations of cosmic rays, 1=2146
- orman, L.I. On the character of cosmic-ray intensity variations during magnetic storms, 1=2149
- orman, L.I. On the question of a unified procedure for introducing corrections for meteorological effects into data obtained by means of meson telescopes and ionization chambers, 1=3333
- orman, L.I. On the theory of second order meteorological effects of cosmic radiation, 1=3338
- orman, L.I. On the energy spectrum and duration, on earth, of a cosmic ray intensity increase caused by a shock wave and albedo from the front magnetised face of a corpuscular stream, 1=3343
- orman, L.I. On the theory of the modulation of cosmic rays by the solar wind, 1=3358
- orman, L.I. On the initial stage of charged-particle acceleration, 1=7307
- orman, L.I. See Blokh, Y.L., 1=19308
- orman, L.I. See Blokh, Ya.L., 1=3345
- orman, L.I. See Blokh, Ya.L., 1=3346
- orman, L.I. See Blokh, Ya.L., 1=3347
- ormann, J.L. Calculation of the propagation coefficients of modes propagating in a rectangular guide loaded with a thin ferrite plate magnetized transversely, 1=13178
- ormann, J.L. Calculation and measurement of the attenuation due to thin magnetized ferrite plate placed in a rectangular guide at 3.7G c/s, 1=13179
- orn, D.W. Predictions of spontaneous fission half-lives for heavy nuclei, 1=4880
- ornberger-Schiff, K. and Grell-Niemann, H. On the theory of order-disorder (OD) structures, 1=20483
- örnenburg, E. and Hintenberger, H. Darkening of photographic plates by various heavy carbon molecular ions, 1=19077
- orofeev, G.A. See Karamyan, A.S., 1=17155
- orokhov, V.V. See Demirkhanov, R.A., 1=19611
- orokhov, V.V. See Demirkhanov, R.A., 1=19612
- orozhkin, A.A. See Petrov, N.N., 1=16391
- Örr, F. See Kern, J., 1=11099
- Orum, O. See Andersen, S.L., 1=5915
- osse, J. Present position of development and application of transistors, 1=2417
- ostrovsky, I., Fraenkel, Z. and Hudis, J. Formation of  $N^{13}$  in high-energy nuclear reactions, 1=12198
- ote, T. See Ichimiya, T., 1=11648
- otsenko, B.B. On the collective excitations in superfluid nuclear matter, 1=8536
- otsenko, B.B. The theory of the superfluid state of a system of Fermi-particles with isotopic spin. I, 1=13611
- oty, W.R. and Ryason, P.R. Greaseless vacuum valve useful in kinetic studies, 1=6915
- ougherty, J.P. The anisotropy of turbulence at the meteor level, 1=20960
- ougherty, J.P. On the influence of horizontal motion of the neutral air on the diffusion equation of the F-region, 1=20988
- ougherty, J.P. See Farley, D.T., 1=16314
- ougherty, D.C. and Mossman, P. Vibrating reed magnetometer, 1=352
- ougherty, D.C. and White, E.A.D. Imperfections in yttrium iron garnet crystals, 1=14986
- ouglas, A.C. See Macdonald, N., 1=9813
- ouglas, A.E. and Hollas, J.M. The 1600 Å band system of ammonia, 1=8845
- ouglas, A.E. See Milton, E.R.V., 1=17111
- ouglas, R.A. See Dietzsch, O., 1=13693
- ouglas, T.B. See Victor, A.C., 1=14182
- ouglass, D.C. Self-diffusion and velocity correlations, 1=10453
- ouglass, D.C., McCall, D.W. and Anderson, E.W. Self-diffusion of nearly spherical molecules. Neopentane tetramethyl silane, 1=4330
- ouglass, D.C. See McCall, D.W., 1=4331
- Douglass, D.C. See McCall, D.W., 1=15855
- Douglass, D.H.Jr. Magnetic field dependence of the superconducting energy gap, 1=8282
- Douglass, D.H., Jr. Direct experimental measurement of the magnetic field dependence of the superconducting energy gap of aluminum, 1=11888
- Douglass, D.H.Jr. Magnetic field dependence of the superconducting penetration depth in thin specimens, 1=18704
- Douglass, D.H.Jr. and Strandberg, M.W.P. Antiferromagnetic resonance in manganous chloride, 1=9051
- Douglass, R.L. Spin-wave spectrum of yttrium iron garnet, 1=1250
- Doulat, J. See Quére, Y., 1=10022
- Dourgnon, J. Mutual reflections between diffusing surfaces, 1=5337
- Dourgnon, J. The geometry of radiation, 1=12963
- Douslin, D.R., Harrison, R.H., Moore, R.T. and McCullough, J.P. Tetrafluoromethane: P-V-T and intermolecular
- Dousmanis, G.C. Fast-risetime excitation scheme to achieve nonequilibrium and amplifying carrier distributions, 1=14221
- Dousmanis, G.C. Inverted nature and significance of negative-mass Landau levels, 1=19736
- Douthett, D. and Friedberg, S.A. Effects of a magnetic field on heat conduction in some ferrimagnetic crystals, 1=4972
- Douthett, D.D., Kaufman, I. and Risley, A.S. Microwave harmonic generation by ferrimagnetic crystals, 1=14751
- Dove, R.B. See Ambler, E., 1=10633
- Dovzenko, O.I., Nikolsky, S.I. and Rakobolskaja, I.V. Study of the electron-photon component of extensive air showers near the shower axis, 1=2129
- Dovzenko, O.I., Zatsepin, G.T., Murzina, E.A., Nikolsky, S.I. and Iakovlev, V.I. On the energy spectrum of nuclear-active particles from cosmic rays at an altitude of 3860 m and the associated extensive air showers, 1=3290
- Dovzhenko, O.I. Calculation of the transition effect at various distances from the electron-photon shower axis, 1=16937
- Dovzhenko, O.I. See Emel'yanov, A.A., 1=3367
- Dow, W.G. See Miller, M.H., 1=3012
- Dowden, R.L. Simultaneous observations of v.l.f. noise ("hiss") at Hobart and Macquarie Island, 1=20853
- Dowden, R.L. A theoretical model of electron density distribution along a geomagnetic line of force in the exosphere, 1=21079
- Dowell, J.D., Frisken, W.R., Martelli, G. and Musgrave, B. The propane bubble chamber used with the Birmingham proton synchrotron, 1=408
- Dowell, J.D., Frisken, W.R., Martelli, G., Musgrave, B., van der Raay, H.B. and Rubinstein, R. Proton-proton differential cross section at 1 GeV, 1=5724
- Dowell, J.D. See Martelli, G., 1=16770
- Dowell, L.G. and Rinfret, A.P. Low-temperature forms of ice as studied by X-ray diffraction, 1=6518
- Dowker, J.S. Application of the Chew and low extrapolation procedure to  $K^- + d \rightarrow Y + n + \pi$  absorption reactions, 1=12114
- Dowker, J.S. See Bonnevey, G., 1=19113
- Dowling, J.M. Centrifugal distortion in planar molecules, 1=13995
- Dowling, J.M. See Gilbert, R.L., 1=14008
- Dowling, J.M. See Norris, T.P., 1=17327
- Downes, J.G., Mackay, B.H., Bellamy, L.G. and Burgmann, V.D. Direct-reading balances for percentage moisture content, 1=21154
- Downing, M. See Gill, S.J., 1=3034
- Dows, D.A. Infrared spectra of crystalline  $CD_3Cl$  and  $CD_3Br$ , 1=2445
- Dows, D.A. Intermolecular coupling of vibrations in molecular crystals. II. Intermolecular forces in  $CH_3Cl$  and  $CD_3Cl$ , 1=11155
- Dows, D.A. and Bottger, G. Infrared spectrum of crystalline boron trichloride, 1=7713
- Dows, D.A. See Hollenberg, J.L., 1=7716
- Dows, D.A. See Schatz, P.N., 1=4343
- Doyle, G.J. Self-nucleation in the sulfuric acid-water system, 1=20771
- Doyle, P.H. See Neufeld, J., 1=2965

## AUTHOR INDEX

- Doyle, W.D., Rudisill, J.E. and Shtrikman, S. Angular dependence of torque in anisotropic permalloy films, 1=14723
- Doyle, W.P. Optical absorption of some oxides in the Schumann ultra-violet region, 1=17893
- Doyle, W.P. See Conlon, D.C., 1=12498
- Doyle, W.T. and Williams, W.L. Resolved isotropic hyperfine structure of the electron paramagnetic resonance absorption of F-centers in NaH, 1=11239
- Draben, R. Fluorescence yield of eosin solutions in collodion and in glucose, 1=1179
- Drachev, L.A. Measurement of the variation of the phase path of a signal reflected from the ionosphere, 1=4733
- Drachman, R.J. Extension of the variational method for hard-sphere bosons, 1=2717
- Dracott, E.D. A method of measuring the potential distribution in a cylindrical r.f. cavity containing plasma, 1=5472
- Drăgănescu, M. The general condition for the abrupt increase of the inverse current of a p-n junction in the Zener region, 1=14489
- Drăgănescu, V. See Agirbiceanu, I., 1=5982
- Draganesku, V. Determination of the nuclear magnetic moment of  $\text{Na}^{23}$  from the hyperfine structure of the absorption lines  $D_1$  and  $D_2$ , 1=19343
- Draganesku, V. See Agarbichanu, I.I., 1=19342
- Drago, A. See Bertanza, L., 1=5765
- Drago, F., Noci, G. and Rigutti, M. Notes on a new method for setting up telescopes on an equatorial mounting, 1=18584
- Dragomirescu, D. See Cojocaru, V., 1=7383
- Dragon, R. See Wesołowski, J., 1=14658
- Dragt, A.J. Effect of hydromagnetic waves on the lifetime of Van Allen radiation protons, 1=21069
- Drahokoupil, J. See Bubáková, R., 1=9134
- Drahokoupil, J. See Bubáková, R., 1=15030
- Drahokoupil, J. See Bubáková, R., 1=15069
- Drain, L.E. Nuclear magnetic resonance in vanadium alloys, 1=10194
- Drain, L.E. Nuclear magnetic resonance and its application to the testing of materials, 1=10199
- Drake, C.W., Bonar, D.C., Headrick, R.D. and Hughes, V.W. Production and detection of an accelerated beam of completely polarised deuterons, 1=13524
- Drake, D.G. Rayleigh's problem in magnetohydrodynamics for a non-perfect conductor, 1=18509
- Drake, F.D. Radio emission from the planet, 1=12779
- Drake, F.D. Project ozma, 1=12781
- Drake, F.D. The nature of the radio source Cygnus-X, 1=18181
- Drake, F.D. Neutral hydrogen in galactic clusters, 1=18195
- Dransfeld, K. See Challis, L.J., 1=13034
- Drapchinskii, L.V. See Dmitriev, V.N., 1=3475
- Draper, J.E. and Fleischer, A.A. Investigations of the reaction  $\text{C}^{13}(\text{n}, \gamma \gamma') \text{C}^{13}$ , 1=8746
- Draper, J.E. and Fleischer, A.A. Apparatus and analysis for sum-coincidence  $(\text{n}, \gamma)$  spectrometer, 1=16740
- Draper, J.E. and Hickox, R.L. Thermal and resonance neutron-capture gamma-rays from  $\text{Nd}^{144}$  and  $\text{Nd}^{146}$ , 1=2224
- Draper, J.E. See Bostrom, C.O., 1=13380
- Dravnieks, F. See Reitz, D.C., 1=7466
- Dravnieks, F. See Reitz, D.C., 1=12306
- Drawin, H.W. Representation by formula of the ionization cross-section for electron impact, 1=18759
- Drechsel, W. The increase of meridian magneto-optical Kerr rotations by evaporated layers, 1=19958
- Drechsel, W. Arrangement for the photographic recording of Weiss domains using exposure times of the order of 1 msec, 1=20094
- Drechsler, W. and Gräff, G. Determination of the molecular properties of  $\text{Ti}^{200} \text{F}^{19}$  from combined Stark-Zeeman effect measurements using the molecular beam method, 1=12293
- Dreeskamp, H., Ghosh, A.K. and Burton, M. Measurement of nanosecond scintillation decay times, 1=8227
- Dreeskamp, H. See Burton, M., 1=5279
- Dreitlein, J. and Kessemeier, H. Theory of resonance absorption of energy by a rotating solid, 1=11493
- Dreitlein, J. and Primakoff, H. Radiative decay of the neutral K meson:  $\text{K}^0 \rightarrow \gamma + \gamma$ , 1=16878
- Dreizler, H. Group theory treatment of the microwave spectrum of molecules with hindered rotation of two methyl groups, with different carbon isotopes 1=17314
- Dreizler, H., Maier, W. and Rudolph, H.D. A microwave spectrograph with backward-wave oscillators as radiation sources. Microwave spectrum, structure and hindered internal rotation of dimethyl sulfide, 1=9691
- Dreizler, H. and Rudolph, H.D. A special Stark-effect of a K-doublet in the microwave spectrum of methanol, 1=3539
- Drell, S.D. Pion parameters from high-energy inelastic interactions, 1=439
- Drell, S.D. Peripheral contributions to high-energy interaction processes, 1=16684
- Drell, S.D. and Hida, K. Quasi-elastic peak in high-energy nucleon-nucleon scattering, 1=16774
- Drell, S.D. and Walecka, J.D. Quenching of magnetic moments in nuclei, 1=596
- Dremin, I.M. The analytic properties of the total  $\pi$ -N interaction cross-section as a function of virtuality, 1=19250
- Dremin, I.M. and Chernavskii, D.S. Nucleon-nucleon interactions at an energy of  $E \approx 10^{11}$  eV, 1=19184
- Dremin, I.M. See Gramenitskii, I.M., 1=19183
- Dremin, I.M. See Gramenitskii, I.M., 1=19245
- Dresden, M. Recent developments in the quantum theory of transport and galvanomagnetic phenomena, 1=15741
- Dresner, J. Quenching effects and negative photoconductivity in amorphous selenium, 1=19909
- Dresner, L. The influence of the geometric symmetries of a heterogeneous reactor on the flux distribution, 1=764
- Dresner, L. Comparison theorems for the estimation of average collision probabilities. II, 1=13432
- Dresner, L. On the validity of the second fundamental theorem in a medium with anisotropic scattering, 1=17192
- Dresner, L. Isoperimetric and other inequalities in the theory of neutron transport, 1=19206
- Dresselhaus, G. and Dresselhaus, M.S. R.F. Hall effect in a superconductor, 1=260
- Dresselhaus, M.S. See Brown, R.N., 1=17488
- Dresselhaus, M.S. See Dresselhaus, G., 1=260
- Dressler, K. Ultraviolet absorption spectrum of ammonia in solid argon at 4.2°K, 1=11100
- Dressler, K. See Milligan, D.E., 1=6010
- Drever, R.W.P. Upper limit to anisotropy of inertial mass from nuclear resonance, 1=4245
- Drever, R.W.P. A search for anisotropy of inertial mass using a full precession technique, 1=12795
- Drevinsky, P.J. See Martell, E.A., 1=1520
- Drewes, G.W.J. See Palma-Vittorelli, M.B., 1=7775
- Drewes, G.W.J. See Verstelle, J.C., 1=7793
- Dreyer, K. and Mark, J.T. The ultra-high-vacuum system for the C-stellarator, 1=4619
- Dreyfus, B., Goodman, B.B., Trolliet, G. and Weil, L. The specific heat hyperfine structure of samarium, 1=9977
- Dreyfus, B., Goodman, B.B., Trolliet, G. and Weil, L. The specific heat of dysprosium between 0.5° and 4°K, 1=19712
- Dreyfus, B., Verdone-Thullier, J. and Veyssie-Counillon, M. Absorption spectra near 0.65  $\mu$  of erbium ferrite with garnet structure, 1=10100
- Dreyfus, R.W. Dielectric relaxation due to impurity-vacancy complexes in NaCl crystals, 1=6189
- Drickamer, H.G. Revised calibration for high pressure optical bomb, 1=5348
- Drickamer, H.G. See Balchan, A.S., 1=8288
- Drickamer, H.G. See Balchan, A.S., 1=10050
- Drickamer, H.G. See Balchan, A.S., 1=11364
- Drickamer, H.G. See Balchan, A.S., 1=11367
- Drickamer, H.G. See Bentley, W.H., 1=11369
- Drickamer, H.G. See Edwards, A.L., 1=8986
- Drickamer, H.G. See Eppler, R.A., 1=19984
- Drickamer, H.G. See Gregg, D.W., 1=20019
- Drickamer, H.G. See Keating, K.B., 1=3832
- Drickamer, H.G. See Keating, K.B., 1=3834
- Drickamer, H.G. See Minomura, S., 1=4955
- Drickamer, H.G. See Minomura, S., 1=14589
- Drickamer, H.G. See Riggelman, B.M., 1=17889
- Drickamer, H.G. See Stephens, D.R., 1=6206
- Drickamer, H.G. See Stephens, D.R., 1=12490
- Drickamer, H.G. See Stephens, D.R., 1=12491
- Drickamer, H.G. See Stephens, D.R., 1=12492
- Drickamer, H.G. See Zahner, J.C., 1=3833



- rickamer, H.G. See Zahner, J.C., 1=11089  
 rickamer, H.G. See Zahner, J.C., 1=17888  
 riscoll, W.J. See Scott, B.J., 1=20768  
 risiko, R.M. See Bassel, R.H., 1=8780  
 risiko, R.M. See Halbert, E.C., 1=19430  
 rits, V.A., Kashaev, A.A. An X-ray study of a single crystal of kaolinite, 1=10265  
 rokin, A.I., Dylgerov, V.D. and Zolotareva, Yu.M. Dynamics of powder figures in mono-crystalline magnesium-manganese ferrites, 1=17877  
 rokin, A.I. See Kirenskii, L.V., 1=10148  
 ropesky, B.J. See Orth, C.J., 1=8639  
 ropkin, J.J. See Ullman, F.G., 1=8182  
 rouard, E. Study of the hydroxyls in crystalline strontium hydroxide octahydrate by Raman scattering and infrared absorption, 1=7717  
 rougard, M.E. See Schlosser, H., 1=10076  
 rouin, J.R.S. and Yaffe, L. Determination of the disintegration rate of nuclides decaying by electron capture, 1=7353  
 rowart, J. See Ackerman, M., 1=3573  
 roz-Vincent, P. Harmonic approximation and quantization of the Rosen metric, 1=2691  
 roz-Vincent, P. Methods for quantization of the gravitational field, 1=6766  
 roz-Vincent, P. The equations of variational unified field (theory), 1=15661  
 rozdov, S.I. and Zaretskii, D.F. Pair correlation effects near closed shells, 1=13608  
 rozdov, S.I., Zaretskii, D.F. and Migdal, A.B. Effects of pair correlation near closed shells, 1=8599  
 rozdov, S.I. See Grin', Yu.T., 1=8551  
 rozzhzhina, V.I., Zatselin, N.N., Ponomarev, Yu.F., Fridman, L.A., Shturkin, D.A. and Yanus, R.I. On the theory of ferro-probes with longitudinal symmetrical saturating excitation, 1=16479  
 ruin, V.A., Mikheev, V.L. and Skobelev, N.K. Spontaneous fission of  $\text{Am}^{241}$ , 1=19540  
 ruin, V.A., Pereygin, V.P. and Khlebnikov, G.I. Spontaneous fission periods of  $\text{Np}^{237}$ ,  $\text{Pu}^{238}$  and  $\text{Pu}^{242}$ , 1=19541  
 rymond, J.E., Gerwin, R.A. and Springer, B.G. The concept of conductivity, 1=9557  
 rymond, W.E. Cyclotron radiation from a hot plasma, 1=9573  
 rymond, W.E. and Rosenbluth, M.N. Comments on synchrotron radiation, 1=11938  
 rury, J.S. See Garretson, H.H., 1=10291  
 rury, J.S. See Palko, A.A., 1=11611  
 ruyvesteyn, M.J. The rate of attainment of equilibrium in the cooling of alloys, 1=9152  
 ruyvesteyn, M.J., Schannen, O.F.Z. and Swaving, E.C.J. Influence of cold work on the rigidity of copper, 1=1335  
 ryden, J.S. See Cook, J.S., 1=1128  
 rubin, M. Meteoritic dust measured from Explorer I, 1=6706  
 rubin, M. Remarks on the article by A.R.Hibbs, "The distribution of micrometeorites near the earth", 1=18062  
 rubinin, V.G. A paramagnetic-resonance study of the effect of a flux on the state of an activator in a phosphor, 1=14636  
 rubinin, V.G. and Trapeznikova, Z.A. An electron spin resonance study of the activator-valence change on excitation of the  $\text{SrS:Eu:Sm}$  phosphor, 1=3857  
 rubinin, V.G. and Trapeznikova, Z.A. An electron spin resonance study of  $\text{SrS:Eu}$  phosphors, 1=3858  
 rubinskaya, N. and Ulmanis, U. Passage of  $\gamma$ -rays through a collimator, 1=3155  
 rubinskaya, N. and Ulmanis, U. Spectral distribution of scattered gamma-radiation, 1=5701  
 ruboc, J., Banaigs, J. and Detoeuf, J.F. Construction and test of a compressed-gas Cherenkov counter. Study of the contamination of a beam [of mesons], 1=13226  
 rubois, C. See Avan, L., 1=1998  
 rubois, J. Virtual levels in the vanadium isotopes from proton bombardment of the titanium isotopes, 1=5844  
 rubois, M., Berge, P. and Blanc, G. The effects of neutron irradiation at low temperatures on the electrical conductivity of  $\text{LiF}$ , 1=10020  
 rubout, P. Observations of persistence of post-stimulus masking, 1=1610  
 rubovoi, L.V., Shvets, O.M. and Ovchinnikov, S.S. Ion cyclotron resonance in dense plasmas, 1=16351  
 rubovoi, L.V. See Glasov, O.A., 1=5486  
 rubovoi, L.V. See Glasov, O.A., 1=11658  
 rubovskii, B.G. and Lantsov, M.N. Organic compounds as moderators in nuclear reactors, 1=17245  
 rubrovin, M.M. See Babayan, C.P., 1=3271  
 Duchaux, A.M. See Raoult, G., 1=14794  
 Duchesne, J., Depireux, J., Bertinchamps, A., Cornet, N. and van der Kaa, J.M. Thermal and electrical properties of nucleic acids and proteins, 1=6129  
 Duchesne, J. See Depireux, J., 1=20277  
 Duchesne, J. See Van de Vorst, A., 1=9952  
 Duchesne, M. A new technique in the use of the electronic camera, 1=17990  
 Duchesne, M., Gallouet, L. and Guinot, B. Measurement of the radial velocity of Venus by electronic photography, 1=18041  
 Duchesne, M. See Lallemand, A., 1=2591  
 Duck, I. See Christy, R.F., 1=8682  
 Duckworth, H.E. The new unit of atomic mass, 1=8035  
 Duclaux, J. Corresponding states of gases, 1=9417  
 Duclos, D.P. and Cambel, A.B. The effective ionization potential of atoms in the interior of a plasma, 1=18829  
 Duclos, J. Construction of a chronotron for measurement of flight time of fast neutrons, 1=7011  
 Duclos, J. and Fleury, J. Calibration of a chronotron with the aid of a Rosenblum pulse generator, 1=2927  
 Duclos, J., Van Zurk, R., André, S. and Fleury, J. The measurement of short time intervals, 1=18740  
 Ducros, G. See Sarazin, A., 1=5410  
 Ducros, P. and Pare, X. The nuclear magnetic resonance of protons in the water in zeolites, 1=11768  
 Dudek, B. See Bouchez, R., 1=13796  
 Dudkin, L.D. and Valdanich, V.I. Chemical bond type and electrical conductivity of compounds with  $\text{FeS}_4$ -type structure, 1=3769  
 Dueño, B. Measurement of ionospheric drift by radiostar observations, 1=20925  
 Dufay, J., Dufay, M. and Nguyen Huu-Doan. Fluctuations of intensity of the lines  $\text{H}\alpha$  and  $[\text{N II}]$  6583 Å in the spectrum of the night sky, 1=21028  
 Dufay, M. See Dufay, J., 1=21028  
 Duff, G.F.D. The Cauchy problem for elastic waves in an anisotropic medium, 1=2810  
 Duff, R.E. Investigation of spinning detonation and detonation stability, 1=18457  
 Duff, R.E. and Young, J.L.III. Shock-wave curvature at low initial pressure, 1=10536  
 Duff, R.E. See Rink, J.P., 1=10295  
 Duffey, G.H. See Canon, J.R., 1=19648  
 Duffey, G.H. See Macek, J.H., 1=4946  
 Duffey, G.H. See Wilson, R.L., 1=12299  
 Duffieux, P.M. The photon as wave or particle, 1=1804  
 Duffieux, P.M. Spectral analysis. Types of integrals and convolutions, 1=18553  
 Duffus, H.J. A connexion between  $P_\gamma$  and the F region, 1=4128  
 Duflo, J. Details of the construction of scintillation chambers, 1=7182  
 Duflo, J. Complementary note on scintillation chambers, 1=10807  
 Duflot-Augarde, R. The measurement of radial speeds of galaxies with the electron camera, 1=15521  
 Dufour, J., Courdin, M. and Trotin, J. Photoproduction of pions on kaons, 1=525  
 Duga, J.J. See Maringer, R.E., 1=14859  
 Dugdale, J.S. Electrical resistivity at low temperatures, 1=19824  
 Dugdale, J.S., Gagan, D. and Okumura, K. The electrical resistivity of lithium-6, 1=17608  
 Dugdale, R.A. See Maskrey, J.T., 1=16293  
 Duggal, S.P., Nagashima, K. and Pomerantz, M.A. Rigidity dependence of solar diurnal variation of cosmic ray intensity, 1=6947  
 Duggal, S.P. See Pomerantz, M.A., 1=9794  
 Duggal, S.P. See Sarabhai, V., 1=3351  
 Duggal, V.P., Raghavendra Rao, K., Thapar, C.L. and Singh, V. Anomalous reflections in a single-crystal neutron spectrometer, 1=19215  
 Dugre, D.H. See Büchler, A., 1=11790  
 Duijvestijn, A.J.W. and Boonstra, B.P.A. Numerical evaluation of functions occurring in a study of domain configuration in thin layers of  $\text{BaFe}_{10}\text{O}_{19}$ , 1=14714  
 Duimio, F. and Wolters, G. Investigation of the possibility of a  $\pi$ -A resonance in the case of different parities of  $\Lambda$  and  $\Sigma$ , 1=8495

- Duke, P.J. Observations on the helium nuclei of the cosmic radiation, 1=3314
- Dukova, E.D. Observations on the variation in form of the steps on a crystal surface as a function of supersaturation, 1=14977
- Dukova, E.D. Problem of spiral-layer evaporation in crystals, 1=19798
- Dukova, E.D. See Chernov, A.A., 1=14974
- Dukova, E.D. See Lemmlein, G.G., 1=14975
- Dukure, R. See Branover, G., 1=7137
- Dulaney, E.N. and Brace, W.F. Velocity behavior of a growing crack, 1=1345
- Dul'kova, L.S. Polarization of deuterons elastically scattered on helium, 1=19290
- Dullemond, C. and de Swart, J.J. Bremsstrahlung in p-p collisions at an energy of 150 MeV, 1=7242
- Dulnev, G.N. The theory of thermal regular regime and its application to the determination of thermal characteristics, 1=18648
- Dumas, J.C., Mabboux, C. and Moch, R. On a velocity discriminator, which uses the Cherenkov effect, 1=7174
- Dumitrescu, R. See Martalogu, N., 1=5412
- DuMond, J.W.M. Present sources of precise information on the universal physical constants, 1=1674
- DuMond, J.W.M. Absence of dispersive properties of space for electromagnetic radiation tested to  $\pm 14 \times 10^{-8}$ ; comments on a proposal of Softky and Squire, 1=16574
- Dumond, J.W.M. and Everitt, J. A circular-arc-shaped slit with fixed center and continuously adjustable radius for the analysis of circularly symmetric low-angle X-ray diffraction patterns, 1=1391
- Dumond, J.W.M. See Edwards, W.F., 1=16738
- DuMond, J.W.M. See Merrill, J.J., 1=8819
- DuMond, J.W.M. See Merrill, J.J., 1=14615
- Dumont, R. Description of a mirror system with 120° of field, for the photographic photometry of extended celestial sources, 1=5122
- Dumont, R. and Rousseau, M. Photoelectric photometry of the solar corona during the eclipse of 15 February 1961, 1=12751
- Dumont, S. Notes on the approximations of Eddington, 1=15398
- Dumoulin, E. See Michels, A., 1=18673
- Dunaeva, S.M. See Boyarskaya, Yu.S., 1=4001
- Dunaitzev, A.F., Prokoshkin, Yu.D. and Tang Syao-Wei.  $\pi^-$  star detector, 1=5773
- Dunavant, B.G. and Christian, J.E. A large-volume  $4\pi$  liquid scintillation detector, 1=13218
- Duncan, A.B.F. See Donovan, J.W., 1=17330
- Duncan, A.B.F. See La Paglia, S.R., 1=3548
- Duncan, A.B.F. See La Paglia, S.R., 1=6024
- Duncan, A.B.F. See La Paglia, S.R., 1=8846
- Duncan, J.F. and Sitharama Rao, D.N. Photoconduction in cadmium sulphide, 1=14502
- Duncan, R.A. Polarization of the red oxygen auroral line, 1=6638
- Duncan, R.A. Photometric observations of 5577 Å and 6300 Å airglow during the I.G.Y., 1=9201
- Duncan, R.A. The cause of magnetic storms and bays, 1=15347
- Duncan, R.A. Some studies of geomagnetic micro-pulsations, 1=21090
- Duncan, R.H. See Ferguson, T.R., 1=10659
- Duncanson, L.A. See Chatt, J., 1=869
- Dundas, P.H. High temperature induction furnaces, 1=18669
- Dundas, P.H. See Blackman, L.C.F., 1=16163
- Dunell, B.A. See Shaw, D.J., 1=20265
- Dunford, H.B. See Milton, E.R.V., 1=4093
- Dunford, H.B. See Milton, E.R.V., 1=17311
- Dungey, J.W. Interplanetary magnetic field and the auroral zones, 1=6635
- Dungey, J.W. The steady state of the Chapman-Ferraro problem in two dimensions, 1=16538
- Dunina, A.A. See Shamovskii, L.M., 1=994
- Dunkel, D. The use of ion-exchange methods for the extraction of radioactive fission products from fall-out, 1=13677
- Dunlap, J.L. The Oak Ridge thermonuclear program—recent advances on the DCX, 1=4887
- Dunlap, J.L. See Barnett, C.F., 1=16349
- Dunlap, P.M. and Wilkinson, J.D. Retention of carbon dioxide bubbles on calcite etch-peaks, 1=12618
- Dunn, B. See Dieke, G.H., 1=11071
- Dunn, B.J. See Braddock, J.V., 1=13454
- Dunn, B.J. See McDonald, D.F., 1=2765
- Dunn, C.G. See Walter, J.L., 1=1424
- Dunn, C.G. See Walter, J.L., 1=3661
- Dunn, D.A. and Holaday, R.E. Electron trajectories in a nonuniform axially symmetric magnetic field, 1=11974
- Dunn, G.B. See Meleka, A.H., 1=20360
- Dunn, J.R. and Scanlan, J. Changes in the stress-strain properties of natural rubber vulcanizates during ageing, 1=2505
- Dunn, J.R. See Scanlan, J., 1=1468
- Dunn, R.B., Jefferies, J.T. and Orrall, F.Q. The line and continuous emission observed in two limb flares, 1=1649
- Dunn, T.M. Spin-orbit coupling in the first and second transition series, 1=17254
- Dunne, B.B. Mach reflection of detonation waves in condensed high explosives, 1=10538
- Dunne, T.G. and Stemple, N.R. Ferroelectric properties of  $\text{BaLi}_2\text{Al}_2\text{F}_4\text{O}_4$ , 1=1137
- Dunne, T.G. and Wang, M.L. Ferroelectric properties of the system  $(\text{NH}_4\text{CH}_2\text{COOH})_x\text{H}_2(\text{SO}_4)_y\text{PO}_4$ , 1=5038
- Dunning, J.R., Smith, A.M. and Steigert, F.E. Elastic scattering of alpha particles from helium, 1=2107
- Dunning, K.L. and Butler, J.W. Neutrons and gamma rays from the bombardment of  $\text{O}^{18}$  by  $\text{He}^3$ , 1=12218
- Dunning, K.L. See Butler, J.W., 1=4850
- Dunning, W.J. Nucleation processes and aerosol formation, 1=11626
- Dunstan, W. Variation of photovoltaic response with magnetic field for a germanium p-n junction, 1=7672
- Dupont, P. See Gaume, F., 1=9003
- Dupont-Bourdelet, F., Tillieu, J. and Guy, J. The variational calculation of molecular properties, 1=14072
- Dupont-Bourdelet, F., Tillieu, J. and Guy, J. Calculation of perturbation energies of any order, 1=15673
- Dupouy, G. and Perrier, F. Some aspects of fringes of magnesium oxide crystals observed in the electron microscope, 1=20714
- Dupouy, G., Perrier, F. and Fabre, R. An electron microscope working at a very high voltage, 1=7066
- Dupouy, J.M. and Averbach, B.L. Atomic arrangements in titanium-molybdenum solid solutions, 1=20617
- du Pré, F.K. See Bady, I., 1=14779
- Dupree, T.H. Dynamics of ionized gases, 1=10665
- Dupree, T.H. Electron scattering in a crystal lattice, 1=14198
- Dupuis, J. See Berthet, G., 1=12569
- Dupuy, C. See Saucier, H., 1=7827
- Dupuy, O. See Arnulf, A., 1=1617
- Dupuy, O. See Arnulf, A., 1=21136
- Duquesne, M. Study of the emission of electrons accompanied by  $\beta^-$  and  $\alpha^-$  radioactivity by the coincidence technique, 1=13708
- Duquesne, M., Grégoire, R. and Lefort, M. Experimental nuclear physics and radiochemistry. Detection of radiations and methods of study of nuclear structure, 1=4744
- Duquesne, M. and Kaplan, I. Measurement of luminescence induced by  $\text{Po}^{210}$  alpha-rays in air and in water, 1=9420
- Duquesne, M. and Kaplan, I. The distribution of luminescent photons emitted along an  $\alpha$ -trajectory in a gas, 1=9421
- Duraffourg, G. See Batifol, E., 1=17553
- Durand, E. Derivation of an equation for the potential in the neighbourhood of the edge of a thin conductor having rotational symmetry, 1=18741
- Durand, E. Derivation of an equation for the potential in the neighbourhood of the edge of a solid conductor having rotational symmetry, 1=18742
- Durand, L.III. See Bremermann, H.J., 1=4177
- Durand, L., III. Inelastic electron-deuteron scattering and the electromagnetic structure of the neutron, 1=12079
- Durand, L., III. Inelastic electron-deuteron scattering cross-sections at high energies. II. Final-state interactions and relativistic corrections, 1=12080
- Durelli, A.J. and Riley, W.F. Stress distribution on the boundary of an elliptical hole in a large plate during passage of a stress pulse of long duration (major axis normal to the wave front), 1=10458
- Duret, M.R. See Bayly, J.G., 1=17178
- Durham, D.E., Rester, D.H. and Class, C.M. Electric monopole enhanced  $2^+ \rightarrow 2^+$  transitions, 1=8661
- Durham, F.E. See Rester, D.H., 1=3425



- urham, R.W. and Girardi, F. Effective neutron activation cross-sections of some chlorine and sulphur reactions in NRX, 1=13819
- urrier, R. See Cotte, M., 1=4692
- urovič, S. See Kupčík, V., 1=9138
- urr, H.P. Isospin and parity in nonlinear spinor theory, 1=8418
- urr, H.P. and Heisenberg, W. The theory of "strange" particles, 1=16671
- ušek, H. The determination of the sign of the void coefficients of reactor zones, 1=13891
- ušek, J. A new method of measuring paramagnetic and ferromagnetic resonance, 1=16601
- utchak, Ya.I. Fluctuations of coordination number in liquid lead, 1=4320
- utchak, Ya.I. X-ray investigation of short-range order in Sn-Bi alloys in a liquid state, 1=12862
- utchak, Ya.I. Coordination number and the structure of liquid metals, 1=15845
- utchak, Ya.I. and Bondar, N.M. Nature of atomic ordering in Cd-Sn system, 1=15141
- utcher, C.H.Jr. and Scott, T.A. Frequency modulated, low level, r.e. spectrometer for nuclear resonance, 1=10800
- uthie, C. See Calvet, E., 1=18670
- uthie, J., Fisher, C., Fowler, P.H., Kaddoura, A., Perkins, D.H. and Pinkau, K. Spectrum of  $\gamma$ -rays and nuclear-active component of air-showers at 11 000 metres. II, 1=3258
- uthie, J., Fisher, C.M., Fowler, P.H., Kaddoura, A., Perkins, D.H., and Pinkau, K. Spectrum of  $\gamma$ -rays and nuclear-active component of air-showers at 11 000 metres. I, 1=3257
- uthie, J., Fisher, C., Fowler, P.H., Kaddoura, A., Perkins, D.H. and Pinkau, K. Spectrum of  $\gamma$ -rays and nuclear-active component of air-showers at 11 000 metres. II, 1=3258
- uthie, J.G., Fisher, C.M., Fowler, P.H., Kaddoura, A., Perkins, D.H. and Pinkau, K. The study of high-energy  $\gamma$ -rays produced by cosmic radiation at 40 000 feet. I. Experimental disposition, and determination of energy and nature of electromagnetic cascades, 1=3364
- uthie, J.G., Fisher, C.M., Fowler, P.H., Kaddoura, A., Perkins, D.H. Pinkau, K. and Wolter, W. The study of high-energy  $\gamma$ -rays produced by cosmic radiation at 40 000 feet. II. The energy spectrum of cascades and its interpretation, 1=3365
- u Toit, S.J. and Bollinger, L.M. Lifetimes of energy levels in  $Al^{28}$ ,  $Mn^{56}$ ,  $Cu^{64}$ ,  $Rh^{104}$ , and  $I^{136}$ , excited by slow neutron capture, 1=10994
- Ütsch, H.U. Vertical distribution of atmospheric ozone. Comparison of vertical methods. C. Vertical ozone distribution from the Umkehr effect, 1=1504
- Dutt, I. See Mukherjee, P.N., 1=5860
- Dutt, T.L. See Gallop, J.W., 1=1906
- Dutta, C. On the work done during bowing, 1=191
- Dutta, S.K. A general treatment of penetration factor in alpha-decay, 1=13698
- Dutta, S.K., Mitra, T.K. and Sil, N.C. Penetration factor in alpha-decay, 1=13697
- Dutton, J., Llewellyn Jones, F. and Palmer, R.W. Electrical breakdown of gases: ionization growth in air at high pressures, 1=18757
- Duvall, G.E. See Band, W., 1=15933
- Duverney, R. Transmission of monochromatic infra-red radiation by a prismatic film of very small angle, 1=18602
- Dvořáček, Z. See Brdička, M., 1=15985
- Dvořáček, Z. See Brdička, M., 1=15986
- Dvořák, V. Colour centre in  $BaTiO_3$  single crystals, 1=17571
- Dvoryashin, A.S. The statistics of geomagnetic disturbances and active solar regions, 1=1590
- Dvoryashin, A.S., Levitskii, L.S. and Pankratov, A.K. Active solar regions and their corpuscular emission, 1=18093
- Dwight, K. See Kaplan, T.A., 1=6349
- Dworkin, A.S. See Bronstein, H.R., 1=9406
- D'yachenko, R.A. See Suetin, P.E., 1=15921
- D'yakov, G.P. and Kozlov, A.A. Calculation of magnetostriction in strong magnetic fields, 1=6331
- D'yakova, M.A. and Bogachev, I.N. The composition of the solid solution in Ti-Mn alloys, 1=10270
- Dyatlov, I.T. See Ansel'm, A.A., 1=19111
- Dyatlov, I.T. See Gribov, V.N., 1=19152
- Dyce, R.B. Faraday rotation observations of the electron content of the exosphere, 1=15324
- Dyce, R.B. See Jaye, W.E., 1=9302
- Dyce, R.B. See Leadabrand, R.L., 1=15556
- Dyce, R.B. See Leadabrand, R.L., 1=21062
- Dyer, A.J. Southern hemisphere fall-out and the meridional circulation, 1=9824
- Dýkhne, A.M. Accuracy of adiabatic invariant of a particle in a high-density plasma, 1=18831
- Dýkhne, A.M. Quasiclassical particles in a one-dimensional periodic potential field, 1=19108
- Dýkhne, A.M. and Chaplik, A.V. Normalization of the wave-functions of quasistationary states, 1=18274
- Dýkhne, A.M. and Chaplik, A.V. Variation of the adiabatic invariant of a particle in a magnetic field. II, 1=18988
- Dýkhne, A.M. and Pokrovskii, V.L. Variation of the adiabatic invariant of a particle in a magnetic field. I, 1=2013
- Dýkhne, A.M. See Pokrovskii, V.L., 1=3600
- Dýkman, I.M. and Tomchuk, P.M. The effect of an electric field on the electron temperature, electrical conductivity and thermionic emission of semiconductors. I. Elemental semiconductors. Theory, 1=14419
- Dýkman, I.M. and Tomchuk, P.M. The effect of electric field on the electron temperature, electrical conductivity and the thermionic emission of electrons in semiconductors. III. Thermionic emission, 1=14421
- Dýlgerov, V.D. and Degtyarev, I.F. Peculiarities in the detection of domain structure of ferromagnetic crystals by different methods, 1=17960
- Dylgerov, V.D. See Drokina, A.I., 1=17977
- Dymanus, A. and Bouwknecht, A. Measurements on power-conversion gain and noise ratio of the 1N26 crystal rectifiers, 1=5580
- Dymanus, A. and Dijkerman, H.A. The  $\alpha$ -stark effect of rotational transitions. I. Experimental aspects, 1=12282
- Dymanus, A. and Kaminow, I.P. Ferromagnetic resonance in piezoelectric  $Ga_{1-x}Fe_xO_3$ , 1=6395
- Dyring, E. and Rosén, B. Standard errors at harmonic analysis on cosmic ray data, 1=10947
- Dyring, E. See Sandström, A.E., 1=3373
- Dyson, D.J. See Birks, J.B., 1=11834
- Dyson, J. Optical alignment devices based on a two-mirror system, 1=16062
- Dželepov, B. See Absurazakov, A., 1=646
- Dželepov, B.S. See Bonch-Osmolovskaya, N.A., 1=19393
- Dželepov, V.P. See Danilov, V.I., 1=344
- Dzhamagidze, Sh.Z. See Shvangiradze, R.R., 1=19636
- Dzhanelidze, L.P., Kopylova, D.K., Korolevich, Yu.B., Kostanashvili, N.I., Mandritskaya, K.V., Petukhova, N.I., Podgoretskii, M.I., Tuvdendorzh, D., Shakhulashvili, O.A. and Chzhen Pu-in [Cheng P'u-ying]. Production of charged hyperons by 9 BeV protons interacting with photographic
- Dzhelepov, B.S. See Anton'eva, N.M., 1=13750
- Dzhelepov, B.S. See Baskova, K.A., 1=19755
- Dzhelepov, B.S. See Grigor'ev, E.P., 1=2191
- Dzhelepov, B.S. See Grigor'ev, E.P., 1=10975
- Dzhelepov, B.S. See Vitman, V.D., 1=17046
- Dzhelepov, V.P. See Budagov, Yu.A., 1=5766
- Dzhelepov, V.P. See Golovin, B.M., 1=19200
- Dzhibuti, R.I. and Tagviashvili, A.V. Photodisintegration of  $He^4$  at high energies, 1=16918
- Dzhorbenadze, N.P. and Sharikadze, D.V. The flow of a conducting, viscous liquid between two porous plates, 1=5538
- Dzhurova, V. See Nadzhakov, G., 1=12372
- Dziesiaty, J. Breakdown of CdS crystals with impulse voltages, 1=17846
- Dziwoki, A. Term representation of the K-series of X-ray spectra, 1=5972
- Dzkuya, M.I. See Demirkhaov, R.A., 1=19612
- Dzung, L.S. A cooling problem of pebble-bed nuclear reactors, 1=19568
- Dzyaloshinskii, I.E., Lifshitz, E.M. and Pitaevskii, L.P. The general theory of Van Der Waals forces, 1=15706
- Dzyub, I.P. A contribution to the theory of exciton states in semiconductors, 1=3747
- Dzyub, I.P. and Lubchenko, A.F. Contribution to the theory of the Mössbauer effect, 1=3389
- Dzyub, I.P. and Lubchenko, A.F. Scattering of  $\gamma$ -quanta by nuclei of solids, 1=17393
- Dzyubenko, G.M. See Baranskii, P.I., 1=12435
- Dzyubenko, G.M. See Baranskii, P.I., 1=14439

## AUTHOR INDEX

- Eades, J. See Allaby, J.V., 1=5725
- Eades, R.G., Jenks, G.J. and Bradbury, A. Nuclear resonance magnetic field stabilizer, 1=7160
- Eades, R.G. See Andrew, E.R., 1=6430
- Eades, R.G. See Andrew, E.R., 1=10187
- Eades, R.G. See Andrew, E.R., 1=10197
- Eades, R.G. See Hennel, J.W., 1=14838
- Eagles, D.M. Optical absorption and recombination radiation in semiconductors due to transitions between hydrogen-like acceptor impurity levels and the conduction band, 1=7635
- Eagles, D.M. The phonon-assisted Auger effect in semiconductors, 1=14412
- Eagles, D.M. See Allen, J.W., 1=7835
- Eames, A.R. See Blake, L.R., 1=16209
- Eargle, D.H., Jr and Weissman, S.I. Spin and charge exchange in anions of biphenyl ether, 1=10183
- Earl, J. See Clark, G.W., 1=7297
- Earl, J.A. Cloud-chamber observations of primary cosmic-ray electrons, 1=8524
- Eason, G. and Shield, R.T. The plastic indentation of a semi-infinite solid by a perfectly rough circular punch, 1=6459
- East, L.V. and Roys, P.A. Decade scaler for college laboratory use, 1=7009
- East, L.V. and Roys, P.A. Classical approach to Mott scattering, 1=15698
- East, L.V. See Parker, W.E., 1=2828
- Easterday, H.T. and Smith, R.L. Balanced ion chamber measurement of half-lives of several radioisotopes, 1=2199
- Eastman, D.P. See Rank, D.H., 1=842
- Eastman, D.P. See Rank, D.H., 1=12985
- Easton, W.B. See Glang, R., 1=6149
- Eastwood, E., Isted, G.A. and Bell, J.D. Radar echoes from the aurora at 1300 Mc/s, 1=6632
- Eastwood, H.K. See King, H.J., 1=5820
- Eastwood, T.A. Specific-activity nomograms, 1=13666
- Eastwood, T.A. See Beckner, E.H., 1=13798
- Eatwell, A.J. and Smith, B.L. Density and expansivity of solid xenon, 1=9982
- Ebata, T. See Azuma, M., 1=13505
- Ebel, M.E. and Walker, W.D. Photodissociation of the  $\mu$  meson, 1=8470
- Ebenstein, R. and Harrand, M. Influence of temperature on the Raman spectrum of glycerin, 1=14043
- Eberhagen, A. The alteration of the work function of metals by adsorption of gas, 1=4631
- Eberhard, P. See Alston, M., 1=3240
- Eberhard, P. See Alston, M., 1=8502
- Eberhard, P. See Alston, M.H., 1=12126
- Eberhard, P. See Button, J., 1=5727
- Eberhard, P. See Fowler, W.B., 1=5788
- Eberhardt, A. See Eberhardt, P., 1=7982
- Eberhardt, M. The breakdown voltage of epoxy resins in an inhomogeneous field, 1=17850
- Eberhardt, P. and Eberhardt, A. Ne in some stone meteorites, 1=7982
- Eberhardt, W.H. and Renner, H. The magnetic rotation spectrum of singlet-triplet transitions, 1=14038
- Eberhart, J.G. See Katorski, A., 1=12267
- Eberle, E. See Agodi, A., 1=5880
- Ebert, H.G. On measurements of dose build-up factors for radiation protection purposes, 1=9818
- Ebert, I. Electron paramagnetic resonance of silver halides containing bivalent anions, 1=9057
- Ebert, I. and Seifert, G. The effect on the spin-lattice relaxation time in ionic crystals of the nuclear quadrupole interaction, 1=3948
- Ebert, M. and Šedivý, J. The crystallographic basic parameters of normal thallium phosphide  $Tl_3HPO_3$ , 1=20566
- Ehardt, R., Hofmeister, E. and Groschwitz, E. Effect of surface currents of the characteristics of formed point-contact rectifiers, 1=11319
- Ehardt, R. See Groschwitz, E., 1=3745
- Ebisuzaki, Y. Preparation of monocrystalline cuprous oxide, 1=15016
- Eby, R.K. and Sinnott, K.M. Transitions and relaxations in polytetrafluoroethylene, 1=12563
- Eby, R.K. and Williams, A.O. Acoustic propagation in a two-layered model—transverse waves in bottom, 1=16024
- Eccles, P.J. Singly-scattered delayed electrons in extensive cosmic-ray air showers, 1=576
- Eccleshall, D. and Yates, M.J.L. The  $0^+$ ,  $T = 1$  level in  $^{18}F$ , 1=5841
- Eck, T.G. See Gordon, W.L., 1=17456
- Eck, T.G. See Joseph, A.S., 1=19737
- Eckardt, A. and Burger, E. A simple measuring procedure for determining the energy limits of bremsstrahlung in the presence of strong electromagnetic disturbing fields, 1=5523
- Eckart, C. Internal waves in the ocean, 1=12686
- Eckart, F. and Jungk, G. Hall effect and conductivity of evaporated germanium films, 1=3748
- Eckart, F. and Schulz, H. Contact potential measurements on CdS single crystals, 1=15180
- Eckart, F. and Tetsch, H. Field-effect measurements on single crystals of CdS, 1=17799
- Eckart, F. See Ludwig, W., 1=10073
- Ecker, G. Enhanced interaction in the positive column, 1=2964
- Ecker, G. Electrode components of the arc discharge, 1=5434
- Ecker, G. and Müller, K.C. Run-aways in neutral gas, 1=7022
- Ecker, G. and Voslamber, D. The cut-off parameter, 1=15735
- Eckert, P. See Stegherr, A., 1=10269
- Ecklund, E.T. See Burke, B.F., 1=18011
- Eckman, P.K. and Williams, E.M. Plasma dynamics in an arc formed by low-voltage sparkover of a liquid dielectric, 1=16292
- Eckstein, J., Holas, M., Jindra, J., Uchytlova, A. and Wachtl, Z. On the yellow colouring of lithium fluoride crystals, 1=9120
- Economou, N.A. See Heller, W., 1=5360
- Economou, N.A. See Pangonis, W.J., 1=5359
- Edagawa, H., Morita, Y., Maekawa, S. and Inuishi, Y. Slow decay of reverse current and noise in field effect on Ge  $p^+-n$  junction, 1=17776
- Edagawa, H. See Komatsubara, K., 1=14485
- Eddy, D.S. See Bockemuehl, R.R., 1=10059
- Eddy, J.A., House, L.L. and Zirin, H. Oscillation strength for the  $3s3p^2\ ^2S-3s^23p^2P$  transition in Al I, 1=2287
- Edeleanu, C. See Bassett, G.A., 1=2520
- Edelman, S. See Jones, E., 1=18500
- Edelman, S. See Schmidt, V.A., 1=9454
- Edelstein, A.S. and Mandel, M. Antiferromagnetic to ferromagnetic transitions in organic free radicals, 1=17364
- Edelstein, A.S. See Rhodes, R.S., 1=11483
- Edelstein, R.M., Baker, W.F. and Rainwater, J.  $\pi^-$  scattering from complex nuclei, 1=7394
- Edelstein, R.M. See Maier, E., 1=9871
- Eden, G.E. and Melbourne, K.V. Radioactive tracers for measuring the periods of retention in percolating filters, 1=15831
- Eden, H.F. and Richardson, E.G. The propagation of ultrasonics in organic liquids under pressure. Variation of specific heat ratio and viscosity with pressure, 1=15873
- Eden, R.J. Problem of proving the Mandelstam representation, 1=448
- Eden, R.J. Proof of the Mandelstam representation in perturbation theory, 1=449
- Eden, R.J. Proof of the Mandelstam representation for every order in perturbation theory, 1=5680
- Eden, R.J., Landshoff, P.V., Polkinghorne, J.C. and Taylor, J.C. Mandelstam representation with anomalous thresholds, 1=7213
- Eden, R.J., Landshoff, P.V., Polkinghorne, J.C. and Taylor, J.C. Acnodes and cusps on Landau curves, 1=16696
- Eder, F.X. Measurement of thermal conductivity of solids at low temperatures with the aid of temperature waves, 1=18641
- Eder, F.X. See Herrendörfer, G., 1=9077
- Eder, G. The two meson approximation for the real nucleon, 1=5719
- Edge, D.O. See Archer, S., 1=18135
- Edgerton, H.E. See Miles, P.A., 1=10788
- Edin, K. See Ericsson, U., 1=1765
- Edington, J.M. and Molyneaux, L. Portable water velocity meter, 1=128
- Edlow, M.H. See Cataland, G., 1=16185
- Edmonds, P.D. On correlating the loss factors of cylindrical and spherical resonators, 1=6917
- Edmondson, B. The effect of composition and structure on the tensile properties of high-purity iron single crystals, with particular reference to the question of brittle fracture, 1=20381



- Edstrom, C.R. See Thomas, T.Y., 1=10535
- Edwards, A.L. and Drickamer, H.G. Effect of pressure on the absorption edges of some III-V, II-VI, and I-VII compounds, 1=8986
- Edwards, C. See Boyle, A.J.F., 1=3604
- Edwards, C. See Boyle, A.J.F., 1=5831
- Edwards, C. See Boyle, A.J.F., 1=6273
- Edwards, C. See Boyle, A.J.F., 1=9806
- Edwards, D.K., Gier, J.T., Nelson, K.E. and Roddick, R.D. Integrating sphere for imperfectly diffuse samples, 1=16053
- Edwards, D.L. See Horgan, J.D., 1=16239
- Edwards, D.N. and Rose, B. An extension of the transfer matrix method to a beam transport system containing a solenoid, 1=2026
- Edwards, D.N. See Birds, L., 1=13412
- Edwards, D.O. and Daunt, J.G. Phase separation in  $\text{He}^3$ - $\text{He}^4$  mixtures near absolute zero, 1=18689
- Edwards, D.O. See Brewer, D.F., 1=13035
- Edwards, H.H. See Sherrill, M.D., 1=9514
- Edwards, J., Lane, W.R. and Stone, B.R.D. Wide-angle photoelectric integrating flashmeter, 1=227
- Edwards, J.O. See Bray, P.J., 1=12568
- Edwards, J.W. See Johns, I.B., 1=20398
- Edwards, K.W. Mandelstam representation for Dirac potential scattering, 1=19139
- Edwards, P.L. Rolling o-ring seal, 1=2798
- Edwards, R.S. See Barnett, C.F., 1=16349
- Edwards, S.F. The charge correlation function of a plasma in a magnetic field, 1=4595
- Edwards, S.F. The electronic structure of disordered systems, 1=12364
- Edwards, S.F. and Naqvi, M.A. Integrable many body wave functions for a system of Bose particles, 1=5688
- Edwards, S.F. and Sanderson, J.J. A new approach to transport problems in fully ionized plasmas, 1=4599
- Edwards, T.H. Multiple-traverse absorption cell design, 1=2869
- Edwards, T.W. and Van Bladel, J. Electrostatic dipole moment of a dielectric cube, 1=16233
- Edwards, W.F. and Boehm, F. Decay of  $\text{Hf}^{180\text{m}}$ , 1=4849
- Edwards, W.F. and Boehm, F. Anomalous conversion coefficients in  $\text{Hf}^{180\text{m}}$ ,  $\text{W}^{182}$ , and  $\text{Re}^{187}$ , 1=8662
- Edwards, W.F., Dumond, J.W.M. and Boehm, F. An intensity calibration of the two metre curved-crystal spectrometer, 1=16738
- Edwards, W.F. and Gallagher, C.J., Jr. The decay of  $\text{Se}^{75}$ , 1=17056
- Effer, D. Preparation of high-purity indium arsenide, 1=7848
- Efimov, G.V. See Barbashov, B.M., 1=19086
- Efimova, B.A., Korenblit, I.Ya., Novikov, V.I. and Ostroumov, A.G. Anisotropy of the galvanomagnetic properties of p-type  $\text{Bi}_2\text{Te}_3$ , 1=19869
- Efremov, A.V., Chzhu Khun-yuan [Tzu Hung-yuan] and Shirkov, D.V. A neutral model for investigation of  $\pi$ - $\pi$  scattering, 1=19252
- Efremov, A.V., Meshcheryakov, V.A. and Shirkov, D.V. Pion-nucleon scattering at low energies. II, 1=19256
- Efremov, A.V., Meshcheryakov, V.A., Shirkov, D.V. and Tzu, H.Y. On deriving equations from the Mandelstam representation, 1=5679
- Efros, A.L. See Oskotskii, V.S., 1=14158
- Éfrussi, M.M. See Naumkina, N.I., 1=2804
- Egan, J.J. See Gucker, F.T., 1=9486
- Egan, J.P., Greenberg, C.Z. and Schulman, A.I. Operating characteristics, signal detectability, and the method of free response, 1=12709
- Egan, J.P., Greenberg, Z. and Schulman, A.I. Interval of time uncertainty in auditory detection, 1=9222
- Egan, J.P., Schulman, A.I. and Greenberg, G.Z. Memory for waveform and time uncertainty in auditory detection, 1=9223
- Egardt, L. See Brene, N., 1=5779
- Egeland, A., Hultqvist, B. and Ortner, J. Influence of polar cap absorption events on v.l.f. propagation, 1=20953
- Egeland, A. See Gustafsson, G., 1=15317
- Egelkraut, K. and Leutz, H.  $\beta$ -spectrum and half-life of  $\text{Rb}^{87}$ , 1=642
- Egerton, L. See Van Uitert, L.G., 1=10075
- Eggers, D.F., Jr., Wright, H.E. and Robinson, D.W. Infrared spectrum of  $\text{CF}_3\text{SF}_6$ , 1=17318
- Eggers, F. Investigation of body-vibrations in the cello, 1=209
- Eggers, F.G. See Rowen, J.H., 1=5577
- Eggmann, W.H. Higher-order evaluation of dipole moments of a small circular disk, 1=7149
- Eggmann, W.H. See Collin, R.E., 1=8295
- Eggleton, A.E.J. See Chamberlain, A.C., 1=11635
- Egidi, A. See Conversi, M., 1=7260
- Egidi, A. See Conversi, M., 1=7261
- Egidi, A. See Conversi, M., 1=7395
- Egidi, A. See Conversi, M., 1=8474
- Egli, P. See Cvijanovich, G., 1=16778
- Egorov, K.E. Contact problem for an elastic layer under the action of an eccentric vertical force on a circular rigid punch, 1=5238
- Egorov, L.B., Zhuravlev, G.V., Ignatenko, A.E., Kupstov, A.V., Syuan-min, L. [Hsuang-ming, L.] and Petrashku, M.G. Investigation of the spin dependence of weak interaction in the process  $\mu^+ + p \rightarrow n + \nu$ , 1=19226
- Egorov, L.B., Zhuravlev, G.V., Ignatenko, A.E., Li Syuang-Ming, Petrashku, M.G. and Chultem, D. Investigation of the paramagnetism of  $\mu$ -mesic atoms, 1=5988
- Egorov, L.B., Zhuravlev, G.V., Ignatenko, A.E., Li Syuan-Min [Li Hsuang-Ming], Petrashku, M.G. and Chultem, D. An investigation of the paramagnetism of  $\mu$ -mesic atoms, 1=17298
- Egorov, N.N. Attenuation of Rayleigh waves in an elastic layer above a half-space, 1=18507
- Egorov, V.A. Solution of a degenerate variational problem and optimal climb of a space rocket, 1=1668
- Egorov, V.N. See Vernyi, E.A., 1=4906
- Egorov, V.S. and Shukhtin, A.M. Afterglow and its relationship with the gas density in a pulse discharge in neon, 1=4576
- Egorov, Yu.A. Scintillation spectrometer for fast neutrons, 1=4802
- Eguchi, I. See Nishiyama, Z., 1=14281
- Egyed, L. Palaeomagnetism and the ancient radii of the earth, 1=21110
- Ehlers, K.W. See Hubbard, E.L., 1=10749
- Ehmert, A. On the correction of meson intensities for atmospheric temperatures, 1=3334
- Ehmert, A., Erbe, H., Pfozter, G., Anger, C.D. and Brown, R.R. Observations of solar flare radiation and modulation effects at balloon altitudes, July 1959, 1=13583
- Ehmert, A., Erbe, H., Pfozter, G., Anger, C.D. and Brown, R.R. Cosmic and solar particle radiation at balloon altitudes during the period of enhanced solar activity in July 1959, 1=19310
- Ehrenreich, H. Band structure and electron transport of  $\text{GaAs}$ , 1=1073
- Ehrenreich, H. Band structure and transport properties of some 3-5 compounds, 1=17742
- Ehrenreich, H. See Woodruff, T.O., 1=12354
- Ehrenson, S. and Phillipson, P.E. Theoretical molecular transition probabilities. I. The V-N transition in  $\text{H}_2$ , 1=6038
- Ehrlich, A.C. See Sanford, E.R., 1=14363
- Ehrlich, G. Kinetic and experimental basis of flash desorption, 1=4083
- Ehrlich, G. Low-temperature chemisorption. I. Flash desorption of nitrogen, 1=4100
- Ehrlich, G. Low-temperature chemisorption. II. Flash desorption of carbon monoxide, 1=4101
- Ehrlich, G. and Hudda, F.G. Observation of adsorption on an atomic scale, 1=1456
- Ehrlich, G. and Hudda, F.G. Low-temperature chemisorption. III. Studies in the field emission microscope, 1=20742
- Ehrlich, H.W. A simple method for the determination of  $\partial^2\rho/\partial x^2$  at atomic positions, 1=15047
- Ehrlich, M. and McLaughlin, W.L. Photographic response to successive exposures of different types of radiation, 1=16129
- Ehrman, J.R., Fosdick, L.D. and Handscomb, D.C. Computation of order parameters in an Ising lattice by the Monte Carlo method, 1=5064
- Eichenbaum, A.L. and Hernqvist, K.G. Space charge instabilities in synthesized plasmas, 1=3007
- Eichinger, R. and Kremp, H. On the effects of the discharge gas on the temporal development of the current (I), the voltage (V) and the spectral line intensity (S) in spark discharges, 1=283
- Eichler, E. See Johnson, N.R., 1=8640
- Eichler, E. See Robinson, R.L., 1=9847
- Éidel'man, L.G. See Dobrovinskaya, E.R., 1=14976

## AUTHOR INDEX

- Eidson, W.W. See Bent, R.D., 1=8618  
 Eijkelenboom, L.C.H. See Bosman, A.J., 1=6118  
 Eilenberger, G. Internal field emission theory, 1=17467  
 Éinasto, Ya. See Liigant, M., 1=18230  
 Einstein, J.R. Humidity control device for the Buerger precession camera, 1=20456  
 Eisberg, R.M. Nucleon induced direct interactions, 1=8704  
 Eisberg, R.M. and Porter, C.E. Scattering of alpha particles, 1=13530  
 Eischens, R.P. Infrared methods applied to surface phenomena, 1=4102  
 Eisenberg, Y., Yekutieli, G., Abrahamson, P. and Kessler, D.  $Y^*$  effects in the reaction  $K^+ + p \rightarrow \Sigma + \pi$  on complex nuclei, 1=16893  
 Eisen, F.H. Recovery of electron radiation damage in n-type InSb, 1=11244  
 Eisenberg, Y. and Kessler, D. On the  $\mu$ -mesonic atoms, 1=9921  
 Eisenberg, Y. and Kessler, D. X-ray deficiency in mesonic atoms, 1=12269  
 Eisenbrown, C.M. See Scharfstein, L.R., 1=1485  
 Eisenmenger, W. Dynamic properties of the surface tension of water and aqueous solutions of surface active agents' with standing capillary waves in the frequency range from 10 kc/s to 1.5 Mc/s, 1=130  
 Eisenstein, J.C. Absorption spectrum and magnetic properties of osmium hexafluoride, 1=3543  
 Eisenstein, J.C. Magnetic properties and optical absorption spectrum of  $K_2ReCl_6$ , 1=8988  
 Eisenstein, J.C. Analysis of the absorption spectrum of  $YbCl_3 \cdot 6H_2O$ , 1=19977  
 Eisinger, J. See Blumberg, W.E., 1=1283  
 Eisinger, J. See Blumberg, W.E., 1=14824  
 Eisler, F., Franzini, P., Gaillard, J.M., Garfinkel, A., Keren, J., Plano, R., Prodell, A. and Schwartz, M. Progress report on an experiment to study  $\Lambda^0 \rightarrow K^0$  production at  
 Eisler, F., Gaillard, J.M., Keren, J., Schwartz, M. and Wolf, S. Example of the decay  $\Lambda^0 \rightarrow p + \mu^- + \bar{\nu}$ , 1=19271  
 Eismont, V.P. See Protopopov, A.N., 1=744  
 Eisner, E. Fatigue straining of copper whisker, 1=6481  
 Eisner, H.S., Quince, B.W. and Slack, C. The stabilization of water mists by insoluble monolayers, 1=11631  
 Eisner, L. See Bell, E.E., 1=1512  
 Eisner, L. See Oetjen, R.A., 1=1511  
 Eisner, M. See Mitchell, R.W., 1=4359  
 Eisner, R.L., Mazelsky, R. and Tiller, W.A. Growth of ZnSb single crystals, 1=14991  
 Ejima, T. See Straumanis, M.E., 1=862  
 Ejima, T. See Straumanis, M.E., 1=963  
 Ejiri, A. See Onaka, R., 1=14585  
 Ejiri, H. See Ohmura, H., 1=13801  
 Ek, F. See Ziering, S., 1=10534  
 Ek, F. See Ziering, S., 1=11775  
 Ekhlakov, A.D. and Rodionov, K.P. Hydrostatic method of measuring the compressibility of a liquid under high pressure, 1=9365  
 Eklund, K. Inexpensive high resolution Wheatstone bridge, 1=263  
 Éknadiosyants, O.K. See Rozenberg, L.D., 1=6573  
 Ekspong, A.G., Frisk, A., Nilsson, S. and Ronne, B.E. Antiproton annihilations in complex nuclei, 1=5728  
 Ekstein, H. Geometric theory of charge, 1=418  
 Ekstrom, L. See Abrahams, M.S., 1=2516  
 Elagin, Yu.P. Polarization of nucleons scattered on non-zero spin nuclei, 1=4862  
 Elagin, Yu.P., Lul'ka, V.A. and Nemirovskii, P.É. Neutron force function in the optical model, 1=19485  
 Eland, A.J. Etch pits on cadmium-sulphide crystals, 1=12619  
 Elbaum, C. See Howe, S., 1=3975  
 Elbaum, C. See Howe, S., 1=12383  
 Elbaum, C. See Howe, S., 1=19780  
 El-Bayoumi, M.A. See Ramsey, B., 1=19641  
 El Bedewi, F.A. and El Wahab, M.A. Stripping analysis of the reaction  $Na^{23}(d,p)Na^{24}$ , 1=721  
 El-Bedewi, F.A. and El-Wahab, M.A. Analysis of energy levels in  $Na^{24}$ , 1=8572  
 El Bedewi, F.A. and Tadros, S. Energy levels in chromium isotopes, 1=2171  
 Elbek, B. On the correlation between the nuclear deformation and the moment of inertia, 1=8550  
 Elbek, B. Coulomb excitation of vibrational levels, 1=8594  
 Elbek, B., Olesen, M.C. and Skilbreid, O. Inelastic scattering from even rare earth isotopes, 1=689  
 Elbek, B. See Hansen, O., 1=13787  
 Elbek, B. See Skurnik, E.Z., 1=5908  
 Elbert, D.D. See Chandrasekhar, S., 1=16527  
 Elbert, D.D. See Chandrasekhar, S., 1=18999  
 Elbinger, G. The determination of the magnetic crystal anisotropy constant  $K_1$  in the systems nickel ferrite-magnetite and magnesium ferrite-magnetite, 1=20141  
 Elbinger, G. and Rösler, U. The growth orientation of ferrite single crystals, 1=6494  
 Elbinger, G. See Rösler, U., 1=1374  
 Elbrus, D.T. Calibration of a neutron source, 1=10892  
 Eldering, H.G. Method for the complete description of infrared sky backgrounds, 1=20841  
 Eldred, K.McK. Base pressure fluctuations, 1=2803  
 Eldredge, D.H., Bilger, R.C., Davis, H. and Covell, W.P. Factor analysis of cochlear injuries and changes in electrophysiological potentials following acoustic trauma in the guinea pig, 1=4152  
 Eldridge, D.F. Quantitative determination of the interaction fields in aggregates of single-domain particles, 1=6313  
 Eldridge, H.B. See Birkhoff, R.D., 1=18947  
 Eldridge, H.B. See Ritchie, R.H., 1=16809  
 Eldridge, J.S. and Lyon, W.S. Promethium 148, 1=5878  
 Eldridge, J.S. See Lyon, W.S., 1=12185  
 Elena, A. See Bossolasco, M., 1=6618  
 Eleonskii, V.M. Excitation spectrum of a particle system in an external field, 1=18303  
 Eley, D.D., Inokuchi, H. and Willis, M.R. The semiconductivity of organic substances. IV. Semi-quinone type molecular complexes, 1=7655  
 Eley, D.D. See Cardew, M.H., 1=7654  
 Elfiner, L.F. See Thurlow, W.R., 1=21124  
 Elford, W.G. A study of winds between 80 and 100 km in medium latitudes, 1=6605  
 Elford, W.G. See Mainstone, J.S., 1=1633  
 Elgarøy, Ø. Frequency drift and fine structure of 200 Mc/s solar bursts, 1=6738  
 Elian, V.V. See Ado, I.M., 1=16459  
 Éliashberg, G.M. Temperature Green's function for electrons in a superconductor, 1=18705  
 Eliashberg, G.M. See Perel', V.I., 1=18867  
 Eliashberg, M.B. See Stekhanov, A.I., 1=1172  
 Eliashberg, M.B. See Stekhanov, A.I., 1=17903  
 Eliezer, J. See Hayman, H.J.G., 1=12333  
 Elinson, M.I., Stepanov, G.V. and Pokalyakin, V.I. The emission of hot electrons from p-n-junctions in SiC crystals, 1=17756  
 Elinson, M.I., Vasil'ev, G.F. and Zhdan, A.G. Field emission from dielectrics containing impurities, 1=13099  
 Elinson, M.I. and Zhdan, A.G. Novel properties of electron emission systems containing thin dielectric layers, 1=5490  
 Eliseev, G.P. See Alikhanov, A.I., 1=3411  
 Eliseeva, I.I. See Zakharova, M.I., 1=10273  
 Eliseevnin, V.A. See Brekhovskikh, L.M., 1=4405  
 Elistratov, A.M. and Kamadzhiev, P.R. Investigation of decomposition of supersaturated solid solutions of copper in germanium, 1=15159  
 Elistratov, A.M. and Zvinchuk, R.A. Formation and liquidation of heterogeneous regions in single crystals of solid (K, Na)Cl solutions, 1=1357  
 El-Kareh, A.B. High speed oscilloscope with electron optical magnification using four-pole lenses, 1=8351  
 Elkina, T.A. See Bol'shova, K.M., 1=20132  
 Elkishem, M. See Marx, G., 1=13390  
 Ellerbeck, L.D., Shanks, H.R., Sidles, P.H. and Danielson, G.C. Electrical resistivity of cubic sodium tungsten bronze, 1=11259  
 Ellerböck, W. See Haupt, H., 1=9276  
 Ellett, M.R. See Cuff, K.F., 1=17748  
 Ellett, M.R. See Kuglin, C.D., 1=6162  
 Ellett, W.H. and Brownell, G.L. A total absorption gamma ray spectrometer combining sodium iodide and plastic scintillators, 1=2034  
 Elliot, H., Hynds, R.J., Quenby, J.J. and Wenk, G.J. The cosmic ray time variations and the solar magnetic field, 1=3357  
 Elliott, D. A method for the numerical integration of the one-dimensional heat equation using Chebyshev series, 1=18652



- Elliott, I., Ellison, M.A. and Reid, J.H. Spectra of a bright coronal prominence associated with a class 3 flare, 1=12752
- Elliott, J.P. The shell model and its effective nuclear forces, 1=8546
- Elliott, N. Paramagnetism of tetraphenanthroline dihydroxyl diferric chloride, 1=17934
- Elliott, N. See Corliss, L.M., 1=9042
- Elliott, R.J. Speculation on the centres formed by nitrogen in diamond, 1=14258
- Elliott, R.J. Phenomenological discussion of magnetic ordering in the heavy rare-earth metals, 1=14669
- Elliott, R.J. Symmetry of excitons in  $\text{Cu}_2\text{O}$ , 1=17476
- Elliott, R.J. Some properties of concentrated and dilute Heisenberg magnets with general spin, 1=20060
- Elliott, R.J., Heap, B.R., Morgan, D.J. and Rushbrooke, G.S. Equivalence of the critical concentrations in the Ising and Heisenberg models of ferromagnetism, 1=1200
- Elliott, R.J. and Loudon, R. Group theory of scattering processes in crystals, 1=17392
- Elliott, R.J. and Loudon, R. Theory of the absorption edge in semiconductors in a high magnetic field, 1=19985
- Elliott, R.J. See Chudley, C.T., 1=5271
- Elliott, R.O. See McDonald, R.R., 1=7551
- Elliott, R.S. The potential utility of scanning microwave beams in plasma diagnostics, 1=18889
- Ellis, G.R.A. Low frequency electromagnetic radiation associated with magnetic disturbances, 1=6591
- Ellis, G.R.A. Geomagnetic micropulsations, 1=9208
- Ellis, G.R.A. Spaced observations of the low-frequency radiation from the Earth's upper atmosphere, 1=15264
- Ellis, J.M. See Dixon, J.R., 1=12487
- Ellis, R.A., Jr. See Stodiek, W., 1=2979
- Ellison, F.O. Role of exchange energy in intermediate-range interactions, 1=11135
- Ellison, M.A. The sun, 1=7987
- Ellison, M.A., McKenna, S.M.P. and Reid, J.H. Cape Lyot Heliograph results. I. Light curves of 30 solar flares in relation to sudden ionospheric disturbances, 1=7996
- Ellison, M.A., McKenna, S.M.P. and Reid, J.H. Cape Lyot Heliograph results. II. The  $3^+$  flare of 1960 June 1 and its influence of the Ha Striation pattern, 1=7997
- Ellison, M.A., McKenna, S.M.P. and Reid, J.H. Flares associated with the 1960 November event and the flare nimbus phenomenon, 1=15479
- Ellison, M.A. See Elliott, I., 1=12752
- Ells, C.E. Irradiation of metals at controlled elevated temperatures in the M.I.T. cyclotron, 1=1942
- Ellyett, C., Keay, C.S.L., Roth, K.W. and Bennett, R.G.T. The identification of meteor showers with application to southern hemisphere results, 1=18064
- El Nadi, A.F. and Farag, N. The effect of light on the mobility and concentration of large ions in air mixed with  $\text{N}_2\text{O}$  gas, 1=16273
- El Nadi, M. and Faragi, N. Thermal diffusion in gaseous mixtures, 1=15946
- El-Nadi, M. and Wafik, M. The direct inelastic scattering of deuterons, 1=713
- El-Nadi, M. and Wafik, M. On the  $(d, \alpha)$  reactions, 1=7397
- El-Nesr, M.S. and Othaz, R. A study of beta-gamma directional correlation in the decay of  $\text{Au}^{199}$ , 1=19404
- El-Nesr, M.S. See Mahmoud, K.A., 1=7330
- Elpidinskii, A.V. and Fetisov, I.N. Thin-window scintillation alpha-detector, 1=10808
- El'piner, I.E. See Sokol'skaya, A.V., 1=20759
- Elrick, D.E. Transient two-phase capillary flow in porous media, 1=6848
- El Sadek El Meligy, A. and El Sherbini, M.A. Energy levels for the Coulomb potential with cut-off, 1=2275
- El Saffar, Z.M. See Andrew, E.R., 1=10197
- El-Sayed, M.A. and Robinson, G.W. Excitation transfer splitting
- El-Sayed, M.F.A., Kasha, M. and Tanaka, Y. Ionization potentials of benzene, hexadeuterobenzene, and pyridine from their observed rydberg series in the region 600-2000 Å, 1=7478
- El Sayed M.Hassan. See Munk, W., 1=9180
- Elschner, B. Electron paramagnetic resonance in manganese-doped fluor spar, 1=1260
- El Sherbini, M.A. See El Sadek El Meligy, A., 1=2275
- Elsmore, B. The accurate positions of 17 intense radio sources, 1=18180
- Elsmore, B. See Archer, S., 1=18135
- Elsmore, B. See Leslie, P.R.R., 1=9293
- Elston, J. See Sicard, L., 1=8252
- Elsworth, L., Holland, L. and Laursen, L. Further experiences with aluminium wire seals for bakeable vacuum systems, 1=183
- Elton, G.A.H. See Benton, D.P., 1=11630
- Elton, L.R.B. The scattering of nucleons by nuclei at very high energies, 1=5918
- Elton, L.R.B. and Jackson, D.F. Wave distortion in direct interactions, 1=19480
- El Wahab, M.A. See El Bedewi, F.A., 1=721
- El-Wahab, M.A. See El-Bedewi, F.A., 1=8572
- Elwell, D., Kumar, D. and Williams, D. Magnetic resonance of protons in glasses, 1=6436
- Elwert, G. The 21 cm line of hydrogen and the spiral structure of the Milky Way system, 1=4218
- Elwert, G. Theory of X-ray emission of the sun, 1=15488
- Elwyn, A.J., Kane, J.V., Ofer, S. and Pixley, R. Reactions  $\text{N}^{14}(\text{d}, \text{n})\text{O}^{16}(\text{g.s.})$  and  $\text{N}^{14}(\text{d}, \text{n})\text{O}^{16*}$  (6.79 and 6.86 MeV), 1=720
- Elwyn, A.J. See Lane, R.O., 1=7380
- Ely, R. See Fowler, W.B., 1=5788
- El'yashevich, M.A. The interaction of electronic and vibrational motions in complex molecules, 1=3555
- El'yashevich, M.A. See Borisevich, N.A., 1=2450
- Eman, B. See Cindro, N., 1=2225
- Eman, B. See Strohal, P., 1=19484
- Emara, S.H. Spiral formation on natural crystalline sulphur, 1=9112
- Emberson, D.L. See Wilcock, W.L., 1=3000
- Emberson, R.M. See Struve, O., 1=9252
- Embleton, T.F.W. and Thiessen, G.J. Mechanical pressure-gradient-to-pressure sound transducer, 1=10565
- Emch, G. and Lacroix, R. Paramagnetic resonance of  $\text{Cr}^{3+}$  in a single crystal of  $\text{AlCl}_3 \cdot 6\text{H}_2\text{O}$ , 1=11476
- Emeleus, K.G. Plasma studies survey of experiments. I. Mainly optical studies, 1=9554
- Emeleus, K.G. Plasma studies survey of experiments. II. Mainly probe studies, 1=9555
- Emeleus, K.G. and Garscadden, A. The problem of radiation from plasmas, 1=298
- Emeleus, K.G. and Mahaffey, D.W., Plasma oscillations, 1=9631
- Emeleus, K.G. See Coulter, J.R.M., 1=5432
- Emeleus, K.G. See Garscadden, A., 1=18898
- Emeleus, K.G. See Johnston, A.R., 1=4583
- Emeleus, K.G. See Woolsey, G.A., 1=18796
- Emel'yanenko, O.V. and Lagunova, T.S. A simple laboratory thermostat with a small thermal inertia, 1=9503
- Emel'yanenko, O.V., Lagunova, T.S. and Nasledov, D.N. An impurity band in p- and n-type crystals of gallium arsenide, 1=14467
- Emel'yanenko, O.V., Nasledov, D.N. and Petrov, R.V. The Nernst-Ettingshausen effect in p-type gallium arsenide, 1=11266
- Emel'yanenko, O.V. See Agaev, Ya., 1=11267
- Emel'yanov, A.A. and Dovzhenko, O.I. Spatial distribution of high-energy nuclear-active particles in the core of extensive air showers, 1=3367
- Emel'yanova, E.N. and Zigareva, T.A. Production of tourmaline under hydrothermal conditions, 1=14997
- Emendörfer, D. and Ritz, M. The reactivity effect of cavities between the fission zone and reflector by the  $P_L$  approximation of the transport equation, 1=13893
- Emmerson, W.C. See Green, A.E., 1=15760
- Emmons, R.W. See Petersen, H.E., 1=7907
- Emrick, R.M. Pressure effect on vacancy migration rate in gold, 1=8904
- Emschermann, H.H., Flossmann, R. and Rühl, K.H. Quantitative determination of the dynamic stress conditions in transversely impacted bent beams with the aid of spark cinematography and [photoelastic] stress optics, 1=11720
- Endo, K. See Kimura, R., 1=20114
- Endt, P.M., Hoogenboom, A.M. and Suffert, M. Measurement of the linear polarization of gamma-rays arising from certain reactions, 1=13799
- Endt, P.M. See Smulders, P.J.M., 1=8772
- Enemark, D.C. See Anderson, K.A., 1=13581
- Enemark, D.C. See Anderson, K.A., 1=15307

## AUTHOR INDEX

- Ener, C. and Tasköprülü, N.S. Temperature coefficient of ultrasonic velocity in liquids with carboxyl group (methyl-formate), 1=18408
- Enge, H.A. Ion-focusing properties of a three-element quadrupole lens system, 1=10742
- Engel, J.R. and Schröder, R. Measurements of reactivity in the Berlin reactor B.E.R., 1=3482
- Engel, O.G. Note on particles velocity in collisions between liquid drops and solids, 1=15827
- Engel, O.G. Resistance of white sapphire and hot-pressed alumina to collision with liquid drops, 1=20395
- Engeler, W., Levinstein, H. and Stannard, C. Oscillatory photoconductivity in InSb, 1=12461
- Engelhard, E. and Terrien, J. Determination of the wavelength of the  $2p_{3/2}-5d$  line of  $Kr^{86}$  for non-perturbed atoms, 1=16085
- Engelhardt, H., Hauser, I. and Kreckler, U. Apparatus and laboratory for processing nuclear emulsion stacks, 1=5620
- Engelke, C.E. High pressure gas scintillators, 1=3077
- Engelmann, J.J. and Roquefort, H. Instrumentation for measurement of  $\beta$ - and  $\gamma$ -activity using an ionization chamber, 1=8399
- Engelmann, R. Scattering and absorption of  $\beta$ -rays in plane geometry. I. Measurement of transmission and back-scattering, 1=16754
- Engelmann, R. Scattering and absorption of  $\beta$ -rays in plane geometry. II. Theoretical models of Schmidt and Odeblad, 1=16755
- Engelsberg, S. Energy losses in a many-body system, 1=11712
- England, A.C., Gibson, W.A., Gotow, K., Heer, E. and Tintot, J. Proton-proton triple scattering parameters R and A at 213 MeV, 1=16781
- England, A.H. and Green, A.E. Steady-state thermoelasticity for initially stressed bodies, 1=10460
- England, J.B.A. See Aguilar, J., 1=12216
- England, J.B.A. See Hodgson, P.E., 1=2228
- Englefield, M.J. and Margolis, B. Electromagnetic scattering of hyperons, 1=5785
- Engler, A., Foster, F., Green, T.L. and Mulvey, J. Primary cosmic ray  $\alpha$ -particles. II, 1=13544
- Engler, A., Kaplon, M.F., Kernan, A., Klarmann, J., Fichtel, C.E. and Friedlander, M.W. Primary cosmic-ray  $\alpha$ -particles, I, 1=8522
- Engler, A. See Blackie, R.F., 1=520
- Engler, A. See Leitner, J., 1=16901
- Engler, H.D. Alloyed silicon diodes as particle counters, 1=3092
- Englert, F. See Brout, R., 1=77
- English, R.L. The mean free path for  $\alpha$ -particles in nuclear photographic emulsion, 1=9780
- Englman, R. The discontinuities in the solutions of the transport equation and the variational principle, 1=1710
- Englman, R. Charge transfer states and optical absorption in octahedrally hydrated paramagnetic salts. II. Intensities in the manganous ion, 1=14016
- Engstrom, R.W. and Matheson, R.M. Multiplier-phototube development program at R.C.A.-Lancaster, 1=2993
- Enoch, J.M. Nature of the transmission of energy in the retinal receptors, 1=12724
- Enoch, J.M. and Stiles, W.S. The colour change of monochromatic light with retinal angle of incidence, 1=21144
- Enomoto, Y. See Hashizume, A., 1=12179
- Entwistle, K.M. Studies of ageing and precipitation in metals using anelastic damping measurements, 1=12649
- Enz, C.P. and Thellung, A. Zero-point energy and arrangement of non-commuting factors in the Hamiltonian, 1=5197
- Enz, U. Magnetization process of a helical spin configuration, 1=6251
- Enz, U. Spin configuration and magnetization in dysprosium, 1=11423
- Epe'boin, I. and Loric, G. Resonance phenomena observed at low frequencies during electrolyses accompanied by strong anodic overvoltage, 1=12679
- Epelboin, I. See Defrain, A., 1=11527
- Epifanov, G.I. The role of adhesion in the establishment of frictional forces on pure surfaces, 1=9097
- Epifanov, G.I. See Rostovtsev, N.M., 1=9241
- Epifanov, G.I. See Rostovtsev, N.M., 1=10358
- Epp, E.R. and Weiss, H. Investigation of narrow well in NaI (Ti) for reduction of iodine K X-ray escape when measuring continuous X-ray spectra with collimated photon beams, 1=10110
- Eppler, R.A. and Drickamer, H.G. The effect of pressure on the absorption spectra of alkali halide phosphors, 1=19984
- Epstein, D.J., Frackiewicz, B. and Hunt, R.P. Uniaxial anisotropy in polycrystalline garnets, 1=6386
- Epstein, H. Generalization of the "edge-of-the-wedge" theorem, 1=4174
- Epstein, H. See Wightman, A.S., 1=2021
- Epstein, L.M. See Gardner, D.G., 1=8920
- Epstein, M. Nonlinear behavior of the electrical conductivity of a slightly ionized gas, 1=271
- Epstein, S.T. and Hirschfelder, J.O. Hypervirial theorems for variational wave functions, 1=11705
- Erastov, L.N. See Sokolov, S.N., 1=2911
- Erastov, L.N. See Sokolov, S.N., 1=3470
- Erath, E.H. Crystal field parameters for erbium in  $Er(C_2H_5SO_4)_3 \cdot 9H_2O$ , 1=9967
- Erbe, H. See Ehmert, A., 1=13583
- Erbe, H. See Ehmert, A., 1=19310
- Erber, T. Velocity of light in a magnetic field, 1=9465
- Erber, T. The Cerenkov self-excitation of the electron, 1=16753
- Erbslöh, F.D. See Zwicker, H., 1=9586
- Erdal, A. and Graue, A. An investigation of neutrons from the reaction  $Mg^{25}(d,n)Al^{26}$  at 2.00 and 6.54 MeV deuteron energy, 1=9876
- Érő, Ya. See Zimani, I., 1=19519
- Eremenko, V.V. Investigation of the spectral dependence of the photoconductivity of monocrystalline CdSe at 77° and 20°K, 1=1103
- Eremenko, V.V. Investigation of the spectral distribution of the photoconductivity of mixed single crystals of  $CdS_x$ .  $CdSe_{1-x}$  at 77°K and 20°K, 1=1104
- Eremenko, V.V. and Chuiko, L.I. The effect of deformation on the absorption spectrum of cuprous oxide crystals at 20°K, 1=11365
- Eremenko, V.V. and Medvedev, V.S. The variation of photoconductivity and intensity of luminescence of anthracene crystals with wavelength of the stimulating, 1=6175
- Eremin, D.M. The effect of cathode surface treatment on the Erez, G. and Rudman, P.S. Long-range order in Fe-Al alloys. II. Thermoelectric power, 1=20592
- Ergen, W.K. and Nohel, J.A. Stability of a continuous-medium reactor, 1=765
- Erginsoy, C. The effective resonance absorption integral of  $^{238}U$  in heavy-atom mixtures, 1=710
- Ergun, A.N. Axisymmetric solutions of the incompressible magnetohydrodynamic equations, 1=12004
- Erickson, W.C. Observations of 26.3 Mc/s solar radio noise during August 1959, 1=15545
- Erickson, W.C., Helfer, H.L. and Tatel, H.E. A survey of neutral hydrogen at high galactic latitudes, 1=18012
- Ericson, T. Fluctuations of nuclear cross-sections in the "continuum" region, 1=672
- Ericson, T. The compound nucleus, 1=8677
- Ericson, T. The statistical model and nuclear level densities, 1=10962
- Ericson, T. A new technique in the statistical model of particle production, 1=16725
- Ericsson, U. and Edin, K. On complete blast scaling, 1=1765
- Eriksen, E. Transformations of relativistic two-particle equations, 1=12803
- Eriksen, E. and Kolsrud, M. Canonical transformations of Dirac's equation to even forms. Expansion in terms of the external fields, 1=16660
- Eriksen, G. Oscillation broadening of lines from ionized elements in stellar spectra, 1=9283
- Eriksen, K.W., Holt, O. and Landmark, B. A note on the polar absorption event of 11-18 May, 1959, 1=1544
- Eriksen, K.W. and Landmark, B. Some results concerning the behaviour of long distance v.l.f. circuits during polar cap absorption events, 1=20954
- Eriksson, K.B.S. and Johansson, I. The spectrum of the neutral nitrogen atom in the lead-sulfide region, 1=19592
- Eriksson, K.E. On radiative corrections due to soft
- Eriksson, K.E. High-energy behaviour of electromagnetic scattering cross-sections, 1=7214
- Eriksson, K.E. Radiative corrections to muon-electron scattering, 1=7256
- Eriksson, K.E. and Peterman, A. High energy behavior of cross sections in quantum electrodynamics, 1=422
- Érings, K.K. See Vizbaraite, Ya.I., 1=2271



- Erkman, J.O. Smooth spalls and the polymorphism of iron, 1=7830
- Erkovich, S.P. and Pisarevskii, Yu.P. The oscillator strength of the  $\delta$ -bands of NO, 1=2334
- Erlandsson, B. See Ask, L., 1=19064
- Erler, W. Elastic properties of short cylindrical rubber samples, 1=12577
- Erley, D.S., Blake, B.H. and Potts, W.H. Small volume long path infrared cells for liquids, 1=7923
- Erlykin, A.D. See Goryunov, N.N., 1=2128
- Ermakov, A.E. See Nazarov, N.I., 1=5487
- Ermakov, A.E. See Nazarov, N.I., 1=11959
- Ermolaev, V.L. The sphere of influence for quenching in the case of energy transfer in triplet levels, 1=18416
- Ermolaev, V.L. and Terenin, A.N. Intramolecular energy transfer between triplet levels, 1=3576
- Ermol'chik, S.Z. See Rybakova, I.M., 1=14911
- Ermolin, V.K. Local and average heat transfer coefficients at an air stream in a tube with a pointed inlet, 1=18647
- Ermolov, I.N. Diffraction of sound in the acoustic path of a pulse-type flaw detector, 1=16035
- Ermolov, P.F. and Moskalev, V.I. A search for bremsstrahlung produced in elastic scattering of negative  $\pi$ -mesons by protons, 1=16780
- Ermolov, P.F. See Budagov, Yu.A., 1=19297
- Ermrich, W. See Klopfer, A., 1=11795
- Ernst, B.M. See Lomsadze, Yu.M., 1=16871
- Ernst, F.J. Reaction  $\mu + N \rightarrow e + N$ : intermediate boson theory, 1=2073
- Ernst, G. and Flugge, S. Deuteron-deuteron [elastic] scattering with allowance for their mutual distortion, 1=8519
- Ernst, L. Examination of tantalum monocrystal tips by means of a field emission microscope, 1=20662
- Erofeev, V.I., Rubtsov, V.K. and Usagin, S.I. New demonstration apparatus, 1=4231
- Erofeichev, V.G. and Kurbatov, L.N. Temperature dependence of conductivity of layers of lead sulphide at the frequency of  $10^{10}$  c/s, 1=11269
- Erofeichev, V.G. and Kurbatov, L.N. Temperature dependence of conductivity of layers of lead sulphide at the frequency of  $10^{10}$  c/s, 1=12422
- Erokhina, E.I. See Andreyev, D.S., 1=2243
- Eros, S. and Smith, C.S. Low-temperature elastic constants of magnesium alloys, 1=20296
- Erpenbeck, J.J. Two-reaction steady detonations, 1=7909
- Ershov, A.G., Korolev, F.A., Kulikov, O.F. and Shkurskii, B.I. An experimental investigation of the compression of an electron bunch in a 280 MeV synchrotron, 1=5517
- Ershov, A.G. See Grigor'ev, B.A., 1=12969
- Ershov, A.G. See Grigor'ev, B.A., 1=18564
- Erskine, J.R. and Browne, C.P. Isotopic-spin selection rule violation in the  $B^{10}(d, \alpha) Be^8$  reaction, 1=11033
- Ersov, A.G. See Korolev, F.A., 1=7112
- Ertel, H. Simple proof of a theorem on two-dimensional potential flow of incompressible liquids, 1=18368
- Ertel, H. Non-stationary state of the direction of motion in a field of flow as a function of geometrical properties of the streamlines and trajectories, 1=18369
- Erwin, A.R., March, R., Walker, W.D. and West, E. Evidence for  $\pi - \pi$  resonance in the  $I = 1, J = 1$  state, 1=12103
- Erwin, A.R. See Kopp, J.K., 1=10907
- Esaki, L. and Miyahara, Y. A new device using the tunneling process in narrow p-n junctions, 1=14490
- Escarfail, J.P. See Preuss, L.G., 1=18592
- Esche, R. The behaviour of barium titanate tubular oscillators which radiate externally in [the region of] radial resonance, 1=205
- Eschenbrenner, S., Ferrieux, L., Godivier, R., Lachaux, R., Larzillière, H., Lebeau, A., Schlich, R. and Seizer, E. Analysis of the magnetic and telluric effects of the "Argus Experiment" recorded by French stations, 1=1582
- Escobar, I. See Hersil, J., 1=3368
- Escobar, I. See Suga, K., 1=19060
- Escobar, V., I. International Conference on Cosmic Radiation, 1=562
- Escobar V., I., Nerurkar, N. and Weil, R. Sidereal anisotropy in cosmic rays of high energy, 1=7305
- Escobar V., I., Uría, C. and Weil, R. Daily variations in the intensity of cosmic rays measured with directional telescopes at Chacaltaya, 1=7306
- Esel'son, M.P. See Mal'nev, A.F., 1=4465
- Eshelby, J.D. Dislocations in viscoelastic materials, 1=19776
- Eshleman, V.R., Gallagher, P.B. and Barthle, R.C. Radar methods of measuring the cislunar electron density, 1=15331
- Esin, V.O. Directions of preferential growth of metal crystals from melt, 1=4019
- Eskenazi, M. The conceptual aspect of dimensions, allowing the logical interpretation of operations encountered in the equations of physics and engineering, 1=9305
- Espagne, H. Direct observation of crystal lattices of copper and platinum phthalocyanates with an electron microscope, 1=9142
- Essam, J.W. See Fisher, M.E., 1=10426
- Essen, L., Hope, E.G. and Sutcliffe, D. Hyperfine splitting of Rubidium-87, 1=7438
- Essenhigh, R.H. and Fells, I. Combustion of liquid and solid aerosols, 1=11639
- Essig, S.F. Phototubes capable of high current output, 1=2997
- Esslinger, P. See Schubert, K., 1=5098
- Esten, M.J., Griffith, T.C., Lush, G.J. and Metheringham, A.J. Fast neutrons from p-d collisions at 135 MeV, 1=19192
- Ésterlis, M.Kh. See Azimov, S.A., 1=19227
- Esteve Pastor, A. and Garcia Moliner, F. Galvanomagnetic tensors of cubic crystals, 1=14371
- Estle, T.L. See Walters, G.K., 1=14787
- Éstrin, M.I. Dynamical equation for a compressed plastic medium, 1=3972
- Éstrin, M.I. Dynamical equation for a compressed plastic medium, 1=10210
- Estulin, I.V., Melioransky, A.S. and Kalinkin, L.F. Transitions between low-lying excited states of  $Mn^{56}$  and  $Ho^{166}$ , 1=8648
- Éstulin, I.V. See Melioranskii, A.S., 1=13659
- Éstulin, I.V. See Petushkov, A.A., 1=13715
- Etoh, K. See Ohmura, H., 1=13801
- Étienne, J. and Thiry, F. Green's function of the metaharmonic operator for Dirichlet's or Neumann's problems in the interior of a circle or of a sphere, 1=17978
- Ettinger, R., Blume, P., Patterson, A., Jr and Lauterbur, P.C.  $C^{13}$  chemical shifts in CO and  $CO_2$ , 1=2350
- Ettinger, R., Johnson, F.A. and Colburn, C.B. On the structure of the isomers of  $N_2F_4$ , 1=12326
- Eubank, H.P. and Wilkerson, T.D. Plasma motion in a curved magnetic field, 1=18848
- Evan-Iwanowski, R.M. On tracking of space vehicles by the Doppler effect, 1=18228
- Evans, D. Observations on the heavy nuclei of the cosmic radiation at very low energies, 1=3315
- Evans, D. and Hillier, R.R. Remarks upon the densitometry of the tracks of heavy nuclei in nuclear emulsion, 1=13254
- Evans, D. and Jones, B.D. On the emission of fast  $\Sigma$ -hyperons from disintegrations due to the capture of  $K^-$ -mesons by light nuclei, 1=13521
- Evans, D., Jones, B.D., Sanjeevaiah, B., Zakrzewski, J., Beniston, M.J., Bull, V.A., Davis, D.H., Lasich, W.B., Raina, N.N., Amerighi, M., di Corato, M., Fedrighini, A., Sichirollo, A. and Vegni, G. Emission of fast deuterons and tritons from  $K^-$ -mesons captured at rest in nuclear emulsion and a search for the hypernucleus ( $\Sigma^+n$ ), 1=19267
- Evans, D. See Deka, G.C., 1=5930
- Evans, D.S. The great meteor of 11th October, 1960, 1=1636
- Evans, D.S. An experiment with a Lyot heliograph at a transit of Mercury, 1=15429
- Evans, D.S. and Raynor, G.V. Lattice spacings in thorium-yttrium alloys, 1=20578
- Evans, D.S., Raynor, G.V. and Weiner, R.T. The lattice spacings of thorium-lanthanum alloys, 1=20577
- Evans, E.H. See Swanson, H.E., 1=15066
- Evans, E.H. See Swanson, H.E., 1=15067
- Evans, E.J. and Bazley, E.N. Sound absorbing materials, 1=12957
- Evans, E.W. See Bryant, R.T., 1=20040
- Evans, G.C. Radio echo observations of meteor activity between 1954 December and 1958 December, 1=2661
- Evans, H.C. See Miller, D., 1=5373
- Evans, H.T.Jr. Weighting factors for single-crystal X-ray diffraction intensity data, 1=20511
- Evans, J.A. See Brown, G.E., 1=8560
- Evans, J.A. See Woolley, J.C., 1=7652
- Evans, J.A. See Woolley, J.C., 1=10026
- Evans, J.A. See Woolley, J.C., 1=19880
- Evans, J.A. See Woolley, J.C., 1=19996

- Evans, J.C. A comparison of the widths of liquid-phase infrared absorption bands and of the corresponding Raman bands, 1=2758
- Evans, J.C. See Swindells, B., 1=8816
- Evans, J.E. and Fluharty, R.G. Evaluation of low-energy cross section data for  $U^{235}$ , 1=17162
- Evans, J.E. See Morrison, G.C., 1=19506
- Evans, J.V. Bandwidth of a moon communication circuit, 1=16576
- Evans, J.V. and Taylor, G.N. The electron content of the ionosphere in winter, 1=15260
- Evans, L., Feldman, G. and Matthews, P.T. Gauge invariance and renormalization constants, 1=12043
- Evans, L.E. and Fulton, T. Asymptotic conditions in quantum
- Evans, P.B.F. See Bishop, J., 1=5986
- Evans, S. Horizontal movements of visual auroral features, 1=1561
- Evans, S. Systematic movements of aurora at Halley Bay, 1=2571
- Evans, T. and Sauter, D.H. Etching of diamond surfaces with gases, 1=9106
- Evans, W.W. See Hunt, S.E., 1=690
- Evans, W.W. See Pope, R.A., 1=9859
- Evdokimov, V.D. The abrasion of unequal sized frictional surfaces, 1=4003
- Evdokimov, V.D. The effect of the direction of sliding on the [friction-induced] work hardening of the surface layers, 1=6465
- Evdokimov, V.D. On work-hardening of rock salt, 1=9094
- Evdokimov, V.D. The effect of the direction of sliding on the [friction-induced] work hardening of the surface layers, 1=10220
- Evdokimova, V.V. See Vereshchagin, L.F., 1=5094
- Everett, C.J. See Cashwell, E.D., 1=2585
- Everett, D.H. See Counsell, J.F., 1=1769
- Everett, G., Lawson, A.W. and Smith, G.E. Microwave behavior of Debye-Hückel clouds in AgBr, 1=12469
- Everhart, E. See Lane, G.H., 1=818
- Everitt, C.W.F. The magnetic properties of three carbon-iferous sills, 1=12702
- Everitt, C.W.F. Thermoremanent magnetization. I. Experiments on single domain grains, 1=14704
- Everitt, J. See DuMond, J.W.M., 1=1391
- Everling, F. Adjustment of double focussing mass spectrographs, 1=334
- Everling, F., König, L.A., Mattauch, J.H.E. and Wapstra, A.H. Adjustment of relative nuclidic masses. I.  $A \leq 70$ , 1=12266
- Eversdik Smulders, M.C. See Postma, H., 1=8643
- Evershed, A.V. See Meleka, A.H., 1=20356
- Everton, J.G. See Koga, T., 1=16318
- Evseev, A.M. See Alekseev, N.V., 1=143
- Evseev, V.S., Komarov, V.I., Kush, V.Z., Roganov, V.S., Chernogorova, V.A. and Shimchak, M.M. The asymmetry in the angular distribution of neutrons emitted in the capture of  $\mu^-$ -mesons in calcium, 1=19499
- Evtuhov, V. See Maiman, T.H., 1=11391
- Evtushenko, V.A. See Brekhovskikh, L.M., 1=5327
- Ewald, A.W. See Tufte, O.N., 1=8960
- Ewald, H. See Burlefinger, R., 1=9711
- Ewan, G.T., Graham, R.L. and Geiger, J.S. Negative parity levels in the even-even nucleus  $Dy^{160}$ , 1=5840
- Ewan, G.T., Graham, R.L. and Geiger, J.S. Relative transition probabilities in  $Dy^{160}$ , 1=8663
- Ewan, G.T. See Brown, F., 1=10991
- Ewan, G.T. See Geiger, J.S., 1=8601
- Ewan, G.T. See McKenzie, J.M., 1=3166
- Ewing, G.E. and Pimentel, G.C. Infrared spectrum of solid carbon monoxide, 1=14600
- Ewing, M. See Brune, J., 1=6585
- Ewing, R.I. See Bramblett, R.L., 1=16813
- Exell, P.H.B. See Croft, A.J., 1=14672
- Exner, G. An advance in methods of photometry of structured microscopic preparations, 1=4426
- Eyges, L. Quantum mechanical three-body problem. II, 1=5202
- Eyges, L. Solution of Schrödinger equation for a periodic lattice, 1=12362
- Eykelenboom, L.C.H. See Bosman, A.J., 1=6546
- Eyraud, C. See Sicard, L., 1=8252
- Eyraud, L. See Petit, J.L., 1=9504
- Eyraud, L. See Sicard, L., 1=8252
- Eyraud, P. Effect of the shape of the pores on the discharge of a vapour through porous material, 1=18442
- Eyre, B.L. The solid solubility of antimony in tin, 1=15160
- Eyring, E.M. and Wahauffig, A.L. Dependence of calculated and experimental propane mass spectra upon electron voltage, 1=3575
- Ezawa, H., Kamei, O., Mori, K., Shimoida, H. and Yoneyama, T. Impact parameter and perturbation treatment of the distant collision of nucleons with pion emission, 1=3170
- Ezawa, H., Kamei, O., Mori, K., Shimoida, H. and Yoneyama, T. Pion-nucleon interaction and the multiple-production experiment, 1=13481
- Ezawa, H. See Watanabe, K., 1=13284
- Ezer, D. Models of massive pure hydrogen stars, 1=2628
- Ezhik, I.I. and Shovlo, S.T. Role of M, R and F' colour centres in infrared fluorescence of F-centres in alkali-halide crystals, 1=4997
- Fa Yueh Wu and Feenberg, E. Ground state of liquid helium (mass 4), 1=6690
- Fabbri, O. See Baldo Ceolin, M., 1=551
- Fabelinskii, I.L. See Pesin, M.S., 1=8183
- Fabelinskii, I.L. See Pesin, M.S., 1=10570
- Fabre, D. and Damay, H. Preparation of thin films varying linearly in thickness in a given direction, 1=16095
- Fabre, D., Romand, J. and Vodar, B. Method for determining the optical constants of thin, evaporated films in the far ultraviolet region, 1=12994
- Fabre, R. See Dupouy, G., 1=7050
- Fabre de la Ripelle, M. Collective motion in photonuclear giant resonance, 1=13767
- Fabre de la Ripelle, M. Collective motion in giant photonuclear resonance. I. Resonance energy of spherical nuclei and splitting of deformed nuclei, 1=19334
- Fabri, G. See Cottini, C., 1=17524
- Fabricand, B.P. and Goldberg, S. Proton resonance shifts in alkali halide solutions, 1=8143
- Fabrikant, V.A. Negative absorption coefficients in discharges in gas mixtures, 1=18772
- Facchini, U. Nuclear reactions at medium energies, 1=17067
- Faddeev, L.D. Scattering theory for a three-particle system, 1=19144
- Faddeev, L.D. The structure of the resolvent operator for a Schrödinger system of three particles with a two-body interaction, 1=19145
- Faddeyev, L.D. The inverse problem in the quantum theory of scattering, 1=10849
- Fadeev, V.M. See Komarov, N.N., 1=18837
- Fadeeva, N.A. See Makarov, V.I., 1=18513
- Fagegaltier, J.L. See Vergnoux, A.M., 1=1144
- Fagel, J.E. Elimination of a glow discharge in an induction-heated vacuum furnace, 1=6985
- Fagot, M., Ferré, J. and Fert, C. Some observations on the
- Fahl, C. See Burkhardt, G., 1=2986
- Fahlenbrach, H. See Baran, W., 1=6343
- Fahleson, U.V. Experiments with plasma moving through neutral gas, 1=2980
- Fahy, E.F. Aberration of plane waves, 1=1689
- Fahy, E.F. On the tight packing of equal spheres and associated problems in flat n-dimensional space, 1=15388
- Faidysh, O.M. and Chechik, L.Yu. Approximate calculation of reabsorption in the equation of exciton diffusion, 1=11399
- Fain, J. See Avan, M., 1=8750
- Fainberg, V.Ya. The causality conditions in quantum theory, 1=19088
- Fainberg, V.Ya. See Malakhov, V.V., 1=4777
- Fainberg, Ya.B. Non-linear theory of slow plasma waves, 1=9626
- Fainberg, Ya.B. and Nekrashevych, O.M. Modulation of heavy-particle linear accelerators by means of slow electrons, 1=13139
- Fainberh, Ya.B., Khizhnyak, N.A., Sylenok, H.A., Berezin, A.K. and Nekrashevych, A.M. Investigation of a helical waveguide with an artificially anisotropic dielectric. I, 1=19037
- Fainberh, Ya.B. See Berezin, A.K., 1=19038
- Faini, G., Fuortes, A. and Svelto, O. A nuclear magnetometer, 1=7114



- Fairbairn, W.M. The isobaric triplets in the nuclear 2p-shell and the charge independence of nuclear forces, 1=8617
- Fairbairn, W.M. See Bell, G.M., 1=20036
- Fairbank, H.A. See Lee, D.M., 1=4524
- Fairbank, H.A. See Strongin, M., 1=8277
- Fairbank, H.A. See Vignos, J.H., 1=8280
- Fairbank, W.M. See Deaver, B.S. Jr., 1=13042
- Fairhall, A.W., Schell, W.R. and Takashima, Y. Apparatus for methane synthesis for radiocarbon dating, 1=7914
- Fairlie, D.B. On the Ruijgrok-Van Hove model, 1=8427
- Fairstein, E. Considerations in the design of pulse amplifiers for use with solid state radiation detectors, 1=2937
- Faissner, H. Polarized nucleons. I. Polarization by scattering, 1=3175
- Faissner, H. and Schneider, H. Direct processes and collective effects in high energy proton induced fission, 1=2249
- Faissner, H. and Wildermuth, K. Evidence for large clusters from the level structure of heavy nuclei, 1=16955
- Faivusovich, S.A. See Bashuk, R.P., 1=14996
- Fakidov, I.G. and Novogrudskii, V.N. Hall effect in the inter-metallic compound  $MnAu_3$ , 1=10029
- Fakidov, I.G. and Zavadskii, E.A. Generation of very strong pulsed magnetic fields, 1=7117
- Fakidov, I.G. and Znamenski, B.V. Magnetic properties of the polycrystalline alloy Cu + 22.8 at% Mn, 1=20046
- Fakidov, I.G. See Gaidukov, L.G., 1=20068
- Fakidov, I.G. See Krasovskii, V.P., 1=3897
- Fakidov, I.G. See Margolin, S.D., 1=11424
- Fakidov, I.G. See Novogrudskii, V.N., 1=10173
- Fakidov, I.G. See Novogrudskii, V.N., 1=14386
- Fakidov, I.G. See Samokhvalov, A.A., 1=2476
- Fakidov, I.G. See Samokhvalov, A.A., 1=5036
- Fakidov, I.G. See Zavadskii, E.A., 1=10041
- Falaleev, G.A. See Lapkin, N.I., 1=6359
- Falconer, W.E. See Cvetanović, R.J., 1=20753
- Falge, R.L. Jr. See Hein, R.A., 1=10640
- Falicov, L.M. The velocity and effective charge of the particles near the Fermi surface, 1=17437
- Falicov, L.M. and Heine, V. The many-body theory of electrons in metal or has a metal really got a Fermi surface? 1=19743
- Falicov, L.M. See Cohen, M.H., 1=2384
- Falk, H. and Ruijgrok, T.W. Antiferromagnetic chain, 1=20151
- Falk, M. and Whalley, E. Infrared spectra of methanol and deuterated methanols in gas, liquid, and solid phases, 1=8836
- Falk, M. See Whalley, E., 1=8837
- Falk, R.B. and Hooper, G.D. Elongated iron-cobalt ferrite: a new lightweight, permanent magnet material, 1=6354
- Falk-Vairant, P. and Valladas, G. Partial cross-sections near the higher resonances, 1=16865
- Falk-Vairant, P. See Briison, J.C., 1=5770
- Falk'kovskii, L.A. See Abrikosov, A.A., 1=14614
- Fallier, C.N., Jr. Simple wet-string crystal cutter, 1=7850
- Fallieros, S. Centre-of-mass invariance and the energy shift in the nuclear dipole state, 1=16978
- Fallon, R.J., Tobias, I. and Vanderslice, J.T. Potential energy curves for OH, 1=3529
- Fallon, R.J. See Ho, L.T., 1=11785
- Fallon, R.J. See Ho, L.T., 1=11789
- Fallon, R.J. See Tobias, I., 1=2333
- Fallona, J.P., Ferguson, H.I.S. and Nicholls, R.W. An f/6 Littrow grating spectrograph, 1=4460
- Fälthammar, C.G. Stationary state of a high-temperature gas-insulated plasma column, 1=11929
- Faltin, H. The temperature function of molar heat, 1=15956
- Fan, C.Y., Meyer, P. and Simpson, J.A. Dynamics and structure of the outer radiation belt, 1=21077
- Fan, C.Y. See Hess, W.N., 1=21076
- Fan, C.Y. See Hughes, R.H., 1=7435
- Fan, C.Y. See Hughes, R.H., 1=13944
- Fan, H.Y. See Becker, W.M., 1=17733
- Fan, H.Y. See Laff, R.A., 1=1076
- Fan, H.Y. See Ray, R.K., 1=3759
- Fanchenko, S.A. See Demidov, B.A., 1=3374
- Fanchenko, S.D. Problems in the accurate measurement of time, and investigations of processes of ultra-short duration. (A review), 1=10474
- Fanchenko, S.D. See Demidov, B.A., 1=18790
- Faneuff, C.E. See McLean, E.A., 1=291
- Fang, P.H. On the electrical conductivity of polar semiconductors at high frequencies, 1=1029
- Fang, P.H. Complex conductivity of some plasmas and semiconductors, 1=16306
- Fang, P.H. The relaxation times of some paramagnetic dispersions, 1=20055
- Fang, P.H., Robbins, C. and Forrat, F. Ferroelectric properties of mixed titanates in the system  $Bi_2Ti_2O_{12}.nBaTiO_3$ , 1=8972
- Fanguin, R. See Raoult, G., 1=3061
- Fannin, B.M. See Law, P.F., 1=20902
- Fano, G., Savoia, M. and Tomasini, A. Hard-core effects on the energy gap in nuclear matter, 1=19339
- Fano, G. and Tomasini, A. Energy gap in the spectrum of free quasi-particles in nuclear matter, 1=5689
- Fano, U. Quantum theory of interference effects in the mixing of light from phase-independent sources, 1=10598
- Fant, G. Acoustic analysis and synthesis of speech with applications to Swedish, 1=1801
- Fanti, F. See Barone, A., 1=18532
- Fânzeres de Castro Fernandes, M.L. See Briand, J., 1=18783
- Faraday, B.J., Rabin, H. and Compton, W.D. Evidence for the double F model of the M center, 1=14341
- Farag, N. See El Nadi, A.F., 1=16273
- Faraggi, H. See Barloutaud, R., 1=13527
- Faraggi, H. See Beurtey, R., 1=9883
- Faraggi, H. See Beurtey, R., 1=13853
- Faraggi, H. See Garin, A., 1=13256
- Faraggi, H. See Saudinos, J., 1=7402
- Faraggi, H. See Saudinos, J., 1=7403
- Faraggi, H. See Saudinos, J., 1=13858
- Faragi, N. See El Nadi, M., 1=15946
- Farazmand, B. Study of electric breakdown of liquid dielectrics using Schlieren optical techniques, 1=6869
- Farber, W.A., Kruse, P.W. and Saur, W.D. Improvement in infrared detector performance through use of antireflection film, 1=6502
- Farbshtein, I.I. See Parfen'ev, P.V., 1=3773
- Farbshtein, I.I. See Parfen'ev, R.V., 1=17623
- Faria, S. See Kremheller, A., 1=1380
- Farina, F. See Baldo Ceolin, M., 1=551
- Farini, F. See Baldo-Ceolin, M., 1=10926
- Farley, D.T., Barron, D.W. and Dougherty, J.P. A theory of incoherent scattering of radio waves by a plasma. II. Scattering in a magnetic field, 1=16314
- Farley, F.J.M. See Charpak, G., 1=5742
- Farley, T.A. and Rosen, A. Charged-particle variations in the outer Van Allen zone during a geomagnetic storm, 1=15334
- Farley, T.A. See Rosen, A., 1=21070
- Farmer, J.B., Gardner, C.L. and McDowell, C.A. Energy transfer between triplet states detected by electron spin resonance spectroscopy, 1=7502
- Farnell, G.C. and Chanter, J.B. The quantum sensitivity of photographic emulsion grains, 1=16125
- Farnell, G.W. Elastic waves in trigonal crystals, 1=3602
- Farnell, G.W. See Lee, L., 1=4720
- Farnsworth, H.E. and Madden, H.H. Jr. Mechanism of chemisorption, place exchange, and oxidation on a (100) nickel surface, 1=20687
- Farnsworth, H.E. See Madden, H.H., 1=6563
- Farnsworth, H.E. See Margoninski, Y., 1=11295
- Farquhar, I.E. The present state of ergodic theory, 1=10431
- Farrall, G.A. and Reiling, G.H. Experimental study of arc stability. II. An investigation of mercury arc stability, 1=11917
- Farrall, G.A. See Cobine, J.D., 1=1899
- Farrar, H., Dasgupta, A.K. and Tomlinson, R.H. Half-life of  $Cs^{137}$ , 1=7354
- Farrow, G. and Ward, I.M. Comparison of X-ray and nuclear magnetic resonance measurements of crystallinity in polyethylene terephthalate, 1=1444
- Fasana, A. See Bisi, A., 1=8901
- Fasana, A. See Bisi, A., 1=19754
- Fasana, A. See Bisi, A., 1=19918
- Fast, J.D. and Verrijp, M.B. Internal friction in lightly deformed pure iron wires, 1=14854
- Fastov, N.S. Creation of high temperatures by internal friction, 1=14852
- Fastov, N.S. Creation of high temperatures by internal friction, 1=20311

- Fastov, N.S. Peculiarities in the thermodynamics of interstitial solid solutions with body-centred cubic lattice, 1=20613
- Fastov, N.S. See Lyubov, B.Ya., 1=14293
- Fateev, A.P. Free motion of particles in accelerators with constant field and strong focusing, 1=5522
- Fateev, A.P. and Yablokov, B.N. A ring cyclotron with a vertically increasing magnetic field, 1=13141
- Fateev, A.P. Free motion of particles in accelerators with constant field and strong focusing, 1=11989
- Field, G.B. The source of radiation from Jupiter at decimeter wavelengths. III. Time dependence of cyclotron radiation, 1=18171
- Fateeva, L.N. See Dmitriev, I.S., 1=9358
- Fateeva, L.N. See Nikolaev, V.S., 1=18779
- Fateeva, L.N. See Nikolaev, V.S., 1=18940
- Fatuzzo, E. Switching properties of tetramethyl-ammonium-trichloromercurate, 1=3807
- Fatuzzo, E. Increase in dielectric constant during switching in lithium selenite and triglycine sulfate, 1=11338
- Fatuzzo, E. and Merz, W.J. Surface layer in BaTiO<sub>3</sub> single crystals, 1=14561
- Faucher, J.A. Extension of the Eyring-Ree theory of non-Newtonian flow [to polymers], 1=18367
- Faudrowicz, A. See Ambroży, B., 1=16995
- Faughnan, B.W. and Strandberg, M.W.P. The role of phonons in paramagnetic relaxation, 1=20209
- Faulkner, C.R. Observations of satellite 1960<sub>2</sub> 1, and a comparison with satellite 1958 1,  $\sigma$  1=10402
- Faulkner, C.R. See Notni, P., 1=9301
- Faulkner, J.S. and J. Korrington, J. Electron energy bands of one-dimensional random alloys, 1=7550
- Fauré, J. Study of forced convection by an optical pyrometry method, 1=18657
- Faure, R. Certain periodic solutions of non-linear differential equations with periodic coefficients, 1=5385
- Faust, J.W., Jr and John, H.F. Twin structures in silver dendrites, 1=5088
- Faust, J.W., Jr. and John, H.F. Germanium dendrite studies. I. Studies of twin structures and the seeding mechanism, 1=15007
- Faust, J.W., Jr. and John, H.F. Germanium dendrite studies. II. Lateral growth processes, 1=15008
- Faust, J.W., Jr. and John, H.F. Germanium dendrite studies. III. Dislocations, 1=15009
- Faust, W.L. and McDermott, M.N. Hyperfine structure of the  $(5p)^4(6s)^2P_{3/2}$  state of  $^{136}\text{Xe}$  and  $^{131}\text{Xe}$ , 1=11065
- Faust, W.R. and Harris, E.G. Energy distribution of neutrons produced by a thermonuclear reaction, 1=17180
- Faustov, R.N. See Arbuzov, B.A., 1=16639
- Faustov, R.N. See Arbuzov, B.A., 1=19083
- Fava, G. See Nardelli, M., 1=15064
- Favella, L. and Predazzi, E. On the Coulomb scattering by a spherical charge distribution, 1=5697
- Favero, P. See Mirri, A.M., 1=8833
- Favier, J. See Berger, J., 1=15192
- Favorin, V.N. and Kozina, G.S. Electroluminescence of ZnS:Cu:Mn powders in a constant electric field, 1=10123
- Fawcett, E. Cyclotron resonance in aluminum, 1=17486
- Fawcett, E. Anomalous skin effect in aluminum, 1=17596
- Fawcett, E. The Fermi surface areas of magnesium, zinc and cadmium, 1=19745
- Fawcett, E. Fermi surface topology of even-valent metals from their magnetoresistance anisotropy, 1=19746
- Fayolle, J.C. See Morand, M., 1=7179
- Fayyazuddin. Preliminary analysis of photoproduction of K mesons in the Mandelstam representation, 1=12112
- Fazio, G.G. and Hafner, E.M. Directional high energy gamma-ray counter, 1=10816
- Fazio, M. See Colli, L., 1=561
- Fazzini, T. See Cocconi, V.T., 1=19241
- Fearon, J.H. See Stanford, E.G., 1=9238
- Fearon, J.H. See Stanford, E.G. [Eds], 1=9239
- Fearon, J.H. See Stanford, E.G., 1=21155
- Fearson, J.H. See Stanford, E.G., 1=11667
- Fechner, B. On the statistics of spin waves by the Bethe method, 1=11416
- Fechner, B. On the high temperature susceptibility of ferrimagnetics and antiferrimagnetics, 1=20148
- Fedash, G.M. and Surovova, V.I. Investigation of the thermoelectromotive force generated in a circuit formed by deformed and undeformed regions of a metal, 1=7676
- Fedchenko, E.D. See Vanetsian, R.A., 1=3445
- Fedchenko, E.D. See Vanetsian, R.A., 1=17093
- Fedchenko, K.K. Index of cosmic ray activity and its connection with magnetic, ionospheric and solar activity, 1=3356
- Fedeli, R.P. See Barbetta, M.G., 1=5804
- Feder, R., Thornton, P.H. and Cahn, R.W. The high temperature electrical resistance of iron-aluminium alloys, 1=19828
- Federbush, P. A two-dimensional relativistic field theory, 1=3105
- Federbush, P. Minimal electromagnetic coupling for spin two particles, 1=5641
- Federbush, P.G. and Johnson, K.A. Uniqueness property of the twofold vacuum expectation value, 1=2009
- Federici, M. The telemetric characteristics of a passive receiving apparatus for measuring the distance of a sound source, 1=12953
- Federighi, T. Panseri, C., 1=1426
- Fedin, E.I. and Kitaigorodskii, A.I. Nuclear quadrupole resonance studies of solid solutions of some organic compounds, 1=20281
- Fedin, E.I. and Semin, G.K. A nuclear quadrupole radiospectrometer, 1=3072
- Fedorchenko, I.M. See Raichenko, A.I., 1=10028
- Fedorenko, N.V. Ionization in collisions between ions and atoms, 1=4557
- Fedorenko, N.V. See Afrosimov, V.V., 1=9602
- Fedorenko, N.V. See Afrosimov, V.V., 1=9608
- Fedorenko, N.V. See Afrosimov, V.V., 1=9609
- Fedorenkova, N.R. See Sanina, T.A., 1=4573
- Fedorov, F.I. See Bokut', B.V., 1=15002
- Fedorov, N.D. See Budyansky, G.M., 1=9655
- Fedorov, V.V. See Klepikov, N.P., 1=19260
- Fedorova, G.A. See Lyubin, V.M., 1=6178
- Fedorova, M.F. See Lazarev, B.G., 1=4384
- Fedorova, N.I. On emission  $\lambda$  10830 Å in aurorae, 1=15314
- Fedorovich, R.D. See Borzyak, P.G., 1=17872
- Fedorus, G.A. See Marchenko, A.I., 1=19899
- Fedorus, G.A. See Sal'kov, E.A., 1=7669
- Fedorus, G.A. See Trofimenko, A.P., 1=19901
- Fedorus, H.A. See Holýnna, H.I., 1=14511
- Fedorus, H.A. See Salkov, Ye.A., 1=19902
- Fedorus, H.A. See Trofimenko, A.P., 1=12459
- Fedorus, H.A. See Trofimenko, A.P., 1=14463
- Fedorus, Z.P. See Habovych, M.D., 1=11979
- Fedoseeva, O.P. See Gliberman, A.Ya., 1=1109
- Fedotov, I.I. See Malov, N.N., 1=2673
- Fedotov, P.I. See Zhdanov, A.P., 1=3099
- Fedrichini, A. See Baldassarre, F., 1=16862
- Fedrichini, A. See Evans, D., 1=19267
- Fedrichini, C.A. See Jones, B.D., 1=8500
- Fedulov, S.A., Venetsev, Yu.N., Zhdanov, G.S. and Smazhevskaya, E.G. X-ray and electrical investigation of solid solutions in the system PbTiO<sub>3</sub>-SrSnO<sub>3</sub>, 1=20575
- Fedulov, S.A. See Venetsev, Yu.N., 1=15018
- Fedyanin, V.K. Dispersion relations for Compton effect in nucleons, 1=16729
- Feely, H.W. and Spar, J. Tungsten-185 from nuclear bomb tests as a tracer for stratospheric meteorology, 1=6597
- Feenberg, E. See Fa Yueh Wu, 1=6660
- Feenberg, E. See Jackson, H.W., 1=15736
- Feher, G., Hensel, J.C. and Gere, E.A. Paramagnetic resonance absorption from acceptors in silicon, 1=1266
- Feher, G., Prepost, R. and Sachs, A.M. Muonium formation in semiconductors, 1=2074
- Feher, G. See Wilson, D.K., 1=20232
- Feibelman, W.A. Area-intensity integrator for solar flares, 1=2621
- Feibelman, W.A. Evaporated selenium films for use in  $H\alpha$  photography, 1=9491
- Feil, D. and Jeffrey, G.A. The polyhedral clathrate hydrates. II. Structure of the hydrate of tetra isoamyl ammonium fluoride, 1=20569
- Fein, A.E. See Carr, W.J., Jr., 1=17481
- Feinberg, G. and Weinberg, S. Law of conservation of muons, 1=8467
- Feinberg, G. and Weinberg, S. Conversion of muonium into antimuonium, 1=12094



- Feinberg, R. and Rhead, G.E. Photovoltaic response of selenium barrier layer cells to X-radiation in the energy range of 15-40 keV, 1=14516
- Fejer, J.A. Scattering of radio waves by an ionized gas in thermal equilibrium in the presence of a uniform magnetic field, 1=9689
- Fejer, J.A. Radio-wave scattering by an ionized gas in thermal equilibrium, 1=16584
- Felcher, G.P., Germagnoli, E., Musci, M. and Poletti, G. On some intercomparisons between calibrated neutron sources, 1=7253
- Felcher, G.P. and Musci, M. Study of the lattice dynamics of solid and of liquid media by slow neutron spectroscopy, 1=7525
- Feld, B.T. and Iso, C. On the "Quasi-elastic diffraction" scattering of high-energy protons, 1=13413
- Feld, B.T., Maglič, B.C. and Parks, J. Use of a nuclear emulsion as an analyser of proton polarization: application to the polarization of protons in the photodisintegration of the deuteron, 1=13419
- Feld, B.T. See Maglič, B.C., 1=12105
- Fel'd, Ya.N. and Benenson, L.S. Calculation of the phase velocities of waves in an artificial metal dielectric, 1=4719
- Feldman, D. See Kowalski, K.L., 1=10884
- Feldman, D.W. and McAvoy, B.R. A 100 dB microwave semiconductor switch, 1=4547
- Feldman, D.W. See Castle, J.G., Jr., 1=5073
- Feldman, D.W. See McAvoy, B.R., 1=14333
- Feldman, G., Matthews, P.T. and Salam, A. Nonleptonic decay modes of the hyperons, 1=547
- Feldman, G. See Evans, L., 1=12043
- Feldman, G. See Wali, K.C., 1=12123
- Feldman, M., Highland, V., DeWire, J.W. and Littaver, R.M. Double pion photoproduction, 1=2092
- Fel'dman, M.R. Stability of orthotropic plates with a stepwise changing rigidity, 1=15988
- Feldman, S. Stabilization of Taylor instability by a shearing flow, 1=5262
- Feldmann, W.L. See Chynoweth, A.G., 1=5779
- Feldmann, W.L. See Chynoweth, A.G., 1=17834
- Feldtkeller, E. Field induced and incidence angle anisotropy in nickel-iron films, 1=10158
- Feldtkeller, E. The remagnetization of anisotropic nickel-iron films in the difficult direction. II. Hysteresis and domain behaviour, 1=10164
- Felenbok, P. See Herman, L., 1=14014
- Félici, N. The influence of water on the conductivity of dielectric liquids, 1=2767
- Felici, N. See David, J.E., 1=18953
- Fells, I. See Essenhigh, R.H., 1=11639
- Felsen, L.B. and Hessel, A. A network approach to the analysis of Čerenkov radiation problems. Comment on the paper "on the theory of some Čerenkovian effects" by G. Toraldo Di Francia, 1=10870
- Felsner, G. and Rose, M.E. Electron polarization in allowed beta-transitions with Coulomb corrections, 1=636
- Felsner, G. and Rose, M.E. Effect of inelastic scattering on polarization asymmetry, 1=12259
- Feltham, P. The flow stress of metals at low temperatures, 1=5083
- Feltham, P. Creep and stress relaxation in alpha-brass at low temperatures, 1=6463
- Feltham, P. Stress relaxation in alpha-iron at low temperatures, 1=20318
- Feltham, P.J. and Copley, G.J. Yielding and work-hardening in alpha-brasses, 1=3968
- Fel'tin'sh, I. Properties of arsenoselenides of gallium at high temperatures, 1=3766
- Fel'tin'sh, I.A. Semiconductors and their applications in electrical engineering. I. New semiconductor materials — solid solutions of GaAs—Ga<sub>2</sub>Se<sub>3</sub>, 1=19877
- Fén Shao-sung [Fēng Shao-sung] Reflection of waves of finite amplitude, 1=4412
- Fendley, J.R., Jr. Integration of current through getter-ion pumps, 1=5302
- Feng Shao-sung. See Fén Shao-sun, 1=4412
- Fenn, R.W. and Weickmann, H.K. Atmospheric net radiation flux during winter in the Thule area, Greenland, 1=15230
- Fenton, K.B. Comments on Fermi's statistical theory of high energy nuclear events, 1=16824
- Fenyves, E. See Biczó, G., 1=13592
- Fenyves, E. See Bozóki, G., 1=8460
- Fenyves, E. See Bozóki, G., 1=12190
- Feofilov, P.P. The spectra and kinetics of luminescence of CaF<sub>2</sub>:Tb, 1=12503
- Feoktistova, E.A. Experimental demonstration of Mach-reflection of detonation waves in solid V.V., 1=15942
- Fer, F. See Andrade e Silva, J., 1=2705
- Fer, F. See Andrade e Silva, J., 1=5214
- Fer, F. See Andrade e Silva, J., 1=5215
- Fer, F. See Andrade e Silva, J., 1=15690
- Ferchmin, A.R. Influence of the boundary surface of the crystal lattice on the spin-wave resonance in a ferrimagnetic medium, 1=20147
- Ferguson, A.F. Resonance charge transfer between H(1s) and H<sup>+</sup> calculated by means of an approximation based on an expansion in molecular eigenfunctions, 1=19607
- Ferguson, A.J., Gove, H.E., Litherland, A.E. and Batchelor, R. (dn) stripping studies on B<sup>10</sup> and B<sup>11</sup>, 1=8756
- Ferguson, A.J. See Litherland, A.E., 1=3465
- Ferguson, A.J. See Litherland, A.E., 1=9846
- Ferguson, A.T.G. and Paul, E.B. The capture cross-section of <sup>197</sup>Au for fast neutrons, 1=702
- Ferguson, A.T.G. See Brown, D., 1=13807
- Ferguson, A.T.G. See James, A.N., 1=12211
- Ferguson, A.T.G. See Mani, G.S., 1=701
- Ferguson, A.T.G. See Morrison, G.C., 1=19506
- Ferguson, E.E. and Chang, I.Y. Intensities of infrared bands of some I<sub>2</sub>-alkylbenzene charge-transfer complexes, 1=6015
- Ferguson, H.I.S. See Fallona, J.P., 1=4460
- Ferguson, H.I.S. See Herman, L., 1=9927
- Ferguson, J. Crystal spectra of metal coordination compounds. III. Nickel complexes with salicylaldehyde and its imines, 1=5047
- Ferguson, J. Crystal spectra of metal coordination compounds. IV. Bis-acetylacetonato-copper (II), 1=8987
- Ferguson, J. Crystal spectra of metal coordination compounds. V. The five-coordinated salicylaldehyde-ethylenediimine copper (II) complex, 1=11373
- Ferguson, J. Crystal spectra of metal coordination compounds. VI. Bis-salicylaldiminato-copper (II) and bis-n-methyl-salicylaldiminato-copper (II), 1=19975
- Ferguson, J.M. Isomeric level in Y<sup>90</sup>, 1=19375
- Ferguson, J.M. and Tomnovec, F.M. Gamma-ray spectrum of Te<sup>131</sup>, 1=13757
- Ferguson, J.M. See Hurley, J.P., 1=17057
- Ferguson, T.R. and Duncan, R.H. Charged cylindrical tube, 1=10659
- Ferilla, A. See Baldo Ceolin, M., 1=551
- Ferilli, A. See Baldassarre, F., 1=16862
- Ferilli, A. See Baldo Ceolin, M., 1=10926
- Ferilli, A., See Caforio, A., 1=5780
- Ferrioli, C. See Castelli, J.P., 1=6595
- Fernández, A. The effect of super-voltages on the directional effect in the electric breakdown of KCl, 1=3810
- Fernandez, C. See Konishi, T., 1=6664
- Fernandez, J. See Chan, S.I., 1=2322
- Fernández Biarge, J. See Morcillo, J., 1=872
- Fernandez Ferrer, J. and De Rafael Gavalda, E. Stationary field with cylindrical symmetry in non-linear electrodynamics of Born and Infeld, 1=16503
- Fernando, P.C.B., Rochester, G.K. and Smith, K.F. The spin of <sup>124</sup>Sb and the spin and moments of <sup>125</sup>Sb, 1=3388
- Fernando, P.C.B., Rochester, G.K., Spalding, I.J. and Smith, K.F. The hyperfine structure of <sup>121</sup>Sb and <sup>123</sup>Sb, 1=2294
- Fernie, J.D. The degree of twilight in which photoelectric photometry is possible, 1=15404
- Fernie, J.D. and Rosenberg, W.J. Some photometric characteristics of the Cape Victoria refractors, 1=4184
- Ferrari, E. and Selleri, F. Off-shell pion-nucleon scattering and dispersion relations, 1=19253
- Ferrari, E. See Cabibbo, N., 1=5777
- Ferrari, E. See De Tollis, B., 1=521
- Ferrari, F., Frye, G. and Pusteria, M. Long-range interaction in K-nucleon and K-nucleon elastic amplitudes, 1=10929
- Ferrari, F., Frye, G. and Pusteria, M. Energy dependence of the slow-energy K-proton and K<sup>+</sup>-proton cross sections, 1=10930
- Ferrari, F. See Costa, G., 1=13502
- Ferrari, I. A uniqueness theorem for the equations of magnetohydrodynamics, 1=7127

- Ferraro, D. See Baldassarre, F., 1=16862  
 Ferraro, D. See Caforio, A., 1=5780  
 Ferraro, V.C.A. Theory of sudden-commencements and of the first phase of a magnetic storm, 1=6655  
 Ferraro, V.C.A. An approximate method of estimating the size and shape of the stationary hollow carved out in a neutral ionized stream of corpuscles impinging on the geomagnetic field, 1=15257  
 Ferraro, V.C.A., Gliddon, J.E.C. and Kendall, P.C. Effects of diffusion of electrons near the magnetic equator, 1=6624  
 Ferraro, V.C.A. See Cullwick, E.G., 1=9667  
 Ferré, J. See Fagot, M., 1=16415  
 Ferreira, D. See Jones, B.D., 1=8500  
 Ferreira, E.P. See Allen, J.E., 1=17136  
 Ferreira, J.G. See Salgueiro, L., 1=9845  
 Ferreira, R. Permanent dipole moments of saturated hydrocarbons, 1=12334  
 Ferreira-Salgueiro, L. See Ferreira, J.G., 1=13704  
 Ferrell, R.A. Anomalous lattice specific heat of superconductors, 1=10645  
 Ferrell, R.A. See Glaser, V., 1=2079  
 Ferrell, R.A. See Glick, A.J., 1=7560  
 Ferrell, R.A. See Quinn, J.J., 1=9993  
 Ferrero, F. See Borello, O., 1=17049  
 Ferrero, M.A. and Sacerdote, G.G. The acoustic impedance of thin layers of porous material, 1=18541  
 Ferretti, A., Arnott, R.J., Delaney, E. and Wold, A. Cobalt ferrite single crystals, 1=7846  
 Ferretti, A., Wickham, D.G. and Wold, A. Induction heated pressure vessel for growing oxide single crystals, 1=9117  
 Ferretti, B. On pion production in a coulomb field, 1=8487  
 Ferriera, J.G., Gonçalves, M.T., and Ferreira-Salgueiro, L. The branching ratio of thorium C ( $\text{Bi}^{213}$ ), 1=13704  
 Ferrieux, L. See Eschenbrenner, S., 1=1582  
 Ferro, A. See Biorci, G., 1=1216  
 Ferro, A. See Biorci, G., 1=1226  
 Ferro, A. See Biorci, G., 1=9033  
 Ferro, A. See Biorci, G., 1=14730  
 Ferro-Luzzi, M. and Pizzella, G. Results of cross-section measurements for the reaction  $p + D \rightarrow \text{He}^3 + \pi^0$  at 600 MeV, 1=5722  
 Ferro-Luzzi, M. See Alston, M.H., 1=16866  
 Ferro-Luzzi, M. See Bastien, P., 1=12104  
 Ferro-Luzzi, M. See Berge, J.P., 1=10932  
 Ferry, J.D. See Birnboim, M.H., 1=18349  
 Fert, C. and Laffitte, A. Fresnel diffraction at the edge of a screen: case of a small error in focusing in electron microscopy, 1=16414  
 Fert, C. See Fagot, M., 1=16415  
 Fesenko, A.I. See Ivanov, Yu.M., 1=16836  
 Fesenko, E.G. See Filip'ev, V.S., 1=15099  
 Feshbach, H., Lomon, E. and Tubis, A. Proton-proton interaction, 1=12086  
 Feskov, V.G. Investigation of atmospheric ozone by photometry of lunar eclipses, 1=1506  
 Feshbach, H. See Blin-Stoyle, R.J., 1=19288  
 Fessler, H. and Roberts, E.A. Bending stresses in a shift with a transverse hole, 1=11721  
 Fessler, H. See Clyne, G., 1=1713  
 Fetisov, I.N. See Elpidinskii, A.V., 1=10808  
 Fetisov, V.N. See Balashov, V.V., 1=19441  
 Fettweis, P.F. Study of some isomeric states in the rare earth region and of some double isomeric nuclei, 1=8600  
 Feucht, D. L. and Woodford, J.B., Jr. Superconductor-transition switching time measurements using a superconductive radio-frequency mixer, 1=16193  
 Feucht, W. The b.a.m. strain transfer device, designed by Feucht; a new ancillary unit for the b.a.m. pender extensometer system, 1=12580  
 Feuerstein, S. See Galligan, J.M., 1=1309  
 Feuillade, G. Contribution to the study of electrode potentials of semiconductors in solution, 1=7915  
 Feuillade, G. A contribution to the study of electrode potential in silicon, 1=20744  
 Fialko, E.I. The duration distribution of meteor radio echoes. II. Reflections from unstable trails, 1=18173  
 Fiat, D., Folman, M. and Garbatski, U. Dielectric properties of the adsorbate at low surface coverages, 1=20678  
 Fichtel, C.E. The heavy component of the primary cosmic radiation during solar maximum, 1=8523  
 Fichtel, C.E. and Guss, D.E. Heavy nuclei in solar cosmic rays, 1=10938  
 Fichtel, C.E. See Davis, L.R., 1=10937  
 Fichtel, C.E. See Engler, A., 1=8522  
 Fick, E. The second law of thermodynamics of a system with different lattice and spin temperatures, 1=11142  
 Fick, E. Fundamental thermodynamics of a system with different orbital and spin temperatures. I, 1=15739  
 Fick, E. and Mikeska, H.J. A possibility of an experimental separation of the para- and dia-magnetism of conduction electrons, 1=11410  
 Fickelscher, H. and Zukale, W. Infrared absorption of cuprous oxide, 1=5049  
 Ficker, J. See Reimer, L., 1=10741  
 Fickinger, W. See Stonehill, D., 1=12102  
 Fickinger, W.J., Pickup, E., Robinson, D.K. and Salant, E.O. One-pion exchange in p-p collisions at 2 BeV, 1=19193  
 Fickinger, W.J. See Baltay, C., 1=16906  
 Fidecaro, G. The electron decay mode of the pion, 1=8475  
 Fidecaro, G. See Cocconi, V.T., 1=19241  
 Fidecaro, M., Gatti, G., Giacomelli, G., Love, W.A., Middelkoop, W.C. and Yamagata, T. Experimental investigation of a neutral beam from the CERN 25 GeV proton synchrotron, 1=5518  
 Fidleris, V. and Whitmore, R.L. Experimental determination of the wall effect for spheres falling axially in cylindrical vessels, 1=15786  
 Fidone, I. Correlation of the electric field in a plasma, 1=18823  
 Fiebig, R. and Voelcker, H. Ring currents in the region of the Van Allen radiation belts, 1=21072  
 Field, E.C. and Tamarkin, P. V.L.F. ionospheric reflection coefficients - derivation from impedance concepts and values for some model ionospheres, 1=19045  
 Field, G.B. Radio continuum emission by spiral arms, 1=4220  
 Field, S.B. and Martin, D.H. The skeletal modes of long-chain molecules, 1=19626  
 Fielder, G. Selected lunar observations made at the Pic-du-Midi observatory in 1956 and 1959, 1=10375  
 Fielder, G. On the origin of lunar rays, 1=15419  
 Fielder, G. Small-scale explosion craters, impact craters, and the physical structure of the moon's surface, 1=18035  
 Fielding, P.E. See Bryant, F.J., 1=2422  
 Fields, T.H. and Findley, R.W. Accumulating digitizer system, 1=2583  
 Fiermans, L. See Jacobs, G., 1=8990  
 Fierz, M. The attraction of conducting planes in a vacuum, 1=12003  
 Fieschi, R., Nardelli, G.F. and Chiarotti, A.R. Self-diffusion coefficient in solid argon, 1=11223  
 Fieschi, R. and Terzi, N. Quantum effects in the liquid state by means of a phenomenological cell model: the vapour pressure ratio of Ne and Ar isotopes, 1=9385  
 Fieschi, R. See Baldini, G., 1=17580  
 Fieschi, R. See Casanova, G., 1=6067  
 Figgins, B.F. The specific heats of solid argon and an equimolar argon-krypton mixture, 1=911  
 Figgis, B.N. Magnetic properties of transition metal ions in asymmetric Ligand fields. I. Cubic field A and E terms, 1=20038  
 Figielski, T. Electronic processes at intercrystalline barriers in germanium, 1=12432  
 Figuera, G. See Diambri, G., 1=5524  
 Figueras, E. A geometrical interpretation of the electromagnetic field, 1=16497  
 Figueras, E. A geometrical interpretation of the electromagnetic field, 1=16498  
 Fikhtengol'ts, I.G. The coordinate conditions in Einstein's theory of gravitation, II, 1=4242  
 Fiks, V.B. The mechanism of thermal diffusion in liquids, 1=15853  
 Fiks, V.B. See Pikus, G.E., 1=12682  
 Filaretova, G.M. See Dorin, V.A., 1=10230  
 Filimonov, V.A. See Ivanenko, D.D., 1=2165  
 Filimonov, V.N. Induced absorption of infrared radiation by molecules, 1=3544  
 Filimonov, Yu.I. See Rusinov, L.I., 1=17013  
 Filipczak, W. and Sztajnko, M. Nuclear reactor kinetics simulator, 1=759  
 Filipczynski, L. Transients and the equivalent electrical circuit of the piezoelectric transducer, 1=8200



- Filip'ev, V.S., Smolyaninov, N.P., Fesenko, E.G. and Belyaev, I.N. Synthesis of  $\text{BiFeO}_3$  and determination of the unit cell, 1=15099
- Filipkowski, A. See Bogdanowicz., 1=12122
- Filippi, F. See Lennuier, R., 1=236
- Filippov, A.I. See Kozodaev, M.S., 1=19073
- Filippov, A.I. See Kozodaev, M.S., 1=19296
- Filippov, G.F. See Romanov, Yu.A., 1=16353
- Filippov, N.V. Investigation of pressures in a powerful pulsed gas discharge, using a piezoelectric measuring device, 1=7043
- Filler, A.S. Primary aberrations of mirrors, 1=12970
- Filler, A.S. and Indyk, L. Calibration of infrared prism spectrometers, 1=9475
- Fillers, L. and Ludloff, H.F. Stability analysis and integration of the viscous equations of motion, 1=18356
- Filosofo, I. See Bernardini, G., 1=5702
- Filov, R.A. See Perfilov, N.A., 1=5944
- Filov, R.A. See Perfilov, N.A., 1=11042
- Filthuth, H. See Bartke, J., 1=8513
- Filz, R. and Fukui, K. Emission of carbon group heavy nuclei from a  $3^+$  solar flare, 1=12134
- Finch, H.F. See Laurie, P.S., 1=1643
- Finck, A. Low-frequency pure tone masking, 1=12715
- Fincke, H.E. Bispherical surfaces as aids to aberration correction in photographic optics, 1=1808
- Finckh, E. and Hegel, U. Measurement of photoprotons from argon and oxygen, 1=7366
- Finckh, E. See Hegel, U., 1=7369
- Findlay, J.W. See Struve, O., 1=9292
- Findley, R.W., Reiter, R.A. and Romanowski, T.A. A precision clock for measuring time intervals, 1=18342
- Findley, R.W. See Fields, T.H., 1=2583
- Fine, M.E. See Byrne, J.G., 1=20602
- Fine, M.E. See Freise, E.J., 1=3660
- Fine, M.E. See Greener, E.H., 1=6163
- Fine, M.E. See Koppenaal, T.J., 1=12648
- Finger, G. See Reik, H.G., 1=1059
- Fingerland, A. Method of moments in analysis of X-ray diffraction lines, 1=7861
- Fingerland, A. See Bubáková, R., 1=9134
- Fingerland, A. See Bubáková, R., 1=15030
- Fingerland, A. See Bubáková, R., 1=15069
- Fink, R.D. See Coryell, C.D., 1=9892
- Fink, R.W. See Chittenden, D.M., II, 1=7390
- Finkel', V.A. See Amonenko, V.M., 1=12593
- Finkel', V.M. and Berezovskii, V.N. Study of the form and size of the X-ray interference spots on elastically deformed transformer steel, 15188
- Finkel'shtein, B.N. See Pavlovskaya, V.S., 1=6540
- Finkel'shtein, L.D. See Nemmonov, S.A., 1=891
- Finkel'shtein, L.D. See Nemmonov, S.A., 1=14616
- Finkelstein, R. Spinor fields in spaces with torsion, 1=7190
- Finkelstein, R. Elementary interactions in spaces with torsion, 1=15701
- Finlay, E.A. See Doran, G.A., 1=1945
- Finlayson, D.M., Robertson, I.S., Smith, T. and Stevenson, R.W.H. The optical absorption in manganese zinc fluoride single crystals near the Néel temperature, 1=1162
- Finlayson, D.M., Robertson, I.S., Smith, T. and Stevenson, R.W.H. The magnetic susceptibility of manganese zinc fluoride solid solutions, 1=20168
- Finn, C.B.P., Orbach, R. and Wolf, W.P. Spin-lattice relaxation in cerium magnesium nitrate at liquid helium temperature: a new process, 1=6423
- Finn, C.B.P., Orbach, R. and Wolf, W.P. Spin-lattice relaxation in cerium magnesium nitrate at helium temperatures; a new process, 1=14808
- Finn, C.B.P. See Cooke, A.H., 1=14809
- Finn, E.J. and Beckel, C.L. Power series expansions of vibrational potentials. II. Two classical potentials for ionic molecules, 1=5994
- Finn, M.C. See Gatos, H.C., 1=14284
- Finn, R.J. See Crouchley, J., 1=10309
- Fintz, P. See Gorodetzky, S., 1=7326
- Fintz, P. See Gorodetzky, S., 1=13844
- Finzi, A. A possible test of the expansion of the universe from luminosity curves of distant supernovae, 1=15405
- Finzi, A. Dimensionless quantities, spacelike intervals and proper time in general relativity, 1=15642
- Fiorani, M. and Oleari, L. Thermodynamical investigations on metallic systems. XII. Determination of the miscibility gap by calculation, using the thermodynamical functions, for the ternary system Zn-Sn-Pb, 1=6529
- Fiorani, M. See Oleari, L., 1=142
- Fiorani, M. See Oleari, L., 1=5284
- Florentini, A. Dynamic characteristics of visual processes, 1=18551
- Florentini, A. and Radici, T. A binocular contrast effect, 1=21138
- Fiorini, E. See Dell'antonio, G.F., 1=17018
- Fiorio, G. See Beltrametti, E.G., 1=13467
- Fireman, E.L. The distribution of helium-3 in the Grant meteorite and a determination of the original mass, 1=5142
- Fireman, E.L. and DeFelice, J. Argon 37, Argon 39, and tritium in meteorites and the spatial constancy of cosmic rays, 1=15437
- Fireman, E.L., DeFelice, J. and Tilles, D. Solar flare tritium in a recovered satellite, 1=12754
- Firk, F.W.K., Lynn, J.E. and Moxon, M.C. Parameters of neutron resonances in  $\text{U}^{238}$  + n up to 1.8 keV, 1=8741
- Firkowicz, S. Comments on the admissible current load of the oxide cathode, 1=16367
- Firkowicz, S. Contribution to the analysis of the admissible load of oxide cathodes, 1=16368
- Firkowicz, S. The influence of choice of the alkaline earth metal carbonates on the emission properties of oxide-coated cathodes, 1=18911
- Firor, J. Solar radio bright spots at 88 cm wavelength, 1=2644
- Firor, J.W. See Burke, B.F., 1=18011
- Firor, J.W. See Kundu, M.R., 1=15543
- Firsoff, V.A. Dissipation of planetary atmospheres, 1=6701
- Firsoff, V.A. Density of the lunar atmosphere, 1=6703
- Firsoff, V.A. On carbon dioxide in the atmosphere of Venus, 1=15425
- Firsov, O.B. A plasma in a "magnetic grid", 1=7066
- Firsov, O.B. Repulsion of a charged particle from regions where the magnetic field is strong, 1=10767
- Firsov, O.B. and Chibisov, M.I. Bremsstrahlung of slow electrons decelerated by neutral atoms, 1=17087
- Firsov, O.B. See Mordvinov, Yu.P., 1=2301
- Firsov, Yu.A. See Gurevich, V.L., 1=14418
- Firth, K. See Cooper, P.N., 1=10894
- Fischbach, D.B. Diamagnetic susceptibility of pyrolytic graphite, 1=12514
- Fischbeck, H.J. and Wilkinson, R.G. Beta-gamma directional correlation in  $\text{Rb}^{86}$  and  $\text{Eu}^{152}$ , 1=659
- Fischer, C.R. See Rawitscher, G.H., 1=8702
- Fischer, E. See Uhlenbusch, J., 1=18996
- Fischer, F. Thermoluminescence of KCl and NaCl after X-ray and u.v. irradiation at helium temperatures, 1=14663
- Fischer, F.A. Equivalent electrical circuits for non-quasistationary-vibrating, materially-active electro-mechanical transducers (piezoelectric, electrostrictive, magnetostrictive), 1=2814
- Fischer, G., Greig, D. and Mooser, E. Apparatus for the measurement of galvanomagnetic effects in high-resistance semiconductors, 1=11290
- Fischer, G. and Hedgcock, F.T. Magnetic susceptibility and galvanomagnetic effects in pure and p-type tellurium, 1=20050
- Fischer, G.J. Neutron energy spectrum measurements in unmoderated assemblies, 1=13899
- Fischer, H. Millimicrosecond light source with increased brightness, 1=8232
- Fischer, H. See Waniek, R.W., 1=13095
- Fischer, J. and Zorn, G.T. Observations on pulsed spark chambers, 1=9700
- Fischer, J. See Ciulli, S., 1=8458
- Fischer, J. See Fisher, Ya., 1=4771
- Fischer, J. See Fisher, Ya., 1=19123
- Fischer, J. See Fisher, Ya., 1=19259
- Fischer, J. See Van Zhun, 1=16751
- Fischer, R., Neumann, H. and Kleint, C. On the theory of field emission from semiconductors, 1=17649
- Fischer, R. See Kleint, C., 1=17650
- Fischer, R.B. The "Ballas" form of diamond, 1=5087
- Fischer, W. The quadrupole moments of the copper isotopes and the hyperfine structure of the  $3d^9 4s^2 m^2 D - 3d^{10} 4p^2 P$  transition in the copper - I spectrum, 1=9902

- Fischer, W. The quadrupole moments of the copper isotopes and the hyperfine structure of the  $3d^4s^2m^2D-3d^{10}p^2P$  transition in the copper-I spectrum, 1=9903
- Fischler, A.S. Galvanomagnetic properties of n-type CdAs<sub>2</sub>, 1=7645
- Fischler, A.S. See Turner, W.J., 1=2416
- Fischler, A.S. See Turner, W.J., 1=17670
- Fischmeister, H.F. A quickly adjustable vertical Guinier camera, 1=20454
- Fish, R.A., Goles, G.G. and Anders, E. The record in the meteorites. III. On the development of meteorites in asteroidal bodies, 1=2607
- Fisher, B. and Rudman, P.S. X-ray diffraction study of interdiffusion in Cu-Ni powder compacts, 1=11225
- Fisher, C. See Cole, M., 1=16411
- Fisher, C. See Duthie, J., 1=3258
- Fisher, C.M. See Duthie, J., 1=3257
- Fisher, C.M. See Duthie, J.G., 1=3364
- Fisher, C.M. See Duthie, J.G., 1=3365
- Fisher, D.E. Origin of stone and iron meteorites, 1=9258
- Fisher, D.E. Cosmic ray ages of the Treysa and Sikhote-Alin meteorites, 1=9265
- Fisher, D.E. Space erosion of the grant meteorite, 1=18059
- Fisher, D.E. See Schaeffer, O.A., 1=9263
- Fisher, D.J. Modified coaxial powder X-ray camera, 1=2531
- Fisher, E.S. and McSkimin, H.J. Low-temperature phase transition in alpha uranium, 1=15135
- Fisher, I.Z. Applications of the Monte Carlo method in statistical physics, 1=5219
- Fisher, I.Z. and Kopelovich, B.L. A more precise form of the superposition approximation in the theory of liquids, 1=5268
- Fisher, J. See Chulli, S., 1=16775
- Fisher, J.C. and Glaever, I. Tunneling through thin insulating layers, 1=3731
- Fisher, L.H. See Golden, D.E., 1=11909
- Fisher, L.H. See Lessin, I., 1=18811
- Fisher, M.E. Lattice statistics in a magnetic field. II. Order and correlations of a two-dimensional super-exchange antiferromagnet, 1=1245
- Fisher, M.E. The perpendicular susceptibility of an anisotropic antiferromagnetic, 1=10175
- Fisher, M.E. Critical probabilities for cluster size and percolation problems, 1=10427
- Fisher, M.E. and Essam, J.W. Some cluster size and percolation problems, 1=10426
- Fisher, M.E. and Hiley, B.J. Configuration and free energy of a polymer molecule with solvent interaction, 1=7504
- Fisher, M.E. and Temperley, H.N.V. Association problem in statistical mechanics - critique of the treatment of H.S. Green and R. Leipnik, 1=8058
- Fisher, M.E. and Zucker, I.J. On a non-linear differential equation for the zero-point energies of the rare gas solids, 1=3583
- Fisher, P.S. See Cohen, S.G., 1=2213
- Fisher, R.M. and Marcinkowski, M.J. Direct observation of antiphase boundaries in the AuCu<sub>3</sub> superlattice, 1=20594
- Fisher, Ya. [Fischer, J.] and Chulli, S. [Ciulli, S.] Recurrent construction of angular operators. I, 1=4771
- Fisher, Ya. [Fischer, J.] and Chulli, S. [Ciulli, S.] Recurrent construction of angular operators. II. Introduction of an integral spin and an arbitrary orbital momentum, 1=19123
- Fisher, Ya. [Fischer, J.] and Chulli, S. [Ciulli, S.] Integral equations for  $\pi\pi$ -scattering and problems related to convergence of the amplitude expansion, 1=19259
- Fisher, Ya. See Van Zhun, 1=16751
- Fishkova, L.M. and Markova, G.V. Variations in the intensity of the 6562 Å H I line in the spectrum of the nightglow of the sky, 1=12700
- Fishkova, L.M. and Megrelishvili, T.G. Some results of the night and twilight airglow observations received in Abastumani in July 1959, 1=21026
- Fishman, F.J., Petschek, H.E. and Kantrowitz, A. Magnetohydrodynamic shock wave in a collision-free plasma, 1=5453
- Fisk, H.E. and Prowse, D.J. Inelastic scattering of a  $\Sigma^-$  hyperon with an emulsion nucleus, 1=3244
- Fistul', V.I. and Gubenko, A.Ya. Resistivity of heavily doped germanium, 1=10042
- Fistul', V.I. and Gubenko, A.Ya. Resistivity of heavily doped germanium, 1=17688
- Fistul', V.I. and Orzhevskii, O.B. Conductivity in electron-hole junctions in reverse direction, 1=6141
- Fistul', V.I. and Orzhevskii, O.B. The temperature dependence of the conductivity of p-n junctions in the blocking direction, 1=19890
- Fistul', V.I. See Ioselevich, M.L., 1=14454
- Fistul', V.I. See Rubinshtein, E.N., 1=20780
- Fitch, R.A. See Bodin, H.A.B., 1=9589
- Fitch, R.K. See Bull, C.S., 1=16396
- Fitches, H.J.M. and Williams, J.L. Techniques involved in the study of different nuclei by high resolution nuclear magnetic resonance, 1=12027
- Fite, W.L. See Brackmann, R.T., 1=8838
- Fite, W.L. See Gilbody, H.B., 1=2299
- Fitzgerald, E.R. Dynamic mechanical properties of stretched natural rubber, 1=14861
- Fitzgerald, E.R. See Broadhurst, M.G., 1=11334
- Fitzgerald, L.M. Measurement of hardness at very high temperatures, 1=1350
- Fitzpatrick, J.P. See Andrew, A., 1=9560
- Fitzpatrick, R.L. See Kurnick, S.W., 1=12419
- Fitzwater, D.R. Anisotropic structure factor calculations, 1=20452
- Fitzwater, D.R. X-ray absorption factors for ellipsoidal crystals, 1=20476
- Fiuciuc, N. and Potoceanu, C. Observations on the mass spectrum of  $\sigma$  mesons, 1=535
- Fiutak, J. and Wolniewicz, L. Vibrational excitation of diatomic molecules due to nuclear recoil, 1=19618
- Fivel, D.I. Analytic properties of off-energy shell potential scattering amplitudes, 1=19136
- Fixman, M. Vibrational relaxation in liquids, 1=4322
- Fixman, M. Theory of proton magnetic shielding, 1=12301
- Fixman, M. General theory of polymer solutions, 1=12875
- Flamant, F. See Arnulf, A., 1=1617
- Flamm, D. The contribution of indirect processes to  $\Lambda_{\alpha}$ -decay, 1=19272
- Flammersfeld, A. See Heckmann, P.H., 1=5057
- Flammersfeld, A. See Heckmann, P.H., 1=13692
- Flammersfeld, A. See Hennies, H.H., 1=12172
- Flammersfeld, A. See Schmidt-Ott, W.D., 1=7359
- Flanagan, C.E. See Stephenson, C.V., 1=12423
- Flanagan, J.L. Analog measurements of sound radiation from the mouth, 1=1602
- Flanagan, J.L. Audibility of periodic pulses and a model for the threshold, 1=21117
- Flanders, P.J. and Schoening, F.R.L. Precipitation in gold-nickel single crystals, 1=6542
- Flanick, A.P. and Ainsworth, J.E. Vacuum gauge calibration system ( $10^{-2}$  to  $10^1$  mm Hg), 1=8169
- Flanick, A.P. and Ainsworth, J.E. Thermistor pressure gauge design, 1=10471
- Flann, B.C. See Cloutier, J.A.R., 1=20762
- Flatt, H.P. See Blue, E., 1=13885
- Flavin, J.N. and Green, A.E. Plane thermo-elastic waves in an initially stressed medium, 1=16005
- Flechsigs, W. On the optical and electrical properties of metals on the basis of measurements on very thin evaporated layers. I. Behaviour of the optical absorption of copper, silver and gold in the range 0.3-5.5 eV for different conditions of evaporation, 1=10097
- Flecken, F. See Reich, G., 1=18944
- Fleischer, A.A. See Draper, J.E., 1=8746
- Fleischer, A.A. See Draper, J.E., 1=16740
- Fleischer, R. Variations in 18 Mc/s solar and cosmic noise, 1=8729
- Fleischer, R.L. Effects of non-uniformities on the hardening of crystals, 1=2514
- Fleischer, R.L. Easy glide of lead single crystals, 1=20359
- Fleischmann, H. The theory of multiple scattering through small angles, 1=4774
- Fleischmann, H. Multiple scattering of 8 MeV  $\alpha$ -particles in lead, 1=5938
- Fleischmann, H. Thermal conductivity, thermoelectric power and electrical conductivity of semiconducting mixed crystal of the form  $(A_{1-x}^{IV}B_x^{IV}C_{1-x}^{IV}D_x^{IV})$ , 1=19868
- Fleishman, M.R. and Soodak, H. Methods and cross sections for calculating the fast effect, 1=13887
- Fleming, D.M. See Myers, I.T., 1=13379
- Fleming, J.E. and Lynton, H. A preliminary study of the crystal structure of low tridymite, 1=15090



- Flengas, S.N. See Bland, J.A., 1=10263
- Flerov, N.N., Berezin, A.A. and Chelnokov, I.E. The 14.6 MeV  $U^{238}$  fission cross-section, 1=19546
- Flerov, N.N. and Talizin, K.M. 14 MeV (n,2n) cross-sections for Be, Pb and Bi, 1=19488
- Flerov, N.N. and Talizin, V.M. The average number of neutrons  $\bar{\nu}$  from the fission of  $U^{238}$  and  $U^{235}$  by 14 MeV neutrons, 1=17168
- Flerov, N.N. and Tamanov, E.A. The average number of neutrons  $\bar{\nu}$  from the fission of  $U^{238}$  by 14 MeV neutrons, 1=19545
- Fletcher, G.C. Magnetic properties of nickel, 1=14692
- Fletcher, J.G. Initial value data for poisson brackets in general relativity, 1=8048
- Fletcher, J.L. See Loeb, M., 1=21119
- Fletcher, N.H. Nucleation and growth of ice crystals upon crystalline substrates, 1=1369
- Fletcher, N.H. Ice crystal nucleation by aerosol particles, 1=11628
- Fletcher, N.H. Freezing nuclei, meteors, and rainfall, 1=20808
- Fletcher, P.C. and Kittel, C. Considerations on the propagation and generation of magnetostatic waves and spin waves, 1=1234
- Fletcher, P.C. and Silence, N. Subsidiary absorption above ferrimagnetic resonance, 1=9049
- Fletcher, R.C. See Suhl, H., 1=2490
- Fleury, J., Perrin, P., Boge, M. and Laugier, J. The CsI (Tl) scintillation  $\alpha$  spectrometer, 1=13534
- Fleury, J. See Bouchez, R., 1=13791
- Fleury, J. See Bouchez, R., 1=13796
- Fleury, J. See Duclos, J., 1=2927
- Fleury, J. See Duclos, J., 1=18740
- Fleury, P., Arnulf, A. and Maréchal, A. A survey of the work of the Institute of Optics [Paris], 1=1803
- Fleury, P.A. See Carome, E.F., 1=16029
- Flinn, E.A. Exact transient solution of some elementary problems of elastic wave propagation, 1=6921
- Flinn, P.A. and McManus, G.M. Monte Carlo calculation of the order-disorder transformation in the body-centered cubic lattice, 1=20590
- Flinn, P.A., McManus, G.M. and Rayne, J.A. Effective X-ray and calorimetric Debye temperature for copper, 1=11165
- Flinn, P.A., McManus, G.M. and Rayne, J.A. Elastic constants of ordered and disordered  $Cu_3Au$  from 4.2 to 300°K, 1=20294
- Flinn, P.A. and Ruby, S.L. Local magnetic fields in Fe-Al alloys, 1=14687
- Flippin, R.B. and Friedberg, S.A. Low-temperature magnetic susceptibilities of the hydrated acetates of  $Ni^{++}$ ,  $Co^{++}$ , and  $Mn^{++}$ , 1=6258
- Flodmark, S. A solid state spd-MOLCAO treatment of cubic-octahedral  $CaB_6$  with variation of the d orbital exponent, 1=4960
- Flom, D.G. Rolling friction of polymeric materials, II. Thermoplastics, 1=11526
- Flood, W. See Renau, J., 1=19041
- Flores Maldonado, V. Effect of a repulsive core in a statistical model of heavy nuclei, 1=9803
- Florescu, N.A. New thermionic ionization gauge, 1=11798
- Florescu, N.A. The theoretical development of the vapour
- Florescu, N.A. Improvement in operation with McLeod gauge, 1=18486
- Florescu, N.A.; Bigg, P.H. Standard unit of pressure in vacuum physics, 1=9425
- Florides, P.S. See Das, A., 1=15604
- Flory, P.J. Elasticity of polymer networks cross-linked in states of strain, 1=14867
- Flory, W.S. Jr. See Singleton, W.R., 1=15369
- Flossmann, R. See Emschermann, H.H., 1=11720
- Flotow, H.E. and Osborne, D.W. Heat capacities and thermodynamic functions of  $ZrH_2$  and  $ZrD_2$  from 5 to 350°K and the hydrogen vibration frequency in  $ZrH_2^*$ , 1=7538
- Flournoy, J.M. See Siegel, S., 1=8861
- Flubacher, P., Leadbetter, A.J. and Morrison, J.A. Heat capacity of ice at low temperatures, 1=2379
- Flude, M.J.C., Habell, K.J. and Jackson, A. Recording refractometer for measuring refractive indices of optical glasses over a wide range of wavelengths, 1=18587
- Flügge, S. and Schröder, U. Theory of the  $pp\mu$  molecular ion, 1=4959
- Flügge, S. and Weiguny, A. Quantum mechanical three-body problem. II. Nonlinear triatomic molecules, 1=4923
- Flügge, S. See Diehl, H., 1=4922
- Flügge, S. See Diehl, H., 1=4924
- Flügge, S. See Ernst, G., 1=8519
- Fluharty, R.G. See Evans, J.E., 1=17162
- Fluit, J.M. See Rol, P.K., 1=8363
- Fluit, J.M. See Rol, P.K., 1=11987
- Flynn, C.P. and Seymour, E.F.W. Nuclear quadrupole coupling with conduction electrons in cubic alloys, 1=1410
- Flynn, C.P. and Seymour, E.F.W. Knight shift of the nuclear magnetic resonance in liquid indium, 1=4357
- Flynn, C.P. and Seymour, E.F.W. Diffusion narrowing of nuclear magnetic resonance in aluminium and copper, 1=10180
- Focardi, S. See Bassi, P., 1=13243
- Focella, A. See Ippolito, F., 1=7412
- Foderaro, A. An iteration method for the specification of multigroup bucklings, 1=778
- Foderaro, A. and Garabedian, H.L. A new method for the solution of group diffusion equations, 1=17200
- Fodor, G. Definition and calculation methods of the amplification factor of neutron amplifiers, 1=16792
- Fodor, G. The characteristics of homogeneous neutron amplifiers, 1=16793
- Fodor, I. See Keszthelyi, L., 1=5896
- Fogel' Ya.M. The production of negative ions in atomic collisions, 1=9526
- Fogel' Ya.M., Koval', A.G. and Levchenko, Yu.Z. Formation of slow negative ions in single collisions between fast negative hydrogen and oxygen ions and gas
- Fogel' Ya.M., Koval', A.G., Levchenko, Yu.Z. and Khodyachikh, A.F. The composition of slow ions produced during ionization of gases by negative ions, 1=4558
- Fogel' Ya.M., Kozlov, V.F. and Polyakova, G.N. Double charge exchange of alkali metal ions, 1=18780
- Fogel' Ya.M., Slabospitskii, R.P. and Karnaukhov, I.M. Mass spectrometer investigation of secondary positive and negative ionic emission, excited by the bombardment of a molybdenum surface by positive ions, 1=4652
- Foglio, M.E. and Pryce, M.H.L. Spin-orbit coupling constant and  $\langle r^{-3} \rangle$  in transuranic ions, 1=19574
- Foitzik, L. and Lenz, K. Influence of aerosols on the polarization of sky light, 1=20839
- Fok, M.V. See Georgobiani, A.N., 1=5058
- Fok, M.V. See Georgobiani, A.N., 1=20031
- Fok, M.V. See Vinokurov, L.A., 1=17915
- Fok, V.A. The Einsteinian statics in conformal space, 1=56
- Fokkens, K. See Staas, F.A., 1=6891
- Fokker, A.D. Polarization behaviour of enhanced solar radio-emission at 200 MHz, 1=18156
- Fokker, A.D. Some notes on noise storms, 1=18157
- Fokker, A.D. Results of continuous 24-hour solar radio patrol, especially in connection with the occurrence of type IV solar radio [emission] events, 1=20951
- Fokker, A.D. See Boisshot, A., 1=18163
- Fokker, A.D. See Cohen, M.H., 1=18162
- Fokker, A.D. See de Feiter, L.D., 1=10341
- Folberth, O.G. Chemical binding in crystals with the  $DO_4$ -(BIF $_4$ )-structure, 1=1387
- Folberth, O.G. Bonding in crystals with "normal valency" with special reference to ZnS and wurtzite structures, 1=2365
- Folberth, O.G. An interpretation of the  $\Delta E$  value [forbidden band width] in [semiconductors with] ZnS structure, 1=3760
- Foldy, L.L. Relativistic particle systems with interaction, 1=7200
- Foldy, L.L. A method for expanding the phase-stable regime in synchronous accelerators, 1=8367
- Foldy, L.L. Charged boson gas, 1=18309
- Folen, V.J., Rado, G.T. and Stalder, E.W. Anisotropy of the magnetoelectric effect in  $Cr_2O_3$ , 1=14369
- Folen, V.J. See Kelly, W.H., 1=14745
- Folev, H.M. See Greenberg, D.A., 1=801
- Foley, J.H. and Raynor, G.V. Lattice spacings in the system copper + germanium + silicon, 1=2538
- Foley, K.J. See Clegg, A.B., 1=19473
- Foley, P.J. Interrelationships of background area, target area, and target luminance in their effect on the critical flicker frequency of the human fovea, 1=10350
- Folk, R. See Dietrich, K., 1=19349

- Follenius, M. Application of an interferometric method in polarized white light to the study of crystal growth, 1-6495
- Folman, M. See Fiat, D., 1-20678
- Folweiler, R.C. Creep behavior of pore-free polycrystalline aluminum oxide, 1-7826
- Fomenko, A.A. The dispersion of mechanisms in lithium ferrite, 1-12538
- Fomenko, L.A. The mechanisms of the formation of separate dispersion regions in the permeability spectra of ferromagnetic semiconductors, 1-3912
- Fomenko, L.A. Magnetic spectra of a mixed nickel, zinc and copper ferrite in the state of remanent magnetization at various temperatures, 1-14742
- Fomenko, V.S. See Paderno, Yu.B., 1-5005
- Fomin, V.G. and Bogorodskii, O.V. Study of microsegregation in the crystallization of germanium-silicon alloys, 1-20607
- Fominenko, V.P. See Komar, A.P., 1-4683
- Fonda, L. Resonance reactions and continuous channels, 1-7196
- Fonda, L., Radicati, L.A. and Regge, T. Mandelstam representation for the non-relativistic many channel problem, 1-5675
- Fonda, L. See Budini, P., 1-8490
- Foner, S. Antiferromagnetic resonance on  $(\text{Cr}_2\text{O}_3)_{1-x}(\text{Al}_2\text{O}_3)_x$  single crystals, 1-6412
- Foner, S. and Low, W. Pulsed field measurements of large zero-field splittings:  $V^{3+}$  in  $\text{Al}_2\text{O}_3$ , 1-1270
- Foner, S., Meyer, H. and Kleiner, W.H. Low temperature paramagnetic resonance of trapped  $\text{O}_2$ , 1-19664
- Foner, S.N. and Nall, B.H. Structure in the ionization near threshold of rare gases by electron impact, 1-7025
- Fonfara, H. The diffusion of antimony and silver, 1-979
- Fong, P. Mechanism of fission of heavy nuclei, 1-8795
- Fong, P. Statistical theory of nuclear fission and prompt neutron distribution, 1-8796
- Fong, P. Nuclear models and nuclear fission, 1-8797
- Font, R. See Aguilar, J., 1-16796
- Font, R. See Catalá, J., 1-19554
- Font, R. See Senent, F., 1-411
- Fontaine, G. See Taurel, L., 1-11389
- Fontaine, H. and Brochard, J. The electric field in a hollow-Fontan, J. See Blanc, D., 1-15242
- Fontan, J. See Blanc, D., 1-15243
- Fontana, P.R. Theory of long-range interatomic forces. I. Dispersion energies between unexcited atoms, 1-12264
- Fontana, P.R. Theory of long-range interatomic forces. II. First-order interaction energies in the uncoupled representation, 1-12265
- Fonton, S.S. Investigation of the initial magnetic susceptibility of a crystal of nickeliferous iron, 1-6292
- Fonton, S.S. Magnetostriction of a single crystal of nickeliferous iron of low nickel content, 1-11443
- Fonton, S.S. Measurement of reversible magnetic susceptibility in the principal crystallographic directions of a nickel-iron crystal, 1-12532
- Fonton, S.S. See Zalesskii, A.C., 1-20111
- Fonzari, R. Refractometer measurements of some medicinal substances, 1-9469
- Fooks, G.F. The fading of radio waves reflected vertically from the ionosphere during magnetic storms, 1-20939
- Fooks, G.F. Irregularities in the  $E_s$  layer of the ionosphere, 1-20980
- Fooks, G.F. and Jones, I.L. Correlation analysis of the fading of radio waves reflected vertically from the ionosphere, 1-20930
- Foot, J.H., Chamberlain, O., Rogers, E.H. and Steiner, H.M.  $\pi^+$ -p elastic scattering at 310 MeV: phase-shift
- Foot, J.H., Chamberlain, O., Rogers, E.H., Steiner, H.M., Wiegand, C.E., and Ypsilantis, T.  $\pi^+$ -p elastic scattering at 310 MeV: recoil-nucleon polarization, 1-7279
- Foot, J.H. See Rogers, E.H., 1-16876
- Forafontov, N.V. See Bădescu, A., 1-13694
- Forbush, S.E., Venkatesan, D. and McIlwain, C.E. Intensity variations in outer Van Allen radiation belt, 1-21073
- Ford, G.P. See Leachman, R.B., 1-2250
- Ford, G.W. and Meecham, W.C. Scattering of sound by isotropic turbulence of large Reynolds number, 1-1799
- Ford, J. Equipartition of energy for nonlinear systems, 1-6807
- Ford, K.W., Hughes, V.W. and Wills, J.G. Theoretical values for magnetic moments of  $\mu$ -mesonic atoms, 1-13979
- Ford, L.H. Stability of some reactance standards, 1-262
- Fordemwalt, J.N. See Person, W.B., 1-14029
- Forel, M.T., Fuson, N. and Josien, M.L. Infrared band assignments for the 2900  $\text{cm}^{-1}$  region methyl group vibrations in  $\text{XC}_6\text{H}_4\text{COOCH}_3$ ,  $\text{XC}_6\text{H}_4\text{CH}_3$ , and  $\text{XC}_6\text{H}_4\text{COCH}_3$  molecules, 1-845
- Foreman, B.M. See Miller, G.L., 1-3088
- Foreman, B.M.Jr. Excitation functions for the  $(\alpha, \alpha n)$  and  $(\alpha, 2pn)$  reactions on  $\text{Ce}^{14}$ , 1-8777
- Foreman, H., Roberts, M.B. and Lilly, E.H. Radioactivity in cervidae antlers, 1-19377
- Forestier, H. See Verot, J.L., 1-20628
- Forgacs, R.L. Improvements in the sing-around technique for ultrasonic velocity measurements, 1-1788
- Forkman, B. The photodeuteron yield from 30 MeV bremsstrahlung irradiation, 1-5897
- Forkman, B. and Johansson, S.A.E. Angular distributions in photofission of uranium, 1-2248
- Forkman, B. and Johansson, S.A.E. A method of identifying charged particles, 1-19081
- Forkman, B. and Wahlström, I. Photoprotons from fluorine, 1-7368
- Forkman, B. See Wahlström, I., 1-5895
- Forman, R. Electrical conduction and breakdown in high-pressure rare gases, 1-11919
- Forman, R. Electrical conduction and breakdown in high-pressure (0.25-300 mm) rare gases, 1-13075
- Forman, R. Space-charge limited current relation in high-pressure gas diodes, 1-13124
- Formánek, J. On the Üleha-Petráš wave equation, 1-16656
- Fornaca, G., Ciampi, M. and Reinhartz, M. Some interactions between centimetre waves and electrons in an ionized gas, 1-16311
- Forneris, R. See Person, W.B., 1-14029
- Forrat, F. See Bertaut, F., 1-2535
- Forrat, F. See Fang, P.H., 1-8972
- Forrest, W.W. Measurement of pressure in vacuum systems, 1-5299
- Forrest, W.W. Calorimeter for the continuous study of the heat production of microbial systems, 1-5371
- Forrester, A.T. Photoelectric mixing as a spectroscopic tool, 1-4454
- Forrester, J.D. X-ray diffraction data from single crystals at 20°K, 1-6510
- Forrester, P.A. and Mims, W.B. Seesaw maser operation, 1-3055
- Forrez, G. See van Itterbeek, A., 1-140
- Forrez, G. See Van Itterbeek, A., 1-1777
- Forrez, G. See Van Itterbeek, A., 1-14769
- Forsén, S. and Rupprecht, A. Increasing the intensity of  $\text{C}^{13}$  n.m.r. signals by a flowing sample method, 1-7161
- Forsén, S. and Rydberg, J. End-window proportional flow counter tube, 1-392
- Forsén, S. See Forslind, E., 1-13909
- Forslind, E., Forsén, S. and Rupprecht, A. An electronic computer (B.E.S.K.) program for one-electron two-centre integrals of Hartree-Fock self-consistent field functions in analytical form, 1-13909
- Forsling, W., Alfväger, T., Holm, L.W., Melin, O., Uhler, J. and Åström, B. Alpha activities and mass number assignments of light astatine isotopes produced by heavy ion reactions, 1-19386
- Forstat, H. and McNeely, D.R. Heat capacity of  $\text{LiCuCl}_2 \cdot 2\text{H}_2\text{O}$ , 1-19716
- Forstat, H. and Taylor, G.O. Heat capacities of two manganese salts, 1-14179
- Forstat, H., Taylor, G.O. and King, B.R. Heat capacity of a single crystal of  $\text{MnCl}_2 \cdot 4\text{H}_2\text{O}$ , 1-12356
- Forster, H.H., Devins, D.W. and Gigas, C.G. Inelastic scattering of 31 MeV protons from  $\text{Ni}^{60}$ , 1-19458
- Forster, H.H. See Bernstein, H., 1-9833
- Forster, K.E. Growth of a vapor-filled cavity near a heating surface and some related questions, 1-5375
- Forster, L.S. and De Armond, K. Luminescence of chromium (III) complexes, 1-14630
- Förster, T. Intermolecular transfer of excited electron energy, 1-1771
- Förster, T. Transfer mechanisms of electronic excitation (10th Spiers Memorial Lecture), 1-11076



- Förstner, A. and Köhler, H. The contrast transmission function for field-glasses, 1=6950
- Forsyth, D.M. and Brown, C.R. Nonlinear property of the visual system at fusion, 1=21137
- Forsyth, P.A. and Paulson, K.V. Radio-star scintillations and the auroral zone, 1=9195
- Forsyth, P.A. See Hector, F., 1=21045
- Forsyth, P.A. See Ziauddin, S., 1=21064
- Forsyth, P.D. See Barros, F. de S., 1=8785
- Forsyth, P.D. See Barros, F. de S., 1=9887
- Forsyth, P.D. See Jaffe, A.A., 1=731
- Forsyth, P.J.E. See Wilson, R.N., 1=10005
- Fort, E. See Blanc, D., 1=8287
- Fort, E. See Blanc, D., 1=16205
- Forten, J. and Johnson, E.R. The radiation induced decomposition of potassium nitrate, 1=15202
- Fortini, A., Gouskov, L. and Teboul, M. Time variation of the number of excess minority carriers in a semiconductor of finite dimensions subject initially to a uniform excitation, 1=17654
- Fortini, A., Gouskov, L. and Teboul, M. Effect of surface recombination on the decay law of minority carriers in a semiconductor, 1=17655
- Fortmann, J. and Buckel, W. Hall effect of quenched condensed films of the Sn-Cu system, 1=3725
- Fortunatova, N.M. See Hlinchuk, K.D., 1=11299
- Fortune, R.D. See Ballario, C., 1=8407
- Forty, A.J. Helical dislocation in crystals of lead iodide, 1=11203
- Forty, A.J. The precipitation of lead during decomposition of lead iodide by electron irradiation, 1=17589
- Forwald, H. Wave phenomena in compressed-air ducts, 1=9412
- Forward, R.L. General relativity for the experimenter, 1=15625
- Forward, R.L., Zipoy, D., Weber, J., Smith, S. and Benioff, H. Upper limit for interstellar millicycle gravitational radiation, 1=8040
- Fosdick, L.D. See Ehrman, J.R., 1=5064
- Fossan, D.B., Walter, R.L., Wilson, W.E. and Barschall, H.H. Neutron total cross sections of Be, B<sup>10</sup>, B, C, and O, 1=11020
- Fossan, D.B. See Wilson, W.E., 1=19294
- Foster, D.G., Jr. Age of Na-Be neutrons in water and kerosene, 1=16802
- Foster, E.L. See Berman, R., 1=1005
- Foster, F. See Engler, A., 1=13544
- Foster, H. See Chesnut, D.B., 1=9056
- Foster, H. See Conder, P.C., 1=5311
- Foster, P.K. Hydrogen diffusion in mild steels, 1=990
- Fotchenkov, A.A. Dependence of the monoclinic piezoelectric constants of Rochelle salt on the degree of its unipolarity at different temperatures, 1=3806
- Foucher, R. Approximate values of some electric quadrupole moments of nuclei of mass A > 218, 1=2161
- Foucher, R. Probabilities of  $\gamma(M_2)$  transition in certain heavy nuclei, 1=12178
- Foucher, R. Quadrupole moments of some heavy nuclei and collective models, 1=13624
- Foucher, R. See Braganca Gil, F., 1=13754
- Foulkes, J.D. Computer identification of vowel types, 1=2578
- Fourdeux, A. and Berghazan, A. On the origin of dislocations in solids. Some aspects of the sources encountered in metals, 1=8906
- Fourret, R. and Guillemard, R. Production of d.c. voltage in a low pressure tube excited by a high frequency electric field, 1=2951
- Fourretier, G. Precision dynamometry, 1=11734
- Fourie, J.T. and Wilsdorf, H.G.F. Production of dislocation loops by a combined climb and glide mechanism, 1=2389
- Fournaux, J., Demers, J. and Demers, P. Production and study of the properties of nuclear track emulsions, 1=1997
- Fournet, M. Phenomena arising from intense current pulses in resistive conductors, 1=9537
- Fournier, See Taglang, P., 1=15132
- Fournier, H. Description of the equipment of a station for recording very fast changes in the earth's magnetic field, 1=1581
- Fournier, H. Some aspects of the first high-frequency geomagnetic recordings obtained at Garchy, 1=6649
- Fournier D'Albe, E.M. See Galindo Estrada, I.G., 1=15220
- Fousek, J. and Březina, B. The movement of single 90° domain walls of BaTiO<sub>3</sub> in an alternating electric field, 1=14559
- Fousek, J. and Březina, B. A contribution to the statics of 90° wedge-shaped domains in BaTiO<sub>3</sub> crystals, 1=17841
- Fousek, J. and Březina, B. The motion of 90° wedge domains in BaTiO<sub>3</sub> in an alternating electric field, 1=17842
- Fousek, J. See Březina, B., 1=20081
- Fousse, H. and Grange, J. Experimental study of refractivities, 1=14075
- Fousse, H. See Grange, J., 1=14076
- Fowler, C.A., Jr., Fryer, E.M. and Treves, D. Observation of domains in iron whiskers under high fields, 1=2478
- Fowler, C.A., Jr., Fryer, E.M. and Treves, D. Domain structures in iron whiskers as observed by the Kerr method, 1=6303
- Fowler, E. See Smith, G.A., 1=3222
- Fowler, E.C. See Balty, C., 1=16906
- Fowler, E.C. See Smith, G.A., 1=13415
- Fowler, E.C. See Stonehill, D., 1=12102
- Fowler, G.N. and Preist, T.W. Note on the  $\alpha$ -particle energy spectrum in Li<sup>8</sup> decay, 1=5857
- Fowler, H.A., Marton, L., Simpson, J.A. and Suddeth, J.A. Electron interferometer studies of iron whiskers, 1=11548
- Fowler, J.L., Corman, E.G. and Campbell, E.C. Neutron scattering from closed shell nuclei, 1=8737
- Fowler, M. Conditions for bound states with a given set of interaction poles in Chew-Mandelstam theory, 1=12805
- Fowler, P. See Harris, L., 1=3844
- Fowler, P.H. and Perkins, D.H. The possibility of therapeutic applications of beams of negative  $\pi$ -mesons, 1=10343
- Fowler, P.H., Perkins, D.H. and Pinkau, K. Energy determination of electromagnetic cascades, 1=3301
- Fowler, P.H., Perkins, D.H. and Pinkau, K. Observation of the suppression effect on Bremsstrahlung, 1=5803
- Fowler, P.H. See Duthie, J., 1=3257
- Fowler, P.H. See Duthie, J., 1=3258
- Fowler, P.H. See Duthie, J.G., 1=3364
- Fowler, P.H. See Duthie, J.G., 1=3365
- Fowler, R.G. and Fried, B.D. Theory of electron driven shock waves, 1=10540
- Fowler, R.G., Paxton, G.W. and Hughes, H.G. Electrons as a shock driver gas, 1=2785
- Fowler, R.G. and Turner, E.B. Magnetically insulated shock tube, 1=6890
- Fowler, R.G. See Lin, C.C., 1=19597
- Fowler, R.G. See McIntyre, R.G., 1=8086
- Fowler, R.G. See St John, R.M., 1=9915
- Fowler, R.G. See Seay, G.E., 1=18764
- Fowler, T.K. Stability of plasmas against electrostatic perturbations, 1=18875
- Fowler, T.K. and Good, W.M. A theory of obtaining short bursts of ions from a beam of ions, 1=1925
- Fowler, W.A., Greenstein, J.L. and Hoyle, F. Deuteronomy. Synthesis of deuterons and the light nuclei during the early history of the solar system, 1=10373
- Fowler, W.A. See Bardin, R.K., 1=645
- Fowler, W.A. See Clayton, D.D., 1=7389
- Fowler, W.A. See Hoyle, F., 1=2638
- Fowler, W.B., Birge, R.W., Eberhard, P., Ely, R., Good, M.L., Powell, W.M. and Ticho, H.K.  $\Xi^-$  production by K<sup>-</sup> mesons, 1=5788
- Fowles, G.R. Shock wave compression of hardened and annealed 2024 aluminum, 1=11167
- Fox, A.G. and Li, T. Resonant modes in a maser interferometer, 1=7143
- Fox, D.W. See Bazley, N.W., 1=15686
- Fox, L. Mathematical tables. Volume 4. Tables of Weber parabolic cylinder functions and other functions for large arguments, 1=5
- Fox, L. See Cohen, M., 1=3551
- Fox, R. Simulator for high density ion guns, 1=4660
- Fox, R. The high-energy electrostatic plasma gun, 1=18891
- Fox, R. and Albert, R.D. Evidence for compound nucleus formation using (p,p') and ( $\alpha$ ,p) scattering in nickel, 1=2214
- Fox, R. and Albert, R.D. Method to obtain the energy dependence of reaction cross sections when a compound nucleus is formed, 1=4854
- Fox, R.E. Ionization cross sections near threshold by electron impact, 1=16257
- Fox, R.E. and Curran, R.K. Ionization processes in CC<sub>14</sub> and SF<sub>6</sub> by electron beams, 1=8509

- Fox, R.E., Malmberg, P.R. and Gosser, R.B. Electronegative gas detector, 1=12684
- Fox, R.E. See Curran, R.K., 1=8307
- Fox, R.E. See Riemersma, H., 1=15977
- Fox, W.N. and Series, G.W. Hyperfine structure of the level  $5^2P_{1/2}$  of potassium 39, 1=11064
- Fracassini, M. See Hack, M., 1=15484
- Fracastoro, M.G., Campisi, R., Catalano, M., Torrisi, S. and Turiano, A. A preliminary study of the present cycle of solar activity, 1=18081
- Frackiewicz, B. See Epstein, D.J., 1=6366
- Frackowiak, D. and Marszałek, T. Yield of fluorescence and spectra of chlorophyll in viscous media, 1=6863
- Frackowiak, D. and Marszałek, T. Yield of anti-Stokes fluorescence of chlorophyll, 1=9399
- Frackowiak, M. The investigation of an organic phosphor in the pre-excited state, 1=2451
- Frackowiak, M. and Taczanowski, A. A method for measurement of the temperature distribution over the surface of the plane thermionic cathodes of very small dimensions, 1=16366
- Frackowiak, M. and Waleryś, H. Decay of phosphorescence of tryptaflavine in gelatine, 1=6866
- Fradkin, D.M. and Good, R.H., Jr. Electron polarization operators, 1=18273
- Fradkin, D.M. and Good, R.H., Jr. Tensor operator for electron polarization, 1=19097
- Fradkin, E.E. See Kaliteevskii, N.I., 1=19345
- Fradkov, A.B. A helium cryostat without liquid nitrogen cooling, 1=5384
- Fradkov, A.B. See Malkov, M.P., 1=4916
- Fraenkel, G. Site of protonation in methyl formate, 1=11120
- Fraenkel, G. See Franconi, C., 1=12308
- Fraenkel, G.K. See Karplus, M., 1=17344
- Fraenkel, G.K. See Schreurs, J.W.H., 1=6041
- Fraenkel, G.K. See Strauss, H.L., 1=19663
- Fraenkel, G.K. See Vincow, G., 1=7482
- Fraenkel, Z. See Dostrovsky, I., 1=12198
- Fraga, S. and Ransil, B.J. Studies in molecular structure. III. Populations analyses for selected first-row diatomic molecules, 1=6036
- Fraga, S. and Ransil, B.J. Studies in molecular structure. V. Computed spectroscopic constants for selected diatomic molecules of the first row, 1=12300
- Frahn, W.E., Rautenbach, W.L. and Wahlin, L. The electromagnetic isotope separator in Pretoria, 1=2303
- Fraiman, B.S. See Bronshtein, I.M., 1=4637
- Fraiman, B.S. See Bronshtein, I.M., 1=10734
- Frait, Z. Ferromagnetic resonance on cobalt whiskers, 1=20176
- Frait, Z. Ferromagnetic resonance in thin cobalt films, 1=20177
- Frait, Z. Determination of parameters in equation for ferromagnetic resonance of ferrites, 1=20179
- Frait, Z., Kamberský, V., Málek, Z. and Ondříš, M. Local variations of uniaxial anisotropy in thin films, 1=17962
- Frait, Z. See Kamberský, V., 1=14718
- Fraitová, D. The influence of demagnetization, anisotropy and stress on the resonance condition of spin-wave resonance, 1=20172
- Frána, J., Řezanka, L., Vobecký, M. and Hušák, V. Neutron deficient isotopes of terbium with half-life of 18 hr, 1017031
- Frana, J. See Řezanka, L., 1=19413
- Frana, J. See Řezanka, L., 1=20021
- Francis, E.E. See Pimbley, W.T., 1=13088
- Francis, G.W. and Stoudenheimer, R.G. Phosphor efficiency at very low excitation current densities, 1=6237
- Francis, N.C., Goldman, D.T. and Guth, E. Photoneutron disintegration below the giant resonance: beryllium-9 and carbon-13, 1=673
- Francis, N.C. See Goldman, D.T., 1=8693
- Francis, N.C. See Guth, E., 1=19440
- Francis, W.E. and Karplus, R. Hydromagnetic waves in the ionosphere, 1=15256
- Francis, W.E. See Dessler, A.J., 1=15348
- Frank, J.P., Manchester, F.D. and Martin, D.L. The specific heat of pure copper and of some dilute copper + iron alloys showing a minimum in the electrical resistance at low temperatures, 1=17413
- Frank, J.P. and Martin, D.L. The superconducting transition temperature of lead, 1=18717
- Francken, J.C. and van der Waal, J. Residual gases in picture tubes, 1=18492
- Franco, H. See Seibel, G., 1=20785
- François, J. and Verriest, G. On acquired deficiency of colour vision, with special reference to its detection and classification
- Francombe, M.H. and Noreika, A.J. Some properties of uniaxial permalloy films prepared by cathodic sputtering, 1=6324
- Franconi, C., Ogg, R.A., Jr. and Fraenkel, G. Nuclear magnetic resonance of amides, 1=12308
- Franeau, J. See Danguy, L., 1=9749
- Franeau, J. See Quivy, R., 1=13383
- Frank, F.C. X-ray diffraction spikes of diamond, 1=20525
- Frank, F.C. and Tosi, M. On the theory of polymer crystallization, 1=20425
- Frank, F.C. See Bilby, B.A., 1=1406
- Frank, G.R., Jr., Robinson, D.L. and Thomas, G. Precipitation sites in aluminium alloys, 1=12650
- Frank, H.S. and Quist, A.S. Pauling's model and the thermodynamic properties of water, 1=4326
- Frank, I.M. The critical velocity for emission of light in optically anisotropic media, 1=4424
- Frank, R.C., Swets, D.E. and Lee, R.W. Diffusion of neon
- Frank, R.C. and Thomas, J.E., Jr. The diffusion of hydrogen in
- Frank, R.C. See Swets, D.E., 1=3685
- Frank, R.C. See Swets, D.E., 1=11783
- Frank-Kamenetskii, D.A. The origin of the chemical elements, 1=4211
- Frank-Kamenetskii, D.A. Free oscillations of a bounded plasma, 1=4621
- Frank-Kamenetskii, D.A. Magnetic sound in a three-component plasma, 1=4627
- Frank-Kamenetskii, D.A. Magneto-acoustic resonance in a plasma, 1=4629
- Frank-Kamenetskii, D.A. See Akhmatov, A.P., 1=4628
- Frank-Kamenetskii, D.A. See Bartov, A.V., 1=18859
- Frank-Kamenetskii, D.A. See Borodin, A.V., 1=18886
- Frank-Kamenetskii, D.A. See Patrushev, B.I., 1=18905
- Frank-Kamenetskii, D.A. See Rusanov, V.D., 1=18858
- Frank-Kamenetskii, V.A. Manifestation of microisomorphism in quartz, 1=15084
- Franke, F. Approximate calculation of roots by ratios of polynomials, 1=7967
- Franke, F. Ray-tracing through a lens system by means of line coordinates, 1=8213
- Franke, G. Resolving power and image quality, 1=9494
- Franke, G. Critical discussion of the contrast transmission function, 1=18562
- Franke, V.A. Application of the Mandelstam method to the computation of scattering amplitudes with anomalous singularities, 1=16712
- Frankel, S. See Caspari, M.E., 1=9039
- Franken, B. and van den Berg, G.J. The Hall effect of Cu and Ag and of some of their diluted alloys at low temperatures, 1=7622
- Franken, P.A. Interference effects in the resonance fluorescence of "crossed" excited atomic states, 1=2285
- Franken, P.A. Generation of sound in cavities by flow rate changes, 1=12937
- Franken, P.A. Comments on "base pressure fluctuations", 1=12952
- Franken, P.A., Hill, A.E., Peters, C.W. and Weinreich, G. Generation of optical harmonics, 1=18556
- Franken, P.A. See Bies, D.A., 1=6931
- Franken, P.A. See Bies, D.A., 1=12955
- Franken, P.A. See Boyne, H.S., 1=10886
- Frankena, H.J. Transient phenomena associated with Sommerfeld's horizontal dipole problem, 1=16548
- Frankena, H.J. See de Hoop, A.T., 1=16549
- Frankenfeld, K. See Becker, G.W., 1=9354
- Frankovich, E.L. and Tal'roze, V.L. Thermostimulated e.m.f. appearing in irradiated hydrocarbons under a temperature gradient, 1=17642
- Frankovich, E.L. See Balabanov, E.I., 1=3728
- Frankl', F.I. The existence of a weak solution of the direct problem in the theory of sonic flow past a profile in the first approximation, 1=2776
- Franklin, C.A. See Molozzi, A.R., 1=15570
- Franklin, J. and Tuan, S.F.  $Y^*$  and  $K^*$  in strong interactions, 1=13522
- Franklin, R.N. Space-charge neutralization and thermionic emission, 1=5499



- Franklin, R.N. See Robinson, F.N.H., 1-11971
- Franklin, R.N. See von Engel, A., 1-18828
- Frankowski, W. Methods of choosing the characteristics of a materials testing reactor, 1-760
- Frantschl, S.C. See Chew, G.F., 1-4765
- Frantsevich, I.N., Shiyankovskaya, I.E. and Lavrenko, V.A. Work-hardening and recovery of high purity-tungsten and molybdenum [deformed] under the conditions of non-uniform triaxial compression, 1-1334
- Frantsevich, I.N. See Kalinovich, D.F., 1-7596
- Frantsevich, I.N. See Smolin, M.D., 1-4962
- Frantsevich, I.N. See Smolin, M.D., 1-1222
- Frantsevych, I.N., Kalynovych, D.F., Kovens'kiy, I.I. and Pen'kovs'kiy, V.V. The migration of solid-metal solution components in a direct-current field. I, 1-12655
- Frantsevych, I.N., Kalynovych, D.F., Kovens'kiy, I.I. and Pen'kovs'kiy, V.V. The migration of solid metal solution components in a direct-current field. II, 1-12656
- Frantsevych, I.N., Kalynovych, D.F., Kovens'kiy, I.I. and Pen'kovs'kiy, V.V. The migration of solid metal solution components in a direct current field, III, 1-12657
- Franz, G. and Teepe, W. Contribution to the photoelastic investigation of shells, 1-11722
- Franz, O.G. See Lenham, A.P., 1-4208
- Franz, W. Effective density of states in the tunnel effect, 1-10646
- Franz, W. Influence of an electric field on an optical band edge, 1-17880
- Franzinetti, C. See Bartke, J., 1-8513
- Franzinetti, C. See Brautti, G., 1-9758
- Franzini, P. and Gaillard, J.M. Recoil proton polarization in  $\pi$ -p elastic scattering at 600 MeV, 1-9763
- Franzini, P. and Steinberger, J. Leptonic decay of a  $\Sigma^-$  hyperon, 1-8512
- Franzini, P. See Bertanza, L., 1-5765
- Franzini, P. See Bertanza, L., 1-7265
- Franzini, P. See Bertanza, L., 1-19075
- Franzini, P. See Brandon, M., 1-12093
- Franzini, P. See Eisler, F., 1-16889
- Fraser, J.S. See Milton, J.C.D., 1-12232
- Fraser, M.J. Method for measuring the free energy of a solid surface, 1-6559
- Fraser, M.J. and Weart, H.W. Apparatus for measuring dew points below  $-86^\circ\text{C}$ , 1-5380
- Fraser, P.A. The scattering of low-energy orthopositronium by hydrogen atoms, 1-13403
- Frasson, E. See Panattoni, C., 1-10246
- Frauenfelder, H. Electron and photon polarization, 1-8447
- Frauenfelder, H., Cochran, D.R.F., Nagle, D.E. and Taylor, R.D. Internal conversion from resonance absorption, 1-8569
- Frauenfelder, H. See Nagle, D.E., 1-1210
- Frauenfelder, H. See Ullman, J.D., 1-7229
- Frautschi, S.C. See Chew, G.F., 1-12054
- Frautschi, S.C. See Chew, G.F., 1-16702
- Frautschi, S.C. See Yennie, D.R., 1-12044
- Fray, A.F. and Nielsen, S. Clean glass substrates for permalloy films, 1-20672
- Fray, S.J., Johnson, F.A. and Jones, R.H. Lattice absorption bands in indium antimonide, 1-1159
- Fray, S.J., Johnson, F.A., Quarrington, J.E. and Williams, N. The optical absorption of gallium arsenide in the restrahlen band, 1-6212
- Fray, S.J. See Cochran, W., 1-17898
- Frazer, W.R. Applications of conformal mapping to the phenomenological representation of scattering amplitudes, 1-13331
- Frazer, W.R. See Ball, J.S., 1-16864
- Freck, D.V. See Hunt, S.E., 1-690
- Freck, D.V. See Pope, R.A., 1-9859
- Frederick, N.V. A vibrating sample magnetometer, 1-11996
- Fredericks, W.J. and Cook, C.J. Interaction of slow electrons with insulating crystals. II. Comparison of electron and photon absorption coefficients for KCl and KBr, 1-11189
- Fredericks, W.J. See Cook, C.J., 1-7573
- Frederikse, H.P.R. Recent studies on rutile ( $\text{TiO}_2$ ), 1-17758
- Frederikse, H.P.R. See Yahia, J., 1-11310
- Fredga, K. Visual observations of contrast variation of filaments with solar limb distance, 1-15475
- Fredrick, L.W. The system of vv cephei, 1-1651
- Fredricks, R.W. Diffraction of an elastic pulse in a loaded half-space, 1-2811
- Fredricks, R.W. Traveling wave analysis of a class of parametric amplifiers based upon the hill equation, 1-7147
- Fredricks, R.W. and Knopoff, L. The reflection of Rayleigh waves by a high impedance obstacle on a half-space, 1-1781
- Fredrickson, W.R. See Ginsburg, N., 1-1840
- Fredriksen, A. See Leadabrand, R.L., 1-15556
- Freed, N. and Kisslinger, L.S. Magnetic dipole moments of odd-mass nuclei in the spherical region, 1-13620
- Freedman, E. and Daiber, J.W. Decomposition rate of nitric oxide between 3000 and 4300°K, 1-7904
- Freedman, J.F. and Robertson, W.D. Electrical resistivity of liquid sodium, liquid lithium, and dilute liquid sodium solutions, 1-5283
- Freedman, M.S., Wagner, F.Jr., Porter, F.T., Terandy, J. and Day, P.P. Iron-free toroidal beta-beta coincidence spectrometer, 1-13399
- Freedman, S.J. and Juretschke, H.J. Galvanomagnetic effects and the band structure of antimony, 1-19833
- Freeland, P.E. See Trumbore, F.A., 1-14456
- Freeman, A.J. and Watson, R.E. Contribution of the Fermi contact term to the magnetic field at the nucleus in ferromagnets, 1-3629
- Freeman, A.J. and Watson, R.E. Origin of the  $F^{19}$  hyperfine structure in transition element fluorides, 1-9071
- Freeman, A.J. and Watson, R.E. Hartree-Fock atomic scattering factors for the neutral atom iron transition series, 1-19606
- Freeman, A.J. and Watson, R.E. Theory of direct exchange in ferromagnetism, 1-20057
- Freeman, A.J. and Weiss, R.J. Electron distribution in transition metals, 1-3639
- Freeman, A.J. See Watson, R.E., 1-6269
- Freeman, A.J. See Watson, R.E., 1-7524
- Freeman, A.J. See Watson, R.E., 1-11060
- Freeman, A.J. See Watson, R.E., 1-14665
- Freeman, A.J. See Watson, R.E., 1-20518
- Freeman, D.C.Jr. and Stamiros, D.N. Electrical conductivity of synthetic crystalline zeolites, 1-14394
- Freeman, D.E. The ultraviolet emission spectrum of naphthalene vapor, 1-7476
- Freeman, D.H. Thermodynamics of binary ion-exchange systems, 1-11609
- Freeman, G.R. Radiolysis of cyclohexane. II. Cyclohexane-cyclohexene solutions and pure cyclohexene, 1-9175
- Freeman, G.R. See Ramaradhy, J.M., 1-9176
- Freeman, I.M. Mass differences of charged and neutral states of elementary particles, 1-15369
- Freeman, J.M. The levels of  $\text{Ne}^{21}$  and  $\text{Ne}^{23}$  and their interpretation, 1-8579
- Freeman, J.M. and West, D. Measurement of (p,n) reaction Q-values of interest in  $\beta$ -decay theory, 1-19464
- Freeman, R. Measurement of magnetic field contours, 1-11999
- Freeman, R. Spin decoupling in high resolution proton magnetic resonance, 1-16606
- Freeman, R. The relative signs of n.m.r. spin coupling constants from double irradiation experiments, 1-19666
- Freeman, R., Gasser, R.P.H. and Richards, R.E. Thallium nuclear resonance spectra. II, 1-155
- Freeman, R., Gasser, R.P.H., Richards, R.E. and Wheeler, D.H. Chemical shifts of thallium resonance spectra in solutions of thallous salts, 1-154
- Freeman, R. and Whiffen, D.H. Determination of the relative signs of proton spin coupling constants by double irradiation, 1-19665
- Freeman, R. See Diehl, P., 1-15609
- Freeman, R.M. The magnetic moment of the second excited state of  $F^{19}$ , 1-13621
- Frei, E.H. See Aharoni, A., 1-14749
- Frei, K. and Günthard, H.H. Distortion of spectral line shapes by recording instruments, 1-2868
- Freiberg, E. and Soergel, V. The spin of the  $F^{20}$  ground state, 1-5819
- Freidman, G.I. Reflection of electromagnetic waves in gyrotropic media from a magnetic field wave, 1-19042
- Freier, G.D. The earth's electric field during an eclipse of the sun, 1-15215
- Freier, G.D. The electric field of a large dust devil, 1-20844

- Freier, G.D. Auroral effects on the earth's electric field, 1=20846
- Freier, P., Ney, E.P., Winckler, J.R. and Kellogg, P.J. Observations of solar cosmic rays, 1=2147
- Freier, P.S., Ney, E.P. and Winckler, J.R. Balloon observations of solar cosmic rays on March 26, 1958. I, 1=7298
- Freier, P.S., Ney, E.P. and Winckler, J.R. Balloon observations of solar cosmic rays on March 26, 1958. II, 1=7299
- Freier, P.S. See Biswas, S., 1=16932
- Freiman, B.S. See Bronshtein, I.M., 1=17495
- Freiman, B.S. See Bronshtein, I.M., 1=18925
- Freire, A.M. See Wataghin, A., 1=7367
- Freise, E.J., Fine, M.E. and Kelly, A. The effect of electro-polishing on the retention of vacancies during quenching in Al and Al alloys, 1=3660
- Freise, E.J. and Kelly, A. Twinning in graphite, 1=20405
- Freiser, M.J. Thermal variation of the pitch of helical spin configurations, 1=14753
- Freitag, W., Martin, H.J. and Schellbach, G. Descriptions and results of investigations of an electronic ultrasonic image converter, 1=8194
- Freitas, L.G. and Mascarenhas, S. Influence of crystallographic orientation on the separation of charges during phase change (Costa Ribeiro effect), 1=1119
- Frelikh, Kh. [Fröhlich, H.] Breakdown in non-polar semiconductors, 1=14424
- Freller, H. See Günther, K.G., 1=19882
- Fremlin, J.H., Beard, D.B. and Whipple, F.L. The dust cloud about the earth, 1=20816
- French, I.P., Cloutier, G.G. and Bachynski, M.P. The absorptivity spectrum of a uniform anisotropic plasma slab, 1=18857
- French, J.B. Isobaric-spin relationships between nuclear spectra, 1=13618
- French, J.B., Iwao, S. and Vogt, E. Reduced widths and isotopic spin impurity of the  $\frac{1}{2}^+$  states of  $N^{15}$ , 1=8580
- French, J.B., Iwao, S. and Vogt, E. Reduced widths and isotopic spin impurities of  $\frac{1}{2}^+$  states of  $N^{15}$ , 1=8624
- French, J.B. and Macfarlane, M.H. Isobaric-spin splitting of single-particle resonances, 1=13619
- French, J.B. See Alford, W.P., 1=5861
- Frenkin, A.R. See Kukin, V.D., 1=5854
- Frenkin, A.R. See Kukin, V.D., 1=19130
- Frenzel, D. New measurements for the determination of transmission properties of objectives from the standpoint of television techniques, 1=12974
- Freon, A. Recurrent variations of cosmic rays during solar maxima and their relation with optical activity: sunspots and corona, 1=3355
- Frerichs, R. and Liberman, I. Surface mobility of copper ions on cuprous oxide, 1=3765
- Fresa, A. Photoelectric photometry of the penumbra during the partial lunar eclipse of 24 March 1959, 1=5137
- Fretter, W.B. and Hansen, L.F. Analysis of jets from carbon, 1=266
- Freudenthal, A.M. Prediction of fatigue life, 1=1339
- Freudenthal, A.M. Thermoelastic equations and Grueneisen's relation, 1=13009
- Freund, P.G.O. Wave equations invariant under discontinuous groups and the problem of nuclear forces, 1=7216
- Freund, P.G.O. and Karplus, R. A natural boundary of the scattering amplitude on an unphysical sheet, 1=16698
- Freund, P.G.O. and Karplus, R. Anomalous thresholds of reaction amplitudes, 1=16700
- Freund, P.G.O., Longoni, A.M. and Predazzi, E. About the pion-hyperon resonance, 1=15479
- Freund, P.G.O. See Baumann, K., 1=5747
- Freund, R.B. See Diliberto, S.P., 1=6745
- Frey, D.A. and Weaver, H.E. N.M.R. measurements of the Knight shift in conducting  $PbO_2$ , 1=3950
- Frey, T. Field strength due to a plane layer of charge distribution, 1=16244
- Freyman, M., Freyman, R. and Geissner-Prettre, C. 1. High resolution N.M.R. studies of intra- and inter-molecular interactions. 2. Pyridine derivatives; the effect of paramagnetic salts on ethanol and pyridine, 1=12903
- Freyman, R. See de Kowalewski, D.G., 1=15911
- Freyman, R. See Freymann, M., 1=12903
- Freytag, E. The ultraviolet OH absorption band in NaF, 1=14594
- Freytag, J.P. Use of a test diode as a means of control for the materials used in the construction of electron tubes, 1=18488
- Friauf, J.B. Thermodynamics of thermally regenerated fuel cells, 1=8304
- Friauf, R.J. Ionic conductivity of thallium chloride, 1=19838
- Fric, C. Some applications of a maser oscillator functioning at high fields, 1=13172
- Fric, C. The effect of flow in a nuclear resonance maser at high field strengths, 1=16553
- Fricke, G. See Barber, W.C., 1=681
- Fricke, H. and Phillips, D.L. High-speed computations in diffusion kinetics. III. Solute depletion in the cylindrical one radical-one solute model, 1=5274
- Fridberg, I.D. See Bogoroditskii, N.P., 1=14537
- Fridkin, V.M., Bogatyrev, A.N. and Brakhman, E.V. A parallel study of depolarization and electroluminescence of ZnS photoelectrets, 1=2463
- Fridkin, V.M., Bogatyrev, A.N. and Brakhman, E.V. A parallel study of depolarization and electroluminescence of ZnS photo-electrets, 1=6241
- Fridlander, E. See Al'per, Z., 1=13262
- Fridlander, E.M. Investigation of azimuthal effects in meson showers produced by 9 BeV protons, 1=19194
- Fridman, L.A. See Drozhzhina, V.I., 1=16479
- Fridman, Ya.B. See Morozov, E.M., 1=14914
- Fridman, Ya.B. See Morozov, E.M., 1=20382
- Frie, W. On the a.c. resistance of electric arcs, 1=8536
- Frie, W. Thermodynamics of irreversible processes and the force equation of Schlüter, 1=9542
- Frie, W. and Maecker, H. Mass separation by diffusion of reacting gases, 1=9416
- Frie, W., Maecker, H., Michel, A., Motschmann, H. and Schindler, H. On investigations of linear impulse discharges, 1=13071
- Friebolin, H. and Maier, W. Proton resonance investigation for the determination of the intramolecular hindering potential in cyclic peroxides, 1=17359
- Fried, B.D., Gell-Mann, M., Jackson, J.D. and Wyld, H.W. Longitudinal plasma oscillations in an electric field, 1=9628
- Fried, B.D. and Wyld, H.W., Jr. Solution for the two-electron correlation function in a plasma, 1=7073
- Fried, B.D. See Fowler, R.G., 1=10540
- Fried, H.M. and Plebanski, J. A remark on the theory of fermions with higher order derivatives, 1=5686
- Fried, R.D. and Gould, R.W. Longitudinal ion oscillations in a hot plasma, 1=2985
- Friedberg, S.A. See Douthett, D., 1=4972
- Friedberg, S.A. See Flipyen, R.B., 1=6258
- Friedberg, S.A. See Pierce, R.D., 1=6385
- Friedberg, S.A. See Swanson, M.L., 1=19829
- Friedburg, H. See Kuiper, H., 1=13927
- Friedel, J. and de Gennes, P.G. Origin of the line width in the nuclear resonance of ferromagnetic metals, 1=3945
- Friedel, J., Leman, G. and Olszewski, S. On the nature of the magnetic couplings in transitional metals, 1=7738
- Friedel, J. See Asdente, M., 1=17446
- Friedel, J. See Blandin, A., 1=960
- Friedel, J. See Blandin, A., 1=9075
- Friedel, J. See Blandin, A., 1=20630
- Friedel, J. See Rocher, Y.A., 1=20622
- Friederich, A., Hellwege, K.H. and Lämmermann, H. Absorption spectrum and Zeeman effect of samarium magnesium nitrate, 1=2443
- Friedlaender, F.J. See Leliakov, I., 1=7751
- Friedland, S.S., Mayer, J.W. and Wiggins, J.S. The solid-state ionization chamber, 1=3081
- Friedländer, E. Investigations on the identification of unstopped particles in nuclear emulsions. II. On residual ionization range estimation from gap measurements in nuclear emulsions, 1=403
- Friedländer, E. The transition effect for cosmic radiation in combined absorbers, 1=19298
- Friedländer, E. and Ruckenstein, E. The utilization of large area sources in  $\beta$ -spectrometers with integral recording, 1=488
- Friedländer, E. See Alper, S., 1=402
- Friedländer, E. See Alper, S., 1=572
- Friedländer, E. See Balea, E., 1=570
- Friedländer, E. See Balea, E., 1=573
- Friedländer, E. See Balea, O., 1=13566
- Friedländer, E.M. Remarks on the energy distribution of mesons created in high-energy nuclear collisions, 1=3201



- Friedländer, E.M. On a consequence of the two-centre model of cosmic ray jets, 1=9784
- Friedländer, E.M., Marcu, M. and Spirchez, M. Central and peripheric interactions of 7.3 GeV negative pions in emulsions, 1=5758
- Friedländer, E.M., Marcu, M. and Spirchez, M. Relative inelasticity and anisotropy of proton interactions at 9 and 23.5 GeV, 1=12087
- Friedländer, E.M. and Mayer, M.E. An estimation of the spectrum of true multiplicities in antinucleon annihilations, 1=19189
- Friedländer, E.M. See Balea, E., 1=569
- Friedlander, J. Absorption curve of the  $Y^{00}$   $\beta$ -radiation in light elements, 1=13396
- Friedlander, M.W. See Engler, A., 1=8522
- Friedman, A.S. See Haar, L., 1=9418
- Friedman, A.S. See Oppenheim, I., 1=10435
- Friedman, E. and Low, W. Effect of thermal treatment of paramagnetic resonance spectra of rare earth impurities in calcium fluoride, 1=1259
- Friedman, H. Lyman- $\alpha$  radiation, 1=21018
- Friedman, H. See Byram, E.T., 1=21031
- Friedman, H. See Kupperian, J.E.Jr., 1=6629
- Friedman, H.L. On Mayer's ionic solution theory, 1=138
- Friedman, H.L. Density expansions of correlation functions for equilibrium systems, 1=4270
- Friedman, J.I. See Maloy, J.O., 1=8483
- Friedman, L. See Irsa, A.P., 1=7495
- Friedmann, H. Polarization and focusing of molecular beams by dipole field, 1=886
- Friedrich, J. Theory of plasma in the presence of magnetic fields, 1=296
- Friedrich, K. Emission of light from crystal phosphors stimulated by ultrasound after irradiation with ultraviolet light and  $\beta$ -rays, 1=5056
- Friedrichs, K.O. Pinch buckling, 1=5469
- Friel, E. Graphic expression of lightness in the Friel system, 1=10611
- Frieman, E. and Pytte, A. Electrostatic instabilities in slightly inhomogeneous plasmas, 1=11941
- Frieman, E. and Rotenberg, M. On hydromagnetic stability of stationary equilibria, 1=5563
- Fries, R.J. and Kempter, C.P. Dimolybdenum carbide, 1=5096
- Fries, R.J. See Kempter, C.P., 1=6515
- Fries, R.J. See Kempter, C.P., 1=10260
- Frihagen, J. and Tröim, J. Scintillations of the 20 Mc/s signal from the earth satellite 1958 $\delta$  II, 1=1543
- Frihagen, J. and Tröim, J. On the large scale regions of irregularities producing scintillation of signals transmitted from earth satellites, 1=20928
- Friichtenicht, J.F. See August, L.S., 1=648
- Frilley, M.  $\gamma$  spectrography using crystalline diffraction, 1=13229
- Friml, M. and Mazur, A. To the question of electron angular distribution at  $\mu$ -meson decay, 1=16828
- Frind, G. The decay of arc discharges. II. Proof of theory by experimental investigation, 1=2956
- Frisch, D.H. See Hill, D.A., 1=4747
- Frisch, D.H. See von Dardel, G., 1=2053
- Frisch, H.L. Time lag in the thermalization of a fast ion in a plasma, 1=11927
- Frisch, H.L. and Lebowitz, J.L. Electron transport at high temperatures in the presence of impurities, 1=12413
- Frisch, H.L., Sonnenblick, E., Vyssotsky, V.A. and Hammersley, J.M. Critical percolation probabilities (site problem), 1=17385
- Frisch, H.L. See Helfand, E., 1=5220
- Frisch, H.L. See Stillinger, F.H.Jr., 1=18671
- Frisch, H.L. See Vyssotsky, V.A., 1=12346
- Frisch, I.T. and Kim, W.H. Properties of 2-semi-isomorphic graphs and their applications; active network analysis, 1=10655
- Frisch, O.R. and Oxley, A.J. A semi-automatic analyser for bubble chamber photographs, 1=16630
- Frischmuth-Hoffmann, G., Gblich, P. and Hora, H. Special features of the temperature dependence of photoemission of multialkali cathodes, 1=13112
- Frisco, L.J. and Callinan, T.D. [Ed.] Digest of literature on dielectrics. Volume 23. 1959, 1=1882
- Frish, S.E. Work on atomic spectroscopy in the U.S.S.R., 1=3499
- Frishman, I.G. Rapid-response electrophotometer for measuring the intensity of the aurora borealis, 1=6634
- Frisk, A. See Ekspong, A.G., 1=5728
- Friskén, W.R. See Dowell, J.D., 1=408
- Friskén, W.R. See Dowell, J.D., 1=5724
- Friskén, W.R. See Martelli, G., 1=16770
- Friskopp, K.G. and Sandström, A.E. The education of physicists in Sweden, 1=4230
- Frith, R., Harrison, E.R. and de Turville, C.M. Terrestrial accretion from the solar wind, 1=20806
- Fritsch, F. Calculational methods for use with  $\beta$ -spectrometers, 1=13400
- Fritsche, L. Precision measurement of the classical sound absorption with the help of the cylindrical resonator. I, 1=8186
- Fritsche, L. Theory of the acoustic cylindrical resonator taking the excitation of sound into account. II, 1=8187
- Fritsche, L., Wolf, F. and Schaber, A. The structure and formation of black evaporated layers of bismuth, 1=15178
- Fritz, J.J., Maria, H.J. and Aston, J.G. Nuclear cooling with metallic copper, 1=10630
- Fritz, J.J., Maria, H.J. and Aston, J.G. Concerning the feasibility of nuclear cooling with palladium hydride, 1=11866
- Fritze, K. and Kennett, T.J. The identification and half lives of fission-product  $Rb^{87}$  and  $Rb^{88}$ , 1=666
- Fritze, K., Kennett, T.J. and Prestwich, W.V. Half-lives of  $Rb^{84}$ ,  $Sr^{84}$ ,  $Y^{84}$ ,  $Rb^{86}$ ,  $Sr^{86}$ ,  $Y^{86}$ , 1=7335
- Fritze, K., Kennett, T.J. and Prestwich, W.V. Half-life  $Q_{\beta}$  value and  $\gamma$ -ray spectrum of  $La^{143}$ , 1=8656
- Fritzsche, C. Investigations on the steepness of luminance-voltage curves of electro-luminescent ZnS phosphors, 1=9011
- Frölich, H. See Brannen, E., 1=11990
- Fröhlich, C. See Busch, G., 1=14475
- Fröhlich, F. Representation of the rate of F-centre formation under the action of X-rays at room temperature, 1=8923
- Fröhlich, F. and Schmuntzsch, M. Stray light measurements in prism monochromators, 1=2861
- Fröhlich, F. See Brauer, K.H., 1=1821
- Fröhlich, H. Space-time reflections, isobaric spin and the mass ratio of bosons, 1=463
- Fröhlich, H. Light quanta and heavy bosons, 1=464
- Fröhlich, H. Boron trifluoride proportional counter of glass, 1=5606
- Fröhlich, H. Space time reflexions, light quanta and heavy bosons, 1=5622
- Fröhlich, H. New heavy bosons, 1=12071
- Fröhlich, H. The structure of momentum space, the neutrino and the Pauli principle, 1=13273
- Fröhlich, H. See Frelikh, Kh., 1=14424
- Frohlich, R. The effect of control rods in a thermal reactor using two-group theory, 1=5465
- Frois, C. and Dimitrov, O. The existence of preferential orientations in zone refined aluminium containing small additions of impurity elements, 1=10236
- Froissart, M. Asymptotic behavior and subtractions in the Mandelstam representation, 1=10861
- Froissart, M. Simplification of the two-body unitarity relation, 1=19137
- Froissart, M. and Stora, R. Depolarization of a beam of polarized protons in a synchrotron, 1=1946
- Fröhlich, H. The theory of the superconductive state, 1=6696
- Frolov, G.V. Polarization effects in the scattering of muons on protons, 1=13465
- Frolov, G.V. Polarization phenomena in the Compton effect, 1=16731
- Frolov, G.V. Relativistically covariant relations between polarization effects in the scattering of spin  $\frac{1}{2}$  particles, 1=19147
- Fröman, A. and Kinsey, J.L. Variational treatment of electronic and mesonic hydrogen molecule ions, 1=14139
- Fromm, E. See Böhme, H., 1=8174
- Frommhold, L. An investigation of the electron component of electron avalanches in uniform fields. II, 1=272
- Fronsdal, C. and Jakšić, B. Spin-momentum correlations in positron electron scattering, 1=2042
- Fronsdal, C. See Barut, A.O., 1=486
- Frosch, C.J., Gershenson, M. and Derick, L. Presence of carbon in gallium phosphide crystals, 1=17734
- Frost, A.A., Kellogg, R.E., Gimarc, B.M. and Scargle, J.D. Least-squares local-energy method for molecular energy calculations using Gauss quadrature points, 1=14070

- Frost, L.S. Conductivity of seeded atmospheric pressure  
 Frost, N.E. A note on the behaviour of fatigue cracks, 1=14918  
 Frost, V.A. Uniform rapid deformation of [the pattern of] turbulence in gases, 1=5291  
 Frota-Pessoa, E. See Jones, B.D., 1=8500  
 Fry, D.L., Mohan, P.V. and Lee, R.W. Hydrogen-deuterium exchange in fused silica, 1=1475  
 Fry, G.A. Relation of blur functions to resolving power, 1=8236  
 Frye, G. Dynamical consequences of the  $K^+ - K^0$  mass difference, 1=536  
 Frye, G. See Ferrari, F., 1=10929  
 Frye, G. See Ferrari, F., 1=10930  
 Fryer, E.M. See Fowler, C.A., Jr., 1=2478  
 Fryer, E.M. See Fowler, C.A., Jr., 1=6303  
 Fryszman, A. On the working mechanism of thin layers in pick-up tubes, 1=321  
 Fryszman, A. Electron beam modulation by means of a thin layer in a decelerating field, 1=16397  
 Fryszman, A., Strzyz, T. and Wasinski, M. On a mechanism of breakdown in high vacuum, 1=16298  
 Fubini, S. Recent progress in the dispersion theory of pion-nucleon interactions, 1=16720  
 Fubini, S. See Amati, D., 1=19242  
 Fubini, S. See Bergia, S., 1=8450  
 Fuchikami, T. See Okazaki, A., 1=2536  
 Fuchs, E. The remagnetization of thin nickel-iron films in the difficult direction. I. Electron microscopic observations of domain production, 1=10163  
 Fuchs, E. and Mecke, P. The influence of Bragg reflection on intensity in X-ray fluorescence analysis diagrams, 1=10109  
 Fuchs, E. and Weyl, R. Preparation of small objects as targets for electron microscopy, 1=20711  
 Fuchs, H. and Lindenberger, K.H. Loss of activity from betatron irradiated samples by diffusion, 1=644  
 Fuchs, R. and von Hippel, A. Distortable double well. A prototype for the analysis of relaxation spectra, 1=11134  
 Fuchshuber, R., Guillien, R. and Roizen, S. Study of the dielectric properties of thin zinc sulphide films, 1=14536  
 Fues, E. and Wahl, F. General lattice statical theory of dislocations, 1=11199  
 Fugol', I.Ya. Absorption and luminescence [spectra] of crystalline solutions of stilbene in tolan at 20°K, 1=11376  
 Fuji, Y. and Furuichi, S. Contribution from the three-pion state to the axial vector coupling constant in  $\beta$ -decay, 1=3139  
 Fujii, K. Symmetries of the interactions among strongly interacting particles and non-leptonic decays of hyperons, 1=9730  
 Fujii, K. and Itô, D. On multiple model of baryon-pion interactions, 1=3214  
 Fujii, K., Nagai, H., Sakuma, T. and Tsuchida, T. Weak interactions at high energies, 1=16682  
 Fujii, K. See Itô, D., 1=5666  
 Fujii, K. See Itô, D., 1=10842  
 Fujii, T. Electron beam analyzer using a piezoelectric scanner, 1=8355  
 Fujii, Y. Isobar model and the s-wave pion-nucleon scattering, 1=10916  
 Fujii, Y. A simple model for two-channel reaction in field theory and its application to the  $Y^*$  problem, 1=19251  
 Fujii, Y. See Kawaguchi, M., 1=9759  
 Fujiki, Y. A new compound in Au-Pb alloy system, 1=4067  
 Fujiki, Y. and Yoshida, T. A new device for measuring thickness of evaporated metal film by use of X-ray interference fringes, 1=2552  
 Fujiki, Y. See Suganuma, R., 1=14302  
 Fujime, S., Murakami, M. and Hirahara, E. Hall effect on some  
 Fujimoto, F. Dynamical theory of electron diffraction in laue-case. II. Numerical calculation of intensities, 1=10248  
 Fujimoto, F. Dynamical theory of electron diffraction in laue-case. III. Forbidden reflection, 1=10249  
 Fujimoto, F. 222-reflection from CuCl in electron diffraction, 1=15075  
 Fujimoto, F. See Cowley, J.M., 1=20484  
 Fujimoto, F. See Takagi, S., 1=11606  
 Fujimoto, Y., Hasegawa, S., Kazuno, M., Nishimura, J., Niu, K. and Ogita, N. Observation of high-energy jet showers and high energy  $\gamma$ -rays by means of large emulsion chambers, 1=7296  
 Fujimoto, Y. See Aizu, H., 1=3316  
 Fujimoto, Y. See Aizu, H., 1=3317  
 Fujimoto, Y. See Aizu, H., 1=13548  
 Fujioka, G. A cloud chamber study of high energy nuclear interactions of cosmic ray particles. II. Results of single nucleon-nucleon interactions, 1=13540  
 Fujisaki, H. and Tanabe, Y. Crystal growth of CdS in the vertical furnace, 1=10232  
 Fujishige, S. A new type of phenomenon of flow birefringence in macromolecular solutions, 1=15876  
 Fujita, E. and Usui, T. Excitations in a high density electron gas. II. Diamagnetism, 1=3642  
 Fujita, E. See Kanazawa, H., 1=3646  
 Fujita, F.E. and Izui, K. Observation of lattice defects in graphite by electron microscopy, 1=12388  
 Fujita, F.E. See Iwata, T., 1=12400  
 Fujita, F.E. See Izui, K., 1=17515  
 Fujita, F.E. See Izui, K., 1=19549  
 Fujita, H. Direct observation of subgrain-growth of cold-worked aluminium by means of electron microscopy, 1=14968  
 Fujita, H. and Kishimoto, A. Interpretation of viscosity data for concentrated polymer solutions, 1=4334  
 Fujita, H., Kishimoto, A. and Odani, H. Features and interpretation of sorption processes in polymer-vapor systems, 1=15168  
 Fujita, H. and Nishiyama, Z. Dislocation images in pure iron observed by transmission electron microscopy, 1=19786  
 Fujita, H. See Weissmann, S., 1=11218  
 Fujita, J.I. The beta-decay of RaE [ $Bi^{210}$ ], 1=19397  
 Fujita, S. On the stationary flow of vapour, 1=4512  
 Fujita, S. See Minami, S., 1=8230  
 Fujita, T. See Yoshioka, H., 1=157  
 Fujiwara, K. Application of higher order Born approximation to multiple elastic scattering of electrons by crystals, 1=328  
 Fujiwara, K. See Iwasaki, H., 1=11579  
 Fujiwara, S. See Arata, Y., 1=20254  
 Fujiwara, S. See Shimizu, H., 1=8855  
 Fujiwara, S. See Shimizu, H., 1=12325  
 Fujiwara, T. and Kato, T. The influence of aging treatment on the temperature dependence of the electric resistance in Alnico 5 magnet, 1=14355  
 Fujiwara, T. and Nakagawa, S. Disc-shaped cleavage surface fracture of NaCl crystal, 1=14917  
 Fujiwara, Y. See Kuri, Z., 1=6056  
 Fukada, E., Stephens, R.W.B. and Charlesby, A. Dynamic mechanical properties of irradiated high density polyethylenes, 1=9080  
 Fukada, E. See Sone, T., 1=12844  
 Fukai, M. See Kawamura, H., 1=19757  
 Fukano, Y. Study on precipitation phenomena in thin films of supersaturated gold-nickel alloy, 1=20605  
 Fukase, M. See Watanabe, H., 1=14691  
 Fuke, T. Nuclear quadrupole resonance under high pressure. I, 1=12576  
 Fuks, M.Ya. See Bol'shutkin, D.N., 1=14915  
 Fukuchi, M. General theory of superexchange interaction. I, 1=17940  
 Fukuchi, M. General theory of superexchange interaction. II, 1=17941  
 Fukuda, A. See Onaka, R., 1=14585  
 Fukuda, D., Okuda, A. and Uchida, Y. Optical bleaching of R-bands in LiF crystals, 1=10102  
 Fukuda, H., Ogita, N. and Ueda, A. Theoretical analysis of extensive air showers, 1=3297  
 Fukuda, H. See Tabata, T., 1=9817  
 Fukuda, I. Ambiguity of  $\partial D_{S,c}(x)/\partial x^2$  and causality, 1=3109  
 Fukuda, K., Kato, R., Nakamura, K. and Uchida, Y. Optical absorption of localised exciton in KCl:I and NaCl:I single crystals, 1=10104  
 Fukuda, K., Matsumoto, H. and Okuda, A. F-centers in LiCl crystals, 1=995  
 Fukuda, K., Matsumoto, H., Takagi, T. and Uchida, Y. Electron spin resonance of manganese in  $MgCl_2$ , 1=20221  
 Fukuda, K. and Nakagawa, T. Color centers in Cu-doped NaCl and KCl crystals, 1=14336  
 Fukuda, K. See Okana, K., 1=8588  
 Fukuda, K. See Okano, K., 1=12159  
 Fukuda, N. A new approach to the many body problem, in particular to the theory of the electron gas, 1=5218  
 Fukuda, N. and Wada, Y. Some aspects of many-body problem, 1=15732



- Fukuda, N. See Sawada, K., 1-15731  
 Fukuda, Y. See Shirai, S., 1-20671  
 Fukui, Hasegawa, Matano, Miura, Oda, Ogita, Suga, Tanahashi and Tanaka. The Tokyo air shower  
 Fukui, K. See Filz, R., 1-12134  
 Fukui, S. The structure of extensive air showers near the axes, 1-13554  
 Fukui, S., Hasegawa, H., Matano, T., Miura, I., Oda, M., Suga, K., Tanahashi, G. and Tanaka, Y. A study on the structure of the extensive air shower, 1-19311  
 Fukui, S. and Hayakawa, S. Microwave discharge chamber, 1-12039  
 Fukui, S. See Tachibana, F., 1-249  
 Fukunaga, K. See Kikuchi, S., 1-8516  
 Fukunaga, K. See Nakamura, T., 1-674  
 Fukunaga, K. See Nakamura, T., 1-2028  
 Fukunaga, K. See Sanada, J., 1-8457  
 Fukunaga, K. See Suwa, S., 1-7241  
 Fukuroi, T. and Yamagata, K. Measurement of dielectric constant of germanium at microwave frequencies, 1-1122  
 Fukuroi, T. See Yamagata, K., 1-17702  
 Fukushima, E. and Nimura, H. Study of the texture of the boundary of etched and ground regions of quartz plate by X-ray diffraction, 1-20659  
 Fukushima, H. See Hashimoto, K., 1-18494  
 Fukushima, M. See Sone, T., 1-12844  
 Fukushima, N. and Maeda, R. Three-dimensional consideration for current-system of geomagnetic variations. I(2). Current flow for polar elementary storm within a spherical conducting shell, 1-1595  
 Fukushima, N. See Nishida, A., 1-1596  
 Fukushima, S. and Kodama, M. The secular variation of cosmic-ray latitude effect, 1-3359  
 Fukutome, H. On the representation of the canonical commutation relation of Bose fields, 1-3111  
 Fukutome, H. Elastic ether theory of elementary particles. I. Classical theory, 1-10837  
 Fukutomi, S. See Wada, Y., 1-2502  
 Fulbright, H.W. and Verba, J. A study of the  $C^{12}(d,n)N^{13}$  reaction, 1-19507  
 Fulford, J.A. Line breadths in the ammonia spectrum, 1-6006  
 Fullam, E.F. See Hemenway, C.L., 1-15441  
 Fuller, C.S. Kinetics of donor reactions in oxygen-doped germanium, 1-19854  
 Fuller, C.S., Kaiser, W. and Thurmond, C.D. Donor equilibria in the germanium-oxygen system, 1-14446  
 Fuller, C.S., Kaiser, W. and Thurmond, C.D. Donor equilibria in the germanium-oxygen system, 1-17697  
 Fuller, D. Identification of the diffusion of iron ions in magnetite employing markers, 1-6112  
 Fuller, E.G. and Hayward, E. Scattering of photons by deformed nuclei, 1-8692  
 Fuller, E.G. and Hayward, E. Absorption and scattering of protons by holmium and erbium, 1-8698  
 Fuller, H.W., Rubinstein, H. and Sullivan, D.L. Spiral walls in thin magnetic films, 1-6326  
 Fullerton, C.M. See Williamson, N.K., 1-7993  
 Fulton, B.J. and Petrie, L.E. The analysis of transient modes of propagation across the auroral zone, 1-21065  
 Fulton, R.L. and Baldeschwieler, J.D. Spin inversion operator in nuclear magnetic resonance, 1-9954  
 Fulton, R.L. and Gouterman, M. Vibronic coupling. I. Mathematical treatment for two electronic states, 1-17334  
 Fulton, T. See Evans, L.E., 1-4761  
 Fulton, T. See Wali, K.C., 1-12123  
 Fultz, S.C. See Jupiter, C.P., 1-2044  
 Fultz, S.C. See Seward, F.D., 1-2043  
 Funabashi, K. See Magee, J.L., 1-8859  
 Funatogawa, Z., Miyata, N. and Usami, S. Electric resistance and cation distribution of Fe-Mn ferrite system, 1-2484  
 Funatogawa, Z. See Gondo, Y., 1-14715  
 Funk, E.G., Jr., Mihelich, J.W. and Schwedtfeger, C.F. Radioactive decay of  $Pm^{143}$ ,  $Pm^{144}$ , and  $Pm^{146}$ , 1-650  
 Funke, V.F., Shurshakov, A.N., Yudkovskii, S.I., Kuznetsova, K.F., Shulepov, V.I. and Yurkevich, Yu.N. Electrical resistivity and structure of the cobalt-tungsten carbide alloys, 1-9144  
 Funt, B.L. Scintillation counting with organic phosphors, 1-7170  
 Funt, B.L. See Brooks, F.D., 1-3078  
 Fuortes, A. See Faini, G., 1-7114  
 Furdyna, J.K. and Brodwin, M.E. Dependence of the free-carrier Faraday ellipticity in semiconductors on scattering mechanisms, 1-17666  
 Furdyna, J.K. and Broersma, S. Microwave Faraday effect in silicon and germanium, 1-1063  
 Furlan, G. On the  $e^+ + e^- \rightarrow \pi^0 + \gamma$  process, 1-9756  
 Furlan, G. and Peressutti, G. Radiative corrections to electron-electron and electron-positron scattering, 1-9747  
 Furlan, G. See Budini, P., 1-8423  
 Furlan, G. See Calucci, G., 1-16900  
 Furman, V.I. See Lyu Yulan, 1-16356  
 Furmidge, C.G.L. Assessment of the accuracy of "Flying-spot" scanning for the measurement of microscopic particles, 1-10463  
 Fursei, G.N. Field emission of electrons from a single crystal of tungsten preceding the development of a vacuum arc, 1-16362  
 Fursenko, V.D. See Marchenko, A.I., 1-19899  
 Fursov, H.L. See Hrishayev, I.A., 1-12931  
 Furst, M. See Brown, F.E., 1-6864  
 Furth, H.P. Sufficient conditions of hydromagnetic stability of a diffuse linear pinch, 1-306  
 Furth, H.P. Comment on "plasma motion across magnetic fields", 1-13084  
 Furth, H.P. See Colgate, S.A., 1-307  
 Furth, H.P. See Colgate, S.A., 1-5547  
 Furth, R. Spatial correlations in the thermal fluctuations of electrical quantities in the presence of conducting surfaces. [Note], 1-7016  
 Furui, S. and Sakuma, T. On the test of global symmetry, 1-10911  
 Furui, S. See Itô, D., 1-5666  
 Furui, S. See Itô, D., 1-10842  
 Furui, S. See Sakuma, T., 1-3233  
 Furuichi, J. See Miyake, Y., 1-18410  
 Furuichi, J. See Nakamura, E., 1-12471  
 Furuichi, J. See Nakamura, E., 1-14551  
 Furuichi, S. and Machida, S. Dispersion theoretic approach in nucleon-nucleon scattering, 1-8455  
 Furuichi, S. See Fuji, Y., 1-3139  
 Furukane, U., Hasikuni, M. and Takeyama, H. Plasma frequencies of metals determined by optical constants, 1-14233  
 Furukawa, K. Structure analysis of some fused materials by X-ray diffraction. I.  $NaNO_3$ ,  $NaNO_2$  and  $PbO-B_2O_3$  system, 1-1443  
 Furukawa, K. The critical phenomena between solids and fluids, 1-1739  
 Furukawa, K. The structural model of monatomic liquids including metallic liquids near the melting points, 1-18392  
 Furukawa, M., Ishizaki, Y., Nakano, Y., Nozaki, T., Saji, Y. and Tanaka, S. Excitation function for the reaction  $B^{11}(p,n)C^{11}$  up to  $E_p = 15$  MeV and energy levels of  $C^{12}$ , 1-12195  
 Furukawa, M. and Tanaka, S. Excitation function for the reaction  $O^{16}(\alpha, pn)F^{18}$ , 1-13859  
 Furukawa, M. See Nozaki, T., 1-6581  
 Furukawa, M. See Tanaka, S., 1-2241  
 Furukawa, M. See Tanaka, S., 1-8776  
 Furukawa, M. See Tanaka, S., 1-8779  
 Furukawa, M. See Tanaka, S., 1-12219  
 Furukawa, M. See Tanaka, S., 1-12220  
 Furukawa, Y. Photoconductivity in nickel doped germanium, 1-10064  
 Furukawa, Y. Temperature dependence of tunnel diode characteristics, 1-11315  
 Furukawa, Y. Electrical properties of heavily doped n-type germanium, 1-14445  
 Furukawa, Y. Impurity effect upon mobility in heavily doped silicon, 1-14459  
 Furukawa, Y. Electrical properties of heavily doped n-type germanium, 1-14486  
 Furuoya, T. and Sasaki, Y. Dislocations in Si single crystals, 1-11207  
 Furuoya, T. See Ishii, Z., 1-11197  
 Furusawa, A. See Sugiyama, K., 1-16988  
 Furuta, N. Ribbon-like crystals of selenium grown from vapour, 1-11540

- Furutsu, K. and Ishida, T. On the theory of amplitude distribution of impulsive random noise, 1=10782
- Furutsu, K. and Ishida, T. On the theory of amplitude distribution of impulsive random noise and its application to the atmospheric noise, 1=15395
- Fuse, T. See Tsukada, K., 1=12208
- Fuson, N. See Forel, M.T., 1=845
- Futami, S. See Okamura, S., 1=15203
- Futrell, J.H. Use of mass spectral data in radiation chemistry, 1=11625
- Futrell, J.H. See Spialter, L., 1=1007
- Füzessy, Z. Electron density of iodine using the statistical model of the atom, 1=19581
- Fyfe, W.I. See Lin, S.C., 1=2783
- Fyfe, W.S. and Verhoogen, J. Covalent super-exchange in solid state physics, 1=1202
- Gabathuler, E. See Lewis, G.M., 1=5771
- Gabbard, F. See Davis, E.A., 1=19487
- Gabet, A. See Gendreau, G., 1=16460
- Gabillard, R. and Racz, L. A possible explanation of the Bragg effect, 1=16242
- Gabillard, R. See Racz, L., 1=17826
- Gabor, D. Light and information. [Text of the 1951 Ritchie Lecture, University of Edinburgh, not previously published], 1=18548
- Gabor, D. A new thermionic generator, 1=18916
- Gabor, D. and Vithayathil, J. The Bertele arc, 1=9535
- Gabor, T. Anodic oxidation of germanium, 1=10043
- Gabovich, M.D., Pasechnik, L.L. and Romanyuk, L.I. Boundary of a penetrating plasma and plasma focusing, 1=5470
- Gabovich, M.D., Pasechnik, L.L. and Romanyuk, L.I. Boundary of a penetrating plasma and plasma focusing, 1=11947
- Gabrishidze, Z.A. See Stekhanov, A.I., 1=17903
- Gabriel, A.H., Howell, V.T.S., Thornton, E. and Wilson, R.J. Low-inductance capacitor banks and linear pinched discharges, 1=5476
- Gabrielli, I. See Cernigoi, C., 1=2991
- Gabrielli, I. See Cernigoi, C., 1=13224
- Gabry, A. See Decaux, B., 1=12696
- Gabry, A. See Decaux, B., 1=16588
- Gabuda, S.P. See Lundin, A.G., 1=19923
- Gachok, V.P. The asymptotic behaviour of Green's functions in quantum field theory, 1=19087
- Gadda, F. and Redaelli, G. A high efficiency Geiger Müller counter for measuring flowing radioactive liquids, 1=7165
- Gadola, A., Gervasio, V. and Zaffiro, C. Use of standard analogue techniques in solving propagation problems, 1=6803
- Gadsden, M. The relative intensities of some nitrogen bands in auroral spectra, 1=21057
- Gadsden, M. and Gadsden, M.N. A note on the analysis of seven years' visual observations of the aurora from New Zealand and Campbell Island, 1=21043
- Gadsden, M. and Loughnan, C.J. Observations of non-field-aligned auroral rays, 1=1562
- Gadsden, M. and Salmon, K. A note on the observations of twilight lithium emission made from Hallett Station, 1=21025
- Gadsden, M.N. See Gadsden, M., 1=21043
- Gaebler, J.F., Hazen, W.E. and Hendel, A.Z. Direct pair production by high energy muons, 1=5808
- Gaeta, F. See Careri, G., 1=8271
- Gager, W.B. See Milford, F.J., 1=2498
- Gaiduk, V.I. Non-linear oscillations in weak external fields, described by Lagrange's equations, 1=5626
- Gaidukov, L.G., Grazhdankina, N.P. and Fakidov, I.G. A study of the variation with temperature of the spontaneous magnetization of chromium telluride, 1=20068
- Gaidukov, L.G. See Grazhdankina, N.P., 1=17619
- Gaidukov, P. See Alekseevskii, N.E., 1=5726
- Gaidukov, Yu.P. See Alekseevskii, N.E., 1=17464
- Galkin, V.S. A class of solutions of Grad's kinetic moment equations, 1=6825
- Gailar, N.M. See Herget, W.F., 1=853
- Gaillard, J.M. See Eisler, F., 1=16889
- Gaillard, J.M. See Eisler, F., 1=19271
- Gaillard, J.M. See Franzini, P., 1=9763
- Gailloud, M. See Piron, C., 1=5716
- Gainotti, A. See Barbaro-Galtieri, A., 1=17102
- Gair, F.C. See Archard, G.D., 1=15785
- Gajewski, R. and Hirshfield, J.L. Influence of coulomb interactions on the cyclotron radiation of electrons moving on a single orbit, 1=10768
- Galanin, A.D. and Grashin, A.F. Calculation of the pion-nucleon amplitude by taking into account the  $\pi-\pi$  interaction, 1=19150
- Galasiewicz, Z. A method of approximate second quantization in the theory of superconductivity, 1=4532
- Galasiewicz, Z. On the state of Fermi system with correlation of pairs of particles with parallel spins. I. Ground state, 1=12816
- Galasiewicz, Z. On the state of a Fermi system with correlation of pairs of particles with parallel spins. II. Thermodynamics, 1=12817
- Galasso, F. and Katz, L. Crystal structure of  $\text{Ba}_{0.5-x}\text{TaO}_{3-x}$ , 1=7870
- Galasso, F. See Colligan, G., 1=11564
- Galatry, L. Simultaneous effect of doppler and foreign gas broadening on spectral lines, 1=8808
- Galatry, L. The emission spectrum of a non-relativistic free electron in an ionized gas, 1=16741
- Galavanov, V.V., Kartuzova, I.A. and Nasledov, D.N. Measurement of the diffusion length for non-equilibrium current carriers in InSb, 1=19879
- Gafazka, R. and Girit, W. Electrical properties of the CdTe-HgTe system, 1=14464
- Gale, A.J. See Rose, P.H., 1=9645
- Gale, B. and Hale, K.F. Heating of metallic foils in an electron microscope, 1=4088
- Gale, N.H. and Garg, J.B. The population ratio of the 4.433 MeV and 7.656 MeV states in  $^{12}\text{C}$  in the reaction  $^9\text{Be}(\alpha, n)^{12}\text{C}$ , and the parameters of the 7.656 MeV level, 1=5939
- Gale, N.H., Garg, J.B., Calvert, N.M. and Ramavartaram, K. A study of the angular distributions of neutrons leading to the ground state in the reaction  $^{12}\text{C}(^3\text{He}, n)^{14}\text{O}$ , 1=3460
- Gale, N.H., Garg, J.B. and Ramavartaram, K. Neutron angular distributions for the reaction  $^{10}(\text{He}, n)^{14}\text{Ne}$ , 1=5941
- Gale, N.H. See Garg, J.B., 1=5932
- Gale, N.H. See Garg, J.B., 1=19527
- Galejs, J. Excitation of V.L.F. and E.L.F. radio waves by a horizontal magnetic dipole, 1=7142
- Galen, J.J. See Card, F.E., 1=12665
- Gales, R.S. See Thompson, P.O., 1=7956
- Gales, R.S. See Thompson, P.O., 1=21123
- Galgali, D.G. See Swamy, N.V.V., 1=591
- Galibina, G.I. See Vodop'yanov, K.A., 1=1123
- Galil, U. and Ophir, D. Transistorized pulse height indicator, 1=16230
- Galil, U. See Lindeman, H., 1=7329
- Galindo, A. and Sanchez del Rio, C. Intrinsic magnetic moment as a nonrelativistic phenomenon, 1=12045
- Galindo Estrada, I.G. and Fournier T'Albe, E.M. The use of the Campbell-Stokes sunshine recorder as an integrating actinometer, 1=15220
- Galishev, V.S., Cherepanov, V.I. and Radchenko, R.V. Selection rules for absorption of light in cubic crystals by quadrupole excitation, 1=17874
- Galishev, V.S. See Cherepanov, V.I., 1=17875
- Galitskii, V.M. Contribution to the problem of pairing effects with angular momenta different from zero, 1=2022
- Galitskii, V.M. See Gor'kov, L.P., 1=18607
- Galitsky, V.M. Collective excitations in Fermi systems, 1=5232
- Galkin, A.A., Kaner, E.A. and Korolyuk, A.P. Investigation of ultrasonic absorption by a metal in a magnetic field, 1=17402
- Galkin, A.A. and Kichigin, D.A. Effect of plastic deformation on the width of electron resonance lines, 1=6416
- Galkin, A.A. and Kichigin, D.A. A system for studying electronic resonance over a wide temperature range, 1=16602
- Galkin, A.A. and Korolyuk, A.P. Absorption of ultrasound in zinc at low temperatures, 1=3598
- Galkin, A.A. See Bezuglii, P.A., 1=1861
- Galkin, G.N. Charge carrier recombination in n-type silicon irradiated with  $\gamma$ -rays, 1=17708
- Galkin, G.N., Rytova, N.S. and Vavilov, V.S. Volume recombination of carriers in n-type silicon containing radiation defects, 1=2409



- Galkin, G.N., Rytova, N.S. and Vavilov, V.S. Volume recombination of carriers in n-type silicon containing radiation defects, 1=6152
- Galkin, G.N. See Nolle, E.L., 1=19891
- Galkina, T.I. See Rzhhanov, A.V., 1=14437
- Gall, B. and Lifshitz, J. Temporary capture of cosmic ray particles and their contribution to the high intensity belts, 1=3312
- Gall, R. The secular variation and the geomagnetic theory of cosmic radiation, 1=13575
- Gall, R. and Lifshitz, J. A new evaluation of the simple shadow cones, 1=13546
- Gallagher, C.J. See Albridge, R.G., 1=19373
- Gallagher, C.J. Jr. and Nielsen, H.K. The 5.3 sec isomer of  $W^{183}$ , 1=8632
- Gallagher, C.J. Jr., Nielsen, H.L. and Nielsen, O.B. Intrinsic excited states in  $Hf^{178}$  populated by the allowed decay of 9.3 min  $Ta^{178}$ , 1=8621
- Gallagher, C.J., Jr. See Edwards, W.F., 1=17056
- Gallagher, P.B. See Eshleman, V.R., 1=15331
- Gallais, F. See Pascal, P., 1=14074
- Galland, J. See Buisson, R., 1=9683
- Gallet, R.M. and Utlaut, W.F. Evidence of the laminar nature of the exosphere obtained by means of guided high frequency wave propagation, 1=20898
- Galli, A., Giardini-Guidoni, A. and Volpi, G.G. Behaviour of ions in mass spectrometers under pulsed repeller voltage conditions, 1=9643
- Galli, M. See Cattani, D., 1=19320
- Galli, R., Baumgartner, E. and Huber, P. Experiences with the 4 MV symmetrical cascade generator at the Physical Institute of the University of Basel, 1=16443
- Galligan, J.M., Feuerstein, S. and Luhman, W. Shear in zinc bicrystals, 1=1309
- Gallmann, A. See Gorodetzky, S., 1=7326
- Gallmann, A. See Gorodetzky, S., 1=13844
- Gallmann, A. See Gorodetzky, S., 1=17143
- Gallone, S. Equilibrium families in the liquid drop model, 1=13606
- Gallop, J.W., Dutt, T.L. and Gibson, H. Forces on charged
- Gallouet, L. See Duchesne, M., 1=18041
- Galloway, R.B. and Sillitto, R.M. Energy levels of  $B^{10}$ : evidence from the  $B^{10}$   $\gamma$ -ray spectrum, 1=7322
- Galoshina, E.V. See Volkenshtein, N.V., 1=12653
- Galotto, C.P., Gerevini, T., Romanisio, F. and Toselli, F. Construction and absolute calibration of a photoneutron standard, 1=10893
- Galperin, G.I. Hydrogen emission and two types of auroral spectra, 1=6637
- Galperin, G.I. See Krassovsky, V.I., 1=3311
- Gal'pern, D.Yu. Apodization, 1=2848
- Galster, S. Measuring the circular polarization of internal and external bremsstrahlung, 1=481
- Galt, J.K. and Merritt, F.R. Cyclotron resonance observations in zinc, 1=17485
- Galt, J.K., Merritt, F.R. and Schmidt, P.H. Cyclotron resonance observations in cadmium, 1=9996
- Galt, J.K. See Buchsbaum, S.J., 1=19751
- Galun, R. and Dickstein, S. A simple manometer for pressure measurements in a small confined space, 1=2725
- Gammek, J.L., Brolley, J.E. Jr., Rosen, L. and Stewart, L.  $He^3 + He^3$  elastic scattering, 1=8521
- Gamo, H. An aspect of information theory in optics, 1=4423
- Gamo, I. Absorption bands arising from the ion  $SO_4^{2-}$  in  $CuSO_4 \cdot 5H_2O$  and in  $CuSO_4 \cdot H_2O$ , 1=17895
- Gamow, G. Remarks on Lorentz contraction, 1=11698
- Gamow, G. See Brittin, W., 1=12703
- Gandel'man, G.M. Lepton decay of the  $\Lambda$ -hyperon and the probability for  $K_{\mu 2}$  and  $K_{e 2}$  processes, 1=19274
- Gandia, V. See Vidal, J.M., 1=5278
- Gandolfi, A. See Brini, D., 1=5119
- Gandolfi, A. See Brini, D., 1=13538
- Gandy, H.W. High vacuum apparatus for studying the luminescence of solids, 1=12933
- Ganeev, A.S. and Izrailev, I.M. Interaction cross-section of soft X-rays with lithium, 1=6220
- Gangi, A.F. See Knopoff, L., 1=1782
- Ganguly, A. See Mukherjee, S.K., 1=13453
- Ganguly, A.K. See Mukherjee, S.K., 1=5924
- Ganguly, S.C. See Choudhury, N.K., 1=8983
- Ganley, W.P. See Roetting, P.G., 1=2197
- Gans, F. See Bombre, F., 1=11403
- Gans, P. See Hoyaux, M., 1=5696
- Ganson, A. K absorption spectra of zirconium, its oxide and oxychloride, 1=17905
- Gantmakher, V.F. See Sharvin, Yu.V., 1=18708
- Ganz, D. Texture and loss problem in SiFe, 1=6339
- Gaponov, A.V. Instability of a system of excited oscillators with respect to electromagnetic perturbations, 1=1972
- Garabedian, H.L. and von Herrmann, P. Reactor kinetics for multi-region multi-fuel reactors, 1=767
- Garabedian, H.L. See Foderaro, A., 1=17200
- Garaycochea, E. and Cid-Dresdner, H. On the setting of crystals for X-ray diffraction work, 1=20467
- Garazha, V.I. See Barabashov, N.P., 1=18039
- Garbar, M. Magnetic susceptibility of  $CoBr_2 \cdot 6H_2O$ , 1=12511
- Garbatski, U. See Fiat, D., 1=20678
- Garbe, S. See Klopfer, A., 1=18490
- Garber, M., Henry, W.G. and Hoeve, H.G. A magnetic susceptibility balance and the temperature dependence of the magnetic susceptibility of copper, silver, and gold, 295°-975°K, 1=1194
- Garber, M. and Wagner, R. The susceptibility of azurite, 1=11457
- Garber, M. See Blatt, F.J., 1=1116
- Garber, R.I. and Gindin, I.A. Physics of the strength of crystalline materials, 1=3990
- Garber, R.I. and Gindin, I.A. Elastic deformation and thermal expansion, 1=14186
- Garber, R.I., Gindin, I.A. and Shubin, Yu.V. Orientational dependence of slip and rupture in beryllium single crystals in tension, 1=12602
- Garber, R.I., Gindin, I.A. and Shubin, Yu.V. The question of high strength in single crystals, 1=14913
- Garber, R.I. and Polyakov, L.M. The distribution of residual stresses in plastically deformed rocksalt crystals, 1=12396
- Garber, R.I., Polyakov, L.M. and Malik, G.N. Use of ultrasound in welding of copper, 1=10:59
- Garber, R.I. and Soloshenko, I.I. The dependence of the damping decrement on the amplitude of elastic vibrations and a study of plastic deformation of overstressed micro-regions, 1=12592
- Garber, R.I. and Stepina, E.I. Defects on the boundaries of twin layers, 1=14264
- Garber, R.I. and Stepina, E.I. Etch patterns of wedge-shaped elastic twins, 1=14951
- Garbuny, M., Vogl, T.P. and Hansen, J.R. Image converter for thermal radiation, 1=4635
- Garbuny, M. See Vogl, T.P., 1=2425
- Garcia, A. See Aguilar, J., 1=12216
- García, A. See Catalá, J., 1=17138
- García, A. See Catalá, J., 1=17150
- García, A. See Hodgson, P.E., 1=2228
- García, A. See Senent, F., 1=411
- García Moliner, F. Gas adsorption on the surface of an ideal semiconductor, 1=15181
- García Moliner, F. See Esteve Pastor, A., 1=14371
- García-Blanco Gutiérrez, S. See Martínez Carrera, S., 1=1400
- García-Riquelme, O., Velasco, R., Oyarzun, R. and Veas, F. New interpretation of the Zeeman effect in Mn I, 1=13940
- Garczynski, W. Some topological properties of Feynman diagrams, 1=16675
- Garczynski, W. On some representation of perturbation expansion of scattering amplitude, 1=16694
- Gardiner, K.M. See Young, A.G., 1=20354
- Gardiner, W.C. Jr. and Kistiakowsky, G.B. Density measurements in reflected shock waves, 1=8151
- Gardiner, W.C. Jr. and Kistiakowsky, G.B. Thermal dissociation rate of hydrogen, 1=19671
- Gardner, C.L. See Farmer, J.B., 1=7502
- Gardner, D.G. Fission fragment impact trapping by  $ThO_2$  slurry particles, 1=785
- Gardner, D.G. and Epstein, L.M. Protection against radiation damage in polymethylmethacrylate by high-energy electrons and by ultraviolet light, 1=8920
- Gardner, D.G. See Chittenden, D.M., II, 1=7390
- Gardner, E.L. Instrumentation for experimental reactor kinetic studies, 1=5956

- Gardner, F.F. See Bogle, G.S., 1=19016
- Gardner, J.W. The characteristic-functional method in cascade theory, 1=6
- Gardner, J.W. Magnetic confinement of charged particles, 1=5460
- Gardner, L.B. Energy resolution correction for scintillation spectrometers, 1=5611
- Gardner, W.E. See Childs, B.G., 1=1195
- Gardner, W.R. See Derksen, W.J., 1=12690
- Garfinkel, A. See Eisler, F., 1=16889
- Garfinkel, B. On the motion of a satellite in the vicinity of the critical inclination, 1=1664
- Garfinkel, M. and Mapother, D.E. Pressure effect on superconducting lead, 1=7001
- Garg, J.B. A fast coincidence unit of variable resolving time, 1=1872
- Garg, J.B. and Gale, N.H. Evidence for direct interaction in  $\alpha$ -induced reactions at low energies, 1=19527
- Garg, J.B., Gale, N.H. and Calvert, J.M. Neutron-gamma angular correlation studies of the  $B^{11}(d, n\gamma)C^{12}$  reaction, 1=5932
- Garg, J.B. See Gale, N.H., 1=3460
- Garg, J.B. See Gale, N.H., 1=5939
- Garg, J.B. See Gale, N.H., 1=5941
- Garg, S.K. See Swarup, P., 1=12930
- Gargya, L. See Ketskemeti, I., 1=8128
- Garibotti, C. See Ball, N., 1=13482
- Garibyan, G.M. Electromagnetic radiation from a particle moving across the interface of two media allowing for the effect of multiple scattering, 1=3158
- Garibyan, G.M. Transition radiation emitted by a charge incident at an oblique angle, 1=4716
- Garibyan, G.M. Phenomenological quantum electrodynamics in the case of two media, 1=16652
- Garif'yanov, N.S. and Il'yasov, A.V. Magnetic resonance in sodium alloys, 1=1268
- Garif'yanov, N.S. and Semenova, E.I. Hyperfine structure of electron paramagnetic resonance lines in supercooled solutions of salts of  $Ti^{3+}$ , 1=18434
- Garif'yanov, N.S. See Avvakumov, V.I., 1=18433
- Garin, A., Levi, M. and Faraggi, H. The development of nuclear emulsion stacks, 1=13256
- Garino-Canina, V. The formation and structure of glasses of simple oxides, 1=20632
- Garkusha, V.I. See Rusanov, V.D., 1=18858
- Garland, C.W. and Silverman, J. Analysis of specific heat data for zinc. Resolution of the calorimetric and elastic
- Garmire, G. See Maxwell, A., 1=6641
- Garmire, G. See Maxwell, A., 1=15547
- Garnell, G.C. and Judd, F.S. A technique for examination of the edge faces of tabular microcrystals applied to silver-bromide grains for evidence of twinning, 1=2519
- Garnier, M., Gauvin, H. and Sebaoun, W. Effective cross-section of the reaction  $C^{12}(\gamma, \alpha)$  at 14.8 and 17.6 MeV, 1=17081
- Garofalo, F., Chou, Y.T. and Ambegaokar, V. Effect of hydrogen on stability of micro cracks in iron and steel, 1=2517
- Garofalo, F., Zwell, L., Keh, A.S. and Weissmann, S. Substructure formation in iron during creep at 600°C, 1=14893
- Garofalo, F. See Chou, Y.T., 1=2510
- Garofano, T. See Ciccarello, I.S., 1=14106
- Garretson, H.H. and Drury, J.S. Isotopic separation factor for the system potassium amalgam-aqueous potassium hydroxide, 1=10291
- Garrett, C. See Henry, W.H., 1=1951
- Garrett, C.G.B. See Kaiser, W., 1=11397
- Garrett, C.G.B. See Kaiser, W., 1=17910
- Garrett, H.J. and Lipsitt, H.A. Die forming doubly focusing X-ray monochromators, 1=13145
- Garrido, L.M. Perturbations in classical mechanics, 1=82
- Garrido, L.M. Adiabatic invariants in quantum mechanics, 1=6795
- Garrido, L.M. Relativistic quantum kinetics, 1=9325
- Garrigue, H. Radioactivity of atomic origin in the air and in precipitations, 1=1521
- Garriott, O.K. and Nichol, A.W. Ionospheric information deduced from the Doppler shifts of harmonic frequencies from earth satellites, 1=20940
- Garrison, G.R., Kirkland, P.C. and Murphy, S.R. Long-range measurement of sound speed in sea water, 1=5328
- Garron, J.P., Jacmart, J.C., Massonnet, L., Riou, M. and Ruhla, C. Elastic and inelastic scattering of 155 MeV protons by carbon, 1=13783
- Garscadden, A. and Emeleus, K.G. Exploration of oscillating beam-plasma fields with a transverse electron beam, 1=18898
- Garscadden, A. See Emeleus, K.G., 1=298
- Garstang, R.H. Mutual magnetic interactions and oscillator strengths in the first spectrum of oxygen, 1=810
- Garstang, R.H. Variable star observations of Stanley Williams, 1=12764
- Gartenhaus, S. On a variational principle for a classical plasma, 1=11923
- Gartenhaus, S. and Tannenwald, L.M. Propulsion from pinch
- Gartlein, C.W. See O'Brien, B.J., 1=15308
- Gärtner, F. The structure of nickel deposits by cathode sputtering, 1=19770
- Gärtner, H. Uniaxial magnetic anisotropy of thin nickel and iron layers deposited by cathode sputtering, 1=20102
- Gartner, W.W. Temperature dependence of carrier densities, mobilities, diffusion constants and conductivities in germanium and silicon, 1=1061
- Gärtner, W.W. Photothermal effect in semiconductors, 1=7634
- Garton, G. See Ball, M., 1=6365
- Garton, W.R.S. and Codling, K. Extension of series in the first spectrum of indium (In I), 1=17273
- Garton, W.R.S. See Pery-Thorne, A., 1=2291
- Garusov, E.A. See Bulatov, B.P., 1=16736
- Garwin, R.L. See Charpak, G., 1=5742
- Garwood, R.D. and Davies, A.L. The effect of structural imperfections on the age-hardening of aluminium-zinc alloys, 1=20368
- Garwood, R.D., Davies, A.L. and Richards, G.L. A transition phase in the ageing of aluminium-zinc alloys, 1=15130
- Gashimzade, F.M. Symmetry of energy bands in crystals of the  $SnSe$  and  $Sb_2S_3$  type, 1=930
- Gashimzade, F.M. Symmetry of the energy bands in  $TlSe$ -type crystals, 1=3622
- Gashimzade, F.M. Symmetry of energy bands in crystals of the  $SnSe$  and  $Sb_2S_3$  type, 1=4976
- Gashimzade, F.M. and Kesamanli, F.P. An investigation of the dependence of the effective mass of electrons in n-type  $InAs$  on the concentration of current carriers, 1=17736
- Gashimzade, F.M. and Khartsiev, V.E. Energy structure of complex semiconductors. Calculation of the band structure of Si, Ge and GaAs by a simplified orthogonalized plane wave method, 1=14455
- Gashimzade, F.M. and Khartsiev, V.E. Energy structure of complex semiconductors. Calculation of the band structure of Si, Ge and GaAs by a simplified orthogonalized plane wave method, 1=17705
- Gashpar, R. See Izmailov, N.A., 1=18397
- Gaskell, T. The collective treatment of a Fermi gas. II, 1=11183
- Gasnier, J. Attainment of precision temperature regulation below ambient, 1=16161
- Gáspár, R. See Izmailov, N.A., 1=18397
- Gáspár, R. Electronic structure of atomic sulphur, 1=2279
- Gáspár, R. The energy spectrum of localized electron levels, 1=6084
- Gáspár, R. Theory of the electronic structure of the Au atom, 1=19579
- Gasser, R.P.H. and Richards, R.E. Ion-pair formation in thallous solutions. III, 1=156
- Gasser, R.P.H. See Freeman, R., 1=154
- Gasser, R.P.H. See Freeman, R., 1=155
- Gåsström, R.V. A versatile pulse height analyzer utilizing photo-pick-up sorting off a c.r.t. screen, 1=2934
- Gasström, R.V. A transistorized equalizer for fast coincidence work with scintillation counters, 1=13055
- Gat (Gutmann), J.R. and Gilat, J. A low background beta counter with a plastic scintillator anticoincidence shield, 1=5846
- Gates, D.C. See Swanson, W.P., 1=527
- Gates, D.C. See Swanson, W.P., 1=531
- Gates, D.M. Near infrared atmospheric transmission to solar radiation, 1=1510
- Gáti, L. and Szalay, L. The experimental investigation of rotation depolarization of the fluorescence of solutions, 1=8130



- Gatos, H.C. Dangling bonds in III-V Compounds, 1=11140
- Gatos, H.C., Finn, M.C. and Lavine, M.C. Antimony edge dislocations in InSb, 1=14284
- Gatos, H.C. and Lavine, M.C. Etching and inhibition of the {111} surfaces of the III-V intermetallic compounds: InSb, 1=1367
- Gatos, H.C., Lavine, M.C. and Warekoi, E.P. Characteristics of the {111} surfaces of the III-V intermetallic compounds. II. Surface damage, 1=20657
- Gatos, H.C., Strauss, A.J., Lavine, M.C. and Harmon, T.C. Impurity striations in unrotated crystals in InSb, 1=17519
- Gatti, E. See Arecchi, F.T., 1=7010
- Gatti, E. See Arecchi, F.T., 1=7171
- Gatti, E. See Arecchi, F.T., 1=12038
- Gatti, E. See Bisi, A., 1=19918
- Gatti, E. See Cottini, C., 1=17524
- Gatti, G., Giacomelli, G., Love, W.A., Middelkoop, W.C. and Yamagata, T. Total absorption lead glass Čerenkov counter, 1=13228
- Gatti, G., Hillman, P., Middelkoop, W.C., Yamagata, T. and Zavattini, E. Inverse photoproduction reaction in  $\pi^- + p \rightarrow \gamma + n$  in flight, 1=16854
- Gatti, G. See Fidécario, M., 1=5518
- Gatto, R. On some questions of the V-A theory, 1=8421
- Gatto, R. and Stapp, H.P. Spin and parity analysis from production and decay of hyperon resonant states, 1=4810
- Gatto, R. See Cabibbo, N., 1=2095
- Gatto, R. See Cabibbo, N., 1=12048
- Gatto, R. See Cabibbo, N., 1=12077
- Gattow, G. The crystal structure of  $\text{Ti}_2\text{SO}_4$  and  $\text{Ti}_2\text{SeO}_4$ , 1=1404
- Gaudaire, M. A mass spectrometer with quadrupole lenses excited at high frequency, 1=13134
- Gauderferneau, J. Numerical control of the detection of
- Gaudin, M. On the development of the grand partition function for systems of identical particles, 1=1706
- Gaudin, M. The limiting law of level spacings for a random matrix, 1=12802
- Gaufres, R. The Raman spectra of copper cyanide and silver cyanide anions, 1=14036
- Gaulard, M.L. Contribution to the study of the propagation of [longitudinal] ultrasonic waves in heterogeneous media, 1=17405
- Gauld, C. See Brisbourn, F.A., 1=13562
- Gauld, C. See Brisbourn, F.A., 1=16844
- Gauld, C.F. See Brisbourn, F.A., 1=2111
- Gaultier, J. and Hauw, C. Scaling factors and temperature factors, 1=20510
- Gaume, F., Bernard, R., Dupont, P. and Janin, J. Optical properties and structure of luminescent products based on calcium fluoride and antimony oxide, 1=9003
- Gaunt, P. and Silcox, J. An electron microscope examination of small cobalt particles precipitated in a gold matrix, 1=20603
- Gaustad, J.E. and Rogerson, J.B., Jr. The solar limb intensity profile, 1=15474
- Gaustad, J.E. See Stone, P.H., 1=15750
- Gauthier, G. and Marcoux, J. Measurement of the relaxation time of a vibration of  $\text{N}_2\text{O}$  by an infrared method, 1=19630
- Gautier, P. See Bacquet, G., 1=9641
- Gautvik, E. See Andersen, S.L., 1=5915
- Gauvin, H., Chastel, R. and Vigneron, L. Cross-section for the decay of  $\text{C}^{12}$  into  $3\alpha$ -particles when produced by 90 MeV protons and probability of a transitory  $\alpha$ -particle structure, 1=17105
- Gauvin, H. See Garnier, M., 1=17081
- Gavis, J. See Goren, S.L., 1=6837
- Gavis, J. See Middleman, S., 1=4311
- Gavis, J. See Middleman, S., 1=11743
- Gavis, J. See Middleman, S., 1=18379
- Gavranek, V.V., Bol'shutkin, D.N. and Zel'dovich, V.I. Thermal and mechanical effects in the cavitation zone on a metal surface, 1=20393
- Gavranek, V.V. See Bol'shutkin, D.N., 1=14915
- Gavrilă, M. Derivation of Sauter's formula for the photoelectric effect by means of Born's approximation method, 1=812
- Gavrilov, B.I. See Groshev, L.V., 1=17110
- Gavrin, P.P. See Akhmatov, A.P., 1=4628
- Gavrin, P.P. See Borodin, A.V., 1=18886
- Gavrishchak, I.V. See Shneider, A.D., 1=3708
- Gay, R. See Prat, M.T., 1=20615
- Gaydon, A.G. and Hurle, I.R. Temperature measurements of shock waves and detonations by spectrum-line reversal. III. Observations with chromium lines, 1=15943
- Gayraud, R. See Bergamaschi, C., 1=16462
- Gazaryan, Yu.L. Infrasonic normal modes in the atmosphere, 1=15249
- Gazazyan, A.D. See Ter-Mikaelyan, M.L., 1=16748
- Gaziz, D.C., Herman, R. and Wallis, R.F. Surface elastic waves in semiconductors, 1=4400
- Gazzana-Priaroggia, P. and Palandri, G. The influence of the oil dielectric strength of the gas pressure in equilibrium with the oil, 1=1755
- Gazzara, C.P. and Middleton, R.M. Temperature-compensated Debye temperature of carbonyl iron, 1=11166
- Geballe, T.H. Measurements of surface transport phenomena, 1=3753
- Geballe, T.H., Matthias, B.T., Hull, G.W. Jr. and Corenzwit, E. Absence of an isotope effect in superconducting ruthenium, 1=8285
- Geballe, T.H. See Pollak, M., 1=10046
- Gebbie, H.A., Roland, G. and Delbouille, L. Molecular emission spectroscopy from  $2\mu$  to  $12\mu$  by a Michelson interferometer, 1=16078
- Gebbie, H.A., Smith, P.L., Austin, I.G. and King, J.H. Pressure dependence of resistivity of indium antimonide to 70 000 atmospheres, 1=6160
- Gedalin, É.V. Altitude dependence of extensive air showers, 1=13564
- Gedalin, É.V. See Begiashvili, G.A., 1=4790
- Gédance, A.R. Comparison of infrared tacking systems, 1=12983
- Gedeonov, L.I. See Shvedov, V.P., 1=3400
- Geerk, J. and Kleinwächter, H. A microwave gaseous discharge struck in free space at the focus of a closed ellipsoid of rotation, 1=16282
- Geertsma, J. and Smit, D.C. Some aspects of elastic wave propagation in fluid-saturated porous solids, 1=7925
- Geffen, D.A. See Berman, S.M., 1=5749
- Geffen, D.A. See Bolsterli, M., 1=16882
- Gégauff, C. On the photographic and instrumental study of the transverse dimensions of ion tracks in nuclear emulsions, 1=13246
- Gégauff, C. and Lonchamp, J.P. The effect of processing on the transverse dimension of heavy-ion tracks in nuclear emulsions, 1=2001
- Geguzin, Ya.E. Investigation of the creep of metals and alloys. II. The effect of the removal of defects on the kinetics of the initial stage of the creep of metals with a deformed crystal lattice, 1=3979
- Geguzin, Ya.E. Influence of pressure on the process of coalescence and "healing" of micropores in crystalline bodies, 1=4075
- Geguzin, Ya.E. Influence of pressure on the process of coalescence and "healing" of micropores in crystalline bodies, 1=10276
- Geguzin, Ya.E. and Kulik, I.O. Investigation of some physical phenomena taking place on the surface of crystalline solids at elevated temperatures. IV. Calculation of the kinetics of "self-healing" of artificially produced defects on the surface of solids, 1=9158
- Geguzin, Ya.E. and Ovcharenko, N.N. Investigation of some physical phenomena taking place on the surface of crystalline solids at elevated temperatures. V. The process of self-healing of artificially produced surface defects in polycrystalline copper, 1=9159
- Geguzin, Ya.E., and Polyakov, L.M. Investigations in the field of crystal ceramics. II. The influence of hydrostatic pressure on the kinetics of healing of macrodefects in ionic crystals, 1=17548
- Geguzin, Ya.E., Startsev, V.I., Buravleva, M.G., Madikyan, R.A., Narbut, T.P. and Shpunt, A.A. Clouding ("aging") of pressings of ionic crystal powders, 1=4024
- Géhéniau, J. and Nuyts, J. Tensor isotensors, 1=9720
- Gehrmann, E. See Lau, E., 1=4425
- Geick, R. The refractive index of crystalline and fused quartz in the spectral region near  $100\mu$ , 1=3817
- Geick, R. Dispersion measurements of CsBr in the region of its infrared eigen-vibration, 1=17866
- Geide, K. Oscillatory properties of sell-type electrostatic transducers, 1=8199
- Geiger, J. Elastic and inelastic scattering of electrons in silver foils, 1=9999

- Geiger, J. See Boersch, H., 1=9919
- Geiger, J.S., Graham, R.L. and Ewan, G.T. Evidence for a K=0 rotational band and  $\text{Ho}^{160}$ , 1=8601
- Geiger, J.S. See Ewan, G.T., 1=5840
- Geiger, J.S. See Ewan, G.T., 1=8663
- Geiger, J.S. See Graham, R.L., 1=18979
- Geiger, K.W., Merritt, J.S. and Taylor, J.G.V. New branching ratio for  $\text{Kr}^{85}$ , 1=10982
- Geiger, K.W. See Szilvasi, A.J.D., 1=17152
- Geilikman, B.T. On the vibrational levels of nuclei, 1=8602
- Geilikman, B.T. On the energy of excitation of fission fragments, 1=8788
- Geilikman, B.T. The asymmetry of nuclear fission, 1=17158
- Geilikman, B.T. The excitation energies of fission fragments, 1=17175
- Geiss, J., Oeschger, H., Signer, P. Radiation ages of chondrites, 1=12744
- Geissner-Prettre, C. See Freymann, M., 1=12903
- Geith, C.R. See Wood, D.L., 1=20508
- Gélard, J. Investigation of finite difference equations for points situated on the edge of a surface distribution of charges. The case of systems of revolution, 1=2939
- Gelbard, E.M. and Pearson, J.J. Space and energy separability of thermal flux in a diffusing medium, 1=2064
- Gel'berg, A., Iosifescu, B. and Komsha, G. Ferromagnetic anomaly of the work function of nickel, 1=14693
- Gelberg, A. See Comşa, G., 1=5403
- Gelberg, A. See Comşa, G., 1=5488
- Gelberg, A. See Comşa, G., 1=8340
- Geldmacher, R.C. On the macroscopic analysis of the conducting electromechanical solid with application to cylinders subjected to axial electric fields, 1=2941
- Gelernter, H. The automatic collection and reduction of data for nuclear spark chambers, 1=19076
- Gelfand, I.M., Grashin, A.F. and Ivanova, L.N. Phase analysis of pp-scattering at an energy of 150 MeV, 1=19199
- Gel'fand, I.M. See Borovikov, V.A., 1=16785
- Gel'fer, G. See Vovchenko, V.G., 1=16855
- Gelfreich, G.B., Ikhsanova, V.M., Kaidanovskii, N.C., Soboleva, N.S., Timofeeva, G.M. and Umetskii, V.N. Bursts of microwave radio emission associated with solar flares, 1=6733
- Gell-Mann, M. The reaction  $\gamma + \gamma \rightarrow \nu + \bar{\nu}$ , 1=5700
- Gell-Mann, M. and Zachariasen, F. Broken symmetries and bare coupling constants, 1=13323
- Gell-Mann, M. and Zachariasen, F. Form factors and vector mesons, 1=19243
- Gell-Mann, M. See Fried, B.D., 1=9628
- Gell-Mann, M. See Glasgow, S.L., 1=19099
- Geller, K.N. Second-difference analysis of bremsstrahlung yield curves, 1=480
- Geller, R. See Consoli, T., 1=2969
- Geller, S. The statistics of superexchange interaction and ionic distribution in substituted ferrimagnetic rare earth iron garnets, 1=7766
- Geller, S., Williams, H.J. and Sherwood, R.C. Magnetic and crystallographic study of neodymium-substituted yttrium and gadolinium iron garnets, 1=12542
- Gemesy, T., Sandor, T. and Somogyi, A. Cloud chamber study of extensive air showers, 1=3286
- Gemmell, D.S. Alpha particles from the reaction  $\text{Li}^7(p, \gamma) \text{Be}^{8(\alpha)}\text{He}^4$ , 1=8719
- Gemperle, R. See Kaczér, J., 1=14707
- Gemperle, R. See Kaczér, J., 1=14711
- Gemperle, R. See Kaczér, J., 1=17954
- Gemperle, R. See Kaczér, J., 1=29989
- Genberg, R.W. See Reitz, J.R., 1=19710
- Gendreau, G., Bruck, H., Gabet, A., Gouttefangeas, M., Hamelin, J., Levy-Mandel, R., Nakachi, A., Rastoix, G., Rommel, G., Schoen, R. and Vieten, R. Evidence of the loss of particles through space charge, and of an anomalous median plane, in the synchrotron Saturne, 1=16460
- Gendrin, R. Generation of very low frequency noise in the exosphere by the Cherenkov effect, 1=3068
- Gendrin, R. See Carru, H., 1=8030
- Generalov, N.A. See Losev, S.A., 1=2778
- Gengnagel, G. and Wagner, H. Field induced anisotropy in Fe-Al and Fe-Si single crystals, 1=10138
- Gengnagel, H. See Danan, H., 1=20100
- Génin, J. See Bergamaschi, C., 1=16462
- Génin, J. See Radvanyi, P., 1=13803
- Genin, R., Joly, R. and Ribrag, M. The crystal spectrometer of the EL3 pile, 1=13906
- Genkina, S.M. and Tolpygo, K.B. The influence of the discrete structure of a crystal on the energy, effective mass, and dispersion law of a polaron, 1=948
- Genot, M. Study of the eutectic melting in the Fe-C system by continuous calorimetry, 1=16174
- Genovese, F. See Grodzins, L., 1=602
- Genshaft, Yu.S. See Livsits, L.D., 1=10226
- Gentner, W. See Zühlinger, J., 1=9262
- Genzel, L. See Bilz, H., 1=1168
- Geodkoop, J.A. See Bergsma, J., 1=7532
- George, C., Brownian movement of a quantum oscillator, 1=6788
- George, C. Ehrenfest's urns and first order stochastic processes, 1=18286
- George, J. Etch patterns on cadmium crystals grown from vapour, 1=9104
- George, K.A. Confining a plasma in steady electric and magnetic fields, 1=9584
- George, K.A., Divatia, A.S., Mehta, M.K., Bhawe, S.S., Deshpande, C.S., Varghese, R. and Varghese, T.G. T.I.F.R. Van de Graaff accelerator, 1=341
- George, L.A.II. Electron microscopy and autoradiography, 1=9242
- George, R.E. and Sesonke, A. Simplified simulation of a boiling water reactor power plant, 1=751
- George, R.I. and McQuistan, R.B. Lead wire attachment techniques for thin film studies, 1=11670
- George, W.H. Science and music, 1=18526
- Georgescu, A. See Comşa, G., 1=5403
- Georgescu, I. See Ausländer, J., 1=1850
- Georgieva, I. See Borisov, M., 1=7668
- Georgieva, I. See Borisov, M., 1=7678
- Georgobiani, A.N. and Fok, M.V. Principal peaks of electroluminescent brightness waves, 1=5058
- Georgobiani, A.N. and Fok, M.V. The process responsible for the voltage dependence of the mean luminescence brightness, 1=20031
- Geppert, D.V. Internal field emission and low temperature thermionic emission into vacuum, 1=4633
- Gepts, P. See Colard, J., 1=13662
- Gérardin, C., Bilwes, R. and Magnac-Valette, D. The stopping power of gold for 14.36 MeV  $\alpha$ -particles, 1=16919
- Gérardin, C. See Bilwes, R., 1=2182
- Gérardin, C. See Bilwes, R., 1=3458
- Gérardin, C. See Bilwes, R., 1=13701
- Gerasimenko, V.I. Spin-acoustic resonance in paramagnetic metals, 1=17403
- Gerasimov, A.B. See Lyashenko, V.I., 1=1045
- Gerasimov, A.F. See Arkharov, V.I., 1=14310
- Gerasimov, F.M. See Yakovlev, É.A., 1=13000
- Gerasimov, V.F. Gas scintillation detector for the recording of fission fragments, 1=10814
- Gerasimova, L.M. See Shvirin, O.N., 1=15186
- Gerasimova, N.M. Energy fluctuations in particle interactions at high energies, 1=19117
- Gerasimova, N.M. and Rozental', I.L. Influence of the nuclear photoeffect on the primary cosmic ray spectrum, 1=16923
- Gerasimova, R.I. See Varfolomeev, A.A., 1=2139
- Gerassimov, Ya.I. See Alekseev, N.V., 1=143
- Gerber, R. and Závěta, K. Determination of Curie temperature from the initial susceptibility, 1=20067
- Gerber, R. See Bergstein, A., 1=20131
- Gerbracht, R.J. and Youtz, B.L. Excitation function of the reaction,  $\text{Be}^9(\text{Li}^7, \text{Li}^8)\text{Be}^8$ , 1=737
- Gerdau, E. See Bodensiedt, E., 1=8568
- Gerdau, E. See Bodensiedt, E., 1=19410
- Gere, E.A. See Feher, G., 1=1266
- Gerevini, T. See Galotto, C.P., 1=10893
- Gergely, G. On the voltage dependence of cathodoluminescence, 1=11402
- Gergely, G. On the Ehrenberg-Franks experiment relating to the penetration of electrons into luminescent material, 1=11405
- Gergely, G. Diffusion effects in electron bombardment induced processes. I. Cathodoluminescence, 1=14652
- Gergely, G. The influence of excitation conditions on the dead voltage of phosphors, 1=20027



- Gergely, G. Surface recombination and diffusion processes in cathodoluminescence and electron bombardment induced conductivity, 1=20028
- Gerhardt, U. See Gobrecht, H., 1=17752
- Gerhart, J.B. See Hendrie, D.L., 1=2183
- Gerhart, J.B. See Hopkins, J.C., 1=3415
- Gerhart, J.B. See Nutley, H., 1=631
- Gerholm, T.R., Pettersson, B.G., van Nooijen, B. and Grabowski, Z. Penetration matrix elements and nuclear structure effects in  $Tl^{203}$ , 1=9837
- Gerholm, T.R. See Grabowski, Z., 1=9841
- Gerholm, T.R. See Pettersson, B.G., 1=3421
- Gerholm, T.R. See Pettersson, B.G., 1=9838
- Gerholm, T.R. See Pettersson, B.G., 1=9839
- Gerholm, T.R. See Pettersson, B.G., 1=9840
- Gerholm, T.R. See Suter, T., 1=9369
- Gerjuoy, E. and Rosenbluth, M.N. Pinch with rotating plasma, 1=2972
- Gerjuoy, E. and Stuart, G.W. Ionization growth in a gas with a constant electric field, 1=270
- Gerks, I.H. Scattering of electromagnetic waves in the troposphere and the use of this technique for communications, 1=7157
- Gerlovin, Ya.I. A method of determining the radiation probability of gases and vapours, 1=12927
- Germagnoli, E. See Cattaneo, F., 1=14256
- Germagnoli, E. See Cottini, C., 1=17524
- Germagnoli, E. See Felcher, G.P., 1=7253
- Germain, P. Shock waves and shock wave structure in magneto-fluid dynamics, 1=5568
- Germain, P. Burgers' equation and its applications to the theory of shock waves, 1=6887
- Germain, P. Application of the conservation theorems to plane homogeneous transonic flow, 1=15917
- Germain, P. and Guiraud, J.P. Shock-wave equations in a slightly dissipative fluid in unsteady motion, 1=8149
- Germer, L.H. and Hartman, C.D. Oxygen on nickel, 1=1458
- Germer, L.H. and Hartmann, C.D. Structure of monolayers of adsorbed gases, 1=4085
- Germer, L.H., MacRae, A.U. and Hartman, C.D. (110) nickel surface, 1=20658
- Gerold, V. X-ray investigations of lattice defects in mixed crystals, 1=3651
- Gerold, V. Zone structure of aluminium-zinc alloys, 1=20572
- Gerosa, G., Latmiral, G. and Vinciguerra, R. Electromagnetic parameters of matter and conditions of physical realizability, 1=13154
- Gersdorf, R. Uniform and non-uniform form effect in magnetostriction, 1=7758
- Gersdorf, R., Stoelinga, J.H.M. and Rathenau, G.W. Measurements of the non-uniform form effect in magneto-
- Gershberg, A.E. The role of the spatial redistribution of charge in the kinetics of the internal photoeffect of high-resistance photoconductors, 1=14500
- Gershberg, A.E. The role of the spatial redistribution of charge in the kinetics of the internal photoeffect of high-resistance photoconductors, 1=17790
- Gershenson, M. and Mikulyak, R.M. Electroluminescence at p-n junctions in gallium phosphide, 1=11407
- Gershenson, M. See Frosch, C.J., 1=17754
- Gershman, B.N. and Ugarov, V.A. Propagation and generation of low-frequency electromagnetic waves in the upper atmosphere, 1=12694
- Gershman, S.G. and Tuzhilkin, Yu.I. Measurement of the coefficient of transverse correlation in a continuous sound signal in the sea, 1=4409
- Gershtein, S.S. Transitions between hyperfine levels in mesic deuterium atoms, 1=17201
- Gershtein, S.S. and Krivchenkov, V.D. Electron terms in the field of two different Coulomb centres, 1=19575
- Gershtein, S.S. See Zel'dovich, Ya.B., 1=8751
- Gershuni, G.E. and Zhukovitskii, E.M. Flow of conducting fluid round a sphere in a strong magnetic field, 1=4704
- Gershuni, G.V. Flow regulation of neural pulses in the auditory system, 1=4144
- Gershuni, G.Z. A mechanism for ultrasonic absorption in paramagnetic metals in a magnetic field, 1=3599
- Gershuni, G.Z. and Zhukhovitskii, E.M. Rotation of a sphere in a viscous conducting fluid in a magnetic field, 1=362
- Gershuni, G.Z. and Zhukhovitskii, E.M. The closed convective boundary layer, 1=12849
- Gerson, N.C. The Arctic ionosphere and solar activity, 1=1536
- Gerson, R., Burlage, S.R. and Berlincourt, D. Dynamic tensile strength of a ferroelectric ceramic, 1=20376
- Gerstenkorn, H. The generation of plasma waves in strongly ionized gases, 1=8339
- Gerstenkorn, S. See Blaise, J., 1=16965
- Gerstenkorn, S. See Bovey, L., 1=8817
- Gerstman, L.J. and Bricker, P.D. Word frequency effects in learning unknown message sets, 1=9215
- Gerstner, D. and Kneller, E. High-temperature magnetic lag in iron-nickel alloys, 1=6336
- Gertsenshtein, M.E. Conservation laws in the general theory of relativity, 1=15653
- Gertsriken, S.D. Some features of self-diffusion in metals, 1=7590
- Gertsriken, S.D., Larikov, L.N. and Novikov, N.N. Volume and structural changes during heating of cold-worked electrodeposited and remelted nickel, 1=978
- Gertsriken, S.D., Novikov, N.N. and Slyusar, B.F. On the problem of determination of the density, energy of formation, and activation energy for movement of thermally-induced vacancies from the dilatometric measurements, 1=958
- Gertsriken, S.D. and Revo, A.L. Investigation of the effect of small silver additions on the coefficients of volume and boundary diffusion in silver and copper, 1=986
- Gertsriken, S.D. and Slyusar, B.F. Determination of the energy of formation of vacancies and of their number in pure metals, 1=7575
- Gervasio, V. See Gadola, A., 1=6803
- Gerwin, R.A. See Drummond, J.E., 1=9557
- Geschwind, S. Paramagnetic resonance of  $Fe^{2+}$  in octahedral and tetrahedral sites in yttrium gallium garnet (YGaG) and anisotropy of yttrium iron garnet (YIG), 1=2496
- Geschwind, S. Anisotropy of YIG calculated from crystal field parameters  $Fe^{2+}$  in yttrium gallium garnet, 1=6362
- Geschwind, S. and Remeika, J.P. Paramagnetic resonance of  $Gd^{3+}$  in  $Al_2O_3$ , 1=7784
- Geshkenbein, B.V. and Rudik, A.P. The connection between the  $\beta$ -electron polarization and the form of the  $\beta$ -spectrum, 1=4846
- Geshkenbein, B.V. See Valuev, B.N., 1=19280
- Gessaroli, R. See Block, M.M., 1=13500
- Gessaroli, R. See Leitner, J., 1=16901
- Gevers, M. See van Es, C.W., 1=7152
- Gevers, M. See van Es, C.W., 1=7153
- Gevorkov, A.K. See Demirkhanov, R.A., 1=297
- Ghanem, N. See Westermarck, T., 1=19400
- Ghanem, N.A. See Westermarck, T., 1=19399
- Ghatak, A.K. See Singh, G., 1=13440
- Gheordănescu, N. See Andreescu, I., 1=2076
- Gheorghijă-Oancea, C. Electrical conductivity and photoconductivity of thin anthracene layers in vacuum, 1=17631
- Gheorghitza, S.I. The marginal stability in porous inhomogeneous media, 1=18346
- Ghielmetti, H.S. The spectrum and propagation of relativistic solar flare particles during July 17-18, 1959, 1=16929
- Ghigo, G. See Bernardini, C., 1=9653
- Ghildyal, C.D. Unsteady motion of an infinite liquid due to the uniform rotation of a sphere,  $r = a$ , 1=2738
- Ghiorso, A., Sikkeland, T., Larsh, A.E. and Latimer, R.M. New element, lawrencium, atomic number 103, 1=15700
- Ghiță, C. See Giurgea, M., 1=5282
- Ghose, A.M. Absolute measurement of thermal neutron absorption in chlorine, 1=13444
- Ghose, S.C. and Young, J.C. The use of the term "flux", 1=9696
- Ghosh, A. Splitting of neutron energy levels due to spin-orbit coupling, 1=13650
- Ghosh, A.K. See Dreeskamp, H., 1=8227
- Ghosh, A.K. See Sen, S.N., 1=18812
- Ghosh, D.K. See Sirkar, S.C., 1=18417
- Ghosh, N.L. and Chatterjee, H.K. Resistance in potential flow of real fluids: Prolate and oblate spheroids, 1=122
- Ghosh, N.L. and Chatterjee, H.K. Resistance in potential flow with circulation. II. Symmetrical Carafoli and Joukowski aerofoils, 1=18448
- Ghosh, N.L. and Chatterjee, H.K. Resistance in potential flow with circulation. III. General Joukowski aerofoil, 1=18449

## AUTHOR INDEX

- Ghosh, N.N. A note on wave solution of Einstein's unified field theory, 1=18252
- Ghosh, P.K. A new method for measuring absolute magnetic susceptibilities, 1=16483
- Ghosh, S. See Sen Gupta, R.L., 1=5745
- Ghosh, S.K. Dynamics of the longitudinal propagation of elastic disturbance through a medium exhibiting gradient of elasticity, 1=12936
- Ghosh, S.K. Variation of field effect mobility and Hall effect mobility with the thickness of the deposited films of tellurium, 1=19885
- Ghosh, S.K., Lahiri, J. and Sinha, S.K.  $F^{19}$  nuclear magnetic resonance in polycrystalline  $MgF_2$ , 1=20261
- Ghosh, S.K. and Sinha, S.K. Nuclear spin echoes and molecular self-diffusion in liquids, 1=12906
- Ghosh, S.N. and Malaviya, V. Microwave absorption in the earth's atmosphere, 1=20869
- Ghosh, S.N. and Nand, S. Ionization of E-layer by X-rays, 1=15273
- Ghosh, S.N. and Sharma, A. Excitation of green and red lines in the night airglow, 1=21032
- Ghosh, S.N. and Srivastava, B.N. Sensitivity of VG-1A ionization gauge calculated from the probability of ionization of gases, 1=6914
- Ghosh, T.K. and Clarke, F.J.P. Etching and polishing studies on magnesium oxide single crystals, 1=4014
- Giacconi, R. and Rossi, B. A "telescope" for soft X-ray astronomy, 1=8
- Giacomelli, G. Simple electronic clock for the study of freely falling bodies, 1=1724
- Giacomelli, G. See Fidicaro, M., 1=5518
- Giacomelli, G. See Gatti, G., 1=13228
- Giaever, I. and Megerle, K. Study of superconductors by electron tunneling, 1=8284
- Giaever, I. See Fisher, J.C., 1=3731
- Giambiagi, J.J. See Ball, N., 1=13482
- Giambiagi, J.J. See Bollini, C.G., 1=13289
- Gianino, P.D. See Masters, J.I., 1=7159
- Giannelli, G. and Stanchi, L. Nonlinear operations on pulses by means of p-n junctions, 1=5411
- Giannini, M., Prosperi, D. and Sciuti, S. Investigation on the decay scheme of  $ThC$  ( $Bi^{212}$ ), 1=2186
- Giannini, M., Prosperi, D. and Sciuti, S. Decay scheme of  $^{212}Pb$ , 1=17039
- Giannuzzi, M.A. and Bianco, L. Mean densities of visual binary stars, 1=18111
- Gianola, U.F. Possibilities of all-magnetic logic, 1=5530
- Giardini-Guidoni, A. See Cini-Castagnoli, G., 1=10510
- Giardini-Guidoni, A. See Galli, A., 1=9643
- Gibbins, K. Effect of over-all duration on acuity threshold and brightness matching tasks, 1=10348
- Gibbins, K. and Howarth, C.I. Prediction of the effect of light-time fraction on the critical flicker frequency; an insight from Fourier analysis, 1=10351
- Gibbons, D.F. Observation of De Haas-Van Alphen type oscillation in the acoustomagnetic attenuation of zinc, 1=9014
- Gibbons, J.H., Macklin, R.L., Miller, P.D. and Neiler, J.H. Average radiative capture cross sections for 7 to 170 keV neutrons, 1=7384
- Gibbons, J.H. See Newson, H.W., 1=13652
- Gibbons, M.G., Nichols, J.R., Laughridge, F.I. and Rudkin, R.L. Transmission and scattering properties of a Nevada Desert atmosphere, 1=9187
- Gibbons, P.E. and Northrop, D.C. A silicon ray spectrometer, 1=3154
- Gibbs, J.E. and Gordon-Smith, G.W. The colour-temperature of an incandescent helical filament, 1=6979
- Gibson, A.F., Kröger, F.A. and Burgess, R.E. [Eds]. Progress in semiconductors. Vol. 5, 1=5008
- Gibson, A.F. and Morgan, J.R. Avalanche injection diodes, 1=14492
- Gibson, E.J. The effects of gamma radiation on solids. Exo-electron emission from irradiated iron oxide catalysts, 1=18919
- Gibson, H. See Gallop, J.W., 1=1906
- Gibson, J.E. Lunar surface characteristics indicated by the March, 1960, eclipse and other observations, 1=7979
- Gibson, J.F., Ingram, D.J.E. and Schonland, D. Magnetic resonance of different ferric complexes, 1=873
- Gibson, W.A. See England, A.C., 1=16781
- Gibson, W.M., Thomas, T.D. and Miller, G.L. Structure in the kinetic energy spectrum of fragments from thermal-neutron-induced fission of  $U^{235}$ , 1=12231
- Gibson, W.M. See Baldassarre, F., 1=16862
- Gibson, W.M. See Cvijanovich, G., 1=16778
- Gibson, W.M. See Miller, G.L., 1=3088
- Gidal, G. See Devons, S., 1=517
- Giddings, J.C. and Seager, S.L. Rapid determination of gaseous diffusion coefficients by means of gas chromatography apparatus, 1=12919
- Giedd, G.R. and Roberts, G.C. Emission control for the omegatron-type mass spectrometer, 1=16439
- Gier, J.T. See Edwards, D.K., 1=16053
- Gierula, J., Haskin, D.M. and Lohrmann, E. Angular distributions of secondary particles produced in high-energy nuclear collisions and the two-center model of multiple meson production, 1=7239
- Gierula, J. See Bartke, J., 1=3262
- Giese, C. See Schiff, M., 1=7271
- Giese, C.F. See Steiner, B., 1=7494
- Giese, R.H. Scattering of electromagnetic waves on absorbing and on dielectric spherical individual particles and on mixtures of such particles, 1=2609
- Giffels, C.A., Hinman, G.W. and Vosko, S.H. Electric field gradients in dilute alloys of silver, 1=3588
- Gifford, F. Small-scale turbulent diffusion in the atmosphere, 1=11647
- Gifford, W.E. Novel refrigeration cycles and devices, 1=18684
- Gifkins, R.C. and Nicholls, J.M. Etching lead for examination in polarized light, 1=1364
- Gigas, G.G. See Forster, H.H., 1=19458
- Gigli, A. See Argan, P.E., 1=13242
- Giguère, P.A. See Chin, D., 1=7468
- Gilard, J. Investigation of finite difference equations for points on a surface charge distribution, 1=4548
- Gilat, J. See Gat (Gutmann), J.R., 1=5846
- Gilbert, C.W. Simultaneous estimation of several radioactive nuclides, 1=17003
- Gilbert, E.G. A simple method for improving the accuracy of cross-spectral density measurements, 1=2586
- Gilbert, G.B., Poehler, T.O. and Miller, C.F. Study of electron bombardment of thin films, 1=11590
- Gilbert, J.F. See Logan, R.A., 1=3757
- Gilbert, J.F. See Logan, R.A., 1=10054
- Gilbert, N. Gamma rays corresponding to a dipole or a high quadrupole excitation of carbon 12 by 150 MeV protons, 1=5906
- Gilbert, R.L., Piotrowski, E.A., Dowling, J.M. and Cleveland, F.F. Erratum and addendum: substituted methanes. XXIX. Vibrational spectra, potential constants, and calculated thermodynamic properties for dibromochlorofluoromethane and bromodichlorofluoromethane, 1=14008
- Gilbert, R.P. and Kendall, H. A further note on a two-dimensional free-boundary problem, 1=18361
- Gilbert, R.P. See Bean, R.J., 1=18360
- Gilbert, T.L. and Lykos, P.G. Maximum-overlap directed-hybrid orbitals, 1=11106
- Gilbody, H.B., Stebbings, R.F. and Fite, W.L. Collisions of electrons with hydrogen atoms. VI. Angular distribution in elastic scattering, 1=2299
- Gilboy, W.B. See Batchelor, R., 1=5734
- Gilboy, W.B. See Maccefield, B.E.F., 1=9874
- Gildart, L., Kline, J.M. and Mattox, D.M. Some semiconducting properties of bismuth trisulfide, 1=19871
- Gildart, L. See Mattox, D.M., 1=19734
- Gilde, F.J. and Bán, M.I. Splittings of  $d^n$ -terms in strong complex fields of trigonal and rhombic symmetries, 1=3620
- Gilde, F.J. See Ban, M.I., 1=7479
- Gildersleeve, P.M. See Yerg, D.G., 1=2112
- Giles, J.C. See Daniels, J.M., 1=3585
- Gilinskii, I.A. Interaction of electrons with the field of  $H_{01}$  mode in a circular waveguide, 1=322
- Gill, A.M.R. See Woolons, D.J., 1=4141
- Gill, D. See Armstrong, J., 1=14837
- Gill, D. See Armstrong, J., 1=17351
- Gill, J.C. Spin-lattice relaxation of pairs of chromium ions in ruby, 1=14812
- Gill, J.C. See Davies, J.G., 1=12785
- Gill, J.S. A versatile method for short-term spectrum analysis in "real-time", 1=5334



- Gill, J.S. and Marshall, W.L. High pressure vessel incorporating a teflon gasket for use to 500°C and 1000 atm, 1=18344
- Gill, P.S. See Bhaskara Rao, A., 1=8527
- Gill, P.S. See Hans, H.S., 1=3453
- Gill, P.S. See Lekh Vir., 1=13579
- Gill, P.S. See Lekh Vir., 1=13580
- Gill, P.S. See Sastry, C.V., 1=13574
- Gill, S.J., Malone, C.P. and Downing, M. Magnetic susceptibility measurements of single small particles, 1=3034
- Gilleo, M.A. Low-density plasma flow at a magnetic barrier, 1=4596
- Gilleo, M.A. Flow of low-density high-speed plasma through a magnetic barrier, 1=18847
- Gilles, P.W. See Cater, E.D., 1=11862
- Gillespie, R.J. Bond lengths and bond angles in octahedral, trigonal-bipyramidal, and related molecules of the non-transition elements, 1=9937
- Gillet, E. See Gillet, M., 1=10280
- Gillet, E. See Gillet, M., 1=11529
- Gillet, M. and Gillet, E. Interpretation of twinning diagrams obtained by electron diffraction, 1=11529
- Gillet, M., Gillet, E. and Zouckermann, R. Contribution to the study of the orientation of silver on sodium chloride, 1=10280
- Gillet, V. Theory of perturbed multiple correlations, 1=582
- Gillet, V. See Balian, R., 1=13816
- Gillett, C.M. See Woolley, J.C., 1=7652
- Gillett, C.M. See Woolley, J.C., 1=10026
- Gillett, C.M. See Woolley, J.C., 1=17752
- Gillett, F. See Ney, E.P., 1=5152
- Gillham, E.J. and King, R.J. New design of spectro-polarimeter, 1=1834
- Gillis, J. Stability of a column of rotating viscous liquid, 1=1732
- Gilman, J.J. The plastic resistance of crystals, 1=1317
- Gilman, J.J. Direct measurements of the surface energies of crystals, 1=2367
- Gilman, J.J. Effect of grain size on crack propagation, 1=6477
- Gilman, J.J. The mechanism of surface effects in crystal plasticity, 1=14898
- Gilman, J.J. and Roberts, B.W. Elastic constants of TiC and TiB<sub>2</sub>, 1=11501
- Gilman, J.L. Reduction of cohesion in ionic crystals by dislocations, 1=11201
- Gilmore, J.S. See Barr, D.W., 1=11019
- Gilvarry, J.J. Origin and nature of lunar surface features, 1=2599
- Gilvarry, J.J. Escape of planetary atmospheres. I. Escape layer, 1=2600
- Gilvarry, J.J. Escape of planetary atmospheres. II. Lifetimes of minor constituents, 1=2601
- Gilvarry, J.J. Fracture of brittle solids. I. Distribution function for fragment size in single fracture (theoretical), 1=6472
- Gilvarry, J.J. Physical parameters of the atmospheric escape layer, 1=6642
- Gilvarry, J.J. and Bergstrom, B.H. Fracture of brittle solids. II. Distribution function for fragment size in single fracture (experimental), 1=6473
- Gimarc, B.M. See Frost, A.A., 1=14070
- Gindilis, L.M. The annual variation in latitude of the gegenschein, 1=1635
- Gindilis, L.M. See Pariiskii, N.N., 1=1634
- Gindin, I.A., Lazarev, B.G. and Starodubov, Ya.D. Features of mechanical properties of lithium related to low-temperature polymorphic transitions, 1=11508
- Gindin, I.A., Lazarev, B.G. and Starodubov, Ya.D. The discontinuous nature of plastic deformation at low temperatures, 1=12594
- Gindin, I.A. and Starodubov, Ya.D. Slip at twin boundaries on direct and retrogressive twinning of iron, 1=2512
- Gindin, I.A. See Garber, R.I., 1=3990
- Gindin, I.A. See Garber, R.I., 1=12602
- Gindin, I.A. See Garber, R.I., 1=14186
- Gindin, I.A. See Garber, R.I., 1=14913
- GINELL, R. Geometric basis of phase change, 1=5270
- GINELL, R. Derivation of the Tait equation and its relation to the structure of liquids, 1=6852
- GINELL, R. Development of the liquid equation and the partial structure of water, 1=10497
- GINELL, R. Tait coefficients and  $\lambda$  transition of helium I and II, 1=11870
- Ging, J.L. See De Witt, C.M., 1=2681
- Gingrich, N.S. and Heaton, L. Structure of alkali metals in the liquid state, 1=5266
- Ginsberg, L.H. and Blattner, D.J. Atmospheric noise levels from 0.6 to 10 kilocycles per second, 1=20868
- Ginsburg, N., Fredrickson, W.R. and Paulson, R. Measurements with a spectral radiometer, 1=1840
- Ginter, J. and Szymańska, W. Measurements of thermoelectric power in InSb, 1=14530
- Ginter, M.L. and Innes, K.K. Band spectrum of the GaH molecule, 1=14041
- Ginther, R.J. New cerium activated scintillating glasses, 1=1983
- Ginther, R.J. See Schulman, J.H., 1=1994
- Gintsburg, M.A. On the anomalous Doppler effect in a plasma, 1=18854
- Ginzburg, A. and Zheigurs, B. A nuclear magnetometer, 1=4688
- Ginzburg, E.Kh. See Lyagin, I.V., 1=19278
- Ginzburg, I.F. and Serebryakov, V.V. Electromagnetic corrections to weak interactions, 1=19122
- Ginzburg, N.I. See Brandt, N.B., 1=18714
- Ginzburg, V.L. Certain theoretical aspects of radiation due to superluminal motion in a medium, 1=3159
- Ginzburg, V.L. Some remarks on second order phase transitions and the microscopic theory of ferroelectrics, 1=6193
- Ginzburg, V.L. The role of surface energy in the phenomenon of superconductivity, 1=6995
- Ginzburg, V.L. Some aspects of the theory of cosmic ray origin, 1=7293
- Ginzburg, V.L. Second sound, the convective mechanism of thermal conductivity and exciton excitations in superconductors, 1=18709
- Ginzburg, V.L. and Gurevich, A.V. Nonlinear phenomena in a plasma located in an alternating electromagnetic field, 1=2982
- Ginzburg, V.L. and Gurevich, A.V. Nonlinear phenomena in a plasma located in an alternating electromagnetic field, 1=9565
- GIORGI, T.A.G. and Origlio, S. Barium-carbon monoxide system: an hypothesis of Arizumi and Kotani, 1=4103
- GIOMOUSIS, G. Molecular collisions. III. Symmetric top molecules, 1=17378
- GIOMOUSIS, G. and Curtiss, C.F. Molecular collisions. II. Diatomic molecules, 1=4955
- Giovanelli, R.G. Flare puffs as a cause of type III radio bursts, 1=6751
- Giovanelli, R.G. Solar seeing, 1=15443
- Giovanelli, R.G. On the centre-limb variation of granule contrast, 1=15469
- Giovanelli, R.G. and Jefferies, J.T. Vertical velocities in the solar chromosphere, 1=15491
- Giovanelli, R.G. and Roberts, J.A. Optical observations of solar disturbances causing type II radio bursts, 1=2655
- Giovanelli, R.G. See Steel, W.H., 1=15401
- Giralt, G. and Polisset, J.C. The drift in characteristics of silicon transistors as a function of temperature and operation, 1=1107
- Girardeau, M. Motion of an impurity particle in a boson superfluid, 1=4281
- Girardeau, M. Relationship between systems of impenetrable bosons and fermions in one dimension, 1=5222
- Girardi, F. See Durham, R.W., 1=13819
- Giraudier, L. The use of high-pressure furnaces in the preparation of intermetallic semiconductors, 1=14429
- Girdler, R.W. The measurement and computation of anisotropy of magnetic susceptibility of rocks, 1=21106
- Gires, F. Infrared Faraday effect in yttrium garnet, 1=7704
- Girgis, R.K. See Ricci, R.A., 1=5412
- Girgis, R.K. See van Lieshout, R., 1=13641
- Giriat, W. See Gałazka, R., 1=14464
- Girifalco, L.A. and Behrendt, D.R. Mathematics of diffusion-controlled precipitation in the presence of homogeneously distributed sources and sinks, 1=20599
- Girifalco, L.A. and Grimes, H.H. Effect of static strains on diffusion, 1=3692
- Girin, O.P. A theory of vibrations of finite crystal lattices, 1=11148

- Girke, H. The influence of internal magnetic interactions on the shape of the Preisach functions of high permeability materials, 1=10140
- Girke, H. Statistical analysis of ferromagnetic hysteresis, 1=11428
- Giron, G. See Blanc, D., 1=2945
- Giron, I. and Ogburn, F. Some observations of copper deposits on single crystals of copper, 1=20523
- Gitterman, M. Sh. Taking into account the interaction between current carriers and an ionic crystal in terms of the multi-electron theory of ionic crystals, 1=7556
- Gitterman, M. Sh. A certain mechanism for absorption of energy by anisotropic bodies, 1=18985
- Gitterman, M. Sh. See Petrov, A. N., 1=7558
- Gitterman, M. Sh. See Voronel', A. V., 1=135
- Giuli, R. T. See Cox, J. P., 1=8000
- Giuliani, G. See Chairotti, G., 1=993
- Giulotto, L. Nuclear relaxation in liquids, 1=11769
- Giulotto, L. See Bonera, G., 1=11492
- Giurgea, M., Chitá, C. and Musa, M. Scattering of light in solutions of quinine sulphate, 1=145
- Giurgea, M., Chitá, C. and Musa, M. Scattering of light in solutions of quinine sulphate, 1=5282
- Givens, M. P. Photoelectric detection of interference between two light beams having a large path difference, 1=18604
- Givens, M. P. Photoelectric study of spectral linewidths, 1=18605
- Givens, W. W. See Rabson, T. A., 1=665
- Gjone, E., Vance, H. G. and Turner, D. A. Direct liquid scintillation counting of plasma and tissues, 1=15365
- Gjostein, M. A. Reply to discussion "Absolute grain boundary energies in copper", 1=4988
- Gladkii, V. V. See Sonin, A. S., 1=11339
- Gladkovskii, I. P. See Afrosimov, V. V., 1=9608
- Gladkovskii, I. P. See Afrosimov, V. V., 1=9609
- Gladkovskii, V. A. See Vereshchagin, L. F., 1=20390
- Gladushtak, B. I. See Zaidel', A. N., 1=5479
- Gladushtak, B. I. See Zaidel', A. N., 1=9605
- Gladyshev, V. P. Solubility of metals in mercury, 1=9387
- Gladyshevskii, E. I. and Kripyakevich, P. I. Crystal structure of  $\text{Li}_5\text{Ge}_4$ , 1=15082
- Gladyshevskii, E. I., Tytkina, M. A. and Savitskii, E. M. X-ray and microscopic examination of the alloys of Hf with Re, 1=15088
- Gladyshevskii, E. I. See Kripyakevich, P. I., 1=15077
- Glagolev, V. L., Morozov, A. M. and Yampol'ski, P. A. Reactions leading to the formation of the  $\text{Pb}^{208\text{m}}$  isomer, 1=17133
- Glagolev, V. L. and Yampol'ski, P. A. An investigation of (n, 2n) reactions leading to isomer formation, 1=19496
- Glagolev, V. V., Petržilka, V. and Tolstov, K. D. On isobaric excitation of nucleons in collisions with fast particles, 1=8453
- Glagolev, V. V. See Belyakov, V. A., 1=19244
- Glaister, R. M. and Kay, H. F. An investigation of the cubic-hexagonal transition in barium titanate, 1=6486
- Glanc, A. See Březina, B., 1=20081
- Glanc, A. See Janovec, V., 1=17839
- Glance, B. and Mourier, G. The instability of electron beams in crossed fields in presence of an obliquely propagated Glang, R. and Easton, W. B. Donor concentration at the surface of a diffused n-type layer on p-type, 1=6149
- Glandsdorff, P. On a non-linear law of the irreversible phenomena with stationary constraints, 1=15709
- Glaser, J. A. Near-infrared absorption spectrum of solid methane at the  $\lambda$  point, 1=8993
- Glaser, D. A. See Brown, J. L., 1=8515
- Glaser, V. and Ferrell, R. A. Lifetime of the neutral pion, 1=2079
- Glasgow, D. W., Coleman, L. W. and Schecter, L. Gamma-ray attenuation factors for angular correlation and angular distribution measurements, 1=10811
- Glasgow, D. W. and Schecter, L. Gamma-gamma directional correlation in  $\text{Mg}^{24}$ , 1=13729
- Glashow, S. L. Partial symmetries of weak interactions, 1=5664
- Glashow, S. L. Direct  $\Xi$  decay and muonium-antimuonium transitions, 1=5787
- Glashow, S. L. Muonium-antimuonium transitions, 1=13464
- Glashow, S. L. and Gell-Mann, M. Gauge theories of vector particles, 1=19089
- Glashow, S. L. See Coleman, S., 1=8440
- Glashow, S. L. See Czyz, W., 1=3200
- Glasko, V. B. See Bonch-Bruevich, V. L., 1=6085
- Glasner, A. and Reisfeld, R. The diffusion constants of thallous ( $\text{Tl}^+$ ) and lead ( $\text{Pb}^{++}$ ) ions in potassium chloride, 1=19806
- Glasov, O. A., Dubovoi, L. V. and Rutkevich, B. H. Excitation of ionic cyclotron oscillations in a plasma by electron beams, 1=5486
- Glasov, O. A., Dubovoi, L. V. and Rutkevich, B. H. Excitation of ionic cyclotron oscillations in a plasma by electron beams, 1=11958
- Glass, A. J. See Kahn, D., 1=17828
- Glasser, R. G., Seeman, N., Prakash, Y., Snow, G. A. and Steinberg, P. A search for the decay  $\Sigma^+ \rightarrow p + \gamma$ , 1=9771
- Glasser, R. G., Seeman, N. and Stiller, B. Mean lifetime of the neutral pion, 1=10902
- Glassgold, A. E. Collective oscillations of a system of interacting fermions, 1=9630
- Glassgold, A. E. and Sessler, A. M. Flow properties of superfluid systems of fermions, 1=5235
- Glauber, A. E. A new form of the polar model of a crystal, 1=892
- Glauber, A. E. and Stasyuk, I. V. Third Conference on the Theory of Semiconductors, 1=3733
- Glaume, J. See Barbier, D., 1=4131
- Glaume, J. See Barbier, D., 1=15301
- Glaze, W. See West, R., 1=9167
- Glazer, A. A., Magat, L. M. and Shur, Ya. S. Thermomagnetic treatment and ordering processes. IV. Investigation of the effect of thermomagnetic treatment on the lattice parameters of soft magnetic alloys undergoing the disorder-order transformation, 1=1219
- Glazer, A. A. See Shur, Ya. S., 1=6533
- Glazkov, V. I. Analysis of the nuclear magnetic resonance spectra of  $\text{A}_2\text{B}_2\text{X}_2$ -type groups, 1=3569
- Glazov, A. A. See Danilov, V. I., 1=344
- Gleason, G. I. A positron cow, 1=13401
- Gleichauf, P. H. and Ozarov, V. Electron-emission microscope and velocity distribution studies on silicon carbide p-n junction emitters, 1=7658
- Gleit, C. E. and Coryell, C. D. Decay of 49 min  $\text{Cd}^{118}$  and 5.1 sec  $\text{In}^{118}$ , 1=7344
- Glendenin, L. E. See Wright, P. M., 1=10979
- Glendenning, N. K. See Albert, R. D., 1=7373
- Glendenning, N. K. See Bloom, S. D., 1=19463
- Glendenning, N. K. See Cranberg, L., 1=8735
- Glenn, R. C. See Michalak, J. T., 1=10153
- Glentworth, P. and Betts, R. H. Production of  $\text{Lu}^{178}$  by the  $\text{Ta}^{181}$  (n,  $\alpha$ )  $\text{Lu}^{178}$  reaction in the NRX reactor, 1=5926
- Gliberman, A. Ya. and Fedoseeva, O. P. Investigation of the influence of crystalline orientation of silicon on the properties of photoconverters, 1=1109
- Gliberman, A. Ya. See Zaitseva, A. K., 1=19888
- Glick, A. J. and Ferrell, R. A. Single-particle excitations of a degenerate electron gas, 1=7560
- Glicksman, M. and Powlus, R. A. Observations of electron-hole current pinching in indium antimonide, 1=5023
- Glickstein, S. S. and Winter, R. G. Nuclear reactions from recoil protons in a reactor, 1=19466
- Gliddon, J. E. C. and Kendall, P. C. Theoretical world curves of maximum F2 ionization. II, 1=20998
- Gliddon, J. E. C. See Ferraro, V. C. A., 1=6624
- Gliki, N. V. and Timofeeva, V. A. Spiral growth layers on sodium niobate crystals, 1=4020
- Gliki, N. V. and Timofeeva, V. A. Spiral growth layers on barium titanate crystals. II, 1=14973
- Glinchuk, K. D., Miselyuk, E. G. and Skopenko, A. I. Measurement of short lifetimes of nonequilibrium charge carriers in germanium, 1=5015
- Globus, A. Use and calibrations of a "general-radio" admittance meter for the measurement of permeability and permittivity, 1=16487
- Glocker, R. The photographic blackening law for electron Glodeanu, A. See Bally, D., 1=3886
- Glodeanu, A. See Teodorescu, I., 1=19822
- Gloersen, P. Some unexpected results of shock-heating xenon, 1=169
- Gloersen, P. Answer to the comments by Walter Roth, 1=15939
- Gloersen, P. See Sutton, G. W., 1=19002
- Glokova, E. S. Annual variations of cosmic-ray intensity and temperature corrections, 1=3336



- Glokov, E.S. and Inozemtseva, O.I. Certain experimental results in studies of cosmic-ray variations at high and middle latitudes, 1=3354
- Glokov, E.S. See Blokh, Ya.L., 1=3346
- Glorig, A. See Nixon, J.C., 1=11659
- Glorig, A. See Ward, W.D., 1=9225
- Glover, C.A. and Stanley, R.R. Construction of thermopiles from fine wire, 1=7680
- Glover, R.N. and Purser, K.H. Protons and deuterons from  $\text{Ni}^{58}$  bombarded by 14.8 MeV neutrons, 1=8748
- Glover, R.N. and Weigold, E. Protons and deuterons from  $\text{Al}^{27}$  bombarded by 14.8 MeV neutrons, 1=9868
- Glowacki, J. Quenching of photo-luminescence of solutions by non-absorbing foreign molecules, 1=12886
- Glowacki, J. The influence of tartaric acid on the photoluminescence of dye solutions, 1=15891
- Gluckstern, R.L. See Breit, G., 1=2201
- Gluckstern, R.L. See Hubbard, E.L., 1=1049
- Glukhikh, V.A., Komar, E.G., Larionov, B.A., Malyshev, I.F., Monoszon, N.A., Stolov, A.M. and Strel'tsov, N.S. Constructional data and basic parameters of the "Alpha" apparatus, 1=5477
- Glukhikh, V.A., Komar, E.G., Larionov, B.A., Malyshev, I.F., Monoszon, N.A., Stolov, A.M. and Strel'tsov, N.S. Constructional data and basic parameters of the "Alpha" apparatus, 1=9603
- Glukhikh, V.A., Zavarin, D.E., Komar, E.G., Larionov, B.A., Monoszon, N.A., Skotnikov, V.V. and Stolov, A.M. Investigation of the electric and magnetic characteristics of the discharge in the apparatus "alpha", 1=4617
- Glukhikh, V.A., Zavarin, D.E., Komar, E.G., Larionov, B.A., Monoszon, N.A., Skotnikov, V.V. and Stolov, A.M. Investigation of the electric and magnetic characteristics of the discharge in the apparatus "alpha", 1=9528
- Glukhikh, V.A. See Afrosimov, V.V., 1=9602
- Gneiting, C.R. Electronic determination of the I, G and I/G parameters of a tunnel diode, 1=13051
- Gnevyshev, M.N. The relationship between optical and radio-frequency emissions of the solar corona, 1=18087
- Gniewek, J.J. See Corruccini, R.J., 1=910
- Gniewek, J.J. See Corruccini, R.J., 1=13010
- Go Tsi-di [Kuo Ch'i-Ti] and Ratner, B.S. An investigation of the  $\text{Sn}^{150}(\gamma, p)$  reaction, 1=17083
- Gobeli, G.W. and Allen, F.G. Surface measurements on freshly cleaved silicon p-n junctions, 1=1362
- Gobert, G. Bearings for high speed rotors, 1=15771
- Gobrecht, A. and Tausend, A. Optical properties and band model of selenium, 1=2439
- Gobrecht, H., Gerhardt, U., Peinemann, B. and Tausend, A. Electrical and optical properties of mercury selenide ( $\text{HgSe}$ ), 1=17752
- Gobrecht, H., Gumlich, H.E. and zum Bruch, J. The effect of temperature on field intensification and field quenching of cathodeluminescence, 1=7228
- Gobrecht, H., Niemeck, F. and Boeters, K.E. On the preparation of evaporated lead selenide layers of high mechanical and electrical stability, 1=2547
- Gobrecht, H., Niemeck, F. and Boeters, K.E. The electrical conductivity of evaporated lead selenide films, 1=8951
- Godart, M. Identities satisfied by a Lagrangian, 1=8037
- Goddard, B.R., Watkinson, A. and Mills, B.Y. An interferometer for the measurement of radio source sizes, 1=8022
- Goddard, J. See Avient, B.W.E., 1=1353
- Godefroy, L. and Tavernier, J. Magnetoelectric and thermomagneto-electric effects in semiconductors. I, 1=8932
- Godefroy, L. and Tavernier, J. Magnetoelectric and thermomagneto-electric effects in semiconductors. II, 1=17645
- Godefroy, L. See Tavernier, J., 1=17646
- Godik, É.É. and Ormont, B.F. The use of the diffuse reflection spectra in determination of the forbidden energy gap of powder samples, 1=12363
- Godin, M.C. Simple bridge for the direct measurement of temperature differences, 1=11855
- Godiver, R. See Eschenbrenner, S., 1=1582
- Godlove, T.F. Nanosecond triggering of air gaps with intense ultraviolet light, 1=11918
- Godnev, I.N. and Aleksandrovskaya, A.M. Use of  $\nu = f(Z_{xy})$  curves in the study of vibrational spectra of tetrahedral molecules and ions of  $\text{X}(\text{Hal})_4$  type, 1=14001
- Godnev, I.N. See Aleksandrovskaya, A.M., 1=2320
- Godoli, G. Areas and positions of calcium flocculi during 1959 according to observations made with the solar tower [spectroheliograph] at Arcetri, 1=2616
- Godoli, G. New reduction of the observations of prominences made at the astrophysical observatory of Arcetri during the cycles 17, 18, 19, 1=18097
- Goebel, C.J. and Schnitzer, H.J. Pion production and the second pion-nucleon resonance, 1=10905
- Goebel, K., Harting, D., Kluyver, J.C., Kusumegi, A. and Schultes, H. The  $\text{C}^{12}(\text{p}, \text{pn})\text{C}^{11}$  and  $\text{Al}^{27}(\text{p}, \text{3pn})\text{Na}^{24}$  cross-sections at 591 MeV, 1=8732
- Goebel, K. and Zähringer, J. Production of tritium and inert gas isotopes by irradiating Fe and Cu with 25 GeV protons, 1=7376
- Goedkoop, H., Hzn. See Van Wijk, W.R., 1=1509
- Goertzel, G. and Greuling, E. An approximate method for treating neutron slowing down, 1=13437
- Goetzberger, A. Uniform avalanche effect in silicon three-layer diodes, 1=2418
- Goffaux, R. Electron emission from p-n junctions, 1=7089
- Goffin, J., Baffier, N. and Huber, M. A test of the application of anomalous dispersion of X-rays to the study of the distribution of ions in compounds with the spinel structure, 1=15093
- Gofman, Yu.V. and Nemets, O.F. Elastic scattering of 13.6 MeV deuterons. I, 1=17159
- Gofman, Yu.V. and Nemets, O.F. Elastic scattering of 13.6 MeV deuterons by nuclei. II, 1=17140
- Gogarty, W.B. See Christiansen, E.B., 1=10364
- Gogate, D.V. See Rao, R.D., 1=13007
- Gogos, C.M. See Smith, P.W.Jr., 1=18501
- Gogosov, V.V. The movement of a piston in a conducting fluid medium, 1=3046
- Gogosov, V.V. See Barmin, A.A., 1=356
- Goh, T. See Nagata, T., 1=20912
- Gohle, R. See Schubert, K., 1=5099
- Gökdoğan, N. See Balli, E., 1=18082
- Gokhberg, B.M. See Gorlov, G.V., 1=17171
- Goland, A.N. Radiation-enhanced helium precipitation in copper, 1=6544
- Goland, A.N. Neutron irradiation of Gray tin, 1=7607
- Golant, V.E. Diffusion of charged particles across a magnetic field in a three-component plasma, 1=4604
- Golant, V.E. Very high frequency methods for investigation of plasma, 1=9559
- Golant, V.E. and Zhilinskii, A.P. Experimental investigation of the diffusion break-up of a plasma in a magnetic field, 1=4603
- Golant, V.E., Zhilinskii, A.P. and Krivosheev, M.V. Propagation of centimetric waves in waveguides filled with plasmas from the positive column of a discharge. II, 1=9688
- Golant, V.E., Zhilinskii, A.P. and Krivosheev, M.V. Propagation of centimetric waves in waveguides filled with plasma from the positive column of a discharge. II, 1=12020
- Golant, V.E., Zhilinskii, A.P., Krivosheev, M.V. and Nekrutkina, G.P. Propagation of centimetric waves in waveguides filled with plasma from the positive column of a discharge. I, 1=9687
- Golant, V.E., Zhilinskii, A.P., Krivosheev, M.V. and Nekrutkina, G.P. Propagation of centimetric waves in waveguides filled with plasma from the positive column of a discharge. I, 1=12019
- Golant, V.E. See Afrosimov, V.V., 1=9602
- Golant, V.E. See Anisimov, A.I., 1=293
- Golant, V.E. See Anoshkin, V.A., 1=4616
- Gold, A. Quantum Chemistry Summer Institute, 1=5959
- Gold, A. Model for the electronic structure of the K and L bands in alkali halides, 1=14597
- Gold, A. Impurity states in solid neon, 1=19747
- Gold, A.V. and Pearson, W.B. Phonon drag in lead, 1=6070
- Gold, L. The concept of complex relaxation time in reactor dynamics, 1=769
- Gold, L. Static and dynamic elastic constants, 1=1291
- Gold, L. Inverse solution of the Thomas-Fermi equation, 1=13914
- Gold, L. Hot electron behavior at high pressures, 1=14409
- Gold, L. Hot electron nonequilibrium carrier distribution in a many valley semiconductor, 1=14444
- Gold, L. Cross modulation line profiles in cyclotron resonance experiments, 1=19756
- Gold, L. On the Faraday effect in many-valley semiconductors, 1=19959

## AUTHOR INDEX

- Gold, L. and Johnson, V. Purification factor characterization of zone refining, 1-1381
- Goldanskii, V.I. Limits of stability and proton and two-proton radioactivity of neutron-deficient isotopes of light nuclei, 1-2180
- Gol'danskii, V.I., Karpukhin, O.A., Kutsenko, A.V. and Pavlovskaya, V.V. The elastic  $\gamma$ -p-scattering at 40-70 MeV and the polarizability of the proton, 1-4786
- Gol'danskii, V.I., Karpukhin, O.A. and Petrov, G.G. Observation of positronium reactions in aqueous solutions, 1-492
- Goldanskii, V.I. and Maksimenko, V.M. The hypothesis of a neutral  $\rho^0$ -meson in the light of data on antiproton annihilation, 1-3227
- Gol'danskii, V.I. See Baz', A.I., 1-11084
- Goldansky, V.I. On neutron-deficient isotopes of light nuclei and the phenomena of proton and two-proton radioactivity, 1-590
- Goldansky, V.I. Two-proton radioactivity, 1-19380
- Goldberg, A. Magnetic dispersion corrections to elastic electron scattering, 1-13775
- Goldberg, E.D. See Rama, 1-17006
- Goldberg, H. See Herzfeld, C.M., 1-4963
- Goldberg, J. Velocity modulation and related high frequency deflection errors of the traveling wave deflection system, 1-3008
- Goldberg, J.N. and Kerr, R.P. Some applications of the infinitesimal-holonomy group to the Petrov classification of Einstein spaces, 1-6764
- Goldberg, J.N. See Kerr, R.P., 1-6765
- Goldberg, L. Project West Ford — properties and analyses. Introduction, 1-6724
- Goldberg, L.P. See Meserve, E.B., 1-16348
- Goldberg, M.D., Anderson, J.D., Stoering, J.P. and Wong, C. Angular distributions of  $T(p,n)He^3$  neutrons for 3.4 to 12.4 MeV protons, 1-8520
- Goldberg, M.D. and Le Blanc, J.M. Angular yield of neutrons from the  $T(d,n)He^4$  reaction for 6 to 11.5 MeV deuterons, 1-7231
- Goldberg, M.D. See Catron, H.C., 1-11023
- Goldberg, N. See Matcovich, T., 1-6400
- Goldberg, P. Etch pits in electroluminescent zinc sulfide crystallites, 1-12615
- Goldberg, S. See Fabricand, B.P., 1-8143
- Gol'dberg, Z.A. Interaction of plane longitudinal and transverse elastic waves, 1-4398
- Goldberger, M.L., Grisaru, M.T., MacDowell, S.W. and Wong, D.Y. Theory of low-energy nucleon-nucleon scattering, 1-495
- Goldberger, M.L. See Albright, C.H., 1-16680
- Goldberger, M.L. See Blankenbecler, R., 1-10855
- Goldburg, W.I. Nuclear magnetic resonance saturation in  $NaCl$  and  $CaF_2$ , 1-7801
- Goldemberg, J. See de Carvalho, H.G., 1-8801
- Goldemberg, J. See Nascimento, I.C., 1-4857
- Goldemberg, J. See Tagliabue, F., 1-5889
- Golden, D.E. and Fisher, L.H. Anomalies in ionization coefficients and in uniform field breakdown in argon for low values of  $E/p$ , 1-11909
- Golden, D.E. See Lessin, I., 1-18811
- Goldenberg, H.M., Kleppner, D. and Ramsey, N.F. Atomic beam resonance experiments with stored beams, 1-11082
- Goldenberg, J. See Wataghin, A., 1-7367
- Goldfarb, A.M. On the education of physicists in Austria and Israel, 1-4229
- Goldfarb, E.M. and Heard, H.G. Full-voltage range spark-gap crowbar, 1-4574
- Goldfarb, L.J.B. and Johnson, R.C. Selection rules and correlations for polarization in stripping and direct processes, 1-4853
- Goldfarb, L.J.B. and Johnson, R.C. Angular distributions and polarization in direct reactions, 1-8674
- Goldfarb, L.J.B. and Johnson, R.C. Correlations between incoming and outgoing polarization in direct reactions, 1-19431
- Goldfarb, L.J.B. See Rook, J.R., 1-16914
- Goldhaber, G., Goldhaber, S. and Peters, B. Separation of high-energy particles by means of strong interactions, 1-12083
- Goldhaber, G. and Lee, W.  $PI-PI$  correlation in  $P-P$  annihilation, 1-16791
- Goldhaber, G. See Goldhaber, S., 1-4797
- Goldhaber, S., Goldhaber, G., Powell, W.M. and Silberberg, R. Antiproton annihilations in propane, 1-4797
- Goldhaber, S. See Goldhaber, G., 1-12083
- Goldhaber, S. See Stubbs, T.F., 1-16896
- Goldhammer, P. Spin-orbit splitting in nuclei due to tensor interaction, 1-7320
- Goldhammer, P. A note on circular gravitational orbits, 1-15612
- Goldiamond, I. and Malpass, L.F. Locus of hypnotically induced changes in color vision responses, 1-15381
- Golding, R.M. Ultraviolet and structural studies of polythionates, 1-2331
- Golding, R.M. Ultra-violet absorption spectrum of water, 1-6025
- Goldish, E. See Donohue, J., 1-20531
- Gol'dman, A.G. A new electroluminescence effect in black carborundum, 1-3870
- Goldman, D.T., Francis, N.C. and Guth, E. Photoneutron disintegration below the giant resonance: beryllium-9 and carbon-13, 1-8693
- Goldman, D.T. See Francis, N.C., 1-673
- Goldman, D.T. See Guth, E., 1-19440
- Goldman, G.K. See Rao, C.N.R., 1-14009
- Gol'dman, I.I. Bremsstrahlung at the boundary of a medium with an allowance for multiple scattering, 1-4788
- Goldman, L. See Bouchez, R., 1-13796
- Goldman, L. See N'guyen Huu Khanh., 1-13797
- Goldman, L.M. See Westendorp, W.F., 1-11920
- Goldman, M. and Landesman, A. Dynamic polarization of nuclei by thermal contact between spin systems, 1-7797
- Goldring, G. and Vager, Z. Energy loss of protons in rare earth oxides and reduced transition probabilities for  $2^+ \rightarrow 0^+$  transitions in even rotational nuclei, 1-13790
- Goldring, G. See Blaugrund, A.E., 1-8597
- Goldschmidt-Clermont, Y. See Bartke, J., 1-8511
- Goldsmid, H.J. Recent studies of bismuth telluride and its alloys, 1-17719
- Goldsmid, H.J. See Bowley, A.E., 1-18752
- Goldsmith, H.L. and Mason, S.G. Axial migration of particles in Poiseuille flow, 1-15791
- Goldstein, B. Diffusion in compound semiconductors, 1-4591
- Goldstein, B. and Keller, H. Diffusion of tin in gallium arsenide, 1-12401
- Goldstein, H. See Troubetzkoy, E., 1-11044
- Goldstein, J.H. See Reddy, G.S., 1-7489
- Goldstein, J.H. See Reddy, G.S., 1-17347
- Goldstein, J.H. See Whipple, E.B., 1-11124
- Goldstein, L. Theory of solid  $He^4$ , 1-6994
- Goldstein, L. On the dense phases of  $He^3$  at very low temperatures, 1-16191
- Goldstein, L. On the theory of spin paramagnetism, 1-17932
- Goldstein, L. and Musson-Genon, R. General aspects of the electromagnetic phenomena of discharge in gases, 1-4570
- Goldstein, L. See Chen, C.L., 1-4562
- Goldstein, L. See Marshall, T.C., 1-7074
- Goldstein, Y. See Harnik, E., 1-1051
- Goldstein, Y. See Many, A., 1-1050
- Goldstone, J. Field theories with "superconductor" solutions, 1-5690
- Goldsworthy, G.A. Ionization fronts in interstellar gas and the expansion of H II regions, 1-2596
- Goldwater, D.L. and Danforth, W.E. The evaporation of thorium metal, 1-1851
- Goldzahl, L. See Jouvett, B., 1-5744
- Gofębiowski, R. and Wisniewski, R. Initial magnetization of nickel under tension and high hydrostatic pressure, 1-20106
- Golecki, J. On a certain form of solution of equations of static elasticity theory, 1-20288
- Golenetskii, S.V. See Rusinov, L.I., 1-17013
- Goles, C.C. and Anders, E. Iodine content of meteorites and their  $^{138}Xe-^{136}Xe$  ages, 1-15440
- Goles, G.G. and Anders, E. The record in the meteorites. VI. On the chronology of the early solar system, 1-14417
- Goles, G.G. See Fish, R.A., 1-2607
- Gol'fand, Yu.A. Three-variable relativistic Schrödinger equation for the two-body problem, 1-15684
- Golik, A.Z. and Cholpan, P.F. Investigation of the velocity of ultrasound in some polysiloxanes, 1-15872
- Golik, L.L. See Shalimova, K.V., 1-14588
- Golik, L.L. See Shalimova, K.V., 1-17882
- Golik, O.Z., Shimans'kyi, Y.I. and Koblichuk, N.M. Compressibility of isoviscous substances, 1-12879



- Golikov, E.E. Calculating the articulation in noisy rooms, 1=6660
- Golikova, O.A. and Stil'bans, L.S. An investigation of the dependence of Hall coefficient on magnetic field and temperature in p-type germanium, 1=19850
- Golitsyn, G.S., Gurvich, A.S. and Tatarskii, V.I. Investigation of the frequency spectra of amplitude and phase difference fluctuations of sound waves in a turbulent atmosphere, 1=15248
- Golobov, E.M. See Sirotka, N.N., 1=11560
- Golovachev, V.P. See Belov, N.V., 1=1394
- Golovchiner, Ya.M. Influence of some factors of exposure symmetry on the magnitude of the random error in the precision determination of lattice period, 1=20479
- Golovin, B.I. See Mil'vidskii, M.G., 1=20428
- Golovin, B.M., Dzheleпов, V.P. and Zul'karneev, R.Ya. Correlation between the normal polarization components in [elastic] pp-scattering at 650 MeV. I, 1=19200
- Golovin, S.A. See Piguzov, Yu.V., 1=10207
- Colton, E. Skip-distance ray-focusing in the ionosphere, 1=7934
- Golubnikov, V.N. Thermal convection in a rotating circular pipe with a constant temperature gradient (compressible fluid), 1=8253
- Golubeva, L.G. See Voitsekhovskaya, I.A., 1=2430
- Golyamina, I.P. Magnetostriction ferrites as electroacoustic transducer materials, 1=5323
- Golyk, O.Z. and Klassen, I.F. Viscosity and conductivity of zinc and cadmium amalgams, 1=11757
- Golyk, O.Z., Ryndych, N.A. and Babenko, S.A. Viscosity of an Sn-Bi system, 1=12871
- Goman'kov, V.I. See Ozerov, R.P., 1=11551
- Gombás, P. An extension of statistical atomic models by the inclusion of a correlation correction, 1=788
- Gombás, P. On the formation of electron shells in the periodic system of the elements, 1=19578
- Gombay, L. and Zöllei, M. On the photoconductivity of CdS films produced by sintering, 1=10058
- Gombay, L. See Bános, G., 1=7665
- Gombosi, E. See Biczó, G., 1=13592
- Gombosi, É. See Bozóki, G., 1=405
- Gombosi, E. See Bozóki, G., 1=12190
- Gomer, R. Surface structure and diffusion, 1=2545
- Gomer, R. See Melmed, A.J., 1=8342
- Gomes, A.M. See Humason, M.L., 1=18132
- Gomes, A.R. On the calculation of the curvature tensor in the first relativistic approximation, 1=6771
- Gomes, V. See Dietzsch, O., 1=13693
- Gomes, W. Distribution of silver ions in melt-grown alkali halides, 1=14257
- Gómez, M. See Aguilar, M., 1=21127
- Gomez, M. See Aguilar, M., 1=21128
- Gomez, R. See Myers, H., 1=2102
- Gomi, Y. and Odani, Y. Chain wall in permalloy thin films, 1=15175
- Gomi, Y., Odani, Y. and Sugihara, M. Domain patterns on thin films of Perminvar, 1=10156
- Gomoyunova, M.V. The role of reflected electrons in secondary electron emission, 1=18926
- Goncalves, M.T. See Ferriera, J.G., 1=13704
- Goncharenko, A.M. An approximate theory of the optical parameters of absorbing crystals, 1=16094
- Goncharova, V.A. See Voronov, F.F., 1=3957
- Goncharova, V.A. See Voronov, F.F., 1=10205
- Gondo, Y. and Funatogawa, Z. Some observations on the domain walls in thin films, 1=14715
- Gonzalez, D. See Jaoul, B., 1=20350
- Gonzalez, R.N. See Yannas, J.B., 1=20340
- Gonzalez, V.H. See Yeh, K.C., 1=15339
- González Ibeas, J., Alexandre Campos, V. and Ruiz Gonzalvo, J.M. Solution by means of an electronic differential analyser of the equation of motion of an elastic pendulum with two degrees of freedom, 1=5242
- Goberman, G. Ultrasonic absorption of polymer solutions, 1=15874
- Gooch, C.H., Hilsum, C. and Holeman, B.R. Properties of semi-insulating GaAs, 1=17731
- Gooch, C.H. See Cunnell, F.A., 1=8111
- Gooch, C.H. See Cunnell, F.A., 1=17565
- Good, M.L.  $K^0$  and the equivalence principle, 1=533
- Good, M.L. and Walker, W.D. Coulomb dissociation of beam particles, 1=469
- Good, M.L. and Walker, W.D. Diffraction dissociation of beam particles, 1=470
- Good, M.L. See Alston, M., 1=3240
- Good, M.L. See Alston, M., 1=8502
- Good, M.L. See Alston, M.H., 1=12126
- Good, M.L. See Fowler, W.B., 1=5788
- Good, R.H.Jr. See Fradkin, D.M., 1=18273
- Good, R.H., Jr. See Fradkin, D.M., 1=19097
- Good, R.H.Jr. See Hammer, C.L., 1=8413
- Good, R.H.Jr. See Liu, S.H., 1=11291
- Good, R.H.Jr. See Rose, M.E., 1=19098
- Good, W.M. Millimicrosecond pulsing — its application and technique, 1=1934
- Good, W.M. See Fowler, T.K., 1=1925
- Goodenough, J.B., Wold, A., Arnett, R.J. and Menyuk, N. Relationship between crystal symmetry and magnetic properties of ionic compounds containing  $Mn^{2+}$ , 1=14670
- Gooding, T.J. Kinetic energy effects in the thermal neutron fission of  $U^{235}$ , 1=12227
- Gooding, T.J. and Igo, G. Scattering of 915 MeV  $\alpha$ -particles from carbon and helium: direct evidence for  $\alpha$ -particle clustering in nuclei, 1=12222
- Gooding, T.J. and Pugh, H.G. The response of plastic scintillators to high-energy particles, 1=395
- Gooding, T.J. and Pugh, H.G. Quasi-elastic scattering of 153 MeV protons by protons in the p state  $C^{12}$ , 1=13411
- Goodings, D.A. Exchange polarization effects in hyperfine structure, 1=12238
- Goodings, D.A. and Heine, V. Contribution of exchange polarization of core electrons to the magnetic field at the nucleus of Fe, 1=3628
- Goodman, A. See Schardt, A.W., 1=10995
- Goodman, B.B. Simple model for the magnetic behavior of superconductors of negative surface energy, 1=13040
- Goodman, B.B. See Dreyfus, B., 1=9977
- Goodman, B.B. See Dreyfus, B., 1=19712
- Goodman, C.H.L. Ionic-covalent bonding in crystals, 1=893
- Goodman, C.H.L. The regrown-diffused transistor, 1=3782
- Goodman, F.O. Application of a theory of nonideal solutions to results of ultrasonic absorption measurements, 1=8119
- Goodman, J.F. See Murphy, A.P., 1=2553
- Goodman, L. See Brinen, J.S., 1=17322
- Goodman, L. See Hoyland, J.R., 1=12294
- Goodman, L.S. Achievement of extremely homogeneous magnetic fields, 1=4691
- Goodman, L.S. See Childs, W.J., 1=593
- Goodman, L.S. See Childs, W.J., 1=7314
- Goodman, L.S. See Childs, W.J., 1=7315
- Goodman, R.R. Cyclotron resonance in germanium, 1=7571
- Goodman, R.R. Reflection from a thin infinite plate using the Epstein method, 1=11809
- Goodman, R.R. Comment on "experimental study of the scattering of acoustic energy from solid metal spheres in water", 1=16050
- Goodman, S.R. See Hu, H., 1=10279
- Goodrich, F.C. The mathematical theory of capillarity. I, 1=15815
- Goodrich, F.C. The mathematical theory of capillarity. II, 1=15816
- Goodrich, F.C. The mathematical theory of capillarity. III, 1=15817
- Goodrich, F.C. Molecular weight distribution and reaction sequence in polymerization kinetics, 1=20734
- Goodrich, G.W. and Wiley, W.C. Resistance strip magnetic electron multiplier, 1=10738
- Goodwin, D.W. and Jones, R.H. Far infrared and microwave detector, 1=16608
- Goodwin, F.E. Maser action in emerald, 1=13174
- Goodwin, L.K., Kenney, R.W. and Perez-Mendez, V. Elastic scattering of negative pions by protons at 250, 290, Goodwin, L.K. See Caris, J.C., 1=7270
- Goodyear, C.C. See von Engel, A., 1=19555
- Goodyear, J. and Steigmann, G.A. Twinning in a cation-deficient spinel structure, 1=20403
- Goold, D. Diffusion of aluminium, tin, vanadium, molybdenum, and manganese in titanium, 1=17552
- Gopal Rao, M.S.V. and Ramachandra Rao, B. Effects of equatorial spread-F irregularities on c.w. transmissions, 1=8393

- Gopal Rao, M.S.V. and Ramachandra Rao, B. Equatorial spread F in relation to post-sunset height changes and magnetic activity, 1=21009
- Gopal Rao, M.S.V. and Ramachandra Rao, B. Nocturnal and seasonal variation of equatorial spread-F, 1=21011
- Gopal Rao, M.S.V., Ramachandra Rao, B. and Ramachandra Rao Pant, P. Fading of c.w. signals as a means of spread F study, 1=10326
- Gopaulsingh, K. See Reid, R.J., 1=12138
- Gopinathan, K.P. See Jha, S., 1=8637
- Góral, A. Partial switching of rectangular hysteresis-loop ferrites, 1=14733
- Gorbacheva, I.E. See Il'in, V.E., 1=14470
- Gorban', I.S. A quantitative study of the absorption spectrum of cuprous oxide, 1=5051
- Gorban', I.S. Optical absorption and energy level structure of cuprous oxide, 1=19986
- Gorban', I.S. and Timofeev, V.B. Polarization in the absorption spectrum of cubic cuprous oxide, 1=3830
- Gorban', I.S. and Timofeev, V.G. Properties of the  $\text{Cu}_2\text{O}$  structural line with the longest wavelength, 1=3838
- Gorbunov, E.P. Investigation of a toroidal discharge in a strong magnetic field, 1=5462
- Gorbunov, N.S. and Izvekov, V.I. The investigation of diffusion in metal oxides by means of radioactive tracers, 1=11221
- Gorbunov, V.I. See Aptekar', I.L., 1=6532
- Gorchakov, E.V. See Vernov, S.N., 1=4815
- Gorchakov, E.V. See Vernov, S.N., 1=5797
- Gorchakov, E.V. See Vernov, S.N., 1=10939
- Gordeev, G.V. See Alferov, Zh.I., 1=6168
- Gordeev, Yu.S. See Afrosimov, V.V., 1=9608
- Gordeev, Yu.S. See Afrosimov, V.V., 1=9609
- Gordon, A.M. Photoconductivity and trapping in silver chloride crystals, 1=7676
- Gordon, A.S. and McNesby, J.R. On the isomerization of n-butyl radicals, 1=8570
- Gordon, A.S. and Smith, S.R. Elimination of molecular hydrogen from alkyl free radicals, 1=7916
- Gordon, D. See Hansen, R., 1=1648
- Gordon, E.I. Transverse electron beam waves in varying magnetic fields, 1=3009
- Gordon, E.I. and Ashkin, A. Energy interchange between cyclotron and synchronous waves in quadrupolar pump fields, 1=10785
- Gordon, E.I. See Adler, R., 1=8390
- Gordon, E.I. See Buchsbaum, S.J., 1=9571
- Gordon, E.I. See LeCraw, R.C., 1=14171
- Gordon, G.D. See Swartz, G.A., 1=305
- Gordon, G.E. See Sikkeland, T., 1=13870
- Gordon, H.S. See Hubbard, E.L., 1=10749
- Gordon, I.M. The nature of  $\gamma$ -emission in solar flares and the formation of cosmic particles in active solar regions, 1=18090
- Gordon, J. and Szabo, P. The "radius effect" in large BF<sub>3</sub> counter tubes, 1=16614
- Gordon, J.E., Dempsey, C.W. and Soller, T. Nuclear specific heat of holmium, 1=17424
- Gordon, J.E. and Silsbee, H.B. Theory for the operation of a magnetic refrigerator at temperatures below 1°K, 1=9508
- Gordon, J.H. Mirages, 1=7929
- Gordon, J.P. Variable coupling reflection cavity for microwave spectroscopy, 1=10802
- Gordon, J.P. See Boyd, G.D., 1=7144
- Gordon, J.P. See Yariv, A., 1=12028
- Gordon, M.M. and Welton, T.A. The Oak Ridge relativistic isochronous cyclotron. III. Analysis of ion orbits in the isochronous cyclotron, 1=1939
- Gordon, R.D. and King, G.W. The emission spectrum of the CCl radical, 1=3546
- Gordon, R.L., Lord, H. and Widginton, D.W. Ignition of gas by sparks produced by breaking wires at high speed, 1=18788
- Gordon, S. and Dailey, B.P. Density versus chemical shift in N.M.R. spectra, 1=8141
- Gordon, S. See Weeks, J.L., 1=19964
- Gordon, S.B. See Vyssotsky, V.A., 1=12346
- Gordon, W.E. and LaLonde, L.M. The design and capabilities of an ionospheric radar probe, 1=8015
- Gordon, W.L., Joseph, A.S. and Eck, T.G. Low field de Haas-van Alphen studies of the Fermi surface of magnesium, 1=17456
- Gordon, W.L. See Joseph, A.S., 1=19737
- Gordon-Smith, G.W. See Gibbs, J.E., 1=6979
- Gordov, A.N., Arzhanov, A.S. and Diikov, U.V. A new determination of the freezing point of pure gold, 1=5381
- Gordus, A.A. See Rack, E.P., 1=10298
- Gordy, W. See Katayama, M., 1=11485
- Gordy, W. See Kurita, Y., 1=3937
- Gordy, W. See Kurita, Y., 1=7787
- Gordy, W. See Miyagawa, I., 1=2345
- Gordy, W. See Narasimha Rao, D.V.G.L., 1=11488
- Gordy, W. See Narasimha Rao, D.V.G.L., 1=14800
- Gore, W.G. A multiple event analyser, 1=1869
- Gorelik, L.L. and Lobikov, E.A. Measurement of energy losses in plasma by a bolometric method, 1=5474
- Gorelik, L.L. and Lobikov, E.A. Measurement of energy losses in plasma by a bolometric method, 1=11950
- Gorelik, S.S., Kal'yanova, S.M., and Rozenberg, V.M. Structural changes in aluminium during light deformation and subsequent heating, 1=10007
- Gorelik, S.S. See Vishnyakov, Ya.D., 1=6106
- Gorelova, M.V. See Vitkevich, V.V., 1=18166
- Goren, S.L. and Gavis, J. Transverse wave motion of a thin capillary jet of a viscoelastic liquid, 1=6837
- Gorgé, V., Koch, W., Lindt, W., Nikolić, M., Subotić-Nikolić, S. and Winzeler, H. Hypernuclei produced by K<sup>-</sup> interactions in nuclear emulsions. II. General characteristics and non-mesic decays, 1=4829
- Gorgé, V., Lind, W. and Mercier, A. A hyperfragment analysis programme for the bull-gamma A.E.T. computer, 1=604
- Gorichev, P.A., Lozhkin, O.V., Perfilov, G.A. and Yakovlev, Yu.P. Some features of multiple production of fragments by 9 BeV protons, 1=17177
- Goris, J. See Herrinck, P., 1=15281
- Gor'kov, L.P. and Galitskii, V.M. Superfluidity in a Fermi system in the presence of pairs with non-zero angular momentum, 1=18697
- Gor'kov, L.P. and Melik-Barkhudarov, T.K. A contribution to the theory of superfluidity in an imperfect Fermi gas, 1=18698
- Gor'kov, L.P. See Abrikosov, A.A., 1=18706
- Gorkun, Yu.I. The effect of current electrodes on magnetoresistance, 1=14377
- Gorkun, Yu.I. The theory of the field effect at low temperatures, 1=17658
- Görlich, P. The measurement of proton beams with photoconductors and the measurement of the polarization relationship in certain photocathodes, 1=19063
- Görlich, P., Karras, H. and Reimann, R. The coloration of synthetic CaF<sub>2</sub> single crystals produced from pure synthetic raw material, 1=14329
- Görlich, P. and Tiedeken, R. Eds. Optics of all wavelengths Optik aller Wellenlängen, 1=9464
- Görlich, P. See Frischmuth-Hoffmann, G., 1=13112
- Görlich, P. [Ed.] and Tiedeken, R. [Ed.]. Optics of all wavelengths, 1=224
- Gorlov, G.V., Gokhberg, B.M., Morozov, V.M., Otroshchenko, G.A. and Shigin, V.A. The fission cross-sections of <sup>235</sup>U and <sup>238</sup>U for neutrons having energies between 3 and 800 keV, 1=17171
- Gorman, J.G. See Stodiek, W., 1=2979
- Gorný, N.B. The mechanism of discrete energy losses of electrons in germanium, 1=17494
- Gorodetskii, D.A. and Kornev, A.M. Diffraction of slow electrons at the surface of tungsten covered with thin adsorbed layers of barium and barium oxide, 1=20701
- Gorodetzky, S., Fintz, P., Bassompierre, G. and Gallmann, A. Study of the 6.33 MeV level in N<sup>16</sup> by the reaction N<sup>14</sup>(d,p)N<sup>15</sup>, 1=7326
- Gorodetzky, S., Gallmann, A., Fintz, P. and Samuel, J. Excitation curves of certain gamma-rays in the reaction C<sup>12</sup>(d,p)C<sup>13</sup>, 1=13844
- Gorodetzky, S., Manquenouille, R., Richert, R. and Knipper, A. Half-life of the 595 keV excited level of In<sup>115</sup>, 1=16985
- Gorodetzky, S., Manquenouille, R., Richert, R. and Knipper, A. Upper limit to the lifetime of the 351 keV excited state of <sup>143</sup>Pr, 1=17038
- Gorodetzky, S., Richert, R., Manquenouille, R. and Knipper, A. The mean life of the first excited state of Al<sup>26</sup>, 1=613
- Gorodetzky, S., Richert, R., Manquenouille, R. and Knipper, A. Time-to-amplitude converter capable of high resolution, 1=1880



- Gorodetzky, S., Richert, R., Manquenouille, R. and Knipper, A. Time-to-amplitude converter of high resolving power, 1=16226
- Gorodetzky, S., Samuel, J. and Gallmann, A. The angular correlation ( $d, \gamma\gamma$ ) in the reaction  $\text{Be}^9(d, p)\text{Be}^{10}$ , 1=17143
- Gorodetzky, S., Sutter, G., Armbruster, R., Chevallier, P., Mennrath, P., Scheibling, F. and Yoccoz, J. Search for doublet  $\gamma$ -ray emission in the 1.75 MeV monopole transition of  $\text{Zr}^{90}$ , 1=7300
- Gorodetzky, S., Sutter, G., Armbruster, R., Chevallier, P., Mennrath, P., Scheibling, F. and Yoccoz, J. Double gamma emission in the 6.06 MeV monopole transition of  $\text{O}^{16}$ , 1=17062
- Gorodetzky, S., Sutter, G., Scheibling, F., Chevallier, P. and Armbruster, R. The excitation curves of gamma-rays and internal conversion pairs of  $\text{F}^{19}(p, \alpha)\text{O}^{16}$  and  $\text{Ca}^{40}(p, p')\text{Ca}^{40}$  and the relative intensity of external pairs of  $\text{O}^{16}(d, p)\text{O}^{17}$ , 1=13736
- Goroff, I.R. See Nakagawa, Y., 1=4710
- Gorshkov, G.V. and Kodyukov, V.M. The absorption, in water, of the gamma-radiation from point and volume sources, 1=5705
- Gorshkov, V.G. A relativistic perturbation theory for a Coulomb field, 1=19110
- Gorshkov, V.G. Theory of relativistic Coulomb scattering. I, 1=19129
- Gorshkov, V.G. Account of the nuclear Coulomb field in the interaction between electrons and an electromagnetic field, 1=19576
- Gorshkov, V.G. See Krutov, V.A., 1=3422
- Gorski, W. Mechanical effect of X-radiation on crystals, 1=3987
- Górski, W. See Kalmer, J., 1=4390
- Gorski, W. See Krauze, W., 1=2796
- Gorter, C.J. See Bölgger, B., 1=9066
- Gorter, C.J. See Bots, G.J.C., 1=5393
- Gorter, C.J. See van den Broek, J., 1=7771
- Gorter, C.J. See van den Broek, J., 1=14793
- Gorter, C.J. See Verstelle, J.C., 1=7793
- Gorton, H.C., Zaccaroli, A.R., Reid, F.J. and Peet, C.S. Preparation and properties of grown p-n junctions of InSb, 1=7651
- Gorum, A.E. See Bronisz, S.E., 1=20355
- Goryachev, Yu.M., Skachkov, S.V. and Smolyankina, T.G. Measurement of magnetic field distortions in accelerators with hard focusing, 1=5511
- Goryaga, A.N. and Lin'Chzhan-da [Lin Chang-Ta]. On the low temperature-magnetic transformation in lithium ferrite-chromites, 1=20130
- Goryunov, N.N., Erlykin, A.D., Zatespin, G.T. and Kamnev, A.B. Investigating cores of individual air showers, 1=2128
- Goryunov, N.N. and Zatepin, G.T. Observation of  $\mu$ -meson bursts in a set of ionization chambers, 1=516
- Goryunov, N.N. See Vernov, S.N., 1=3280
- Goryunov, N.N. See Vernov, S.N., 1=3287
- Goryunov, N.N. See Vernov, S.N., 1=3288
- Goryunov, Yu.V. See Shchukin, E.D., 1=14910
- Gosar, P. On the relation between Zener breakdown and residual resistance in crystals, 1=1021
- Gosar, P. See Quilliet, A., 1=19860
- Goss, W.C. Kerr cell framing camera, 1=6968
- Gossard, A.C., Jaccarino, V. and Remeika, J.P. Experimental test of the spin-wave theory of a ferromagnet, 1=17950
- Gossard, E.E. See Theisen, J.F., 1=6594
- Gosse, J. On the turbulent flow of fluids, 1=18372
- Gosser, R.B. See Fox, R.E., 1=12684
- Gossick, B.R. Alpha color center in fluorite crystals, 1=10014
- Gosteva, M.I. See Dunina, A.A., 1=994
- Goswami, A. Epitaxial growth of crystals on one-degree oriented substrates, 1=15015
- Goswami, A. See Trehan, Y.N., 1=1376
- Gotch, K. Stokes flow of an electrically conducting fluid in a uniform magnetic field, 1=8377
- Gothe, K.H. Experimental determination of the components of the permeability tensor and the spectroscopic splitting factor of MgMn ferrites in the microwave region. I, 1=5070
- Gotlib, Yu.Ya. A theory of the vibrational spectra of polymers. I, 1=2318
- Gotlib, Yu.Ya. A theory of the vibrational spectra of polymers. II. Twisting skeletal vibrations in syndiotactic polymer chains, 1=2319
- Gotlib, Yu.Ya. See Vol'kenshtein, M.V., 1=18299
- Goto, J. and Machida, S. Nuclear forces in the momentum space, 1=10865
- Goto, K. Characteristic functional for plasma turbulence, 1=16327
- Goto, K. See Kojima, H., 1=20090
- Goto, M. See Hida, K., 1=16757
- Goto, M. See Kuwahara, K., 1=10155
- Goto, M. See Tatsumoto, E., 1=14722
- Goto, S. and Machida, S. Effects of the weak interaction on the hydrogen energy levels, 1=4899
- Gotô, T. On the nature of the electromagnetic field, 1=8411
- Gotô, T. Particle-hole bound states in the many fermion system, 1=18313
- Gotô, Y. See Morita, S., 1=8766
- Goto, Y. See Morita, S., 1=12213
- Gotô, Y. See Morita, S., 1=12214
- Gotoh, K. Magnetohydrodynamic flow past a sphere, 1=7131
- Gotoh, K. Effect of a magnetic field upon the stability of free boundary layers between two uniform streams, 1=13162
- Gotow, K. See England, A.C., 1=16781
- Gottlieb, M. See Zollweg, R.J., 1=8346
- Gottenberg, W.G. See Baltrukonis, J.H., 1=1777
- Gottenberg, W.G. See Baltrukonis, J.H., 1=18505
- Gottfried, K. See Czyz, W., 1=4780
- Gottlieb, G.E., Kane, W.M., Walsh, J.F. and Wood, C. Electrical properties of  $\text{Ag}_2\text{Te}$ , 1=17757
- Gottlieb, K. See Basinski, J., 1=18199
- Gottstein, K. See Quaren, G., 1=13518
- Goudet, G. and Laurenceau, P. Study of the triboelectric properties of various synthetic fabrics, 1=17859
- Goudmand, P. See Guenebaut, H., 1=2557
- Goudmand, P. See Guenebaut, H., 1=6057
- Goudmand, P. See Pannetier, G., 1=15961
- Goudsmit, S.A. Pauli and nuclear spin, 1=15591
- Goulard, B. See Goulard, G., 1=13468
- Goulard, G. and Goulard, B. Theory of the capture of muons by nuclei, 1=13468
- Goulard, M. See Goulard, R., 1=16149
- Goulard, R. and Goulard, M. One-dimensional energy transfer in radiant media, 1=16149
- Gould, F.T., Taylor, T.I., Havens, W.W., Jr., Rustad, B.M. and Melkonian, E. Long wavelength crystal spectrometer and the neutron absorption cross sections of gold and boron, 1=16812
- Gould, J.H. See Comeford, J.J., 1=6213
- Gould, R.N. Some preliminary experimental tests of a novel method of radiating at very low frequencies, 1=19015
- Gould, R.W. and Johnson, C.C. Coupled mode theory of electron-beam parametric amplification, 1=3011
- Gould, R.W. See Boyd, G.D., 1=8568
- Gould, R.W. See Fried, R.D., 1=2985
- Goulden, J.D.S. Spectrofluorimetry of emulsions, 1=16072
- Goulding, F.S. and McNaught, R.A. A transistorized fast-slow coincidence and pulse amplitude selecting system. II, 1=16731
- Goulding, F.S., Nicholson, R.W. and Waugh, J.B. A double-delay-line linear amplifier employing transistors. I, 1=18730
- Goupil, J., Graftieaux, J.P. and Servent, J.M. Electronics in detectors of sheath rupture, 1=2257
- Gourdin, M. Some remarks about the photoproduction of strange particles, 1=16910
- Gourdin, M., Lurié, D. and Martin, A. Effect of a pion-pion scattering resonance on low energy meson-photoproduction, 1=5753
- Gourdin, M., Noiro, Y. and Salin, P. Pion-Kaon scattering, 1=7275
- Gourdin, M. and Rimpault, M. Associated production of strange particles, 1=16911
- Gourdin, M. and Tran Thanh Van, J. Relativistic deuteron wave function, II, 1=5789
- Gourdin, M. See Dufour, J., 1=525
- Goureaux, G. Magnetoresistance of thin films of nickel: longitudinal effect, 1=7619
- Goureaux, G. and Colombani, A. The Hall effect due to magnetization of thin nickel films, 1=7618
- Gourley, L.E. See Hughes, D.S., 1=9090
- Gourley, M.F. See Hughes, D.S., 1=9090
- Gouskov, L. See Fortini, A., 1=17654
- Gouskov, L. See Fortini, A., 1=17655

- Gousseland, G. and Leman, G. The spatial distribution of electrons in the tight binding and nearly-free-electron approximations, 1=14205
- Goussu, O. See Berthelot, A., 1=19281
- Gout, C. See Pradal, F., 1=17492
- Gout, C. See Pradel, F., 1=14241
- Gouterman, M. See Fulton, R.L., 1=17334
- Gouttefangeas, M. See Gendreau, G., 1=16460
- Gouyon, R. The problem of splash of waves, 1=18352
- Gove, H.E., Litherland, A.E. and Batchelor, R. Proton capture gamma rays in the giant resonance region in light nuclei, 1=13792
- Gove, H.E. Systematics of nuclei between  $O^{16}$  and  $Ca^{40}$ , 1=8574
- Gove, H.E. See Broude, C., 1=8578
- Gove, H.E. See Broude, C., 1=8722
- Gove, H.E. See Broude, C., 1=13658
- Gove, H.E. See Clark, M.A., 1=16990
- Gove, H.E. See Ferguson, A.J., 1=8756
- Gove, H.E. See Litherland, A.E., 1=3465
- Gove, H.E. See Litherland, A.E., 1=9740
- Gove, H.E. See Litherland, A.E., 1=13660
- Gove, H.E. See Litherland, A.E., 1=16989
- Gover, T.A. and Porter, G. The recombination of atoms. IV. Iodine atom complexes, 1=20735
- Govil, G. See Dharmatti, S.S., 1=12902
- Govorkov, V.G. and Regel', V.R. Dependence of the compression curve parameters of single-crystal germanium on temperature and strain velocity, 1=14864
- Govorkov, V.G. and Regel', V.R. Dependence of the compression curve parameters of single-crystal germanium on temperature and strain velocity, 1=20319
- Govorkov, V.G. See Regel', V.R., 1=14879
- Govorov, A.M., Li Ga En, Osetinskii, G.M., Salatskii, V.I. and Sizov, I.V. Alpha-particle spectra and the differential cross-sections of the reaction  $H^3(t, 2n)He^4$  at an angle of  $90^\circ$ , 1=19292
- Govorov, A.M. See Li Ga En [Li Ka Yen], 1=555
- Gowariker, S. See Chapman, K.R., 1=1936
- Goyal, D.P. See Bhowmik, B., 1=19276
- Gozzini, A. and Iannuzzi, M. Improvement of the sensitivity of microwave video spectrometers by reduction of noise, 1=16595
- Gozzini, A. See Battaglia, A., 1=14019
- Grabari, V. See Comsa, G., 1=5403
- Grabowski, Z. Gamma-gamma angular correlation measurements in  $Gd^{153}$ , 1=19407
- Grabowski, Z., Gustafsson, S. and Marklund, I. Angular correlation measurements on levels in  $Se^{76}$  and  $Fe^{56}$ , 1=668
- Grabowski, Z., Gustafsson, S., Marklund, I. and Haller, I.B. Angular correlation measurements in  $Ba^{136}$ , 1=3418
- Grabowski, Z., Pettersson, B.G., Gerholm, T.R. and Thun, J.E. Penetration matrix elements and nuclear structure effects in  $Ta^{181}$ , 1=9841
- Grabowski, Z. See Gerholm, T.R., 1=9837
- Grabowski, Z. See Pettersson, B.G., 1=9838
- Grace, M.A. See Chapman, C.J.S., 1=8633
- Grad, H. Reducible problems in magneto-fluid dynamic steady flows, 1=5556
- Grad, H. Boundary layer between a plasma and a magnetic field, 1=18850
- Grader, R.J. Measuring reactor neutron spectra with threshold detectors, 1=13908
- Gradsztajn, E. Mass spectrometer determination of the cross-sections of heavy fragment production by 155 MeV protons on  $O^{16}$ , 1=13800
- Graebel, W.P. Stability of a Stokesian fluid in Couette flow, 1=4305
- Graeffe, G. See Nurmia, M., 1=13714
- Graeffe, R. See Stubb, T., 1=17679
- Graf, K. See Leger, E.G., 1=2727
- Graf, K.A. and Bachynski, M.P. Transmission and reflection of electromagnetic waves at a plasma boundary for arbitrary angles of incidence, 1=18865
- Graf, R. See Bibring, H., 1=20604
- Graff, G. See Drechsler, W., 1=12293
- Graftieaux, J.P. See Goupil, J., 1=2257
- Graham, A.H. See Read, H.J., 1=5079
- Graham, C.D.Jr. Magnetic annealing of cobalt, 1=20083
- Graham, C.D.Jr. and Lommel, J.M. Magnetic anisotropies of nickel films evaporated and measured at  $10^{-5}$  mm Hg and below, 1=6319
- Graham, G.D. and Maass, O. A method for adiabatic compression of gases under controlled conditions, 1=1768
- Graham, J. Lattice spacings and colour in the system alumina-chromic oxide, 1=20539
- Graham, R.A. Piezoelectric behavior of impacted quartz, 1=7696
- Graham, R.L. and Geiger, J.S. The application of a fluxgate magnetometer to an automatic electronic degaussing system, 1=18979
- Graham, R.L. and Merritt, J.S. The K-LL Auger spectrum of  $Dy^{161}$ , 1=17053
- Graham, R.L. See Brown, F., 1=10991
- Graham, R.L. See Ewan, G.T., 1=5840
- Graham, R.L. See Ewan, G.T., 1=8663
- Graham, R.L. See Geiger, J.S., 1=8601
- Graham, T.P. See Barnes, R.G., 1=9069
- Graham, T.P. See Jones, W.H., Jr., 1=7799
- Grahn, R. A theoretical study of the  $H_2O^+$  ion, 1=19654
- Grainger, R.J., Mayer, J.W. and Oliver, J.W. Temperature behavior of p-n junction detectors, 1=3090
- Grainger, R.J. See Bailey, N.A., 1=12075
- Gramaccioli, C. See Vacicagi, A., 1=20568
- Gramenitskii, I.M., Dremin, I.M. and Chernavskii, D.S.  $\pi$ -p interaction at an energy of 7 BeV, 1=19245
- Gramenitskii, I.M., Dremin, I.M., Maksimenko, V.M. and Chernavskii, D.S. Nucleon-nucleon interaction at an energy of 9 BeV, 1=19183
- Gramenitskii, I.M., Korbel, Z. and Rob, L. Determination of the sign of the charge of particles in photographic emulsions, 1=10820
- Gramenitskii, I.M. See Van Shu-fen., 1=19182
- Gran, B.E. See Prosen, R.J., 1=6321
- Granacher, I. Influence of the hydrogen bond energy on the nuclear resonance spectra of phenols, 1=9411
- Granacher, I. See Diehl, P., 1=11122
- Granados, C.E. See Vigon, M.A., 1=19567
- Granato, A.V. and Nilan, T.G. Stored energy release below  $80^\circ K$  in deuterium-irradiated copper, 1=7605
- Granda, A.M. Electrical responses of the human eye to colored flickering light, 1=9236
- Grandy, G.L. See Koch, R.C., 1=1495
- Graneau, P. Frequency dependence of induced currents, 1=5532
- Graner, G. Expansion of molecular dipole moments as a function of the coordinates of symmetry, 1=14117
- Grange, J. Magnetic rotary power: rotativities of dissolved ethyl sulphates, 1=12880
- Grange, J. and Fousse, H. Experimental studies of refractivities. Bond refractivities, 1=14076
- Grange, J. See Fousse, H., 1=14075
- Granier, J. See Astoin, N., 1=855
- Granovskii, V.L. and Urazkov, E.I. A rotatory magneto-mechanical effect in a low-pressure plasma, 1=295
- Granovskii, V.L. See Aleskovskii, Yu.M., 1=18890
- Granovskii, V.L. See Syrgii, A.S., 1=11912
- Granovskii, V.L. See Syrgii, A.S., 1=13069
- Granovskii, V.L. See Syrgii, A.S., 1=18775
- Granovskii, V.L. See Vasil'eva, I.A., 1=13082
- Granovskii, Ya.I. and Kopylov, G.I. Estimate of the role of the law of conservation of angular momentum in the statistical theory of particle production, 1=13461
- Granovskii, Ya.I. and Starikov, V.N. Determination of the parities of strange particles by means of dispersion relations, 1=16908
- Granquist, W.T. See Hollingsworth, C.A., 1=8098
- Grant, D.M. and Gutowsky, H.S. Effect of magnetic nonequivalence in  $A_2B_2$  n.m.r. spectra, 1=7488
- Grant, I.P. Relativistic self-consistent fields, 1=13920
- Grant, I.S. Radiative transitions in  $^9Be$ , 1=635
- Grant, N.J. Reply to discussion "shear along grain boundaries of an aluminium-10% zinc alloy deformed at room temperature", 1=6470
- Grant, R.F., Davidson, D.W. and Gray, P. Dielectric study of some liquid alkyl nitrites, 1=1753
- Grant, R.F. and Henry, W.G. The Knight shift of cadmium in some alloys with group IB and IIB metals, 1=11494
- Granzner, F. and Haase, G. Electron microscope investigations of the formation of dislocations during recrystallization, 1=11210



- Granzer, F. See Hasse, G., 1=9164
- Grapengiesser, B. See Westermarck, T., 1=1744
- Grapengiesser, B. See Westermarck, T., 1=18415
- Grapengiesser, B. See Westermarck, T., 1=19400
- Grapengiesser, B. See Westermarck, T., 1=20760
- Grard, F. See Bartke, J., 1=851
- Grard, F. See Berthelot, A., 1=19281
- Grashin, A. F. Antiprotonium level shifts for large orbital angular momenta, 1=16787
- Grashin, A. F. and Nikitin, Yu. P. The nucleon-nucleon potential, 1=3169
- Grashin, A. F. See Borovikov, V. A., 1=16785
- Grashin, A. F. See Galanin, A. D., 1=19150
- Grashin, A. F. See Gelfand, I. M., 1=19199
- Grashin, A. F. See Shalamov, Ya. Ya., 1=19270
- Grasser, R. and Scharmann, A. Ion deterioration of luminescence in inorganic phosphors, 1=11395
- Grassmann, P. and Straumann, W. A non-steady-state method for measurement of the thermal conductivity of liquids and gases, 1=16135
- Gratot, I. See Olkowsky, J., 1=5913
- Gratot, I. See Olkowsky, J., 1=8731
- Gratot, I. See Olkowsky, J., 1=13794
- Graue, A. See Erdal, A., 1=9876
- Gravelle, W. E. See McKav, R. W., 1=8958
- Graves, C. D. Radio propagation measurements using the Explorer VI satellite, 1=15322
- Gray, B. F. and Whitehead, R. Second-order perturbation theory of helium-like ions, 1=7426
- Gray, D. L. and Cummings, W. V., Jr. An X-ray diffraction study of irradiated molybdenum, 1=2399
- Gray, L. See Leitner, J., 1=16901
- Gray, L. D. See Penner, S. S., 1=12926
- Gray, P. See Grant, R. F., 1=1753
- Gray, T. J. and Savage, S. D. Adsorption in relation to semi-conductivity and associated properties of surfaces, 1=2549
- Gray, W. A. See Macrae, J. C., 1=6552
- Grazhdankina, N. P., Gaidukov, L. G., Rodionov, K. P., Oleinik, M. I. and Shchipanov, V. A. The effect of pressure on the electrical resistance and galvanomagnetic effect in
- Grazhdankina, N. P. See Gaidukov, L. G., 1=20068
- Graziano, W. See Alston, M., 1=3240
- Graziano, W. See Alston, M., 1=8502
- Graziano, W. See Alston, M. H., 1=12126
- Grebennik, I. P. See Pines, B. Ya., 1=12402
- Grebennikov, O. F. See Provornov, S. M., 1=9496
- Grebenshchikov, R. G. See Lazarev, A. N., 1=20551
- Grebenshchikov, S. E. and Raizer, M. D. Skin effect and shock waves in an induced gas discharge, 1=4589
- Grechanik, L. A., Petrovych, N. V. and Karpechenko, V. G. Preparation and properties of glassy oxide semiconductors of the  $VO_{x-1}-PO_{x-1}-RO_x$  type, 1=10047
- Grechishkin, V. S. Nuclear quadrupole resonance, 1=4742
- Grechishkin, V. S. Nuclear spin-lattice relaxation for the case of spin 1 or  $\frac{3}{2}$ , 1=12564
- Grechukhin, D. P. Some possibilities of experimental verification of the model of non-axial nuclei with a rotational spectrum, 1=4825
- Grechukhin, D. P. The vibrational quadrupole excitation model and non-axial rotator model, 1=9798
- Grechukhin, D. P. The dynamic effect of the nuclear volume in conversion M1 transitions in even-even nuclei for the non-axial rotator model and for the vibrational model of the nucleus, 1=17051
- Grechukhin, D. P. Magnetic dipole transitions in even-even nuclei with quadrupole collective excitations, 1=19408
- Grechukin, D. P. The possibility of an experimental check of the model of a non-axial rotator by studying the influence of the medium on the angular correlation of cascade gamma rays, 1=19355
- Grechushina, D. P. Comparison between the model of nuclear quadrupole excitations (VKV-model) and the model of Davydov and Filippov (non-axial rotator) for nuclei with equi-distant energy spectra, 1=8603
- Grecu, D. See Corciovei, A., 1=3630
- Grecu, D. See Corciovei, A., 1=8892
- Grecu, D. See Corciovei, A., 1=14202
- Grecu, D. See Corciovei, A., 1=17514
- Grecu, D. See Corciovei, A., 1=20589
- Greebe, C. A. A. J. See van Daal, H. J., 1=17716
- Green, A. E. and Emmerson, W. C. Stresses in a pipe with a discontinuous bend, 1=15760
- Green, A. E. See England, A. H., 1=10460
- Green, A. E. See Flavin, J. N., 1=16005
- Green, B. A. Jr. Simple a.c. resistance bridge using a d.c. breaker amplifier, 1=10650
- Green, B. C. See Kroh, J., 1=7498
- Green, B. C. See Kroh, J., 1=11474
- Green, D. M. Detection of auditory sinusoids of uncertain frequency, 1=11658
- Green, D. M. Some comments and a correction of "psychoacoustics and detection theory", 1=12707
- Green, F. L. and Martin, J. A. Maximizing production of radioisotopes in a cyclotron, 1=13674
- Green, F. L. and Somerville, A. Continuous counting of gamma rays from hot radioactive liquids, 1=15381
- Green, G. W. An improvement to the floating zone method of growing single crystals, 1=11546
- Green, H. S. Theories of transport in fluids, 1=6804
- Green, H. S. Statistical thermodynamics of plasmas, 1=18815
- Green, H. S. Proton-proton scattering at relativistic energies, 1=19197
- Green, J. J. and Schlömann, E. Ferromagnetic relaxation at low microwave frequencies, 1=6402
- Green, J. J. See Saunders, J. H., 1=6396
- Green, J. R. and Barcus, J. R. Further measurements of the size-spectrum of extensive air showers, 1=13559
- Green, J. W. See Poland, D. E., 1=8257
- Green, L. E. S. See Skarsgard, L. D., 1=7173
- Green, L. L., Willmott, J. C. and Kaye, G. The comparison of d-shell nuclei with the Nilsson model, 1=12144
- Green, L. L. See Baart, E., 1=8576
- Green, M. Oxidation phenomena on germanium surfaces, 1=5102
- Green, M. Theory of the accuracy of wedge density matching of logarithmically sectorized spectra, 1=6951
- Green, M. Corbino disk magnetoresistivity measurements on InSb, 1=10030
- Green, M. Corbino disk, 1=16501
- Green, M. and Greenberg, I. N. Transient charge-carrier diffusion in high purity silicon, 1=14460
- Green, M. and Linnett, J. W. Energy levels in nitrogen tetroxide, 1=2338
- Green, M. and Linnett, J. W. The electronic structure of nitrogen dioxide, 1=2339
- Green, M. and Seiwatz, R. Interaction of rare gases with semiconductor surfaces, 1=20686
- Green, R. The sweep of long water waves across the Pacific Ocean, 1=10304
- Green, R. E. and Walker, W. H. The half-life of  $Sm^{153}$ , 1=19381
- Green, R. E. See Walker, W. H., 1=17128
- Green, R. W., Legvold, S. and Spedding, F. H. Magnetization and electrical resistivity of erbium single crystals, 1=7774
- Green, T. L. See Engler, A., 1=13544
- Green, T. S. Evidence for the containment of a hot, dense plasma in a theta pinch, 1=5466
- Green, T. S. and Niblett, G. B. F. Rayleigh-Taylor instabilities of a magnetically accelerated plasma, 1=18888
- Greenaway, D. L. Infrared investigation of the acceptor levels formed by copper in germanium, 1=1057
- Greenberg, C. Z. See Egan, J. P., 1=12709
- Greenberg, D. A. and Foley, H. M. Theory of the hyperfine anomalies of deuterium, tritium, and helium-5<sup>+</sup>, 1=801
- Greenberg, G. Z. See Egan, J. P., 1=9223
- Greenberg, I. N. See Green, M., 1=14460
- Greenberg, J. and Hallgren, L. J. Infrared spectra of NaOH above and below the melting point, 1=11381
- Greenberg, J. M. The sizes of interstellar grains, 1=2595
- Greenberg, J. M. and Meltzer, A. S. The effect of orientation of non-spherical particles of interstellar extinction, 1=2594
- Greenberg, J. M., Pedersen, N. E. and Pedersen, J. C. Microwave analog to the scattering of light by nonspherical particles, 1=2887
- Greenberg, Z. See Egan, J. P., 1=9222
- Greenberger, D. M. and Margolis, B. Two-parameter approximation to S-wave scattering, 1=7206
- Greene, D. Beam stability of a 20 MeV betatron, 1=3027
- Greene, D. and Massey, J. B. Some measurements on the absorption of 4 MV X-rays in concrete, 1=9665
- Greene, D. C. Vibration and sound radiation of damped and undamped flat plates, 1=15991
- Greene, D. C. See Skudrzyk, E. J., 1=2805

- Greene, E.F. Reduction of potassium ion background in tungsten surface ionization detectors for molecular beams, 1=13135
- Greene, J.M. and Johnson, J.L. Determination of hydromagnetic equilibria, 1=10706
- Greene, J.M. See Johnson, J.L., 1=19004
- Greene, P.H. Networks for pattern perception, 1=1622
- Greene, R.F. Semiconductor surface transport theory, 1=3742
- Greener, E.H. and Whitmore, D.H. Nonohmic behavior in near-stoichiometric rutile ( $\text{TiO}_2$ ), 1=10035
- Greener, E.H., Whitmore, D.H. and Fine, M.E. Electrical conductivity of near-stoichiometric  $\alpha\text{-Nb}_2\text{O}_5$ , 1=6163
- Greenfield, I.G. and Wilsdorf, H.G.F. Effect of neutron irradiation on the plastic deformation of copper single crystals, 1=9092
- Greenfield, M.A. and Koontz, R.L.  $\text{In}^{116}$  activation ratios, 1=11026
- Greenfield, M.A. and Koontz, R.L. A universal function for computing counting performance, 1=13236
- Greenhow, J.S. and Hall, J.E. Attachment processes in meteor trails, 1=12742
- Greenland, K.M. Some aspects of research on thin solid films, 1=1448
- Greenland, K.M. Colloquium on optical materials — Paris 1961, 1=18586
- Greenlees, G.W. and Jarvis, O.N. Proton total reaction cross-sections, 1=8774
- Greenlees, G.W., Lilley, J.S., Rowe, P.C. and Hodgson, P.E. The elastic scattering of 29 MeV  $\text{He}^3$  by Al, V and Cu, 1=8774
- Greenlees, G.W. and Lowe, J. The elastic and inelastic scattering of 19.6 MeV deuterons by Mg, 1=712
- Greenlees, G.W. See Hoare, D., 1=9851
- Greenler, R.G. and Kay, R.M. Electric breakdown strengths of single and laminated films of vinyl chloride-acetate, 1=10082
- Greenough, A.P. See Davies, P.W., 1=14979
- Greenough, A.P. See Hayward, E.R., 1=15171
- Greenschlag, S. See Hill, T.L., 1=8066
- Greenspan, H.P. On the flow of a viscous electrically conducting fluid, 1=9677
- Greenspon, J.E. Vibrations of thick and thin cylindrical shells surrounded by water, 1=15993
- Greenspon, J.E. An approximation to the remainder of Robey's reactive impedance integral, 1=16025
- Greenspon, J.E. Vibrations of cross-stiffened and sandwich plates with application to underwater sound radiators, 1=18496
- Greenstein, J.L. The galaxies in the radio source 3C278, 1=5171
- Greenstein, J.L. See Fowler, W.A., 1=10373
- Greenwood, A. See Lee, T.H., 1=7041
- Greenwood, D.D. Auditory masking and the critical band, 1=7959
- Greenwood, D.D. Critical bandwidth and the frequency coordinates of the basilar membrane, 1=15372
- Greenwood, H.H. and Hayward, T.H.J. Properties of the self-consistent field treatment of conjugated molecules, 1=14067
- Greenwood, J.A. and Harris, J. Electrical conduction in solids. III. The contact of iron surfaces, 1=1017
- Greenwood, J.A., Minshall, H. and Tabor, D. Hysteresis losses in rolling and sliding friction, 1=14929
- Greenwood, R.C. and Brannen, E. Decay scheme of  $\text{Sn}^{113}$ , 1=9842
- Greetham, G. and Honeycombe, R.W.K. The deformation of single crystals of aluminium-4.5% copper alloy, 1=20369
- Greger, G. The preparation of single crystals of silicon by the Czochralsky process, 1=4028
- Greger, G. Saturation currents in silicon electrodes, 1=20745
- Gregg, D.W. and Drickamer, H.G. Effect of pressure on the optical properties of organic phosphors, 1=20019
- Grégoire, R. See Duquesne, M., 1=4744
- Gregory, A.G. The  $\text{B}^{11}(\text{p}, \gamma \alpha)\text{Be}^8$  reaction and the 9.63 MeV state of  $\text{C}^{12}$ , 1=5910
- Gregory, A.G. and Treacy, P.B. Polarization of protons from low resonances in  $^{13}\text{C}(\text{d}, \text{p})^{13}\text{C}$ , 1=5935
- Gregory, J.B. Radio wave reflections from the mesosphere. I. Heights of occurrence, 1=15326
- Gregory, J.B. Ionospheric reflections below 50 kilometers during polar-cap absorption events, 1=20941
- Gregory, J.M. See Chapman, C.J.S., 1=8633
- Gregory, J.M. See Chapman, C.J.S., 1=13684
- Gregory, R.L. The solid image microscope: an instrument giving information in depth by optical scanning, 1=4450
- Gregory, R.L. An optical "solid-image" microscope, 1=8220
- Gregush, A. and Gregush, P. The effect of ultrasound on catalytic properties of  $\text{MnO}_2$  gels and suspensions, 1=10296
- Gregush, P. See Gregush, A., 1=10296
- Greguss, P., Jr. See Weissburg, J., 1=10121
- Greider, K.R. Theory of conservation of isotopic spin from  $\text{d} + \text{d}$  reactions, 1=9777
- Greif, H. Photographic representation of brightness distributions, 1=6945
- Greifer, A.P., Nakada, Y. and Lessoff, H. Preparation and properties of low-loss ferrites, 1=6369
- Greifinger, C. and Cole, J.D. On cylindrical magnetohydrodynamic shock waves, 1=7139
- Greifinger, P.S. Induced oscillations in a rarefied plasma in a magnetic field, 1=2983
- Greig, D. See Fischer, G., 1=11290
- Greig, J.R. See Curzon, F.L., 1=477
- Greig, W.J. See Veloric, H.S., 1=1096
- Greiner, C. The interpretation of domain structures induced by tension in the alloy  $50\text{Ni}50\text{Fe}$ , 1=6297
- Greiner, C. Transformation of domain structures by applied voltages, 1=14708
- Greiner, C. The magnetic field over the surface of a laminar domain structure with Bloch-wall-and surface poles, 1=20087
- Greiner, C. See Andrá, W., 1=20088
- Greiner, J.H., Croll, I.M. and Sulich, M. Ferromagnetic-antiferromagnetic interaction in  $\text{Fe}-\text{FeS}$ , 1=3875
- Greiner, J.H., Croll, I.M. and Sulich, M. Unidirectional properties in the iron-iron sulfide system, 1=6285
- Greiner, W. Nuclear polarization of mesic atoms with spherically symmetric meson states, 1=19617
- Greisen, K., Delvaile, J. and Kendzior, F. Distribution of points of initiation of e.a.s., 1=2132
- Greisen, K. See Delvaile, J., 1=3285
- Greisen, K. See Delvaile, J., 1=3326
- Greisen, K. See Delvaile, J., 1=5802
- Greisen, K. See Pak, W., 1=3375
- Greison, K. See Pine, J., 1=2119
- Grell-Niemann, H. See Dornberger-Schiff, K., 1=20483
- Grenacs, L. See Colard, J., 1=13662
- Grenat, H., Herman, L., Herman, R. and Weniger, S. Emission spectrum of the  $\text{B}_2\text{O}_3$  molecule, 1=849
- Grench, H.A. and Burson, S.B. Decay of  $^{161}\text{Er}$  (3.1 hr), 1=2196
- Grenet, G. A note on the amplitude of certain pulsatory magnetic perturbations, 1=1584
- Grenier-Besson, L. Resonances and rotational  $\ell$ -type doubling in axially symmetric molecules, 1=17305
- Grenier-Besson, M.L., Amat, G. and Maes, S. Vibration-rotation energy of polyatomic molecules. Note on the tables of second order transformed Hamiltonian coefficients, 1=17304
- Greuling, E. and Whitten, R.C. Lepton conservation and double beta-decay, 1=5858
- Greuling, E. See Goertzel, G., 1=13437
- Grevendonk, W. See van Isterbeek, A., 1=140
- Grew, K.E. and Mundy, J.N. Thermal diffusion in some mixtures of inert gases, 1=18464
- Gribkov, V.I., Zhevandrov, N.D. and Khan-Magometova, Sh.D. Polarization of the luminescence from molecular crystals under  $\beta$ -ray excitation, 1=20025
- Gribnikov, Z.S. and Tolpýgo, K.B. Emissive power of a spherical contact between a metal and a semiconductor. The case of strong currents, 1=17769
- Gribov, L.A. Calculation of the intensities and polarizations of the vibrational absorption spectra of multiatomic molecules. II, 1=2324
- Gribov, L.A. An analysis of the tracking system of double-beam infrared spectrometers [type IKS-2(14)], 1=4466
- Gribov, L.A. Intensities and polarizations of characteristic vibrations in the infrared absorption spectra of multiatomic molecules, 1=14022
- Gribov, V.N. Asymptotic behaviour of the scattering amplitude at high energies, 1=5667
- Gribov, V.N. A possible asymptotic behaviour of elastic scattering, 1=19149
- Gribov, V.N., Danilov, G.S. and Dyatlov, I.T. Analytical properties of a square diagram with non-decaying masses, 1=19152
- Gribov, V.N., Terent'ev, M.V. and Ter-Martirosyan, K.A. The Mandelstam representation in perturbation theory for an anomalous mass relation, 1=13339



- Gridnev, K.A. See Nemilov, Yu.A., 1-6238
- Gridnev, V.N., Trefilov, V.I. and Minakov, V.N. Martensitic transformations in the titanium-zirconium system, 1-4064
- Gridnev, V.N., Trefilov, V.I. and Minakov, V.N. Martensitic transformations in the titanium-zirconium system, 1-7874
- Griem, H.R. Stark broadening of higher hydrogen and hydrogen-like lines by electrons and ions, 1-2290
- Griem, H.R. and Shen, K.Y. Stark broadening of hydrogenic ion lines in a plasma, 1-8809
- Griem, H.R. See McLean, E.A., 1-291
- Griem, H.R. See McLean, E.A., 1-12917
- Griem, H.R. See Wiese, W., 1-2782
- Griesser, O. and Sittkus, A. Measurement of the Kr<sup>86</sup> content of the air, 1-20874
- Griffin, J.J. and Hanna, G.C. Fission phenomena and nuclear structure. I-II, 1-8787
- Griffin, R.F. Photoelectric measurements of the  $\lambda$  5250 Å Fe I triplet and the D lines in G and K stars, 1-9282
- Griffing, G.W. Influence of the rotational levels on the scattering of slow neutrons by gaseous methane, 1-19624
- Griffioen, R.D. and Rasmussen, J.O. Analysis of long-range alpha-emission data, 1-4843
- Griffith, J.S. The electronic structures of some first transition series metal porphyrins and phthalocyanines, 1-865
- Griffith, J.S. Some investigations in the theory of open-shell ions. II. V, W and X coefficients, 1-14082
- Griffith, J.S. Some investigations in the theory of open-shell ions. III. The calculation of matrix elements, 1-14083
- Griffith, J.S. Some investigations in the theory of open-shell ions. IV. The basis of intensity theory, 1-14084
- Griffith, T.C. See Esten, M.J., 1-19192
- Griffiths, D. See Coles, B.R., 1-1203
- Griffiths, D. See Coles, B.R., 1-6383
- Griffiths, D.H., King, R.F., Pees, A.I. and Wright, A.E. The remanent magnetism of some recent varved sediments, 1-1579
- Griffiths, G.M., Morrow, R.A., Riley, P.J. and Warren, J.B. The  $T(\alpha, \gamma) Li^7$  reaction, 1-17151
- Griffiths, J.H.E. See Orton, J.W., 1-17536
- Griffiths, J.H.E. See Wertz, J.E., 1-3653
- Griffiths, R.B. See Webb, R.H., 1-9125
- Griffiths, T.R. and Symons, M.C.R. Ionic interactions in solutions of electrolytes as studied by ultra-violet spectroscopy, 1-137
- Griffy, T.A. See Phillips, G.C., 1-3402
- Grigolyuk, E.I. Dynamics of elastoplastic shells and plates, 1-15989
- Grigolyuk, E.I. Dynamics of elastoplastic shells and plates, 1-18499
- Grigorescu, L. and Nachman, M. Reflexion coefficient of a Cu-Sn alloy obtained by simultaneous evaporation of its constituents, 1-15125
- Grigorescu, L. and Teodorescu, I. Electron diffraction studies on a Cu-Sn alloy obtained by simultaneous evaporation of its constituents, 1-15126
- Grigor'ev, A.M. Anometers for the measurement of ultra-high vacuum, II, 1-5305
- Grigor'ev, A.M., Khavkin, L.P. and Tsybina, N.V. Measurement of pressures from 0.1 to 5 mm Hg by a thermocouple manometer type [LT-2], 1-5248
- Grigor'ev, B.A., Ershov, A.G. and Uvarov, V.A. Reflection of radiation by an infinite plane illuminated with a point source. I. Characteristics of the radiation field, 1-12969
- Grigor'ev, B.A., Ershov, A.G. and Uvarov, V.A. Reflection of radiation by an infinite flat surface, illuminated from a point source. II. Particular cases, important for practical applications, 1-18564
- Grigor'ev, E.P. and Dzhelepov, B.S. Decay of Ho<sup>166</sup>, 1-2191
- Grigor'ev, E.P., Gromov, K.Ya., Dzhelepov, B.S., Zvol'ska, V., Zolotavin, A.V., Veis, M. and Van Yun-yui [Wang Yung-yui], The decay of the two-hour isotope Lu<sup>180</sup>, 1-10975
- Grigor'ev, V.I. See Vavilov, B.T., 1-3145
- Grigor'ev, V.N. and Rudenko, N.S. The density of H<sub>2</sub>-D<sub>2</sub>
- Grigoriev, E.P. and Zolotavin, A.V. Concerning the decay of Se<sup>76</sup>, 1-5874
- Grigoriu, A., Macovei, M., Popescu, C. and Toth, T. Apparatus for the measurement of the ion current intensity distribution, in the reaction chamber of a cyclotron, 1-5513
- Grigorov, N.L., Guseva, V.V., Dobrotin, N.A., Kotelnikov, K.A., Murzin, V.S., Ryabikov, S.V. and Slavatskiy, S.A. Studies of nucleon-nucleon interactions at energies of  $2 \times 10^{11}$  eV, 1-5801
- Grigorov, N.L., Kondratiev, N.A., Savel'eva, A.I., Sobinyakov, V.A., Podgurskaya, A.V. and Shestoporov, V.Ya. Methods, proposed by Moscow University, of studying the elementary act of interaction of nuclear-active particles of energy  $10^{11}$ - $10^{14}$  eV with atomic nuclei, 1-3265
- Grigorov, N.L. See Babayan, C.P., 1-3271
- Grigorov, N.L. See Babetski, S.Yu., 1-19314
- Grigorovich, R. [Grigorovici] and Manaila, R. The effect of the object thickness on phase contrast, 1-12972
- Grigorovici, R. See Grigorovich, R., 1-12972
- Grigorovici, D., Ciobanu, G. and Toma, E. Studies of light scattering by thin granular silver films, 1-18618
- Grigorovici, R., Croitoru, N. and Devenyi, A. A new method for determining the height of particles (spherical calotte) by means of an electron microscope, 1-1467
- Grigorovici, R., Croitoru, N. and Dévényi, A. Structure and aggregation processes in evaporated layers of silver and lead, 1-2548
- Grigorovici, R. and Oncescu, M. The necessity of introducing a new radio-biological quantity, 1-626
- Grigoryan, S.S. Limiting self-similar one-dimensional unsteady gas flows. Cauchy's problem and the piston problem, 1-6881
- Grigoryan, S.S. Heating and melting of a solid due to friction, 1-6988
- Grigoryan, S.S. The Cauchy problem and the problem of the piston for one-dimensional unsteady motion of a gas (self-similar motion), 1-15926
- Grigor'yants, V.V. and Zhabotinskii, M.E. Calculation and design of precision thermostats, 1-4506
- Grigoryev, E.P. and Zolotavin, A.V. The spectral sensibility [sensitivity] of a magnetic gamma-spectrometer in a photoelectric method, 1-477
- Grigson, C.W.B. See Cole, M., 1-9240
- Gribo, E. See Bansi-Gribo, M. [Bancie-Grillot] ., 1-11396
- Grillot, E. See Bansi-Gribo, M. [Bancie-Grillot] ., 1-11396
- Grillot, E., Gross, E.F., Bancie-Grillot, M. and Novikov, B. On the different forms of the spectral sensitivity curves for the photoconductivity of pure crystals of cadmium sulphide. The influence of crystal thickness, 1-7666
- Grillot, E., Gross, E.F., Bancie-Grillot, M. and Novikov, B.V. On the different forms of spectral sensitivity curves for the photoconductivity of pure crystals of cadmium sulphide. The influence of the polarization of the exciting radiation and the method of crystal preparation, 1-7667
- Grilly, E.R. See Mills, R.L., 1-4526
- Grimes, H.H. See Girifalco, L.A., 1-3692
- Grimley, R.T., Burns, R.P. and Inghram, M.G. Thermodynamics of the vaporization of Cr<sub>2</sub>O<sub>3</sub>; dissociation energies of CrO, CrO<sub>2</sub> and CrO<sub>3</sub>, 1-4513
- Grimley, R.T., Burns, R.P. and Inghram, M.G. Thermodynamics of the vaporization of nickel oxide, 1-11864
- Grimley, R.T. and Margrave, J.L. The high temperature heat content of sodium oxide, 1-2380
- Grimley, T.B. Surface states associated with adsorbed atoms, 1-940
- Grimley, T.B. Metal oxidation and surface structure, 1-2546
- Grimley, T.B. Stereospecific polymers and Markoff chains, 1-9156
- Grimley, T.B. and Holland, B.W. The surface states of a simple crystal model, 1-14212
- Grimmeiss, H.G., Groth, R. and Maak, J. Luminescent and photoconductive properties of doped GaN, 1-3861
- Grimmeiss, H.G., Kischio, W. and Rabenau, A. AIP: preparation, and electrical and optical properties, 1-17717
- Grimmeiss, H.G. and Koelmans, H. Analysis of p-n luminescence in Zn-doped GaP, 1-14631
- Grimmeiss, H.G., Rabenau, A. and Koelmans, H. Some properties of p-n junctions in GaP, 1-17775
- Grimmeiss, H.G. See Koelmans, H., 1-3786
- Grimmeiss, H.G. See Koelmans, H., 1-14501
- Grin', A.V. Internal friction at the grain boundaries in aluminium, 1-1301
- Grin', Yu.T. The effect of nucleon pair correlations on the probability of electromagnetic transitions, 1-8666
- Grin', Yu.T. Effect of rotation on pair correlation in nuclei, 1-16963

- Grin', Yu.T. The E2 transition probability from the first  $2^+$  level in spherical nuclei, 1=19357
- Grin', Yu.T., Drozdov, S.I. and Zaretskii, D.F. Moments of inertia of odd nuclei, 1=8551
- Grin', Yu.T. and Pavlichenkov, I.M. The collective gyro-Grinberg, A. See de Grinberg, D.K., 1=20414
- Grinberg, A.A. The temperature dependence of the non-equilibrium carrier lifetime in the case of recombination on multicharged centres in semiconductors, 1=5012
- Grinberg, A.A. The theory of the transverse photomagnetic [photoelectromagnetic] effect, 1=11328
- Grinberg, A.A. and Novikov, S.R. Application of the longitudinal and transverse magnetoeconcentration effects in the determination of the magnetoresistance coefficients in anisotropic crystals of cubic symmetry, 1=11263
- Grinberg, A.A., Novikov, S.R. and Rývkin, S.M. A new negative photoconductivity effect in a magnetic field, 1=5026
- Grinberg, A.A., Novikov, S.R. and Rývkin, S.M. A new negative photoconductivity effect in a magnetic field, 1=10063
- Grinberg, A.A. and Rývkin, S.M. A monopolar non-stationary photomagnetic effect, 1=19912
- Grinberg, A.A. and Stokan, N.B. The effect of the surface recombination velocity and the absorption coefficient on the transient characteristics of photodiodes, 1=3776
- Grinberg, A.P. See Andreyev, D.S., 1=2243
- Grinberg, G.A. Calculation of the mean values of functions of distance from a point over a surface or a volume, 1=5114
- Grinberg, G.A. The magnetohydrodynamic problem of flow round sources of magnetic field by a stream of ideal perfectly conducting fluid, 1=5539
- Grinberg, G.A. Stationary motion of a conducting fluid through a tube in presence of a transverse magnetic field, 1=8380
- Grinberg, G.A. Calculation of the mean values of functions of distance from a point over a surface or a volume, 1=11671
- Grinberg, G.A. Stationary motion of a conducting fluid through a tube in presence of a transverse magnetic field, 1=12009
- Grinberg, G.A. The magnetohydrodynamic problem of flow round sources of magnetic field by a stream of ideal perfectly conducting fluid, 1=12010
- Grinberg, G.A. and Kolesnikova, E.N. The problem of diffraction of electromagnetic waves by a perfectly conducting plane ring, 1=5593
- Grinberg, G.A. and Kolesnikova, E.N. The problem of diffraction of electromagnetic waves by a perfectly conducting plane ring, 1=12017
- Grindlay, J. The hole theory of liquids, 1=5381
- Grinellini, N.T. See Leitner, J., 1=16901
- Gringauz, K.I. and Rýtov, S.M. The connection between measurements with the aid of charged-particle traps by the Soviet cosmic rockets and measurements of the magnetic field by the American satellite "Explorer VI" and the rocket "Pioneer V", 1=6644
- Gringauz, K.I. and Rýtov, S.M. The connection between measurements with the aid of charged-particle traps by the Soviet cosmic rockets and measurements of the magnetic field by the American satellite "Explorer VI" and the rocket "Pioneer V", 1=10338
- Grishaev, I.A. and Shenderovich, A.M. Errors due to the "dead" time of counters operating in conjunction with pulsed sources, 1=16625
- Grisaru, M.T. See Goldberger, M.L., 1=495
- Grishechkina, S.P. See Vul, B.M., 1=10053
- Grishechkina, S.P. See Vul, B.M., 1=11313
- Grishin, V.G. See Bannik, B.P., 1=19451
- Grishin, V.G. See Van Shu-fen., 1=19182
- Grits, Iu.A. See Selinov, I.P., 1=17010
- Gritton, G.V. See Pretzel, F.E., 1=7697
- Grivet, P. Measurement of weak magnetic fields of terrestrial type, 1=16474
- Grivet, P. and Hahn, H. The stabilization of a magnetic field by a nuclear magnetic resonance maser. I, 1=18974
- Grivet, P. and Hahn, H. The stabilization of a magnetic field by a nuclear magnetic maser. II, 1=18975
- Grivet, P. and Septier, A. Magnetic quadrupole lenses. I, 1=1926
- Grivet, P. and Septier, A. Magnetic quadrupole lenses. II, 1=1927
- Grodzins, L. The application of the XYZ recorder to radiation studied, 1=7008
- Grodzins, L. and Genovese, F. Experimental investigation of parity conservation in the 14.4 keV gamma transition in  $\text{Fe}^{57}$ , 1=602
- Grodzins, L. and Phillips, E.A. Measurement of the refractive index of lucite by recoilless resonance absorption, 1=17868
- Grodzovskii, G.L., Ivanov, Yu.N. and Tokarev, V.V. Motion of a body with a variable mass and constant loss of energy in a gravitational field, 1=15602
- Groen, J.J. See van Eysbergen, H.C., 1=212
- Grognot, P. and Perdriel, G. Influence of noise on certain visual functions, 1=21139
- Grohmann, I., Hellwege, K.H. and Kahle, H.G. Nuclear hyperfine structure in the absorption spectrum of a crystalline salt, 1=1158
- Grohmann, I., Hellwege, K.H. and Kahle, H.G. Spectrum, Zeeman effect and electron levels of trivalent holmium in crystalline salts, 1=19987
- Grohmann, K. See Boersch, H., 1=3017
- Grohmann, K. See Boersch, H., 1=16422
- Gromov, K. See Abdurazakov, A., 1=646
- Gromov, K.Ya. See Grigor'ev, E.P., 1=10975
- Gromov, V.V. See Spitsyn, V.I., 1=20656
- Grona, L.Ya. See Strizhak, V.I., 1=17094
- Grona, L.Ya. See Strizhak, V.I., 1=19425
- Grønvold, F., Thurmann-Moe, T., Westrum, E.F. Jr. and Chang, E. Low-temperature heat capacities and thermodynamic functions of some platinum and palladium group chalcogenides. I. Monochalcogenides; PtS, PtTe, and PdTe, 1=19717
- Grønvold, F. See Westrum, E.F., 1=19718
- Groschwitz, E. On the question of new possibilities of amplification by the movement of carriers in semiconductors, 1=1098
- Groschwitz, E., Hofmeister, E. and Ebhardt, R. The electrical properties of extended current paths in space-charge zones near the surfaces of semiconductors, 1=3745
- Groschwitz, E. See Ebhardt, R., 1=11319
- Groshev, L.V. Radiative properties of the low levels in  $\text{Cd}^{114}$ , 1=8595
- Groshev, L.V. and Demidov, A.M. The  $\gamma$ -ray spectrum from the IRT reactor, 1=4888
- Groshev, L.V., Gavrilov, B.I. and Demidov, A.M. Thermal neutron capture  $\gamma$ -rays, 1=17110
- Grosjean, C.C. and Van De Walle, R.T. On the calculation of radial wave functions corresponding to energies in the continuum part of the helium spectrum, 1=6898
- Grosjean, C.C. See Van de Walle, R.T., 1=8305
- Grosjean, M. and Legrand, M. An apparatus for the measurement of circular dichroism in the visible and the ultraviolet, 1=2894
- Gross, B. Compton dosimeter for measurement of penetrating X-rays and gamma rays, 1=5712
- Gross, B. and Murphy, P.V. Electrical irradiation effects in solid dielectrics, 1=3809
- Gross, B. and Murphy, P.V. Currents from gammas make detectors and batteries, 1=13376
- Gross, E.E. and Marable, J.H. Static and dynamic multiplication factors and their relation to the inhour equation, 1=13890
- Gross, E.F. and Kaplyanskii, A.A. Splitting of the fundamental absorption edge of  $\text{Cu}_2\text{O}$  caused by the removal of degeneracy of bands by uniaxial deformation of the crystals, 1=3829
- Gross, E.F. and Kaplyanskii, A.A. Studies of the effect of orientated deformations on the spectrum of the fundamental absorption edge of  $\text{Cu}_2\text{O}$  monocrystals, 1=12496
- Gross, E.F. and Kaplyanskii, A.A. The quadrupole absorption coefficient and the optical lifetime of the ground state of excitons in a  $\text{Cu}_2\text{O}$  crystal, 1=17876
- Gross, E.F. and Kaplyanskii, A.A. The quadrupole absorption coefficient and the optical lifetime of the ground state of excitons in a  $\text{Cu}_2\text{O}$  crystal, 1=19967
- Gross, E.F. and Novikov, B.V. The correlation between the background and maxima in the fine structure of the photoconductivity response spectrum in a monocrystal of CdS, 1=1794
- Gross, E.F., Razbirin, B.S. and Safarov, V.I. Investigation of the long-wavelength fundamental absorption in polycrystalline layers of CdS and ZnSe at low temperatures, 1=3842



- Gross, E.F. and Shekhmamet'ev, R.I. Relationship of the luminescent edge to the structure of the fundamental absorption edge, 1=17906
- Gross, E.F. and Sobolev, V.V. Photoluminescence near the fundamental absorption edge of CdSe-CdS mixed crystals, 1=9004
- Gross, E.F., Zakharchenya, B.P. and Kanskaya, L.M. Investigation of the exciton Stark effect in oriented single crystals of cuprous oxide, 1=17885
- Gross, E.F., Zakharchenya, B.P. and Konstantinov, O.V. The effect of the magnetic field inversion of the exciton absorption spectrum of a CdS crystal, 1=19971
- Gross, E.F. See Bansi-Griio, M., 1=11396
- Gross, E.F. See Grillot, E., 1=7666
- Gross, E.F. See Grillot, E., 1=7667
- Gross, E.P. Dynamics of classical many-body systems, 1=9346
- Gross, E.P. Structure of a quantized vortex in boson systems, 1=12821
- Gross, E.T.B. Efficiency of thermoelectric devices, 1=16251
- Gross, F. Peculiarities in the conduction of Ag<sup>+</sup> ions in crystalline quartz, 1=11268
- Gross, H. Has the M centre in KCl a magnetic moment? 1=19813
- Gross, H. and Wolf, H.C. Electron-spin resonance [E.S.R.] investigations on M centres in KCl, 1=11241
- Grossetti, E. Mechanical momentum of solutions of liquids in a rotating electric field, 1=5253
- Grossetti, E. Rotational mechanical moments of electrolyte solutions in a rotating high-frequency electric field, 1=15864
- Grossmann, A. Schrödinger scattering amplitude. II, 1=15697
- Grossmann, A. and Tai Tsun Wu. Schrödinger scattering amplitude. I, 1=15696
- Grossmann, G. and Ariya, S.M. The magnetic susceptibility of a solid solution of ferrous oxide in magnesium oxide, 1=1214
- Grossweiner, L.I. and Zwicker, E.F. Transient measurements of photochemical processes in dyes. I. The photosensitized oxidation of phenol by eosin and related dyes, 1=7919
- Grossweiner, L.I. See Reinberg, A.R., 1=8915
- Grossweiner, L.I. See Silverman, L.E., 1=3693
- Grosvald, G. See Le Bott, Jean., 1=14535
- Groszek, A.J. See Bell, G.H., 1=20679
- Groszkowski, J. Pulse compression of gas by untight piston, 1=15968
- Groszkowski, J. The thermal vacuum gauge in pulse pressure operation, 1=15976
- Groszkowski, J. Gas desorption at rubbing surfaces in high vacua, 1=15983
- Groszkowski, J. Unreliability of ionisation gauges and its consequences, 1=18483
- Grote, L.C., Krecker, U., Kundt, U., Lanius, K., Manske, G. and Meier, H.W. Inelastic  $\pi^-$ -nucleon interactions at 7.5 GeV, 1=9760
- Groth, R. The temperature dependence of the short-wave absorption edge of MgO in the infrared, 1=8991
- Groth, R. Infrared detectors based on phosphors, 1=16153
- Groth, R. See Grimmeiss, H.G., 1=3861
- Groth, W.E. and Schlierholz, H. The photolysis of nitrous oxide in the far ultraviolet, 1=6575
- Groth, W.E. and v. Weyssenhoff, H. Photochemical formation of organic compounds from mixtures of simple gases, 1=6576
- Grotowski, K. See Budzanowski, A., 1=719
- Grotowski, K. See Budzanowski, A., 1=13845
- Grotzmann, A.G. Optical servo control for a spoon gauge, 1=8091
- Groubert, E. and Caillon, P. Measurement of the dielectric properties of high loss substances, 1=16236
- Grove, D.M. See Ash, R., 1=18447
- Grover, F.H. Very high speed dual-purpose image-converter camera, 1=4487
- Grover, G.M. See Ranken, W.A., 1=1912
- Grover, J.R. Effect of competition between gamma-ray and particle emission on excitation functions, 1=10996
- Grover, N.B. See Harnik, E., 1=1051
- Grover, N.B. See Many, A., 1=1050
- Groves, G.V. Latitude and diurnal variations of air densities from 190 to 280 Km as derived from the orbits of Discoverer satellites, 1=20817
- Groves, G.W. On tidal torque and eccentricity of a satellite's orbit, 1=12741
- Gruber, J. and Meister, R. Ultrasonic attenuation in water containing brine shrimp suspension, 1=9449
- Gruber, J.B. An analysis of the infrared absorption spectrum of Am<sup>3+</sup>(5f<sup>6</sup>) in LaCl<sub>3</sub>, 1=19991
- Gruber, J.B. and Conway, J.G. Evaluation of electrostatic energy levels of f<sup>6</sup>, 1=4896
- Gruber, S. Statistical analysis of radio star scintillation, 1=15266
- Grubnik, N.A. A study of acoustic properties of submerged soil at high frequencies, 1=10301
- Grudzińska, S. The abundance of CO<sup>+</sup> ions in cometary tails, 1=20
- Grudzińska, S. See Mianes, P., 1=19
- Gruhn, C.R. See Bodansky, D., 1=8773
- Grum-Grzhimailo, S.V., Brilliantov, N.A., Sviridova, R.K. and Sukhanova, O.N. Low-temperature absorption spectra of some synthetic crystals colored by nickel, 1=3835
- Grumăzescu, M. See Bădărău, E., 1=1792
- Grumm, H. Basic information on nuclear energy, 1=13874
- Grummitt, W.E. See Milton, G.M., 1=708
- Grun, J.B., Sieskind, M. and Nikitine, S. Low-temperature determination of the oscillator strength of Cu<sub>2</sub>O lines of the green series, 1=14590
- Grunberg, J.G., Antier, G. and Seiden, P.E. Note on the polishing of small spheres of ferrimagnetic materials, 1=21160
- Grunberg, L., Scott, D. and Wright, K.H.R. The investigation of surface deformation, 1=6564
- Grundl, J. and Usner, A. Spectral comparisons with high energy
- Gründler, W. Digital recording illumination photometer, 1=12964
- Grushin, V.F. and Zinevich, A.N. The nonuniformity of light gathering in large scintillators, 1=4746
- Grützmacher, M. and Wesselhöft, E. The musical sound of a Chinese gong, 1=208
- Grzędzielski, S. On gas expansion in the central parts of the galaxy, 1=2641
- Grzywacz, J., Kowski, A. and Polacki, Z. On the photoluminescence of fluorescein in methyl polymethacrylate, 1=148
- Gschneidner, K.A., Jr., McDonald, R.R. and Elliott, R.O. Influence of spin on electronic transformations, 1=7551
- Gschwendtner, K. and Wolf, H.C. The freezing of energy transfer in organic mixed crystals, 1=6231
- Gu Shchu-chzhao', See Shaskol'skaya, M.P., 1=11215
- Gu Shchu-chzhao'. See Shaskol'skaya, M.P., 1=12391
- Gualdi, C. See Boccaletti, D., 1=5752
- Gualdi, C. See Boccaletti, D., 1=8480
- Guarino, A. See Cacace, F., 1=15206
- Guarnieri, A. See Mirri, A.M., 1=8833
- Gubanov, A.I. and Pushkarev, O.E. The wave-functions of the valence bond in certain crystals, 1=2364
- Gubenko, A.Ya. See Fistul', V.I., 1=10042
- Gubenko, A.Ya. See Fistul', V.I., 1=17688
- Gubernator, K. See Heckmann, P.H., 1=13692
- Gubkin, A. and Skanavi, G.I. Inorganic electrets, 1=6199
- Gubkin, A.N. Ferroelectric properties of strontium-bismuth titanate, 1=3802
- Gubkin, A.N., Kashtanova, A.M. and Skavani, G.I. Investigation of the dielectric properties of strontium-bismuth titanates at low temperatures, 1=12474
- Gubkin, K.E. Propagation of discontinuities in sound waves, 1=10537
- Gubler, I.E. See Gurevich, A.G., 1=12537
- Gubler, I.E. See Gurevich, A.G., 1=14734
- Gucker, F.T. and Egan, J.J. Measurement of the angular variation of light scattered from single aerosol droplets, 1=9486
- Gucker, F.T. and Rowell, R.L. The angular variation of light scattered by single dioctyl phthalate aerosol droplets, 1=11844
- Gudden, F.E. See Barber, W.C., 1=681
- Guénault, A.M. Thermal conduction in normal and superconducting tin and indium, 1=16201
- Guénault, A.M. and MacDonald, D.K.C. Electron and phonon scattering. Thermoelectricity in potassium and alloys at very low temperatures, 1=17814
- Guenebaut, H., Pannetier, G. and Goudmand, P. On the reaction of active nitrogen with atomic hydrogen, 1=2557

- Guenebaut, H., Pannetier, G. and Goudmand, R. The behaviour of hydrazoic acid in a shock wave; new data on the  $\Pi-\Sigma$  system of NH, 1=6057
- Guenebaut, H. See Pannetier, G., 1=13943
- Guenebaut, H. See Pannetier, G., 1=15961
- Guerci, J.C. See Arduino, H.A., 1=14639
- Guerrero, L. See Caforio, A., 1=5780
- Guest, P.G. The solid angle subtended by a cylinder, 1=4171
- Guest, P.G. Characteristics tracer, 1=5405
- Guevara, F.A. See Wageman, W.E., 1=120
- Gugan, D. See Dugdale, J.S., 1=17608
- Gugelot, P.C. Reactions and scattering of charged particles, 1=8668
- Gugelot, P.C., Tjin A Djie, H.R.E., Whitehead, W.D. and de Heer, F.J. Elastic scattering of medium energy deuterons by gold and silver, 1=8752
- Guggenheim, E.A. The equilibrium distribution of N atoms on N sites (or in N cells), 1=4269
- Guggenheim, E.A. and McGlashan, M.L. Equilibrium properties of crystalline argon, krypton and xenon, 1=14145
- Guggenheim, E.A. and McGlashan, M.L. The properties of argon at its triple point, 1=16178
- Guggenheim, H. Growth of single-crystal calcium fluoride with rare-earth impurities, 1=10239
- Guggenheimer, K.M. Theoretical magnetic moments of proton and neutron, 1=5721
- Gugliotta, F. See Vratny, F., 1=1163
- Gugliotta, F. See Vratny, F., 1=8981
- Guibé, L. Researches on the quadrupole resonance of nitrogen, 1=12574
- Guibé, L. A nuclear quadrupole double resonance experiment, 1=12575
- Guibert, M. See Amorós, J.L., 1=1390
- Guibert, M. See Amorós, J.L., 1=20455
- Guidini, J. A study of the reactions produced by a beam of molecular hydrogen ions passing through neutral hydrogen and helium gas, 1=14111
- Guidini, J. Study of the reactions produced by a beam of molecular hydrogen ions traversing a neutral gas, 1=18766
- Guidini, J., Belna, R., Brifford, G. and Manus, C. Study of reactions produced by molecular hydrogen ions passing through a gas, 1=7030
- Guile, A.E. See Secker, P.E., 1=18808
- Guillaume, M. Application of analysis by means of X-ray diffractometry, 1=15035
- Guillemard, R. See Fouré, R., 1=2951
- Guillemet, C. See Acloque, P., 1=11725
- Guillien, R. See Fuchshuber, R., 1=14536
- Guillon, H. See Amram, Y., 1=2931
- Guillou, See Beurtey, R., 1=15759
- Guinier, A. See Lambert, M., 1=19820
- Guinier, D. See Myers, H., 1=2102
- Guinn, V.P. See Wagner, C.D., 1=1933
- Guinot, B. See Duchesne, M., 1=18041
- Guiraud, J.P. On the statistical interpretation of the phenomenological theory of irreversible processes, 1=9338
- Guiraud, J.P. See Germain, P., 1=8149
- Guirgea, Gh. See Bădărău, E., 1=1792
- Guizonnier, R. The conductivity of undehydrated insulating liquids, 1=10520
- Guizonnier, R. and Taris, F. Proportionality, under certain conditions, between the electrical conductivity of insulating liquids and the quantity of water contained in them, 1=18421
- Guizonnier, R. and Thomas, C. Study of the minimum conductivity at 30-40°C of insulating liquids with homo-charges at normal temperature (continuous mean fields below 2 kV/cm), 1=149
- Guk, G.N. Use of thin bismuth layers as strain gauges, 1=9078
- Gulbransen, E.A. and Copan, T.P. Microtopology of the surface reactions of oxygen and water vapour with metals, 1=4077
- Gulbransen, E.A., Copan, T.P. and Andrew, K.F. Oxidation of copper between 250° and 450°C and the growth of CuO "whiskers", 1=6502
- Guldamashvili, A.I. See Chkuaseli, D.V., 1=278
- Gulyaev, R.A. See Ivanov-Kholodnyi, G.S., 1=19595
- Gulyaev, Yu.V. The statistics of the recombination of electrons and holes at impurity centres in semiconductors, 1=14404
- Gulyaev, Yu.V. The statistics of electrons and holes in semiconductors with dislocations, 1=17659
- Gulzow-Quall, G. Etching experiments on synthetic quartz, 1=19795
- Guman, V.N. Interaction with the surface in nuclei containing a nucleon in excess of a closed shell, 1=19338
- Guman, V.N., Sliv, L.A. and Sogomonova, G.A. Pairing forces and pair correlations in the  $Pb^{208}$  nucleus, 1=13597
- Guman, W.J. and Cavalconte, C.C. Time of arrival measurements in low pressure fluid flow, 1=160
- Gumlich, H.E. See Gobrecht, H., 1=7728
- Gummel, H.K. See Chynoweth, A.G., 1=17695
- Gundy, R.F. Remarks on Birdsall's "Detection of a signal specified exactly with a noisy stored reference signal", 1=9221
- Gundy, R.F. Auditory detection of an unspecified signal, 1=12710
- Gunkel, R.D. See Tansley, K., 1=4156
- Gunn, J.B. Amplifier for the generation of accurately controlled microsecond pulses, 1=10657
- Gunnersen, E. and James, G. On the efficiency of the reaction  $H^3(d, n)He^4$  in titanium tritide bombarded with deuterons, 1=5792
- Gunst, J. and Taylor, J.G. Some singularities of scattering on unphysical sheets, 1=450
- Gunst, S.B. Reactivity associated with the decay of  $Np^{239}$  in irradiated natural uranium dioxide, 1=786
- Gunst, S.B., McGarry, E.D. and Scoville, J.J. The reactivity of natural  $UO_2$  irradiated to  $6 \times 10^{21}$  n/cm<sup>2</sup>, 1=17181
- Günter, C. See Bodendstedt, E., 1=632
- Gunthard, H.H. See Frei, K., 1=2868
- Günther, C. See Bodendstedt, E., 1=2160
- Günther, C. See Bodendstedt, E., 1=8568
- Günther, C. See Bodendstedt, E., 1=19410
- Günther, H. X-ray structure investigation of microcrystals by means of the fine-focus X-ray tube, 1=20696
- Günther, K.G. Partial pressure vacuum gauge utilizing the principle of the electrical mass filter, 1=18485
- Günther, K.G. and Freiler, H. Properties of evaporated layers of InSb and InAs, 1=19882
- Gunye, M.R., Jambunathan, R. and Saraf, B. Decay of neodymium-147, 1=17040
- Gunye, M.R. See Jambunathan, R., 1=655
- Gunye, M.R. See Saraf, B., 1=17041
- Gupta, A.S. On the flow of an electrically conducting fluid near an accelerated plate in the presence of a magnetic field, 1=12007
- Gupta, A.S. Laminar stagnation flow of an electrically conducting fluid against an infinite plate in the presence of a transverse magnetic field, 1=16514
- Gupta, B.K. The  $^2\Sigma^+ \leftrightarrow ^3\Sigma^+$  transition in  $H_2^+$ , 1=9933
- Gupta, B.K. See Hyder, S.B., 1=20012
- Gupta, I.C. See Roalsvig, J.P., 1=8697
- Gupta, J.B. See Saha, N.K., 1=13734
- Gupta, K.K. and Mathur, V.S. Magnetic field dependence of energy gap in superconductors, 1=1859
- Gupta, K.K. See Abraham, G., 1=618
- Gupta, R.C. See Pradhan, B.P., 1=6191
- Gupta, R.K. On the determination of the electron-capture decay energies of  $Tl^{201}$  and  $Tl^{203}$ , 1=651
- Gupta, R.K. and Jha, S. On the beta-decay systematics of Hg-Tl isotopes, 1=8664
- Gupta, R.K., Svedberg, J. and Andersson, G. High-energy gamma-rays and positrons from 5.3 hr  $Tl^{208}$ , 1=13758
- Gupta, R.K. See Herrlander, C.J., 1=658
- Gupta, R.K. See Jha, S., 1=5829
- Gupta, R.K. See Jha, S., 1=8637
- Gupta, R.K. See Jha, S., 1=13749
- Gupta, S.N. Relativistic one-pion exchange nuclear potential, 1=8435
- Gupta, S.N. Field-theoretical derivation of the two-body potential, 1=9734
- Gupta, S.N. Spin-orbit interaction in two-pion exchange nuclear potential, 1=9735
- Gupta, U.C. See Srivastava, P.K., 1=13222
- Gupta, V. Generalized gauge invariance and strong interactions, 1=5662
- Gupta, V. Symmetry operations for strong and weak interactions, 1=9731
- Gupta, V. See Biswas, S.N., 1=539
- Gupta, V. See Biswas, S.N., 1=9761



- Gupta, V.D. An expression for orientation in cellulose fibres, 1=20653
- Gur'ev, V.N. See Sitenko, A.G., 1=17085
- Gurevich, A.G., Gubler, I.E. and Titova, A.G. Temperature dependences of the width of the resonance curve and the relaxation processes in single crystals of ferrites, 1=12537
- Gurevich, A.G., Gubler, I.E. and Titova, A.G. Temperature dependences of the width of the resonance curve and the relaxation processes in single crystals of ferrites, 1=14734
- Gurevich, A.V. On the theory of runaway electrons, 1=18830
- Gurevich, A.V. See Ginzburg, V.L., 1=2982
- Gurevich, A.V. See Ginzburg, V.L., 1=9565
- Gurevich, G.I. Contribution to the theory of small amplitude oscillations, 1=14860
- Gurevich, I.I., Nikolsky, B.A. and Ali-Zade, S.A. Asymmetry of the angular distribution of electrons from  $\mu \rightarrow e$  decay, 1=8468
- Gurevich, I.I. See Ali-Zade, S.A., 1=16832
- Gurevich, I.I. See Varfolomeev, A.A., 1=2139
- Gurevich, M.M. and Kolyadin, K.I. A "spectrovisor", 1=2866
- Gurevich, V.L. and Firsov, Yu.A. The theory of the electrical conductivity of semiconductors in a magnetic field. I, 1=14418
- Gurevich, V.M., Zheludev, I.S. and Rez, I.S. The electrical conductivity of a single crystal of triglycine sulphate, 1=6194
- Gurevich, V.M. and Zheludev, I.S. Anisotropy in the electrical conductivity of a monocrystal of  $\text{Li}_2\text{SO}_4 \cdot \text{H}_2\text{O}$ , 1=14396
- Gurevich, V.M., Zheludev, I.S. and Rez, I.S. The nature of the transient phenomena of conductivity in ferro-electrics, 1=1130
- Gurevich, Yu.Ya. See Myamlin, V.A., 1=11905
- Gurin, Yu.L. See Konstantinov, V.D., 1=8604
- Gurinov, G.P. See Sevchenko, A.N., 1=5053
- Gurm, H.S. Radial oscillations of a composite model, 1=15499
- Gurm, H.S. Anharmonic pulsations of a composite model, 1=15500
- Gurov, K.P. and Borovskii, I.B. A theory of dilute solid solutions, 1=4060
- Gurovits, L.S. See Aleksandrov, K.S., 1=16013
- Gürsey, F. On the structure and parity of weak interaction currents, 1=4769
- Gursky, M.L. See Rosen, L., 1=17092
- Gurvich, A.S. See Golitsyn, G.S., 1=15248
- Gurzadyan, G.A. New planetary nebulae (P.N.) with two shells, 1=6720
- Gurzadyan, G.A. The possibility of observing gaseous nebulae in the Lyman  $\alpha$  line, 1=6722
- Gurzadyan, G.A. The possibility of observing gaseous nebulae in the Lyman  $\alpha$  line, 1=10390
- Gusakow, M. See Poffé, N., 1=13804
- Gusakow, M.M. See Albouy, G., 1=13686
- Gusarov, V.V. See Shelyubskii, V.I., 1=4508
- Gusev, A.A. Theory of the temperature dependence of the intensity of magnetization and paramagnetic susceptibility of ferrimagnetic materials, 1=3915
- Guseva, L.N. and Barbarško, A.A. Submicroscopic crystal structure and the mechanism of plastic deformation of copper-base solid solutions, 1=10268
- Guseva, V.V. See Grigorov, N.L., 1=5801
- Gush, H.P. High resolution studies of a vibration-rotation line in solid hydrogen, 1=14605
- Gush, H.P. See Connes, J., 1=15303
- Guss, D.E. See Davis, L.R., 1=10937
- Guss, D.E. See Fichtel, C.E., 1=10938
- Gustafson, P.F., Brar, S.S. and Kerrigan, M.A. Appearance of a spring maximum in nuclear test debris in 1960, 1=6596
- Gustafsson, E. and Lindholm, E. Ionization and dissociation of  $\text{H}_2$ ,  $\text{N}_2$  and CO in charge exchange collisions with positive ions, 1=7029
- Gustafsson, G., Egeland, A. and Aarons, J. Audio-frequency electromagnetic radiation in the auroral zone, 1=15317
- Gustafsson, G. See Hultqvist, B., 1=1594
- Gustafsson, S. See Grabowski, Z., 1=668
- Gustafsson, S. See Grabowski, Z., 1=3418
- Gustova, L.V. See Artamonova, K.P., 1=17063
- Gutbier, H. Mass spectrometric studies of evaporation phenomena of some compounds with zinc blende structure in the temperature region around 1000°K, 1=19672
- Guth, E., Francis, N.C. and Goldman, D.T. Photo-disintegration below the giant resonance. I-II, 1=19440
- Guth, E. and Inütl, E. Group-theoretical treatment of time- and energy-dependent multiple scattering with application to the slowing-down of neutrons, 1=8463
- Guth, E. See Francis, N.C., 1=873
- Guth, E. See Goldman, D.T., 1=8693
- Gutjahr, H. Remarks on photoconductivity by excitation in the fundamental lattice absorption edge of CdS single crystals, 1=19900
- Gutjahr, H. and Matossi, F. Dependence of the electro-photoluminescence of a ZnCdS phosphor on exciting wavelength and field pulse width, 1=5059
- Gutjahr, H. See Böer, K.W., 1=17720
- Gutkin, A.M. Flow of a viscoplastic medium between rotating disks, 1=4306
- Gutmann, See Gat, J.R., 1=5846
- Gutmann, F. and Netschey, A. Semiconductivity of chlorpromazine, 1=19875
- Gutmann, P.F. and Jovanovic, D.T. Triggering of EZ-10 counting tubes by transistors, 1=1877
- Gutowsky, H.S., Lawrenson, I.J. and Shimomura, K. Nuclear magnetic spin-lattice relaxation by spin-rotational interactions, 1=8138
- Gutowsky, H.S. and Porte, A.L. Electron coupling of proton spins in heterocyclic molecules. N-benzylthieno [3, 2-b] pyrrole, 1=14104
- Gutowsky, H.S. See Belford, G.G., 1=14149
- Gutowsky, H.S. See Bernheim, R.A., 1=4362
- Gutowsky, H.S. See Brown, T.H., 1=4361
- Gutowsky, E.S. See Grant, D.M., 1=7488
- Gutowsky, H.S. See Porte, A.L., 1=3952
- Gutowsky, H.S. See Stalinski, B., 1=6437
- Gutsche, E. Elastic properties of crystal lattices of Wurtzite structure. I. Experimental investigation of hexagonal cadmium sulphide monocrystals, 1=20295
- Gutsche, E. Elastic properties of crystal lattices of Wurtzite structure. II. Elastic behaviour of the Wurtzite and zinc-blende lattices in a model with central forces between nearest and next-nearest neighbours, 1=20300
- Gutsze, A. and Walerys, H. Influence of the concentration of the solute and of the polarity of the solvent on the absorption spectra of fluorescein, 1=15887
- Guttman, L. Monte Carlo computations on the Ising model. The body-centered cubic lattice, 1=6536
- Guttmann, S. See Anbar, M., 1=6577
- Guttridge, J. See Venning, B.H., 1=21153
- Guttwein, G.K. and Plotkin, H.H. Frequency control symposium, 1=104
- Guy, J. The calculation of diamagnetic susceptibilities, 1=7484
- Guy, J., Baudet, J. and Tillieu, J. Approximations used in the calculation of diamagnetic molecular susceptibilities, 1=7483
- Guy, J. and Cabaret, F. Intrinsic equations for the determination of susceptibilities and magnetic screening constants, 1=14097
- Guy, J., Cabaret, F. and Didry, J.R. Variation of magnetic screening constants with distance for spherically symmetric orbitals, 1=7485
- Guy, J., Cabaret, F. and Didry, J.R. On the contribution of distant molecular orbitals to the magnetic screening constant associated with a nucleus, 1=14098
- Guy, J. See Baudet, J., 1=7451
- Guy, J. See Baudet, J., 1=19657
- Guy, J. See Dupont-Bourdelet, F., 1=14072
- Guy, J. See Dupont-Bourdelet, F., 1=15673
- Guzhavin, V.I. and Ivanenko, I.P. Three-dimensional development of electron-photon cascade showers, 1=3298
- Guzhavin, V.V. and Ivanenko, I.P. Angular distribution function for particles in a shower produced by a primary particle of a given energy, 1=19315
- Guzzo, A.V. See Helmholtz, L., 1=20207
- Gvaladze, Yu.S. See Kvartskhava, I.F., 1=2974
- Gvaladze, Yu.S. See Kvartskhava, I.F., 1=9593
- Gvozdev, V.S. See Rusinov, L.I., 1=13733
- Gvozdev, V.S. See Rusinov, L.I., 1=17059
- Gwinn, W.D. See Chan, S.I., 1=2322
- Gwinn, W.D. See Chan, S.I., 1=7500
- Gyftopoulos, E.P. and Devooght, J. Boundedness and stability in nonlinear reactor dynamics, 1=17196
- Gyftopoulos, E.P. and Devooght, J. Effect of delayed neutrons on nonlinear reactor stability, 1=17209
- Gyimesi, Z. See Pál, L., 1=13875

- Gyorgy, E.M. See Hagedorn, F.B., 1-6367  
 Gyorgy, E.M. See Nesbitt, E.A., 1-10166  
 Gyulai, J. On the simultaneous determination of lifetime, diffusivity and surface recombination velocity of injected carriers in semiconductors by the flying spot method, 1-3734  
 Gyulai, J. and Lang, J. Measurement of diffusivity, lifetime and surface recombination velocity in semiconductors by the flying spot method, 1-11289  
 Gyulai, J. See Horváth, J.L., 1-8384
- Haag, J.N., Johnson, C.E., Shirley, D.A. and Templeton, D.H. Nuclear moment of  $\text{Ce}^{137\text{m}}$  by nuclear alignment, 1-2162  
 Haag, R. See Araki, H., 1-5632  
 Haak, F.A. See Morosin, B., 1-17924  
 Haake, C.H. The significance of the temperature dependence of fluorescence intensity, 1-6224  
 Haar, L., Friedman, A.S. and Beckett, C.W. Ideal gas thermodynamic functions and isotopic exchange functions for the diatomic hydrides, deuterides, and tritides, 1-9418  
 Haas, C. The diffusion of oxygen in silicon and germanium, 1-17560  
 Haas, C. See Albers, W., 1-17759  
 Haas, C. See Albers, W., 1-17760  
 Haas, C.W. and Callen, H.B. Ferromagnetic resonance linewidth in cobalt-substituted ferrites, 1-6398  
 Haas, C.W. and Callen, H.B. Ferromagnetic resonance linewidth in cobalt-substituted ferrites, 1-7782  
 Haas, F.A. See Vaughan-Williams, R.W., 1-5443  
 Haase, E.L. See Hill, H.A., 1-12197  
 Haase, G. See Granzer, F., 1-11210  
 Haase, O. The orientation of evaporated metallic layers on single crystals of copper (based on electron interference studies), 1-10282  
 Haase, O. The analysis of very thin surface layers on single crystals of copper (an electron interference study), 1-10283  
 Haase, O. and Heidenreich, R.D. "Anomalous" electron double diffraction, 1-16420  
 Haasen, P. and Seeger, A. Plastic flow in semiconductors and its effects on electrical properties, 1-3735  
 Haasen, P. See in der Schmitten, W., 1-14287  
 Habanec, J. A new type of ionic source, 1-16429  
 Habell, K.J. See Flude, M.J.C., 1-18587  
 Habermalz, F. See Boguth, W., 1-18610  
 Habovych, M.D. Utilizing the effect of a magnetic field on a plasma in order to obtain intense ion beams, 1-11980  
 Habovych, M.D., Nyemetz, O.F. and Fedorus, Z.P. The utilization of a high-current pulse discharge in proton sources, 1-11979  
 Habovych, M.D. and P'yankov, H.N. Critical effect of the geometry of an extraction system of high-frequency proton source on the current intensity of the ion beam, 1-13130  
 Hachenberg, O. Detection and observation of solar emission in the range of centimetre-waves, 1-18151  
 Hachenberg, O. and Wallis, G. The spectrum of radiofrequency solar bursts in the centimetre range, 1-8026  
 Hachiya, Y. See Ishimatsu, Y., 1-13843  
 Hack, M. and Fracassini, M. Study of the polarization of the corona: preliminary results obtained during the eclipse of 15 February 1961 by the expedition of the Merate Astronomical Observatory at Monte Conero (Ancona), 1-15484  
 Hack, M.N. and Hamermesh, M. Effect of radiofrequency resonance on the natural line form, 1-5958  
 Hacker, D.S., Marshall, S.A. and Steinberg, M. Recombination of atomic oxygen on surfaces, 1-20743  
 Hacking, K. Some aspects of optical lens performance. I. Secondary flare in lenses, 1-16054  
 Hackerman, N. See Riney, J.S., 1-9172  
 Hacman, D. Deposition of films by evaporation in a vacuum, 1-5315  
 Haddara, S.R. See Bishara, L.B., 1-7258  
 Haddara, S.R. See Bishara, L.B., 1-7259  
 Haddock, F.T. Some characteristics of dynamic spectra of solar bursts, 1-2653  
 Haddock, F.T. See Kunda, M.R., 1-8025
- Hadni, A., Henry, C., Mathieu, J.P. and Poulet, H. The fundamental vibration frequencies of calomel, 1-9925  
 Hadni, A. and Janot, C. Spectrometer of very high luminosity for the far infrared. Application to the study of absorption of crystalline alkali halides between 250 and 650  $\mu$  (40 to 15  $\text{cm}^{-1}$ ), 1-18596  
 Hadni, A. See Delorme, P., 1-6952  
 Hadni, A. See Janot, C., 1-7711  
 Hadzi, D. Far-infrared bands of some crystals with strong hydrogen bonds, 1-11377  
 Haeblerli, W. Scattering of  $\alpha$ -particles from nuclei, 1-726  
 Haeblerli, W. See Dagley, P., 1-8715  
 Haeblerli, W. See Dagley, P., 1-8729  
 Haefel, R.A. The directional distribution in the multiple scattering of electrons of medium energies by thin carbon films, 1-1920  
 Haegi, M. New method of confinement in plasmas. Examination of the principles of operation, 1-16333  
 Haenni, H.P. See Bass, F., 1-5921  
 Haering, R.R. and Adams, E.N. Esaki tunneling in the presence of magnetic fields, 1-19894  
 Haering, R.R. and Miller, P.B. Oscillations in the longitudinal tunnel current of tunnel diodes, 1-7660  
 Haering, R.R. and Mrozowski, S. The band structure and electronic properties of graphite crystals, 1-4975  
 Haeusler, C., Cornet, Y. and Barchewitz, P. Study of a calibration system for vibration-rotation spectra in the near infrared, 1-16076  
 Häfele, H.G. The absorption of quartz in the near infrared, 1-3847  
 Häfele, W. Neutron spectrum in heterogeneous plate reactors. II, 1-3452  
 Hafner, E.M. See Fazio, G.G., 1-10816  
 Hafner, S. See Brun, E., 1-1286  
 Hafner, S. See Brun, E., 1-14835  
 Haga, E. Theory of thermoelectric power of ionic crystals. II, 1-1112  
 Haga, E. Theory of thermoelectric power of ionic crystals. III, 1-1113  
 Haga, E. Theory of thermoelectric power of ionic crystals. IV, 1-12466  
 Haga, K. and Mizuno, H. On annealing effect of commercial silicon steel sheets, 1-20115  
 Hage, W. On the spatial integration of neutron fields with moving neutron detectors, 1-3195  
 Hagedorn, F.B. and Gyorgy, E.M. Domain wall mobility in single-crystal yttrium iron garnet, 1-6367  
 Hagelbarger, D.W. See Kramer, H.P., 1-7853  
 Hagen, U. and Langendorff, H. The use of the biological dosage quantity "rem" in protection against radiation, 1-15361  
 Hagen, O. and Henkes, W. Investigation of the thermal relaxation in the flow through nozzles by an analysis of the gas-kinetic velocity distribution, 1-15928  
 Hager, R.J. See Nussbaum, A., 1-14374  
 Hagerman, D.C. and Osher, J.E. Injection and trapping of  $A/\beta=1$  plasma into a cusped magnetic field, 1-10712  
 Hagfors, T. Some properties of radio waves reflected from the moon and their relation to the lunar surface, 1-15558  
 Hagfors, T. Density fluctuations in a plasma in a magnetic field, with applications to the ionosphere, 1-18819  
 Haglescu-Miriste, M. See Bădărău, E., 1-1893  
 Hagiwara, S. See Kojima, S., 1-13096  
 Hagstrum, H.D. Studies of Auger electrons ejected from germanium by slowly moving positive ions, 1-320  
 Hagstrum, H.D. Theory of Auger neutralization of ions at the surface of a diamond-type semiconductor, 1-7632  
 Hagstrum, H.D. Effects of monolayer adsorption and bombardment damage on Auger electron ejection from germanium, 1-10737  
 Hagstrum, H.D. Reflection of noble gas ions at solid surfaces, 1-10744  
 Hagstrum, H.D. Oxygen adsorption on silicon and germanium, 1-11597  
 Hagyard, T. See Ashwin, B.S., 1-107  
 Hahn, A. The superparamagnetic initial susceptibility of particles with arbitrary anisotropy, 1-10131  
 Hahn, B. and Hugentobler, E. Relativistic increase in bubble density in  $\text{CBrF}_3$  bubble chamber, 1-407  
 Hahn, D. The excitation and influencing of luminescence by electric fields, 1-3869



- Hahn, D. and Schley, U. History of the photometric quantities and some problems connected with them, 1-8212
- Hahn, E. The third-order image aberrations due to eccentricity and tilt of the electrodes of an electrostatic objective, 1-11977
- Hahn, E.L. See Weger, M., 1-6421
- Hahn, H. and Ludwig, W. The effect of [vibrational] anharmonicity on the thermal scattering of X-rays in crystals, 1-2372
- Hahn, H. See Grivet, P., 1-18974
- Hahn, H. See Grivet, P., 1-18975
- Haidekenakis, E. See Kallmann, H., 1-6181
- Haigh, P.J. See Brooker, H.R., 1-13622
- Haigh, R.E. and Dawson, P.H. High power heating of a cylindrical tube by electron bombardment of the inside surface, 1-17231
- Hain, G. See Hain, K., 1-2973
- Hain, K., Hain, G., Roberts, K.V., Roberts, S.J. and Koppendorfer, W. Fully ionized pinch collapse, 1-2973
- Hain, K., Lüst, R. and Schlüter, A. Hydromagnetic waves of finite amplitude in a plasma with isotropic and non-isotropic pressure perpendicular to a magnetic field, 1-5484
- Haines, M.G. The Joule heating of a stable pinched plasma, 1-1902
- Haines, M.G. The effect of electrodes in a linear pinched discharge, 1-9594
- Hair, M.L. See Heyding, R.D., 1-4695
- Haisty, R.W. Constant current supply for very high resistance loads, 1-2926
- Hajdu, J. Theory of magnetoresistance. II, 1-1009
- Hajdu, J. On the theory of magnetoresistance. III, 1-11262
- Hajko, V. and Daniel-Szabo, J. The influence of successive asymmetrical magnetization reversal on the magnetic state of open samples, 1-7749
- Hake, R.R. Specific heats of some cubic superconducting titanium-molybdenum alloys between 1.1 and 4.3°K, 1-13046
- Hake, R.R. See Berlincourt, T.G., 1-11878
- Hakeem, M.A. and Robertson, H.S. Alkali vapor plasmas, 1-288
- Haken, H. Present position of exciton research in semiconductors, 1-3635
- Hakim, S.S. and Higham, J.B. A phenomenon in n-hexane prior to its electric breakdown, 1-10518
- Hakura, Y. See Nagata, T., 1-20912
- Hakura, Y. See Obayashi, T., 1-9191
- Hakura, Y. See Obayashi, T., 1-13541
- Hakura, Y. See Obayashi, T., 1-13542
- Hakura, Y. See Obayashi, T., 1-15494
- Hakura, Y. See Obayashi, T., 1-20944
- Halbert, E.C., Drisko, R.M., Satchler, G.R. and Austern, N. Finite-range distorted-waves calculation of direct reactions, 1-19430
- Halbert, M.L. and Blankenship, J.L. Response of semiconductor surface-barrier counters to nitrogen ions and alpha particles, 1-5616
- Halbert, M.L. and Hunting, C.E. Angular momentum effects in nuclear evaporation, 1-19535
- Halbert, M.L. and Zucker, A. Inelastic scattering of  $N^{14}$  by  $C^{12}$ , 1-732
- Halbert, M.L. See Newman, E., 1-19531
- Halbwachs, F. Quaternion formulation of the theory of the non-relativistic top, 1-9725
- Halbwachs, F. Quaternion formulation of the relativistic rotating particle, 1-16654
- Halbwachs, F. Quantization of the motion of the relativistic rotating particle, 1-16655
- Halbwachs, F. Lagrangian formalism for a classical relativistic particle endowed with internal structure, 1-16666
- Halbwachs, F., Souriau, J.M. and Vigier, J.P. Invariance group associated with relativistic rotators and bilocal theory, 1-13311
- Hale, F.E. Long-range sound propagation in the deep ocean, 1-8181
- Hale, K.F. See Carrington, W., 1-14272
- Hale, K.F. See Gale, B., 1-4088
- Hale, K.F. See Thomas, K., 1-1464
- Hales, W. See Josephson, V., 1-4372
- Halford, R.S. See Brecher, C., 1-14603
- Halford, R.S. See Brecher, C., 1-14604
- Halim Kazi, A., Rasmussen, C. and Mark, H. Measurement of the deuteron binding energy using a bent-crystal spectrograph, 1-12128
- Hall, A.E. Plutonium-aluminum solid solubility and diffusion studies, 1-17561
- Hall, D.J. Electromagnetic meson mass differences, 1-3205
- Hall, F.R. See Kommandeur, J., 1-3775
- Hall, G.G. Ambiguity in the determination of self-consistent bond orders, 1-870
- Hall, G.G. The stability of a wave-function under a perturbation, 1-4892
- Hall, G.G. See Amos, A.T., 1-15679
- Hall, G.W. Application of boundary layer theory to explain some nozzle and Venturi flow peculiarities, 1-1734
- Hall, H.E. See Boyle, A.J.F., 1-3604
- Hall, H.E. See Boyle, A.J.F., 1-5831
- Hall, I.H. Time-dependent tensile strength of solids, 1-6469
- Hall, J.A. and Leaver, V.M. Stabilization of thermometers of borosilicate glass for use at high temperatures, 1-6981
- Hall, J.E. See Greenhow, J.S., 1-12742
- Hall, J.F., Jr. Two-stage radiant-energy sink, 1-16151
- Hall, J.F., Jr. and Allen, R.C. Reflectance of oxidized silicon monoxide films deposited onto aluminium mirrors compared with silicon monoxide evaporated in high vacua, 1-10095
- Hall, J.J. See Koenig, S.H., 1-3754
- Hall, J.M. Stress effects on thermoremanent magnetization, 1-21109
- Hall, J.M. and Neale, R.N. Stress effects on thermoremanent magnetization, 1-6657
- Hall, L.S. Application of Bohm's criterion for the formation of a sheath, 1-9576
- Hall, M.J. and Thompson, M.W. Epitaxy and twinning in foils of some noble metals condensed upon lithium fluoride and mica, 1-15011
- Hall, R.B. and Brown, S.C. Reflection of an electron beam from high-frequency fields, 1-16419
- Hall, R.N. An analysis of the performance of thermoelectric devices made from long-lifetime semiconductors, 1-8302
- Hall, R.N. and Racette, J.H. Distribution coefficients of impurities in gallium antimonide, 1-7647
- Hall, R.N. and Racette, J.H. Band structure parameters deduced from tunneling experiments, 1-17689
- Hall, W.S. See Miller, D.W., 1-19505
- Hallden, N.A. and Harley, J.H. An improved alpha-counting technique, 1-560
- Haller, I.B. See Arberman, E., 1-5870
- Haller, I.B. See Grabowski, Z., 1-3418
- Hallett, J. The growth of ice crystals on freshly cleaved covellite surfaces, 1-20419
- Hallgren, L.J. See Greenberg, J., 1-11381
- Hallgren, R.E. See Hosler, C.L., 1-11541
- Halliday, F.O. See Colgate, S.A., 1-5547
- Hallin, R. and Hughes, T.P. Lines of the N V spectrum in the visible and near ultra-violet wavelength regions, 1-13945
- Halmshaw, R. Recent developments in industrial radio-graphy: fluoroscopy and screen-intensification processes, 1-10753
- Halmshaw, R. and Pollitt, C.G. Radiology with high-energy X-rays, 1-13144
- Halperin, A. and Arbell, H. Transients in the blue and green luminescence of ZnS:Cu:C1 crystals, 1-6230
- Halperin, A. and Nahum, J. Some optical and electrical properties of semiconducting diamonds, 1-19993
- Halperin, A. and Pinker, R. Color centers in ZnS single crystals, 1-11231
- Halperin, J. See Johnston, F.J., 1-17130
- Halperin, J. See Schmitt, H.W., 1-2220
- Halperin, J. See Stoughton, R.W., 1-507
- Halpern, C. and Moffat, R.J. Bibliography of temperature measurement, January 1953 to June 1960, 1-16159
- Halpern, I. See Bodansky, D., 1-8773
- Halsey, G.D., Jr. See Sams, J.R., Jr., 1-20684
- Halton, J.H. and Hodgson, P.E. Distorted-wave calculations of the  $Li^7(d,p)Li^6$  stripping reaction, 1-19511
- Halushka, A.P. See Konozenko, I.D., 1-19903
- Ham, F.S. Band calculations of the shape of the Fermi surface in the alkali metals, 1-17453
- Ham, F.S. Linear effect of applied electric field in electron spin resonance, 1-20215

## AUTHOR INDEX

- Ham, F.S., Ludwig, G.W., Watkins, G.D. and Woodbury, H.H. Spin Hamiltonian of  $\text{Co}^{2+}$ , 1=3934
- Ham, F.S. See Cohen, M.H., 1=17466
- Ham, F.S. See Pell, E.M., 1=11302
- Ham, J.S. See Herren, C.L., 1=15854
- Hama, F.R. and Nutant, J. Self-induced velocity on a curved vortex, 1=2739
- Hama, Y. See Dietzsch, O., 1=17147
- Hamada, T. A study on the low energy  $n$ - $p$  system, 1=10889
- Hamada, T. Non-static effect in the  $T = 0$  two-nucleon interaction, 1=16773
- Hamada, T. A proton-proton potential, 1=16783
- Hamada, T. A semiphenomenological proton-proton potential, 1=12084
- Hamada, T. A semiphenomenological neutron-proton potential, 1=12085
- Hamada, T., Iwadare, J., Otsuki, S., Tamagaki, R. and Watari, W. Two-nucleon potential with the "one-pion-exchange tail". II, 1=3172
- Hamaguchi, M. Remarks on the viscous dissipation in relativistic hydrodynamics, 1=13312
- Hamaguchi, Y. Quenched-in vacancy in solid solution alloys, 1=19762
- Hamaguchi, Y. See Komura, S., 1=20078
- Hamakawa, Y. See Yamaguchi, J., 1=6165
- Hamamoto, I. and Miyazawa, H. Application of nucleon-nucleon dispersion relations to nuclear many-body problem, 1=12143
- Hamamura, S. See Nishi, M., 1=14044
- Hamamura, S. See Takeyama, M., 1=289
- Hamano, H. Polarity of the C-H bonds in acetylene and its molecular quadrupole moment, 1=8852
- Hambleton, K.G., Hilsun, C. and Holeman, B.R. Determination of the effective ionic charge of gallium arsenide from direct measurements of the dielectric constant, 1=11331
- Hamburger, E.W. Study of the differential cross sections of deuteron stripping reactions as a function of the incident energy, 1=11032
- Hamburger, E.W., Cohen, B.L. and Price, R.E. Low-energy protons produced in the deuteron bombardment of nuclei, 1=3456
- Hamburger, E.W. See Blair, A.G., 1=7396
- Hamburger, E.W. See Dietzsch, O., 1=17147
- Hame, T.G. and Stuart, W.D. The electron content and distribution in the ionosphere, 1=9198
- Hameka, H.F. Calculation of the diamagnetic susceptibility of  $\text{N}_2$ , 1=4944
- Hameka, H.F. Calculation of the lower excited energy levels of helium, 1=5967
- Hameka, H.F. Theory of the diamagnetic susceptibilities of the alkanes, 1=9948
- Hamelin, J. See Gendreau, G., 1=16460
- Hamer, A.N. See Bishop, J., 1=5986
- Hamermesh, B., Monahan, J.E. and Smither, R.K. Level scheme of  $\text{Au}^{199}$  determined by analysis of high-precision capture gamma-ray measurements, 1=12153
- Hamermesh, B. and Smither, R.K. Precision measurement of gamma rays from  $\beta$ -decay in  $\text{Au}^{198}$  and  $\text{Au}^{199}$ , 1=12182
- Hamermesh, M. See Hack, M.N., 1=5958
- Hamill, W.H. See Kubose, D.A., 1=13133
- Hamilton, C.W. Sustained, localized, pulsed-microwave discharge in air, 1=5426
- Hamilton, D.R. See Ames, O., 1=12148
- Hamilton, D.R. See Christensen, R.L., 1=8566
- Hamilton, D.R. See Posner, M., 1=16968
- Hamilton, J., Menotti, P., Spearman, T.D. and Woolcock, W.S. Evidence for pion-pion interactions from  $s$ -wave pion-nucleon scattering, 1=12101
- Hamilton, J. and Spearman, T.D. Low-energy pion scattering, 1=7274
- Hamilton, J.C. See Kelly, R.D., 1=4885
- Hamilton, J.H., Langer, L.M. and Smith, D.R. Positron spectra of  $\text{Co}^{60}$ , 1=10984
- Hamilton, J.H., Pettersson, B.G. and Hollander, J.M. Beta-gamma directional correlation in the decay of  $\text{Ag}^{111}$ , 1=7349
- Hamilton, J.H., Pettersson, B.G. and Hollander, J.M. Beta-gamma directional correlation in  $\text{Rb}^{86}$ , 19406
- Hamilton, J.H. See Albridge, R.G., 1=19373
- Hamilton, J.H. See Hultberg, S., 1=5875
- Hamilton, J.H. See Pettersson, B.G., 1=2185
- Hamilton, J.R. See Hemstreet, R.A., 1=5983
- Hamilton, R.A.H. See Bransden, B.H., 1=3249
- Hamilton, W.D. The lifetime of the 364 keV level in  $^{131}\text{Xe}$ , 1=8658
- Hamilton, W.D. and Sood, B.S. The resonant scattering of gamma rays in  $^{177}\text{Hf}$ , 1=17072
- Hamisch, H. See Boersch, H., 1=3017
- Hamisch, H. See Boersch, H., 1=16422
- Hamlin, D.A., Karplus, R., Vik, R.C. and Watson, K.M. Mirror and azimuthal drift frequencies for geomagnetically trapped particles, 1=15327
- Hamme, R.N. Laboratory measurements of sound transmission through suspended ceiling systems, 1=18542
- Hammer, C.L. and Laslett, L.J. Resonant beam extraction from an a.g. synchrotron, 1=4681
- Hammer, C.L. See Bureau, A.J., 1=5516
- Hammersley, J.M. Comparison of atom and bond percolation processes, 1=15742
- Hammersley, J.M. See Frisch, H.L., 1=17385
- Hammersley, J.M. See Vyssotsky, V.A., 1=12346
- Hammodat, M.M. Test for general characteristics of the flow through rectangular nozzles at near the critical speeds, 1=6838
- Hammond, R.H. See Androes, G.M., 1=9162
- Hampton, D.B. See Stowe, A.N., 1=9214
- Hampton, L.D. and McKinney, C.M. Experimental study of the scattering of acoustic energy from solid metal spheres in water, 1=6936
- Hamrin, C.E.Jr. and Thodos, G. Vapor pressures of the inert gases, 1=13024
- Han, M.Y. and Hatsukade, S. Contribution of neutral pions to photon-photon scattering, 1=13374
- Hanada, R. See Morita, S., 1=8766
- Hanada, R. See Morita, S., 1=12213
- Hanafi, Z. See Mikhail, H., 1=17929
- Hanak, J.J. and Daane, A.H. High temperature X-ray diffraction techniques for active metals, 1=10247
- Hanbury Brown, R., Davies, R.D. and Hazard, C. A curious feature of the radio sky, 1=4213
- Hand, J.E. See Wilken, M.H., 1=15246
- Hand, L. and Schaerf, C. Pion photoproduction at backward angles near the second nucleon-pion resonance, 1=7267
- Handler, P. Energy level diagrams for germanium and silicon surfaces, 1=1062
- Handley, T.H. See Harmatz, B., 1=12160
- Hands, R.A., Heslop, W.A. and Littlefield, T.A. Calculation of wavelengths from reflecting echelon patterns, 1=5343
- Handscorn, D.C. See Ehrman, J.R., 1=5064
- Hanel, R. Comments on "dielectric bolometer", 1=13011
- Hanel, R.A. Dielectric bolometer: a new type of thermal radiation detector, 1=4499
- Hanel, R.A. Determination of cloud altitude from a satellite, 1=20837
- Haneman, D. Structure and adsorption characteristics of (111) and (111) surfaces of  $\text{InSb}$  cleaned by ion bombardment and annealing, 1=1447
- Haneman, D. Surface structures and properties of diamond-structure semiconductors, 1=4078
- Haneman, D. and Mitchell, E.W.J. The analysis of spectral yield and accelerating field characteristics of the photoelectric emission from semiconductors, 1=18922
- Haneman, D. See Banbury, P.C., 1=6146
- Hanes, G.R. Multiple tube collimator for gas beams, 1=1761
- Hanes, M.H. See Kramer, H.H., 1=10586
- Hanic, F. The crystal structure of meta-zeunerite  $\text{Cu}(\text{UO}_2)_2(\text{AsO}_4)_8 \cdot 8 \text{H}_2\text{O}$ , 1=9137
- Hanke, I. The influence of defect sites on the chemical structure of phosphorescent calcite, 1=1363
- Hanke, I. Point defects in calcite crystals. I. Information on etch sensitive point defects and their diffusion on untreated cleavage surfaces of rhombohedral calcite, 1=11532
- Hanke, I. Dislocations in calcite crystals. II. Information from etch-sensitive dislocations and their distribution in the region of scratch-lines and pressure-marks on rhombohedral cleavage faces, 1=19790
- Hanks, R.V. Cluster integral theory of distribution functions of spatially nonuniform systems, 1=4273
- Hanks, R.V. Classical cluster integral theory of fluids in external fields, 1=6797



- Hanks, R.V. Some integral equations occurring in the classical theory of fluids, 1=9329
- Hanks, R.V. Pressure dependence of the Mössbauer effect, 1=19694
- Hanle, W., Kanzler, G. and Scharmann, A. Exo-electron emission from ionic crystals, 1=8344
- Hanna, G.C. and Clarke, R.L. Neutron evaporation in the 14 MeV neutron fission of uranium, 1=17161
- Hanna, G.C. See Griffin, J.J., 1=8787
- Hanna, N.O.M. The induction of electric currents in a non-isotropic and non-uniform ionosphere, 1=9192
- Hanna, N.O.M. See Bassali, W.A., 1=1715
- Hanna, S.S., Meyer-Schützmeister, L., Preston, R.S. and Vincent, D.H. Nuclear Zeeman effect in  $\text{Sn}^{119}$ , 1=621
- Hanna, S.S. and Segel, R.E. Fluorescence of the 15.1 MeV level of  $^{12}\text{C}$ , 1=13762
- Hanna, S.S. See Meyer-Schützmeister, L., 1=9023
- Hanna, S.S. See Tanner, N.W., 1=5838
- Hannibal, W.D. Chemical etching of the surface of iron-nickel alloys (50/50) to expose dislocations, 1=2521
- Hannibal, W.D. Electrolytic etching of dislocations in silicon iron as cast, 1=2522
- Hans, H.S., Sehgal, M.L. and Gill, P.S. Thermal neutron cross-sections for producing isomers. II, 1=3453
- Hansel, C.E.M. The Land demonstrations in relation to colour theory and colour photography, 1=21141
- Hansen, B.T. Cosmic-ray flare of November 20, 1960, 1=7999
- Hansen, C.F. Interpretation of linear approximations for the viscosity of gas mixtures, 1=15915
- Hansen, G. Photometry of image convertors, 1=6947
- Hansen, G. Procedure for determining the degree of light transmission of an afocal system, 1=18580
- Hansen, G.E. Assembly of a fissionable material in the presence of a weak neutron source, 1=17222
- Hansen, G.E. and Maier, C. Perturbation theory of reactivity coefficients for fast-neutron critical systems, 1=17217
- Hansen, H. See Heckmann, P.H., 1=5057
- Hansen, J.R. See Garbuny, M., 1=4635
- Hansen, J.R. See Vogl, T.P., 1=2425
- Hansen, K.H. See Bøggild, J.K., 1=5778
- Hansen, L.F. See Albert, R.D., 1=3447
- Hansen, L.F. See Albert, R.D., 1=12193
- Hansen, L.F. See Fretter, W.B., 1=3266
- Hansen, N.E. See Jupiter, C.P., 1=2044
- Hansen, O. Energy levels in the stable isotopes of titanium, 1=19372
- Hansen, O., Olesen, M.C., Skilbreid, O. and Elbek, B. Inelastic scattering from hafnium and wolfram isotopes, 1=13787
- Hansen, P.G., Jensen, O.J. and Wilsky, K. Decay of  $\text{Er}^{172}$  and  $\text{Tm}^{172}$ , 1=19394
- Hansen, P.G., Wilsky, K., Horen, D.J. and Chiao, Lung-Wen. High energy gamma rays in the decay of  $^{27}\text{Ho}^{186}$ , 1=8655
- Hansen, P.G. See Andersen, T., 1=19371
- Hansen, R. and Gordon, D. The limb flares of October 13, 1958, 1=1648
- Hansen, R.S., Minturn, R.E. and Clampitt, B.H. Some studies of aqueous uranium oxide slurries, 1=4107
- Hansen, R.T. Bright 21-centimeter solar regions and geomagnetic storms in 1952-53, 1=21102
- Hanson, A.O. See Bernardini, G., 1=5702
- Hanson, H. See Pomerantz, M.A., 1=8525
- Hanson, H.P. and Cowan, D.J. Indirectly and directly produced X-ray line radiation, 1=14620
- Hanson, H.P. and Salemi, S.I. Effective depth of X-ray production, 1=14619
- Hanson, W.B. and McKibbin, D.D. An ion-trap measurement of the ion concentration profile above the  $F_2$  peak, 1=20999
- Hanson, W.B. and Ortenburger, I.B. The coupling between the protonosphere and the normal F region, 1=20986
- Hanus, W. On line strength relations in the doublet arc spectra of aluminium, gallium, indium and thallium, 1=4897
- Hanus, W. On relative doublet line strengths in the principal series of cesium, 1=13932
- Happ, H. See Bilz, H., 1=1168
- Happel, R.J., Jr. See Heikes, R.R., 1=2466
- Hara, E. Pair production by means of slow charged particles in the Coulomb field, 1=7231
- Hara, H. On the transverse shift associated with the total reflection of matter waves, 1=6924
- Hara, O. Range of proton-antiproton annihilation near 1.0 BeV, 1=7244
- Hara, O. Possible effect of collective correlation between vacuum nucleons in pion physics, 1=8451
- Hara, O. Collective correlation between vacuum nucleons and the s-wave pion-nucleon scattering, 1=10920
- Hara, O. Collective correlation between vacuum nucleons in PS-PS meson theory, 1=12069
- Hara, Y. Theory of finite nuclei in statistical method with correlation correction. I, 1=10950
- Hara, Y. and Miyazawa, H. Dispersion relations in nucleon-nucleon scattering, 1=3174
- Hara, Y., Ohmura, T. and Yamanouchi, T. Variational calculation of the scattering lengths in electron-hydrogen scattering, 1=12260
- Harada, T. Effect of stress on stable domain wall orientations, 1=14710
- Haraldson, S. and Myrgren, B. Demagnetizing functions for cylindrical rods, 1=3033
- Haran, E.N. Improved fluorimeter for uranium analysis, 1=11642
- Haranath, P.B.V. and Prasada Rao, T.A. The emission band system of iodine in the blue violet, 1=8840
- Harang, L. and Tröim, J. An example of heavy absorption in the V.H.F. -band in the arctic ionosphere, 1=6614
- Harang, L. and Tröim, J. Studies of auroral echoes. I, 1=9206
- Harburn, G. and Taylor, C.A. Three-dimensional optical transforms, 1=20517
- Hardeman, G. Nuclear dynamic polarization in irradiated polytetrafluoroethylene, 1=12571
- Hardeman, G.E.G. Nuclear dynamic polarization in irradiated polytetrafluoroethylene, 1=14814
- Harding, G.N., Kimmitt, M.F., Ludlow, J.H., Porteous, P., Prior, A.C. and Roberts, V. Emission of sub-millimetre electromagnetic radiation from hot plasma in Zeta, 1=9574
- Hardy, H.C. and Ancell, J.E. Comparison of the acoustical performance of calfskin and plastic drumheads, 1=16032
- Hardy, J.Jr., Smith, G.G. and Klein, D. Experimental check of a Monte Carlo-calculated distribution of resonance neutron capture in a gold rod, 1=13822
- Hardy, J.R. Effective ionic charge in relation to lattice vibrations, 1=3799
- Hardy, J.R. A theoretical study of point defects in the rocksalt structure substitutional  $\text{K}^+$  in  $\text{NaCl}$ , 1=17521
- Hardy, J.R. and Smith, S.D. Two-phonon infrared lattice absorption in diamond, 1=19995
- Hardy, J.R. See Smith, S.D., 1=6211
- Hardy, R. See Risler, J.C., 1=2873
- Hardy, W.A. Nuclear resonances in cubic, hexagonal, and mixed phase cobalt powders and thin films, 1=6434
- Hare, A.W. See Rough, F.A., 1=13905
- Hargital, C. and Szabó, J. Uniqueness of the solution of magneto-hydrodynamic boundary value problems, 1=10781
- Hargreaves, A. and Sullivan, R.A.L. Absorption corrections for diffraction measurements from large single crystals, 1=20475
- Hargreaves, C.M. On the growth of sapphire micro-crystals, 1=7854
- Hargreaves, J.K. Random fluctuations in very low frequency signals reflected obliquely from the ionosphere, 1=20929
- Hargreaves, M.E. See Clarebrough, L.M., 1=1332
- Hargreaves, M.E. See Clarebrough, L.M., 1=1419
- Hargreaves, M.E. See Clarebrough, L.M., 1=1420
- Hargreaves, M.E. See Clarebrough, L.M., 1=6453
- Hargreaves, M.E. See Clarebrough, L.M., 1=17508
- Hargreaves, M.E. See Clarebrough, L.M., 1=17509
- Hargreaves, M.E. See Clarebrough, L.M., 1=20591
- Harigel, G., Lüers, D., Mayer, H.M., Scheer, M. and Schultze, K. Typical bubble chamber pictures produced by relativistic electrons under 30 MeV, 1=10819
- Harigel, G., Scheer, M. and Schultze, K. Determination of the range of 20.4 MeV electrons, 1=10879
- Hariharan, P. and Sen, D. Interferometric measurement of small angular displacements. II. The double-passed Jamin interferometer, 1=1824
- Hariharan, P. and Sen, D. Double-passed Fabry-Perot interferometer, 1=4474
- Hariharan, P. and Sen, D. The separation of symmetrical and asymmetrical wave-front aberrations in the Twyman interferometer, 1=5339

- Hariharan, P. and Sen, D. Double-passed Fizeau interferometer. II. Fringe systems formed by the reflected beams, 1-5351
- Hariharan, P. and Sen, D. Fringes of equal inclination to the double-passed michelson interferometer, 1-8235
- Hariharan, P. and Sen, D. Double-passed two-beam interferometers. II. Effects of specimen absorption and finite path difference, 1-16103
- Hariharan, P. and Sen, D. Radial shearing interferometer, 1-18606
- Hariharan, P. and Singh, R.G. Random, plane-polarized components in ordinary, unpolarized light, 1-18619
- Harker, K.J. Determination of electrode shapes for axially symmetric electron guns, 1-1915
- Harkins, P.A. See Magnuson, G.D., 1-4672
- Harkins, P.A. See Meckel, B.B., 1-4618
- Harley, J.H. See Hallden, N.A., 1-560
- Harlow, F.H. and Meixner, B.D. Motion of a viscous compressible gas adjacent to a sliding plate, 1-15925
- Harman, G.G. and Raybold, R.L. Measurement of minority carrier lifetime in SiC by a novel electroluminescent method, 1-11308
- Harman, T.C. Angular dependence of magnetoresistance in HgSe, 1-14378
- Harman, T.C. and Strauss, A.J. Band structure of HgSe and HgSe-HgTe alloys, 1-17754
- Harmatz, B., Handley, T.H. and Mihelich, J.W. Nuclear levels in a number of even-even rare earths ( $150 \leq A \leq 184$ ), 1-12160
- Harmelin, M. Study of the chromium (III) sulphates by thermogravimetry and infrared absorption, 1-17897
- Harmer, D.S. and Perlman, M.L. Some considerations concerning the nuclear matrix element  $\Sigma |B_{ij}|^2$  in beta decay, 1-7339
- Harmer, D.S. See Hooper, J.W., 1-4555
- Harmon, T.C. See Gatos, H.C., 1-17516
- Harmony, M.D., Myers, R.J., Schoen, L.J., Lide, D.R., Jr. and Mann, D.E. Infrared spectrum and structure of the NF<sub>3</sub> radical, 1-17319
- Harnik, E., Goldstein, Y., Grover, N.B. and Many, A. Fast surface states in germanium at low temperatures, 1-1051
- Harnik, E. See Many, A., 1-1050
- Harnischmacher, E. See Argence, E., 1-377
- Harper, J.C. Coaxial cylinder viscometer for non-Newtonian fluids, 1-6824
- Harper, P.G. The quasi-particle approximation in superconductivity, 1-5396
- Harper, W.R. Neutron terminology, 1-13424
- Harrand, M. See Ebenstein, R., 1-14043
- Harrap, V. See Wood, C., 1-3772
- Harrick, N.J. Semiconductor surface properties deduced from free carrier absorption and reflection of infrared radiation, 1-1034
- Harrick, N.J. Determination of the semiconductor surface potential under a metal contact, 1-8938
- Harris, D.E. and Roberts, J.A. Radio source measurements at 960 Mc/s, 1-4222
- Harris, D.L. See Walker, J.C., 1-595
- Harris, E.G. Plasma instabilities associated with anisotropic velocity distributions, 1-9551
- Harris, E.G. See Burt, P., 1-18902
- Harris, E.G. See Faust, W.R., 1-17180
- Harris, F.S., Jr. See Daw, H.A., 1-13391
- Harris, G.M. and Trulio, J. Equilibrium properties of a partially ionized plasma, 1-9558
- Harris, G.M. See Porte, A.L., 1-3952
- Harris, I. and Jastrow, R. Re-entry of the Sputnik I rocket, 1-5176
- Harris, I. and Jastrow, R. An interim atmosphere derived from rocket and satellite data, 1-6601
- Harris, I.A. See Booth, K.H.V., 1-16395
- Harris, J. Flow of visco-elastic liquids from tubes, 1-15793
- Harris, J. See Greenwood, J.A., 1-1017
- Harris, J.D. Scaling of pitch intervals, 1-1614
- Harris, J.D. See Sergeant, R.L., 1-10344
- Harris, L. The transmittance and reflectance of gold black deposits in the 15- to 100-micron region, 1-3813
- Harris, L. and Fowler, P. Absorptance of gold in the far infrared, 1-3844
- Harris, P.M. See Reed, J.W., 1-20541
- Harris, P.V. See Price, W.C., 1-852
- Harris, R.A. See McLachlan, A.D., 1-9339
- Harris, R.A. See Rice, S.A., 1-13391
- Harris, W.J. Size distribution determinations of non-volatile droplets by light and electron microscopy, 1-11744
- Harrison, C.W., Jr. See King, R., 1-12693
- Harrison, D.E. and Shirane, G. Crystal growth and structural study of the barium-titanium-phosphate phosphor, 1-20561
- Harrison, D.E., Jr. Determination of the maximum lattice-chain energy from sputtering yield, 1-7110
- Harrison, D.E., Jr. and Magnuson, G.D. Sputtering thresholds, 1-8362
- Harrison, D.P. Auroral radio echoes at Halley Bay, 1-1565
- Harrison, E.R. Runaway and suprathermal particles, 1-9562
- Harrison, E.R. Solar wind and the gegenschein, 1-10336
- Harrison, E.R. See Frith, R., 1-20806
- Harrison, E.R. See Hobbs, L.C.W., 1-9649
- Harrison, F.B. See Armstrong, A.H., 1-15335
- Harrison, G.R. and Stroke, G.W. Attainment of high resolution with diffraction gratings and echelles, 1-1828
- Harrison, J.C. See LaCoste, L.J.B., 1-20792
- Harrison, J.D.L. See Russell, L.E., 1-15097
- Harrison, L.G., Hoodless, I.M. and Morrison, J.A. Exchange reactions involving surface regions in sodium chloride crystals, 1-4076
- Harrison, M.F.A. See Dolder, K.T., 1-18765
- Harrison, R.D. and Thorley, N. The unit of neutron flux, 1-509
- Harrison, R.H. See Douslin, D.R., 1-15952
- Harrison, R.J. and Paskin, A. On "screened impurity potentials in metals", 1-14245
- Harrison, R.J. See Sagalyn, P.L., 1-17389
- Harrison, S.E. See Bernal, I., 1-3566
- Harrison, S.E. See Kriessman, C.J., 1-6520
- Harrison, T.K. See Barker, R.S., 1-17886
- Harrison, V.A.W. An unusual ionospheric disturbance in the Antarctic on 30 June to 1 July 1957, 1-1530
- Harrison, W.A. Tunneling from an independent-particle point of view, 1-10639
- Harrison, W.A. Electronic structure from the one-o.p.w. [orthogonalized plane wave], or nearly-free-electron, point of view, 1-17440
- Harrison, W.A. The Fermi surface, 1-19738
- Harrison, W.A. Bismuth Fermi surface, 1-19744
- Harrison, W.A. and Schmitt, R.W. The Fermi surface of metals, 1-6087
- [Eds.] Harrison, W.A. and Webb, M.B. The Fermi surface, 1-11180
- Hart, E.W. Thermodynamic theory of the pair correlation function, 1-8064
- Hart, H.R. Electrical micromanometer, 1-10553
- Hart, J. See Birks, J.B., 1-5414
- Hart, J. See Birks, J.B., 1-8294
- Hart, K.H. and Baird, K.M. On the relation between the old and the new definition of the International Metre, 1-9306
- Hart, M. and Lang, A.R. Direct determination of X-ray reflection phase relationships through simultaneous reflection, 1-20489
- Harte, A. See Holland, L., 1-18480
- Harteck, P. See Mannella, G., 1-11094
- Hartelius, C.C. See Kouvel, J.S., 1-11460
- Harten, H.U. The surface recombination on silicon contacting an electrolyte, 1-1068
- Harten, H.U. Surface conductivity and recombination at silicon-electrolyte boundaries, 1-17715
- Harth, E. See Leitner, J., 1-16901
- Harth, E.M. See Block, M.M., 1-13500
- Harting, D. See Culligan, G., 1-8477
- Harting, D. See Goebel, K., 1-8732
- Harting, E. See Pawsey, J.L., 1-9294
- Hartl, W. and Raether, H. Energy analysis in Kikuchi lines and in reflection of a silicon cleavage plane, 1-6094
- Hartland, A. See Powles, J.G., 1-5287
- Hartland, A. See Powles, J.G., 1-13192
- Hartman, C.D. See Germer, L.H., 1-1458
- Hartman, C.D. See Germer, L.H., 1-4085
- Hartman, C.D. See Germer, L.H., 1-20658
- Hartman, P. Proposal for the interpretation of the generalized Bravais-Friedel law (law of Donnay and Harker), 1-15022
- Hartman, P.L. Improvements in a source for use in the vacuum ultraviolet, 1-2871



- Hartman, P.L. and Merrill, R.C. Reflectivity of silver chloride in the ultraviolet, 1=3814
- Hartmann, B. and Kleman, B. Optical Faraday effect in germanium, 1=5045
- Hartmann, E. See Jeszenszky, B., 1=6504
- Hartmann, H.  $\pi$ -electron theory, 1=2340
- Hartmann, H. Phenomenological aspects of the radiation law, 1=4497
- Hartmann, P. Influence of surface charge on the photoelectric emission from insulators in the image converter, 1=3003
- Hartmann, P. Compensation for the effect of surface charge during photoelectric emission from insulators with the aid of an electronic camera, 1=16381
- Hartmann, P. See Brun, E., 1=1286
- Hartmann, P. See Brun, E., 1=14835
- Hartmann-Boutron, F. See de Gennes, P.G., 1=20249
- Hartung, R. See Brown, J.L., 1=8515
- Hartunian, R.A. and Marrone, P.V. Viscosity of dissociated gases from shock-tube heat-transfer measurements, 1=6878
- Hartunian, R.S. Shock curvature due to boundary-layer effects in a shock tube, 1=11779
- Hartwick, T.S., Peressini, E.R. and Weiss, M.T. Subsidiary resonance in YIG, 1=6407
- Hartwick, T.S., Peressini, E.R. and Weiss, M.T. Suppression of subsidiary absorption in ferrites by modulation techniques, 1=7780
- Hartwig, G. Measurement of the  $\beta$ - $\gamma$  circular polarization correlation in antimony-124, 1=3417
- Hartwig, K. The spatial resolution of barium titanate and quartz plates in ultrasonic picture formation, 1=6919
- Hartz, T.R. See Brown, F.R., 1=15349
- Hartz, T.R. See Vogan, E.L., 1=20917
- Harumi, K. Scattering of plane waves by a rigid ribbon in a solid, 1=11807
- Harvey, B.G. and Cernv, J. Reaction  $C^{14}(\alpha, d)N^{14}$ , 1=727
- Harvey, D.G. and Morse, J.C. Radionuclide power for space missions, 1=15579
- Harvey, G.A. See Covington, A.E., 1=4217
- Harvey, G.A. See Covington, A.E., 1=10393
- Harvey, G.A. See Covington, A.E., 1=18098
- Harvey, J., Matthews, H.I. and Wilman, H. Crystal structure and growth of metallic or metallic-oxide smoke particles produced by electric arcs, 1=11563
- Harvey, J. and Wilman, H. The crystallisation of thin amorphous tantalum oxide films heated in air or vacuo, and the structure of the crystalline oxide, 1=20674
- Harvey, J.A. Slow neutron resonances, 1=8740
- Harvey, J.A. See Block, R.C., 1=17131
- Harvey, J.A. See Pattenden, N.J., 1=8790
- Harvey, J.S. See Kaufman, L., 1=6531
- Harvey, J.S.M., Kamper, R.A. and Lea, K.R. Paramagnetic resonance absorption in bromine and chlorine, 1=3932
- Harvey, W.W. Description of impurity ionization in semiconductors by chemical thermodynamics, 1=12430
- Harwit, M. Measurement of thermal fluctuations in radiation, 1=252
- Harwit, M. Can gravitational forces alone account for galaxy formation in a steady state universe, 1=12776
- Harwood, J. Some observations of the occurrence and movement of sporadic-E ionization, 1=20978
- Hasebe, K. New modified Campbell's bridge, 1=11889
- Haseda, T. Paramagnetic susceptibility of  $CoCl_2 \cdot 6H_2O$  and its deuterated salts, 1=9016
- Haseda, T. and Miedema, A.R. Specific heat of  $Cu(NH_4)_2SO_4 \cdot H_2O$  below 1°K, 1=19719
- Haseda, T. See Kobayashi, H., 1=12517
- Hasegawa, S. See Fukui, 1=2125
- Hasegawa, H. and Ito, K. Very high energy nuclear reactions and alpha-particle model, 1=13866
- Hasegawa, H. See Fukui, S., 1=19311
- Hasegawa, S. A new model for the high energy nuclear interaction, 1=19303
- Hasegawa, S. See Aizu, H., 1=3316
- Hasegawa, S. See Aizu, H., 1=3317
- Hasegawa, S. See Aizu, H., 1=13548
- Hasegawa, S. See Fujimoto, Y., 1=7296
- Haselgrove, C.B., Haselgrove, J. and Jennison, R.C. Ray paths from a cosmic radio source to a satellite in orbit, 1=15531
- Haselgrove, J. See Haselgrove, C.B., 1=15531
- Hasell, P.G., Jr. See Mundie, L.G., 1=1841
- Hashi, T. Double quantum transition in electron spin resonance of diphenyl-picryl hydrazyl at low magnetic fields, 1=14092
- Hashi, T., Hirai, A., Sasaki, M. and Kawai, T. Nuclear magnetic resonance pulse apparatus, 1=1977
- Hashi, T. See Kawai, T., 1=14830
- Hashi, T. See Sasaki, M., 1=11602
- Hashi, T. See Sugibuchi, K., 1=20258
- Hashi, T. See Takahashi, I., 1=14103
- Hashimoto, H., Mannami, M. and Naiki, T. Dynamical theory of electron diffraction for the electron microscopic image of crystal lattices. I. Images of single crystals, 1=10250
- Hashimoto, H., Mannami, M. and Naiki, T. Dynamical theory of electron diffraction for the electron microscopic image of crystal lattices. II. Image of superposed crystals (Moiré pattern), 1=10251
- Hashimoto, H., Tanaka, K. and Yoda, E. Growth and evaporation of tungsten oxide crystals, 1=9111
- Hashimoto, H. and Watanabe, H. Electron microscope out-of-focus image of the edge of a crystal lattice, 1=4089
- Hashimoto, K. Galvanomagnetic effects in bismuth selenide  $Bi_2Se_3$ , 1=19870
- Hashimoto, K., Iwayanagi, H. and Fukushima, H. Measurement of gas evolution and absorption from materials used in vacuum tubes, 1=18494
- Hashimoto, K. See Nagata, S., 1=121
- Hashimoto, S. See Murakawa, K., 1=13092
- Hashimoto, T. See Hirakawa, K., 1=12548
- Hashimoto, T. See Hirakawa, K., 1=20164
- Hashimoto, Y. See Mikumo, T., 1=9882
- Hashimura, T. See Kawamura, H., 1=19757
- Hashizume, A., Takahashi, T., Tendo, Y. and Enomoto, Y. Gamma radiation following the decay of  $Dy^{166}$ , 1=12179
- Hashizume, S. See Ondoh, T., 1=20857
- Hashmi, S.Z.R. Measurement of camera shutter speeds with counter-chronograph, 1=5362
- Hashmi, S.Z.R. An automatic counter chronograph for routine measurements of short intervals of time, 1=8092
- Hashmi, S.Z.R. An arc type water-cooled ion source for positive ions, 1=8358
- Hasiguti, R.R. Low temperature annealing stages of irradiated copper, 1=964
- Hasiguti, R.R. Impurity trapped interstitials and the low temperature annealing stages of irradiated copper, 1=11194
- Hasiguti, R.R. See Hiki, Y., 1=12669
- Hasikuni, M. The dispersion relation of plasma oscillations, II-III, 1=9623
- Hasikuni, M. Temperature dependence of infrared absorption bands of n-higher alcohols, 1=12289
- Hasikuni, M. See Furukane, U., 1=14233
- Hasimoto, H. Magnetohydrodynamic wakes in a viscous conducting fluid, 1=5559
- Hasimoto, H. Effect of a magnetic field on the flow of a conducting fluid through an orifice, 1=10776
- Hasimoto, Z. and Morioka, S. Local description of the flow behind a steady, two-dimensional, curved shock wave, 1=18453
- Haskin, D.M., Jain, P.L., Lohrmann, E., Schein, M. and Teicher, M. Investigations of high-energy heavy nuclei in the primary cosmic radiation close to the geomagnetic equator (Guam, Marianas Islands), 1=3322
- Haskin, D.M., Lohrmann, E., Teicher, M.W. and Schein, M. Investigation of an electron-photon cascade of more than  $10^{10}$  eV, 1=571
- Haskin, D.M. See Barkow, A.G., 1=7238
- Haskin, D.M. See Gierula, J., 1=7239
- Haskin, D.M. See Teicher, M.W., 1=3256
- Haskin, L. and Vandenbosch, R. New yttrium isomers of masses 86 and 90, 1=10973
- Haslam, R.N.H. See Roalsvig, J.P., 1=8697
- Haslett, J.W. See Mann, H.M., 1=13230
- Hasnain, S.A. and Murray, R.L. Validity of the  $B_1$  method for Hass, G. and Waylonis, J.E. Optical constants and reflectance and transmittance of evaporated aluminum in the visible and ultraviolet, 1=10087
- Hass, G. See Angel, D.W., 1=16070
- Hass, G. See Cox, J.T., 1=10580
- Hass, M. See Kelly, W.H., 1=14745
- Hass, W.P.A., Seidel, G. and Poulis, N.J. Nuclear spin relaxation and molecular diffusion in liquid hydrogen, 1=8137
- Hass, W.P.A. See Burger, J.P., 1=14827

- Hasse, G. and Granzer, F. An electron-microscope investigation of grain growth during recrystallization of plastically deformed aluminium foil, 1-9164
- Hassett, N.J. Flow patterns in particle beds, 1-10495
- Hassler, W. See Lotz, W., 1-568
- Haste, G.R. See Barnett, C.F., 1-16349
- Hasted, J.B. The energy transferred in inelastic ion-atom collisions, 1-5981
- Hasted, J.B. The dielectric properties of water, 1-6868
- Hastilow, P.A.P. See Holloway, D.G., 1-7829
- Hasting, J.M. See Corliss, L.M., 1-9042
- Hasty, T.E. and Boudreaux, L.J. Ferromagnetic resonance in thin magnetic films at radio frequencies, 1-14767
- Haszko, S.E. See McHugh, J.P., 1-20584
- Haszko, S.E. See Wernick, J.H., 1-20542
- Hatano, S. Collective excitation of nuclear matter, 1-9802
- Hatch, A.J. High-frequency potential well for dense plasmas, 1-4612
- Hatch, A.J. Electron bunching in the multipacting mechanism of high-frequency discharge, 1-10677
- Hatcher, C.R. See Seward, F.D., 1-2043
- Hatcher, R.D. and Dienes, G.J. Relaxation and activation energies for an interstitial neutral defect in an alkali halide lattice, 1-17503
- Hatcher, R.D. See Abrahamson, A.A., 1-819
- Hatcher, R.D. See Arase, E.M., 1-2378
- Hatcher, R.D. See Neuberger, J., 1-8977
- Hatsopoulos, G.N. See Carabateas, E.N., 1-4641
- Hatsukade, S. See Han, M.Y., 1-13374
- Hatt, B.A. and Roberts, J.A. The  $\omega$ -phase in zirconium base alloys, 1-4062
- Hatta, Y. See Sugawara, M., 1-280
- Hattersley, P.M. See Astbury, A., 1-8472
- Hatton, C.J. See Marsden, P.L., 1-579
- Hattori, A. and Yada, B. Optical observations of the second Russian earth satellite, 1-2671
- Hattori, M. and Sato, H. Note on the field dependence of the mobility in semiconductors, 1-11278
- Hattori, M. See Doke, T., 1-12036
- Hattori, M. See Suzuki, H., 1-19758
- Hattori, S. N bands in alkali halide crystals, 1-17582
- Hattori, S. See Kimura, M., 1-1757
- Hattori, S. See Shimizu, T., 1-2499
- Haubert, A. Sudden commencement ionospheric disturbances and the propagation of long waves, 1-1542
- Haubert, A. On the determination of the true height of the maximum of ionization by the ten-points method, 1-4118
- Haug, U. Statistics of spatial brightness variations of the [O I] 5577 Å line in nightglow, 1-21034
- Haun, S. and Kamke, D. A universal method for stabilizing scintillation spectrometer systems, 1-18734
- Haupt, H. and Ellerböck, W. Ascending prominence of 11 April 1959. I. Description of the eruption, 1-9276
- Hauptman, H. and Karle, J. A unified program for phase determination, type 3P., 1-15062
- Haurwitz, B. Frictional effects and the meridional circulation in the mesosphere, 1-20889
- Haus, H.A. Thermal noise in dissipative media, 1-4290
- Haus, H.A. See Bobroff, D.L., 1-16398
- Hauser, I. See Engelhardt, H., 1-5620
- Hauser, J.J. See Banerjee, B.R., 1-7584
- Hauser, U. Hindered E1 decay of the 6 keV individual particle state of  $^{181}\text{Ta}$ , 1-8650
- Hausman, H.J. See Bowsher, H.F., 1-4868
- Hausser, K.H. Effect of  $\text{O}_2$  on line width and relaxation in E.S.R., 1-10521
- Haussühl, S. Elastic properties of CsCl-type crystals, 1-20293
- Hauw, C. See Gaultier, J., 1-20510
- Havemann, H.A. See Prasad, K.K., 1-16154
- Haven, Y. See van Doorn, C.Z., 1-19815
- Havens, W.W., Jr. See Desiardins, J.S., 1-700
- Havens, W.W., Jr. See Gould, F.T., 1-16812
- Havens, W.W., Jr. See Rush, J.J., 1-2308
- Havens, W.W., Jr. See Safford, G.J., 1-709
- Havinga, E.E. The temperature dependence of dielectric constants, 1-19919
- Havlíček, F.I. The computation of wavefronts, 1-228
- Havlíček, F.I. The reaction  $(\nu, \alpha)$  on tellurium, 1-678
- Havlíček, F.I. Strehl intensity [definitionshelligkeit] and contrast transfer, 1-16110
- Havrýlyuk, V.M. and Yazyeva, V.H. Study of the adsorption of Ba atoms and BaO molecules [on tungsten] in a field-emission projector, 1-15183
- Havrýlyuk, V.M. Magnetic ionization manometer, 1-12932
- Havrýlyuk, V.M. See Vedula, Yu.S., 1-12667
- Havrýlyuk, V.M. Adsorption of barium atoms and barium oxide molecules on tungsten. II, 1-12868
- Hawkins, F.M. Veiled absorption lines, 1-10389
- Hawkins, F.M. Inhomogeneous atmospheres, 1-12829
- Hawkins, G.S. See Cook, A.F., 1-6744
- Hawkins, T.D.H. See Moss, T.S., 1-3790
- Hawkins, W.B. Cesium transition probabilities for optical pumping, 1-11074
- Hawley, R. Inexpensive safety switch for water-cooled equipment, 1-2581
- Hawley, R. and Walley, C.A. Phenomena occurring at electrically stressed metallic surfaces in vacuum, 1-10689
- Haworth, C.W. Measurement of the Debye-Waller temperature factor for silver and  $\alpha$ -iron, 1-4042
- Hawrylak, R. See Verba, J., 1-13237
- Hawton, J.J. See Roy, J.C., 1-19529
- Hay, D.R., Martin, H.C. and Turner, H.E. Light-weight refractometer, 1-10548
- Hayakawa, S. Heating of interstellar clouds by supra-thermal particles, 1-6694
- Hayakawa, S. A possible origin of the ultraviolet radiation from galactic clouds, 1-6095
- Hayakawa, S. On the origin of deuterium in the solar system, 1-6696
- Hayakawa, S. Possible methods for detecting intergalactic hydrogen, 1-15413
- Hayakawa, S., Hayashi, C., Ito, K., Jugaku, J., Nishida, M. and Ohyama, N. Chemical composition of cosmic rays and origin of elements, 1-3328
- Hayakawa, S., Hayashi, C. and Nishida, M. Rapid thermonuclear reactions in supernova explosion, 1-18122
- Hayakawa, S., Koba, Z. and Takagi, S. Asymmetry effects and various models of high-energy nuclear collisions, 1-3429
- Hayakawa, S., Koshiba, M. and Terashima, Y. Interpretation of the energy spectra of heavy primary cosmic rays, 1-3329
- Hayakawa, S. and Ogita, N. High energy nuclear interactions and extensive air showers, 1-3296
- Hayakawa, S. and Tanaka, H. Cosmological implication of physical constants, 1-18006
- Hayakawa, S. See Fukui, S., 1-12039
- Hayakawa, Sh. and Suita, T. The characteristics of the discharges in the crossed electric and magnetic field, 1-16345
- Hayano, N. Shell structure effect of the level spacing in highly excited nuclei, 1-7317
- Hayano, N. Role of trapping processes in the interpretation of lifetime of carriers, 1-10038
- Hayasaki, K. Molecular structure of cyclic compounds containing sulphur, 1-14115
- Hayashi, C., Jugaku, J. and Nishida, M. Evolution of massive stars. II. Helium-burning stage, 1-38
- Hayashi, C., Nishida, M. and Sugimoto, D. Evolution of a star with intermediate mass after hydrogen burning, 1-18119
- Hayashi, C. See Hayakawa, S., 1-3328
- Hayashi, C. See Hayakawa, S., 1-18122
- Hayashi, C. See Sakashita, S., 1-39
- Hayashi, I. See Kikuchi, S., 1-7113
- Hayashi, I. See Kikuchi, S., 1-8516
- Hayashi, I. See Sanada, J., 1-8457
- Hayashi, I. See Suwa, S., 1-7241
- Hayashi, K. See Satoh, T., 1-11761
- Hayashi, M. Absorption spectra of cuprous oxide, 1-1157
- Hayashi, M. Pseudokinematical approximation in electron diffraction by crystal, 1-12630
- Hayashi, M. and Pierce, L. Tables for the internal rotation problem, 1-19622
- Hayashi, M. See Pierce, L., 1-12283
- Hayashi, S. Viscoelastic properties of network structure, 1-7823
- Hayashi, Y. Perturbation theory of the electro-magnetic fields in anisotropic inhomogeneous media, 1-10,64
- Hayashi, Y. The mathematical theory of the electromagnetic fields in anisotropic inhomogeneous media, 1-16499
- Hayashi, Y. See Kawamura, H., 1-19757
- Hayashibe, S. See Sugiyama, K., 1-16988
- Hayasi, N. On the quasi-two-dimensional laminar boundary layer, 1-9371



- Hayasi, N. On similar solutions of the steady quasi-two-dimensional incompressible laminar boundary-layer equations, 1=9372
- Hayden, P. The cross-linking and chain fracture of rubber by high-energy radiation, 1=15204
- Haydon, D.A. and Taylor, F.H. On adsorption at the oil/water interface and the calculation of electrical potentials in the aqueous surface phase. I. Neutral molecules and a simplified treatment for ions, 1=8104
- Haydon, S.C. and Robertson, A.G. Pre-breakdown ionization in hydrogen at low pressures, 1=11908
- Hayes, J.N. Damping of plasma oscillations in the linear theory, 1=18901
- Hayes, W. and Twidell, J.W. Paramagnetic resonance of X-irradiated  $\text{CaF}_2$ :Tm and of  $\text{CaF}_2$ :Yb, 1=20203
- Hayes, W. See Delbecq, C.J., 1=3840
- Hayess, E. A pulsed method for probe measurements in stationary plasma with high currents, 1=5471
- Hayess, E. and Rademacher, K. Probe measurements at higher currents in the positive column of an argon discharge, 1=18797
- Hayess, E. and Rademacher, K. Probe measurements at high current densities in a low pressure argon discharge, 1=18807
- Hayman, H.J.G. and Eliezer, J. Dipole moments of  $\alpha, \omega$ -dibromoparaffins, and their temperature dependence, 1=12333
- Haymann, P. and Lecomte, C. Calculation of the mean inner potential of a silver crystal after ionic attack, 1=9966
- Haymes, R. See Korff, S.A., 1=19307
- Haymes, R.C. See Korff, S.A., 1=13589
- Hays, E.E. Comparison of directly measured sound velocities with values calculated from hydrographic data, 1=2820
- Hayward, A.T.J. Electrostatic attraction between a liquid surface and a needle height-gauge, 1=5416
- Hayward, D.O. See Brennan, D., 1=1459
- Hayward, E. See Fuller, E.G., 1=8692
- Hayward, E. See Fuller, E.G., 1=8698
- Hayward, E.R. and Greenough, A.P. The surface energy of solid nickel, 1=15171
- Hayward, R.W. and Hoppes, D.D. Relativistic matrix elements and the velocity dependence of nuclear potentials, 1=19392
- Hayward, R.W. See Hoppes, D.D., 1=5859
- Hayward, T.H.J. See Greenwood, H.H., 1=14067
- Hazard, C. Lunar occultation of a radio source, 1=15569
- Hazard, C. and Walsh, D. A survey of the localised radio sources at a frequency of 92 Mc/s, 1=2667
- Hazard, C. and Walsh, D. A comparison of an interferometer and total power survey of discrete sources of radiofrequency radiation, 1=18139
- Hazard, C. See Hanbury Brown, R., 1=4213
- Hazen, W.E. See Gaebler, J.F., 1=5808
- Hazewindus, N. See van Oostrum, K.J., 1=12158
- Hazlehurst, J. The stability of a rotating gas column, 1=11773
- Head, A.K. The stress fields around some dislocation arrays, 1=3664
- Head, A.K. The interaction of dislocations with boundaries and surface films, 1=965
- Head, A.K. See Clarebrough, L.M., 1=17509
- Head, A.K. See Mitchell, L.H., 1=15761
- Head, J.W. See Mayo, C.G., 1=6689
- Head, F.B. and Sutherland, K.L. Heterogeneous nucleation by aggregates of particles, 1=1492
- Heading, J. Analytical considerations of ionospheric windows for low frequency radio waves, 1=15265
- Headrick, R.D. See Drake, C.W., 1=13524
- Heal, H.G. and Pringle, J.P.S. Colour centres in X-irradiated alkali metal azides, 1=17577
- Heal, T.J. See McIntosh, A.B., 1=4884
- Healy, J.H. See Uphoff, H.L., 1=7644
- Heap, B.R. See Elliott, R.J., 1=1200
- Heard, H.G. See Goldfarb, E.M., 1=4574
- Hearmon, R.F.S. An introduction to applied anisotropic elasticity, 1=14840
- Hearn, A.C. The invariant amplitudes of interaction processes, 1=13347
- Hearne, J.A. See Hummel, R.W., 1=3094
- Heasell, E.L. See Padmanabhan, R.A., 1=1741
- Heastie, R. and Lefebvre, C. Phase equilibria in condensed mixtures of argon and xenon, 1=1848
- Heath, M. See Bagguley, D.M.S., 1=9047
- Heath, R.L., Cline, J.E., Reich, C.W., Yates, E.C. and Turk, E.H. 3.14 hr isomeric level in  $\text{Y}^{90}$ , 1=10974
- Heath, R.L. See Cline, J.E., 1=5877
- Heaton, J.W. See Bolton, H.C., 1=20526
- Heaton, L. See Gingrich, N.S., 1=5266
- Heaton, L. See Mueller, M.H., 1=15032
- Heaton, L. See Mueller, M.H., 1=15061
- Heaton, L.R. See Clayton, G.T., 1=2745
- Heaton, L.R. See Clayton, G.T., 1=2746
- Heavens, O.S. Magnetic properties of epitaxially grown films, 1=1231
- Heavens, O.S. Optical properties of thin films, 1=1823
- Heavens, O.S. Radiative transition probabilities of the lower excited states of the alkali metals, 1=13959
- Heavens, O.S., Miller, R.F., Moss, G.L. and Anderson, J.C. The preparations of continuous single-crystal thin films of nickel and nickel-iron alloys, 1=12664
- Hebbard, D.F. Gamma rays from the 351 keV  $\text{C}^{14}(\text{p}, \gamma)$  resonance, 1=692
- Hebbard, D.F. and Vogl, J.L. Elastic scattering and radiative capture of protons by  $\text{C}^{13}$ , 1=4865
- Heber, G. Lectures on selected chapters of quantum field theory, 1=13267
- Heber, G. Uncertain space-time continuum, uncertain mass and Pauli-Villars regularization, 1=19084
- Hébert, G.R. and Nicholls, R.W. The  $\Lambda$ 2763 Å (0,9) band of the  $\text{O}_2$  Schumannrunge System, 1=14050
- Hecht, K. Experimental model for xenon poisoning in a nuclear reactor, 1=3486
- Hecht, K. Collision experiments in shadow projection, 1=12835
- Hecht, K.T. The vibration-rotation energies of tetrahedral  $\text{XY}_4$  molecules. I. Theory of spherical top molecules, 1=6001
- Hecht, K.T. Vibration-rotation energies of tetrahedral  $\text{XY}_4$  molecules. II. The fundamental  $\nu_3$  of  $\text{CH}_4$ , 1=6002
- Heckl, M. Sound radiation from a point-excited hollow cylinder, 1=202
- Heckl, M. Acoustic radiation from point-excited plates, 1=203
- Heckl, M. Wave propagation on beam-plate systems, 1=6922
- Heckl, M. Investigations on orthotropic sheets, 1=8172
- Heckl, M. The sound damping of homogeneous plain walls with enclosed surfaces, 1=8206
- Heckl, M. Reply to the remarks by E.J. Skudrzyk, 1=9441
- Heckl, M. See Cremer, L., 1=189
- Heckl, M. See Lyon, R.H., 1=15996
- Heckman, H.H. See Armstrong, A.H., 1=15335
- Heckmann, P.H., Gubernator, K., Pöyhönen, J. and Flammersfeld, A. Nuclear isomerism in  $\text{In}^{116}$ , 1=13692
- Heckmann, P.H., Hansen, H. and Flammersfeld, A. The directional dependence of the scintillation light yield of thin anthracene and stilbene crystals in the case of  $\alpha$ -ray bombardment, 1=5057
- Hector, F. and Forsyth, P.A. On the statistical properties of optical and radio aurora, 1=21045
- Hedin, L.T. A microscopic derivation of the Born-Huang relations between the atomic force constants, 1=7513
- Hedgcock, F.T. Magnetic susceptibility of the two phases of lithium at low temperatures, 1=1193
- Hedgcock, F.T. See Collings, E.W., 1=5069
- Hedgcock, F.T. See Collings, E.W., 1=20213
- Hedgcock, F.T. See Fischer, G., 1=20050
- Heeger, A.J., Beckman, O. and Portis, A.M. Magnetic properties of  $\text{KMnF}_3$ . II. Weak ferromagnetism, 1=12525
- Heer, E. See England, A.C., 1=16781
- Heertje, I. See Aten, A.H.W., Jr, 1=17008
- Heesch, D.S. Observations of radio sources at four frequencies, 1=2666
- Heesch, D.S. and Meredith, B.L. Secular variation of the flux density of the radio source Cassiopeia A, 1=18207
- Heffner, H. and Wade, G. Noise figure and gain of parametric converters, 1=4537
- Hefley, G., Doherty, R.H. and Linfield, R.F. Initial results of a new technique for investigating sferic activity, 1=6592
- Heflinger, L.O. and Leonard, S.L. Superfast pinch studies, 1=5464
- Hegel, U. and Finckh, E. The spectrum of high-energy protons from the reaction  $\text{O}^{16}(\gamma, \text{p})\text{N}^{15}$ , 1=7369
- Hegel, U. See Finckh, E., 1=7366

- Hegenbarth, E. Experiments on the dielectric properties of some ferroelectric ceramics at low temperatures, 1-19929
- Heggie, L.D. and Masek, G.E. Hodoscope for low level output particle detectors, 1-4745
- Heggie, L.D. See Masek, G.E., 1-7257
- Hehuzin, Ya.Ye. and Ovcharenko, N.M. The part played by admixtures in the formation of diffusion porosity, 1-15170
- Heicklen, J. and Porter, G.B. Photodecomposition of biacetyl vapor, 1-7917
- Heidelberg, R.F. See Curl, R.F. Jr., 1-3536
- Heidenreich, R.D. See Haase, O., 1-16420
- Heidmann, J. and Lequeux, J. Interferometric measurements on the radiosource Hercules A at 1420 Mc/s, 1-15561
- Heidmann, J. See Lequeux, J., 1-18205
- Heikes, R.R., McGuire, T.R. and Happel, R.J., Jr. Role of double exchange in the magnetic structure of  $\text{Li}_2\text{Mn}-\text{Se}$ , 1-2466
- Heikes, R.R. See Johnston, W.D., 1-20420
- Heikes, R.R. See Miller, R.C., 1-17673
- Heikkilä, W.J. See Adey, A.W., 1-7936
- Heiland, G. Surface conductivity of semiconductors and its variation by adsorption, transverse electric fields and irradiation, 1-3738
- Heilbronner, E. See Donohue, J., 1-20506
- Heilig, K. The isotope shift between the even isotopes of Sr 84, 86, 88, and 90 and the discontinuity in the nuclear volume effect at the neutron number 50, 1-9913
- Heiligman, R. Models for the mechanism of irradiation-induced reversible changes in certain organic compounds, 1-10297
- Heilmann, G. Use of polarizers with small degree of polarization in the infrared, 1-18621
- Heilmann, G. The optical constants of calcium fluoride in the infrared, 1-19944
- Heimann, G. See Narath, A., 1-9712
- Heimke, G. Investigation of the temperature dependence of the magnetization of magnetically hard ferrites, 1-10169
- Hein, R.A. and Falge, R.L. Jr. Differential paramagnetic effect in superconductors, 1-10640
- Heine, V. Electronic band structure in alloys and liquid metals, 1-17443
- Heine, V. See Cohen, M.H., 1-9896
- Heine, V. See Falicov, L.M., 1-19743
- Heine, V. See Goodings, D.A., 1-3628
- Heinecke, W.J. and Ing, S.Jr. Surface kinetics and physics investigation of the reaction between single-crystal germanium and iodine, 1-11612
- Heineman, R.E. See Bennett, R.A., 1-17239
- Heineman, R.E. See Stinson, W.P., 1-17233
- Heinloth, K. The scattering of subthermal neutrons by  $\text{H}_2\text{O}$ ,  $\text{CH}_3\text{O}$ , and  $\text{C}_2\text{H}_6$ , 1-13429
- Heinmets, F. Direct measurements of proton mobilities in protonated ice, 1-1486
- Heintze, J. See Bühring, W., 1-1774
- Heinz, J.M. and Stevens, K.N. On the properties of voiceless fricative consonants, 1-7857
- Heinz, W. Accuracy of reproduction of equal density lines. I. Reproduction of equal-irradiation curves by photographic equal density lines, 1-18629
- Heinz, W. Accuracy of reproduction of equal density lines. II. Reproduction of coordinate relations, 1-18630
- Heinz, W. and Simonsohn, G. Preparation of standard light [sources] whose intensities decrease in geometric succession, 1-18582
- Heirtzler, J.R., Nichols, D.L. and Santirocco, R.A. Some observations of the geomagnetic fluctuation spectrum at audio frequencies, 1-1593
- Heise, R. See Deubner, A., 1-3811
- Heisenberg, W. See Durr, H.P., 1-16671
- Heisler, L.H. A relation between ionospheric drifts and atmospheric dynamo current systems, 1-1527
- Heisler, L.H. Vertical characteristics of travelling ionospheric disturbances, 1-9193
- Heisler, L.H. and Whitehead, J.D. F-region traveling disturbances and sporadic-E ionization, 1-15289
- Heisler, L.H. and Whitehead, J.D. Group and phase velocities of a travelling disturbance in the F region of the ionosphere, 1-15290
- Heitmann, W.E. and Balluffi, R.W. Relative polygonization rates in copper and copper-zinc alloys, 1-12377
- Heitz, F. Theory of the complex activity, 1-15197
- Heiz, R. The importance of vacuum techniques in the production of stable blood preparations, 1-5316
- Heizinger, K. The thermal conductivities of normal- and para-hydrogen at 20°K, 1-9382
- Heilbardt, G. Investigations on 50% iron-cobalt alloys, 1-14700
- Helberg, H.W. Sound scattering of gas balloons, 1-9451
- Helberg, H.W. The absorption of electromagnetic waves over a wide frequency range, by a thin homogeneous lossy film, 1-19033
- Helbig, E. The light transmission and temperature relationship in projection systems using heat absorbing filters, 1-8217
- Helbig, E. and Klaus, H. Some experiments on the fatigue and temperature dependence of photoelements, 1-3795
- Helbig, E. and Klaus, H. Some experiments on the fatigue and temperature dependence of photoelements, 1-8343
- Helfand, E. Theory of the molecular friction constant, 1-10545
- Helfand, E., Frisch, H.L. and Lebowitz, J.L. Theory of the two- and one-dimensional rigid sphere fluids, 1-5220
- Helfand, E. See Reiss, H., 1-2528
- Helfer, H. Energy spectra of charged pions produced in  $\text{pd}$ -collisions at 60 MeV, 1-7269
- Helfer, H., Kuznetsov, A.S., Mescheryakov, M.G., Swiatkowski, W. and Vovchenko, V.G. Effects of the nuclear binding of nucleons on pion spectra, 1-5755
- Helfer, H.L. The kinematics of the local gas system, 1-7978
- Helfer, H.L. See Erickson, W.C., 1-18012
- Hellenthal, W. On the investigation of slow magnetization processes in thin films, 1-1230
- Hellenthal, W. On the Curie temperature of very thin nickel films, 1-10160
- Heller, C. See Cole, T., 1-9059
- Heller, C. See Cole, T., 1-10184
- Heller, C.A. Reactions of methyl with isopropyl radicals, 1-20757
- Heller, G.S., Stickler, J.J. and Thaxter, J.B. Antiferromagnetic materials for millimeter and submillimeter devices, 1-6381
- Heller, W., Pangonis, W.J. and Economou, N.A. Theoretical investigations on the light scattering of colloidal spheres. X. "Scattering ratio" and depolarization of light scattered at an angle of observation of 90°, 1-5360
- Heller, W. See Pangonis, W.J., 1-5359
- Heller, W. See Stevenson, A.F., 1-8239
- Heller, W. See Wallach, M.L., 1-8240
- Heller, W.R. Quantum effects in diffusion: internal friction due to hydrogen and deuterium dissolved in  $\alpha$ -iron, 1-14305
- Hellgardt, J. See Bethge, H., 1-325
- Helliwell, J.B. Unsymmetrical flow patterns past a finite wedge profile in a high subsonic stream, 1-15916
- Helliwell, R.A. See Smith, R.L., 1-15321
- Helliwell, T.M. Oscillator strengths of lead and the lead abundance in the sun, 1-5970
- Hellman, O. A certain stochastic heat flow problem, 1-4493
- Hellman, O. A criterium for the stability of a neutral zero spin particle predicted by a classical nonlinear field theory, 1-9723
- Hellman, O. A classical nonlinear field theory predicting masses of neutral and charged elementary particles with zero spin, 1-9724
- Hellman, O. On the Schrödinger eigenvalue problem. II, 1-18268
- Hellman, R.P. and Zwislöck, J. Some factors affecting the estimation of loudness, 1-7861
- Hellstrand, E., Blomberg, P. and Hörner, S. The temperature coefficient of the resonance integral for uranium metal and oxide, 1-16810
- Hellström, B. The ultratome ultramicrotome — basic principles and summarized description of construction, 1-1815
- Hellwarth, R.W. Theory of the pulsation of fluorescent light from ruby, 1-3859
- Hellwege, K.H., Hess, G. and Kahle, H.G. Spectrum and Zeeman effect of trivalent praseodymium in hexagonal ethylsulphate, 1-1164
- Hellwege, K.H., Hüfner, S. and Kahle, H.G. Spectrum, Zeeman effect and electron terms of trivalent erbium in crystalline salts. I. Erbium ethylsulphate,  $\text{Er}(\text{C}_2\text{H}_5\text{SO}_4)_3 \cdot 9\text{H}_2\text{O}$ . II. Erbium chloride,  $\text{ErCl}_3 \cdot 6\text{H}_2\text{O}$  and erbium nitrate,  $\text{Er}(\text{NO}_3)_3 \cdot 6\text{H}_2\text{O}$ , 1-1165



- Hellwege, K.H., Klüch, F., Niemann, K. and Pfeffer, W. Specific heat of  $\text{GdCl}_3 \cdot 6\text{H}_2\text{O}$  in the temperature range between 1.1° and 260°K, 1=8881
- Hellwege, K.H. See Friederich, A., 1=2443
- Hellwege, K.H. See Grohmann, I., 1=1158
- Hellwege, K.H. See Grohmann, I., 1=19987
- Helm, R. See Crannell, H., 1=679
- Helm, R. See Crannell, H., 1=10965
- Helmberger, J. See Karolus, A., 1=12838
- Helmer, R.G. and Burson, S.B. Decay of  $\text{Tm}^{173}$ , 1=10976
- Helmer, R.G. and Burson, S.B. Energy levels in  $^{173}\text{Tm}$  from the decay of  $^{173}\text{Er}$ , 1=10977
- Helmers, K. Exceptions to gamma intensity rules in nuclear rotational spectra, 1=661
- Helmers, K. Symplectic invariants and Flowers' classification of shell model states, 1=5834
- Helmholz, A.C. Strong interactions, 1=13760
- Helmholz, L., Guzzo, A.V. and Sanders, R.N. Paramagnetic resonance spectra of chromium III and manganese IV hexafluoride ions:  $\text{CrF}_6^{3-}$  and  $\text{MnF}_6^{4-}$ , 1=20207
- Helmy, E., Prowse, D.J. and Stork, D.H. Nature of the  $\text{K}^+ + n \rightarrow \text{K}^0 + p$  angular distribution, 1=9765
- Heltemes, E.C. and Swenson, C.A. Nuclear contribution to the heat capacity of terbium metal, 1=17423
- Hély, J. Spherically pulsating particles and radiation in general relativity, 1=2687
- Hély, J. States of pure radiation in general relativity, 1=6772
- Hely, J. The state of total radiation in the general relativity, 1=15649
- Hemenway, C.L., Fullam, E.F. and Phillips, L. Nanometeorites, 1=15441
- Hemkar, M.P. See Joshi, S.K., 1=7530
- Hemkar, M.P. See Joshi, S.K., 1=9971
- Hemkar, M.P. See Joshi, S.K., 1=17400
- Hemmat, N. and MacDonald, A.L. Chuck design for holding a silicon rod in floating zone crystal growing, 1=10241
- Hemmer, P.C. On a generalization of smoluchowski's diffusion equation, 1=8063
- Hemmer, P.C. On multiple scattering corrections for collimators, 1=16440
- Hemstreet, R.A. and Hamilton, J.R. Evidence of multiple trapping sites for excited nitrogen atoms in solid molecular nitrogen, 1=5983
- Henck, R. and Coche, A. Modulation of the luminescence excited by  $\alpha$ -rays in certain zinc sulphides under the action of alternating fields, 1=14655
- Henck, R. and Coche, A. The intensifying effect of electric fields on  $\alpha$ -ray luminescence as a function of the emission wavelength and the frequency of the electric field, 1=14656
- Hendel, A.Z., Piroué, P.A. and Reynolds, G.T. Double cloud-chamber investigation of 500  $m_e$  particles in cosmic rays, 1=16924
- Hendel, A.Z. See Gaebler, J.F., 1=5808
- Henderson, J.W. and White, R.L. Thermodynamic and magnetic properties of ytterbium iron garnet, 1=12541
- Henderson, T.M. See Waddell, C.N., 1=19460
- Henderson, W.D. See Hilton, A.R. Jr., 1=6007
- Hendrie, D.L. and Gerhart, J.B. Half-life of  $\text{O}^{14}$ , 1=2183
- Hendrix, C.E. See Van Buskirk, L.F., 1=16575
- Hendus, H., Schnell, G., Thurn, H. and Wolf, K. Recent physical investigations on high polymers, 1=4074
- Hengst, W.H. See Armington, J.C., 1=11665
- Henin, F. and Blum, L. Anharmonic solids — thermal conductivity, 1=9986
- Henin, F., Résibois, P. and Andrews, F. On the general theory of the approach to equilibrium. II. Interacting particles, 1=5210
- Henin, F. See Prigogine, I., 1=5205
- Henisch, H.K. and Marathe, B.R. A note on electroluminescence
- Henkel, O. See Rassman, G., 1=10143
- Henkes, W. See Hagen, O., 1=15928
- Henley, E.M. and Ruijgrok, T.W. An extension of the overhauser model for nuclear matter, 1=8557
- Henley, E.M. and Wilets, L. Comparison of two models for the many-fermion system, 1=18298
- Henneberke, G. An electron accelerator in pressurized tank for 3 mA at 1.5 MV direct voltage, 1=1935
- Hennek, J.W. See Blicharski, J., 1=9409
- Hennel, J.W., Andrew, E.R., Clough, S. and Eades, R.G. The temperature dependence of the quadrupole coupling constant of  $^{23}\text{Na}$  in sodium nitrate, 1=14838
- Hennel, J.W., Krynicki, K., Waluga, T. and Zapalski, G. Proton spin-lattice relaxation times in very dilute aqueous solutions of  $\text{Ni}^{++}$  and  $\text{Mn}^{++}$  ions, 1=15908
- Hennequin, J. Nuclear resonance experiments at low field with a flowing liquid, 1=12904
- Hennessy, J. See Baglin, C., 1=8764
- Hennies, H.H. and Flammersfeld, A. On the 47 sec nuclear isomer of iridium, 1=12172
- Hennies, H.H. See Langhoff, H., 1=17002
- Henning, C.R. Hall-effect instruments for laboratory and routine check of permanent magnets, 1=7119
- Henning, J.C.M. Homodyne balanced mixer electron spin resonance spectrometer, 1=4736
- Henning, J.J. The analyticity of the scattering amplitude and unitarity of the scattering operator in the  $\pi-\pi$  interaction, 1=12110
- Henny, G.C. and Becker, J.A. Comparison of the light output of image intensifier tubes, 1=18968
- Héno, Y. The existence of a hard core in the nucleon-nucleon interaction using the Heitler-Arnous nonlocal theory, 1=13598
- Henry, C. See Hadni, A., 1=9925
- Henry, G., Plateau, J., Wache, X., Palmier-Gerber, M. and Crussard, C. Chromium carbide precipitates forming on dislocations in austenitic nickel-chrome alloys, 1=15146
- Henry, L. and Amat, G. The cubic anharmonic potential function of polyatomic molecules, 1=4921
- Henry, L. and Amat, G. Coefficients of interaction between vibration and rotation in polyatomic molecules. II, 1=5991
- Henry, L. See Amat, G., 1=8829
- Henry, P.M. See Tourin, R.H., 1=11070
- Henry, R.P. Measure of speed of outgassing by a method due to Oatley, 1=5309
- Henry, W.G. The Knight shift in alloys, 1=3949
- Henry, W.G. and Meharry, M.R. Calibration of a prism spectrometer, 1=4463
- Henry, W.G. See Garber, M., 1=1104
- Henry, W.G. See Grant, R.F., 1=11494
- Henry, W.H. and Garrett, C. The Canadian standard free-air chamber for medium quality X-rays, 1=1951
- Henschke, E.B. Collision theories of cathode sputtering of metals at low ion energies, 1=4670
- Hensel, J.C. See Feher, G., 1=1266
- Henshaw, D.G. and Woods, A.D.B. Modes of atomic motions in liquid helium by inelastic scattering of neutrons, 1=4525
- Hensley, E.B. Thermionic emission constants and their interpretation, 1=2989
- Hensley, E.B. See Stevenson, J.R., 1=2988
- Hentges, J.J. See Pillinger, W.L., 1=554
- Hentschel, H.J. Effect of light intensity distribution on the limiting distance in photometry, 1=5335
- Heppner, J.P. See Cain, J.C., 1=20899
- Heppner, J.P. See Shapiro, I.R., 1=1577
- Herb, R.G. Evapor-ion pump development at the University of Wisconsin, 1=4385
- Herbert, D.N. See Coleman, R.F., 1=5943
- Herbert, J.D. See Wright, J.K., 1=18878
- Herbst, L.J. and Smith, J.R.W. Pulse-sampling voltmeter and its application to transistor testing, 1=9517
- Herbst, F.H. Reinterpretation of discordant X-ray results for the Debye temperature of silver, 1=17425
- Herdan, R. and Hughes, T.P. New values of the square of the radial integral associated with the dipole matrix elements for transitions in hydrogen-like atoms, 1=2276
- Herdan, R. and Hughes, T.P. (D-D) reaction product velocities in Sceptre III according to a two-group model, 1=9775
- Herdan, R. and Liley, B.S. Dynamical equations and transport relationships for a thermal plasma, 1=5450
- Herforth, L. and Hilbig, H. Variation in the fluorescence of organic solutions after irradiation by ultraviolet light and  $\beta$ -rays, 1=18420
- Herforth, L. and Stolz, W. The effect of long wavelength ultraviolet light and  $\beta$ -rays on the fluorescence of anthracene in various solvents, 1=18419
- Herget, P. The orbit of comet Schwassmann-Wachmann= Wachmann 1, 1=11676

- Herget, W.F., Gailar, N.M., Lovell, R.J. and Nielsen, A.H. Rotational fine structure in the dimer spectrum of HF, 1=853
- Herlach, F. Nuclear quadrupole resonances, phase changes and ferroelectricity of alkali iodates, 1=14833
- Herlach, F. See Kesselring, P., 1=10797
- Herlofson, N. Diffusion of particles in the earth's radiation belts, 1=1571
- Herman, B.M. Note concerning the mie scattering of unpolarized incident radiation, 1=18617
- Herman, B.M. and Battan, L.J. Calculations of Mie back-scattering from melting ice spheres, 1=19032
- Herman, H. and Cohen, J.B. Resistivity changes due to formation of G.P. zones (clusters rich in solute), 1=20600
- Herman, L. Emission spectrum of the aurora at College, Alaska, 1=15311
- Herman, L. Spectrographic study of aurora polaris during I.G.Y. at College, Alaska, 1=15312
- Herman, L., Felenbok, P. and Herman, R. Emission spectra of the radicals OH and OD, 1=14014
- Herman, L., Ferguson, H.I.S. and Nicholls, R.W. Excitation of the first negative system of  $O_2^+$  by a proton beam in air and oxygen, 1=9927
- Herman, L. and Herman, R. New afterglow emission associated with metastable nitrogen atoms, 1=13939
- Herman, L., Herman, R. and Rakotoarijimy, D. Radiofrequency discharge through oxygen, 1=14037
- Herman, L. and Rakotoarijimy, D. Selective excitation of molecular emissions by metastable atoms of rare gases, 1=14011
- Herman, L. See Grenat, H., 1=849
- Herman, R. and Margenau, H. Frequency shifts in hyperfine splitting of alkalis: a correction, 1=8811
- Herman, R. See Gazis, D.C., 1=4400
- Herman, R. See Grenat, H., 1=849
- Herman, R. See Herman, L., 1=13939
- Herman, R. See Herman, L., 1=14014
- Herman, R. See Herman, L., 1=14037
- Herman, R. See Hofstadter, R., 1=7233
- Herman, R. See Hofstadter, R., 1=7234
- Herman, R. See Maradudin, A.A., 1=2368
- Herman, V.L. The scattering of electromagnetic waves in the ionosphere and troposphere on inhomogeneities caused by turbulent pulsations, 1=12021
- Herman, V.L. The scattering of electromagnetic waves on inhomogeneities due to turbulent pulsations under non-stationary turbulent conditions, 1=12022
- Herman, V.L. The phase structure of the field and velocity of medium range radiowave distribution over the sea surface during turbulence, 1=13183
- Herman, V.L. The possibility of applying the nonlinear effect of radiowave "saturation" for absolute capacity measurements in the microwave range, 1=19021
- Herman, V.L. Possibility of applying the nonlinear effect of microwave saturation with magnetic resonance to absolute capacity measurements, 1=19022
- Hermann, P.K. The dynamic behaviour of bloch walls in grain-oriented sheets, 1=9026
- Hermansdorfer, H. Investigation of the electron density in the linear pinch with 8.7 mm waves, 1=1904
- Hermes, W. Nuclear induction studies on flowing samples, 1=18431
- Hermesen, R.W. and Prausnitz, J.M. Entropies of vaporization of hydrocarbons and the Hildebrand rule, 1=8264
- Hermstein, W. The development of the positive pre-discharges in air leading to breakdown, 1=2957
- Hernández, J. See Sistiaga, J.M., 1=6530
- Hernandez, H.P., Peterson, J.M., Smith, B.H. and Taylor, C.J. The Livermore variable-energy 90-inch cyclotron, 1=18956
- Hernandez, H.P. See Lucas, L.R., 1=410
- Hernqvist, K.G. See Eichenbaum, A.L., 1=3007
- Herpin, A., Koehler, W.C. and Mériel, P. Magnetic structure of the Holmium garnet at low temperature [4.2°K], 1=2482
- Herpin, A. and Meriel, P. Helicoidal antiferromagnetism of MnAu<sub>2</sub> studied by neutron diffraction, 1=14763
- Herpin, A., Meriel, P. and Villain, J. Helical anti-ferromagnetism, 1=12546
- Herpin, A. and Saint James, D. The [neutron] diffusion length of a crystalline powder and the distortion of the Maxwell spectrum, 1=13431
- Herranz, J. The rotational structure of the fundamental infrared bands of methane-type molecules, 1=8835
- Herranz, J. See Morcillo, J., 1=872
- Herren, C.L. and Ham, J.S. Thermal diffusion coefficient of polystyrene in toluene, 1=15854
- Herrendörfer, G. and Eder, F.X. A new apparatus for the examination of the creep of metals with special reference to spontaneous extension, 1=9077
- Herrinck, P. Study of the evolution of the ionospheric F<sub>2</sub> layer at Leopoldville-Binza, 1=1540
- Herrinck, P. and Goris, J. World-maps of critical frequencies of the F<sub>2</sub> layer for the solstice and equinox months of the years 1954 and 1957, 1=15281
- Herring, J. and Kyle, L. Density in a planetary exosphere, 1=18038
- Herriott, D.R. Multiple-wavelength, multiple-beam interferometric observation of flat surfaces, 1=12980
- Herriott, D.R. See Javan, A., 1=7440
- Herrlander, C.J., Stockendal, R. and Gupta, R.K. The decay of  $Tl^{201}$ , 1=658
- Herrmann, D. See Burkhardt, W., 1=19068
- Herrmann, G. On a complementary energy principle in linear thermoelasticity, 1=14863
- Herrmann, G. See Rodenbusch, H., 1=19382
- Herrmann, K. Determination of the screw-direction of tellurium single crystals from chemical etches, 1=20413
- Herrmann, R. Investigation of atomizers for emission and absorption flame photometry, 1=18600
- Herron, J.T. Rate of reaction of nitrogen atoms with ethylene, 1=1471
- Herron, J.T. and Dibeler, V.H. Mass spectrum and appearance potentials of tetrafluorohydrazine, 1=273
- Herron, J.T. and Dibeler, V.H. Mass spectrometric study of the thermal dissociation of N<sub>2</sub>F<sub>4</sub>, 1=17361
- Hersch, J. The fundamental frequency of a vibrating membrane: evaluations by default and the maximum principle, 1=18504
- Herschbach, D.R. Analysis of reactive scattering in crossed molecular beams, 1=6064
- Herschbach, D.R., Kwei, G.H. and Norris, J.A. Reactive scattering in crossed molecular beams. K atoms with CH<sub>3</sub>I and C<sub>2</sub>H<sub>5</sub>I, 1=12336
- Herschbach, D.R. and Laurie, V.W. Anharmonic potential constants and their dependence upon bond length, 1=12273
- Herschbach, D.R. See Datz, S., 1=19680
- Hersh, L.S. See Kleppa, O.J., 1=4333
- Hersh, L.S. See Kleppa, O.J., 1=12869
- Hershberger, W.D. Radiation field and Q of a resonant cylindrical plasma column, 1=10698
- Hersil, J., Escobar, I., Scott, D., Clark, G. and Olbert, S. Observations of extensive air showers near the maximum of their longitudinal development, 1=3368
- Hersping, A. See Blank, K., 1=1120
- Hertsriken, S.D., Dekhtyar, I.Ya., Mikhailenkov, V.S. and Madatova, E.G. Study of the state of atoms in solid iron-aluminium solutions by the electrical transport method, 1=20625
- Hertsriken, S.D. and Novýkov, M.M. Some physical characteristics of defects in deformed metals, 1=14247
- Hertsriken, S.D., Novýkov, M.M. and Kopan', V.S. Distribution of crystal lattice defects along the diameter of a specimen under various types of deformation, 1=14248
- Hertsriken, S.D., Novýkov, M.M. and Kopan', V.S. The nature of the thermal e.m.f. arising as a result of metal deformation, 1=14525
- Hertsriken, S.D. and Novýkov, M.M. Studying the thermal electromotive force of deformed metals, 1=14254
- Hertsriken, S.D. and Novýkov, M.M. Using the thermo-e.m.f. method to study vacancies fixed by quenching, 1=14255
- Hertsriken, S.D. and Novýkov, N.N. Density of islocations, due to deformation, in Ni, Ag and Al, 1=11206
- Hertsriken, S.D. and Novýkov, N.N. The determination of the dislocation density in strained metals from microhardness measurements, 1=11209
- Hertsriken, S.D. and Novýkov, N.N. Determination of the density of dislocations arising during the deformation in nickel, silver, aluminium and certain silver alloys, 1=12386
- Hertsriken, S.D. and Pryan'shnykov, M.P. Effect of hydrostatic pressure on self-diffusion of iron in iron alloys with small additions of aluminium, 1=11226



- Hertsriken, S.D. and Revo, A.L. Determination of the parameters of volume and boundary diffusion of Ag in Al, 1=14299
- Hertsriken, S.D. and Slyusar, B.F. Thermal vacancies in metals and alloys, 1=11192
- Hertsriken, S.D. and Slyusar, B.P. Determination of the formation energy of thermal vacancies in binary alloys, 1=11191
- Hertz, H.G. The distance of approach of ions in water solution from the nuclear magnetic resonance line widths, 1=18398
- Hertz, H.G. Exchange rate of ions containing bromine and iodine in water solution from the nuclear magnetic resonance line widths, 1=18399
- Hertzberg, M. Ion-neutral reactions, 1=20989
- Hertzberg, M., Rapp, D., Ortenburger, I.B. and Briglia, D.D. Ion-neutral reactions in the helium-hydrogen system, 1=8313
- Hervé, J. and Pescia, J. Measurement of the relaxation time  $T_1$  by modulation of the radiofrequency field and detection of the variation of magnetization along the external field direction, 1=3071
- Hervé, J., Reimann, R. and Spence, R.D. Proton magnetic resonance in DPPH at low temperature, 1=14829
- Hervé, J. and Sauzade, M. Study of a single crystal of yttrium garnet in a ferrimagnetic resonance experiment at high power, 1=12554
- Hervé, J. and Veillet, P. Nuclear magnetic resonance of  $Tb^{159}$  in powdered metallic terbium in the ferro-magnetic state, 1=7803
- Herwald, S.W. and Angello, S.J. Integration of circuit functions into solids, 1=1099
- Herz, A.J., Ogilvie, K.W., Olley, J. and White, R.B. Radiation observations with satellite 1958 over Australia, 1=3307
- Herz, A.J. See Baldassarre, F., 1=16862
- Herzberg, G. and Monfils, A. The dissociation energies of the  $H_2$ ,  $HD$ , and  $D_2$  molecules, 1=6052
- Herzberg, L. The possible importance of nitric oxide formation during polar-cap ionospheric absorption events, 1=20969
- Herzberger, M. Higher-order imagery, 1=4432
- Herzberger, M. Allvar Gullstrand, 1=225
- Herzfeld, C.M. and Goldberg, H. On the nature of the crystal field approximation, 1=4963
- Herzog, W. and Klemm, A. The mobility of Cd in the pyrosol  $CdCl_2 + Cd$ , 1=15200
- Hesketh, R.V. Creep of cylinders in torsion, 1=11513
- Heslop, W.A. See Hands, R.A., 1=5343
- Hess, G. See Hellwege, K.H., 1=1164
- Hess, G. See Lau, E., 1=18560
- Hess, H., Kischel, K., Morgenroth, H., Rademacher, K. and Seliger, K. Experiments on spark discharges in T-shaped discharge tubes, 1=18786
- Hess, H. See Morgenroth, H., 1=18785
- Hess, H. See Morgenroth, H., 1=18787
- Hess, H.A. See Argence, E., 1=377
- Hess, W.N. The radiation belt produced by neutrons leaking out of the atmosphere of the earth, 1=15332
- Hess, W.N., Canfield, E.H. and Lingenfelter, R.E. Cosmic-ray neutron demography, 1=13593
- Hess, W.N., Killeen, J., Fan, C.Y., Meyer, P. and Simpson, J.A. The observed outer-belt electron distribution and the neutron decay hypothesis, 1=21076
- Hess, W.N. See Atkinson, J.H., 1=12206
- Hess, W.N. See Lingenfelter, R.E., 1=18033
- Hessel, A. See Felsen, L.B., 1=10870
- Hester, R.E. and Lamb, W.A.S. Radiative capture of protons in  $C^{13}$ , 1=2211
- Hetherington, J.H. See Hill, R.D., 1=7284
- Hett, J.H. and Curtiss, L.E. Fiber optics duodenoscope and ureterscope, 1=8226
- Hettinger, G. See Bjärngard, B., 1=19171
- Heughebaert, D. and Heughebaert, J. Precision depth measurements in nuclear emulsions, 1=13255
- Heughebaert, J. See Heughebaert, D., 1=13255
- Heusch, C.A. Inelastic moderation of fast monenergetic neutrons, 1=13443
- Heusinger, H. Influence of the degree of polymerization on the luminescence yield and energy transport in synthetic scintillators, 1=14649
- Heusinkveld, W.A. Comparison of the temperature scales of various laboratories in the 600-3500°C range, 1=2906
- Hevesi, I. See Bános, G., 1=7665
- Hevesi, J. See Dombi, J., 1=8127
- Hewin, I.D. See Stokes, H.J., 1=1297
- Hewish, A. Scattering of radio waves in the solar corona, 1=15534
- Hewish, A. See Scott, P.F., 1=12784
- Hewitt, G.F. and Lyall, E. Device for the accurate reproduction of liquid levels and some applications, 1=21166
- Hewitt, R.R. Temperature dependence of the nuclear quadrupole spectrum of  $Nb^{93}$  in ferroelectric  $KNbO_3$ , 1=1288
- Hewlett, V.A. See Starkey, T.V., 1=15792
- Hexner, P.E. See Beams, J.W., 1=10289
- Hexter, R.M. Intermolecular coupling of vibrations in molecular crystals: a vibrational exciton approach, 1=3591
- Hexter, R.M. Infrared spectrum of single crystals of LiOH, LiOD, and LiOH·LiOD, 1=6214
- Hexter, R.M. See Jacox, M.E., 1=11383
- Hexter, R.M. See Milligan, D.E., 1=6010
- Hey, J.S. The radio telescope interferometer at the Royal radar establishment, 1=15527
- Hey, J.S. The first discovery of point sources [introductory lecture to Part III - galactic and extragalactic radio sources], 1=15565
- Hey, P. Pressure broadening and shifting of iron lines by argon atoms, 1=17265
- Heydemann, P. The dynamic compressibility of high polymers in the frequency range from 0.1 c/s to 60 kc/s, 1=1295
- Heydenreich, J. See Bethge, H., 1=325
- Heydenreich, J. See Bethge, H., 1=326
- Heyding, R.D., Taylor, J.B. and Hair, M.L. Four-inch shaped pole caps for susceptibility measurements by the Curie method, 1=4695
- Heyl, G. Applicability of colour film for quantitative multi-dimensional colour schlieren analysis, 1=6960
- Heylen, A.E.D. Simultaneous application of Townsend and streamer theory, 1=1897
- Heylen, A.E.D. Experimental Townsend ionization coefficients for isopentane, 1=10670
- Heylen, A.E.D. Calculated electron mobility in hydrogen, 1=16271
- Heyman, M., Jérémie, H., Kahane, J. and Sene, R. Inelastic scattering of 14 MeV neutrons by excitation of the 9.6 MeV level of carbon, 1=13806
- Heymann, F.F. See Aitken, D.K., 1=9663
- Heymer, G. See Kubaschewski, O., 1=2539
- Heywang, W. See Winstel, G., 1=11273
- Hiatt, R.E., Senior, T.B.A. and Weston, V.H. A study of surface roughness and its effect on the backscattering cross-section of spheres, 1=7150
- Hibbard, W.R. See Walter, J.L., 1=1424
- Hibbs, A.R. The distribution of micrometeorites near the earth, 1=15297
- Hibbs, A.R. Author's reply to the preceding discussion on the article "The distribution of micrometeorites near the earth", 1=18063
- Hibbs, A.R. The national program for lunar and planetary exploration, 1=18225
- Hibdon, C.T. Nuclear energy levels of  $Na^{24}$  in the region from 350 to 630 keV, 1=8626
- Hibdon, C.T. Nuclear energy levels of  $Na^{24}$  in the region from 630 to 860 keV, 1=16996
- Hibi, T. and Takahashi, S. Dark-field electron microscopy and its application, 1=1465
- Hickman, B.S. See Sabine, T.M., 1=19823
- Hickman, J.B., Jr. See Caldwell, R.L., 1=17114
- Hickok, R.L. See Draper, J.E., 1=2224
- Hicks, B.L. Generation of water waves by the wind, 1=5261
- Hicks, H.G. See Levy, H.B., 1=17167
- Hide, R. Origin of Jupiter's great red spot, 1=15430
- Hide, R. and Roberts, P.H. On the hydromagnetic flow due to an oscillating plane, 1=5552
- Hide, R. See Dolder, K., 1=5549
- Hideshima, T. The apparent second-order transition of high polymers with special emphasis on its manifestation in the mechanical properties, 1=7879
- Hieblot, J. See Blamont, J.E., 1=20879
- Hiedemann, E.A. See Breazeale, M.A., 1=6964
- Hiedemann, E.A. See Cook, B.D., 1=10601
- Hiedemann, E.A. See Breazeale, M.A., 1=10496
- Hiedemann, E.A. See Mayer, W.G., 1=1290
- Hiedemann, E.A. See Mayer, W.G., 1=20297
- Hiedmann, E.A. See Mayer, W.G., 1=8237

## AUTHOR INDEX

- Hiei, E. See Kakinuma, T., 1=6742
- Hieke, M., Max, E. and Müller, H.G. The characteristic-voltage energy of the Bloch wall, 1=14712
- Hietala, J. Semi-micro rocking-bomb calorimeter for heat of solution measurements, 1=16165
- Higashi, S., Mitani, S., Oshio, T., Shibata, H., Watanabe, K. and Watase, Y. Multiple penetrating particles at 50 m.w.e. and 250 m.w.e. underground, 1=3294
- Higashino, I. See Nagao, F., 1=18668
- Higasi, K. Dielectric relaxation and molecular structure, 1=14113
- Higdon, W.T. See Hight, R., Jr., 1=6579
- Higgin, R.M. See Cooper, R., 1=2435
- Higgins, J. A note on the solution of the Fokker-Planck equation for the harmonic oscillator, 1=2712
- Higgins, P.J. See Simons, S., 1=74
- Higgins, P.R.B. See Adams, M.A., 1=1336
- Higginson, G.S. and Kerr, L.W. The  $2^3S$  excitation in helium, 1=8807
- Higgs, L.A. The solar red-shift, 1=12750
- Higham, J.B. See Hakim, S.S., 1=10518
- Highland, V. See Feldman, M., 1=2092
- Hight, M.J. See Teale, R.W., 1=6403
- Hight, M.J. See Teale, R.W., 1=6404
- Hight, R.Jr., Higdon, W.T. and Schmidt, P.W. Small angle X-ray scattering study of sodium montmorillonite clay suspensions, 1=6579
- Hight, R.Jr. See Schmidt, P.W., 1=20472
- Higinbotham, W.A. See Chase, R.L., 1=2938
- Hihara, T. Magnetic and electrical properties of iron sulfide single crystals, 1=14760
- Hihara, T. See Kamigaiichi, T., 1=11250
- Hihara, T. See Koi, Y., 1=17949
- Hihara, T. See Kô, Y., 1=20257
- Hiida, K., Murota, T., Goto, M. and Sasanuma, M. Note on the radiative corrections for the electron-electron scattering, 1=16757
- Hiida, K. and Nakanishi, N. Electromagnetic structure of the nucleon. V. Numerical results of three-pion-state, 1=9751
- Hiida, K., Nakanishi, N. and Shiozaki, T. Electromagnetic structure of the nucleon. IV. Charge distribution of the proton, 1=3177
- Hiida, K., Nakanishi, N. and Shiozaki, T. On the charge distribution of the proton, 1=3179
- Hiida, K. See Drell, S.D., 1=16774
- Hijikata, K. On the fluorine molecule. I. The pilot calculation, 1=3556
- Hijikata, K. On the fluorine molecule. II. Energy levels of  $F_2$  and  $F_2^+$ , 1=3557
- Hijikata, K. See Yamazaki, M., 1=9958
- Hijmans, J. Phenomenological formulation of the principle of corresponding states for liquids consisting of chain molecules, 1=9376
- Hikata, A. and Tutumi, M. Changes of ultrasonic attenuation during creep of aluminum, 1=1324
- Hiki, Y. Internal friction of quartz, 1=9087
- Hiki, Y. Internal friction of synthetic quartz, 1=14858
- Hiki, Y. and Haseguti, R.R. Mosaic size in lead from X-ray measurements, 1=12669
- Hikosaka, T. On the enhancement of the line(OI) 6300 in the aurora at Niigata on February 11, 1958, 1=2574
- Hilbig, H. See Herforth, L., 1=18420
- Hilczner, B. Effect of  $\gamma$   $Co^{60}$  radiation on the dielectric properties of triglycine sulphate, 1=17832
- Hildebrand, B., O'Dell, F.W., Shapiro, M.M. and Stiller, B. Intensity of primary helium at geomagnetic latitude  $3^\circ N$ , 1=3320
- Hildebrand, R.H. See Schiff, M., 1=7271
- Hildebrandt, A.F. See Barth, C.A., 1=21019
- Hildebrandt, A.F. See Kaplan, J., 1=1525
- Hildebrandt, M. See Vassiliev, A., 1=14750
- Hildebrandt, M. See Vassiliev, A., 1=20144
- Hiley, B.J. and Sykes, M.F. Probability of initial ring closure in the restricted random-walk model of a macromolecule, 1=8868
- Hiley, B.J. See Fisher, M.E., 1=7504
- Hilf, A. The concept of acoustic impedance, 1=1796
- Hill, A.E. See Franken, P.A., 1=18556
- Hill, C.W. See Rosen, J.S., 1=9741
- Hill, D.A., Caldwell, D.O., Frisch, D.H., Osborne, L.S., Ritson, D.M. and Schluter, R.A. High resolution focusing Čerenkov detector for high energy particles, 1=4747
- Hill, D.A. and Porter, N.A. Photography of Čerenkov [Čerenkov] light from extensive air showers in the atmosphere, 1=16940
- Hill, D.W. Production of accurate gas and vapour mixtures, 1=20783
- Hill, D.W., Hook, J.R. and Bell, E.G. Servo-operated respiratory waveform simulator, 1=4140
- Hill, E. See Jennings, L.D., 1=11163
- Hill, E.L. Electromagnetic radiation from lightning strokes, 1=7931
- Hill, E.R. See Mills, B.Y., 1=8029
- Hill, E.R. See Pawsey, J.L., 1=8012
- Hill, G.E. Ionospheric disturbances following a solar flare, 1=15270
- Hill, G.E. Effects of corpuscular emissions on the polar ionosphere following solar flares, 1=21001
- Hill, H.A., Haase, E.L. and Knudsen, D.B. High-resolution measurements of the  $O^{16}(p, \alpha)N^{13}$  excitation function, 1=12197
- Hill, H.M., Jr. See Hooke, W.M., 1=11960
- Hill, J.D. and Steer, E.A. Stabilized power supply for micro-calorimetry, 1=16214
- Hill, N.E. The application of Onsager's theory to dielectric dispersion — a correction, 1=17374
- Hill, R. Uniqueness in general boundary-value problems for elastic or inelastic solids, 1=15758
- Hill, R.D. A note on the capture of negative mesons in photographic nuclear emulsions, 1=13462
- Hill, R.D., Hetherington, J.H. and Ravenhall, D.G.  $K^-$ -meson scattering in nuclear emulsion, 1=7284
- Hill, R.D. See Davis, D.H., 1=5782
- Hill, R.M. and Bergman, R.S. Nonlinear response of YIG, 1=6409
- Hill, R.M., Oechsli, R. and Marg, E. A servo-method for producing equal-quanta, equal-energy, or equal-response spectra, 1=12988
- Hill, R.M. See Bruce, C.F., 1=8814
- Hill, R.N. Elementary derivation of the electron-electron interaction via the phonon field, 1=17409
- Hill, R.W. See Bleaney, B., 1=17422
- Hill, R.W. See Catron, H.C., 1=11023
- Hill, R.W. See Chapman, C.J.S., 1=13684
- Hill, T.L. Theory of solutions. III. Thermodynamics of aggregation of polymerization, 1=9388
- Hill, T.L. Effect of intermolecular forces on macromolecular configurational changes and on other isomeric equilibria, 1=10430
- Hill, T.L. and Greenschlag, S. Statistical mechanics of monatomic systems in an external periodic potential field. I. Introduction, virial expansion, and classical second virial coefficient, 1=8066
- Hill, T.L. and Saitô, N. Statistical mechanics of monatomic systems in an external periodic potential field. II. Distribution function theory for fluids, 1=8067
- Hillas, A.M. See Cranshaw, T.E., 1=2137
- Hiller, C. Comparative experiments with different methods of equidensitometry, 1=5549
- Hiller, K.H. Impairment of strength of quartz glass through wetting by liquids, 1=1349
- Hiller, L.A., Jr. See Wall, F.T., 1=20725
- Hillert, M. A solid-solution model for inhomogeneous systems, 1=20612
- Hilliard, J.E., Lommel, J.M., Hudson, J.B., Stein, D.F. and Livingston, J.D. Effect of annealing under high pressures on dislocations in lithium fluoride, aluminum, copper and iron, 1=14273
- Hillier, M.J. Thermal stresses in reactor shells due to thermal neutron irradiation. II, 1=781
- Hillier, R.R. See Evans, D., 1=13254
- Hillier, S.B. Design and performance of a five-section nuclear magnetic resonance probe for aligning precision laboratory electromagnets, 1=16478
- Hillig, W.B. Strength of bulk fused quartz, 1=12601
- Hillig, W.B. and Charles, R.J. Concerning dislocations in glass, 1=4072
- Hillion, P., Takabayasi, T. and Vigier, J.P. Relativistic hydrodynamics of rotating fluid masses moving with the velocity of light, 1=8043



- Hillion, P. and Vigier, J.P. New isotopic spin space and classification of elementary particles. 1=461
- Hillion, P. and Vigier, J.P. The waves associated with the internal structure of particles. Non-relativistic approximation, 1=6781
- Hillion, P. and Vigier, J.P. On the Yang-Mills field, 1=9715
- Hillion, P. and Vigier, J.P. On Sakurai's theory of the strong interactions, 1=10848
- Hillion, P. See Bohm, D., 1=2696
- Hillion, P. See Bohm, D., 1=10423
- Hillman, P. See Gatti, G., 1=16854
- Hillmann, B. See Baumgardt, E., 1=4155
- Hillmann, E. See Schäfer, R., 1=18594
- Hillmann, H. See Mager, A., 1=10144
- Hills, R.F. See Lehmann, J., 1=20587
- Hilsum, C. Galvanomagnetic effects and their application, 1=3715
- Hilsum, C. Polar scattering in III-V compounds, 1=3768
- Hilsum, C. and Rose-Innes, A.C. Semiconducting III-V compounds, 1=17671
- Hilsum, C. See Gooch, C.H., 1=17751
- Hilsum, C. See Hambleton, K.G., 1=11331
- Hilton, A.R.Jr., Jache, A.W., Beal, J.B.Jr., Henderson, W.D. and Robinson, R.J. Millimeter wave spectrum and molecular structure of oxygen difluoride, 1=6007
- Hilton, H.H. and Russell, H.G. An extension of Alfrey's analogy to thermal stress problems in temperature dependent linear viscoelastic media, 1=15762
- Hilton, W.A. See Hughes, R.H., 1=9909
- Himes, R.C. See Miller, J.F., 1=1078
- Hinchcliffe, R. The threshold of hearing as a function of age, 1=1607
- Hindmarsh, W.R. and Thomas, K.A. Collision broadening in the argon spectrum, 1=11066
- Hinds, S., Litherland, A.E. and Middleton, R. A doublet at 3.40 MeV excitation in  $Mg^{25}$ , 1=8582
- Hinds, S., Litherland, A.E., Middleton, R. and Pullen, D.J. Some properties of  $Be^{11}$ , 1=8581
- Hinds, S., Marchant, H. and Middleton, R. The energy levels of the magnesium isotopes of mass 25 to 28, 1=16987
- Hinds, S. and Middleton, R. The energy levels of  $^{24}Mg$  and  $^{26}S$ , 1=617
- Hinds, S. and Middleton, R. A study of the  $^{27}Al(^3He, d)^{28}Si$  reaction, 1=2238
- Hinds, S. and Middleton, R. A study of the  $(^3He, d)$  reactions leading to  $^{12}C$  and  $^{13}C$ , 1=12217
- Hinds, S. and Middleton, R. A study of the  $B^{10}(d, p)B^{11}$  reaction at a bombarding energy of 10.1 MeV, 1=19509
- Hinds, S., Middleton, R. and Litherland, A.E. A doublet at 3.40 MeV excitation in  $Mg^{25}$ , 1=8623
- Hinds, S., Middleton, R. and Litherland, A.E. An energy level of  $^{24}Mg$  at 6.44 MeV excitation, 1=13657
- Hinds, S., Middleton, R., Litherland, A.E. and Pullen, D.J. New isotope of carbon:  $C^{18}$ , 1=7343
- Hinds, S. See Middleton, R., 1=19508
- Hines, C.O. Internal atmospheric gravity waves at ionospheric heights, 1=1529
- Hines, C.O. and Parker, E.N. Statement of agreement regarding the ring-current effect, 1=1580
- Hines, R.L. Ranges of 7.5 to 52 keV  $H_2^+$ ,  $D_2^+$ ,  $He^+$ , and  $Ne^+$  ions in quartz, 1=336
- Hines, R.L. and Wallor, R. Sputtering of vitreous silica by 20 to 60 keV  $Xe^+$  ions, 1=3026
- Hines, R.L. See Arndt, R.A., 1=14322
- Hinge, K.S. See Hoch, M., 1=11860
- Hinman, G.W. See Giffels, C.A., 1=3588
- Hinnov, E. See Kuckes, A.F., 1=11924
- Hinotani, K. See Miyake, S., 1=2127
- Hinotani, K. See Miyake, S., 1=13555
- Hinrichs, C.H. and Swenson, C.A. Superconducting critical field of tantalum as a function of temperature and pressure, 1=11879
- Hinrichs, C.K. See Nguyen-huu Xuong, 1=16788
- Hinsch, H. Interlinked mechanical impedances in the measurement of structure-borne sound damping at corners and at uniform joints model experiments, 1=8208
- Hintenberger, H. See Dörrenburg, E., 1=19077
- Hinteregger, H. Interplanetary ionization by solar extreme ultraviolet radiation, 1=2598
- Hinteregger, H.E. Preliminary data on solar extreme ultra-violet radiation in the upper atmosphere, 1=20891
- Hintz, N.M., Kavaloski, C.D., Lee, L.L.Jr. and Stovall, T. Determination of parity change from inelastic angular distributions, 1=19370
- Hintz, N.M. See Meyer, V., 1=8712
- Hinz, W. and Skatulla, W. Electron microscopic evidence for the spiral growth of dendrites, 1=11538
- Hirabayashi, H. See Waku, S., 1=1136
- Hirabayashi, M. and Muto, Y. Electrical resistance of copper-gold alloys at low temperatures, 1=17606
- Hirabayashi, M. See Iwasaki, H., 1=11579
- Hirabayashi, M. See Weissmann, S., 1=11218
- Hirahara, E. See Fujime, S., 1=12418
- Hirahara, E. See Naya, R., 1=12531
- Hirai, A. Temperature dependence of  $T_1$  of  $Cl^{35}$  in paradichlorobenzene, 1=10195
- Hirai, A. See Hashi, T., 1=1977
- Hirai, A. See Kawai, T., 1=14830
- Hirai, A. See Sasaki, M., 1=11602
- Hirai, M. Thermal bleaching of color centers in KCl crystals containing U centers, 1=11242
- Hirai, M., Ikezawa, M. and Ueta, M. Temporary bleaching of color centers in KCl crystal, 1=17574
- Hirai, M. See Ueta, M., 1=8917
- Hirai, M. See Ueta, M., 1=10019
- Hirai, M. See Ueta, M., 1=14340
- Hirakawa, H. See Kondo, K., 1=7464
- Hirakawa, H. See Oka, T., 1=12285
- Hirakawa, K., Hashimoto, T. and Hirakawa, K. Magnetic anisotropy of  $KCoF_3$  and  $KNiF_3$ , 1=20164
- Hirakawa, K., Hirakawa, K. and Hashimoto, T. Magnetic properties of potassium iron group fluorides  $KMF_3$ , 1=12548
- Hirakawa, K. See Hirakawa, K., 1=20164
- Hirakawa, K. See Tubota, H., 1=12444
- Hiraki, A. See Itoh, J., 1=20267
- Hirano, K., Cohen, M. and Averbach, B.L. Diffusion of nickel into iron, 1=17559
- Hirano, K. See Buffington, F.S., 1=17556
- Hirao, K. See Ichimiya, T., 1=11648
- Hirao, K. See Tao, K., 1=15267
- Hirao, Y. See Wakatsuki, T., 1=8591
- Hirao, Y. See Wakatsuki, T., 1=9858
- Hirao, Y. See Wakatsuki, T., 1=13661
- Hird, B. See Budzanowski, A., 1=1452
- Hiroike, E. Indirect nuclear spin-spin couplings in saturated hydrocarbon molecules, 1=7491
- Hiroike, K. A formal theory of collective behavior, 1=2716
- Hiroike, K. Radial distribution function of fluids. III, 1=8093
- Hiroike, K. A new approach to the theory of classical fluids. II. Multicomponent systems, 1=10500
- Hiroike, K. See Morita, T., 1=2749
- Hiroike, K. See Morita, T., 1=4277
- Hiroike, K. See Morita, T., 1=15843
- Hirokawa, T. Deformation twins by tensile impact in white tin, 1=14869
- Hirokawa, T. Slipping and twin bands in the crystals of white tin, 1=14903
- Hirone, T. and Chiba, S. On the magnetic anisotropy of single crystal of chromium telluride, 1=12527
- Hirone, T. and Yamamoto, H. Diffusion of cobalt into silver, 1=14317
- Hirono, M. On the theory of cross relaxation in maser materials, 1=14807
- Hirono, M. and Akima, H. A study of variations of the corpuscular radiation observed by Satellite 1958 Epsilon near Japan, 1=15338
- Hirose, H. See Wada, Y., 1=2502
- Hirose, H. See Wada, Y., 1=11589
- Hirose, H. See Wada, Y., 1=12578
- Hirota, E. and Kubota, B. Magnetic property of  $Cr_2O_3$ , 1=14759
- Hirota, E. See Kubota, B., 1=14395
- Hirota, K. See Kusumoto, H., 1=12317
- Hirota, S. and Imai, T. Electron microscope study of the decomposition process of oxide coated cathodes, 1=13104
- Hirota, T. See Azuma, T., 1=18340
- Hirotsu, H. See Imai, Y., 1=1434
- Hirsch, E.H. Image formation by electron bombardment of metal targets, 1=323
- Hirsch, E.H. Flow of gas through porous media in the region between molecular and viscous condition, 1=10530

- Hirsch, H.R. Hyperfine structure in the  $^3P_1$  level of the twenty-four hour isomer of mercury 197, 1-17259
- Hirsch, P.B. Observations of dislocations in metals by transmission electron microscopy, 1-970
- Hirsch, P.B., Howie, A. and Whelan, M.J. A kinematical theory of diffraction contrast of electron transmission microscope images of dislocations and other defects, 1-9165
- Hirsch, P.B. and Warrington, D.H. The flow stress of aluminium and copper at high temperatures, 1-14899
- Hirschberg, J.G. See Kuckes, A.F., 1-11924
- Hirschel, L.R. and Libelo, L.F. Nuclear magnetic resonance in flowing fluids, 1-12907
- Hirschfelder, J.O. Effect of chemical reaction order on flame propagation, 1-4095
- Hirschfelder, J.O., Curtiss, C.F. and Barnett, M.P. Ignition temperature approximation for bimolecular detonations, 0-4098
- Hirschfelder, J.O. and Nazaroff, G.V. Applicability of approximate quantum-mechanical wave functions having discontinuities in their derivatives, 1-8054
- Hirschfelder, J.O., Taylor, M.H., Kihara, T. and Rutherford, R. Viscosity of two-component gaseous mixtures, 1-10527
- Hirschfelder, J.O. See Curtiss, C.F., 1-11619
- Hirschfelder, J.O. See Epstein, S.T., 1-11705
- Hirschfelder, J.O. See Konowalow, D.D., 1-6899
- Hirschfelder, J.O. See Konowalow, D.D., 1-7447
- Hirschfelder, J.O. See Konowalow, D.D., 1-7503
- Hirschfelder, J.O. See Secrest, D., 1-6567
- Hirschfelder, J.O. See Secrest, D.H., 1-9326
- Hirsh, I.J. See Burgeat, M., 1-12714
- Hirshfeld, M.A. See Ben-Reuven, A., 1-14030
- Hirshfield, J.L., Baldwin, D.E. and Brown, S.C. Cyclotron radiation from a hot plasma, 1-4608
- Hirshfield, J.L. and Brown, S.C. Incoherent microwave radiation from a plasma in a magnetic field, 1-7075
- Hirshfield, J.L. and Brown, S.C. Reply to comment of J.D. Jukes, 1-16324
- Hirshfield, J.L. See Bekefi, G., 1-2959
- Hirshfield, J.L. See Bekefi, G., 1-8323
- Hirshfield, J.L. See Gajewski, R., 1-10768
- Hirst, R.G. See Mohler, D., 1-7685
- Hirst, W. and Lancaster, J.K. The influence of speed on metallic wear, 1-14928
- Hirst, W. See Archard, G.D., 1-15785
- Hirt, R.C. See Paris, J.P., 1-10126
- Hirth, J.P. On dislocation interactions in the F.C.C. lattice, 1-8908
- Hirth, J.P. See Armstrong, R.W., 1-9880
- Hirth, J.P. See Banerjee, B.R., 1-7584
- Hirth, J.P. See Hruska, S.K., 1-20445
- Hirth, J.P. See Rapp, R.A., 1-4022
- Hiruta, Y. Precision thermostat for the frequency standards, 1-16162
- Hisatake, K. Decay of  $Rh^{102}$  and levels in  $Ru^{102}$ , 1-13718
- Hisatake, K., Ishizaki, Y., Isoya, A., Nakamura, T., Nakano, Y., Saeki, B., Saji, Y. and Yuasa, K. The reactions  $Li^{(p,n)}Be^7$ ,  $B^{11(p,n)}C^{11}$  and  $Al^{27(p,n)}Si^{27}$  at 8 to 14 MeV, 1-8730
- Hisdal, B. Colorimetric daylight illuminant with high ultra-violet content, 1-18625
- Hiskes, J.R. Dissociation of molecular ions by electric and magnetic fields, 1-8862
- Hitaka, S. See Mikumo, T., 1-8771
- Hiterman, M.Sh. and Turov, Ye.A. Phenomenological investigation of polar crystals, 1-14157
- Hitotuyanagi, Z. See Suda, K., 1-6718
- Hiura, J. and Suekane, S. On the non-axial deformation of the medium and heavy even-even nuclei, 1-8552
- Hiura, J. and Suekane, S. On the non-axial deformation of the medium and heavy even-even nuclei, 1-10963
- Hiura, J., Suekane, S. and Tanaka, H. Stability of axially asymmetric nuclear deformation, 1-19352
- Hjalmar, E. and Slätis, H. A study of the  $Be^9(d,n)B^{10}$  reaction by means of nuclear emulsions, 1-5933
- Hjalmar, S. Wave equations for scalar and vector particles in gravitational fields, 1-16659
- Hjalmar, S. See Brulin, O., 1-9309
- Hlavaty, V. Proper time, apparent time, and formal time in the twin paradox, 1-10409
- Hlinchuk, K.D., Miselyuk, O.H. and Fortunatova, N.M. Investigation of the recombination of charge carriers in germanium doped with some impurities. II. Fe, Co, Ni and thermoacceptors, 1-11299
- Hlinchuk, K.D. See Byelyayev, A.D., 1-11298
- Hlinchuk, M.D. Theory of electrical migration in metal solids, 1-14298
- Ho, G.P. and Iloff, E.L. The relative deuteron/proton yield from 45 MeV bremsstrahlung irradiation of copper, 1-19443
- Ho, L.T., Vanderslice, J.T., Fallon, R.J., Seigel, A.E. and Slawsky, Z.I. Pressure-density isentropes for argon at temperatures between 150°C and -140°C and at pressures up to 1950 atm, 1-11785
- Ho, L.T., Vanderslice, J.T., Fallon, R.J., Seigel, A.E. and Slawsky, Z.I. Determination of isentropic pressure-density curves for argon from a rapid dynamic process, 1-11789
- Ho Tso-Hsiu. See Khé Tszo-Syu, 1-3211
- Ho Tso-hsiu. See Khe Tszo-syu, 1-4766
- Ho Tso-Hsiu. See Svan' Din-Chan, 1-18711
- Hoang, T.F. Analysis of K-meson production by  $\bar{p}$  annihilation, 1-4796
- Hoang, T.F. See Cook, V., 1-10927
- Hoarau, J. Calculation of the diamagnetic anisotropy of some graphitic systems, 1-3879
- Hoarau, J. See Poquet, E., 1-6254
- Hoare, D., Robbins, A.B. and Greenlees, G.W. Polarization of 9 MeV protons elastically scattered from C and Al, 1-9851
- Hoare, F.E. See Budworth, D.W., 1-1441
- Hoare, F.E. See Zimmerman, J.E., 1-17419
- Hobey, W.D. and McLachlan, A.D. Dynamical Jahn-Teller effect in hydrocarbon radicals, 1-2337
- Hobbie, R.K. and Miller, D. Neutron-proton polarization and differential cross section at 128 MeV, 1-501
- Hobbs, L.C.W., Harrison, E.R. and Whitby, H.C. The injector for the Harwell proton linear accelerator, 1-9649
- Hobbs, D.S. See Dell, H.A., 1-101
- Hobbs, R.W. A study of the region of M17 at a wavelength of 3.75 cm, 1-18203
- Hobbs, R.W. See Stephenson, C.B., 1-6715
- Hobden, M.V. and Kurti, N. Experiments on nuclear cooling, 1-4520
- Hobden, M.V. and Sturge, M.D. The optical absorption edge of gallium arsenide, 1-19970
- Hobson, J.P. Physical adsorption of nitrogen on pyrex at very low pressures, 1-12666
- Hobson, J.P. and Khan, I.H. Specular reflection in the diffraction of slow electrons near normal incidence, 1-11978
- Hoch, M. and Hinge, K.S. Vaporization of aluminium arsenide, 1-11860
- Hochheimer, B.F. See Blau, E.J., 1-7715
- Hochschild, R. Electromagnetic methods of testing metals, 1-10363
- Hochstrasser, G. The determination of the shape and width of very narrow lines in nuclear magnetic resonance, 1-12024
- Hockings, E.F. See Rosi, F.D., 1-8967
- Hodam, F. The behaviour of photographic materials and the reproduction of small isolated details, 1-18633
- Hodge, P.W. The Fornax dwarf galaxy. I. The globular clusters, 1-5164
- Hodge, P.W. The Fornax dwarf galaxy. II. The distribution of stars, 1-11682
- Hodge, P.W. The distribution of stars in the Sculptor dwarf galaxy, 1-18127
- Hodges, H.L. See Kuroda, P.K., 1-7933
- Hodgkin, D. Molecules in crystals, 1-1384
- Hodgman, C.D., Weast, R.C. and Selby, S.M. Eds. . Handbook of chemistry and physics, 1-8032
- Hodgson, J.N. The optical properties of liquid germanium, tin and lead, 1-11762
- Hodgson, P.E. Optical model analysis of the scattering of 96 MeV neutrons by nuclei, 1-698
- Hodgson, P.E. The elastic scattering of helium 3 by medium weight nuclei, 1-723
- Hodgson, P.E. An investigation of nuclear probes, 1-5884
- Hodgson, P.E. Radii of optical-model potentials in proton scattering at 183 MeV, 1-8726



- Hodgson, P.E. Optical model analysis of the elastic scattering of 5.5 MeV  $^3\text{He}$  by carbon, magnesium, aluminium and copper, 1=9880
- Hodgson, P.E. Optical model analysis of polarization in neutron scattering at 2.09 MeV, 1=19479
- Hodgson, P.E. Optical model analyses of  $\text{He}^3$  elastic scattering, 1=19524
- Hodgson, P.E., Aguilar, J., García, A. and England, J.B.A. The elastic scattering of 19.5 MeV deuterons by krypton, 1=2228
- Hodgson, P.E. See Aguilar, J., 1=12216
- Hodgson, P.E. See Arnold, M., 1=558
- Hodgson, P.E. See Bowen, P.H., 1=5922
- Hodgson, P.E. See Buck, B., 1=19517
- Hodgson, P.E. See Greenlees, G.W., 1=8774
- Hodgson, P.E. See Halton, J.H., 1=19511
- Hodgson, P.E. See Johansson, A., 1=3444
- Hodgson, P.E. See Johansson, A., 1=19475
- Hoef, J. The microwave rotation spectrum of indium monochloride, 1=17315
- Hoekstra, J.P. and White, P. Simple arrangement for evaporating multilayer films through different masks in ultrahigh vacuum 1=11802
- Hoelscher, H.E. See Sparks, R.E., 1=6836
- Hoerni, J.A. Application of the free-electron theory to three-dimensional networks, 1=4977
- Hoeve, C.A.J. Unperturbed mean-square end-to-end distance of polyethylene, 1=17379
- Hoeve, H.G. See Garber, M., 1=1194
- Hofacker, L. and Preuss, H. The treatment of many-particle problems in quantum chemistry by means of the Gauss integral transform, 1=17250
- Hoff, G.T. Phenomenological study of pion photo-production with polarized photons, 1=7266
- Hoffleit, D. Forty-five variable stars in VSF 193, 1=6716
- Hoffman, C.W.W. and Mooney, R.W. Crystallographic data on beta- $\text{Sr}_2\text{P}_2\text{O}_7$ , 1=1403
- Hoffman, J.M. See Brim, W.W., 1=829
- Hoffman, K. and Seiwert, R. Inelastic collisions between excited and non-excited potassium atoms, 1=4908
- Hoffman, R.A. Analysis of high-resolution N.M.R. spectra by iterative methods, 1=875
- Hoffman, R.A. Proton magnetic resonance studies of unsaturated and aromatic compounds with particular regard to effects of electron delocalization, 1=2351
- Hoffman, R.A. See Arnoldy, R.L., 1=20949
- Hoffman, R.A. See Kowalewski, V.J., 1=381
- Hoffman, R.E. See Ainslie, N.G., 1=3690
- Hoffman, W.C. The current-jet hypothesis of whistler generation, 1=10310
- Hoffmann, B. Noon-midnight red shift, 1=1687
- Hoffmann, B. and Sproull, W.T. Clock rates at perihelion and aphelion, 1=12799
- Hoffmann, H. The magnetic properties of very thin iron films evaporated in vacuo and their variation with admission of air, 1=10161
- Hoffmann, K. and Seiwert, R. Light sources for the excitation of the resonance fluorescence of alkali metals, 1=4469
- Hoffmann, K.W. Measurements on  $\beta$ -decay and on nuclear isomerism by means of the split anthracene crystal spectrometer, 1=3410
- Hoffmann, K.W. Delay neutrons in nuclear fission, 1=8793
- Hoffmann, K.W. See Schmidt-Ott, W.D., 1=7359
- Hoffmann, T., Mazur, J., Nikliborc, J. and Rafalowicz, J. Influence of the electric field on the silver and iron whiskers growth, 1=20447
- Hoffmeister, C. Comet 1959d (Bester-Hoffmeister), 1=1638
- Hofman, T., Mazur, J., Nikliborc, J. and Rafalowicz, J. The influence of an electric field on the growth of copper whiskers, 1=11547
- Hofman, Yu.V. Fast [monoenergetic] neutron capture cross-sections of magic and adjacent nuclei, 1=12205
- Hofmann, C. Notes on the de-centring of spherically surfaced, single lenses, 1=18568
- Hofmann, C. A new definition of the centring error of single spherical lenses, 1=18571
- Hofmann, F.W. and Kohn, H. Optical cross section of resonance lines emitted by flames under conditions of partial thermal ionization, 1=8815
- Hofmann, F.W., Kohn, H. and Schneider, J. Microwave determination of electron concentration in flame gases used as a spectroscopic light source, 1=8234
- Hofmeister, E. See Ebhardt, R., 1=11319
- Hofmeister, E. See Groschwitz, E., 1=3745
- Hofmeyr, C. See Stoker, P.H., 1=19178
- Hofstadter, R., Bumiller, F. and Croissiaux, M. Splitting of the proton form factors and diffraction in the proton, 1=3178
- Hofstadter, R., de Vries, C. and Herman, R. Dirac and Pauli form factors of the neutron, 1=7233
- Hofstadter, R. and Herman, R. Electric and magnetic structure of the proton and neutron, 1=7234
- Hofstadter, R. See Bumiller, F., 1=2039
- Høg, E. Note to "Problems in meridian astronomy", 1=17988
- Høgaasen, H. The Eriksen transformation in the case of particles with spin 0 and 1, 1=13304
- Hogan, W.S. Negative-reactivity measurements, 1=17242
- Hogarth, C.A. A method of making negative-resistance two-state switching diodes, 1=14493
- Höberg, T. Monte Carlo calculations of neutron thermalization in a heterogeneous system, 1=506
- Högbom, J.A. The instantaneous position and diameter of short duration bursts of solar radio emission, 1=6739
- Högbom, J.A. See Christiansen, W.N., 1=15528
- Hoge, H.J. Temperature measurement based on the viscous flow of gas in a Wheatstone-bridge network, 1=2908
- Hoge, R.R. and Niehaus, D.J. Transistorized reactor instrumentation and protective circuits, 1=13053
- Hogg, W.R. See Bellamy, E.H., 1=474
- Høglund, B. and Radhakrishnan, V. A radiometer for the hydrogen line, 1=47
- Hoh, F.C. Experiments on the positive column in a longitudinal magnetic field, 1=13072
- Hoh, F.C. and Lehnert, B. Screw instability of a plasma column, 1=13080
- Höhle, R., Weiss, C.F. and Reichel, G. The application and measurement of the current from uranium, 1=19378
- Höhler, G. and Dietz, K. Calculation of the pion-nucleon scattering phases from dispersion relations. I, 1=2090
- Hohler, G., Dietz, K. and Mullensiefen, A. The contribution of the Born terms to photoproduction of pions at high energies, 1=13470
- Hohlfeld, K. See Menzel, E., 1=18591
- Höhne, M. See Mazonaschwili, B.N., 1=19911
- Höhne, P. A mechanical velocity selector for sub-thermal neutrons and its use in the measurement of the total effective cross-section of cadmium, samarium, europium and gadolinium, 1=4801
- Hoijsink, G.J. Interaction between singlet ground and excited molecules, 1=883
- Hoijsink, G.J., Townsend, J.T. and Weissman, S.I. Spin density in pyrene negative ion, 1=4940
- Hoijsink, G.J., Velthorst, N.H. and Zandstra, P.J. Correlations between the electronic spectra of alternant hydrocarbon molecules and their mono- and di-valent ions. II. Hydrocarbons with symmetry  $D_{2h}$ , 1=14055
- Hois, N.I. Measurement of the albedo of large areas from an airplane, 1=15232
- Hojo, H. A new method for calculation of  $N(h)$ . Profiles from ionospheric  $L'(f)$  curves, 1=10323
- Hojvat, N.L. See Dewar, M.J.S., 1=6039
- Hokkyo, N. Induced cyclotron model of non-thermal solar radio emission, 1=6740
- Holaday, R.E. See Dunn, D.A., 1=11974
- Holan, J. Solution of equations of motion on an analogue computer, 1=6813
- Holas, M. See Eckstein, J., 1=9120
- Holcomb, D.F., Pedersen, B. and Sliker, T.R. Energy transfer within a spin system, 1=14822
- Holdaway, H.W. See Carmichael, A.J., 1=3965
- Holdaway, H.W. See Carmichael, A.J., 1=14866
- Holden, J. The initiation of slip in silicon-iron, 1=3984
- Holden, J. The formation of sub-grain structure by alternating plastic strain, 1=12606
- Holdridge, D.B. See Muhleman, D.O., 1=51
- Holeman, B.R. See Gooch, C.H., 1=17731
- Holeman, B.R. See Hambleton, K.G., 1=11331
- Holla, B.A. See Kane, R.P., 1=13567
- Holladay, W.G. See Crow, T.T., 1=3147
- Hollahan, J.R. See Reitz, D.C., 1=12306
- Holland, B.W. See Grimley, T.B., 1=14212

- Holland, L. Aluminium bakeable vacuum seal, 1-11800
- Holland, L. and Harte, A. The gas sorption characteristics of Penning pumps and titanium films, 1-18480
- Holland, L. See Elsworth, L., 1-183
- Holland, L. See Steckelmacher, W., 1-4473
- Holland, R.E. and Lynch, F.J. Lifetimes of excited states of nuclei with odd mass, 1-4841
- Holland, R.F. See Nielsen, J.R., 1-14608
- Holländer, E.F. The basic equations of the dynamics of the continuous distribution of dislocations. I. General theory, 1-14267
- Holländer, E.F. The basic equations of the dynamics of the continuous distribution of dislocations. II. Interpretation of general theory, 1-14268
- Holländer, E.F. The basic equations of the dynamics of the continuous distribution of dislocations. III. Special problems, 1-14269
- Hollander, J.M. See Albridge, R.G., 1-19373
- Hollander, J.M. See Albridge, R.G., 1-19416
- Hollander, J.M. See Diamond, R.M., 1-13752
- Hollander, J.M. See Hamilton, J.H., 1-7349
- Hollander, J.M. See Hamilton, J.H., 1-19406
- Hollander, L.E.Jr. Electrical conductivity and thermoelectric effect in single-crystal TiC, 1-11260
- Hollas, J.M. See Craig, D.P., 1-8843
- Hollas, J.M. See Craig, D.P., 1-8844
- Hollas, J.M. See Douglas, A.E., 1-8845
- Hollenberg, J.L. and Dows, D.A. Measurements of absolute infrared absorption intensities in crystals, 1-7716
- Hollenberg, J.L. See Schatz, P.N., 1-4343
- Holliday, J.E. Soft X-ray emission spectrum of niobium, 1-14618
- Hollingsworth, C.A. and Granquist, W.T. Relaxation of laminar flow with reference to streaming birefringence decay, 1-8098
- Hollis, J.H. A variable multidimensional dark adaptometer, 1-10353
- Hollis, D.P. and Selwood, P.W. Effect of chemisorbed hydrogen on the ferromagnetic resonance of finely divided nickel, 1-12551
- Holló, M.G. A new interpretation of the substructure of electropolished aluminium surfaces, 1-6491
- Hollos, G. See Toma, E., 1-1455
- Holloway, D.G. The strength of glass, 1-1348
- Holloway, D.G. and Hastilow, P.A.P. High strength glass, 1-7829
- Holloway, W.W., Jr. and Luscher, E. Determination of the hyperfine structure of atomic nitrogen by continuous optical orientation, 1-12256
- Hollstein, V. and Akkerman, H.J. A new type of light-tight house for  $\alpha$ -scintillation counters, 1-13215
- Holly, F.E., Allen, L., Jr. and Johnson, R.G. Radiation measurements to 1500 kilometers altitude at equatorial latitudes, 1-21068
- Holly, F.E. and Johnson, R.G. Measurement of radiation in the lower Van Allen belt, 1-1568
- Holm, C.H. See Ibers, J.A., 1-5075
- Holm, C.H. See Ibers, J.A., 1-14077
- Holm, G.B., Burwell, J.R. and Miller, D.W. (d,p) reactions in deformed heavy nuclei, 1-8770
- Holm, G.B. and Martin, H.J.Jr.  $\text{Ce}^{140}(\text{d,p})\text{Ce}^{141}$  reaction, 1-8769
- Holm, L.W. See Forsling, W., 1-19386
- Holmberg, E. A systematic effect in the redshifts of extragalactic nebulae, 1-18126
- Holmberg, E.R.R. The ballistic theory of light, 1-6942
- Holmberg, S. See Bergström, J., 1-1194b
- Holmen, J.O. See Prosen, R.J., 1-6321
- Holmes, E.L. and Winegard, W.C. Effects of lead, bismuth, silver, and antimony on grain growth in zone-refined tin, 1-15152
- Holmes, E.L. See Jubb, J.T., 1-20629
- Holmes, J. A study of sunspot velocity field using a magnetically undisturbed line, 1-10385
- Holmes, J.E.R., Owen, B.G. and Rodgers, A.L. The Manchester high energy magnetic cosmic ray spectrograph, 1-16922
- Holmes, J.E.R., Owen, B.G. and Rodgers, A.L. Measurements of the momentum spectrum and charge ratio of cosmic ray muons at sea level in the momentum range 10 GeV/c-1000 GeV/c, 1-16945
- Holmes, M.F. See Metson, G.H., 1-6183
- Holmes, O.G. See Bennett, R.M., 1-2448
- Holmes, R., Parbrook, H.D. and Tempest, W. The propagation of sound in nitrous oxide, 1-8160
- Holmgren, H.D. and Cameron, L.M. The  ${}^7\text{Li}(t, \alpha){}^4\text{He}$  reaction, 1-19530
- Holmgren, H.D. and Wolicki, E.A. Cluster effects in nuclear reactions, 1-19428
- Holmgren, H.D. and Wolicki, E.A. The  ${}^{13}\text{C}({}^3\text{He}, \alpha\gamma){}^{12}\text{C}$  reaction, 1-19525
- Holmryd, S. See Larsson, K.E., 1-4966
- Holonyak, N., Jr. Evidence for states (bands) on the forbidden gap of degenerate GaAs and InP — secondary tunnel currents and negative resistances, 1-7648
- Holroyd, L.V. See Macleay, R.Q., 1-4346
- Holroyd, L.V. See Srinivasan, D., 1-4345
- Holscher, P.C. See Trivelpiece, A.W., 1-3065
- Holser, W.T. Classification of symmetry groups, 1-20402
- Holstein, T. Hall effect in impurity conduction, 1-19846
- Holt, D.B. Filled and empty dangling bonds in III-V compounds, 1-2366
- Holt, O. See Eriksen, K.W., 1-1544
- Holte, J.E. and Lambert, R.F. Synthesis of stepped acoustic transmission systems, 1-5325
- Holte, J.E. and Lambert, R.F. Internal reflections and low frequency cutoff in nonuniform transmission structures, 1-16028
- Holtebekk, T. See Andersen, S.L., 1-5915
- Holton, W.C. See Slichter, C.P., 1-9060
- Holtwijk, T. A semi-automatic apparatus for evaluating stereoscopic cloud chamber photographs, 1-16629
- Holýk, A.Z. and Kazanský, V.M. Investigation of the density of a substance [Ethyl ether] near the critical state by the gamma-ray absorption method, 1-13027
- Holyk, O.Z. and Cholpan, P.P. Molecular structure, compressibility, surface tension and viscosity of certain polysiloxanes, 1-20642
- Holýk, O.Z. and Klassen, I.F. Viscosity and electrical conductivity of zinc and cadmium amalgams, II, 1-12872
- Holýk, O.Z. and Shymans'ka, O.T. Investigations of the critical state of matter of Teopler's method. II. Dependence on the density of hexane on the temperature in the neighbourhood of the critical point, 1-13021
- Holýnna, H.I., Fedorus, H.A. and Sheinkman, M.K. Investigation of the physical properties of ohmic and non-ohmic contacts on CdS monocystals, 1-14511
- Holýński, R. See Bartke, J., 1-5562
- Holýński, R. See Bartke, J., 1-13550
- Holzappel, L. See Bayley, R.T., 1-6227
- Holzer, F. and Crouch, M.F. Interpretation of thermal neutron mean lifetime experiments, 1-504
- Holzmüller, W. and Dinter, R. Rotation viscometer for the determination of viscosity at high pressures, 1-106
- Holzwarth, G.M. See Kzue, P.P., 1-8694
- Homma, S., Kuroyanagi, T. and Morinaga, H. Decay of  $\text{Ir}^{105}$  and  $\text{Ir}^{107}$ , 1-13713
- Homma, S. and Takemoto, S. Temperature dependence of scintillation pulses in anthracene and  $\text{CsI(Tl)}$ , 1-17918
- Hommel, C.O., Chleck, D., Broussais, F.J. Ozone analyzer uses radioactive clathrate, 1-20779
- Hon, J.F. Nuclear quadrupole coupling constant of  $\text{Be}^9$  in  $\text{BeO}$ , 1-20278
- Honda, R. Cleavage fracture in single crystals of silicon iron, 1-14916
- Honda, T. and Ui, H. Antisymmetric treatment of deuteron-stripping reaction. Stripping and heavy-particle-stripping reactions, 1-13838
- Honda, T. and Ui, H. Deuteron stripping and heavy-particle-stripping reactions, 1-13839
- Hondros, E.D. and Moore, A.J.W. Evaporation and thermal etching, 1-4013
- Hone, D. Exchange and correlation corrections to the electron-phonon interaction, 1-907
- Hone, D. Self-diffusion in liquid  $\text{He}^3$ , 1-2918
- Hone, D.W. The value of transport mean free path for  $\text{D}_2\text{O}$ , 1-7250
- Honeck, H.C. The distribution of thermal neutrons in space and energy in reactor lattices, 1-17206
- Honeck, H.C. and Kaplan, I. The distribution of thermal neutrons in space and energy in reactor lattices. II. Comparison of theory and experiment, 1-17207
- Honeycombe, R.W.K. See Greetham, G., 1-20369
- Honig, R.E. and Hook, H.O. Vapor pressure data for some common gases, 1-178



- Hönl, H., Dehnen, H. and Westpfahl, K. A heuristic approach to general relativity. 1-1691
- Hönl, H. and Soergel-Fabricius, C. Coriolis forces in Einstein's universe and the Mach principle. 1-15654
- Honma, A. On the magnetic susceptibility of FeF<sub>3</sub>. 1-9044
- Honma, A. See Oguchi, T., 1-12552
- Honma, T. See Takeuchi, S., 1-1360
- Honrath-Barkhausen, M. See Dietrich, I., 1-18814
- Hoodless, I.M. See Barr, L.W., 1-14323
- Hoodless, I.M. See Harrison, L.G., 1-4076
- Hoogenboom, A.M., Kashy, E. and Buechner, W.W. Analysis of the  $\pi = 1$  groups in the reaction Cl<sup>35</sup>(d,p)Cl<sup>36</sup>. 1-19510
- Hoogendoorn, A. See Koedam, M., 1-9647
- Hoogendoorn, A. See Weijzenfeld, C.H., 1-18950
- Hoogenboom, A.M. See Endt, P.M., 1-13799
- Hook, J.F. Separation of the vector wave equation of elasticity for certain types of inhomogeneous, isotropic media. 1-5321
- Hook, H.O. See Honig, R.E., 1-178
- Hook, J.R. See Hill, D.W., 1-4140
- Hooke, W.M., Tenney, F.E., Brennan, M.H., Hill, H.M., Jr and Stix, T.H. Experiments on ion cyclotron waves. 1-11960
- Hooker, W.J. Interpretation of heat gauge records in shock tube flows. 1-11781
- Hooper, G.D. See Falk, R.B., 1-6354
- Hooper, H.L. See Culp, F.L., 1-18335
- Hooper, J.E. See Bøggild, J.K., 1-5778
- Hooper, J.W., McDaniel, E.W., Martin, D.W. and Harmer, D.S. Ionization cross sections for protons on hydrogen gas in the energy range 0.15 to 1.10 MeV. 1-4555
- Hoover, R.L. See Shearin, P.E., 1-19389
- Hoover, W.G. and de Rocco, A.G. Sixth virial coefficient for gases of parallel hard lines, hard squares and hard cubes. 1-8082
- Hope, E.G. See Essen, L., 1-7438
- Hope, E.R. Low-latitude and high-latitude geomagnetic agitation. 1-15341
- Hopfield, H.S. See Newton, R.R., 1-20791
- Hopfield, J.J. Exciton states and band structure in CdS and CdSe. 1-17475
- Hopfield, J.J. Fine structure in the optical absorption edge of anisotropic crystals. 1-19983
- Hopfield, J.J. and Thomas, D.G. Fine structure and magneto-optic effects in the exciton spectrum of cadmium sulfide. 1-7559
- Hopfield, J.J. See Dietz, R.E., 1-17477
- Hopfield, J.J. See Lax, M., 1-14217
- Hopfield, J.J. See Thomas, D.G., 1-3636
- Hopfield, J.J. See Thomas, D.G., 1-17881
- Hopkins, D.C. See Shaw, R.W., 1-1858
- Hopkins, J.C., Gerhart, J.B., Schmidt, F.H. and Stroth, J.E. Longitudinal polarization of O<sup>14</sup> positrons. 1-3415
- Hopkins, M.R. London symposium on electrical contacts. 1-11899
- Hopkins, M.R. See Llewellyn Jones, F., 1-16295
- Hopkins, R.E. See Potter, R.J., 1-2851
- Hopkins, T.E. See Lyon, D.N., 1-6293
- Hopper, V.D. and Laby, J.E. Electron background in nuclear emulsions. 1-413
- Hoppes, D.D., Ambler, E., Hayward, R.W. and Kaeser, R.S. Matrix elements in the forbidden beta decay of Ce<sup>141</sup>. 1-5859
- Hoppes, D.D. See Hayward, R.W., 1-19392
- Hora, H. Dependence on polarization of the photoemission from compound cathodes and the anomalous vector effect with caesium-antimony. 1-18912
- Hora, H. and Müller, H. Phenomenological treatment of the photon-electron interaction in a plasma. 1-18918
- Hora, H. See Frischmuth-Hoffmann, G., 1-13112
- Horai, K. See Koga, H., 1-14802
- Horak, H.G. and Chandrasekhar, S. Diffuse reflection by a semi-infinite atmosphere. 1-12830
- Horák, Z. On the identification of the K $\alpha$  satellites. I. S region. 1-9912
- Horák, Z. Origin of the K $\beta$ '-line according to the angular momentum coupling hypothesis. 1-13941
- Horák, Z. and Pacáková, I. The theory of the spinning impact of imperfectly elastic bodies. 1-15770
- Horen, D.J. See Diamond, R.M., 1-13752
- Horen, D.J. See Hansen, P.G., 1-8655
- Horgan, J.D. and Edwards, D.L. Forces in dielectric fluids. 1-16239
- Hori, G. The motion of a hyperbolic artificial satellite around the oblate earth. 1-11688
- Hori, G. See Brouwer, D., 1-9295
- Hori, G. See Drouwer, D., 1-11689
- Hori, J. On the vibration of disordered linear lattice. III. 1-3593
- Hori, J. A new picture of the vibration of linear lattices. 1-12352
- Hori, T. See Nakagawa, Y., 1-20166
- Horie, H. and Sasaki, K. On energy matrices for the independent particle model. 1-12145
- Horie, K. See Ohmura, H., 1-13801
- Horie, T. and Iwai, T. An effect of heat treatment on WO<sub>3</sub> single crystal. I. Various patterns. 1-15080
- Horie, T., Nagura, T. and Otsuka, M. Radiative collisions between molecular and electron beams. V. Angular momentum distributions of CH<sup>+</sup> separating from simple organic molecules. 1-8869
- Horiuchi, S. See Yamaguchi, J., 1-14301
- Horkun, Yu.I. Polaron motion in a strong electric field. 1-11181
- Horkun, Yu.I. Polaron retardation. 1-14229
- Hörl, E.M. and Marton, L. Electron diffraction studies on solid  $\alpha$ -nitrogen. 1-20529
- Horman, M.H. Measurement of atmospheric transmissivity using backscattered light from a pulsed light beam. 1-9188
- Hormann, E. Applications of the sakata model for elementary particles. 1-8425
- Hormats, E. See Brock, E.G., 1-12489
- Horn, F.H. Growth of single-crystal iron ferrites by the Czochralski method. 1-7847
- Horn, G., Sauerbrey, G. and Tradowsky, K. An electronic counter with a large display for demonstration experiments. 1-5406
- Horn, G. See Bosanquet, C.H., 1-18378
- Horn, J.D. See Bean, B.R., 1-15240
- Hornback, C.E. See Barnard, A.C.L., 1-5914
- Hornbogen, E. Clustering in an alpha iron-molybdenum solid solution. 1-4070
- Horner, F. Narrow-band atmospherics from two local thunderstorms. 1-20863
- Horner, P. Thermoelectric power of single crystals of gallium. 1-14529
- Horner, S. See Hellstrand, E., 1-16810
- Hornig, D.F. See Andersen, W.H., 1-167
- Hornig, D.F. See Anderson, W.H., 1-8154
- Hornig, D.F. See Miller, R.L., 1-3843
- Hornig, D.F. See Vedder, W., 1-19692
- Hornstra, J. Models of grain boundaries in the diamond lattice. II. Tilt about <001> and theory. 1-6109
- Hornstra, J. The role of grain boundary motion in the last stage of sintering. 1-9157
- Hornstra, J. Dislocations, stacking faults and twins in the spinel structure. 1-17544
- Hornung, E.W. and Lyon, D.N. Characteristics of several carbon thermometer-heaters at low temperatures and in magnetic fields to 100 kilogauss. 1-10625
- Hornyak, W.F. See Levesque, R.J.A., 1-4539
- Horowitz, R. See Lagow, H.E., 1-7927
- Horrocks, J.K. and McLaughlin, E. Thermal conductivity of simple molecules in the condensed state. 1-15849
- Horrocks, W.D., Jr. See McDowell, R.S., 1-4933
- Horsfield, A., Morton, J.R. and Moss, D.G. Automatic method of magnetic field calibration using proton resonance. 1-12000
- Horstman, H. See McGervey, J.D., 1-18436
- Horstmann, M. and Meyer, G. A retarding field method of measuring the energy and angular distribution of scattered electrons. 1-3018
- Horstmann, M. and Meyer, G. Measurement of electron diffraction intensities of polycrystalline aluminium films and comparison with the kinematic and dynamic scattering formulae. 1-15053
- Horstmann, M. and Meyer, G. Effective cross-section and angular distribution of elastic and inelastic electron scattering in aluminium foils. 1-16425
- Horton, C.W. and Innis, G.S., Jr. The computation of far-field radiation patterns from measurements made near the source. 1-10566
- Horton, G.K. On the thermal expansion of metals at low temperatures. 1-3609
- Horvai, R. See Budó, A., 1-8126
- Horvai, R. See Dombi, J., 1-8127

- Horvai, R. See Ketskemety, I., 1=18411
- Horváth, J.I. and Gyulai, J. Addendum to our paper "On the conservation laws of the electromagnetic field in moving dielectrics", 1=8384
- Horváth, J.I. See Bán, M.I., 1=7479
- Horváth, P. See Juna, J., 1=13846
- Horvay, G. Orthogonal edge polynomials in the variational solutions of some boundary layer problems in elasticity, 1=1712
- Horvay, G. and Cahn, J.W. Dendritic and spheroidal growth, 1=15004
- Horwitz, N. See Dahl, O.I., 1=5781
- Horwitz, N.H. and Bohm, H.V. Metal-to-glass vacuum seal for low temperatures, 1=11868
- Hoselitz, K. Recent advances in magnetic analysis, 1=8250
- Hoselitz, K. Some methods and results in the study of cubic ferrites, 1=10168
- Hoshi, K. See Yamamoto, M., 1=20411
- Hoshino, R. Proton magnetic resonance in ferroelectric  $(\text{CH}_3\text{NH}_4)\text{AlSO}_4 \cdot 12\text{H}_2\text{O}$ , 1=20271
- Hoshino, R. See Kume, K., 1=12572
- Hoshino, S. and Shibuya, I. Anomalous temperature dependence of lattice constants of ferroelectric sodium nitrite, 1=20560
- Hoshizaki, N. and Machida, S. Two nucleon potential with full recoil. I. General formalism and one-pion-exchange potential, 1=10864
- Hoskins, R.H. See Carson, J.W., 1=9053
- Hoskins, R.H. See Maiman, T.H., 1=11391
- Hosler, C.L. and Hallgren, R.E. The aggregation of small ice crystals, 1=11541
- Hosler, W.R. See Hudson, R.P., 1=9015
- Hosokawa, I. A refinement of the linearized transonic flow theory, 1=6884
- Hosokawa, I. Transonic flow past a wavy wall, 1=12909
- Hosokawa, I. Theoretical prediction of the pressure distribution on a non-lifting, thin symmetrical aerofoil at various transonic speeds, 1=12910
- Hosoya, S. See Kuriyama, M., 1=14770
- Hossain, A., Votruba, M.F. and Wataghin, A. Multiple scattering measurements in nuclear emulsions exposed to momentum-analysed particle beams from the CERN proton synchrotron, 1=19450
- Hossain, A. See Ali, M.I., 1=556
- Hossain, A. See Husain, A., 1=13475
- Hoste, J. See De Soete, D., 1=17297
- Hostettler, H.U. and Bernstein, R.B. Observation of quantum effects in the scattering of a monoenergetic Li beam by a crossed Hg beam, 1=820
- Hother-Lushington, S. See Warburton, F.L., 1=7811
- Hotinli, M. Observations of the solar chromosphere during 1957, 1=24
- Hotinli, M. See Balli, E., 1=18082
- Hotston, E.S. Correction term for dielectric measurements with cavity resonators, 1=5415
- Houard, J.C. and Juvet, B. Study of a model field with zero renormalization constant, 1=7198
- Houard-Cabannes, M.P. See Ader, M., 1=16634
- Houard-Cabannes, M.P. See Ader, M., 1=16635
- Houck, F.S. and Miller, J.M. Reactions of alpha particles with iron-54 and nickel-58, 1=11034
- Houde, A.L. Observations of cross-tie domain walls by the Faraday effect, 1=10151
- Hougen, J.T., Leroy, G.E. and James, T.C. Application of ligand field theory to the electronic spectra of gaseous  $\text{CuCl}_2$ ,  $\text{NiCl}_2$ , and  $\text{CoCl}_2$ , 1=8848
- Hough, P.V.C. and Powell, B.W. A method for faster analysis of bubble chamber photographs, 1=5618
- Houghton, G. See Leonard, J.H., 1=12857
- Houghton, J.T., Hughes, N.D.P., Moss, T.S. and Seeley, J.S. An atlas of the infrared solar spectrum from 1 to  $6.5 \mu$  observed from a high-altitude aircraft, 1=18079
- Houghton, J.T. and Seeley, J.S. Spectroscopic observations of the water-vapour content of the stratosphere, 1=20818
- House, A.S. On vowel duration in English, 1=12708
- House, A.S. See Brady, P.T., 1=15373
- House, L.L., Athay, R.G. and Zirin, H. The Balmer: Paschen ratio in the chromosphere and the equilibrium populations of hydrogen angular-momentum states, 1=5155
- House, L.L. See Eddy, J.A., 1=2287
- House, R.N., Jr. Maximum power criterion for the vibrating free edge disk, 1=6916
- Houtermans, F.G. Maser-action in the optical range and the possibility of absolute negative absorption in certain molecular spectra (the "light-avalanche"), 1=13173
- Houtermans, F.G. See Debrunner, H., 1=3372
- Houtgast, J. Report of the Netherlands Expedition for the observation of the total solar eclipse on October 2 1959, 1=5151
- Houziaux, L. Ionization and excitation of neutral oxygen in the vicinity of hot stars, 1=1653
- Houziaux, L. Comparative results of photoelectric photometry and photographic spectrophotometry, 1=7972
- Houziaux, L. Utilization of a "grid" of grey-body models for determining the characteristics of a stellar atmosphere, 1=12769
- Houziaux, L. Density of  $\text{C}_2$  molecules in the head of the Comet Mrkos 1955e, 1=15431
- Houziaux, L. and Sadoline, M.P. Transition probabilities and oscillator strengths for elements of astrophysical interest, 1=13917
- Hovestadt, D. See Bodenstedt, E., 1=632
- Hovi, V. and Mäntysalo, E. On the dark current conductivity of potassium iodide crystals containing  $\text{R}^+$ -centers, 1=14389
- Hovi, V., Mäntysalo, E. and Ketolainen, P. On the Gyulai-Hartly effect in single crystals of potassium iodide at temperatures between 77 and  $297^\circ\text{K}$ , 1=14390
- Hovi, V. and Niemelä, L. Determination of the mean beta disintegration energy of  $\text{S}^{35}$  by means of an isothermal microcalorimetric method, 1=13716
- Hovi, V. and Pautamo, Y. On the frequency spectra of solids as calculated from experimental specific heats, 1=14161
- Hovi, V. and Pautamo, Y. On the vibrational and zero point energies of alkali halides, 1=14162
- Howard, F.T. See Livingston, R.S. [Eds.], 1=1937
- Howard, R.E., Vosko, S. and Smoluchowski, R. Mechanism for production of interstitials in  $\text{KCl}$  by X rays at low temperatures, 1=8922
- Howard, W.E.III. Effects of antenna scan rate and radiometer time constant on receiver output, 1=19142
- Howard, W.E., III. See Maxwell, A., 1=15547
- Howard, W.M. Density field for rarefied flow through an orifice, 1=5290
- Howarth, C.I. On-off interaction in the human electroretinogram, 1=4157
- Howarth, C.I. See Gibbins, K., 1=10351
- Howe, D.A. and Langer, L.M. Once-forbidden beta spectrum of  $\text{Tl}^{208}$ , 1=17028
- Howe, J.A. Microwave spectrum of CIS 1-chloro-2-fluoroethylene, 1=7462
- Howe, L.M. and Thomas, W.R. The effect of neutron irradiation on the tensile properties of Zircaloy-2, 1=20379
- Howe, S. and Elbaum, C. The relation between the plastic deformation of aluminium single crystals and polycrystals, 1=3975
- Howe, S. and Elbaum, C. Dislocation-free aluminum crystals, 1=12383
- Howe, S. and Elbaum, C. The occurrence of dislocations in crystals grown from the melt, 1=19780
- Howe, S., Liebmann, B. and Lücke, K. High temperature deformation of aluminum single crystals, 1=14905
- Howell, V.T.S., See Gabriel, A.H., 1=5476
- Howells, I.D. The multiple scattering of waves by weak random irregularities in the medium, 1=8242
- Howie, A. and Swann, P.R. Direct measurements of stacking-fault energies from observations of dislocation nodes, 1=19797
- Howie, A. and Whelan, M.J. Diffraction contrast of electron microscope images of crystal lattice defects. II. The development of a dynamical theory, 1=20710
- Howie, A. See Hirsch, P.B., 1=9165
- Howland, B. See Berg, R.S., 1=16208
- Howlett, L.E. The new standard for the metre, 1=8036
- Hoyaux, M. and Gans, P. Recent progress in particle physics, I, 1=5696
- Hoyland, J.R. and Goodman, L. Open-shell wave functions for conjugated hydrocarbons, 1=12294
- Hoyle, F. Observational tests in cosmology (44th Guthrie Lecture), 1=4188
- Hoyle, F. The age of the galaxy, 1=12763



- Hoyle, F. and Fowler, W.A. Nucleosynthesis in supernovae, 1=2638
- Hoyle, F. and Ireland, J.G. Note on the magnetic structure of the galaxy, 1=12775
- Hoyle, F. and Wickramasinghe, N.C. A note on the origin of the sun's polar field, 1=18067
- Hoyle, F. See Fowler, W.A., 1=10373
- Hrehuss, G. A new method of mass discrimination, 1=16616
- Hrianca, J. See Rothenstein, B., 1=18980
- Hrianca, J. See Rothenstein, B., 1=20312
- Hridnyev, V.N., Minakov, V.M. and Trefilov, V.I. The resistance to deformation of metals in the case of phase transformation, 1=15137
- Hridnyev, V.N. and Trefilov, V.I. Phase transformations in [carbon] steel with electrotempering, 1=12644
- Hrshayev, I.A., Terekhov, B.A., Moyakushko, L.K. and Fursov, H.L. A titanium pump, 1=12931
- Hrivnák, L. New derivation of Bardeen-Shockley formula for mobility of electrons in homopolar semiconductors, 1=17656
- Hrubý, A. Some metallographic observations on Ge single crystals with small density of edge dislocations, 1=17541
- Hruška, A. Plasma oscillations and dynamical friction, 1=18895
- Hruška, K. The influence of an electric field on the frequency of piezoelectric cuts, 1=17855
- Hruska, S.J. and Hirth, J.P. A discussion of the growth and evaporation of potassium whiskers, 1=20445
- Hryshayev, I.O., Kolosov, V.I., Myakota, V.I. and Yakymov, B.V. Eliminating the effect of the deleterious magnetic field component in a magnetic undulator, 1=13126
- Hsiao, C.C., Osborn, J.E. and Rozendal, D.B. Orientation dependent mechanical breakdown of a model high polymer solid, 1=14909
- Hsieh, Din-Yu and Plesset, M.S. Theory of rectified diffusion of mass into gas bubbles, 1=4313
- Hsieh Din-Yu and Plesset, M.S. On the propagation of sound in a liquid containing gas bubbles, 1=11813
- Hsieh Din-Yu. See Plesset, M.S., 1=133
- Hsieh, D.Y. See Plesset, M.S., 1=10507
- Hsien-chih Hsiung. See Chi-hua Hsiung, 1=4179
- Hsien Ding-chang. See Syan'Din-chan., 1=19229
- Hsien Ting-Ch'ang. See Syan' Din-Chan, 1=16711
- Hsien Ting-ch'ang. See Syan' Din-chan., 1=19160
- Hsu, F.S.L. See Kunzler, J.E., 1=3037
- Hsu, F.S.L. See Kunzler, J.E., 1=5399
- Hsu, F.S.L. See Kunzler, J.E., 1=17457
- Huang, K. Bose-Einstein system with attractive forces, 1=5225
- Hsuang-ming, L. See Syuan-min, L., 1=19226
- Hsun Hu. The formation of (110) [001] recrystallization texture in a cold-rolled and annealed (110) [001] crystal of silicon-iron, 1=1423
- Hsun Hu and Cline, R.S. Temperature dependence of rolling textures in high-purity silver, 1=7873
- Hsü Yün-ch'ang. See Syui Yün-chan., 1=19265
- Hu, C. (d,  $\alpha$ ) reactions on some light nuclei, 1=11029
- Hu, C. See Oda, Y., 1=8724
- Hu, C. See Takeda, M., 1=8761
- Hu, H., Cline, R.S. and Goodman, S.R. Texture transition in high-purity silver and its correlation with stacking fault frequency, 1=10279
- Hu Ren-Chao. The lightning spectra in the visible and ultra-violet regions with grating spectrograph, 1=4113
- Hu Shih-ke. See Syan'Din-chan, 1=19229
- Hu Shih-ko. See Smorodinskii, Ya.A., 1=19230
- Huang, H.C. See Loeb, L.B., 1=10679
- Huang K'o-Chih. See Khuan Ké-Chzi., 1=11509
- Huang Su-Shu. Geometric broadening of stellar spectral lines, 1=2637
- Huang, Su-Shu. Some dynamical properties of natural and artificial satellites, 1=6751
- Huang Tzu-Tzan. See Barashenkov, V.S., 1=16909
- Hubach, R.A. Observations of the cosmic-ray equator in the Pacific Ocean area, 1=16944
- Hubbard, E.L., Baker, W.R., Ehlers, K.W., Gordon, H.S., Main, R.M., Norris, N.J., Peters, R., Smith, L., Van Atta, C.M., Voelker, F., Anderson, C.E., Beringer, R., Gluckstern, R.L., Knox, W.J., Malkin, M.S., Quinton, A.R., Schwarcz, L. and Wheeler, G.W. Heavy-ion linear accelerator, 1=10749
- Hubbard, J. The friction and diffusion coefficients of the Fokker-Planck equation in a plasma, 1=16320
- Hubbard, J. The friction and diffusion coefficients of the Fokker-Planck equation in a plasma. II, 1=16321
- Hubbard, J. See Thompson, W.B., 1=5446
- Hubbard, P.S. Quantum-mechanical and semiclassical forms of the density operator theory of relaxation, 1=12815
- Hubbard, R.L. Application of the redundancy relationships between force constants, 1=9924
- Hubenet, H. The occurrence of chemical elements in the universe, 1=15411
- Huber, F. See Schmidt, P.F., 1=18749
- Huber, H. Electron bremsstrahlung in the field of a neutral atom, 1=13384
- Huber, H.J. See Brauer, P., 1=9010
- Huber, M. See Goffin, J., 1=15093
- Huber, P. See Comunetti, A., 1=13068
- Huber, P. See Galli, R., 1=16443
- Huber, P. See Rudin, H., 1=7288
- Huber, R. Determination of the tint and greyness of diffusing plastics (polyethylene) using a reflection photometer, 1=245
- Huber, W.K. and Trendelenburg, E.A. Recent development of ultra-high vacuum systems using oil diffusion pumps, 1=2793
- Hubert, P.L. See Campbell, W.S., 1=20913
- Hubert, W.E. See Masterson, J.E., 1=20888
- Hubner, K. See Quiesser, H.J., 1=11228
- Huby, R. Formulae for non-degenerate Rayleigh-Schrödinger perturbation theory in any order, 1=18269
- Huch, W.F. See Ney, E.P., 1=2589
- Huch, W.F. See Ney, E.P., 1=5152
- Hudda, F.G. See Ehrlich, G., 1=1456
- Hudda, F.G. See Ehrlich, G., 1=20742
- Hudis, J. See Cumming, J.B., 1=11008
- Hudis, J. See Dostrovsky, I., 1=12198
- Hudson, D.E. See Trulson, O.C., 1=14143
- Hudson, E.D. See Cohen, B.L., 1=1938
- Hudson, G.G. and Loeb, L.B. Streamer mechanism and main stroke in the filamentary spark breakdown in air as revealed by photomultipliers and fast oscilloscopic techniques, 1=10678
- Hudson, G.H., McCoubrey, J.C. and Ubbelohde, A.R. Energy transfer in polyatomic molecules. I. Catalysis of energy transfer with isotopic molecules, 1=19675
- Hudson, J.B. See Hilliard, J.E., 1=14273
- Hudson, R.H. See Muhleman, D.O., 1=51
- Hudson, R.P. Paramagnetic substances for nuclear orientation, 1=14153
- Hudson, R.P. and Hosler, W.R. Magnetic susceptibility of cerous magnesium nitrate, 1=9015
- Hudson, R.P. and Kaeser, R.S. Spin-lattice relaxation in cerous magnesium nitrate, 1=12566
- Hue, J. Effect of charge transfer on paramagnetic relaxation, 1=9061
- Huebner, W.F. Relations between plasma physics and astrophysics. Comment about Comet tails, 1=15432
- Hueter, T.F. and Currie, W.E. Three-element stagger-tuned transducer array for broadband operation, 1=11820
- Hueter, T.F. and Moose, P.H. Optimum hydrophone design for low frequencies, 1=18534
- Huetz, J. See Huetz-Aubert, M., 1=6905
- Huetz-Aubert, M. and Huetz, J. Measurement of relaxation times of gases, 1=6905
- Huffine, C. See Sears, G.W., 1=11549
- Huffman, J.D. Internal friction in fibre assemblies, 1=3961
- Huffman, R.E., Hunt, W.W., Jr., Tanaka, Y. and Novack, R.L. New emission continuum of helium in the vacuum ultraviolet region, 1=12248
- Huffstutler, M.C., Jr. and Thomas, G. Specimen tilting device for use in the Hitachi H.U. 10 electron microscope, 1=4091
- Hüfner, S. The matrix elements for the electron configuration  $f^4$ . I. The coefficients of fractional parentage and the matrix elements for spin coupling, 1=17252
- Hüfner, S. The matrix elements for the electron configuration  $f^4$ . II. The energy levels for  $\text{Ho}^{3+}$  ion, 1=17253
- Hüfner, S. Matrix elements for the  $4f$  electronic configuration. III. The eigenstates of the  $\text{Ho}^{3+}$  ion, 1=19584
- Hufner, S. See Hellwege, K.H., 1=1165
- Hugenholtz, N.M. Ground state of a system of interacting bosons, 1=5221
- Hugentobler, E. See Hahn, B., 1=407
- Huggins, C.M. See McCall, D.W., 1=5273

## AUTHOR INDEX

- Huggins, R.A. See Dils, R.R., 1=13146  
Huggins, R.A. See Nix, W.D., 1=3899  
Hughes, C.J. See Hunter, J.J., 1=4297  
Hughes, D.G. and MacDonald, D.K.C. Some properties of resonance line-shape functions, 1=12247  
Hughes, D.J., Palevsky, H., Bolotin, H. and Chrien, R. Transition probabilities of capture gamma rays in  $U^{238}$ , 1=8667  
Hughes, D.S., Gourley, L.E. and Gourley, M.F. Shock-wave compression of iron and bismuth, 1=9090  
Hughes, E.W. See Cash, A.H., 1=20533  
Hughes, H.G. Technique of shunting pulsed, high field magnetic coils, 1=13152  
Hughes, H.G. See Fowler, R.G., 1=2785  
Hughes, J.D.H. See Wilson, E.J., 1=13683  
Hughes, J.E. See Ratcliffe, S., 1=6171  
Hughes, M.P. Summary of spectral observations of solar radio emission during July 1959, 1=18146  
Hughes, M.P. Solar radio emissions and geophysical disturbances during July 1959, 1=18167  
Hughes, N.D.P. and Moss, T.S. Some solar lines in the infra-red spectrum observed from a high-flying aircraft, 1=9268  
Hughes, N.D.P. See Houghton, J.T., 1=18079  
Hughes, R.E. See von Frankenberg, C., 1=12337  
Hughes, R.H. Isotope shifts in the spectra of Mo and Ru, 1=2292  
Hughes, R.H. Optical observation of the dissociation of molecular hydrogen ions, 1=11132  
Hughes, R.H., Hilton, W.A. and Sharpton, F.A. Some isotopic shifts in the spark spectrum of Te, 1=9909  
Hughes, R.H., Philpot, J.L. and Fan, C.Y. Spectra induced by 200 keV proton impact on nitrogen, 1=13944  
Hughes, R.H. and Sharpton, F.A. Isotope shifts in palladium, 1=5975  
Hughes, R.H., Waring, R.C. and Fan, C.Y. Spectra induced by 200 keV proton impact on helium, 1=7435  
Hughes, T.P. See Hallin, R., 1=13945  
Hughes, T.P. See Herdan, R., 1=2276  
Hughes, T.P. See Herdan, R., 1=9775  
Hughes, T.P. See Kaufman, A.S., 1=235  
Hughes, V.W. See Drake, C.W., 1=13524  
Hughes, V.W. See Ford, K.W., 1=13979  
Hughes, V.W. See Prepost, R., 1=3202  
Hughes, V.W. See Radford, H.E., 1=11067  
Hughes, W. and Taylor, C.A. Safe universal mounting and alignment system for X-ray goniometers, 1=20457  
Hughes, W.F. Relativistic magnetohydrodynamics and irreversible thermodynamics, 1=18998  
Hughes, W.F. and Osterle, J.F. On the adiabatic couette flow of a compressible fluid, 1=2735  
Hughes, W.H. Thermal force on particulate material at high Knudsen numbers in the absence of a thermal gradient, 1=1767  
Hugolin, L. and Lallemand, C. New transistor circuits in prospecting apparatus, 1=13054  
Hugon, L. See Avan, M., 1=8750  
Hugot, C. See Amram, Y., 1=2931  
Hugus, Z.Z. See Meehan, J.E., 1=4478  
Hugus, Z.Z. Jr. See Britton, D., 1=3565  
Huiskamp, W.J. See Postma, H., 1=8643  
Huizenga, J.R. See Vandenbosch, R., 1=16960  
Huizenga, J.R. See Wing, J., 1=12169  
Hukuda, K., Ishii, J. and Miduno, Z. The kinetics of radical reactions in  $\gamma$ -irradiated polyvinyl chloride, 1=1489  
Huld, L. See Staflin, T., 1=19989  
Huli, M.H. Jr., Lassila, K.E., Ruppel, H.M., McDonald, F.A. and Breit, G. Phase-parameter representation of neutron-proton scattering from 13.7 to 350 MeV, 1=8461  
Hull, D. and Mogford, I.L. Precipitation and irradiation hardening in iron, 1=12652  
Hull, D. See Westmacott, K.H., 1=966  
Hull, D. See Westmacott, K.H., 1=17511  
Hull, G.W. Jr. See Geballe, T.H., 1=8285  
Hull, M.H. See Breit, G., 1=3158  
Hull, M.H. Jr. See Breit, G., 1=499  
Hull, M.H., Jr. See Breit, G., 1=4807  
Hull, M.H., Jr. See Breit, G., 1=7217  
Hull, M.H. Jr. See Breit, G., 1=19181  
Hull, R.J. and Stroke, H.H. Nuclear moments and isotope shifts in  $Tl^{199}$ ,  $Tl^{200}$ ,  $Tl^{201}$ ,  $Tl^{202}$ , and  $Tl^{204}$  — isotope shifts in odd-odd nuclei, 1=8567  
Hull, R.J. and Stroke, H.H. Hyperfine-structure separations, isotope shifts, and nuclear magnetic moments of the radioactive isotopes  $Tl^{199}$ ,  $Tl^{200}$ ,  $Tl^{201}$ ,  $Tl^{202}$ , and  $Tl^{204}$ , 1=17261  
Hull, T.E. See Clayton, D.D., 1=7389  
Hulliger, F. See Busch, G., 1=10040  
Hulliger, F. See Busch, G., 1=14475  
Hulm, J.K. and Blaugher, R.D. Superconducting solid solution alloys of the transition elements, 1=11882  
Hulm, J.K. See Blaugher, R.D., 1=18718  
Hulme, K.F. See Mullin, J.B., 1=17520  
Hultberg, S., O'Connor, T. and Hamilton, J.H. Angular distributions of photoelectrons ejected from uranium by 1.118 MeV gamma rays, 1=5875  
Hultgren, R. See Orr, R.L., 1=2541  
Hultén, E., Järlsäter, N. and Koffman, L. On the absorption spectrum of ICl. II. Chlorine isotopes in iodine chloride, 1=14012  
Hultqvist, B. and Gustafsson, G. On the magnetic time dependence of the auroral zone currents, 1=1594  
Hultqvist, B. and Örtner, J. Strongly absorbing layers below 50 km, 1=6615  
Hultqvist, B. and Örtner, J. The height of the polar cap absorption layer, 1=20945  
Hultqvist, B. See Egeland, A., 1=20953  
Hulubei, H., Besliu, C., Berinde, A., Ivascu, M. and Martalogu, N. Method for the absolute measurement of thermal neutron flux, 1=5735  
Humason, M.L., Gomes, A.M. and Kearns, C.E. The 1960 Palomar Supernova search, 1=18132  
Humason, M.L. See Zwicky, F., 1=2642  
Humason, M.L. See Zwicky, F., 1=8007  
Humblet, J. and Rosenfeld, L. Theory of nuclear reactions. I. Resonant states and collision matrix, 1=17065  
Hume-Rothery, W. The face-centred cubic solid solutions in transition metal alloys of the first long period, 1=20623  
Hume-Rothery, W. and Roaf, D.J. On the theory of solid solutions in copper, silver and gold, 1=4061  
Hummel, F.A. See Sarver, J.F., 1=9005  
Hummel, H.H. and Meneghetti, D. Diffusion of intermediate energy neutrons into a thick resonance absorber, 1=13435  
Hummel, J.P. Isomer ratio for the  $Sn^{118}(\gamma, p)$  reaction, 1=11003  
Hummel, J.P. See Wolfe, J.H., 1=11002  
Hummel, R.W. and Hearne, J.A. The nitrous oxide dosimeter, 1=3094  
Hummer, D.G. and Seaton, M.J. Excitation of H 2s electron impact, 1=11077  
Humphrey, W.E., Kirz, J. and Rosenfeld, A.H. Evidence for low rates for  $\beta$  decay of  $\Sigma^-$  and  $\Lambda$  hyperons, 1=12121  
Humphreys, C.J. Progress of radiometric observation of infrared atomic emission spectra, 1=797  
Humphreys-Owen, S.P.F. Comparison of reflection methods for measuring optical constants without polarimetric analysis, and proposal for new methods based on the Brewster angle, 1=9467  
Hunger, G. Variations of the metal-carbon evaporation impression in electromicroscopic preparation, 1=20707  
Hunger, K. and Larenz, R.W. Microfields in plasma, 1=16312  
Hunt, A.L., Damm, C.C. and Popp, E.C. Attainment of ultrahigh vacua, reduction in surface desorption, and the adsorption of hydrogen by evaporated molybdenum, 1=15974  
Hunt, D.C. and Van Zandt, T.E. Photolionization heating in the F region of the atmosphere, 1=20987  
Hunt, G.R. and Wilson, M.K. Infrared spectra and potential constants of some monohaloacetylenes, 1=7472  
Hunt, J.N. Oscillations in a viscous liquid with an application to tidal motion, 1=10492  
Hunt, J.N., Palmer, R. and Penney, W. Atmospheric waves caused by large explosions, 1=7928  
Hunt, P.P. and Smith, H.A. The separation of hydrogen, deuterium and hydrogen deuteride mixtures by gas chromatography, 1=13977  
Hunt, R.P. See Epstein, D.J., 1=6366  
Hunt, S.E., Pope, R.A., Freck, D.V. and Evans, W.W. Redetermination of (p,  $\gamma$ ) resonant energies used as fixed points on the high-energy scale, 1=690  
Hunt, W.W., Jr. See Huffman, R.E., 1=12248  
Hunten, D.M. Temperatures deduced from aurora and airglow spectra, 1=21039  
Hunten, D.M. See Bullock, W.R., 1=21024



- Hunter, J. and Mull, H.R. Acoustic treatment of the Cleveland Public Auditorium, 1=9461
- Hunter, J.J. and Hughes, C.J. Shaft position indicator for use with journal bearings, 1=4297
- Hunter, R.S. and Yeatman, J.N. Direct-reading tomato colorimeter, 1=8243
- Hunter, S.C. The Hertz problem for a rigid spherical indenter and a viscoelastic half-space, 1=14924
- Hunter, S.C. Tentative equations for the propagation of stress, strain and temperature fields in viscoelastic solids, 1=20337
- Hunter, S.C. See Davis, C.D., 1=14925
- Hunter, W.R. See Angel, D.W., 1=16070
- Hunting, C.E. Proton spectra from the nitrogen bombardment of fluorine, 1=11041
- Hunting, C.E. See Halbert, M.L., 1=19535
- Huntington, H.B., Miller, N.C. and Nerses, V. Self-diffusion in 50-50 gold-cadmium, 1=14306
- Huntoon, R.D. and McNish, A.G. Present status of research on the physical constants at the (United States) National Bureau of Standards, 1=1676
- Hunziker, R.R. The flow about a charged body moving in the lower ionosphere, 1=10320
- Hupert, J.J. See Buckley, J.K., 1=7146
- Hurd, C.M. Liquid nitrogen cryostat for electrical measurements on crystal samples in magnetic and light fluxes, 1=5172
- Hurd, R.A. A note on the diffraction of a scalar wave by a small circular aperture, 1=18613
- Hurlbert, R.C. and Konecny, J.O. Diffusion of hydrogen through palladium, 1=4990
- Hurlbut, F.C. See Stein, R.P., 1=11986
- Hurle, D.T.J. and Weintroub, S. The electrical resistivity of monocrystalline and liquid bismuth, 1=3713
- Hurle, I.R. See Gaydon, A.G., 1=15943
- Hurley, A.C. and Maslen, V.W. Potential curves for doubly positive diatomic ions, 1=9946
- Hurley, J. Interaction of a streaming plasma with the magnetic field of a line current, 1=3047
- Hurley, J. Interaction of a streaming plasma with the magnetic field of a two-dimensional dipole, 1=10705
- Hurley, J. Drift velocity of a charged particle in an inhomogeneous magnetic field, 1=18986
- Hurley, J.P. and Ferguson, J.M. Measurement of K-conversion coefficient of 279 keV gamma radiation in  $Tl^{203}$ , 1=17057
- Hurst, C.A. On the equivalence of current loops and magnetic shells, 1=8299
- Hurst, C.A. The supplementary condition in quantum electrodynamics, 1=13281
- Hurst, G.S., O'Kelly, L.B. and Bortner, T.E. Dissociative electron capture in water vapor, 1=13065
- Hurst, R.P. Three-term Hylleraas-function atomic scattering factors for the two-electron ions, 1=17287
- Hurst, R.P. and Levelt, J.M.H. Quantum-mechanical cell model of the liquid state. II. Application to the zero-point properties of close-packed crystals, 1=3603
- Huruhata, M. Aurora and airglow observations on February 11, 1958, 1=2573
- Hurvich, L.M. See Jameson, D., 1=4161
- Hurwitt, S. See Intrater, J., 1=12631
- Hurwitz, H. See Aziz, A.K., 1=4371
- Hurwitz, H., Jr., Kilb, R.W. and Sutton, G.W. Influence of tensor conductivity on current distribution in a m.h.d. generator, 1=3051
- Hurwitz, H., Jr. See Alpher, R.A., 1=5548
- Hurwitz, H., Jr. See Auer, P.L., 1=11957
- Hurwitz, H., Jr. See Westendorp, W.F., 1=11920
- Husain, A., Siddiqui, M.H. and Hossain, A. Mean free path of 4.5 BeV  $\pi$ -mesons in Ilford G5 emulsions, 1=13475
- Husain, M.K. See Connor, R.D., 1=2992
- Husain, S.F.A. See Trew, V.C.G., 1=20047
- Hušík, V. See Frána, J., 1=17031
- Hushfar, F. See Donahue, T.M., 1=16277
- Husimi, K. 180° domain wall motions in  $BaTiO_3$  crystal, 1=10080
- Husimi, K., Nishiguchi, K. and Suzuki, T. Ultrasonic measurement of magnetization in Mn-ferrite single crystal, 1=12539
- Hussain, M. See Astbury, A., 1=8472
- Hussonnois, M. See Boussières, G., 1=2215
- Hust, J.G. See Morris, R.G., 1=19731
- Hutchins, D.L. See Ramaswamy, M.K., 1=2198
- Hutchins, D.L. See Ramaswamy, M.K., 1=8608
- Hutchison, C.A., Jr. and Mangum, B.W. Paramagnetic resonance absorption in naphthalene in its phosphorescent state, 1=6234
- Hutchison, C.A., Jr. and O'Reilly, D.E. Densities of solutions of potassium in liquid ammonia and deuterio-ammonia, 1=4332
- Hutchison, C.A., Jr. and O'Reilly, D.E. Electronic paramagnetic relaxation times in potassium-ammonia and potassium-deuterioammonia solutions, 1=6873
- Hutchinson, D.P., Menes, J., Shapiro, G., Patlach, A.M. and Penman, S. Magnetic moments of positive and negative muons, 1=16833
- Hutchinson, G.W., Rubinstein, R. and Wells, W.H. A transistorized ring scaler of resolving time 0.3  $\mu$ s, 1=1881
- Hutchinson, P. See Rushbrooke, G.S., 1=12868
- Hutchinson, R. and Shuman, B. Rocket measurements of the magnetic field above New Mexico, 1=21086
- Hutchinson, W.C.A. Ice-crystal contact electrification, 1=17861
- Hutson, A.R. Piezoelectric scattering and phonon drag in ZnO and CdS, 1=17857
- Hutton, E. See Stevens, B., 1=181
- Hutton, P.J. The growth of droplets: progress report No. II (Final), 1=6849
- Hutton, R. and Wright, R.W.H. Diurnal variation of earth currents at the equator, 1=15216
- Huxley, L.G.H. Free path formulae for the coefficient of diffusion D and velocity of drift W of ions and electrons in gases, 1=274
- Huxley, L.G.H. The general theory of the motions of ions and electrons in gases, 1=8312
- Huxtable, G.B. See Allaby, J.V., 1=5725
- Huynh, V.-D. See Corge, C., 1=13828
- Huynh, V.-D. See Corge, C., 1=17112
- Huynh, V.-D. See Julien, J., 1=16999
- Huzan, E., Abbiss, C.P. and Jones, G.O. Thermal expansion of aluminium at low temperatures, 1=4971
- Huzinaga, S. A note on the first Born approximation in collisions of electron with helium, 1=3519
- Huzinaga, S. Analytical methods in Hartree-Fock self-consistent field theory, 1=7421
- Hveding, D. See Hvinden, T., 1=9823
- Hvinden, T., Hveding, D., Lillegraven, A. and Small, S.H. Caesium-137 fall-out over Norway since September 1956, 1=9823
- Hwang Shoi-Yean and Davids, N. Graphical analysis of the formation of shock fronts in materials, 1=168
- Hyams, B.D. See Backenstoss, G., 1=8478
- Hyder, S.B. Numerical calculations of direct interaction cross-sections for (n,np) processes, 1=19494
- Hyder, S.B. and Gupta, B.K. Radio-luminescence in sodium chloride and potassium chloride, 1=20012
- Hyman, J., Jr. Low impedance bridge for the measurement of level of liquid metals, 1=10473
- Hyman, J., Jr. Measurement of the resistivity of cesium at elevated temperatures, 1=15800
- Hynds, R.J. See Elliot, H., 1=3357
- Hyodo, S. Possibility of supervelocity of glass fracture, 1=12604
- Hyodo, S. and Okuda, F. Glass cracking caused by underwater spark, 1=12603
- Hyodo, T. and Shimizu, S. Some experiments on gamma-ray back-scattering, 1=13373
- Iakovlev, V.I. See Dovzenko, O.I., 1=3290
- Iannuzzi, M. See Gozzini, A., 1=16595
- Ibers, J.A. and Holm, C.H. The O-H...O bond in orthoboric acid, 1=14077
- Ibers, J.A., Holm, C.H. and Adams, C.R. Proton magnetic resonance study of polycrystalline  $HCrO_4$ , 1=5075
- Ibers, J.A. See Kumamoto, J., 1=15037
- Ibragimov, Sh.Sh. and Lyashenko, V.S. The effect of fast neutrons on the properties of metals, 1=10021
- Ibragimova, D.M. and Moiseev, A.I. An internal friction peak observed during tests on deformed aluminium, 1=6445
- Ibuki, S., Komiya, H. and Yamashita, H. Anomalous photovoltaic effect of CdS single crystals, 1=14507
- Ibuki, S. and Yamashita, H. Diffusion of Cu into CdS single crystals through dislocations, 1=3684
- Ichijo, B. and Arai, T. Highly stabilized and sensitive reactance meter, 1=4534

- Ichikawa, Y.H. Stopping power of high temperature plasma — effects of ionic collective motion, 1=2968
- Ichikawa, Y.H. On the kinetic equation for a high temperature plasma, 1=11922
- Ichikawa, Y.H. and Sasakura, Y. On the structure of generalized Fokker-Planck equation of a high temperature plasma, 1=16319
- Ichikawa, Y.H. and Yamamoto, M. Bremsstrahlung in high density media at high energies, 1=3156
- Ichimiya, T., Takayama, K. and Aono, Y. Measurement of positive ion density in the ionosphere, 1=1535
- Ichimiya, T., Takayama, K., Dote, T., Aono, Y., Hirao, K., Miyazaki, S., Sugiyama, T. and Muraoka, T. Measurement of positive-ion density in the ionosphere by sounding rocket, 1=11648
- Ichimura, H. and Tanaka, S. The de Haas-van Alphen effect and coulomb interaction, 1=11411
- Ichimura, H. and Tanaka, S. Quantum statistics of interacting electron gas in a strong magnetic field, 1=12370
- Ichimura, K. See Yamashita, Y., 1=15755
- Iczkowski, R.P. and Margrave, J.L. Electronegativity, 1=18754
- Ida, M. Integral representations of Bethe-Salpeter amplitudes, 1=3136
- Ida, M. Space-time description of collision and decay processes, 1=10860
- Idnurm, M. See Reid, R.J., 1=12138
- Iernetti, G. See Cernigoi, C., 1=2991
- Iernetti, G. See Cernigoi, C., 1=13224
- Igarashi, Y. Coloring of ionic crystals by electron bombardment, 1=17570
- Igarashi, Y. See Mizushima, Y., 1=13101
- Igi, K. Possibility for or against the existence of a neutral scalar meson, 1=3197
- Igi, K. On the  $KK\pi\pi$  interactions, 1=12116
- Igi, K. Dispersion relations for kaon-nucleon scattering and  $KK\pi\pi$  interaction, 1=13506
- Iglesias, L. The third spectrum of gold (Au III), 1=17266
- Iglitsyn, M.I. and Mordkovich, V.N. The effect of copper on the recombination process in silicon, subjected to thermal treatment, 1=17707
- Iglitsyn, M.I. See Kontsevoi, Yu.A., 1=14518
- Iglitsyn, M.I. See Kontsevoi, Yu.A., 1=17804
- Ignaczak, J. A plane dynamic problem of thermoelasticity concerning a circular hole, 1=84
- Ignaczak, J. See Piechocki, W., 1=86
- Ignatchenko, V.A. and Vonsovskii, S.V. On the form of the expression for the magnetoelastic energy of ferromagnetics, 1=1232
- Ignatchenko, V.A. See Polivanov, K.M., 1=10147
- Ignatchenko, V.A. See Rodichev, A.M., 1=10146
- Ignatenko, A.E. Processes of depolarization of negative muons, 1=5746
- Ignatenko, A.E. See Egorov, L.B., 1=5988
- Ignatenko, A.E. See Egorov, L.B., 1=17298
- Ignatenko, A.E. See Egorov, L.B., 1=19226
- Ignat'ev, N.K. Spectral analysis of "beats" between two-dimensional stereoscopic cinematography systems [moiré patterns], 1=4475
- Ignat'eva, L.A. See Kolontsova, E.V., 1=15058
- Ignatius, A. See Trivelpiece, A.W., 1=3065
- Ignatkov, V.D. and Kosenko, V.E. Vaporization of germanium in tellurium vapours, 1=11858
- Ignatovich, Ya.L. See Murin, A.N., 1=14314
- Igo, G. See Gooding, T.J., 1=12222
- Igo, T. Passage effect in the electron spin resonance of Fe-doped silicon, 1=20216
- Igosheva, T.N. See Kikoin, I.K., 1=1237
- Igosheva, T.N. See Kikoin, I.K., 1=17622
- Igras, E. Mapping of the electric structure of semiconductor surfaces by the method of the electron mirror, 1=17668
- Ihara, C. Pion-nucleon interaction, anomalous magnetic moment of nucleon and composite model for pion, 1=3215
- Ihara, C. Electromagnetic structure of the nucleon and the composite model for pion, 1=12082
- Ihara, C. On the  $G_A/G_V$  ratio in  $\beta$ -decay, 1=16821
- Ihara, C. On the  $G_A/G_V$  ratio in  $\beta$ -decay. II, 1=16822
- I'Haya, Y. A semi-empirical theory of the electronic structure of ethylene with particular reference to the ionization potential, 1=14086
- I'Haya, Y. A further study on the electronic structure and spectrum of ethylene, 1=14087
- Iida, S. See Inoue, T., 1=14703
- Iida, S. See Siratori, K., 1=11431
- Iida, S. See Siratori, K., 1=15079
- Iida, S. See Siratori, K., 1=17957
- Iida, S. See Tasaki, A., 1=14686
- Iida, S. See Tasaki, A., 1=20110
- Iijima, S. and Saburi, Y. Frequency determination of the maser in Tokyo (Radio Research Laboratories) as compared with the Atomichron (Naval Research Laboratory), 1=19018
- Iinuma, Y. Evolutionary model sequence of a star of ten solar masses, 1=18110
- Iizima, S. and Kikuchi, M. Avalanche breakdown in CdS single crystal, 1=10060
- Iizima, S. and Kikuchi, M. Electroluminescence in gallium phosphide single crystals, 1=20030
- Iizima, S. See Kikuchi, M., 1=1366
- Iizima, S. See Kikuchi, M., 1=10061
- Iizuka, J. and Klein, A. Theory of single pion production in proton-proton collisions, 1=10906
- Iizuka, J. and Klein, A. Dispersion relations for virtual pion-nucleon scattering, 1=13491
- Iizuka, T. See Kikuchi, M., 1=10048
- Ikedo, H. See Kikuchi, S., 1=7113
- Ikedo, K. Some remarks on the Born-Green-Rodriguez theory of condensation, 1=2914
- Ikedo, K., Nagata, S. and Takada, K. Nuclear deformation and nuclear force, 1=8537
- Ikedo, K., Nagata, S. and Takada, K. Nuclear deformation and nuclear force, II, 1=10952
- Ikedo, M., Miyachi, Y. and Ogawa, S. Symmetry in Sakata's model and weak interactions, I, 1=10845
- Ikedo, M., Miyachi, Y. and Ogawa, S. Symmetry in Sakata's model and weak interactions, II, 1=13324
- Ikedo, M., Miyachi, Y., Ogawa, S., Sawada, S. and Yonezawa, M. A possible symmetry in Sakata's model for bosons-baryons system, III, 1=10846
- Ikedo, M., Ogawa, S. and Ohnuki, Y. A possible symmetry in Sakata's model for bosons-baryons system, II, 1=3119
- Ikedo, M. See Boynton, R.M., 1=6671
- Ikedo, M. See Shibata, T., 1=12798
- Ikedo, S. See Takeuchi, S., 1=1360
- Ikegami, H. Nuclear structure of  $^{110}\text{In}$ , 1=622
- Ikegami, H. See Kawamura, M., 1=16998
- Ikegami, H. See Sakai, M., 1=12181
- Ikegami, H. See Sakai, M., 1=19176
- Ikegami, H. See Yamazaki, T., 1=8610
- Ikegami, H. See Yamazaki, T., 1=8620
- Ikezawa, M. See Hirai, M., 1=17574
- Ikezawa, M. See Ueta, M., 1=14340
- Ikhshanova, V. Solar observations with the large Pulkovo radio telescope at 3.2 cm wavelength, 1=2649
- Ikhshanova, V.M. See Gelfreich, G.B., 1=6733
- Ikonnikova, N.Yu. The solution process of calcite in aqueous solutions of chlorides at high temperatures and pressures, 1=15863
- Ikushima, A. Diffusion of nickel in single crystals of copper, 1=2394
- Ilakovac, K., Kuo, L.G., Petravić, M., Šlaus, I. and Tomaš, P. Proton spectra from  $D(n,p)2n$  reaction at 14/4 MeV, 1=7290
- Il'chenko, V.I. See Khodov, Z.L., 1=20308
- Ilias, D. and Boudouris, G. A recording microwave spectrograph, 1=8395
- Ilias, D. See Anastasiades, M., 1=20915
- Il'ichev, V. The frequency of the formation of cavitations in turbulent boundary layers and the accompanying flow, 1=15804
- Iliesku, E. See Vasilevskii, I.M., 1=2057
- Il'in, V.E. and Gorbacheva, I.E. The effect of annealing on the electric and galvanomagnetic properties of indium antimonide, 1=14470
- Il'ina, V.A. See Batenin, I.V., 1=3698
- Il'inskii, A.I. See Palatnik, L.S., 1=20374
- Il'inskii, A.M. Improved adhesion of metallic film deposited on quartz in vacuo, 1=10662
- Illinger, K.H. Atomic polarization. V. Normal mode polarizability and the additivity of the vibrational polarization, 1=12277
- Illinger, K.H. and Smyth, C.P. Atomic polarization. II. Vibrational polarization of liquids, 1=11754



- Illinger, K.H. and Smyth, C.P. Atomic polarization. III. Vibrational polarization terms associated with forbidden transitions in polyatomic molecules, 1=12275
- Illinger, K.H. and Smyth, C.P. Atomic polarization. IV. Temperature dependence of the vibrational polarization of gases, 1=12276
- Illingworth, R. Grain boundary luminescence in an alkali halide phosphor, 1=9008
- Iloff, E.L. See Ho, G.P., 1=19443
- Il'yasov, A.V. See Garif'yanov, N.S., 1=1268
- Ilyukhin, V.V. and Belov, N.V. Derivation of the structure of lovozerite from sections of the three-dimensional Patterson function, 1=4057
- Imaeda, K., Kazuno, M. and Ito, N. Emission of  $^6\text{Li}$ ,  $^7\text{Li}$  and  $^8\text{B}$  fragments from stars produced by 4.3 GeV  $\pi^-$ -mesons in nuclear emulsion, 1=11028
- Imaeda, Y. Impurity shift of pure quadrupole resonance frequency, 1=6438
- Imaeda, Y. Impurity shift of pure quadrupole resonance frequency, 1=14832
- Imai, I. On flows of conducting fluids past bodies, 1=5573
- Imai, I. Electrical properties of stannic oxide films, 1=10051
- Imai, I. and Ishiguro, K. Preliminary study of the exciton absorption spectrum of  $\text{PbI}_2$ , 1=1161
- Imai, N. Interaction between polyions and low molecular ions, 1=20750
- Imai, N. See Ohnishi, T., 1=8114
- Imai, T. See Hirota, S., 1=13104
- Imai, T. See Mizushima, Y., 1=13101
- Imai, Y. and Hirotani, H. A study on the dispersion-strengthened steel, 1=1434
- Imamura, S. See Chikawa, J., 1=15081
- Imamura, T. See Kobayakawa, K., 1=3206
- Imbaud, J.P. See Battut, R., 1=18432
- Imbaud, J.P. See Berthet, C., 1=12311
- Imenkov, A.N. See Burdukov, Yu.M., 1=12452
- Imhof, W.L. See Cladis, J.B., 1=21075
- Imianitov, I.M. and Mikhailovskaya, V.V. Aircraft instrument for measuring the charge on particles of precipitation, 1=16215
- Imoto, M. Essential limitations and T-Nt diagram for self-sustaining fusion systems, 1=9893
- Imrie, K.S. See Landecker, K., 1=8385
- Inawashiro, S. See Katsura, S., 1=8059
- Inawashiro, S. See Nomura, Y., 1=9446
- Inchauspé, N. See Brown, F.C., 1=5028
- Indenbom, V.L. Phase transitions without change in the number of atoms in the unit cell of the crystal, 1=4033
- Indenbom, V.L. Irreducible representations of the magnetic groups and allowance for magnetic symmetry, 1=14944
- Indenbom, V.L., Belov, N.V. and Neronova, N.N. The colour-symmetry point groups (colour classes), 1=14943
- Indenbom, V.L. See Nikitenko, V.I., 1=20321
- Indenbom, V.L. See Rozhanskii, V.N., 1=11200
- Indenbom, V.L. See Rozhanskii, V.N., 1=12381
- in der Schmitten, W. and Haasen, P. Dislocation density and flow stress of sodium chloride, 1=14287
- Indumathi, S. See Bhamathi, G., 1=9768
- Indumathi, S. See Bhamathi, G., 1=9808
- Indyk, L. See Filler, A.S., 1=9475
- Infante, C. Pulse height discriminator employing distributed amplification, 1=18735
- Infeld, L. A new form of the geodesic line equation, 1=2689
- Infeld, L. The E.I.H. and the k-approximation methods, 1=15629
- Infeld, L. On the most Cartesian-like co-ordinate system, 1=15630
- Infeld, L. Theory of the red shift and the nature of Planck's constant, 1=18004
- Ing, S.Jr. See Heinecke, W.J., 1=11612
- Ingalls, R. See DeBenedetti, S., 1=6261
- Ingalls, R.B. and Wall, L.A. Electron spin resonance spectra of free-radical intermediates formed by reaction of polystyrene with atoms of hydrogen and deuterium, 1=17340
- Ingard, U. On the reflection of sound from a grating, 1=9450
- Ingard, U. and Kraushaar, W.L. An introduction to mechanics, matter and waves, 1=6806
- Ingarden, R.S. Composite variational problems, 1=2584
- Ingarden, R.S. Quantum phenomena in optical images, 1=18262
- Ingarden, R.S. Information theory, the Bohr-Rosenfeld uncertainty principles and the problem of optimized optical imagery, 1=18574
- Ingarden, R.S. and Urbanik, K. Information as a fundamental notion of statistical physics, 1=15393
- Ingelstam, E. Experimental and practical aspects of the contrast transfer function [CTF], 1=1812
- Ingham, M.F. Observations of the zodiacal light from a very high altitude station. IV. The nature and distribution of the interplanetary dust, 1=12748
- Ingham, M.F. See Blackwell, D.E., 1=1553
- Ingham, M.F. See Blackwell, D.E., 1=12745
- Ingham, M.F. See Blackwell, D.E., 1=12746
- Ingham, M.F. See Blackwell, D.E., 1=12747
- Inghram, M.G. See Grimley, R.T., 1=4513
- Inghram, M.G. See Grimley, R.T., 1=11864
- Inghram, M.G. See Steiner, B., 1=7494
- Inglis, D.R. Rearrangement and the barrier at the edge of a nucleus, 1=8538
- Inglis, D.R. Completeness of quantum mechanics and charge-conjugation correlations of theta-particles, 1=9322
- Ingold, J.H. Calculation of the maximum efficiency of the thermionic converter, 1=8300
- Ingraham, J.C. and Philp, S.F. Effect of surface charge in electrification measurements, 1=13059
- Ingraham, J.N. See Swoboda, T.J., 1=6272
- Ingraham, R. Charge and current densities in the Faraday disc, 1=13159
- Ingraham, R.L. Some partition problems with analogies in quantum statistics, 1=15713
- Ingram, D.J.E. Radiophysics conference at Pisa, 1=15184
- Ingram, D.J.E. From radar to spectroscopy: new regions of the spectrum, 1=19046
- Ingram, D.J.E. and Smith, M.J.A. Investigations on u.v. irradiated lithium hydride crystals by electron resonance, 1=14798
- Ingram, D.J.E. See Allen, T., 1=11115
- Ingram, D.J.E. See Gibson, J.F., 1=873
- Ingram, G., McCulloch, D.B. and Sanders, J.E. Neutron lifetime measurements in the fast reactors Zeus and Zephyr, 1=766
- Ingrao, H.C. and Pasachoff, J.M. The responsivity profile of photomultipliers, 1=16387
- Inkinen, O. The experimental structure factors of trigonal sodium nitrate and the atomic scattering factors of the sodium ions, 1=1402
- Inman, D. See Blomgren, E., 1=4105
- Inman, M.C. and Khan, A.R. The interfacial energy of coherent twin boundaries in copper, 1=20404
- Inn, E.C.Y. Origin of the D-region, 1=11649
- Inn, E.C.Y. See Tanaka, Y., 1=6021
- Innes, K.K. See Ginter, M.L., 1=14041
- Innis, G.S.Jr. See Horton, C.W., 1=10566
- Inoki, M. An interpretation of 550 m $\mu$  particles, 1=2071
- Inoki, M. An image intensifier spark tube, 1=13213
- Inoki, M. See Yasaki, T., 1=3225
- Inokuchi, H. See Eley, D.D., 1=7655
- Inokuti, M. Molecular size distribution and gelation of irradiated copolymers, 1=2357
- Inokuti, M. Elastic scattering of fast electrons by the helium atom and the interelectronic correlation, 1=13968
- Inokuti, M., Katsuura, K. and Mimura, H. Ground state of a system consisting of two oppositely charged particles in a Coulomb field, 1=4263
- Inokuti, M. See Amemiya, A., 1=20767
- Inönlü, E. See Guth, E., 1=8463
- Inopin, E.V. See Volkov, D.V., 1=4821
- Inopin, E.V. See Volkov, D.V., 1=8555
- Inopin, Ye.V. and Tishchenko, B.I. Scattering of high-energy electrons on light nonspherical nuclei, 1=13777
- Inoue, K. See Okuda, S., 1=18337
- Inoue, M. and Mizuno, H. The purification of KCl by the zone refining method, 1=15001
- Inoue, M. See Mizuno, H., 1=11240
- Inoue, N. Zeeman splitting parameters of nuclear quadrupole spectra for spin 5/2, 1=5823
- Inoue, N. Zerosplitting cone on the Zeeman effect of nuclear quadrupole resonance, spin 9/2, 1=14831
- Inoue, T. Linear potential barrier model for nuclear surface, 1=13599

## AUTHOR INDEX

- Inoue, T., Mizuta, H. and Iida, S. The effect of cation vacancies on the magnetic annealing of  $\text{Co}_x\text{Fe}_{1-x}\text{O}_4$ , 1=14703
- Inozemtseva, G.I. See Blokh, Ya.L., 1=3346
- Inozemtseva, O.I. See Glokova, E.S., 1=3354
- Intrater, J. High temperature horizontal diffractometer attachment, 1=20459
- Intrater, J. and Hurwitt, S. High temperature, high vacuum, diffractometer attachment, 1=12631
- Intrater, J. and Machlin, E.S. Grain-boundary sliding in copper bicrystals, 1=20361
- Inuishi, Y. See Edagawa, H., 1=17776
- Inuishi, Y. See Chong, P., 1=12899
- Inuishi, Y. See Chong, P., 1=18427
- Inuishi, Y. See Komatsubara, K., 1=14485
- Inuishi, Y. See Matsuura, K., 1=14458
- Inuishi, Y. See Matsuura, K., 1=17714
- Inuishi, Y. See Shirafuji, J., 1=11322
- Inuishi, Y. See Shirafuji, J., 1=14509
- Ioffe, A.F., Moizhes, B.Ya. and Stil'bans, L.S. Power applications of thermoelectric devices, 1=11904
- Ioffe, A.F. and Regel, A.R. Non-crystalline, amorphous and liquid electronic semiconductors, 1=6137
- Ioffe, B.S. See Vitman, F.F., 1=16001
- Ioffe, M.S., Sobolev, R.I., Tel'kovskii, V.G. and Yushmanov, E.E. Magnetic-mirror confinement of a plasma, 1=18872
- Ioffe, M.S., Sobolev, R.I., Tel'kovskii, V.G. and Yushmanov, E.E. [Anomalous rapid] loss of plasma from a magnetic-mirror system. II, 1=18873
- Ioffe, M.S. See Raiko, V.I., 1=13975
- Ionesco-Pallas, N.J. Theory of isotope shifts in heavy atoms, 1=13925
- Ionesco-Pallas, N.I. The pure vibrational spectra of diatomic homopolar molecules, 1=3533
- Ionesco-Pallas, N.J. The entropy of gas mixtures, 1=4517
- Ionesco-Pallas, N.J. A new derivation of Schmidt's formula, 1=13923
- Ionesco-Pallas, N.I. See Agarbichanu, I.I., 1=19342
- Ioniscu, E. See Constantinescu-Mociutchi, L., 1=14368
- Ionov, N.I. On the theory of vacuum thermionic diodes, 1=4643
- Ionov, N.I. Mechanism for prebreakdown conductivity in vacuum interelectrode gaps, 1=10691
- Ionov, N.I. and Mittsev, M.A. Atomic first ionization potentials determined by the method of surface ionization, 1=18758
- Ionov, N.I. See Belyakov, Yu.I., 1=6114
- Ionov, N.I. See Belyakov, Yu.I., 1=11227
- Ionov, N.I. See Zanberg, E.Ya., 1=4567
- Iori, I. See Colli, L., 1=8749
- Iori, I. See Colli, L., 1=16495
- Ioselevich, M.L. and Fistul', V.I. Experiments on the variation of surface conductivity in germanium and silicon, 1=14454
- Iosifescu, B. See Comsa, G., 1=5488
- Iosifescu, B. See Comsa, G., 1=8340
- Iosifescu, M. See Sandulescu, A., 1=13695
- Iosifescu, B. See Gel'berg, A., 1=14693
- Ippolito, F., Cacciari, A. and Focella, A. The organic reactor and the uranium-thorium cycle programmes of C.N.E.N., 1=7412
- Irani, K., Sinha, A.P.B. and Biswas, A.B. Crystal distortion in spinels containing  $\text{Mn}^{2+}$  ions, 1=20556
- Iredale, T. See Akon, C.D., 1=7808
- Ireland, J.G. On the effect of a helical magnetic field on the polarization of starlight, 1=15507
- Ireland, J.G. See Hoyle, F., 1=12775
- Irish, D.E. See Bidinosti, D.R., 1=7405
- Irisova, N.A. and Dianov, E.M. Very-high-frequency absorption of  $\text{CH}_3\text{GeF}_2$ , 1=2323
- Irkhin, Yu.P. Theory of electrical conductivity of antiferromagnetic metals [based on an s-d exchange model], 1=3606
- Irkhin, Yu.P. See Turov, E.A., 1=1012
- Irsa, A.P. and Friedman, L. Collision-induced dissociation of  $\text{HD}^+$ , 1=7495
- Irvine, J.W.Jr. See Shore, B.W., 1=11013
- Irving, B.A. The preparation of thin films of germanium and silicon, 1=4079
- Irving, E., Stott, P.M. and Ward, M.A. Demagnetization of igneous rocks by alternating magnetic fields, 1=4138
- Irwin, E.J., Jr. See Lomon, E., 1=12111
- Isa, T. See Takeyama, M., 1=18839
- Isaac, E.D. See Craik, D.J., 1=3898
- Isaacs, J.D. and Tyler, J.E. On the observation of unresolved surface features of a planet, 1=1631
- Isaacs, G.R. See Swanson, H.E., 1=15066
- Isaak, G.R. An atomic beam spectrophotometer, 1=6954
- Isacchi, S. and Lenoble, J. Experimental study of the multiple scattering of light, 1=244
- Isaev, P.S. and Sewerynski, M. Approximate equations for partial  $\pi$ -K scattering amplitudes, 1=5768
- Isaev, P.S. and Sewerynski, M.V. Scattering of  $\pi$ -mesons on K-mesons at low energies, 1=16875
- Isakovich, M.A. Finite-amplitude flexural waves that retain their profile during propagation, 1=2807
- Isakovich, M.A. Non-linear effects in some acoustic problems, 1=4401
- Ise, N. On the polyelectrolyte-simple-electrolyte interaction parameter, 1=20748
- Ise, N. See Sakurada, I., 1=108
- Isenberg, I. See Bersohn, R., 1=19670
- Ishchenko, E.D. See Roshchyna, H.P., 1=11759
- Ishchuk, V.A. See Zingerman, Ya.P., 1=15182
- Ishchuk, V.A. See Zingerman, Ya.P., 1=20694
- Ishibashi, Y. See Takahashi, H., 1=8912
- Ishida, K. Some considerations on the low-energy pion-nucleon scattering, 1=10917
- Ishida, K. The effect of pion-pion interaction on the pion-nucleon small P-wave phase shifts, 1=13489
- Ishida, K. The effect of the pion-pion interaction of the pion-nucleon scattering, 1=13490
- Ishida, K. S-wave pion-nucleon phase shifts, 1=16705
- Ishida, K., Takahashi, A. and Ueda, Y. Pion-pion interaction and pion-nucleon scattering, 1=3212
- Ishida, S. On the semi-classical treatments of the meson-nucleon scattering, 1=10918
- Ishida, S. Pion-nucleon scattering and pion-pion interaction, 1=10919
- Ishida, S., Iso, C. and Sato, M. Comparison between hydrodynamical model and fire-ball model in multiple production of particles, 1=2118
- Ishida, S. See Kadota, N., 1=5504
- Ishida, T. See Furutsu, K., 1=10782
- Ishida, T. See Furutsu, K., 1=15395
- Ishida, Y. Adiabatic compressibility of aqueous solution of inorganic acid, 1=1736
- Ishida, Y. A new method to determine hydration energy of ion, 1=15196
- Ishida, Y. See Tanaka, T., 1=8970
- Ishiguro, K., Sasaki, T. and Nomura, S. Numerical tables for the reflectivities at the solid surface, 1=11831
- Ishiguro, K. and Tako, T. An estimation of Smith-Purcell effect as the light source in the infrared region, 1=5576
- Ishiguro, K. See Imai, I., 1=1161
- Ishiguro, M., Sugioka, E. and Takeuchi, N. Dichroism of Z bands, 1=8918
- Ishiguro, M. and Takeuchi, N. Dichroism of  $Z_x$  and F bands, 1=11243
- Ishihara, A. Theory of dielectric polarization in non-polar fluids, 1=18422
- Ishii, C. and Takahashi, K. A gamma ray in  $\text{Ti}^{48}$  decay, 1=9836
- Ishii, C. See Morinaga, H., 1=2222
- Ishii, J. See Hukuda, K., 1=1489
- Ishii, K. Repeated yielding of impure tin crystals under successive impact loading, 1=3985
- Ishii, K. See Wang, F.F.Y., 1=14780
- Ishii, T. Oscillator strength of  $\text{I}^-$ -absorption band in KCl crystal, 1=19981
- Ishii, Z. Studies on the boundary between etched and ground regions of Ge and Si single crystal surfaces by X-ray diffraction topography, 1=14959
- Ishii, Z., Furuya, T., Sasaki, Y. and Kohra, K. Observation of layer structure in dislocation free silicon crystals with the use of X-ray anomalous transmission, 1=11197
- Ishii, Z. and Kohra, K. X-ray observation of the strain field in germanium single crystals with the use of anomalous transmission, 1=6451
- Ishikawa, M. See Miya, K., 1=6621
- Ishikawa, S. and Muramatsu, K. On the observational results of  $f_{\text{min}}$  at Yamagawa, 1=15268
- Ishikawa, Y. See Yagi, M., 1=20275



- Ishimatsu, T. The  $N^{14}(\alpha, \alpha')C^{12}$  ground-state reaction in the energy range of deuteron from 1.5 to 3.0 MeV, 1=17146
- Ishimatsu, T., Takano, N., Hachiya, Y. and Nakashima, T. Angular distributions and excitation functions of the  $Be^9(d, p)Be^{10}$  ground-state reaction, 1=13843
- Ishimura, T. See Sawada, M., 1=11386
- Ishizaki, Y. Inelastic scattering of deuterons from  $C^{12}$ ,  $Mg^{24}$  and  $Ni^{58}$ , 1=13837
- Ishizaki, Y. See Furukawa, M., 1=12195
- Ishizaki, Y. See Hisatake, K., 1=8730
- Iskra, V.D. See Samoilovich, A.G., 1=14166
- Islam, M. See Ali, M.I., 1=556
- Islam, M.M. Pion-hyperon scattering, 1=8494
- Islam, M.M. K-meson-nucleon scattering, 1=12117
- Ismail-Zade, T.A. See Kashkai, M.A., 1=5140
- Ismail-Zade, T.A. See Kashkai, M.A., 1=10384
- Ismailzade, I.G. The results of a preliminary examination of samples of  $Pb(Nb_{0.8}Sc_{0.2})O_6$  and  $Pb(Ta_{0.8}Sc_{0.2})O_6$ , 1=1405
- Ismailzade, I.G. An X-ray study of the  $BaNb_2O_6$ - $CaNb_2O_6$  and  $BaNb_2O_6$ - $SrNb_2O_6$  systems, 1=4053
- Ismailzade, I.G. An X-ray study of the  $Pb_3NiNb_2O_{10}$ - $Pb_3MgNb_2O_{10}$  system, 1=11572
- Iso, C., Kawaguchi, M. and Miyamoto, Y. Composite model and the nature of vector interactions in strangeness-violating decays, 1=10834
- Iso, C. and Kobayashi, T. On the possibility of the existence of a new meson, 1=10898
- Iso, C. See Feld, B.T., 1=13413
- Iso, C. See Ishida, S., 1=2118
- Isola, A. See Nurmi, M., 1=13714
- Isoya, A., Micheletti, S., Marrone, M.J. and Reber, L.H. Measurements of proton polarization in deuteron stripping at 15 MeV, 1=19512
- Isoya, A. See Hisatake, K., 1=8730
- Isoya, A. See Kikuchi, S., 1=7113
- Israel, W. Evolution in general relativity, 1=11
- Isted, G.A. See Eastwood, E., 1=6632
- Istomin, V.G. Magnesium and calcium ions in the upper atmosphere of the earth, 1=10321
- Istomin, V.G. Grids for radio-frequency mass spectrometers, 1=11982
- Istomin, V.G. Nitrogen ions in the upper atmosphere of the earth and the nocturnal ionization of the E region, 1=12699
- Isupov, V.A. See Smolenskii, G.A., 1=6195
- Isupov, V.A. See Smolenskii, G.A., 1=14560
- Itabashi, K. Double pion photoproduction in the 1.2-BeV region, 1=13471
- Itabashi, K., Kato, M., Nakagawa, K. and Takeda, G. The theory of the nucleon level structure in terms of the pion-pion resonance. I, 1=10880
- Ito, D. Nucleon structure and BeV interactions, 1=3173
- Itô, D., Furui, S., Fujii, K. and Sakuma, T. On the universality of the weak interactions, 1=10842
- Itô, D., Iwata, K., Furui, S., Fujii, K. and Sakuma, T. Phenomenological model of elementary particle interactions, 1=5666
- Ito, D., Yamazaki, M., Kobayashi, T. and Mori, K. Pion production in pion-nucleon collision with assumption of strong pion-pion interaction, 1=530
- Ito, D., Zimmerman, A.H., Ragusa, S. and Miyazima, T. On the phenomenological analysis of the S-matrix in multiple production, 1=13340
- Itô, D. See Fujii, K., 1=3214
- Itô, D. See Nagai, H., 1=4806
- Itô, D. See Nagai, H., 1=4816
- Ito, K. Thermorheological simplicity in extrusion flow curves of high polymers, 1=14884
- Ito, K. Erinnerungsdennhung in high polymer solids, 1=20345
- Ito, K. Creep strain recovery method for measuring temperature dependence of rheological behaviors of high polymer solids, 1=20346
- Ito, K., Watanabe, H. and Kubo, M. Proton magnetic resonances of some borazole derivatives, 1=6046
- Ito, K. See Hasegawa, H., 1=13866
- Ito, K. See Hayakawa, S., 1=3328
- Ito, N. See Miyake, S., 1=13555
- Ito, T. See Okada, Y., 1=10103
- Itoh, J. and Sato, S. Double proton magnetic resonance by a side band method, 1=1978
- Itoh, J., Sato, M. and Hiraki, A. Nuclear magnetic resonance study of NaCl crystal containing Ca impurities, 1=20267
- Itoh, J. See Kusumoto, H., 1=12317
- Itoh, N. and Suita, T. Effect of re-crystallization on the temperature dependence of photocurrent of silver chloride crystals, 1=3793
- Itoh, N. and Suita, T. Thermal bleaching of F-centres of gamma-irradiated KCl at low temperatures, 1=14337
- Ito, N. See Imaeda, K., 1=11028
- Ito, S. See Kikuchi, S., 1=7113
- Itoh, H. See Ogata, H., 1=11006
- Itoh, H. See Ogata, H., 1=11012
- Itoh, N. and Suita, T. Optical bleaching of gamma-irradiated KCl at room temperature, 1=14338
- Itoh, R. Effect of the basic strength of attached groups on light absorption spectra. IV. Proton dissociations of some aromatic molecules in their excited state, 1=827
- Itoh, T. and Musha, T. Monte Carlo calculations of motion of electrons in helium, 1=11910
- Itschner, D. See Kesselring, P., 1=10797
- Iucci, N. See Bachelet, F., 1=2150
- Iucci, N. See Conforto, A.M., 1=13586
- Iuchi, S. See Mizushima, T., 1=18646
- Iutkin, M.G. See Abramov, A.I., 1=19565
- Ivanchenko, V.A. and Sena, L.A. The investigation of the potential distribution in a layer of positive ion space charge, 1=4653
- Ivanchik, I.I. The theory of the degenerate p-n junction, 1=12449
- Ivanenko, D. and Kurdgelaidze, D.F. Commutation function of a nonlinear meson field, 1=16716
- Ivanenko, D.D., Lyul'ka, V.A. and Filimonov, V.A. The theory of hypernuclei, 1=2165
- Ivanenko, D.D. See Braginskii, V.B., 1=55
- Ivanenko, I.P. See Belen'kii, S.Z., 1=9786
- Ivanenko, I.P. See Guzhavin, V.I., 1=3298
- Ivanenko, I.P. See Guzhavin, V.V., 1=19315
- Ivanenko, I.P. See Vernov, S.N., 1=3309
- Ivanenko, I.P. See Volkonskaya, T.G., 1=3299
- Ivanenko, V.M. See Cherdyn'tsev, V.V., 1=3304
- Ivankina, M.S. See Zavadovskaya, E.K., 1=12374
- Ivanov, D.P. and Kirillov, V.D. Investigation of a toroidal discharge in a rapidly changing longitudinal magnetic field, 1=309
- Ivanov, D.P. and Kirillov, D.D. Investigation of a toroidal discharge in a rapidly changing longitudinal magnetic field, 1=5463
- Ivanov, E. See Martalogu, N., 1=7328
- Ivanov, G.K. See Sayasov, Yu.S., 1=17366
- Ivanov, S. Study of the frequency variation of a parallel oscillatory circuit as a function of the reactance inserted in series with the measuring condenser containing a semi-conducting dielectric, 1=367
- Ivanov, V.E., Amonenko, V.M., Tikhinskii, G.F. and Kruglykh, A.A. Refining of beryllium by vacuum distillation, 1=12654
- Ivanov, V.G. See Van Gan-Chan., 1=2099
- Ivanov, V.G. See Van Gan-Chan., 1=16902
- Ivanov, V.I. The effect of polar molecules on the absorption at the resonant mercury line at 2537 Å, 1=13938
- Ivanov, V.I. A simple diffractometer for monocrystals to be used with the URS-501 X-ray unit, 1=15031
- Ivanov, V.I. and Osipov, K.A. An investigation of the kinetics of grain-growth in high purity  $\alpha$ -iron, 1=20608
- Ivanov, V.P. See Lazukov, N.A., 1=750
- Ivanov, Yu.M. and Fesenko, A.I. Investigation of  $\mu^+$ -meson depolarization in nuclear emulsions, 1=16836
- Ivanov, Yu.N. See Grodzovskii, G.L., 1=15602
- Ivanov-Kholodnyi, G.S. and Antonova, L.A. Ionization in the night ionosphere (corpuscular hypothesis), 1=20970
- Ivanov-Kholodnyi, G.S., Nikol'skii, G.M. and Gulyaev, R.A. Ionization and excitation of hydrogen. I. Elementary processes for the upper levels, 1=19595
- Ivanov-Kholodnyi, G.S. and Nikol'skii, G.M. The ionization and excitation of hydrogen. II. The number of observed lines in a series, 1=19596
- Ivanov-Omskii, V.I., Kiseleva, N.K. and Kolomiets, B.T. The production of double crystals of indium antimonide and gallium antimonide, 1=20439
- Ivanov-Shits, K.M. and Rozhin, F.V. Investigation of surface waves in air, 1=2817
- Ivanova, L.N. See Gelfand, I.M., 1=19199

- Ivanova, L.V., Chuvaev, V.F. and Rebinder, P.A. The kinetics of the instantaneous elastic deformation of polymers in the elastic state, 1-14871
- Ivanova, L.V., Chuvaev, V.F. and Rebinder, P.A. The kinetics of the instantaneous elastic deformation of polymers in the elastic state, 1-20322
- Ivanova, N.I. See Zamyatin, Iu.S., 1-19482
- Ivanova, N.S. See Assovskaia, A.S., 1-17135
- Ivanova, T.V., Kudryashov, O.I. and Sveshnikov, B.Ya. The duration of ultraviolet fluorescence of certain aromatic compounds, 1-15889
- Ivanova, T.V., Kudryashov, P.I. and Sveshnikov, B.Ya. The duration of ultraviolet fluorescence of certain aromatic compounds, 1-12888
- Ivanova, V.D. and Mikhalevskii, V.S. The dispersion characteristics of a helix situated in a plasma, 1-12018
- Ivanova, V.V. See Venevtsev, Yu.N., 1-15018
- Ivanova, V.V. See Zhdanov, G.S., 1-14151
- Ivanovskaya, I.A., Kuznetsov, E.V., Prokesh, A. and Chuvilo, I.V. Transverse polarization of  $\Lambda$  hyperons, generated by 2.8 BeV/c pions on xenon nuclei, 1-19501
- Ivanovskii, V.I. Some magnetic properties of precipitation hardening Fe-Mo and Cu-Ni-Fe alloys, 1-3896
- Ivanter, I.G.  $K^+ \rightarrow \pi^+ + \pi^0 + e^+ + e^-$  decay, 1-19262
- Ivanter, I.G. Determination of the  $K^+ \rightarrow 2\pi + \gamma$  decay amplitude from the dispersion equations and unitarity conditions, 1-19263
- Ivascu, M. See Hulubei, H., 1-5735
- Iveronova, V.I. and Katsnel'son, A.A. The short-range order and the characteristic X-ray diffraction temperature in Ni<sub>3</sub>Pt, 1-4066
- Iveronova, V.I. and Katsnel'son, A.A. Method of measuring the diffuse-scattering intensities of polycrystals, 1-20477
- Iveronova, V.I. and Osipenko, N.N. Recrystallization of powders of pure metals, 1-6541
- Iveronova, V.I., Popova, I.I. and Revkevich, G.P. The effect of stacking faults on the intensity of the Debye lines, 1-15059
- Ives, M.B. Orientation-dependent dissolution of lithium fluoride, 1-12614
- Ivlev, D.D. The general equations of ideal plasticity theory and the statics of loose materials, 1-3977
- Ivlev, D.D. Discontinuous solutions of space problems in the theory of ideal plasticity, 1-6811
- Ivlev, D.D. The structure of the hydrodynamics of a viscous fluid, 1-6827
- Ivlev, D.D. The structure of the hydrodynamics of a viscous fluid, 1-10478
- Ivlev, D.D. Formulation of a theory of elasticity, 1-14844
- Ivlev, D.D. Some particular solutions of the equations of the axially symmetrical problem of the theory of ideal plasticity and a generalization of the Prandtl solution for the compression of a plastic layer by two rough plates, 1-14886
- Ivlev, D.D. Formulation of a theory of elasticity, 1-20287
- Ivon, P. See Marchal, A., 1-15688
- Iwada, J. Proton-proton scattering below 50 MeV, 1-13416
- Iwada, J. and Matsumoto, M. Photodisintegration of the deuteron in medium energy range and the pion theoretical nuclear forces, 1-10935
- Iwada, J. See Hamada, T., 1-3172
- Iwai, T. Temperature dependence of the optical absorption edge of tungsten trioxide single crystal, 1-12486
- Iwai, T. Optical study of aniline hydrobromide single crystal, 1-19942
- Iwai, T. See Horie, T., 1-15080
- Iwamoto, F. Inclusion of hole motions in the Brueckner theory, 1-583
- Iwamoto, F. Inclusion of hole motions in Brueckner theory, 1-3144
- Iwao, S. Double hyperfragments and relative parity of  $\Lambda$  and  $\Sigma$  hyperons, 1-13515
- Iwao, S. See French, J.B., 1-8580
- Iwao, S. See French, J.B., 1-8624
- Iwasa, Y. General theory on steady behaviours of open channel flows by means of one dimensional procedures of analysis, 1-119
- Iwasaki, H. On the superstructure of the ordered alloy Au<sub>2</sub>Zn[R], 1-2542
- Iwasaki, H. Etching patterns on (100) planes of the single crystal K<sub>2</sub>Co(CN)<sub>6</sub>, 1-14960
- Iwasaki, H., Hirabayashi, M., Fujiwara, K., Watanabe, D. and Ogawa, S. Study on the ordered phases with long period in the gold-zinc alloy system. I. Survey of crystal structures and calorimetric measurement, 1-11579
- Iwasaki, H. See Uyeda, H., 1-18027
- Iwasaki, H. See Waku, S., 1-1136
- Iwasaki, H. See Waku, S., 1-11336
- Iwata, G. Applications of Mellin transforms to some problems of statistical mechanics, 1-11715
- Iwata, H. See Chikazumi, S., 1-7746
- Iwata, K. Universality of coupling constants and individual  $\Gamma_8$ -invariance, 1-9732
- Iwata, K. See Ito, D., 1-5666
- Iwata, M. See Iwata, T., 1-1217
- Iwata, S. See Tanaka, S., 1-2241
- Iwata, S. See Tanaka, S., 1-8776
- Iwata, S. See Tanaka, S., 1-8779
- Iwata, S. See Tanaka, S., 1-12219
- Iwata, S. See Tanaka, S., 1-12220
- Iwata, T., Fujita, F.E. and Suzuki, H. On the energy of the interstitial atom in graphite, 1-12400
- Iwata, T., Iwata, M. and Yamamoto, M. Magnetic annealing effect in  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>, 1-1217
- Iwayanagi, H. See Hashimoto, K., 1-18494
- Iyengar, K.N. See Nair, K.G., 1-13813
- Izadian, H. Physical protection against X-rays, 1-15360
- Izidinov, S.O. See Lazorenko-Manevich, R.M., 1-20746
- Izmailov, N.A., Kruglyak, Yu.A., Gashpar [Gáspár], R. and Tamassi-Lentei [Tamásy-Lentei], I. Quantum mechanical calculation of proton affinity, 1-18397
- Izotov, I.N. and Yagn, Yu.I. The study of plastic deformation in a metal showing deformation anisotropy due to preliminary loading, 1-20331
- Izotov, V.P. See Stauér, E.V., 1-11330
- Izrailev, I.M. See Ganeev, A.S., 1-6220
- Izsák, I. Motions in solar prominences. II. Description of the erupting prominence of 18 July 1956, 1-9273
- Izsák, I. Motions in solar prominences. III. Currents in the erupting prominence of 13 July 1950, 1-9274
- Izsak, I.G. On satellite orbits with very small eccentricities, 1-6746
- Izsak, I.G. A determination of the ellipticity of the earth's equator from the motion of two satellites, 1-9296
- Izui, K. Observations of lattice defects in graphite by Moiré patterns, 1-3672
- Izui, K. and Fujita, F.E. Observation of lattice defects in fission fragment-irradiated graphite, 1-17515
- Izui, K. and Fujita, F.E. Observation of the tracks of fission fragments in molybdenite, 1-19549
- Izui, K. See Fujita, F.E., 1-12388
- Izumi, O. Rolling structure and elastic anisotropy of cold-rolled  $\alpha$  brass, 1-1300
- Izumi, O. Research on the structure and low-temperature annealing effect in cold-rolled  $\alpha$ -brass. I. Structure and change in hardness, 1-1431
- Izumi, O. Research on the structure and low-temperature annealing effect in cold-rolled  $\alpha$ -brass. II. Structures cold-rolled and annealed at low temperatures, 1-1432
- Izuyama, T. Collective excitations of electrons in degenerate bands. I. Spin waves in Stoner's model of ferromagnetism, 1-3883
- Izuyama, T. Collective excitation of electrons in degenerate bands. II. Collective excitations in a metallic p-band, 1-11179
- Izuyama, T. An expansion theorem for the electric conductivity of metals. I. Electric conductivity for longitudinal electric field, 1-17597
- Izvekov, V.I. See Gorbunov, N.S., 1-11221
- Izvozchikov, V.A. See Kosman, M.S., 1-12462
- Izyumov, Yu.A. The effect of heterogeneity of the magnetic structures on the width of the ferromagnetic resonance lines, 1-7776
- Izyumov, Yu.A. The resonance frequency spectrum of a ferromagnetic metal, 1-14766
- Izyumov, Yu.A. and Polyak, Yu.Ya. The S-D exchange interaction and resonance in ferromagnetic metals, 1-6391
- Izyumov, Yu.A. and Yakovlev, E.N. On the theory of Heisenberg's model of a ferromagnetic with several electrons per lattice site, 1-11418



- Izyumov, Yu.A. See Vonsovskii, S.V., 1=14218  
 Izyumova, T.G. and Skrotskii, G.V. The theory of double electron and nuclear resonance in systems with hyperfine interaction, 1=14816  
 Izyumova, T.G. See Skrotskii, G.V., 1=1145
- Jääskeläinen, P. On microwave conductivity, noise, and oscillation of gas discharge plasma, 1=18784  
 Jabiol, M.A. See Berthelot, A., 1=19281  
 Jabłoński, A. Depolarization of fluorescence of liquid solutions, 1=2760  
 Jablonski, A. On the decay processes of polarized photoluminescence, 1=14650  
 Jabłoński, A. On the notion of emission anisotropy, 1=16123  
 Jabotinsky, E.J. Hydrodynamical applications of a theorem on spherical means, 1=5370  
 Jaccard, C. Paramagnetic nitrogen oxides in irradiated potassium halides, 1=14350  
 Jaccard, C. and Levi, L. Segregation of impurities in Jaccarino, V. N.M.R. and the conduction electron polarization in rare earth metals, 1=6431  
 Jaccarino, V., Matthias, B.T., Peter, M., Suhl, H. and Wernick, J.H. Magnitude and sign of the conduction electron polarization in rare-earth metals, 1=1277  
 Jaccarino, V. See Burgiel, J.C., 1=7807  
 Jaccarino, V. See Clogston, A.M., 1=5062  
 Jaccarino, V. See Gossard, A.C., 1=17950  
 Jaccarino, V. See Stroke, H.H., 1=12152  
 Jaccarino, V. See Walker, L.R., 1=6262  
 Jacchia, L.G. Artificial earth satellites, 1=48  
 Jacchia, L.G. A variable atmospheric-density model from satellite accelerations, 1=15222  
 Jache, A.W. See Hilton, A.R.Jr., 1=6007  
 Jachimowski, M. See Wesołowski, J., 1=14658  
 Jacka, F. See Bond, F.R., 1=1558  
 Jackiw, R.W. See Van Patter, 1=8734  
 Jackson, A. See Flude, M.J.C., 1=18587  
 Jackson, D.A. The spherical Fabry-Perot interferometer as an instrument of high resolving power for use with external or with internal atomic beams, 1=18609  
 Jackson, D.F. Form factors of the nucleus  ${}^6\text{Li}$ , 1=598  
 Jackson, D.F. See Elton, L.R.B., 1=19480  
 Jackson, F.J. Further studies of the influence of acoustic microstreaming on the photographic development process, 1=11815  
 Jackson, F.J. See Adams, C.E., 1=11812  
 Jackson, H.E., Bollinger, L.M. and Côté, R.E. Capture of slow neutrons by nuclei bound in crystals, 1=5927  
 Jackson, H.G. See Baker, S.C., 1=2936  
 Jackson, H.L.W. See Power, G., 1=16146  
 Jackson, H.W. and Feenberg, E. Perturbation method for low states of a many-particle boson system, 1=15736  
 Jackson, J. See Logie, H.J., 1=14360  
 Jackson, J.D. Longitudinal plasma oscillations, 1=9627  
 Jackson, J.D. See Fried, B.D., 1=9628  
 Jackson, J.L. Electric field distribution in a dense plasma, 1=300  
 Jackson, P.J. Electrostatic binding energy in a body-centered structure of parallel charge doublet chains, 1=11136  
 Jackson, R.W., Webb, P.P. and Williams, R.L. Improvements in encapsulated silicon junction alpha detectors, 1=3252  
 Jackson, R.W. See Webb, P.P., 1=3251  
 Jacmart, J.C. See Garron, J.P., 1=13783  
 Jacob, G. Quasi-free scattering of protons, 1=8717  
 Jacob, G. and Maris, T.A.J. Quasi-free diffraction scattering, 1=3439  
 Jacob, G. and Maris, T.A.J. Quasi-free p-p scattering in medium and heavy nuclei, 1=8718  
 Jacob, G. and Maris, T.A.J. Shell structure investigation by electron scattering on nuclear protons, 1=19327  
 Jacob, J. Infrared spectra of carbonic anhydride under pressure in solution in organic solvents, 1=18412  
 Jacob, L., Noble, R. and Yee, H. Photomultiplier soft X-ray spectrometer, 1=1953  
 Jacob, L. See McKenzie, A.S.V., 1=16278  
 Jacob, R. and Sachs, R.G. Mass and lifetime of unstable particles, 1=2024  
 Jacobs, G., Fiermans, L. and van de Wiele, F. Optical absorption of cesium halides with excess halogen, 1=8990  
 Jacobs, I.S. Spin-flopping in  $\text{MnF}_2$  by high magnetic fields, 1=6380  
 Jacobs, I.S. High field magnetization study of ferrimagnetic arrangements in chromite spinels, 1=20146  
 Jacobs, I.S. and Kouvel, J.S. Exchange anisotropy in mixed manganites with the hausmannite structure, 1=6255  
 Jacobs, I.S. and Kouvel, J.S. Exchange anisotropy in mixed manganites with the hausmannite structure, 1=7768  
 Jacobs, J.A. See Carlson, R.R., 1=7370  
 Jacobs, M.L. and Pape, L. A total body irradiation chamber and its uses, 1=15363  
 Jacobs, P.W.M., Tompkins, F.C. and Young, D.A. The photolysis of barium azide in the solid state, 1=2558  
 Jacobs, P.W.M. See Allnatt, A.R., 1=14527  
 Jacobs, R.T. and Merrill, J.A. The application of statistical methods of analysis for predicting burnout heat flux, 1=17216  
 Jacobsen, C. See Lindberg, L., 1=8334  
 Jacobsohn, B.A. Relations involving the forward scattering amplitude in a Fermi gas, 1=5231  
 Jacobsohn, B.A. and Ryndin, R.M. Test for  $K^-$ -hyperon relative parity, 1=3231  
 Jacobsohn, B.A. and Ryndin, R.M. An absolute detector and producer of nuclear alignment, 1=8565  
 Jacobson, M.J. Optimum envelope resolution in an array correlator, 1=11819  
 Jacobson, M.J. and Talham, R.J. Comparison analysis on four directional receiver correlators, 1=8198  
 Jacobson, R.L. See Mueller, R.K., 1=7838  
 Jacobus, G.F. See Cox, J.T., 1=10580  
 Jacoodine, R.J. and Kline, R.K. Whisker growth from quartz, 1=6505  
 Jacox, M.E. and Hexter, R.M. Solid-state vibrational spectra of the methyl and methyl-d<sub>3</sub> halides, 1=11383  
 Jacq, J. and Chateau, M. Anomaly in the distribution of temperature in the surface layers of a solid, 1=18654  
 Jacq, J. and Chateau, M. Anomaly in the distribution of temperature in the surface layers of a solid at a heated or cooled boundary, 1=18655  
 Jacquelin, M.H. Effect of an axial magnetic field on the flow in the nozzle of a plasma generator, 1=16346  
 Jacquemin, A. See Kessler, P., 1=13534  
 Jacquet, P.A. See Azam, N., 1=7891  
 Jacquinet, P. New developments in interference spectroscopy, 1=1820  
 Jacquot, F. See Bonnelle, C., 1=7864  
 Jacrot, B. See Cribier, D., 1=9386  
 Jacrot, B. See Cribier, D., 1=9970  
 Jaeckel, R. Aspects of vacuum physics in the light of recent developments, 1=5300  
 Jaeckel, R. Diffusion pumps and their physical and technical developments, 1=8168  
 Jaeckel, R. and Teloy, E. Electrical gas clean-up by excitation of metastable conditions, 1=15984  
 Jaeger, J.C. An introduction to the Laplace transformation with engineering applications, 1=5113  
 Jaenicke, W. See Albert, L., 1=20705  
 Jaffe, A.A. Double stripping reactions, 1=8678  
 Jaffe, A.A., Barros, F.de S., Forsyth, P.D., Muto, J., Taylor, I.J. and Ramavaram, S. Some (t, p) reactions in light nuclei, 1=731  
 Jaffe, A.A. See Barros, F.de S., 1=8785  
 Jaffe, A.A. See Barros, F.de S., 1=9887  
 Jaffe, H. and Smith, C.S. Elastic constants of ammonium dihydrogen phosphate (ADP) and the Laval theory of crystal elasticity, 1=6444  
 Jaffe, H.H. See Whitehead, M.A., 1=11125  
 Jaffe, J.H. See Ben-Reuven, A., 1=14030  
 Jaffey, A.H. Statistical tests for counting, 1=11046  
 Jäger, J. and Wallis, G. The calculation of energy distribution of relativistic electrons from their synchrotron radiation. Application to the Crab nebula, 1=7068  
 Jaggi, R. Potentials in a conductor of varying cross section, 1=7018  
 Jahn, H. Approximate treatments of weak and strong coupling for charged scalar theory using the Chew-Low formalism, 1=417  
 Jahn, H. The strong coupling and the resonance problem in the meson-nucleon region, 1=13333  
 Jahn, H. Two pictures of the strong-coupling method, 1=16703

- Jahn, R.G. See Albin, F.A., 1=3057  
 Jahn, W. The radioactivity of optical glass containing thorium, 1=9820  
 Jahr, R., Müller, K.D., Oswald, W. and Schmidt-Rohr, U. Elastic and inelastic scattering of deuterons on C, Mg, Ti, Fe, Ni, Cu and Zn at 11.8 MeV, 1=3455  
 Jain, A.L. Pressure dependence of the elastic shear constants of Li, 1=11503  
 Jain, D.C. See Singh, N.L., 1=11095  
 Jain, D.V.S. and Kapoor, M.M. Thermodynamic properties of free radicals. I, 1=15193  
 Jain, D.V.S. and Kapoor, M.M. Thermodynamic properties of free radicals. II, 1=15194  
 Jain, K.P. See Ammar, R.G., 1=607  
 Jain, P.C. See Bhowmik, B., 1=13496  
 Jain, P.L. Angular distribution of shower particles from 1000 BeV [per] nucleon alpha particles on emulsion nuclei, 1=10943  
 Jain, P.L. See Barkow, A.G., 1=7238  
 Jain, P.L. See Haskin, D.M., 1=3322  
 Jain, R.K. On the stability of inviscid parallel flow in hydromagnetics, 1=16517  
 Jain, R.K. See Kapur, J.N., 1=16530  
 Jain, S.C. See Krishnan, K.S., 1=17511  
 Jain, S.P. See Seshadri, T.N., 1=8258  
 Jakes, W.C.Jr. A transatlantic communication experiment via Echo I satellite, 1=18233  
 Jakobson, M.J. Photodisintegration of Be<sup>9</sup> from threshold to 5 MeV, 1=10999  
 Jakšić, B. See Fronsdal, C., 1=2042  
 Jalaluddin, A.K. See Sinha, D.B., 1=15850  
 Jambunathan, R., Gunye, M.R. and Saraf, B. Gamma transitions following the decay of nickel-65, 1=655  
 Jambunathan, R. See Gunye, M.R., 1=17040  
 Jambunathan, R. See Saraf, B., 1=17041  
 Jamerson, F.E. See Abrams, R.H., 1=13102  
 Jamerson, F.E. See Luke, K.P., 1=8347  
 James, A.N. The C<sup>13</sup>(d,n)N<sup>13</sup> reaction up to 1.35 MeV, 1=5936  
 James, A.N. The C<sup>13</sup>(d,n)N<sup>14</sup> reaction, 1=8768  
 James, A.N.  $\gamma$ -rays from the 1.14 MeV resonance in B<sup>10</sup>(p, $\gamma$ )C<sup>11</sup>, 1=9856  
 James, A.N., Ferguson, A.T.G. and Johnson, C.M.P. The B<sup>10</sup>(d,n)C<sup>11</sup> reaction, 1=12211  
 James, D.I. Measurement of friction between rubber-like polymers and steel, 1=11525  
 James, D.W. See Janz, G.J., 1=11764  
 James, E., Jr. See Urizar, M.J., 1=4099  
 James, G. See Gunnersen, E., 1=5792  
 James, J.F. Doublet splitting in the  $\Sigma^- \rightarrow \pi$  band of C-H at 3900 Å, 1=2332  
 James, J.F.P. See Warburton, F.L., 1=7811  
 James, P.R. The design and construction of a device for recording small displacements, 1=9356  
 James, R.H., Overn, W.M. and Lundberg, C.W. Flux distribution in ferrite cores under various modes of partial switching, 1=7121  
 James, T.C. Wave functions and intensity calculations for a rotating anharmonic oscillator, 1=13991  
 James, T.C. See Hougen, J.T., 1=8848  
 James, W.J. See Straumanis, M.E., 1=10258  
 Jameson, D. and Hurvich, L.M. Opponent chromatic induction: experimental evaluation and theoretical account, 1=4161  
 Jamison, R.E. See Blewitt, T.H., 1=20391  
 Jamnick, P.M. See Megill, L.R., 1=16050  
 Jänecke, J. and Jung, H. Superalloyed positron decay in K<sup>38m</sup>, Sc<sup>42</sup> and Ti<sup>43</sup>, 1=19402  
 Jancel, R. and Kanat, T. Statistical mechanics, dynamics and magnetohydrodynamics of plasmas, 1=16302  
 Jancovici, B. On the derivation of the optical potential in infinite nuclear matter, 1=2156  
 Jancovici, B. A model for the calculation of the optical potential in some finite nuclei, 1=3380  
 Janes, G.S. Scaling relations for plasma devices, 1=16341  
 Janik, J. and Janik, J.A. Determination of the density of liquids and their saturated vapours as a function of temperature at pressures higher than one atmosphere. I. Measurements with ammonia, 1=15836  
 Janik, J. and Janik, J.A. Determination of the density of liquids and their saturated vapours as a function of temperature at pressures higher than one atmosphere. II. Measurements with methyl mercaptan [CH<sub>3</sub>SH], 1=15837  
 Janik, J. See Janik, J.A., 1=5730  
 Janik, J.A., Janik, J. and Wanic, A. Scattering of slow neutrons by NH<sub>3</sub> molecules. I, scattering by gaseous NH<sub>3</sub>, 1=5730  
 Janik, J.A. See Janik, J., 1=15836  
 Janik, J.A. See Janik, J., 1=15837  
 Janin, J. See Déjardin, G., 1=7675  
 Janin, J. See Déjardin, G., 1=9006  
 Janin, J. See Gaume, F., 1=9003  
 Jankovic, Z. On the Coulomb wave functions, 1=18272  
 Jánosy, L. On the simultaneous distribution of the sagittas of a track in emulsion in the case of background noise, 1=416  
 Jánosy, L. and Rózsa, P. Maximum likelihood determination of the scattering constant of an emulsion track in the presence of noise, 1=13253  
 Janossy, L. See Bozóki, G., 1=8460  
 Janot, C. and Hadni, A. Low-frequency secondary spectra of alkali halides, 1=7711  
 Janot, C. See Hadni, A., 1=18596  
 Janouch, F. Internal Bremsstrahlung in 0<sup>-</sup>  $\rightarrow$  0<sup>+</sup> beta-transitions, 1=12176  
 Janoušek, V. See Misařová, A., 1=17835  
 Janoušek, V. See Misařová, A., 1=17840  
 Janovec, V., Březina, B. and Glanc, A. Asymmetric hysteresis loop of single BaTiO<sub>3</sub> crystals with non-equivalent electrodes, 1=17839  
 Jansen, C.G.J. and Venema, A. A McLeod manometer with prescribed volumes for use as a standard instrument, 1=4389  
 Jansen, H.G. Experiments on the superconductivity of the Nb-Sn system and of the mixed crystals Nb<sub>3</sub>Sn-Ta<sub>3</sub>Sn, 1=6999  
 Janssen, J.H. See Tukker, J.C., 1=11733  
 Janssen, K. See Baran, W., 1=6343  
 Janssen, T.W.J.M. On the classical limit of the diagram expansion in quantum statistics, 1=5206  
 Janz, G.J. and James, D.W. Raman spectra and ionic interactions in molten nitrates, 1=11764  
 Janz, G.J. and Lorenz, M.R. Electrical conductance cell assembly for precise measurements with carbonates, oxides, and fluorides up to 1000°C, 1=4535  
 Jaoul, B. and Gonzalez, D. Plastic deformation of iron single crystals, 1=20350  
 Japolsky, N.S. Deflection of light in the gravitational field of the sun, 1=11693  
 Japolsky, N.S. Apparent recession of nebulae and the nature of radio stars, 1=18002  
 Järlsäter, N. See Hulthén, E., 1=14012  
 Jarman, W.R. See McGregor, A.T., 1=17308  
 Jarmie, N. and Silbert, M.G. Energy levels of N<sup>17</sup>, O<sup>18</sup>, and O<sup>20</sup>, 1=8583  
 Jarmie, N., Silbert, M.G. and Smith, D.B. The two-stage nuclear reaction N<sup>14</sup>(t,n)O<sup>16</sup>\*(p)N<sup>15</sup>, 1=13865  
 Jarmie, N. and Silbert, M.G. Nuclides A<sup>42</sup> and C<sup>139</sup>, 1=10955  
 Jarmie, N. See Silbert, M.G., 1=10967  
 Jarmie, N. See Silbert, M.G., 1=12154  
 Jarosch, H. See Alterman, Z., 1=9182  
 Jarosch, H. See Pekeris, C.L., 1=10302  
 Jarosch, H. See Pekeris, C.L., 1=20797  
 Jarrett, A.H. and von Klüber, H. Interferometric investigation of emission lines of the solar corona during the total solar eclipse of 1958 October 12, 1=9272  
 Jarrett, H.S., Bierstedt, P.E., Darnell, F.J. and Sparks, M. Magnetic anisotropy and electrical resistivity in exchange inversion compounds, 1=6375  
 Jarrett, H.S. See Cloud, W.H., 1=1242  
 Jarvis, O.N. See Greenlees, G.W., 1=8708  
 Jarvis, T.R. See Crowley-Milling, M.C., 1=18952  
 Jaseja, T.S. The microwave spectrum of methyl cyanide and 1-type doubling in CH<sub>3</sub>CN, CH<sub>3</sub>NC, CH<sub>3</sub>CCH and CF<sub>3</sub>CCH, 1=839  
 Jaseja, T.S. Microwave spectrum of IBr and the determination of the molecular and nuclear parameters, 1=4931  
 Jasiński, A. See Ambrozy, B., 1=16995  
 Jasinski, A. See Choinacki, S., 1=670  
 Jaśkiewicz, A. Dipole arrangement in perovskite-type ferroelectrics, 1=17829  
 Jaśkiewicz, A. Antinucleation processes in ferromagnetics, 1=20091



- Jaśkiewicz, A. and Konwent, H. Ferroelectric and antiferroelectric arrangements in perovskite-type substances, 1-6196
- Jastram, P.S. See Ramaswamy, M.K., 1-2198
- Jastram, P.S. See Ramaswamy, M.K., 1-8608
- Jastrow, R. Geophysical effects of the trapped particle layer, 1-11652
- Jastrow, R. See Harris, I., 1-5176
- Jastrow, R. See Harris, I., 1-6601
- Jastrzebski, J. Decay of  $\text{Ba}^{139}$ , 1-7341
- Jastrzebski, J. and Kilcher, P. Study of Mercury-192 disintegration, 1-9829
- Jastrzebski, J. and Kilcher, P. The first excited levels of platinum 190, 1-16992
- Jaswon, M.A. and Bhargava, R.D. Two-dimensional elastic inclusion problems, 1-14841
- Jaswon, M.A. and Shaw, B.J. A note on non-equilibrium elastic constants, 1-9079
- Jatar, D.P. and Sharma, H.D. The falling current-potential characteristic under the silent electric discharge. I. The influence of different detectors, 1-4580
- Jatkar, S.K.K. and Deshpande, D.D. Ultrasonic relaxation in polyatomic gases and vapours, 1-8162
- Jauch, J.M. Systems of observables in quantum mechanics, 1-5194
- Jauhari, M. See Vachaspati., 1-13313
- Jaumann, J. and Marnet, C. Dielectric losses in non-polar insulating liquids due to [carrier] accumulation boundary layers, 1-18426
- Javan, A., Bennett, W.R., Jr and Herriott, D.R. Population inversion and continuous optical maser oscillation in a gas discharge containing a He-Ne mixture, 1-7440
- Jayanathan, R. The flare of 1957 September 19, 1-1647
- Jayaraman, A. The luminescence spectra of diamond, 1-20004
- Jayaraman, A., Newton, R.C. and Kennedy, G.C. Melting and polymorphism of indium antimonide at high pressures, 1-18678
- Jaye, W.E., Dyce, R.B. and Leadabrand, R.L. Radar echoes obtained from earth satellites 1957 Alpha and 1957 Beta, 1-9302
- Jaye, W.E. See Leadabrand, R.L., 1-21062
- Jean, M. Note on the collective interpretation of the first two  $2+$  levels of even nuclei, 1-612
- Jean, M. The vibrational excitation of even-even nuclei, 1-13640
- Jeanmaire, L. See Lansiaart, A., 1-7951
- Jeanmaire, L. See Lansiaart, A., 1-9819
- Jeannot, E. See Bovet, C.A., 1-10822
- Jech, A. See Bergström, I., 1-5855
- Jech, C. Release of radioactive inert gas label from surfaces of solids during hydration and dehydration, 1-15184
- Jeener, J. Frequency stabilization scheme for the Pound-Watkins r.f. spectrometer, 1-3073
- Jefferies, J.T. Source function in a non-equilibrium atmosphere. VII. The interlocking problem, 1-4207
- Jefferies, J.T. and Orrall, F.Q. On the interpretation of prominence spectra. II. The line and continuous spectrum of the spray-type limb event of March 7, 1959, 1-7990
- Jefferies, J.T. and Orrall, F.Q. On the interpretation of prominence spectra. III. The line and continuous spectrum of a loop prominence and limb flare, 1-7991
- Jefferies, J.T. and Thomas, R.N. A comment on the NRL solar Lyman-alpha results, 1-5154
- Jefferies, J.T. and White, O.R. Source function in a non-equilibrium atmosphere. VI. The frequency dependence of the source function for resonance lines, 1-4206
- Jefferies, J.T. See Dunn, R.B., 1-1649
- Jefferies, J.T. See Giovannelli, R.G., 1-15491
- Jefferson, C.F. and West, R.G. Ferrite system for application at lower microwave frequencies, 1-6373
- Jeffery, P.M. and Reynolds, J.H. Concerning  $\text{Xe}^{136}$  in the meteorite Abee, 1-18066
- Jeffery, J.W. A successful version of the Beevers-Macewan Fourier synthesizer using dekatron counters, 1-5118
- Jeffress, L.A. and Taylor, R.W. Lateralization versus localization, 1-9220
- Jeffress, L.A. See Whitworth, R.H., 1-11661
- Jeffrey, A. Some properties of transport flux and current at the surface of grey plates, 1-18325
- Jeffrey, G.A. See Amma, E.L., 1-4052
- Jeffrey, G.A. See Feil, D., 1-20569
- Jeffreys, H. The effect of tidal friction on eccentricity and inclination, 1-10376
- Jeffreys, H. Dissipative interaction between satellites, 1-10381
- Jeffreys, H. On two methods of Brown and Shook, 1-10401
- Jeffreys, H. On the figure of the moon, 1-15420
- Jeffries, C.D. Dynamic nuclear orientation, 1-14154
- Jeffries, C.D. See Axe, J.D., 1-6420
- Jeffries, C.D. See Leifson, O.S., 1-10185
- Jeffries, C.D. See Stapleton, H.J., 1-20223
- Jefress, L.A. See Craig, J.H., 1-12706
- Jelenski, A. A parametric spectrograph for quadrupole resonance, 1-12025
- Jelley, J.V. Čerenkov radiation in the atmosphere, 1-5798
- Jelley, J.V. and Cooper, B.F.C. An operational ruby maser for observations at 21 centimeters with a 60-foot radio telescope, 1-4214
- Jellinek, H.H.G. Liquidlike layers on ice, 1-14932
- Jellinghaus, W. and de Andrés, M.P. Hall effect and resistance in the iron-cobalt series, 1-3714
- Jellinghaus, W. and de Andrés, M.P. Influence of periodic-table neighbours of iron on the hall effect of iron-rich mixed crystals, 1-6128
- Jellinghaus, W. and de Andrés, M.P. Measurements of the Hall effect in the binary mixed crystal range of iron, 1-10031
- Jelly, D.H. See Collins, C., 1-3069
- Jelly, D.H. See Collins, C., 1-6606
- Jen, C.K. See Massey, J.T., 1-4930
- Jen Tsi Yang. Non-Newtonian viscosity and flow birefringence of rigid particles: tobacco mosaic virus, 1-12842
- Jenkins, A.W., Jr. See Terlikkis, L., 1-10145
- Jenkins, D.R. See Curl, R.F. Jr., 1-3536
- Jenkins, R.A. Perception of pitch, timbre, and loudness, 1-21118
- Jenkins, R.J. See Parker, W.J., 1-13006
- Jenkins, R.O. Leak testing during the manufacture of sealed-off vacuum devices, 1-15982
- Jenkins, R.O. and Trodden, W.G. Physical processes in small titanium ion pumps, 1-18481
- Jenkins, T.L. See Swanson, W.P., 1-527
- Jenkins, T.L. See Swanson, W.P., 1-531
- Jenks, G.J. See Andrew, E.R., 1-6430
- Jenks, G.J. See Andrew, E.R., 1-10187
- Jenks, G.J. See Eades, R.G., 1-7160
- Jenness, J.R., Jr. Reflection-reducing coatings to improve the performance of semiconductor photo-detectors, 1-11852
- Jennings, A.P.H. Recording integrator for gas chromatography, 1-2561
- Jennings, K.R. and Cvetanović, R.J. Relative rates of addition of hydrogen atoms to olefines, 1-20732
- Jennings, K.R. See Cvetanovic, R.J., 1-20753
- Jennings, K.R. and Linnett, J.W. Emission spectra of flames supported by active nitrogen, 1-13942
- Jennings, K.R. See Cvetanovic, R.J., 1-20752
- Jennings, L.D. Design of mutual inductance bridge for cryogenic measurements, 1-2925
- Jennings, L.D., Hill, E. and Spedding, F.H. Heat capacity of thulium from 15° to 360°K, 1-11163
- Jennings, L.D., Miller, R.E. and Spedding, F.H. Lattice heat capacity of the rare earths. Heat capacities of yttrium and lutetium from 15-350°K, 1-3605
- Jennings, R.E. and Kalmus, P.I.P. A gas Čerenkov detector for the accurate determination of electron beam energy, 1-397
- Jennings, R.E. See Aitken, D.K., 1-9663
- Jennings, R.E. See Davies, G.R., 1-16467
- Jennison, R.C. The structure of the Cassiopeia-A and Cygnus-A radio sources measured at 127 Mc/s and 3000 Mc/s, 1-18177
- Jennison, R.C. The Michelson stellar interferometer: a phase sensitive variation of the optical instrument, 1-18608
- Jennison, R.C. See Davies, R.D., 1-2664
- Jennison, R.C. See Davies, R.D., 1-2665
- Jennison, R.C. See Haselgrove, C.B., 1-15531
- Jensen, B.S., Nielsen, O.B. and Skilbreid, O. On the decay of  $5.8 \text{ d Sb}^{120}$ ,  $5.1 \text{ h Sb}^{118}$  and  $1 \text{ h Sb}^{116}$ , 1-2190
- Jensen, C.E. Energy transformation and vertical flux processes over the northern hemisphere, 1-20822
- Jensen, E.N. See Nichols, R.T., 1-5847
- Jensen, E.N. See Nichols, R.T., 1-7346
- Jensen, O.J. See Hansen, P.G., 1-19394

## AUTHOR INDEX

- Jeppersen, M.A. and Sloan, W.A. Optical observation of ferrimagnetic domains, 1=17972
- Jeppesen, M.A. See Burns, S.H., 1=1383
- Jepson, W.B. See Aylmore, D.W., 1=5246
- Jeremie, H. An angular correlation experiment in the  $\text{Be}^9(n, 2n)\text{Be}^8$  reaction with 14 MeV neutrons, 1=7386
- Jérémie, H. See Heyman, M., 1=13806
- Jerger, J. and Dirks, D. Binaural hearing aids. An enigma, 1=9224
- Jeschke, D. and Stuart, H.A. The dependence of diffusion and permeation of gases in high polymers on crystallinity and on temperature, 1=19800
- Jespersen, J.L. See Lawrence, R.S., 1=10397
- Jesse, W.P. Alpha-particle ionization in polyatomic gases and the energy dependence of W, 1=8310
- Jessup, R.S. Precise measurement of heat of combustion with a bomb calorimeter, 1=16169
- Jeszenszky, B. and Hartmann, E. Visible twist on sodium chloride whiskers, 1=6504
- Jewell, R.W., Jr. See Chupp, E.L., 1=552
- Jha, S., Devare, H.G., Narayana Rao, M. and Pramila, K.G.C. Sum-coincidence technique for  $\gamma$ -ray studies, 1=663
- Jha, S., Devare, H.G. and Singru, R.M. On the decay of  $^{132}\text{Cs}$ , 1=5868
- Jha, S., Gupta, R.K., Devare, H.G. and Pramila, G.C. Further studies of the decay of  $^{132}\text{Cs}$ , 1=13749
- Jha, S., Gupta, R.K., Devare, H.G., Pramila, G.C. and Gopinathan, K.P. On the decay scheme of  $^{132}\text{Cs}$ , 1=8637
- Jha, S., Gupta, R.K., Devare, H.G., Pramila, G.C. and Raghavan, R.S. Recoilless emission and absorption of 26 keV  $\gamma$ -ray of  $^{151}\text{Dy}$ , 1=5829
- Jha, S. See Gupta, R.K., 1=8664
- Jha, S.S. Energy distribution of thermal neutrons in a finite solid moderator assembly, 1=16794
- Jha, S.S. Nuclear magnetic resonance spectra for a system ABC of spin  $\frac{1}{2}$  nuclei and their linewidths, 1=19667
- Jhingan, M.L. See Kondaiah, E., 1=17124
- Jindra, J. See Eckstein, J., 1=9120
- Jireš, M. See Chaloupka, P., 1=16943
- Jnanananda, S. See Lakshminarayana, V., 1=8695
- Joachain, C. Nuclear polarization in mesic atoms of tritium,  $\text{He}^3$  and  $\text{He}^4$ , 1=12270
- Joachain, C. See Demeur, M., 1=13628
- Joachain, C. See Demeur, M., 1=19128
- Jobert, G. Non-hydrostatic tensions in a gravitating planet, 1=18037
- Jodogne, J.C. See Demortier, G., 1=13841
- Joel, N. Reflection and polarization of elastic waves in a LiF crystal: mode conversion from longitudinal to transverse, 1=11808
- Joel, N. and Wooster, W.A. On six new relations between the elastic constants of crystals, 1=20290
- Joel, N. and Wooster, W.A. New measurements of the elastic constants of A.D.P. and their relation to the theories of crystal elasticity, 1=20291
- Johansen, I.J.T. See Powers, D.A., 1=11345
- Johanson, E.W. See Mueller, M.H., 1=15032
- Johansson, A., Svanberg, U. and Hodgson, P.E. The elastic scattering of 180 MeV protons from nuclei, 1=19475
- Johansson, A., Svanberg, U. and Sundberg, O. Total nuclear reaction cross-sections for 180 MeV protons, 1=19474
- Johansson, A., Tibell, G., Parker, K. and Hodgson, P.E. The elastic scattering of 160 MeV protons from lithium, aluminium, indium and gold, 1=3444
- Johansson, B. A new solution of the finite rise time problem by means of a distributed amplifier with automatic gain control, 1=1871
- Johansson, C.H. Apparent intermediate supersonic velocity of detonation, 1=12912
- Johansson, E., Lampa, E. and Sjostrand, N.G. A fast chopper and its use in the measurement of neutron spectra, 1=13448
- Johansson, I. See Eriksson, K.B.S., 1=19592
- Johansson, L. The spectrum of ionized beryllium,  $\text{Be II}$ , 1=19586
- Johansson, P. An experimental investigation of X-ray excitation states in solids, 1=6088
- Johansson, P. On the structure near the short wave-length limit of the continuous X-ray spectrum, 1=6217
- Johansson, R.B. See Smårs, E.A., 1=11945
- Johansson, S.A.E. Nuclear octupole deformation and the mechanism of fission, 1=5825
- Johansson, S.A.E. See Forkman, B., 1=2248
- Johansson, S.A.E. See Forkman, B., 1=19081
- Johler, J.R. Magneto-ionic propagation phenomena in low- and very-low-radiofrequency waves reflected by the ionosphere, 1=4731
- John, H.F. See Faust, J.W., 1=5088
- John, H.F. See Faust, J.W.Jr., 1=15007
- John, H.F. See Faust, J.W.Jr., 1=15008
- John, H.F. See Faust, J.W., Jr., 1=15009
- John, T.L. The numerical solution of the exchange equations for slow electron collisions with hydrogen atoms, 1=2297
- John, W. See Chupp, E.L., 1=552
- Johns, H.E. See Skarsgard, L.D., 1=7173
- Johns, H.E. See Skarsgard, L.D., 1=15362
- Johns, I.B., Ulmer, H.E. and Edwards, J.W. Reversible phase transition of phosphorus pentoxide, 1=20398
- Johns, J.W.C. and Ramsay, D.A. The absorption spectrum and dissociation energy of  $\text{SH}$ , 1=3572
- Johns, M.W. See Chapman, C.J.S., 1=13684
- Johnson, A.A. The embrittlement of molybdenum by neutron irradiation, 1=3993
- Johnson, A.A. The low temperature tensile properties of niobium, 1=6454
- Johnson, A.A. Theory of the deformation and fracture of body-centred cubic transition metals, 1=11506
- Johnson, A.A. See Sethna, D.N., 1=20377
- Johnson, C.A. The growth of prismatic dislocation loops during annealing, 1=987
- Johnson, C.C. See Gould, R.W., 1=3011
- Johnson, C.E., Ridout, M.S., Cranshaw, T.E. and Madsen, P.E. Hyperfine field and atomic moment of iron in ferromagnetic alloys, 1=10135
- Johnson, C.E., Schooley, J.F. and Shirley, D.A. Nuclear orientation of iodine by electric h.f.s. alignment, 1=616
- Johnson, C.E., Schooley, J.F. and Shirley, D.A. Nuclear orientation of  $\text{Tb}^{160}$ , 1=623
- Johnson, C.E. See Haag, J.N., 1=2162
- Johnson, C.E.Jr. and Brown, W.F.Jr. Theoretical magnetization curves for particles with cubic anisotropy, 1=6312
- Johnson, C.M.P. See James, A.N., 1=12211
- Johnson, C.S. The polarization of cosmic-ray muons, 1=2122
- Johnson, C.S. Polarization of cosmic-ray muons at sea level, 1=9791
- Johnson, C.S., Jr., Waugh, J.S. and Pinkerton, J.N. On the mechanism of nuclear relaxation in gaseous and liquid  $\text{CHF}_3$ , 1=17349
- Johnson, D.L. See Brown, E.A., 1=16136
- Johnson, E.A. See Price, W.C., 1=852
- Johnson, E.F. See Scheidegger, A.E., 1=4304
- Johnson, E.R. See Forten, J., 1=15202
- Johnson, F.A. See Cochran, W., 1=17898
- Johnson, F.A. See Colburn, C.B., 1=6054
- Johnson, F.A. See Ettinger, R., 1=12326
- Johnson, F.A. See Fray, S.J., 1=1159
- Johnson, F.A. See Fray, S.J., 1=6212
- Johnson, F.A. See Piette, L.H., 1=17343
- Johnson, F.R., Beranek, L.L., Newman, R.B., Bolt, R.H. and Klepper, D.L. Orchestra enclosure and canopy for the Tanglewood Music Shed, 1=8205
- Johnson, F.S. The distribution of hydrogen in the telluric hydrogen corona, 1=5131
- Johnson, F.S. The exosphere and upper F region, 1=15285
- Johnson, F.S. The gross character of the geomagnetic field in the solar wind, 1=21101
- Johnson, F.S. See Beard, D.B., 1=18223
- Johnson, J.B. Contribution of Thomas A. Edison to thermionics, 1=1910
- Johnson, J.E. Microsecond response of electroluminescent cells, 1=20029
- Johnson, J.F. See Porter, R.S., 1=18350
- Johnson, J.L. and Greene, J.M. Hydromagnetic stability of toroidal equilibria with an externally imposed rotational transform, 1=19004
- Johnson, J.L. See Greene, J.M., 1=10706
- Johnson, K. Current-charge density commutation relations, 1=12041
- Johnson, K. Solution of the equations for the Green's functions of a two dimensional relativistic field theory, 1=13271
- Johnson, K. Relation between the bare and physical masses of vector mesons, 1=13458



- Johnson, K. and Sudarshan, E.C.G. Inconsistency of the local field theory of charged spin  $\frac{1}{2}$  particles, 1-7189
- Johnson, K.A. See Federbush, P.G., 1-2009
- Johnson, K.L. The influence of elastic deformation upon the motion of a ball rolling between two surfaces, 1-4293
- Johnson, M. The interpretation of some changes in orientation of a binary star orbit, 1-12765
- Johnson, M.W., Jr. Some variational theorems for non-Newtonian flow, 1-112
- Johnson, N.M. and Daniels, F. Luminescence during annealing and phase change in crystals, 1-7731
- Johnson, N.R., Eichler, E., O'Kelley, G.D., Chase, J.W. and Wasson, J.T. Decay of  $^{134}$ , 1-8640
- Johnson, N.R. See Robinson, R.L., 1-9847
- Johnson, O.E. See Robinson, E.L., 1-7356
- Johnson, O.E. See Robinson, E.L., 1-7347
- Johnson, O.E. See Robinson, E.L., 1-12168
- Johnson, P.D. Some optical properties of powder and crystal halophosphate phosphors, 1-6200
- Johnson, P.D. Dichroic color centers in calcium fluoro-phosphate, 1-7600
- Johnson, P.D. Quantum efficiencies of some inorganic phosphors, 1-17908
- Johnson, Q.C. and Templeton, D.H. Madelung constants for several structures, 1-9965
- Johnson, R.C. On the effect of proton spin-orbit distortion in a (d,p) reaction, 1-19513
- Johnson, R.C. First order effects of spin-dependent distortion in direct reactions, 1-19514
- Johnson, R.C. See Goldfarb, L.J.B., 1-4853
- Johnson, R.C. See Goldfarb, L.J.B., 1-8674
- Johnson, R.C. See Goldfarb, L.J.B., 1-19431
- Johnson, R.G., Chase, L.F., Jr. and Vaughn, F.J. An investigation of the  $C^{13}(He^3, n_0)O^{15}$  and the  $C^{14}(He^3, n_0)O^{16}$  reactions, 1-19528
- Johnson, R.G. See Chase, L.E., Jr., 1-718
- Johnson, R.G. See Holly, F.E., 1-1568
- Johnson, R.G. See Holly, F.E., 1-21068
- Johnson, R.H. See Alpher, R.A., 1-5548
- Johnson, V. See Gold, L., 1-1381
- Johnson, W.R., Weber, T.A. and Mullin, C.J. Coulomb scattering of polarized electrons, 1-4859
- Johnston, A.R. and Emeleus, K.G. Note on a pinch effect in a low pressure arc, 1-4583
- Johnston, B. See West, H.I., Jr., 1-1988
- Johnston, D.F. Group theory in solid-state physics, 1-2361
- Johnston, F.J., Halperin, J. and Stoughton, R.W. The thermal neutron absorption cross-section of  $^{233}Th$  and the resonance integrals of  $^{232}Th$ ,  $^{233}Th$  and  $^{59}Co$ , 1-17130
- Johnston, H.L. See White, D., 1-1766
- Johnston, H.M. On a feature of the galactic radio emission, 1-2662
- Johnston, H.S. and Kornegay, W. Rate and mechanism of the thermal ionization of xenon, 1-18768
- Johnston, T.L. See Stokes, R.J., 1-1342
- Johnston, T.L. See Stokes, R.J., 1-3296
- Johnston, T.L. See Stokes, R.J., 1-20365
- Johnston, T.W. Time-averaged effects on charged particles in a.c. fields, 1-4698
- Johnston, T.W. See Bachynski, M.P., 1-16313
- Johnston, W.D., Heikes, R.R. and Petrolo, J. The preparation of fine powder hexagonal  $Fe_3C$  and its coercive force, 1-20420
- Johnston, W.G. An observation of crack formation in  $MgO$ , 1-3999
- Joliet, J.F. The critical volumes and molecular dimensions of organic compounds, 1-7495
- Joliet, J.F. and Bernard, M. Note on the Eötvös constant, 1-18387
- Jolliffe, K.H. See da C. Andrade, E.N., 1-10218
- Joly, R. See Genin, R., 1-13906
- Joly, R. See Michaudon, A., 1-13868
- Jona-Lasinio, G. See Nambu, Y., 1-7193
- Jona-Lasinio, G. See Nambu, Y., 1-16665
- Jonás, P. The integral relations for stationary laminar flow with closed streamlines in a nearly circular region, 1-15796
- Jones, A. See Colard, J., 1-13662
- Jones, A.R. Uses of semiconductor detectors in health-physics monitoring, 1-1993
- Jones, A.R. A portable gamma-ray spectrometer, 1-2029
- Jones, A.R. Radiolyses by transferred energy of compounds dispersed in alkali halide matrices, 1-20761
- Jones, A.V. See Noxon, J.F., 1-1563
- Jones, B., Sanjeevaiah, B., Zakrzewski, J., Bizzeti, P.G., Lagnaux, J.P., Rene, M., Beniston, M.J., Brown, S.A., Burhop, E.H.S., Davis, D.H., Ferreira, D., Frota-Pessoa, E., Lasich, W.B., Raina, N.N., Amerighi, M.C., Bonetti, A., Di Corato, M., Dilworth, C.C., Fedrighini, C.A., Quercigh, E., Sichirollo, A.E. and Vegni, G. On the observation of fast  $\Sigma^-$  hyperons emitted from the interactions of  $K^-$  mesons with emulsion nuclei, 1-8500
- Jones, B.D., Sanjeevaiah, B., Zakrzewski, J., Csejthey-Barth, M., Lagnaux, J.P., Sacton, J., Beniston, M.J., Burhop, E.H.S. and Davies, D.H. Production of hyperfragments from interactions of 800 MeV/c  $K^-$  mesons, 1-19502
- Jones, B.D., Sanjeevaiah, B., Zakrzewski, J. and Davis, D.H. Absorptions in flight of  $\Sigma^-$  hyperons in emulsion nuclei, 1-9772
- Jones, B.D. See Davis, D.H., 1-5782
- Jones, B.D. See Davis, D.H., 1-19498
- Jones, B.D. See Evans, D., 1-13521
- Jones, B.D. See Evans, D., 1-19267
- Jones, B.L. Photogrammetric refraction angle: satellite viewed from earth, 1-20842
- Jones, C.M. See Beckner, E.H., 1-11007
- Jones, C.R. See Jones, F. Llewellyn., 1-16295
- Jones, D. Transistorized vacuum trip unit, 1-2802
- Jones, D.L. Strong blast waves in spherical, cylindrical and plane shocks, 1-12911
- Jones, D.P., Murphy, P.G., O'Neill, P.L. and Wormald, J.R. Redetermination of the Panofsky ratio for negative pions stopped in hydrogen, 1-3223
- Jones, D.S. and Noble, B. The low-frequency scattering by a perfectly conducting strip, 1-19030
- Jones, D.W., Pessall, N. and McQuillan, A.D. Correlation between magnetic susceptibility and hydrogen solubility in alloys of early transition elements, 1-10130
- Jones, E., Edelman, S. and Sizemore, K.S. Calibration of vibration pickups at large amplitudes, 1-18500
- Jones, E. See Schmidt, V.A., 1-9454
- Jones, E. See Ward, A.L., 1-7042
- Jones, F.C. Design of a gamma-ray spectrometer using the phoswitch technique for rejection of charged particles, 1-3153
- Jones, F.C. Cosmic-ray production of low-energy gamma rays, 1-16952
- Jones, G.A. See Carver, J.H., 1-9879
- Jones, G.D. and Runciman, W.A. The infra-red absorption spectra of potassium manganicyanide and vanadium corundum, 1-3846
- Jones, G.O., Martin, D.H., Mawer, P.A. and Perry, C.H. Spectroscopy at extreme infrared wave-lengths. II. The lattice resonances of ionic crystals, 1-17894
- Jones, G.O. See Bloor, D., 1-16077
- Jones, G.O. See Huzan, E., 1-4971
- Jones, H.E. See Wickens, A.J., 1-12766
- Jones, H.M. See Shapiro, I.I., 1-50
- Jones, H.M. See Shapiro, I.I., 1-5178
- Jones, H.M. See Shapiro, I.I., 1-18221
- Jones, H.W., McCormick, W.W. and Sawyer, R.A. Time-resolved intensity patterns of the radiation from various regions of a vacuum spark discharge, 1-10683
- Jones, H.W. See Rusbridge, M.G., 1-8633
- Jones, H.W. and Saunders, P.A.H. Swept Langmuir probe system for intense gas discharges, 1-279
- Jones, I.L. See Fooks, G.F., 1-20930
- Jones, I.R. and Wuerker, R.F. Generation of high power radio-frequency pulses by means of an exploding wire technique, 1-15171
- Jones, I.R. See Weibel, E.S., 1-15060
- Jones, J.M. Method of density determination on a micro-scale, 1-10468
- Jones, J.M. Method for establishing a liquid column of graded density, 1-21165
- Jones, J.P. Rayleigh waves in a porous, elastic, saturated solid, 1-10561
- Jones, K.W. See Sayres, A.R., 1-9779
- Jones, K.W. See Smotrich, H., 1-7404
- Jones, L.H. Equilibrium constant for isotope exchange in ammonia from infrared spectra, 1-11610
- Jones, L.W., Lai, K., Newsome, R. and Perl, M.L. Bevatron experience with a homogeneous luminescent chamber, 1-3101

- Jones, L.W. See Lai, K.W., 1=16870
- Jones, M.C. and Sondheimer, E.H. Cyclotron resonance in metals at high frequencies, 1=17487
- Jones, M.T. Electron spin resonance absorption of tris-p-nitrophenylmethyl, 1=17342
- Jones, M.T. See Daniels, W.B., 1=12729
- Jones, O.C. and Clarke, F.J.J. A new photometric technique using a variable shutter device, 1=18561
- Jones, O.C. and Sanders, C.L. A high-precision photoelectric photometer, 1=2836
- Jones, P.B. Convergence of the cluster expansion for the optical model potential, 1=5815
- Jones, P.B. The  $\Delta^0$ -nucleon interaction in light hypernuclei, 1=13635
- Jones, P.B. Some properties of high angular momentum partial wave scattering amplitudes, 1=19135
- Jones, P.L. and Pethica, B.A. The chemisorption of nitrogen on polycrystalline tungsten ribbon: kinetic and contact potential studies, 1=1479
- Jones, R.C. Information capacity of radiation detectors, 1=253
- Jones, R.C. Information capacity of photographic films, 1=16128
- Jones, R.H. Hall coefficient and electrical conductivity measurements on lead selenide single crystals grown from the vapour, 1=3771
- Jones, R.H. See Goodwin, D.W., 1=16608
- Jones, R.H. See Fray, S.J., 1=1159
- Jones, R.P.N. The effect of small changes in mass and stiffness on the natural frequencies and modes of vibrating systems, 1=5318
- Jones, R.T. Conformal coordinates associated with uniformly accelerated motion, 1=4247
- Jones, R.V. Some developments and applications of the optical lever, 1=2854
- Jones, R.V. The velocity of light in a transverse magnetic field, 1=12958
- Jones, R.V. Anti-distortion mountings for instruments and apparatus, 1=21163
- Jones, R.V. See Kaminow, I.P., 1=11468
- Jones, T.P. On the accuracy of realization of the international temperature scale above 1063°C, 1=16158
- Jones, T.P. See Middlehurst, J., 1=6980
- Jones, W.H., Jr., Graham, T.P. and Barnes, R.G. Knight shift in potassium, indium and yttrium metals, 1=7799
- Jones, W.H., Jr. See Barnes, R.G., 1=9069
- Jones, W.M. and Mills, D. Porosity and surface area of a granular bed from measurements of the flow of air through the bed and measurements of the granular shape factors, 1=6558
- Jones, W.M., Waters, D.G. and Rout, V.M. The angular distributions of charged particle groups from the deuteron bombardment of nitrogen, 1=13849
- Jones, W.M., Young, K.M. and Barnard, A.C.L. Measurements of the proton energies from Sceptre III, 1=9619
- Jones, W.R.D. and Das, P.P. The mechanical properties of aluminium-lithium alloys, 1=20372
- Jongelans, B. See Tenner, A.G.C., 1=5621
- Jonscher, A.K. p-n junctions at very low temperatures, 1=16221
- Jönsson, C. Electron interference at several artificially-produced fine slits, 1=3016
- Jopson, R.C., Mark, H., Swift, C.D. and Zenger, J.H. L to K ratios in the electron capture decay of  $W^{161}$  and  $Ta^{179}$ , 1=17050
- Jorand, M. The depth of formation of the Lindholm effect, 1=15449
- Jordan, D.W. Method for calculating boundary value problems in heat conduction for the cylindrical cavity and the half space, by means of convolution integrals, 1=1837
- Jordan, E.L. A diffusion mask for germanium, 1=19895
- Jordan, J.E. See Amdur, I., 1=8825
- Jørgensen, C.K. The interelectronic repulsion and partly covalent bonding in transition-group complexes, 1=866
- Jørgensen, C.K. See Trees, R.E., 1=12249
- Jørgensen, D.W. "Near field" noise from turbulent jets, 1=11822
- Jørgensen, D.W. Noise from cavitating submerged water jets, 1=16045
- Jørgensen, M., Nielsen, O.B. and Skilbreid, O. Levels in  $Ho^{162}$  and  $Dy^{162}$ , 1=8622
- Jortner, J. Cation-electron interaction in metal-ammonia solutions, 1=5275
- Jortner, J., Raz, B. and Stein, G. Spectrum and radius of  $OH^-$  in solution, 1=11128
- Joseph, A.S., Gordon, W.L., Reitz, J.R. and Eck, T.G. Evidence for spin-orbit splitting in the band structure of zinc and cadmium, 1=19737
- Joseph, A.S. See Gordon, W.L., 1=17456
- Joseph, R.I. and Schlömann, E. Theory of magnetostatic modes in long, axially magnetized cylinders, 1=11445
- Joseph, R.I. See Schlömann, E., 1=6401
- Joseph, R.I. See Schlömann, E., 1=11446
- Josephs, R.M. See Weisberg, L.R., 1=14359
- Josephson, V. Superfast pinch experiment, 1=310
- Josephson, V., Dazey, M.H. and Wuerker, R.F. Instability mechanisms in transverse pinches, 1=1903
- Josephson, V., Dazey, M.H. and Wuerker, R.F. A neutron-producing mechanism in transverse pinches, 1=2976
- Josephson, V. and Hales, W. Parametric study of the conical shock tube, 1=4372
- Joshi, B.R. Orbital electron capture ratio and beta spectrum of  $^{104}Tl$ , 1=10989
- Joshi, B.R. and Lewis, G.M. On the measurement of orbital electron capture with particular reference to  $^{131}Cs$ , 1=2193
- Joshi, G.H. Energy conversion mechanism in a bounded magnetized current-carrying plasma, 1=11925
- Joshi, K.C. The absorption spectrum of the  $BiF$  molecule in the ultra-violet region, 1=17324
- Joshi, K.C. and Majumdar, K. The band spectrum of a  $CuAg$  molecule in the visible region, 1=14040
- Joshi, K.M. and Saxena, S.C. Viscosity of polar gases, 1=8145
- Joshi, M. See Blum, E.J., 1=15526
- Joshi, M.C., Kulkarni, V.G., Panat, C.V. and Thosar, B.V. Longitudinal polarisation of beta particles from  $Rb^{88}$ ,  $Pr^{144}$   $Co^{60}$ , 1=641
- Joshi, M.C. and Thosar, B.V. 191 keV transition in  $Au^{197}$ , 1=8665
- Joshi, M.C. See Ambive, K.S.Y., 1=656
- Joshi, M.C. See Ambive, K.S.Y., 1=17021
- Joshi, M.S. and Tolansky, S. Optical studies of spirals on synthetic quartz crystals, 1=14566
- Joshi, R.V. Temperature dependence of the ultraviolet and visible phosphorescence in  $KCl:Tl$ , 1=20007
- Joshi, S. and Hemkar, M.P. Dispersion of lattice waves in copper, 1=9971
- Joshi, S.B. See Chiplonkar, V.T., 1=18802
- Joshi, S.K. Debye temperature of orthorhombic crystals at 0°K, 1=914
- Joshi, S.K. and Hemkar, M.P. Vibrational spectrum of gold, 1=7530
- Joshi, S.K. and Hemkar, M.P. Vibrational spectrum and specific heat of potassium, 1=17400
- Joshi, S.K. and Mitra, S.S. Debye characteristic temperature of solids, 1=915
- Joshi, S.K. and Mitra, S.S. Debye  $\Theta$  of some crystals, 1=14184
- Joshi, S.K. See Mitra, S.S., 1=8884
- Joshi, S.K. See Mitra, S.S., 1=9980
- Joshi, S.K. See Mitra, S.S., 1=9981
- Joshi, S.K. See Mitra, S.S., 1=11151
- Joshi, S.K. See Mitra, S.S., 1=13999
- Joshi, S.K. See Verma, G.S., 1=903
- Joshi, S.K. See Verma, G.S., 1=3597
- Josien, M.L. See Forel, M.T., 1=845
- Joss, E.J. and Ross, D.S. Conformal transformations by analogue computer, 1=5117
- Jost, R. The normal form of a complex Lorentz transformation, 1=12797
- Jouffrey, B. See Castaing, R., 1=3020
- Jouffrey, B. See Castaing, R., 1=14345
- Joussot-Dubien, J. The magnetic susceptibility of gases, 1=182
- Jouvet, B. Gauge invariance, the mass of the photon and the asymptotic form of the photon propagator, 1=2012
- Jouvet, B. Classical gauge invariances of quantum electrodynamics, 1=8412
- Jouvet, B. and Goldzahl, L. Limits on the anomalous interactions of muons and their manifestations in high energy nuclear scattering, 1=5744
- Jouvet, B. See Chahine, C., 1=17019
- Jouvet, B. See Houard, J.C., 1=7198
- Jovanovic, D.T. See Gutmann, P.F., 1=1877



- Jovanovic, S. and Smith, C.S. Elastic modulus of amorphous nickel films, 1=5078
- Jover, P. Control of the melusine reactor, 1=2258
- Jović, D.M. See Živanović, M.D., 1=14987
- Joyal, M. and Le Grand, Y. Visual acuity and image clarity in extrafoveal vision, 1=21134
- Jubb, J.T., Holmes, E.L. and Winegard, W.C. Concerning the distribution coefficient of gold in lead, 1=20629
- Judd, B. and Lindgren, I. Theory of Zeeman effect in the ground multiplets of rare-earth atoms, 1=9901
- Judd, D.L. See Neil, V.K., 1=8365
- Judd, F.S. See Garnell, G.C., 1=2519
- Judge, D., Shimodaira, H. and Takahashi, Y. On the substitution law in quantum field theory, 1=4752
- Judge, J.T. and Stein, R.S. Growth of crystals from molten cross-linked oriented polyethylene, 1=20426
- Judson, L.V. Units of weight and measure (United States customary and metric): definitions and tables of equivalents, 1=18238
- Jugaku, J. See Hayakawa, S., 1=3328
- Jugaku, J. See Hayashi, C., 1=38
- Juillard, A. The preparation of thin sources of  $S^{32}$  and its study at very low energies, 1=13673
- Jukes, J.D. Electrostatic instabilities in ohmically heated plasmas, 1=9552
- Jukes, J.D. Plasma cyclotron radiation and fusion reactors, 1=9618
- Jukes, J.D. High-frequency tail of cyclotron radiation from a hot plasma, 1=16323
- Julien, C.A. See Campbell, R.B., 1=6288
- Julien, C.A. See Campbell, R.B., 1=6525
- Julien, J. Existence of an interference effect in the resonance scattering of neutrons of energies of 215 and 232 eV in Praseodymium 141, 1=13811
- Julien, J., Corge, C., Huynh, V.-D., Netter, F. and Simic, J. Partial transition widths for the levels of spin  $J = 1$  in  $W^{184}$  and  $Pt^{196}$  excited by [resonance] nuclear capture, 1=16999
- Julien, J. See Corge, C., 1=12090
- Julien, J. See Corge, C., 1=13828
- Julien, J. See Corge, C., 1=17112
- Julien, J. See Netter, F., 1=9870
- Julius, A.L., Jr. Possible physical effect of solar particles on meteorological parameters in Alaska, 1=10305
- Julliot, C., Lansart, A. and Nordemann, D. Detection of leakages of heavy water in a reactor into the light water of its exchangers, 1=2259
- Juna, J., Horváth, P. and Konečný, K. Measurement of neutron spectra from (d,n) reactions on light nuclei, 1=13846
- Jung, B. and Svedberg, J. The electron spectrum of  $^{199}Tl$ , 1=643
- Jung, H. See Jánecke, J., 1=19402
- Jung, P. Transistorized current regulator for a 12 inch Varian magnet, 1=7005
- Jung, P. Multiple quantum transitions, 1=17339
- Jung, P., Van Cakenberghe, J. and Uebersfeld, J. Paramagnetic resonance applied to molecular amplification, 1=19048
- Jungclaus, G. Two-dimensional laminar boundary-layers and jets in magneto-fluid dynamics, 1=5555
- Junge, C.E., Chagnon, C.W. and Manson, J.E. A world-wide stratospheric aerosol layer, 1=10306
- Junge, C.E. and Manson, J.E. Stratospheric aerosol studies, 1=20815
- Junger, J.C. See Decroocq, D., 1=8132
- Jungk, G. See Eckart, F., 1=3748
- Junius, W. [Architectural] acoustical investigations in the Liederhalle, Stuttgart, using a new measuring techniques, 1=222
- Junkes, J. Some further notes concerning the loss of energy by diffraction in a spectrograph, 1=1825
- Jupiter, C.P., Hansen, N.E., Shafer, R.E. and Fultz, S.C. Radiations from high-energy positrons incident on a beryllium target, 1=2044
- Jura, G. See Schmidt, H.H., 1=7519
- Jura, G. See Schmidt, H.H., 1=7520
- Jurek, B. Microscope objective made from two spherical mirrors, 1=18590
- Juretschke, H.J. See Coren, R.L., 1=6320
- Juretschke, H.J. See Freedman, S.J., 1=9853
- Juretschke, H.J. See Freedman, S.J., 1=19833
- Jurewicz, See Yurevich, A., 1=19233
- Jurić, M., Winterhalter, W. and Dordević, M. A possibility for the measurement of thermal neutron flux with emulsions in gel form, 1=13451
- Jursa, A.S., Tanaka, Y. and LeBlanc, F. Nitric oxide and molecular oxygen in the earth's upper atmosphere, 1=6586
- Jursa, A.S. See Tanaka, Y., 1=1770
- Jursa, A.S. See Tanaka, Y., 1=6021
- Jursa, A.S. See Tanaka, Y., 1=17310
- Jursa, A.S. See Tanaka, Y., 1=17320
- Just, K. The collapse of a contracting universe, 1=10370
- Jużków, E. On a modification of the Femo method in the case of benzophenone, 1=14080
- Jyoti, B.G. See Tawde, N.R., 1=14010
- Kabayashi, K. Fixing of magnetic moment of ferromagnetic fine precipitates in Cu-Co alloy during aging, 1=11425
- Kabemoto, S. See Kino, T., 1=6105
- Kabir, P.K. Effect of lepton non-conservation on  $\pi$ -decay, 1=2078
- Kachanova, Zh.P., Voevodskii, V.V. and Purmal', A.P. Electrical conductivity of the  $MnO_2$  semiconductor [catalyst] during oxidation of CO, 1=5111
- Kachinskii, V.N. The anisotropy of the Hall effect in tin, 1=3717
- Kachlishvili, Z.S. Scattering of non-localized excitons on F-centres, 1=10015
- Kachlishvili, Z.S. Scattering of non-localized excitons on f-centres, 1=11234
- Kachlishvili, Z.S. The elastic scattering of a non-localised exciton on U-centres, 1=19812
- Kacser, C. See Barton, G., 1=16880
- Kaczér, J. and Gemperle, R. The thickness dependence of the domain structure of magnetoplumbite, 1=14707
- Kaczér, J. and Gemperle, R. The rotation of Bloch walls, 1=14711
- Kaczér, J. and Gemperle, R. Remanent structure on magnetoplumbite, 1=17954
- Kaczér, J. and Gemperle, R. Honeycomb domain structure, 1=20089
- Kaczér, J. and Zelený, M. Dependence of energy and orientation of  $90^\circ$  Bloch wall on stress, 1=14713
- Kaczér, J. See Kamberský, V., 1=16481
- Kadanoff, L.P. and Martin, P.C. Theory of many-particle systems. II. Superconductivity, 1=18699
- Kadanoff, L.P. See Baym, G., 1=15744
- Kadashevich, Yu.I. and Novozhilov, V.V. The theory of plasticity allowing for residual microstresses, 1=3976
- Kaddoura, A. See Duthie, J., 1=3257
- Kaddoura, A. See Duthie, J., 1=3258
- Kaddoura, A. See Duthie, J.G., 1=3364
- Kaddoura, A. See Duthie, J.G., 1=3365
- Kaderka, M. See Bohm, A., 1=458
- Kadenskii, S.G. See Rapoport, L.P., 1=13610
- Kadomtsev, B.B. Magnetic traps with a "corrugated" field, 1=7064
- Kadomtsev, B.B. Plasma turbulence in a magnetic-mirror system, 1=18874
- Kadomtsev, B.B. and Nedospasov, A.V. Instability of the positive column in a magnetic field and the "anomalous" diffusion effect, 1=9533
- Kadomtsev, B.B. and Rokotyan, V.E. Stability of a plasma in the field of a magnetic dipole, 1=5458
- Kadomtsev, B.B. See Braginskii, S.I., 1=7065
- Kadomtseva, A.M. See Belov, K.P., 1=1239
- Kadota, N. and Ishida, S. Ion optics of sector-type magnetic focusing fields, 1=5504
- Kadyk, J.A. See Brown, J.L., 1=8515
- Kadyševskii, V.G. The theory of discrete space-time, 1=4237
- Kaempffer, F.A. Representation of space inversion, time reversal, and particle conjugation in quantum field theory, 1=3117
- Kaempffer, F.A. The distance correlation between photons in black body radiation, 1=10620
- Kaesler, R.S. See Hoppes, D.D., 1=5859
- Kaesler, R.S. See Hudson, R.P., 1=12566
- Kaftan-Kassim, M.A. A study of neutral hydrogen in a region in Cygnus, 1=7977
- Kagan, A.S., Somenkov, V.A. and Umanskii, Ya. A camera for the study of diffuse scattering by polycrystals, 1=12629

- Kagan, A.S., Somenkov, V.A. and Umanskii, Ya.S. Diffuse scattering of X-rays by Cu-Al alloys, 1=15139
- Kagan, V.K. See Adamov, M.N., 1=17338
- Kagan, Yu. Cyclotron resonance in germanium and silicon and the effect of negative effective masses, 1=3755
- Kagan, Yu. Determination of the frequency spectrum of phonons in crystals, 1=14169
- Kagan, Yu. On the particular role of the optical branch in the Mössbauer effect, 1=19695
- Kagan, Yu. and Maksimov, L. Transfer phenomena in paramagnetic gas, 1=18475
- Kagan, Yu.M. and Mustafin, K.S. The distribution function of electrons by their velocities in the positive column of a medium-pressure discharge, 1=4571
- Kaganov, M.I. and Chikvashvili, Ya.M. A theory of sound absorption in uniaxial ferromagnetic dielectrics, 1=14170
- Kaganov, M.I., Tsukernik, V.M. and Chupis, I.E. The theory of relaxation processes in an antiferromagnetic, 1=11456
- Kaganov, M.I. See Akhiezer, A.I., 1=7739
- Kaganov, M.I. See Akhiezer, A.I., 1=11417
- Kaganov, M.I. See Lifshitz, I.M., 1=3633
- Kaganov, M.I. See Lifshits, I.M., 1=19816
- Kaganskii, M.G. See Vasilenko, S.S., 1=19401
- Kagarise, R.E. Bismuth-coated Fabry-Perot etalon for use on the 2.5-10  $\mu$  region, 1=10599
- Kageyama, K. See Mutsuro, N., 1=2206
- Kageyama, S. Some flow patterns around a circular cylinder in a high subsonic flow observed by using Schlieren and shadow methods, 1=5288
- Kahalas, S.L. and Nesbet, R.K. Quadrupole moment of  $\text{Li}^7$  and quadrupole coupling constant of  $\text{Li}$ , 1=12150
- Kahan, T. See Cairo, L., 1=3064
- Kahan, T. See Jancel, R., 1=16302
- Kahane, A. The Debye temperature of ice, 1=7540
- Kahane, J. See Heyman, M., 1=13806
- Kahle, H.G. Spectrum, Zeeman effect and electron terms of trivalent erbium in crystalline salts. III. Term scheme and eigen-states of  $\text{Er}^{3+}$  ions, 1=10099
- Kahle, H.G. See Grohmann, I., 1=1158
- Kahle, H.G. See Grohmann, I., 1=19987
- Kahle, H.G. See Hellwege, K.H., 1=1164
- Kahle, H.G. See Hellwege, K.H., 1=1165
- Kahn, A.H. Phase-shift method for one-dimensional scattering, 1=2707
- Kahn, D. and Glass, A.J. Photocapacitance effects in additively colored alkali halide crystals, 1=17828
- Kahn, F. Star formation — A general survey, 1=12756
- Kahn, F.D. Sound waves trapped in the solar atmosphere, 1=15444
- Kai, K. See Takakura, T., 1=15544
- Kaidanovskii, N.C. See Gelfreich, G.B., 1=6733
- Kaidanovskii, N.L. See Khaikin, S.E., 1=2643
- Kaifer, R.C. See Bloom, S.D., 1=3080
- Kaifu, Y. Some optical properties of lead activated potassium halide phosphors, 1=17890
- Kaifu, Y. See Tomura, M., 1=1175
- Kaifu, Y. See Tomura, M., 1=7721
- Kaifu, Y. See Tomura, M., 1=10120
- Kainuma, Y. A diffraction pattern caused by temperature diffuse scattering. I. General theory, 1=12634
- Kainuma, Y. and Lipscomb, W.N.  $P_g$  function in electron diffraction, 1=15051
- Kaipov, D.K. See Akkerman, A.F., 1=16974
- Kaiser, H. See Bergmann, G., 1=10596
- Kaiser, H.J. An investigation of the new Tamm-Dancoff method, 1=428
- Kaiser, H.J. See Barashenkov, V.S., 1=13404
- Kaiser, H.K. See Schütte, K., 1=18211
- Kaiser, T.R. Progress in aeronomy, 1=1523
- Kaiser, T.R. The incidence of interplanetary dust, 1=18016
- Kaiser, W. and Garrett, C.G.B. Two-photon excitation in  $\text{CaF}_2:\text{Eu}^{2+}$ , 1=17910
- Kaiser, W., Garrett, C.G.B. and Wood, D.L. Fluorescence and optical maser effects in  $\text{CaF}_2:\text{Sm}^{2+}$ , 1=11397
- Kaiser, W., Sugano, S. and Wood, D.L. Splitting of the emission lines of ruby by an external electric field, 1=12505
- Kaiser, W. and Thurmond, C.D. Solubility of oxygen in germanium, 1=3662
- Kaiser, W. See Bond, W.L., 1=7578
- Kaiser, W. See Fuller, C.S., 1=14446
- Kaiser, W. See Fuller, C.S., 1=17697
- Kajfosh, J. See Urbanec, J., 1=7392
- Kajfosh, J. See Urbanec, J., 1=17121
- Kaji, I. and Kito, M. Plasma oscillations in a magnetic field, 1=10724
- Kakinuma, T. and Hiei, E. Unusual decrease of microwave solar radio emission during flare on November 30, 1959, 1=6742
- Kakinuma, T. See Tanaka, H., 1=6732
- Kakiuchi, Y. See Kume, K., 1=9074
- Kakiuchi, Y. See Kume, K., 1=14078
- Kakushadze, L.E. See Aleksenko, Yu.N., 1=17586
- Kakushadze, T.I. Group transitions in solid luminophors, 1=14651
- Kakutani, T. Axially symmetric stagnation-point flow of an electrically conducting fluid under transverse magnetic field, 1=8376
- Kakutani, T. Effect of transverse magnetic field on the flow due to an oscillating flat plate. II, 1=9673
- Kakutani, T. See Yosinobu, H., 1=357
- Kalab, B. New quenching circuit of high quenching power and high sensitivity, 1=9519
- Kalaba, R. Dynamic programming, fermat's principle and the eikonal equation, 1=16051
- Kalaba, R. See Bellman, R., 1=4285
- Kalaba, R. See Bellman, R., 1=9350
- Kalaba, R. See Bellman, R., 1=15746
- Kalabukhov, N.P. The nature of stimulated luminescence in KCl crystals, 1=14633
- Kalabukhov, N.P. and Sidyak, V.G. Measurement of the mobility of photo-current carriers in additively-colored KCl crystals, 1=1108
- Kalachev, A.I. See Zverev, V.A., 1=16036
- Kalachyov, B.V., Nikolsky, S.I., Pomansky, A.A. and Tukish, E.I. On fluctuation in number of  $\mu$ -mesons in extensive air showers, 1=2131
- Kalashnikov, S.G. and Mednikov, A.K. Effect of copper impurity atmospheres at dislocations on recombination in germanium, 1=2407
- Kalashnikov, S.G. and Mednikov, A.K. Effect of copper impurity atmospheres at dislocations on recombination in germanium, 1=6147
- Kalashnikov, S.G. and Mednikov, A.K. The distribution of nickel in a germanium-lead system and interaction of nickel with structural defects, 1=17517
- Kalashnikov, S.G. and Morozov, A.I. A study of trapping at copper atoms in germanium, 1=3750
- Kalashnikov, S.G. and Tissen, K.P. Trapping and recombination at many-electron capture centres in semiconductors, 1=1033
- Kalashnikov, S.G. See Alekseeva, V.G., 1=17685
- Kalashnikov, S.G. See Landsberg, E.G., 1=17687
- Kalashnikova, V.I. See Lebedev, V.I., 1=3477
- Kalbfleisch, G.R. Cross section and decay asymmetries of neutral V particles produced in copper by  $\pi^-$  mesons, 1=4811
- Kalbfleisch, G.R. See Button, J., 1=5727
- Kalbfleisch, G.R. See Maglič, B.C., 1=13472
- Kald, L. See Simons, L., 1=17061
- Káldor, M. and Vero, J.A. A method to reveal austenitic grain size in hardenable steels, 1=20609
- Kalikhman, V.L. and Umanskii, Ya.S. Determination of the orientation of the diffusional submicropores in  $\alpha$ -brass by the small angle X-ray scattering method, 1=15117
- Kalinin, J.D. See Afanasieva, V.I., 1=18084
- Kalinin, P.D. and Kuznetsov, A.K. Programmed temperature regulation, 1=11857
- Kalinin, S.P. See Brill'O.D., 1=11021
- Kalinin, S.P. See Brill'O.D., 1=12207
- Kalinin, S.P. See Vlasov, N.A., 1=728
- Kalinin, S.P. See Vlasov, N.A., 1=4798
- Kalinin, S.P. See Vlasov, N.A., 1=17142
- Kalinin, S.P. See Vlasov, N.A., 1=17149
- Kalinin, V.A. See Zharkov, V.N., 1=3610
- Kalinin, V.A. See Zharkov, V.N., 1=9983
- Kalinkevich, I.F. See Afrosimov, V.V., 1=9608
- Kalinkevich, I.F. See Afrosimov, V.V., 1=9609
- Kalinkin, L.F. See Estulin, I.V., 1=8648
- Kalinkin, L.F. See Melioranskii, A.S., 1=13659
- Kalinkina, O.M. See Bădescu, A., 1=13694
- Kalinovich, D.F. Electric transport in interstitial solid solutions, 1=14352



- Kalinovich, D.F., Kovenskiĭ, I.I., Smolin, M.D. and Frantsevich, I.N. Mobility of chromium atoms in a nickel-chromium alloy under the influence of a constant electric field, 1=7596
- Kaliteevskii, N.I., Fradkin, E.E. and Chaika, M.P. Quadrupole moments of odd barium isotopes, 1=19345
- Kalitzin, N.S. Expanding galactic systems and a new application of Einstein's general theory of relativity, 1=12737
- Kalitzin, N.S. On the "Nagoya model" of the elementary particles, 1=13309
- Kaljabina, I.A. and Yukhvidin, Ya.A. Experience in using mass-spectrometric methods in electro-vacuum technology, 1=9430
- Kallen, G. The analyticity domain of the four-point function, 1=13272
- Källen, G. and Toll, J. Integral representations for the vacuum expectation value of three scalar local fields, 1=5196
- Kaller, A. What happens during the polishing of glass, 1=9160
- Kallistratova, M.A. Procedure for investigation sound scattering in the atmosphere, 1=2827
- Kallistratova, M.A. and Tatarskii, V.I. Allowance for wind turbulence in the calculation of sound scattering in the atmosphere, 1=20875
- Kallmann, H., Kramer, B., Haidemenakis, E., McAleer, W.J., Barkemeyer, H. and Pollak, P.I. Photovoltages in silicon and germanium layers, 1=6181
- Kallmann, H., Kramer, B., Spagnolo, F. and Spruch, G.M. Positive hole motion and photovoltaic effects in zinc cadmium sulfide phosphors, 1=12464
- Kallmann, H. and Luchner, K. Effect of infrared irradiation on ZnS:Cu phosphors, 1=14641
- Kallmann, H. and Pope, M. Decomposition of water by light, 1=1488
- Kallmann, H. See Brown, F.H., 1=6864
- Kallmann, H.P. See Shionoya, S., 1=5054
- Kallmann-Bijl, H.K. Daytime and nighttime atmospheric properties derived from rocket and satellite observations, 1=20885
- Kalman, G. Statistical distribution of the magnetic microfield in a plasma, 1=4591
- Kalman, G. Collective motions in a plasma due to magnetic interaction, 1=9624
- Kalman, G. Lagrangian formalism in relativistic dynamics, 1=10424
- Kalman, G. See Ron, A., 1=5440
- Kalman, G. See Ron, A., 1=11926
- Kalman, Z.H. See Schieber, M., 1=20567
- Kalmanson, A.E. See Chernyakovskii, F.P., 1=5072
- Kalmer, J. and Górski, W. Studies on a spectrometric leak detector, 1=4390
- Kalmus, E.H. Preparation of aerosols for electron-microscopy, 1=20712
- Kalmus, P.I.P. A simple flexible vacuum joint, 1=9431
- Kalmus, P.I.P. See Aitken, D.K., 1=9663
- Kalmus, P.I.P. See Jennings, R.E., 1=397
- Kalmykova, S.S. and Shestopalov, V.P. Theory of a modified spiral with reverse winding, 1=5585
- Kal'na, H.I. See Kuz'menko, P.P., 1=12643
- Kal'na, H.I. See Kuz'menko, P.P., 1=12645
- Kalnajs, J. See Smakula, A., 1=1677
- Kalnins, A. On vibrations of shallow spherical shells, 1=11805
- Kalos, M.H. Monte Carlo calculations of the alpha particle ground state, 1=19295
- Kalra, S.N. Frequency measurement of standard frequency transmissions, 1=2726
- Kalra, S.N. Frequency measurement of standard frequency transmissions, 1=4301
- Kalra, S.N. Frequency measurement of standard frequency transmissions, 1=6819
- Kalra, S.N. Frequency measurement of standard frequency transmissions, 1=9363
- Kalra, S.N. Frequency measurement of standard frequency transmissions, 1=9364
- Kalweit, C. See Schaaffs, W., 1=16039
- Kalyamin, A.V. See Belyaev, B.N., 1=19472
- Kal'yanova, S.M. See Gorelik, S.S., 1=10007
- Kal'ynovych, D.F. See Frantsevych, I.N., 1=12655
- Kal'ynovych, D.F. See Frantsevych, I.N., 1=12656
- Kal'ynovych, D.F. See Frantsevych, I.N., 1=12657
- Kalyush, A.V. See Yakovlev, V.A., 1=3594
- Kamada, K. Low field magnetoresistance effect of plastically deformed n-type silicon, 1=8950
- Kamadzhiev, P.R. See Elistratov, A.M., 1=15159
- Kamal, A.A.  $\bar{K}$  capture frequency in hydrogen, 1=5783
- Kamal, A.N. P-wave pion-pion resonance, 1=8496
- Kamal, A.N. See Allcock, G.R., 1=7272
- Kamb, W.B. The thermodynamic theory of nonhydrostatically stressed solids, 1=20325
- Kamberský, V., Málek, Z., Frait, Z. and Ondris, M. The dependence of the uniaxial magnetic anisotropy in evaporated films on the angle of incidence, 1=14718
- Kamberský, V., Málek, Z. and Kaczér, J. Equipment for the deposition and measurement of the magnetic anisotropy of thin films in a high vacuum, 1=16481
- Kamberský, V. See Frait, Z., 1=17962
- Kamberský, V. See Ondris, M., 1=20101
- Kamborov, Kh. See Amov, B., 1=7337
- Kameda, T. On the high energy soft component near sea level, 1=9790
- Kameda, T. and Maeda, T. On the high energy soft components at 2770 m altitude, 1=10941
- Kameda, T., Maeda, T. and Toyada, Y. On extensive air showers at 2770 m above sea-level, 1=2126
- Kameda, T., Toyoda, Y. and Maeda, T. On the electronic component of extensive air showers near the axis, 1=12137
- Kamefuchi, S. See Umezawa, H., 1=5633
- Kamegai, M. See Allison, K., 1=16433
- Kamei, O. See Ezawa, H., 1=3170
- Kamei, O. See Ezawa, H., 1=13481
- Kamei, O. See Watanabe, K., 1=13284
- Kamenskii, E.I. See Aleksandrov, K.S., 1=16015
- Kameswara Rao, K.V. and Ramakrishna Rao, V. The effect of the angle of a prism on its dispersion and dispersive power, 1=5342
- Kamigaichi, T. Electrical and magnetic properties of chromium sulphides, 1=14465
- Kamigaichi, T., Masumoto, K. and Hihara, T. Electrical properties of chromium sulfides, 1=11250
- Kamigaki, K. Ultrasonic attenuation in tin single crystals at low temperatures, 1=14173
- Kamigaki, K. Ultrasonic attenuation in magnetite at low temperatures, 1=14174
- Kamijo, F. Vibrational transition probabilities of the  $^{12}\text{C}_2$  system (Phillips system) of carbon molecule, 1=15505
- Kamimura, H., Koide, S., Sekiyama, H. and Sugano, S. Magnetic properties of the Pd and Pt group transition metal complexes, 1=10128
- Kaminer, N.S. On the variability of the meteorological coefficients of the hard component of cosmic radiation, 1=3339
- Kaminer, N.S. See Blokh, Ya.L., 1=3345
- Kaminer, N.S. See Blokh, Ya.L., 1=3347
- Kaminer, N.S. See Blokh, Y.L., 1=19308
- Kaminisi, K. Distribution of hydrogen and helium in the interior of the star, 1=5161
- Kaminow, I.P. Microwave modulation of the electro-optic effect in  $\text{KH}_2\text{PO}_4$ , 1=12484
- Kaminow, I.P. and Jones, R.V. Pressure dependence of the microwave resonance properties of some spinel and garnet ferrites, 1=11468
- Kaminow, I.P. See Dymanus, A., 1=6395
- Kaminskii, D.L. See Vasilenko, S.S., 1=19401
- Kamiya, Y., Ando, K., Nonoyama, M. and Uyeda, R. Dislocation networks and moiré patterns of molybdenite, 1=12387
- Kamiya, Y. and Uyeda, R. Effect of incoherent waves on the electron microscopic images of crystals, 1=15045
- Kamiya, Y. and Uyeda, R. An electron microscopic study on the crystal growth of silver evaporated on molybdenite, 1=20429
- Kamiya, Y. See Sekido, Y., 1=2141
- Kamiyoshi, K. and Yamakami, T. Study on the phase transition of ammonium nitrate by dielectric observation and by differential thermal analysis, 1=1356
- Kamiyoshi, K. and Yamakami, T. Some observations on plastic deformation and slip lines of sodium chloride whisker, 1=14901
- Kamiyoshi, K. and Yamakami, T. Observations on growth shape, plastic deformation and slip line of sodium chloride whisker, 1=20448
- Kamke, D. See Haun, S., 1=18734

- Kammash, T. Elastic-plastic thermal stresses in tubes subjected to uniform heat generation, Evaluation of experimental results obtained using graphite tubes, 1=20341
- Kammash, T.B., Murch, S.A. and Naghdi, P.M. The elastic-plastic cylinder subjected to radially distributed heat source, lateral pressure and axial force with application to nuclear reactor fuel elements, 1=1310
- Kämmerer, C. Various types of equations and problems of technical dimensions, 1=4233
- Kammerer, O.F. See Kelsch, J.J., 1=2246
- Kämmerer, W. Digital computer with programming by mathematical formula, 1=12731
- Kammuri, T. Compound nucleus processes in the reactions between complex nuclei, 1=12224
- Kammuri, T. and Nakashima, R. Angular distributions of ( $^{14}\text{N}, \alpha$ ) reactions, 1=740
- Kamnev, A.B. See Goryunov, N.N., 1=2128
- Kamoldinov, M.G. and Reikhrudel', E.M. Photoconductivity and quantum yield in germanium under the action of X-rays, 1=19849
- Kamper, R.A. See Harvey, J.S.M., 1=3932
- Kamprath, W. Infrared absorption of amorphous selenium with added arsenic, 1=5050
- Kan, L.S., Lazarev, B.G. and Makarov, V.I. The superconductivity of tin and indium under pressure, 1=18723
- Kanai, Y. Hot holes in tellurium, 1=1085
- Kanai, Y. The change in electron mobility in indium antimonide at low electric field, 1=8954
- Kanai, Y., Nii, R. and Watanabe, N. Oscillatory magnetoresistance in n-type PbTe, 1=14379
- Kanai, Y., Nii, R. and Watanabe, N. Electrical properties of lead telluride, 1=17747
- Kanavets, V.P., Levintov, I.I. and Morozov, B.V. Limiting values of the  $\pi^+p$  scattering amplitude, 1=19258
- Kanavets, V.P. See Barmin, V.V., 1=19324
- Kanazawa, A. The electric polarizability of the neutron in the static meson theory, 1=8437
- Kanazawa, A. Resonance model of  $\Lambda - K^0$  production, 1=10924
- Kanazawa, A., Sugawara, M. and Tanaka, K. Intermediate vector boson and radiative lepton decay of the K meson, 1=7282
- Kanazawa, A. and Tani, S. Electric polarizability of the neutron, 1=19205
- Kanazawa, A. See Sugawara, M., 1=12060
- Kanazawa, H. and Matsudaira, N. Green function method for electron gas. III. Diamagnetism, 1=3647
- Kanazawa, H. and Matsudaira, N. Diamagnetism of a dense electron gas, 1=3876
- Kanazawa, H., Misawa, S. and Fujita, E. Green function method for electron gas. II. Dispersion relation of plasmons, 1=3646
- Kanazawa, H. and Watabe, M. Green function method in quantum-statistics, 1=68
- Kanazawa, H. and Watabe, M. Green function method for electron gas. I. General formulation, 1=3645
- Kanda, E. See Kobayashi, H., 1=12517
- Kanda, S. and Kawaguchi, S. Electrical conductivity of some coordination polymers, 1=8928
- Kanda, Y. See Sugiyama, K., 1=12170
- Kandaurova, G.S. and Shur, Ya.S. Some magnetic properties of manganese-bismuth alloy powder, 1=7750
- Kandaurova, G.S. See Shur, Ya.S., 1=3903
- Kandel, R. Deviation from equilibrium and abundances in solar and stellar photospheres. V. The abundance of titanium, 1=15452
- Kandel, R. See Balli, E., 1=18082
- Kane, E.O. Theory of tunneling, 1=2404
- Kane, J.V. See Donovan, P.F., 1=10964
- Kane, J.V. See Elwyn, A.J., 1=720
- Kane, J.V. See Schwarzschild, A., 1=7358
- Kane, P.P. and Holzwarth, G.M. Coherent scattering of 1.17 MeV and 1.33 MeV gamma rays through small angles, 1=8694
- Kane, R.P. Effect of world-wide changes of isotropic cosmic ray intensity on the daily variation of cosmic rays, 1=13570
- Kane, R.P. A critical appraisal of some cosmic ray data for the I.G.Y., 1=16948
- Kane, R.P., Kane, S.R. and Holla, B.A. Day to day changes in the daily mean intensity of cosmic rays, 1=13567
- Kane, R.P. and Thakore, S.R. Latitude dependence of the daily variation of cosmic ray intensity, 1=16949
- Kane, S.R. See Kane, R.P., 1=13567
- Kane, W.M. and Wood, C. Electrical conduction in thin films of silver telluride, 1=8957
- Kane, W.M. See Gottlieb, G.E., 1=17757
- Kane, W.M. See Spratt, J.P., 1=8925
- Kane, W.M. See Wood, C., 1=3772
- Kaneda, E. See Nagata, T., 1=21035
- Kanekar, C.R. See Dharmatti, S.S., 1=12902
- Kaneko, S. Transport coefficients of plasmas in a magnetic field, 1=11930
- Kaneko, S. See Kihara, T., 1=8325
- Kaneko, S. See Kim, C.Y., 1=8471
- Kaneko, S. See Takayanagi, K., 1=14002
- Kaneko, T. Volume magnetostriction of cobalt-nickel alloys, 1=9029
- Kaneko, T. The change of the Curie temperature of iron-nickel alloys due to hydrostatic pressure, 1=12513
- Kaneko, T. See Miyake, S., 1=2127
- Kaneko, T. See Miyake, S., 1=13555
- Kaneko, Y. Ionization efficiency curves for  $\text{A}^+$ ,  $\text{Kr}^+$ ,  $\text{N}_2^+$  and  $\text{CO}^+$  by electron impact, 1=18761
- Kanematsu, F. A sensitive vacuum leak detector using a radio-frequency mass spectrometer, 1=9428
- Kanematsu, K., Yasukōchi, K. and Ohoyama, T. Antiferromagnetism of  $\text{FeSn}_2$ , 1=14761
- Kanematsu, K. See Ohoyama, T., 1=15144
- Kanematsu, K. See Yasukōchi, K., 1=1249
- Kanematsu, K. See Yasukōchi, K., 1=12544
- Kanematsu, K. See Yasukōchi, K., 1=14682
- Kanematsu, K. See Yasukōchi, K., 1=14764
- Kaneno, T. On a possible generalization of quantum mechanics, 1=2004
- Kaner, E.A. Theory of absorption of ultrasound by metals in a strong magnetic field. II, 1=19703
- Kaner, E.A., Peschanskii, V.G. and Privorotskii, I.A. Contribution to the theory of magneto-acoustic resonance in metals, 1=14172
- Kaner, E.A. See Azbel, M.Ya., 1=955
- Kaner, E.A. See Galkin, A.A., 1=17402
- Kanev, S. Electrically stimulated currents in CdS single crystals, 1=3762
- Kanevskii, I.N. Experimental investigation of cylindrical focussing systems, 1=2815
- Kanevskii, I.N. Study of the field structure of a cylindrical ultrasonic concentrator, 1=16019
- Kanevskii, I.N. Steady forces arising in a sound field, 1=18514
- Kang, Y.W. See Schneps, J., 1=8511
- Kankeleit, E. An investigation of the conversion electrons from the Mossbauer effect in tungsten-182 using a magnetic spectrometer, 1=19348
- Kanki, T. Note on the pion propagator in the composite theory, 1=13307
- Kanki, T. and Yamamoto, K. The proton-neutron mass difference and the inner structure of the nucleon, 1=10882
- Kanno, T. See Azuma, T., 1=18340
- Kanskaya, L.M. See Gross, E.F., 1=17885
- Kanter, H. Electron scattering by thin foils for energies below 10 keV, 1=1922
- Kanter, H. Energy dissipation and secondary electron emission in solids, 1=3005
- Kanter, H. Contribution of backscattered electrons to secondary electron formation, 1=3006
- Kantor, P.B., Krasovitskaya, R.M. and Kisel', A.N. Determination of the enthalpy and the specific heat of beryllium at 600-2200°K, 1=6074
- Kantrowitz, A. See Fishman, F.J., 1=5453
- Kantúrek, J. and Suk, K. The influence of Cd on the absorption of NaCl, 1=17877
- Kantúrek, J. See Bohun, A., 1=17584
- Kanwal, R.P. Flow behind shock waves in conducting gases, 1=166
- Kanwal, R.P. Slow rotation of an axially symmetric body in a viscous electrically conducting fluid, 1=9676
- Kanwal, R.P. On magnetohydrodynamic shock waves, 1=16531
- Kanzaki, H. and Kido, K. Purification of alkali halide crystals through fractional distillation and normal freezing, 1=10233
- Känzig, W. Paramagnetic resonance of the antimony of the F-center, 1=20217
- Känzig, W. Paramagnetic resonance study of radiation damage in lithium fluoride, 1=20218
- Känzig, W. Paraelasticity, a mechanical analog of paramagnetism, 1=20315



- Kanzler, G. Electron emission from quinine sulphate and dickite, 1=18915
- Kanzler, G. On the problem of secondary electron and induced photoemission from germanium and silicon, 1=18924
- Kanzler, G. See Hanle, W., 1=8344
- Kao, K.C. Some electromechanical effects on dielectrics, 1=19937
- Kao, Yi-Han. See Price, P.J., 1=17710
- Kapadnis, D.G. See Doloupil, Z., 1=255
- Kapany, N.S. Fiber optics. VIII. The focon, 1=2845
- Kapany, N.S. Electro-optical systems using fibre optics, 1=2846
- Kapany, N.S. Optical image assessment, 1=5340
- Kapany, N.S. and Burke, J.J. Fiber optics. IX. Waveguide effects, 1=12975
- Kapany, N.S. and Capellaro, D.F. Fiber optics. VII. Image transfer from Lambertian emitters, 1=2844
- Kapitsa, M.L. See Shul'man, A.R., 1=13106
- Kapitsa, S.P. Laboratory electromagnet, 1=4694
- Kapitsa, S.P. The radiation from a charge moving in an inhomogeneous medium, 1=19163
- Kapitsa, S.P., Bykov, V.P. and Melekhin, V.N. An efficient large current microtron, 1=18966
- Kaplan, A. Magnetic core losses resulting from a rotating flux, 1=5531
- Kaplan, D.E. See Cowen, J.A., 1=20204
- Kaplan, I. See Duquesne, M., 1=9420
- Kaplan, I. See Duquesne, M., 1=9421
- Kaplan, I. See Honeck, H.C., 1=17207
- Kaplan, I.G. The transformation permutation group matrix and construction of the coordinate wave function of a multishell configuration, 1=18275
- Kaplan, I.G. On the diamagnetism of a system of interacting particles, 1=18300
- Kaplan, I.G. Coordinate [fractional] parentage coefficients for a configuration consisting of several shells, 1=19325
- Kaplan, I.T. See Ripps, H., 1=12722
- Kaplan, J., Schade, W.J., Barth, C.A. and Hildebrandt, A.F. Atomic reactions in the upper atmosphere, 1=1525
- Kaplan, J.I. Electron spin resonance of crystalline free radicals, 1=11473
- Kaplan, J.I. Nonlinear effects of Z-directed spin waves in thin films, 1=14717
- Kaplan, M. and Shirley, D.A. Nuclear orientation of paramagnetic impurity ions, 1=7518
- Kaplan, M. See Coryell, C.D., 1=9862
- Kaplan, M. See Shirley, D.A., 1=11147
- Kaplan, R. See Kim, Y.W., 1=3935
- Kaplan, S., Paulikas, G.A. and Pyle, R.V. Dissociation of  $H_2^+$  ions by a magnetic field, 1=16267
- Kaplan, S.A. On the theory of propagation and decay of hydromagnetic waves in an anisotropic medium, 1=5561
- Kaplan, S.A. Magnetogasdynamics and problems of cosmogony, 1=12735
- Kaplan, S.A. Shock waves in stars, 1=18451
- Kaplan, S.A. and Kurt, V.G. Expansion of a sodium cloud in interplanetary space, 1=18018
- Kaplan, S.A., Lohvynenko, A.A. and Pidstryhach, T.S. Calculation of gasomagnetic shock-wave parameters, 1=13167
- Kaplan, T.A. Some effects of anisotropy on spiral spin-configurations with application to rare-earth metals, 1=14668
- Kaplan, T.A., Dwight, K., Lyons, D. and Menyuk, N. Classical theory of the ground spin state in spinels, 1=6349
- Kaplan, T.A. See Lyons, D.H., 1=935
- Kaplon, M.F. See Appa Rao, M.V.K., 1=13549
- Kaplon, M.F. See Engler, A., 1=8522
- Kaplun, V.A. See Pistol'kors, A.A., 1=5592
- Kaplyanskii, A.A. Band-splitting in the spectra of cubic crystals subjected to oriented deformation, 1=17879
- Kaplyanskii, A.A. See Gross, E.F., 1=3829
- Kaplyanskii, A.A. See Gross, E.F., 1=12496
- Kaplyanskii, A.A. See Gross, E.F., 1=17876
- Kaplyanskii, A.A. See Gross, E.F., 1=19967
- Kapoor, M.M. See Jain, D.V.S., 1=15193
- Kapoor, M.M. See Jain, D.V.S., 1=15194
- Kapoor, S.S. See Ramanna, R., 1=9889
- Kappler, E. See Derner, P., 1=11510
- Kapshukov, I.I. and Ugai, Ya.A. Asymmetry of the  $K_{\alpha 12}$  lines of zinc in its semiconducting compounds with antimony, 1=11387
- Kapur, J.N. Some problems in hydrodynamics of non-Newtonian viscous liquids with variable coefficient of cross-viscosity, 1=111
- Kapur, J.N. On axially symmetric superposable flows. II, 1=6829
- Kapur, J.N. and Jain, R.K. On the stability of a solution in hydromagnetics in the presence of dissipative forces, 1=16530
- Kapušcińska, M.I. See Skalinski, T., 1=13936
- Kapuy, E. Derivation of approximate two-electron orbitals, 1=861
- Kapuy, E. An exact derivation of orthogonal two-electron orbitals, 1=4261
- Kapuy, E. Configuration interaction for wave functions built up from orthogonal two-electron orbitals, 1=18297
- Kapyshev, A.G. See Venevsev, Yu.N., 1=15018
- Kar, K.C. Note on Dirac method of linearising the relativistic Hamiltonian, 1=7192
- Kar, K.C. On the perturbation theory with time-dependent wave functions, 1=7220
- Kar, K.C. and Paria, B.N. Note on the wave statistical derivation of Klein-Nishina formula for Compton scattering, 1=7210
- Kar, K.C. and Purkayastha, S. Linear relativistic Hamiltonian and the electromagnetic field, 1=60
- Karadeniz, C. A slide rule to work out nuclear particles track lengths, 1=17983
- Karageorgii-Alkalaev, P.M. See Avak'yants, G.M., 1=17768
- Karakulin, I.E. See Smushkov, I.V., 1=10267
- Karakushan, E.I. and Stafeev, V.I. Magnetodiodes, 1=14481
- Karal'nik, S.M. Employing a URS-251 [ionization] diffractometer for a study of the characteristic absorption of X-rays, 1=11995
- Karal'nik, S.M., Nikolayeva, L.H. and Korolenko, Yu.I. Study of the characteristic absorption of X-rays in Ti compounds [Ti, TiO<sub>2</sub>, TiN, TiC, TiH], 1=14621
- Karal'nyk, S.M. See Nikolaeva, L.H., 1=11388
- Karal'nyk, S.M. See Nikolayeva, L.H., 1=20585
- Karamyan, A.S., Dorofeev, G.A. and Klochkov, D.S. Neutron emission from strongly excited nuclei, 1=17155
- Karamyan, A.S. and Pleva, A.A. Investigation of the  $V^{51}(C^{12}, 2n)Cu^{61}$  reaction, 1=19538
- Karan, A.A. See Vitman, V.D., 1=17046
- Karapetyan, G.O. and Yudin, D.M. A study of the effect of  $\gamma$ -irradiation on phosphate glasses by the method of electron paramagnetic resonance, 1=19809
- Karasawa, T. See Kikuchi, S., 1=7113
- Karasik, V.R. and Kurganov, G.B. Concentration effect in germanium, 1=1046
- Karatoteva, T. See Peeva, A., 1=13202
- Karatoteva, T. See Peeva, A., 1=13203
- Karavichová, M. and Madár, J. A contribution to the crystal structure of  $Cu(NH_4)(NO_3)_2$ , 1=9140
- Karchevskii, A.I. Electrocaloric effect in polycrystalline barium titanate, 1=19927
- Karczewski, B. Fraunhofer diffraction of an electromagnetic wave, 1=370
- Karczewski, B. Polarization of diffracted electromagnetic wave, 1=3059
- Karczewski, B. Approximate formulas for the diffracted electromagnetic wave. I, 1=3060
- Karczewski, B. Fraunhofer diffraction of an electromagnetic wave, 1=13181
- Karczewski, B. On approximate electromagnetic theories of diffraction. I, 1=16106
- Karczewski, B. Approximate formulae for the diffracted electromagnetic wave. II, 1=16565
- Karczewski, B. On Kottler's theory of diffraction, 1=19028
- Kard, P.G. Theory of reduction of reflection by metal films, 1=2875
- Kard, P.G. Fundamentals of a theory dealing with synthesis of absorbing antireflection coatings, 1=2876
- Kard, P.G. and Knittl, Z. On some degenerate cases of thin film interference, 1=16102
- Kardon, B., Kiss, D., Lovas, I. and Zamori, Z.  $\gamma$ - $\gamma$  angular correlation in the  $Ti^{48}(n, \gamma)Ti^{48}$  reaction, 1=8651
- Kardonskii, V.M. Concerning the evaluation of extinction coefficients, 1=12636
- Karekar, R.N. See Chiplonkar, M.W., 1=20862
- Kargin, V.A. See Berestnev, V.A., 1=20654
- Karimov, R. See Azimov, S.A., 1=3274

- Karimov, R. See Azimov, S.A., 1=19227  
 Karimov, Yu.S. and Shchegolev, I.F. Hyperfine interaction in the diphenyl-picrylhydrazyl molecule, 1=14093  
 Karimov, Yu.S. and Shchegolev, I.F. Nuclear resonance of  $\text{Sn}^{119}$  in metallic tin, 1=20268  
 Karkhanin, Yu.I. See Vorob'ev, Yu.V., 1=14629  
 Karle, J. Excited states of molecules and the scattering of fast electrons, 1=17602  
 Karle, J. See Hauptman, H., 1=15062  
 Karlikov, V.P. A contribution to the theory of axially symmetric flow of gases, 1=5289  
 Karlikov, V.P. See Korobeinikov, V.P., 1=5542  
 Karlov, N.V. and Chikhachev, B.M. The sensitivity of a low-noise radiometer (in the quantum region), 1=4215  
 Karlov, N.V. and Chikhachev, B.M. The sensitivity of a radio-telescope at low input-noise levels, 1=4216  
 Karlovský, J. and Marek, A. On an Esaki diode having the curvature coefficient greater than  $e/kT$ , 1=17765  
 Karlsson, A., Lerjefors, C.A. and Matthias, E. The gyromagnetic ratio of the 155 keV rotational level in  $\text{Os}^{188}$ , 1=12156  
 Karlsson, E. and Siegbahn, K. A new design for a beta-ray spectrograph for relative measurements, 1=2041  
 Karlsson, E. See Lerjefors, C.A., 1=12157  
 Karlykov, D.M. X-ray investigation of short-range order liquid solutions of zinc in mercury, 1=12860  
 Karmen, K.N. The effect of unipolarity of Rochelle salt on its electrical properties, 1=19922  
 Karmohapatro, S.B. Charge exchange between argon ions and atoms, 1=4563  
 Karmohapatro, S.B. A two-directional focussing high-intensity mass-spectrometer, 1=13132  
 Karnaukhov, I.M. See Fogel', Ya.M., 1=4652  
 Karnaukhov, V.A. and Tarantin, N.I. On the possibility of proton decay of nuclei, 1=19379  
 Karolus, A. and Helmberger, J. A new electro-optic distance meter with an accuracy of  $1:10^4$ , 1=12838  
 Károlyházy, F. Phase operators in radiation theory, 1=18554  
 Karp, A. Tritanopia and two-colour image synthesis, 1=4159  
 Karp, S.N. and Keller, J.B. Multiple diffraction by an aperture in a hard screen, 1=5357  
 Karp, S.N. See Zitron, N., 1=6934  
 Karp, S.N. See Zitron, N., 1=6935  
 Karpechenko, V.G. See Grechanik, L.A., 1=10047  
 Karpenko, B.V. On the problem of the existence of super-conductive state in antiferromagnetic metals, 1=9511  
 Karpenko, B.V. On the question of the existence of super-conducting antiferromagnetics, 1=9512  
 Karpenko, B.V. Effect of the scattering of conduction electrons by the spin waves of a ferromagnetic on the temperature of transition to the superconducting state, 1=11876  
 Karpenko, B.V., Berdyshev, A.A., Zaks, R.B. and Noskova, L.M. The role of indirect exchange interaction in the theory of magnetism of the transition metals and rare earths. II. Antiferromagnetism, 1=3917  
 Karplus, M. The analysis of molecular wave functions by nuclear magnetic resonance spectroscopy, 1=3562  
 Karplus, M. Proton spin coupling by  $\pi$  electrons, 1=3568  
 Karplus, M. Theory of proton coupling constants in unsaturated molecules, 1=4949  
 Karplus, M. and Das, T.P. Theory of localized contributions to the chemical shift. Application to fluorobenzenes, 1=8853  
 Karplus, M. and Fraenkel, G.K. Theoretical interpretation of carbon-13 hyperfine interactions in electron spin resonance spectra, 1=17344  
 Karplus, M. See Schug, J.C., 1=19660  
 Karplus, R. and Yamaguchi, Y. Quasi-elastic nucleon-nucleus scattering at high energy, 1=19187  
 Karplus, R. See Dessler, A.J., 1=21074  
 Karplus, R. See Francis, W.E., 1=15256  
 Karplus, R. See Freund, P.G.O., 1=16698  
 Karplus, R. See Freund, P.G.O., 1=16700  
 Karplus, R. See Hamlin, D.A., 1=15327  
 Karpov, Yu.S. Temperature dependence of low frequency fluctuations of conductivity in reverse-biased germanium p-n junctions, 1=14482  
 Karpov, Yu.S. Temperature dependence of low frequency fluctuations of conductivity in reverse-biased germanium p-n junctions, 1=17770  
 Karpova, I.V. See Alekseeva, V.G., 1=17685  
 Karpovich, I.A. See Lukirskii, A.P., 1=13109  
 Karpovich, I.R. See Ozerov, R.P., 1=11551  
 Karpukhin, O.A. See Gol'danskii, V.I., 1=492  
 Karpukhin, O.A. See Gol'danskii, V.I., 1=4786  
 Karr, H.J., Knapp, E.A. and Osher, J.E. Energy loss from a toroidal pinch discharge, 1=5465  
 Karras, H. Coloration spectra of strontium fluoride single crystals, 1=19808  
 Karras, H. See Gürlich, P., 1=14329  
 Karras, M. On the natural radioactivity of samarium, 1=13703  
 Karras, M. See Nurmia, M., 1=13714  
 Karrer, S. See Kiess, C.C., 1=1632  
 Karriker, F.P. See Newson, H.W., 1=13653  
 Kartashev, A.I. Optical systems with high resolving power, 1=2847  
 Kartmazov, G.N. See Vasyutinskii, B.M., 1=1436  
 Kartuzhanskii, A.L. An estimate of losses during the formation of a latent photographic image by ionizing particles, 1=13248  
 Kartuzov, I.A. See Galavanov, V.V., 1=19879  
 Kasai, P.H. and Otomo, Y. Paramagnetic resonance detection of luminescent centers and traps in self-activated ZnS phosphors, 1=14642  
 Kasarov, R.E. See Andronikashvili, E.L., 1=2130  
 Kash, S.W. [Ed.] Plasma acceleration. The Fourth Lockheed Symposium on Magnetohydrodynamics, 1=10694  
 Kash, S.W. Efficiency considerations in electrical  
 Kasha, H. On extragalactic cosmic rays, 1=9782  
 Kasha, H. See Allan, H.R., 1=577  
 Kasha, M. See Ashraf El-Bayoumi, M., 1=11136  
 Kasha, M. See El-Sayed, M.F.A., 1=7478  
 Kasha, M. See Ramsey, B., 1=19641  
 Kasha, M. See Strickler, S.J., 1=8124  
 Kashaev, A.A. See Drits, V.A., 1=10265  
 Kashcheev, V. See Oshurkov, P., 1=5067  
 Kashcheev, V.N. and Krivogla, M.A. Effect of spin-spin and spin-phonon interactions in a ferromagnetic on the energy distribution of scattered neutrons, 1=14731  
 Kashcheev, V.N. and Krivogla, M.A. Effect of spin-spin and spin-phonon interactions in a ferromagnetic on the energy distribution of scattered neutrons, 1=17971  
 Kashcheev, V.N. and Krivogla, M.A. The influence of anharmonicity on the energy distribution of anelastically scattered neutrons I. The case of weak interactions, 1=19481  
 Kashcheev, V.N. and Krivogla, M.A. The theory of inelastic scattering of neutrons by impurity centres in crystals, 1=20502  
 Kashiwabara, H. and Shinohara, K. The behaviours of free radicals trapped in  $\gamma$ -irradiated polyethylene, 1=14344  
 Kashkai, M.A., Ismail-Zade, T.A. and Aliev, V.I. Magnetic properties of the Yardymlynsk iron meteorite, 1=5140  
 Kashkai, M.A., Ismail-Zade, T.A. and Aliev, V.I. Magnetic properties of the Yardymlynsk iron meteorite, 1=10384  
 Kashkarov, L.L. See Cherdyntsev, V.V., 1=3304  
 Kashtanova, A.M., Kurtseva, N.N. and Skanavi, G.I. An investigation of relaxation polarization and phase composition of the  $\text{SrTiO}_3\text{-Bi}_2\text{O}_3\text{-nTiO}_2$  ( $n = 2, 3$ ) system, 1=14538  
 Kashtanova, A.M. See Gubkin, A.N., 1=12474  
 Kashuba, I.E. See Pasetchnik, M.V., 1=8707  
 Kasy, E., Perry, R.R., Steele, R.L. and Risser, J.R. Excited states in  $\text{N}^{14}$  from the elastic scattering of protons by  $\text{C}^{13}$ , 1=7324  
 Kasy, E. See Belote, T.A., 1=7327  
 Kasy, E. See Hoogenboom, A.M., 1=19510  
 Kaskan, W.E., Mackenzie, J.D. and Millikan, R.C. Origin of the green bands in the boron-oxygen system, 1=4937  
 Kastler, A. On the relation between Hanle's experiment and optically-induced spin precession. Application to the study of excited atomic states, 1=13958  
 Kästner, G. See Bethge, H., 1=10278  
 Kasuya, T. Microwave spectrum of ethyl iodide. II, 1=9928  
 Kasuya, T. and LeCraw, R.C. Relaxation mechanisms in ferromagnetic resonance, 1=7781  
 Kasuya, T. and Oka, T. Microwave spectrum of ethyl iodide, 1=838  
 Kasuya, T. and Oka, T. Microwave spectrum of ethyl iodide. I, 1=7463  
 Kasymova, R.S. See Arkad'eva, E.N., 1=19904  
 Kataev, D.I. See Mal'tsev, A.A., 1=4938  
 Katano, Y. See Kubo, K., 1=14274  
 Katanov, L.M. See Rybalko, F.P., 1=10231  
 Katase, A. See Sonoda, M., 1=11984



- Katayama, K. X-ray line broadening in polyethylene filaments, 1=20697
- Katayama, M. and Gordy, W. Electron spin resonance of  $\gamma$ -irradiated glycylglycine, 1=11485
- Katayama, Y. On the weak interactions, 1=2005
- Katayama, Y. On the axial vector current conservation, 1=13358
- Katayama, Y., Taketani, M., Ragusa, S. and de Oliveira, D.R. On the electromagnetic structure of nucleons and their mass difference, 1=3167
- Katayama, Y. See Leal Ferreira, J., 1=3164
- Katayama, Y. See Taketani, M., 1=9722
- Katcoff, S. Fission product yields from neutron induced fission, 1=11049
- Katcoff, S. See Baker, E.W., 1=11015
- Kath, U. See Kuhl, W., 1=9459
- Kato, K. Oscillations in a plasma in a weak magnetic field, 1=8338
- Kato, K. See Kojima, S., 1=18896
- Kato, K. See Nishiyama, Z., 1=14281
- Kato, M. Photopion production and  $(\gamma, 3\pi)$  interaction, 1=12099
- Kato, M. See Itabashi, K., 1=10880
- Kato, M. See Takeda, G., 1=19269
- Kato, N. A theoretical study of Pendellösung fringes. I. General considerations, 1=20487
- Kato, N. A theoretical study of Pendellösung fringes. II. Detailed discussion based upon a spherical wave theory, 1=20488
- Kato, R. Improved continuously sensitive bubble chamber, 1=13245
- Kato, R. Optical properties of irradiated LiF crystals in the extreme ultraviolet, 1=14584
- Kato, R. Optical constants of LiF in the extreme ultraviolet, 1=19941
- Kato, R., Nakamura, K., Matsui, A. and Uchida, Y. Reflection and absorption spectra of LiF in the extreme ultraviolet region, 1=14591
- Kato, R., Nakashima, S., Nakamura, K. and Uchida, Y. Optical properties of irradiated LiF crystals in the extreme ultraviolet region, 1=19980
- Kato, R. See Fukuda, K., 1=10104
- Kato, S. and Kumar, S.S. On gravitational instability. I, 1=15606
- Kato, S. and Unno, W. Convective instability in polytropic atmospheres. II, 1=15511
- Kato, S. See Takeda, M., 1=8761
- Kato, S. See Yamabe, S., 1=12191
- Kato, S. See Unno, W., 1=15510
- Kato, T., Kobayashi, T. and Namiki, M. Formal theory of Green functions, 1=15734
- Kato, T. See Fujiwara, T., 1=14355
- Kato, Y. Nuclear quadrupole coupling in the  $\text{NH}_3$  molecule, 1=4952
- Kato, Y. Some converging examples of the perturbation series in the quantum field theory, 1=16722
- Kato, Y. Vibrational effect on the nuclear quadrupole coupling in  $\text{ND}_3$ , 1=17356
- Kato, Y. Magnetohydrostatic equilibrium for fluid enclosed in an axisymmetric toroidal surface, 1=19000
- Kato, Y. See Nishioka, A., 1=9154
- Katoh, T., Nozawa, M., Yoshizawa, Y. and Koh, Y. Beta- and gamma-ray spectroscopy of  $\text{Mn}^{55}$ , 1=12175
- Katoh, T. See Mizobuchi, A., 1=11014
- Katorski, A., Eberhart, J.G. and White, D. Separation of the isotopes HT and ortho- $\text{D}_2$  by adsorption at low temperatures, 1=12267
- Katsnel'son, A.A. See Iveronova, V.I., 1=4066
- Katsnel'son, A.A. See Iveronova, V.I., 1=20477
- Katsumata, I. See Miyake, S., 1=2127
- Katsumata, I. See Miyake, S., 1=13555
- Katsumori, H. Electromagnetic mass difference of elementary particles, 1=10831
- Katsumori, H. Electromagnetic vertex for  $\Sigma^0 \rightarrow \Lambda^0 + \gamma$ , 1=13519
- Katsumori, H. Electromagnetic mass shift of  $\Sigma$  hyperons, 1=13520
- Katsura, S. and Inawashiro, S. On Green and Leipnik's method for solution of the association problem, 1=8059
- Katsuura, K. On the viscosity of irradiated polymers. III. Effect of branching, 1=14135
- Katsuura, K. See Inokuti, M., 1=4263
- Katti, P.K. and Chaudhri, M.M. Effect of strong electric fields on the boiling points of some alcohols, 1=10629
- Katti, P.K. and Chaudhri, M.M. Note on the boiling points and surface tensions of binary mixtures of acetone and isopropanol, 1=15858
- Kattwinkel, W. Determination of the specific activity of a fluid from the dose-rate measured at the surface of cylindrical containers or pipes, 1=627
- Kattwinkel, W. Fast and thermal neutron flux at the surface of cylindrical containers as the result of  $\text{N}^{17}$  activity induced in water, 1=17185
- Katul, J. and Zahlan, A.B. Evidence for the existence of surface excitons in tetracene microcrystals, 1=6090
- Katz, A. Many-body perturbation methods in a soluble model, 1=586
- Katz, A. On the treatment of a perturbation in a system of paired fermions, 1=15727
- Katz, A. and Blatt, J. The moment of inertia of rotating nuclei, 1=5826
- Katz, E. See Read, P.L., 1=1025
- Katz, J.L., Powers, B.F. and Kleppa, O.J. Volume change on mixing in liquid sodium-potassium nitrates, 1=15860
- Katz, J.L. See Reiss, H., 1=13026
- Katz, L. Photonuclear reactions — experimental, 1=8684
- Katz, L. See Dickson, J.G., 1=15100
- Katz, L. See Thorson, I.M., 1=3435
- Katz, S. Configuration of a plasma in an axially symmetric magnetic field, 1=2967
- Katz, S. Lagrangean density for an inviscid, perfect, compressible plasma, 1=4592
- Katz, S. On a moving boundary problem, 1=4594
- Katz, U. The seeding of ice crystals with copper oxides and copper sulphides, 1=1373
- Katzin, L.I. Energy value of the octahedral-tetrahedral coordination change, 1=12328
- Katzman, J. Changes in the diurnal hour of maximum of the cosmic-ray intensity, 1=19319
- Kauder, L.N. See Stern, M.J., 1=7900
- Kauffman, J.W. See Nenno, S., 1=7576
- Kauffman, J.W. See Ward, J.B., 1=11256
- Kaufman, A.N. Definition of macroscopic electrostatic field, 1=11893
- Kaufman, A.N. Plasma transport theory, 1=15724
- Kaufman, A.N. and Watson, K.M. Linked-diagram expansion for the equation of state of a gas of molecules, 1=10544
- Kaufman, A.N. and Watson, K.M. Statistical theory of the dielectric constant of an imperfect gas, 1=11793
- Kaufman, A.N. See Newcomb, W.A., 1=4611
- Kaufman, I. See Douthett, D.D., 1=14751
- Kaufman, L., Leyenaar, A. and Harvey, J.S. The effect of hydrostatic pressure on the potency of martensitic embryos, 1=6531
- Kaufman, S., Lapinski, W.L. and McCaa, R.C. Response of a single-degree-of-freedom isolator to a random disturbance, 1=11804
- Kaufmann, R. and Wolfgang, R. Nucleon transfer reactions in grazing collisions of heavy ions, 1=735
- Kaufmann, R. and Wolfgang, R. Single-nucleon transfer reactions of  $\text{F}^{19}$ ,  $\text{O}^{16}$ ,  $\text{N}^{14}$ , and  $\text{C}^{12}$ , 1=736
- Kaufmann, W. and Wäffler, H. A search for parity-forbidden alpha-decay from the 8.88 MeV ( $2^-$ ) state in  $\text{O}^{16}$ , 1=8634
- Kaul, C.N. On singular surfaces in hydromagnetics, 1=16513
- Kaul, O.N. A study of development defects and track structures in nuclear emulsions using amidol developers, 1=13249
- Kaulgud, M.V. Ultrasonic velocity in liquid binary mixtures, 1=18402
- Kauman, W.G. On the flow and exchange diffusion of electrons and negative ions formed by molecular attachment, 1=4561
- Kaun, K.G. See Anton'eva, N.M., 1=13750
- Kaupilla, J.E. See Bockemuehl, R.R., 1=10059
- Kauranen, P. See Nurmia, M., 1=13714
- Kausch-Blecken von Schmeling, H.H. The scintillation response of organic scintillators for 1-2 keV electrons, 1=1185
- Kautz, B.R. See Skudrzyk, E.J., 1=2805
- Kauzmann, W. See Sovers, O., 1=12298
- Kauzmann, W. See Tobias, I., 1=12297
- Kavaloski, C.D. See Hintz, N.M., 1=19370
- Kavanagh, T.M. and Bell, R.E. Cross sections of (p,pxn) reactions in  $\text{Au}^{197}$ , 1=17098

- Kavilakov, S., Mitrani, L. and Betev, B. Cosmic ray intensity decreases during the magnetic storm of February 11th, 1958, 1=7302
- Kavilakov, Sh. See Mitrani, L., 1=7301
- Kawabata, A. See Toyoda, K., 1=14554
- Kawabata, C. See Umeda, K., 1=13915
- Kawabata, K. A model of the coronal condensation, 1=15489
- Kawada, T. See Yamamoto, M., 1=20412
- Kawaguchi, I. Helium lines at the extreme limb on the solar disc, 1=15473
- Kawaguchi, M. Polarization of the recoil nucleon from the photoproduction of pion, 1=3207
- Kawaguchi, M. Approximate solution of the Bethe-Salpeter equation for two fermions, 1=12050
- Kawaguchi, M., Miyamoto, Y. and Fujii, Y. Effects of the  $\gamma-3\pi$  interaction on photoreactions, 1=9759
- Kawaguchi, M. See Iso, C., 1=10834
- Kawaguchi, S. See Kanda, S., 1=8928
- Kawaguchi, Y. See Tadokoro, H., 1=12279
- Kawaguti, M. The flow of a viscous fluid past a triangular cylinder, 1=116
- Kawaguti, M. Reversal flow theorem concerning Oseen's approximation, 1=117
- Kawaharada, H. Critical potentials of soft X-rays emitted from nickel, 1=20001
- Kawai, H. See Keedy, D.A., 1=7703
- Kawai, N. On the alpha-particles from the  $N^{14}(d, \alpha)C^{12}$  ground state reaction, 1=9877
- Kawai, N. On the protons from the  $N^{14}(d, p)N^{15}$  reaction, 1=12215
- Kawai, N. See Morita, S., 1=8766
- Kawai, N. See Morita, S., 1=12213
- Kawai, N. See Morita, S., 1=12214
- Kawai, T. Study on the internal motions of some acryl- and methacryl-group high polymers by pulsed N.M.R. method, 1=14159
- Kawai, T., Sasaki, M., Hirai, A., Hashi, T. and Odajima, A. Measurement of temperature dependence of  $T_1$  of proton in some high polymers by pulsed N.M.R. technique, 1=14830
- Kawai, T. See Hashi, T., 1=1977
- Kawai, T. See Sasaki, M., 1=11602
- Kawai, Y. See Saito, T., 1=1738
- Kawaji, S. A.C. and d.c. field effects on cleaned germanium surfaces, 1=7639
- Kawaji, S. See Kobayashi, A., 1=1048
- Kawakami, I. On ratios of the renormalized and the bare coupling constants in the beta decay interaction, 1=10844
- Kawakubo, T., Yanagi, T. and Nomura, S. Some properties of titanium sesquioxides containing vanadium ions, 1=17640
- Kawakubo, T. See Nomura, S., 1=14183
- Kawakubo, T. See Nomura, S., 1=20548
- Kawamata, S. A simplified method calculating the laminar boundary layer, 1=12848
- Kawamoto, M. and Kimura, K. On non-propagating cracks in fatigue of metals, 1=1343
- Kawamura, H., Fukai, M., Hayashi, Y. and Hashimura, T. Linewidth of cyclotron resonance of pure germanium, 1=19757
- Kawamura, H. See Onuki, M., 1=950
- Kawamura, H. See Otsuka, E., 1=2497
- Kawamura, H. See Tanaka, T., 1=1092
- Kawamura, M. Angular correlation measurements in the decay of  $In^{115m}$ , 1=7352
- Kawamura, M., Aoki, A. and Ikegami, H. The second excited state of  $Sn^{120}$ , 1=16998
- Kawano, O. See Murakami, Y., 1=1430
- Kawarabayashi, K. Branching ratios for the  $K^-$  capture from hydrogen at low energy, 1=546
- Kawarabayashi, K. Low-energy limit theorems and dispersion relations, 1=13357
- Kawarabayashi, K. A note on the final state interaction in  $K^+_{\pi}$  decay, 1=13497
- Kawarabayashi, K. and Machida, S. Electromagnetic structure of the nucleon, 1=10881
- Kawarabayashi, K. and Miyazawa, H. S-wave pion-nucleon scattering, 1=3217
- Kawarabayashi, K. and Sawada, T. S-wave pion- $\Sigma$ -hyperon scattering, 1=3218
- Kawasaki, E. See Kojima, S., 1=18896
- Kawasaki, K. A subjective generalisation of statistical mechanics, 1=4279
- Kawasaki, K. An entropy concept in statistical mechanics, 1=4280
- Kawasaki, K. and Mori, H. On the green function of the spin system. I, 1=17942
- Kawasaki, K. and Mori, H. On the green function of the spin system. II, 1=17943
- Kawasaki, K. See Mori, H., 1=14732
- Kawashima, M. See Ogata, H., 1=11006
- Kawashima, M. See Ogata, H., 1=11012
- Kawasima, Y. Sound propagation in a fibre block as a composite medium, 1=8184
- Kawata, S. Study on spark counters of the Rosenblum type for counting  $\alpha$  particles and neutrons, 1=12034
- Kawatra, M.P. The effect of exchange and correlation on binding energy of compressed atoms, 1=13921
- Kawcyn, R.A. A 30-kilowatt, 500-microsecond vacuum tube pulser, 1=4588
- Kawski, A. Intermolecular energy transfer and concentration depolarization of fluorescence, 1=15888
- Kawski, A. and Polacki, Z. The concentration quenching of the fluorescence of anthracene in plexiglas, 1=14645
- Kawski, A. and Skwierz, A. Measurement of the degree of polarization using a set of compensating glass plates. IV, 1=18620
- Kawski, A. See Grzywacz, J., 1=148
- Kay, E. Magnetic thin films prepared by sputtering, 1=6325
- Kay, H.F. See Glaister, R.M., 1=6486
- Kay, I. New equation for the asymptotic field amplitude in a two-dimensional inhomogeneous medium, 1=11810
- Kay, R.M. See Greenler, R.G., 1=10082
- Kay, R.M. See Wycklendt, D.A., 1=6290
- Kaye, G. See Green, L.L., 1=12144
- Kaye, S. Flat flame burner for burning undiluted premixed hydrogen and fluorine, 1=12676
- Kazanskii, Yu.A., Belov, S.P. and Matusevich, E.S. Angular and energy distributions of  $\gamma$ -rays scattered in iron and lead, 1=5703
- Kazanskii, V.M. See Holýk, A.Z., 1=13027
- Kazantsev, A.N. Absorption and electron distribution in the  $F_2$  layer determined from measurements of transmitted radio signals from earth satellites, 1=6625
- Kazantsev, A.P. Flow of a conducting gas round a current-carrying plate, 1=5541
- Kazarinov, Yu.M., Kiselev, V.S., Silin, I.N. and Sokolov, S.N. Determination of the  $\pi$ -meson-nucleon coupling constant from the differential cross-sections for elastic pp-scattering, 1=19248
- Kazarinov, Yu.M. See Amaglobeli, N.S., 1=19246
- Kazarnikov, V.V. See Bykov, V.N., 1=20579
- Kazarnovskii, M.V. and Stepanov, A.V. Elastic resonance scattering of slow neutrons in crystals, 1=19707
- Kazes, E. Low energy limit of Compton scattering without T, C, P invariance, 1=8433
- Kazes, E. Consequence of the crossing symmetry for a class of  $\pi-\pi$  scattering diagrams, 1=8493
- Kazes, E. See Barger, V., 1=16887
- Kazimierski, A. See Dabek, W., 1=16815
- Kazumata, Y. See Yokozawa, Y., 1=14789
- Kazuno, M. See Fujimoto, Y., 1=7296
- Kazuno, M. See Imaeda, K., 1=11028
- Kazzaz, A.A. and Zahlan, A.B. Exciton diffusion in naphthalene crystals, 1=14227
- Kearns, C.E. See Humason, M.L., 1=18132
- Kearns, D.R. and Calvin, M. Solid state ionization potentials of some aromatic organic compounds, 1=10676
- Kearns, D.R. and Calvin, M. Electrical properties of organic solids. IV. Charge carrier diffusivity in metal-free phthalocyanine, 1=11307
- Keating, D.T. and Krasner, S. Mechanical and radiation induced faulting in sodium azide, 1=19796
- Keating, K.B. and Drickamer, H.G. Effect of pressure on the spectra of rare earth ions in crystals, 1=3832
- Keating, K.B. and Drickamer, H.G. Effect of pressure on the spectra of crystalline UF<sub>4</sub> and UF<sub>6</sub>, 1=3834
- Keating, P.N. See Woolley, J.C., 1=19881
- Keay, C.S.L. See Ellyett, C., 1=18064
- Keberle, E.M. See Vandenbosch, R., 1=16960
- Keck, G. Acoustico-optical picture transformation by means of photographic films, 1=4416



- Keck, K. and Diechsel, H. The use of single electron lenses as 'big' power energy filters for electron beams, 1=7055
- Keedy, D.A., Volungis, R.J. and Kawai, H. Use of a tensile machine for the determination of stress and strain-optical coefficients, 1=7703
- Keedy, D.A. See Powers, J., 1=12296
- Keefe, D. See Beall, E.F., 1=19277
- Keefe, D. See Cook, V., 1=10867
- Keefe, D. See Cook, V., 1=10927
- Keefe, D. See Cook, V., 1=16895
- Keefe, D. See Culhane, L., 1=2097
- Keene, J.P. Kinetics of radiation-induced chemical reactions, 1=1490
- Keepin, G.R. and Cox, C.W. General solution of the reactor kinetic equations, 1=17221
- Keesey, U.T. See Riggs, L.A., 1=10355
- Keesom, P.H. See Bryant, C.A., 1=11162
- Keesom, P.H. See Bryant, C.A., 1=17420
- Keesom, P.H. See Bryant, C.A., 1=19715
- Keffer, F. and Loudon, L. Simple physical theory of spin wave interactions, 1=6266
- Keffer, F., Sievers, A.J. III and Tinkham, M. Infrared antiferromagnetic resonance in MnO, 1=6413
- Keh, A.S. See Garofalo, F., 1=14893
- Keibs, L. and Kuhl, W. The acoustics of Thomaskirche, Leipzig, 1=223
- Keiffer, D. See Primak, W., 1=7606
- Keil, E., Zeitler, E. and Zinn, W. Single and multiple scattering of charged particles, 1=13330
- Keith, D.L. See Dils, R.R., 1=13146
- Kelber, C.N. and Kler, P. Few group analysis of  $D_2O-U^{235}$  assemblies, 1=17199
- Keldysh, L.V. See Vul, B.M., 1=3749
- Kelkar, V.B. See Deshpande, L.V., 1=680
- Kelkar, V.N. Size distribution of raindrops, 1=20830
- Keller, A. Some new habit features in crystals of long chain compounds. I. Paraffins, 1=7840
- Keller, A. Investigation of the mode of vibration of a resonance box, 1=16033
- Keller, A. Measurement of the neutron flux of the reaction  $C^{12}(d,n)N^{13}$  by means of the activity of the  $N^{13}$ , 1=19520
- Keller, A. See Bassett, D.C., 1=7841
- Keller, D.L. Predicting burnup of stainless- $UO_2$  cermet fuels, 1=13880
- Keller, E.L. Deuteron stripping and pickup reactions in oxygen-16, 1=2233
- Keller, F. Measurement of energy distribution of extensional and flexural waves in plates by statistical excitation, 1=15987
- Keller, H. See Goldstein, B., 1=12401
- Keller, J.B. Lower bounds and isoperimetric inequalities for eigenvalues of the Schrödinger equation, 1=4258
- Keller, J.B. and Zumino, B. Quantization of the fluxoid in superconductivity, 1=16197
- Keller, J.B. See Karp, S.N., 1=5357
- Keller, J.B. See Lewis, R.M., 1=3590
- Keller, J.B. See Rubinow, S.I., 1=6949
- Keller, J.M. See Carlson, B.C., 1=2713
- Keller, M. Electron two-beam interference with high path difference, 1=18933
- Keller, P. See Avan, L., 1=7926
- Keller, R. The distribution of light in the image space of an optical system in the presence of third-order aberrations of unrestricted size, including the case of the anamorphic image, 1=18575
- Keller, S.P. and Pettit, G.D. Some optical properties of CdSe single crystals, 1=1151
- Keller, S.P. and Pettit, G.D. Visible luminescence of rare-earth yttrium gallium garnets, 1=5055
- Keller, W. See Bethge, H., 1=19787
- Kellett, E.A. See Steward, E.G., 1=4041
- Kelley, J.G. See Saxena, S.C., 1=15948
- Kelley, R.H. See Kulp, B.A., 1=10056
- Kellogg, P.J. Calculations of cosmic-ray trajectories near the equator, 1=13576
- Kellogg, P.J. Electrons of the Van Allen radiation, 1=15329
- Kellogg, P.J. See Freier, P., 1=2147
- Kellogg, P.J. See Ney, E.P., 1=5152
- Kellogg, R.E. See Frost, A.A., 1=14070
- Kellogg, W.W. I.G.Y. rockets and satellites: A report on the Moscow meetings, August 1958, 1=5172
- Kelly, A. See Byrne, J.G., 1=20602
- Kelly, A. See Freise, E.J., 1=3660
- Kelly, A. See Freise, E.J., 1=20405
- Kelly, D.H.  $J_0$  stimulus patterns for visual research, 1=1618
- Kelly, D.H. Visual signal generator, 1=4451
- Kelly, D.H. Systems analysis of the photographic process. II. Transfer function measurements, 1=4485
- Kelly, D.H. Visual responses to time-dependent stimuli. I. Amplitude sensitivity measurements, 1=6674
- Kelly, D.H. Visual responses to time-dependent stimuli. II. Single-channel model of the photopic visual system, 1=10349
- Kelly, D.H. Flicker fusion and harmonic analysis, 1=12723
- Kelly, D.H. Image-processing experiments, 1=12977
- Kelly, J.C. Void in resolidified drops of molten metal, 1=20631
- Kelly, P.M. and Reed, R. Conference on electron microscopy--Nottingham, July 1961, 1=20703
- Kelly, R.D., Hamilton, J.C. and Beavis, L.C. Pulsed neutron system for reactor measurements, 1=4885
- Kelly, W.H. and Beard, G.B. Nuclear resonance fluorescence measurements on the 845 keV level in  $Fe^{56}$ , 1=19367
- Kelly, W.H., Folen, V.J., Hass, M., Schreiner, W.N. and Beard, G.B. Magnetic field at the nucleus in spinel-type crystals, 1=14745
- Kelly, W.H. See Beard, G.B., 1=8638
- Kel'man, V.M., Knyaz'kov, L.G. and Vasil'eva, E.K. Application of a double deflection magnet system in mass-spectrometers with high dispersion, 1=4666
- Keloglu, Yu.P. See Boyarskaya, Yu.S., 1=4001
- Kelsch, J.J., Kammerer, O.F. and Buhl, P.A. New technique for the direct investigation of fission events, 1=2246
- Kelsey, C.A. See Darden, S.E., 1=5911
- Kelsey, P.A. See Connors, M.M., 1=10357
- Kelso, J.M. Doppler shifts and Faraday rotation of radio signals in a time-varying, inhomogeneous ionosphere. I. Single signal case, 1=15261
- Kelso, J.M. Doppler shifts and Faraday rotation of radio signals in a time-varying, inhomogeneous ionosphere. II. Two-signal case, 1=20922
- Kembhavi, V.K. Reduced matrix elements in nuclear shell theory, 1=16956
- Kembhavi, V.K. See Swamy, N.V.V., 1=591
- Kemeny, L.G. Topology of linear neutron kinetics, 1=19557
- Kemeny, L.G. and Samaun, Random fluctuations in a nuclear fission reactor, 1=5951
- Kemmer, N. On the theory of particles of spin 1, 1=12046
- Kemmey, P.J. and Mitchell, E.W.J. The magnetoresistance of p-type semiconducting diamond, 1=17728
- Kemp, J.C. Electron spin resonance in neutron-irradiated calcite, 1=1258
- Kemp, J.C. Further notes on the magnetic centers in neutron-irradiated calcite, 1=14791
- Kemp, J.C. Field-swept maser oscillation, 1=16552
- Kemp, M.A.R. See Astbury, A., 1=8472
- Kemp, W.R.G. and Klemens, P.G. The lattice thermal conductivity of alloys, 1=921
- Kempis, E.B. See Talbot, J.H., 1=6557
- Kempter, C.P. and Fries, R.J. Crystallography of the Ru-B and Os-B systems, 1=10260
- Kempter, C.P. and Nadler, M.R. Preparation and crystal structures of RuC and OsC, 1=1399
- Kempter, C.P., Storms, E.K. and Fries, R.J. Lattice dimensions of NbC as a function of stoichiometry, 1=6515
- Kempter, C.P. See Fries, R.J., 1=5096
- Kempter, C.P. See Nadler, M.R., 1=4502
- Kempter, C.P. See Storms, E.K., 1=1397
- Kemsley, D.S. Observations on the work-hardening of zinc crystals in alternating tension and compression, 1=6464
- Kemsley, D.S. and Paterson, M.S. The influence of strain amplitude on the work hardening of copper crystals in alternating tension and compression, 1=2515
- Kenan, R.P. See Mills, R.L., 1=6377
- Kendall, H. See Bean, R.J., 1=18360
- Kendall, H. See Crannell, H., 1=679
- Kendall, H. See Crannell, H., 1=10965
- Kendall, H. See Gilbert, R.P., 1=18361
- Kendall, H. See Maloy, J.O., 1=8483
- Kendall, H.W. Transistors as high-speed light pulsers, 1=6957

- Kendall, P. See Cusack, N., 1=8134  
 Kendall, P.C. See Chapman, S., 1=21095  
 Kendall, P.C. See Ferraro, V.C.A., 1=6624  
 Kendall, P.C. See Gliddon, J.E.C., 1=20998  
 Kendall, P.W. and Cusack, N.E. Hall effect in liquid and solid mercury, 1=4356  
 Kendig, P.M. Factors that determine the equivalent noise pressure, free-field voltage response, and efficiency of a transducer at low frequencies, 1=8179  
 Kendig, P.M. Role of equivalent noise pressure and sensitivity in determining signal-to-noise ratio, 1=18536  
 Kendig, P.M. See Wilson, G.L., 1=12951  
 Kendzioriski, F. See Delvaile, J., 1=3285  
 Kendzioriski, F. See Delvaile, J., 1=3326  
 Kendzioriski, F. See Delvaile, J., 1=5802  
 Kendzioriski, F. See Greisen, K., 1=2132  
 Kennedy, A. and Colburn, C.B. Strength of the N-F bonds in  $\text{NF}_3$  and of N-F and N-N bonds in  $\text{N}_2\text{F}_4$ , 1=19656  
 Kennedy, A.J. Possible dislocation gating mechanisms for fatigue extrusion, 1=4000  
 Kennedy, G.C. and Newton, R.C. The effect of pressure on the electromotive force of a platinum-bismuth thermocouple, 1=18753  
 Kennedy, G.C. See Jayaraman, A., 1=18678  
 Kennedy, J.M. The efficiency tracing technique for eliminating self-absorption errors in  $4\pi\beta$ -counting. (Appendix), 1=13235  
 Kennedy, P.J. See Dean, P.J., 1=1183  
 Kennedy, S.W. and Patterson, J.H. Absorption corrections for the precession method, 1=9128  
 Kennett, B. See Middlehurst, J., 1=16157  
 Kennett, T.J. See Fritze, K., 1=666  
 Kennett, T.J. See Fritze, K., 1=7335  
 Kennett, T.J. See Fritze, K., 1=8656  
 Kenney, C.N. See Curl, R.F. Jr., 1=3536  
 Kenney, J.F. See Regener, V.H., 1=3349  
 Kenney, R.W., Knapp, E.A., Perez-Mendez, V. and Perkins, W.A. Photoproduction of mesons from hydrogen and deuterium, 1=8484  
 Kenney, R.W. See Caris, J.C., 1=2086  
 Kenney, R.W. See Caris, J.C., 1=7270  
 Kenney, R.W. See Goodwin, L.K., 1=7277  
 Kenney, R.W. See Swanson, W.P., 1=527  
 Kenney, R.W. See Swanson, W.P., 1=531  
 Kenny, M.J. and Caro, D.E. Excited states of  $^{64}\text{Zn}$ , 1=17000  
 Kent, G.S. The fading of radio waves reflected obliquely from meteor trails, 1=1975  
 Kent, G.S. High frequency fading of the 108 Mc/s wave radiated from an artificial earth satellite as observed at an equatorial station, 1=21012  
 Kent, G.S. and Koster, J.R. Height of night-time F layer irregularities at the equator, 1=20994  
 Kenworthy, D.J. and ter Haar, D. Thermodynamics of dirty superconductors, 1=11883  
 Kenyon, I.R. Observation of a hyperfragment decay by  $\pi^0$  emission, 1=9809  
 Kenyon, L.C. Jr. See Anderson, R.C., 1=10555  
 Kepler, R.G., Bierstedt, P.E. and Merrifield, R.E. Electronic conduction and exchange interaction in a new class of conductive organic solids, 1=2402  
 Keren, J. See Eisler, F., 1=16889  
 Keren, J. See Eisler, F., 1=19271  
 Kerimov, A.M. See Amirkhanov, Kh.I., 1=18395  
 Kerimov, B.K. Energy distribution of bremsstrahlung from longitudinally polarized electrons, 1=3114  
 Kerimov, B.K. and Arutyunyan, V.M. Polarization of electrons in elastic scattering with an allowance for the finite size of the nucleus, 1=4860  
 Kerimov, B.K. and Sadykhov, F.S. Bremsstrahlung from a longitudinally polarized electron with account of the finite size of the nucleus, 1=16743  
 Kerker, M. and Matijević, E. Mie scattering functions for refractive index of 2.105, 1=2890  
 Kerker, M. and Matijević, E. Scattering of electromagnetic waves from concentric infinite cylinders, 1=8241  
 Kerker, M. See Matijević, E., 1=2889  
 Kerker, M. See Matijević, E., 1=11637  
 Kerman, A.K. Pairing forces and nuclear collective motion, 1=7310  
 Kerman, A.K., Lawson, R.D. and Macfarlane, M.H. Accuracy of the superconductivity approximation for pairing forces in nuclei, 1=16954  
 Kern, C.W. and Lipscomb, W.N. Magnetic shielding constants in heteropolar diatomic molecules, 1=12318  
 Kern, J. and Bäckström, G. The decay of  $\text{Ir}^{194}$ , 1=654  
 Kern, J. and Dörr, F. Polarization measurements of the absorption spectrum of methylene-blue, 1=11099  
 Kern, J.W. and Vestine, E.H. Theory of auroral morphology, 1=21047  
 Kern, J.W. See Chamberlain, J.W., 1=1560  
 Kern, J.W. See Vestine, E.H., 1=21049  
 Kern, W. On the radioactive particles in the atmospheric fission product activity, 1=3401  
 Kernan, A. See Culhane, L., 1=2097  
 Kernan, A. See Engler, A., 1=8522  
 Kernohan, R.H. and Wechsler, M.S. Neutron irradiation of Cu-Al at elevated temperatures, 1=19821  
 Kerns, Q. See Koch, L., 1=3778  
 Kerom, E. See Barledzh, S., 1=2823  
 Kerr, L.W. See Higginson, G.S., 1=8807  
 Kerr, N.A. Determination of certain spectral distributions of soft X rays by theoretical analysis of absorption experiments, 1=18969  
 Kerr, R.P. and Goldberg, J.N. Einstein spaces with four-parameter holonomy groups, 1=6765  
 Kerr, R.P. See Goldberg, J.N., 1=6764  
 Kerrigan, M.A. See Gustafson, P.F., 1=6596  
 Kerst, D.W. See Ohkawa, T., 1=13091  
 Kerth, L.T. K-nucleon interaction, 1=16897  
 Kerth, L.T. See Cook, V., 1=10867  
 Kerth, L.T. See Cook, V., 1=10927  
 Kerth, L.T. See Cook, V., 1=16895  
 Kervaldze, K.N. See Kvartskhava, I.F., 1=2974  
 Kervaldze, K.N. See Kvartskhava, I.F., 1=5593  
 Kerwin, L. and Marmet, P. Recent appearance potential measurements using an electrostatic electron selector, 1=1887  
 Kerwin, L., Marmet, P. and Clarke, E. The identification of vibrational levels in  $\text{H}_2^+$ , 1=19620  
 Kesaev, I.G. Phenomena of internal instability of an arc with a mercury cathode. II. Non-stationary processes in the cathode region of the arc. III. Break-up and re-formation of the cathode spot in conditions of stationary arc, 1=4584  
 Kesaev, I.G. and Levshenkova, L.A. Dependence of the [electric] arc stability on the state of the cathode, 1=4585  
 Kesamanly, F.P. See Gashimzade, F.M., 1=17736  
 Kesava Rao, B. See Lakshminarayana, G., 1=9355  
 Kessel, A.R. A resonance effect of acoustic pulses on a nuclear spin system, 1=3387  
 Kesseler, G. and Schlier, C. Bubble density measurement in a diethyl ether bubble chamber, 1=409  
 Kesselring, P., Herlach, F., Itschner, D. and Winteler, H.R. Possibilities of improving methods in quadrupole resonance, 1=10797  
 Kesemeier, H. See Dreitlein, J., 1=11493  
 Kessenikh, A.V. The Overhauser effect and the electron paramagnetic resonance "secondary signal", 1=14818  
 Kessler, D. See Eisenberg, Y., 1=9921  
 Kessler, D. See Eisenberg, Y., 1=12269  
 Kessler, D. See Eisenberg, Y., 1=16893  
 Kessler, F.R. The reduction of optical reflection by coating germanium photoresistors, without increasing the rate of surface recombination, 1=10068  
 Kessler, G. See Kriegsmann, H., 1=833  
 Kessler, K.G. See Barger, R.L., 1=10464  
 Kessler, P. Extension of the method of quasi-real processes to boson-photon interactions, 1=7224  
 Kessler, P. Application of the method of real quasi-processes to internal pair production, 1=7230  
 Kessler, P. Comparison between the kinematics of the elastic scattering of  $\mu$ -mesons and of electrons, 1=16756  
 Kessler, P. Kinematic study of the electro-production of  $\pi$ -mesons, 1=19238  
 Kessler, P. and Jacquemin, A. A possible extension of the method of quasi-real processes to meson theory, 1=13334  
 Kessler, P. See Abillon, J.M., 1=16835  
 Kestin, J. On intersecting isentropics, 1=8267  
 Kestin, J. and Wang, H.E. The viscosity of superheated steam up to 270°C, 1=6876



- Keszthelyi, L., Berkes, I., Demeter, I. and Fodor, I. Energy dependence of the cross section of the nuclear reaction,  $O^{16}(\gamma, n)O^{15}$ , 1=5896
- Ketolainen, P. See Hovi, V., 1=14390
- Ketova, V.P. and Pavlov, V.A. The effect of elastic vibrations on the internal friction in an alloy of aluminium and 20% magnesium at low temperatures, 1=10208
- Ketskéméty, I., Dombi, J. and Horvai, R. The connection of the absorption and fluorescence spectra of solutions, 1=18411
- Ketskéméty, I., Gargya, L. and Salkovits, E. A new photoelectric apparatus for the investigation of fluorescence polarization, 1=8128
- Ketskéméty, I. See Budó, A., 1=8129
- Kevane, C.J. On antimatter and cosmology, 1=5128
- Keyes, R.J. See Lax, B., 1=7570
- Keyes, R.T. See Bauer, A., 1=12915
- Keyes, R.W. Low-temperature thermal resistance of N-type germanium, 1=8887
- Keyes, R.W. Hydrogen-like impurity states in axially symmetric crystals, 1=17442
- Keyes, R.W. and Price, P.J. Additional spin resonance spectrum in antimony-doped germanium, 1=3930
- Keyes, R.W. See Bruner, L.J., 1=14846
- Keyes, R.W. See Sladek, R.J., 1=7640
- Keyston, J.R.G. See Brewer, D.F., 1=18688
- Khabibullin, B.M. Inelastic magnetic scattering of slow neutrons in metallic cerium, 1=6345
- Khabibullin, B.M. Inelastic magnetic scattering of slow neutrons by phonons, 1=19706
- Khachatryan, A.G. Influence of the size distribution of mosaic blocks on X-ray scattering, 1=4039
- Khachkuruzov, G.A. Determination of corrections for non-rigidity in calculation of higher rotational levels of asymmetric-top molecules, 1=4929
- Khaikin, A.S. See Markov, M.N., 1=3812
- Khaikin, S.E. and Kaidanovskii, N.L. A new radio telescope of high resolving power, 1=2643
- Khaimov-Mal'kov, V.Ya. and Perl'shtein, V.A. The effects of a temperature gradient in the oven on the impurity distribution in the growing crystal, 1=20421
- Khalatnikov, I.M., Lifshitz, E.M. and Sudakov, V.V. Singularities of the cosmological solutions of gravitational equations, 1=7976
- Khalatnikov, I.M. See Abrikosov, A.A., 1=16735
- Khalatnikov, I.M. See Bekarevich, I.L., 1=18692
- Khalatnikov, I.M. See Bekarevich, I.L., 1=18695
- Khalatnikov, I.M. See Lifshits, E.M., 1=4244
- Khalidin, N.N. See Kondrashev, L.F., 1=3194
- Khalidin, N.N. See Mironov, E.S., 1=5512
- Khalifin, L.A. Asymptotic behaviour of the scattering amplitude at infinite energies, 1=16692
- Khalifin, L.A. The influence of inelastic processes on elastic scattering in the vicinity of thresholds for inelastic reaction modes, 1=19142
- Khalil, S.A. See Wallace, J.D., 1=12705
- Khalik, V.A. See Van Yun-yui [Wang Yung-Yü], 1=3461
- Khalupovskii, M.D. The effect of temperature on the decay of phosphorescence of boron phosphors, 1=10119
- Khamrui, S.R. On the oscillation of a circular cylinder in a viscous liquid contained in a coaxial circular cylinder, 1=6840
- Khamrui, S.R. On the slow steady rotation of a spheroid of small ellipticity in a viscous liquid, 1=8095
- Khamrui, S.R. On the slow steady motion of an infinite viscous liquid due to the rotation of a cylinder whose cross-section is an ovaloid, 1=18363
- Khan, A.R. See Inman, M.C., 1=20404
- Khan, I.H. On the polymorphism of the thallium halides, 1=1359
- Khan, I.H. See Blackman, M., 1=6516
- Khan, I.H. See Eobson, J.P., 1=11978
- Khan, J.M. See Braslau, N., 1=12149
- Khan, M.Y. See Chaudhri, R.M., 1=18951
- Khandelwal, D.P. See Pant, D.D., 1=14637
- Khandross, L.G. See Kurdyumov, H.V., 1=15127
- Khan-Magometova, Sh.D. See Gribkov, V.I., 1=20025
- Khanin, Ya.I. See Aleksandrov, A.P., 1=1238
- Khanna, B.N. The emission spectrum of bismuth monochloride molecule: the rotational structure and the electronic transition of the band system 6170-4220 Å, 1=7475
- Khanna, B.N. See Venkateswarlu, P., 1=14039
- Khanna, F.C., Tang, Y.C. and Wildermuth, K.  $Li^4$  plus neutron configuration in  $Li^7$ , 1=16986
- Khanna, S.M. See Bhawalkar, D.R., 1=6130
- Khansevarov, R.Yu. See Rývkin, S.M., 1=6177
- Khansevarov, R.Yu. See Rývkin, S.M., 1=12456
- Khansevarov, R.Yu. See Rývkin, S.M., 1=19905
- Kharchenko, V.F. Polarization of nuclei in the stripping reaction, 1=19518
- Kharchenko, V.F. See Sytenko, O.H., 1=13780
- Khare, S.P. and Varsini, Y.P. Modified flammersfeld range energy relation for electrons, 1=7100
- Kharitonov, A.V. An apparatus for measuring internal friction in solids over the range 20-400 kc/s, 1=20310
- Kharitonov, Yu.I. See Sliv, L.A., 1=19326
- Khar'kov, Ye.I. and Kuz'menko, P.P. New methods of studying partial diffusion and electrical migration coefficients in binary alloys, 1=14300
- Khar'kov, Ye.I. and Kuz'menko, P.P. Electrical migration of iron and aluminium in iron-aluminium alloys, 1=15163
- Khar'kov, Ye.I. See Kuz'menko, P.P., 1=14304
- Khar'kov, Ye.I. See Kuz'menko, P.P., 1=14319
- Khar'kov, Ye.I. See Kuz'menko, P.P., 1=14325
- Kharlova, R.P. See Sukhovarov, V.F., 1=10216
- Khartsiev, V.E. See Gashimzade, F.M., 1=14455
- Khartsiev, V.E. See Gashimzade, F.M., 1=17705
- Kharus, G.I. and Tsidil'kovskii, I.M. Anisotropy of the photomagnetic effect in cubic crystals, 1=5029
- Khar'ytonova, O.P. The near ultraviolet absorption spectra of tolan, 1=14056
- Khastgir, S.R. and Murty, Y.S.N. Left-handed ionospheric echo
- Khastgir, S.R. and Singh, R.N. Analysis of random fading records, 1=16591
- Khastgir, S.R. and Srivastava, R.S. Energy spectrum of atmospherics and attenuation of different low frequencies with distance, 1=20860
- Khastgir, S.R. See Murty, Y.S.N., 1=378
- Khastgir, S.R. See Murty, Y.S.N., 1=7158
- Khastgir, S.R. See Murty, Y.S.N., 1=20933
- Khavin, L.S. See Azimov, S.A., 1=3274
- Khavkin, L.P. See Grigor'ev, A.M., 1=5248
- Khazov, Yu.L. See Rusinov, L.L., 1=13733
- Khazov, Yu.L. See Rusinov, L.L., 1=17059
- Khé Tszo-Syu [Ho Tso-Hsiu] and Chzhou Guan-Chzhao [Chou Kuang-Chao]. Pion-pion resonance in the P-state, 1=3211
- Khé Tszo-syu [Ho Tso-hsiu] and Chzhu Khun-yuan' [Chu Hung-yuan]. Some consequences of the symmetry of the universal weak Fermi interaction, 1=4766
- Khé Tszo-Syu. See Syan' Din-Chan, 1=16711
- Kheifets, S.A. See Baier, V.N., 1=16759
- Kheifets, S.A. See Baier, V.N., 1=19094
- Kheiker, D.M. See Zevin, L.S., 1=20469
- Kheinman, A.S. Activator distribution in NaI(Tl), 1=17522
- Khernov, B.A. See Vernov, S.N., 1=3293
- Khirn'yi, Iu.M. A source of negative hydrogen ions, 1=4654
- Khitrova, V.I. and Pinsker, Z.G. Synthesis and study of structure II of hexagonal tungsten nitride, 1=15086
- Khiznichenko, L.P. See Starodubtsev, S.V., 1=14849
- Khiznichenko, L.P. See Starodubtsev, S.V., 1=20306
- Khlebnikov, G.I. See Druin, V.A., 1=19541
- Khlebnikov, G.I. See Perfilov, N.A., 1=5944
- Khlebnikov, G.I. See Perfilov, N.A., 1=11042
- Khodakov, A.L. Dielectric properties of finely-dispersed barium titanate, 1=3808
- Khodov, Z.L. The velocity of ultrasound in molten binary eutectic metal systems and elastic properties of such systems, 1=5276
- Khodov, Z.L. and Il'chenko, V.I. Temperature dependence of Young's modulus and the damping decrement of nichrome alloys with admixtures of tungsten or molybdenum, 1=20308
- Khodov, Z.L. See Polot'skii, I.H., 1=14853
- Khoduleva, Z.K. See Nakhutin, I.E., 1=19418
- Khodyachikh, A.F. See Fogel', Ya.M., 1=4558
- Khofmohl', T. See Van Gan-chan., 1=2099
- Khoynatskii, S. See Lavrukhina, A.K., 1=17176
- Khokhlov, R.V. See Soluyan, S.I., 1=19009
- Khol', F. See Tykva, J., 1=5106

- Kholev, S.R. and Poltavchenko, D.S. Acceleration of the plasma of a discharge and production of strong shock waves in a camera with coaxial electrodes, 1=18840
- Kholmovskii, Yu.A. See Mescherov, R.A., 1=16455
- Kholodar', G.A. See Lisitsa, M.P., 1=2446
- Kholodar', G.A. See Lisitsa, M.P., 1=6205
- Khomenko, L.A. See Kosenko, V.E., 1=19805
- Khorguani, V.G. See Vyal'tsev, V.V., 1=18510
- Khoroshev, G.A. Application of the similarity principle to the study of oscillations excited by cavitation, 1=125
- Khotkevich, V.I., Pervakov, B.A. and Merisov, B.A. Temperature dependence of electrical resistance of plastically deformed silver and copper, 1=1020
- Khotkevich, V.I. See Pervakov, V.A., 1=3654
- Khotkevich, V.I. See Pervakov, V.A., 1=7577
- Khotkevich, V.I. See Pervakov, V.A., 1=9091
- Khotkevych, V.H. and Pervakov, V.O. Investigation of the temperature dependence of the electrical resistance of plastically deformed copper during cooling, 1=14358
- Khozov, G.V. See Ryvkin, S.M., 1=6166
- Khrabrov, V.A. See Budyansky, G.M., 1=9655
- Khrashanovskii, S.A. Properties of focal surfaces of mirror spectrographs, 1=2870
- Khrenov, B.A. See Vernov, S.N., 1=3280
- Khrenov, B.A. See Vernov, S.N., 1=16942
- Khriplovich, I.B. See Baier, V.N., 1=19121
- Khristianovich, S.A. See Ryzhov, O.S., 1=8155
- Christiansen, G.B. Measuring the resolving time of hodoscopes, 1=13536
- Christiansen, G.B. See Kulikov, G.V., 1=3283
- Christiansen, G.B. See Vernov, S.N., 1=3280
- Christiansen, G.B. See Vernov, S.N., 1=3287
- Christiansen, G.B. See Vernov, S.N., 1=3288
- Christiansen, G.B. See Vernov, S.N., 1=3293
- Christiansen, G.B. See Vernov, S.N., 1=16942
- Khristov, L.G. and Kirov, K.I. On the temperature dependence of pulse dead time in halogen counters, 1=7164
- Khu Shi-ke. See Smorodinskii, Ya.A., 1=19230
- Khu Shi-ke. See Svan'Din-chan., 1=19229
- Khuan Ke-Chzi. [Huang K'o-Chih]. The hardening of a rigid-plastic material, 1=11509
- Khubchandani, P.G. and Rahman, A. Scattering of slow neutrons by the water molecule, 1=19625
- Khubchandani, P.G. See Kothari, L.S., 1=13441
- Khukhareva, I.S. Superconducting properties of freshly deposited mercury films, 1=18719
- Khulelidze, D.E. See Selinov, I.P., 1=17010
- Khulelidze, D.E. See Vartanov, N.A., 1=19398
- Khutsishvili, G.R. The Overhauser effect and related phenomena, 1=3944
- Khutsishvili, G.R. See Buishvili, L.L., 1=3922
- Khvzhnyak, N.A. See Berezin, A.K., 1=19038
- Khvzhnyak, N.A. See Fainberh, Ya.B., 1=19037
- Kiang, T. The galaxian luminosity function, 1=9288
- Kibardin, V.A. See Myamlin, V.A., 1=11905
- Kibble, B.P. and Series, G.W. Line shapes in the method of intersecting energy levels, 1=12246
- Kibble, T.W.B. Lorentz invariance and the gravitational field, 1=4243
- Kichenassamy, S. A new form for the conservation identities in unified field theory, 1=1696
- Kichigin, D.A. See Galkin, A.A., 1=6416
- Kichigin, D.A. See Galkin, A.A., 1=16602
- Kidd, W. See Aarons, J., 1=15549
- Kidder, R.E. and DeWitt, H.E. Application of a modified Debye-Hückel theory to fully ionized gases, 1=9543
- Kido, K. See Kanzaki, H., 1=10233
- Kidson, G. and McGurn, J. Self-diffusion in body-centered cubic zirconium, 1=17567
- Kiefer, J.H. See Bauer, S.H., 1=13933
- Kieffer, L.J. See Childs, W.J., 1=593
- Kieffer, L.J. See Childs, W.J., 1=7315
- Kiel, A.M. See Westrik, R., 1=10285
- Kielich, S. Molecular theory of light scattering by multicomponent systems [of optically anisotropic molecules], 1=243
- Kielich, S. Theory of birefringence induced in a compressed gas mixture by an electric field gradient, 1=4377
- Kielich, S. A molecular theory of light scattering in gases and liquids, 1=6965
- Kielich, S. Rayleigh's ratio and turbidity of imperfect gases, 1=11788
- Kielich, S. The second virial coefficient for polar gas mixtures, 1=15951
- Kielich, S. Supplementary note to the paper: Molecular theory of light scattering by multicomponent systems, 1=16112
- Kiely, D.G. Dielectric waveguides and aerials, 1=7151
- Kiepenheuer, K.O. The optical phenomena forming a solar centre of activity, 1=18071
- Kiepenheuer, K.O. See Deubner, F.L., 1=15402
- Kier, P. See Kelber, C.N., 1=17199
- Kierys, F.F. See Monk, H., 1=1626
- Kiesewetter, W. Remarks on protection survey by film dosimeters in the German Democratic Republic, 1=19067
- Kiess, C.C., Karrer, S. and Kiess, H.K. A new interpretation of Martian phenomena, 1=1632
- Kiess, C.C., Rubin, V.C. and Moore, C.E. Faint lines in the arc spectrum of iron (Fe I), 1=4904
- Kiess, H.K. See Kiess, C.C., 1=1632
- Kiessling, R. Swedish investigations on  $\text{UO}_2$  as a reactor fuel, 1=3480
- Kihara, T. Ion-electron relaxation of plasmas in a strong magnetic field. I, 1=294
- Kihara, T. Magnetohydrostatic equilibrium for plasma in a torus tube, 1=308
- Kihara, T. Multipole interaction stabilizing cubic molecular crystals, 1=12348
- Kihara, T. and Midzuno, Y. Irreversible processes in plasmas in a strong magnetic field, 1=5448
- Kihara, T., Midzuno, Y. and Kaneko, S. Transport properties of plasmas in a strong magnetic field, 1=8325
- Kihara, T., Midzuno, Y., Sakuma, K. and Shizume, T. Ion-electron relaxation of plasmas in a magnetic field, II, 1=8319
- Kihara, T. See Hirschfelder, J.O., 1=10527
- Kikoin, I.K., Babushkina, N.A. and Igoshcheva, T.N. On the magnetic change in resistance of ferromagnetics above the Curie point, 1=1237
- Kikoin, I.K., Babushkina, N.A. and Igoshcheva, T.N. Galvanomagnetic phenomena in the ferromagnetic MnSb alloy, 1=17622
- Kikoin, I.K. and Lazarev, S.D. On the isotropic and anisotropic components of the even photomagnetic effect, 1=3718
- Kikoin, I.K. and Lazarev, S.D. The anisotropy of the even photomagnetic effect in n-germanium at low temperature, 1=5030
- Kikoin, I.K. and Sominskii, M.S. Abram Fedorovich Ioffe (on his eightieth birthday), 1=6759
- Kikuchi, C. See Terhune, R.W., 1=11490
- Kikuchi, K. Classical treatment of nuclear reactions induced by fast nucleons, 1=684
- Kikuchi, K. Excitation of heavy nuclei by fast nucleons, 1=685
- Kikuchi, K. See Kikuchi, S., 1=7113
- Kikuchi, K. See Oda, Y., 1=8724
- Kikuchi, M. Visible light emission and microplasma phenomena in silicon p-n junction. II. Classification of weak spots in diffused p-n junctions, 1=11504
- Kikuchi, M. and Iizima, S. Etch-figure in CdS single crystals, 1=1366
- Kikuchi, M. and Iizima, S. Photoconductivity of Cd-ZnS mixed crystal, 1=10061
- Kikuchi, M. and Iizuka, T. Observation of microplasma pulses and electroluminescence in gallium phosphide single crystals, 1=10048
- Kikuchi, M. and Saito, M. Possible evidence for the light induced plasticity in germanium, 1=3974
- Kikuchi, M. and Tachikawa, K. Visible light emission from germanium diffusion p-n junction, 1=1093
- Kikuchi, M. and Tachikawa, K. Visible light emission and microplasma phenomena in silicon p-n junction. I, 1=8949
- Kikuchi, M. See Iizima, S., 1=10060
- Kikuchi, M. See Iizima, S., 1=20030
- Kikuchi, R. Statistical dynamics of crystalline diffusion. I. Exchange mechanism, 1=7589
- Kikuchi, R. Statistical dynamics of boundary motion, 1=7752
- Kikuchi, R. See Cahn, J.W., 1=20086
- Kikuchi, S., Nonaka, I., Ikeda, H., Kumagai, H., Saji, Y., Sanada, J., Suwa, S., Isoya, A., Hayashi, I., Matsuda, K., Yamaguchi, H., Mikumo, T., Nishimura, K., Karasawa, T., Kobayashi, S., Kikuchi, K., Ito, S., Suzuki, A., Takeuchi, S., and Ogawa, H. A 160 cm synchro- and variable energy ordinary cyclotron, 1=7113



- Kikuchi, S., Sanada, J., Suwa, S., Hayashi, I., Nisimura, K. and Fukunaga, K. Protons from the  $p + d$  breakup reaction at proton energies of 14 MeV and 10 MeV, 1=8516
- Kikuchi, T. See Block, M.M., 1=13500
- Kikuchi, T. See Leitner, J., 1=16901
- Kilb, R.W. See Auer, P.L., 1=11957
- Kilb, R.W. See Hurwitz, H., Jr., 1=3051
- Kilby, G.E. Coherent and incoherent scattering of X-rays by H, and He, 1=19681
- Kilcher, P. See Jastrzebski, J., 1=9829
- Kilcher, P. See Jastrzebski, J., 1=16692
- Kildal, A. On plasma oscillations with special emphasis on the Landau damping and the gross gaps in the frequency spectrum, 1=8336
- Kildal, A. Energy absorption in a longitudinal wave in a collisionless, magnetized plasma, 1=18904
- Kilian, P. The annihilation of positrons in flight, 1=16762
- Kilin, S.F. See Rozman, I.M., 1=2462
- Killeen, J. See Hess, W.N., 1=21076
- Kilkson, R. See Toth, R.S., 1=7646
- Kilmister, C.W. and Newman, D.J. The use of algebraic structures in physics, 1=18235
- Kilner, J.R., Diebold, R.E. and Walker, R.L. Photoproduction of negative pions from hydrogen at forward angles, 1=2093
- Kim, C.C. See Carlson, R.R., 1=7370
- Kim, C.Y., Kaneko, S., Kim, Y.B., Masek, G.E. and Williams, R.W. Single scattering of 2 BeV/c muons in nuclear emulsions, 1=8471
- Kim, E.I. and Baimukhanov, B.B. Temperature distribution in a piece-wise continuous, semi-infinite plate, 1=18637
- Kim Khi In. See Van Gan-chan., 1=2099
- Kim Khi in. See Van Gan-chan., 1=19284
- Kim, P.H. On the proton resonance of several hexammine complex salts, 1=9073
- Kim, W.H. See Frisch, I.T., 1=10655
- Kim, Y.B. See Kim, C.Y., 1=8471
- Kim, Y.B. See Masek, G.E., 1=7257
- Kim, Y.S. Dispersion relations for production amplitudes, 1=9736
- Kim, Y.W., Kaplan, R. and Bray, P.J. Resolved hyperfine spectra of electron-spin paramagnetic resonance in irradiated LiF, 1=3935
- Kimel, S. See Ben-Reuven, A., 1=14030
- Kimmitt, M.F., Prior, A.C. and Smith, P.G. Observation of far-infrared radiation from shock waves, 1=15944
- Kimmitt, M.F. See Harding, G.N., 1=9574
- Kimontovich, Yu.L. and Silin, V.P. The spectra of systems of interacting particles and collective energy losses during the passage of charged particles through matter, 1=2963
- Kimura, H. and Tatsumoto, E. Technical magnetization of frame-shaped single crystals of silicon iron, 1=14701
- Kimura, H. See Tatsumoto, E., 1=14362
- Kimura, H. See Tatsumoto, E., 1=14726
- Kimura, K. See Kawamoto, M., 1=1343
- Kimura, M., Matsuoka, S., Hattori, S. and Senda, K. Fine structure of proton resonance spectra of fluorobenzene derivatives, 1=1757
- Kimura, M., Shoda, K., Mutsuro, N., Tohei, T., Sato, K., Kuroda, K., Kuriyama, K. and Akiba, T. Structure of the giant resonance in the  $Al^{27}(p, \gamma)$  reaction, 1=5909
- Kimura, M., Shoda, K., Mutsuro, N., Tohei, T., Sato, K., Kuroda, K., Kuriyama, K. and Akiba, T. Structure of giant resonance in  $Al^{27}(p, \gamma)$  reaction, 1=12194
- Kimura, M. See Chiba, R., 1=13531
- Kimura, M. See Mutsuro, N., 1=2206
- Kimura, M. See Shoda, K., 1=17082
- Kimura, M. See Sugiyama, K., 1=16988
- Kimura, M. See Tohei, T., 1=17070
- Kimura, R., Ohoyama, T. and Endo, K. On the decomposition of the ferromagnetic phase of the Heusler alloy,  $Cu_2MnAl$ , 1=20114
- Kimura, T. Coupling of Dirac particle and gravitational field, 1=9721
- Kinase, W. On the phase transitions of barium titanate crystals, 1=1134
- King, A.D.Jr. See Robertson, W.W., 1=8125
- King, A.D., Jr. See Robertson, W.W., 1=11763
- King, A.D., Jr. See Robertson, W.W., 1=12331
- King, A.R. Compensating radiometer, 1=18662
- King, B.R. See Forstat, H., 1=12356
- King, G.A.M. Use of logarithmic frequency spacing in ionogram analysis, 1=20907
- King, G.A.M. Analysis of the  $F_1-F_2$  transition region, 1=21002
- King, G.A.M. and Roach, F.E. Relationship between red auroral arcs and ionospheric recombination, 1=6631
- King, G.A.M. See Davies, K., 1=12695
- King, G.J., Carlson, F.F., Miller, B.S. and McMillan, R.C. Evidence of trapped N atoms in X-ray irradiated  $NaN_3$ , 1=8921
- King, G.J., Miller, B.S., Carlson, F.F. and McMillan, R.C. Solid state photochemical processes in sodium azide, 1=17579
- King, G.J. See Carlson, F.F., 1=1269
- King, G.W. See Gordon, R.D., 1=3546
- King, H.J., Cameron, J.A., Eastwood, H.K. and Summers-Gill, R.G. The nuclear spin of indium-115 m, 1=5820
- King, H.W. and Massalski, T.B. Lattice spacing relationships and the electronic structure of H.C.P.  $\zeta$ -phases based on silver, 1=20571
- King, H.W. See Massalski, T.B., 1=1408
- King, H.W. See Massalski, T.B., 1=1409
- King, H.W. See Massalski, T.B., 1=17460
- King, I. The shape of a rotating star cluster, 1=5162
- King, I.R. Recombination of ions in flames. Effect of temperature, 1=11914
- King, J.G. Search for a small charge carried by molecules, 1=2307
- King, J.H. See Gebbie, H.A., 1=6160
- King, J.I.F. The Hopf  $q$ -function simply and precisely evaluated, 1=80
- King, J.M. See Boggs, J.E., 1=3535
- King, J.W. Magnetic effects in the F-region of the ionosphere, 1=21003
- King, J.W. Day-to-day and station-to-station correlation of ionospheric F-region critical frequencies, 1=21004
- King, J.W. See Bergh, H.W., 1=21005
- King, K. See Schüle, W., 1=14249
- King, R., Harrison, C.W., Jr. and Denton, D.H., Jr. The electrically short antenna as a probe for measuring free electron densities and collision frequencies in an ionized region, 1=12693
- King, R.B. See Bell, G.D., 1=5976
- King, R.C., Lanou, R.E.Jr. and Tuan, S.F. Low-energy  $\bar{K}$ -nucleon interaction, 1=10928
- King, R.E.J. and Bartlett, B.E. Properties and applications of indium antimonide, 1=7653
- King, R.F. See Griffiths, D.H., 1=1579
- King, R.J., Middleton, S.P. and Thompson, I.M.G. Sensitive method for measuring small rotations of a distant object, 1=6818
- King, R.J. See Gillham, E.J., 1=1834
- King, R.W. Neutral lepton currents and neutrino detection, 1=3161
- King, W.J. See Rolfe, J., 1=11363
- King, W.T. and Crawford, B., Jr. Group vibrations. I. Methods, 1=4928
- King-Hele, D.G. The earth's gravitational potential, deduced from the orbits of artificial satellite, 1=9181
- King-Hele, D.G. Space-flight and re-entry trajectories, 1=15571
- King-Hele, D.G. and Leslie, D.C.M. Effect of air drag on the orbit of the Russian earth satellite 1957  $\beta$ : Comparison of theory and observation, 1=1667
- King-Hele, D.G. and Walker, D.M.C. Density of the upper atmosphere determined from satellite orbits, and its variation during 1957-61, 1=20881
- King-Hele, D.G. and Walker, D.M.C. Atmospheric densities at heights of 180-700 km, 1=20882
- King-Hele, D.G. See Cook, G.E., 1=52
- King-Hele, D.G. See Cook, G.E., 1=18220
- Kingery, W.D. and Melling, G.E. Transference number measurements for aluminium oxide, 1=7625
- Kingsley, J.D. Photochemistry of the  $V_i$  center, 1=7602
- Kingston, A.E. and Skinner, B.G. The elastic scattering of electrons and positrons by hydrogen atoms, 1=9917
- Kingston, A.E. See Bates, D.R., 1=18774
- Kingston, A.E. See Dalgarno, A., 1=8164
- Kingston, A.E. See Dalgarno, A., 1=17289
- Kington, J.D. See Macklin, R.L., 1=17163
- Kinman, T.D. Photoelectric observations of SX Phoenixis, 1=12768
- Kino, G.S. See Allen, M.A., 1=5441
- Kino, T. and Kabemoto, S. Quenching vacancies in aluminum, 1=6105

## AUTHOR INDEX

- Kinosita, K. Refractive index and pore structure of acid-leached surface layer of glass, 1=14573
- Kinosita, K. and Kondo, H. Thickness-dependence of stress in vacuum deposited silver films, 1=1440
- Kinosita, K., Kondo, H. and Sawamura, I. Stress in very thin vacuum-evaporated films of silver, 1=1441
- Kinsey, J.L. See Curl, R.F. Jr., 1=3536
- Kinsey, J.L. See Curl, R.F. Jr., 1=19623
- Kinsey, J.L. See Fröman, A., 1=14139
- Kinsinger, J.B. See Meyer, V.E., 1=7507
- Kip, A.F. Cyclotron resonance in metals. Experimental, 1=17483
- Kip, A.F., Langenberg, D.N. and Moore, T.W. Cyclotron resonance in copper, 1=17489
- Kippenhahn, R. Investigations of rotating stars. IV. State of motion of the hydrogen ionization zone in early spectral types, 1=6719
- Kippenhahn, R. Meridional circulations in the hydrogen convective layer of the sun, 1=18076
- Kiral, A. Autocorrelation method and cycles of solar activity, 1=18100
- Kiral, A. See Balli, E., 1=18082
- Kirchenmayer, A. On the kinetics of boiling water reactors, 1=752
- Kirchenmayer, A. A method for the calculation of the thermal utilization in the heterogeneous reactor, 1=774
- Kirchenmayer, A. The thermal utilization of the heterogeneous reactor in terms of the two-group theory, 1=775
- Kirchgässner, K. Instability of the flow between two rotating cylinders, compared with the Taylor-rotation for selected gap-distances, 1=18376
- Kirchner, F. On the use of Geiger counters for high sensitivity and rapid response in mass spectroscopic investigations, 1=9646
- Kirchner, H. On the field desorption of magnesium, rubidium and silver, 1=5105
- Kirenskii, L.V., and Buravikhin, V.A. The polarity of domain walls in thin ferromagnetic films, 1=7753
- Kirenskii, L.V. and Buravikhin, V.A. The polarity of domain walls in thin ferromagnetic films, 1=10152
- Kirenskii, L.V., Lapte, D.A., Drokin, A.I. and Smolin, R.P. Temperature magnetic hysteresis of single crystals of silicon iron, 1=10148
- Kirillov, A.D. See Belyakov, A.N., 1=10815
- Kirillov, D.D. See Ivanov, D.P., 1=5463
- Kirillov, V.D. Measurement of plasma conductivity during a prolonged passage of current, 1=7038
- Kirillov, V.D. See Ivanov, D.P., 1=309
- Kiriyama, R. See Waku, S., 1=1136
- Kirk, J. High-pressure hydrogen gas target, 1=16626
- Kirk, M.T. See Archard, J.F., 1=14930
- Kirk, R.D. and Schulman, J.H. Transparent luminescent films by soluton spraying, 1=14654
- Kirkland, P.C. See Garrison, G.R., 1=5328
- Kirkpatrick, G.P. See Canty, B.R., 1=13014
- Kirkpatrick, H.B. See Delavignette, P., 1=11217
- Kirkwood, J.G. See Rice, S.A., 1=18391
- Kirov, K.I. See Khristov, L.G., 1=7164
- Kirshenbaum, A.D. and Streng, A.G. Molar extinction coefficients of liquid  $O_3F_2$ ,  $O_3F_3$ , and  $O_3$  in the visible range, 1=15886
- Kirz, J. See Berge, J.P., 1=10932
- Kirz, J. See Humphrey, W.E., 1=12121
- Kirzhnits, D.A. The cause of disappearance of the renormalized charge in the Lee model, 1=16717
- Kirzhnits, D.A. Field theory with nonlocal interaction. I. Construction of the unitary S-matrix, 1=16718
- Kirzhnits, D.A. and Smolyanskii, S.A. A relativistic field theory model which admits an exact solution, 1=19089
- Kischel, K. See Hess, H., 1=18786
- Kischel, K. See Morgenroth, H., 1=18785
- Kischel, K. See Morgenroth, H., 1=18787
- Kischel, K.H. and Wilhelm, J. A contribution to the problem of deciding on the validity of a principle of extreme energy dissipation for current flow in a conductor, 1=11895
- Kischio, W. See Grimmeiss, H.G., 1=17717
- Kisdi-Koszó, É. and Turi, L. On a 2 MeV microtron, 1=16466
- Kisdi-Koszó, É. and Turi, L. Phase- and vertical stability of microtrons, 1=18964
- Kisel', A.N. See Kantor, P.B., 1=6074
- Kiselev, A.A. and Abarenkov, I.V. Optical transitions in a U-centre in a NaCl crystal, 1=4999
- Kiselev, S.V. See Ozerov, R.P., 1=11551
- Kiselev, V.S. See Kazarinov, Yu.M., 1=19248
- Kiseleva, N.K. and Pribytkova, N.N. Determination of the optical constants of Ge and CdTe by the reflection method, 1=19943
- Kiseleva, N.K. See Ivanov-Omskii, V.I., 1=20439
- Kiser, R.W. See Storrs, C.D., 1=13196
- Kishimoto, A. See Fujita, H., 1=4334
- Kishimoto, A. See Fujita, H., 1=15168
- Kishinevskii, L.M. See Parilis, E.S., 1=16392
- Kisiel, A. and Niewodniczański, H. Intensity ratios in doublets of the fine structure in the Al III spectrum, 1=17264
- Kisliuk, P. Reflection of slow electrons from tungsten single crystals, clean and with adsorbed monolayers, 1=7000
- Kislov, M.I. See Rusinov, L.I., 1=17012
- Kiss, A.E. and Patla, N. Some results obtained in developing Kiss, D. See Kardon, B., 1=8651
- Kisslinger, L.S. See Freed, N., 1=13620
- Kistemaker, J. See Laranjeira, M.F., 1=6893
- Kistemaker, J. See Rol, P.K., 1=8363
- Kistemaker, J. See Rol, P.K., 1=11987
- Kistemaker, J. See Sluyters, T.J.M., 1=275
- Kistemaker, J. See Sluyters, T.J.M., 1=276
- Kistemaker, J. See Van Eck, J., 1=10675
- Kistiakowsky, G.B. and Klotz, C.E. Kinetics of coordinate bond formation. IV. Kinetic isotope effect in the reaction  $NH_3 + BF_3$ , 1=6568
- Kistiakowsky, G.B. and Klotz, C.E. Kinetics of coordinate bond formation. V. Kinetics of the reaction  $P(CH_3)_3 + BF_3$ , 1=6569
- Kistiakowsky, G.B. and Lyon, R.K. Gaseous detonations. XIII. Rotational and vibrational distributions of Oh radicals, 1=20739
- Kistiakowsky, G.B. See Bradley, J.N., 1=11617
- Kistiakowsky, G.B. See Bradley, J.N., 1=11618
- Kistiakowsky, G.B. See Gardiner, W.C., 1=8151
- Kistiakowsky, G.B. See Gardiner, W.C. Jr., 1=19671
- Kistler, S.S. See Christiansen, E.B., 1=10064
- Kistner, O.C., Sunyar, A.W. and Swan, J.B. Hyperfine structure of the 24 keV transition in  $Sn^{119}$ , 1=10961
- Kita, I. A cloud chamber study of high energy nuclear interactions of cosmic ray particles. I. A possible evidence of successive collisions in carbon nuclei, 1=13539
- Kitahara, T. Fresnel diffraction by absorptive wedges, 1=16107
- Kitao, K. Energy loss and radiation of a gyrating charged particle in a magnetic field — non-ionized medium, 1=3042
- Kitaigorodskii, A.I. and Myasnikov, R.M. Concerning the theory of solid solutions of organic substances, 1=14934
- Kitaigorodskii, A.I. See Fedin, É.I., 1=20281
- Kitamura, M. The mass-accumulating stellar models for application to the secondary components of some close binary systems, 1=9278
- Kitamura, N. See Takagi, M., 1=13252
- Kitamura, S. Effect of oxygen upon sintered cadmium sulphide photoconducting films, 1=12458
- Kitamura, S. Effect of heat-treatment upon sintered cadmium sulphide photoconductive films, 1=14505
- Kitamura, S., Kubo, T. and Yamashita, T. Enhancement of photoconductivity upon cadmium sulphide single crystals, 1=14508
- Kitamura, T. See Burnstein, R., 1=2075
- Kitani, S. Measurement of particle sizes by higher order Tyndall spectra ( $\theta$ -method), 1=2560
- Kitazima, S. Role of plastic bending plane in tensile deformation of metallic single crystals at room temperature, 1=10217
- Kitchingman, W.J. and Buckley, J.I. Transformations in the  $\beta$  and  $\gamma$  phases of the silver-zinc alloys, 1=1411
- Kite, L.V. Phase velocity of ultrasound in the primary aliphatic amines, 1=18409
- Kito, M. See Kaji, I., 1=10724
- Kitenko, A.B. and Stepanov, K.N. Instability of a plasma with an anisotropic distribution of ion and electron velocities, 1=4601
- Kitenko, A.B. and Stepanov, K.N. Cyclotron instability in a plasma, 1=7071
- Kitenko, A.B. See Stepanov, K.N., 1=16325
- Kitt, G.P. See Cuninghame, J.G., 1=17166
- Kittel, C. Phonon masers and the phonon bottleneck, 1=11475



- Kittel, C. Fletcher, P.C., 1=1234  
 Kittel, C. See Sparks, M., 1=7761  
 Kiveliovitch, M. and Vassy, A. Variations of wind speed and ozone concentration, 1=20824  
 Kivelson, D. and Neiman, R. E.S.R. studies on the bonding in copper complexes, 1=11117  
 Kivelson, D. See Neiman, R., 1=11479  
 Kivelson, D. See Neiman, R., 1=11486  
 Kjekshus, A. See Westrum, E.F., 1=19718  
 Kjelberg, A., Taniguchi, H. and Yaffe, L. Distribution of nuclear charge in the proton-induced fission of  $\text{Th}^{232}$ . II. 1=8991  
 Kjellman, J., Nilsson, A. and Schwarz, S. Angular distributions of neutrons from the reaction  $\text{Li}^7(\alpha, n)\text{B}^{10}$  at 13.5 and 13.9 MeV, 1=19528  
 Klaassen, F.M., Blok, J. and Booy, H.C. Generation-recombination noise of Ni-doped Ge in the temperature range 350°–100°K and capture cross-sections of Ni in Ge, 1=8942  
 Klaassen, F.M., Blok, J., Booy, H.C. and de Hoog, F.J. On the temperature dependence of the photoconductive decay time of films of the lead salts, 1=7674  
 Klaassen, F.M., Blok, J. and de Hoog, F.J. Generation-recombination noise in p-type InSb, 1=8955  
 Klaassen, F.M., van Vliet, K.M. and Blok, J. Carrier density fluctuations in semiconductors and photoconductors with one kind of trapping centers, 1=7633  
 Klaboe, P. and Nielsen, J.R. Infrared and Raman spectra of fluorinated ethanes. XIII. 1,2-difluoroethane, 1=3540  
 Klaboe, P. and Nielsen, J.R. Infrared and Raman spectra of fluorinated ethanes. XIV.  $\text{CF}_2\text{Cl}-\text{CHF}_2$  and  $\text{CF}_3\text{Br}-\text{CHF}_2$ , 1=8839  
 Klaboe, P. and Nielsen, J.R. Infrared and Raman spectra of fluorinated ethanes. XVI.  $\text{CF}_3\text{Br}-\text{CCl}_3\text{Br}$ , 1=14026  
 Klabunde, C.E. See Blewitt, T.H., 1=1003  
 Kladnitskaya, E.N. See Van Gan-ghan., 1=2099  
 Kladnitskaya, E.N. See Van Gan-ghan., 1=16902  
 Kladnitskaya, E.N. See Van Gan-ghan., 1=19284  
 Klages, G. and Langpape, R. Dielectric relaxation of aliphatic chain-molecules in dilute solution, 1=4353  
 Klages, G. and Langpape, R. Dielectric relaxation spectra of alkyl chlorides in diluted solutions, 1=12896  
 Klahr, C.N. Scattering shields for nuclear space power, 1=15582  
 Klaiber, B. See Cviijanovich, G., 1=16778  
 Klaiber, G.S. See Roetling, P.G., 1=2197  
 Klarmann, J. See Engler, A., 1=8522  
 Klarsfeld, S. On the lagrangian schema in field theory, 1=12801  
 Klassen, I.F. See Gol'k, O.Z., 1=11757  
 Klassen, I.F. See Hol'k, O.Z., 1=12872  
 Klassen-Neklyudova, M.V., Chernysheva, M.A. and Tomilovskii, G.E. The mechanism of kinking, 1=14891  
 Klassen-Neklyudova, M.V. and Urusovskaya, A.A. Deformation of rock salt crystals at elevated temperature, 1=14874  
 Klauder, J.R. The action option and a Feynman quantization of spinor fields in terms of ordinary c-numbers, 1=2007  
 Klauder, J.R. Convariant quantization of the gravitational field, 1=9308  
 Klauder, J.R. and Kunzler, J.E. Transverse-even voltage: A high-field galvanomagnetic effect associated with open orbits in metals, 1=7623  
 Klauder, J.R. and Kunzler, J.E. Higher order open orbits and the interpretation of magnetoresistance and Hall effect data for copper, 1=19834  
 Klauder, J.R. See Kunzler, J.E., 1=19835  
 Klauder, R. The modification of electron energy levels by impurity atoms, 1=14203  
 Klaus, H. See Helbig, E., 1=3795  
 Klaus, H. See Helbig, E., 1=8343  
 Klebe, J. A study of refractive index tolerances in an optical system with an arbitrary number of surfaces, 1=1809  
 Kleber, W., Peibst, H. and Rheinhold, I. On the absorption of manganese-activated corundum single crystals, 1=10106  
 Kleber, W., Peibst, H. and Schroder, W. The electrical conductivity of synthetic rutile monocrystals, 1=1084  
 Klechkovskii, V.M. Characteristics of the type of electron configuration of atoms, 1=4894  
 Klechkovskii, V.M. Justification of the rule of successive filling up of  $(n+1)$ -groups, 1=17251  
 Klee, G. See Kleimon, E., 1=19051  
 Kleen, R.H. See Rinehart, E.A., 1=5603  
 Kleiman, Ya.Z. The propagation of strong discontinuities in a multi-component medium, 1=15940  
 Kleimon, E. and Klee, G. A nuclear resonance spectrometer for broad lines, 1=19051  
 Klein, A. Perturbation theory for an infinite medium of fermions. II, 1=4283  
 Klein, A. Perturbation theory for an infinite medium of fermions. III. Derivation of the Landau theory of Fermi liquids, 1=4284  
 Klein, A. See Iizuka, J., 1=10906  
 Klein, A. See Iizuka, J., 1=13491  
 Klein, A. See Tzoar, N., 1=19750  
 Klein, C.A. and Straub, W.D. Carrier densities and mobilities in pyrolytic graphite, 1=12447  
 Klein, D. Measurements of Pu and  $\text{U}^{238}$  fission rates in water-uranium reactor spectra, 1=17164  
 Klein, D. See Hardy, J.Jr., 1=15822  
 Klein, D. See Volpe, J.J., 1=17165  
 Klein, E. and Moisar, E. The determination of the distribution of sensitivity in photographic emulsions, 1=9492  
 Klein, F.S. and Wolfsberg, M. Competitive reaction rates of hydrogen atoms with HCl and  $\text{Cl}_2$ . Entropy considerations of the HCl<sub>2</sub> transition state, 1=10294  
 Klein, H.M. See Milne, T.A., 1=2356  
 Klein, L.[Ed.] Dispersion relations and the abstract approach to field theory, 1=19082  
 Klein, M.J. Pressure fluctuations, 1=8068  
 Klein, M.P. and Knight, W.D. Nuclear magnetic resonance in metallic potassium, 1=20264  
 Klein, M.P. See Blumberg, W.E., 1=14824  
 Klein, M.P. See Teaney, D.T., 1=10803  
 Klein, M.V. Phonon scattering in sodium chloride containing oxygen, 1=8888  
 Klein, M.V. Effect of the precipitation of dissolved  $\text{MnCl}_2$  on the low-temperature thermal conductivity of NaCl, 1=14190  
 Klein, O. Some remarks on general relativity and the divergence problem of quantum field theory, 1=420  
 Klein, O. On the treatment of the gravitational field in connection with the generally relativistic Dirac equation, 1=9307  
 Klein, R. The variational method for [the calculation of] the transport parameters of electron conductors, 1=11174  
 Klein, R. and Leder, L.B. Temperature dependence of electron emission in the field emission region, 1=18909  
 Klein, R. and Leder, L.B. Field emission from niobium in the normal and superconducting states, 1=18910  
 Klein, S. A direct thermal-to-electric energy converter, 1=7020  
 Klein, W., Schatz, G. and Seeger, K. Outer photoeffect and delayed electron emission of ultraviolet-irradiated single crystals of KCl and KBr, 1=10069  
 Kleiner, W.H. See Foner, S., 1=19664  
 Kleiner, W.H. See Zwerdling, S., 1=17900  
 Kleinheinz, P. See Wendt, H.D., 1=3413  
 Kleinman, D.A. and Schawlow, A.L. Corbino disk, 1=1886  
 Kleinman, D.A. See Spitzer, W.G., 1=3845  
 Kleinn, W. Determination of the convergence angle of electron-microscopic stereoscopic image pairs using an electron diffraction pattern, 1=20708  
 Kleinpopp, H. Measurement of the Lamb shift of the  $3^2\text{S}_{1/2}$  state relative to the  $3^2\text{P}_{1/2}$  state of the hydrogen atom, 1=19583  
 Kleint, C. Recent results in ultra-high vacuum, 1=4381  
 Kleint, C., Neumann, H. and Fischer, R. Field emission from silicon, 1=17650  
 Kleint, C. See Fischer, R., 1=17649  
 Kleinwachter, H. See Geerk, J., 1=16282  
 Klem, L. See Smith, J.E.K., 1=6666  
 Klema, E.D., Mallmann, C.A. and Day, P. Energy levels of even nuclei on the hydrodynamical model with vibration-rotation interaction, 1=13644  
 Kleman, B. See Hartmann, B., 1=5045  
 Kleman, M. Internal movements of a relativistic particle, 1=15637  
 Klemens, P.G. Band structure of monovalent metals and their alloys, 1=927  
 Klemens, P.G. A note on the thermoelectric power of monovalent metals, 1=17808  
 Klemens, P.G. and Lowenthal, G.C. Deviations from Matthiessen's rule for platinum, 1=19830  
 Klemens, P.G. and Maradudin, A.A. Lattice distortion due to isotopes in solid helium, 1=11198

- Klement, E. and Lushchik, Ch. Conference on the physics of alkali-halide crystals, 1=2360
- Klemen'tev, V.N. See Berlovich, E.E., 1=2181
- Klemen'tev, V.N. See Berlovich, E.E., 1=3405
- Klemen'tev, V.N. See Berlovich, E.E., 1=17045
- Klement'eva, A.Yu. See Korolev, F.A., 1=12995
- Klementyev, V.N. See Berlovich, E.Ye., 1=5852
- Klemm, A. See Herzog, W., 1=15200
- Klemm, A. See Neubert, A., 1=19613
- Klemm, A. See Schirdewahn, J., 1=13976
- Klemperer, O. and Thetford, A. Transmission of slow electrons through thin films, 1=7102
- Klemperer, W. and Norris, W.G. Infrared spectra of the lithium halide dimers, 1=7470
- Klemperer, W. See Leroi, G.E., 1=14028
- Klepikov, N.P., Rokitskii, V.R., Rudoi, Yu.G., Saevskii, F.V., Fedorov, V.V. and Yudin, V.A. Threshold singularities in total pion scattering cross-section, 1=19260
- Kleppa, O.J. Thermodynamic analysis of binary liquid alloys of group IIB metals. III. The solutions of zinc, cadmium, indium, tin, thallium, lead and bismuth in mercury, 1=2750
- Kleppa, O.J., Clarke, R.B. and Hersh, L.S. Studies of fused salts. III. Heats of mixing in silver nitrate-alkali nitrate mixtures, 1=12869
- Kleppa, O.J. and Hersh, L.S. Heats of mixing in liquid alkali nitrate systems, 1=4333
- Kleppa, O.J. See Katz, J.L., 1=15860
- Klepper, D.L. See Johnson, F.R., 1=8205
- Kleppner, D. See Goldenberg, H.M., 1=11082
- Klevans, E.H. See Osborn, R.K., 1=18315
- Kliefoth, W. Dedication of the CERN proton synchrotron, 1=18960
- Klier, E. Negative photoeffect in long-wave-length absorption region of cuprous oxide, 1=6179
- Klíma, R. See Teichman, J., 1=18959
- Klimecki, V. See Lundström, T., 1=17984
- Klimenko, V.N. See Mel'nikuk, P.I., 1=11500
- Klimesh, B. Investigation of the discrimination of Czech speech in cinema halls by the syllabic method, 1=1604
- Klimin, A.I., Sed'ikh, B.N. and Sokol'skaya, I.L. Some laws governing field emission of electrons from semiconductors, 1=316
- Klimontovich, Yu.L. and Silin, V.P. Magnetohydrodynamics for nonisothermal plasma without collisions, 1=18853
- Klimowski, J. and Pietrzak, J. Dielectric permittivity variations in BaTiO<sub>3</sub> single crystals and ceramics resulting from hydrostatic pressure, 1=12472
- Kline, D.E. and Saxton, J.H. Radiation, moisture, and temperature effects in filled epoxy replica flat mirrors, 1=4434
- Kline, J.M. See Gildart, L., 1=19871
- Kline, R.C. See Newton, R.R., 1=20791
- Kline, R.K. See Jacoodine, R.J., 1=6505
- Kling, M. See Schneider, R., 1=18597
- Klinger, M.I. The use of the damping theory in the calculation of transport coefficients, 1=14196
- Klinger, M.I. The theory of linear irreversible processes in a strong magnetic field, 1=17498
- Klinger, M.I. Deduction of the quantum transport equation in a strong magnetic field, 1=17499
- Klinger, M.I. See Samoilovich, A.G., 1=7533
- Klinger, M.I. See Samoilovich, A.G., 1=7534
- Klingman, C.L. Modified chromatograph to record helium content of natural gas streams, 1=11643
- Klinkenberg, P.F.A., van Kleef, T.A.M. and Noorman, P.E. Structure and ionization potential of Hf III and Hf IV, 1=9895
- Klinkenberg, P.F.A. and Tomkins, F.S. Optical hyperfine structure and nuclear moments of promethium 147, 1=5971
- Klinkenberg, P.F.A., Van Kleef, T.A.M. and Noorman, P.E. Spectral structure of doubly and trebly ionized hafnium, 1=19590
- Klinkenberg, P.F.A. See Van Kleef, T.A.M., 1=8816
- Flippert, T.E. See Porges, K.G.A., 1=13446
- Kliutcharev, A.P. See Bolotin, L.I., 1=8705
- Kliutcharev, A.P. See Val'ter, A.K., 1=8706
- Klochikhin, A.A. See Stekhanov, A.I., 1=2444
- Klochkov, D.S. See Karamyan, A.S., 1=17155
- Klopper, A. and Ernrich, W. A small getter ion-pump, 1=11795
- Klopper, A., Garbe, S. and Schmidt, W. Residual gases in vacuum systems, 1=18490
- Klopper, A. and Schmidt, W. An omegatron for the quantitative analysis of gases, 107924
- Klopper, A. and Schmidt, W. An omegatron mass spectrometer and its characteristics, 1=16436
- Klose, G. High resolution paramagnetic proton resonance spectra of some metal-ethyl compounds, 1=12310
- Klose, W. Theory of electrical conductivity of germanium and silicon. I. The electron-phonon matrix element, 1=7641
- Kloss, H.G. and Wendel, G. A new phase fluorometer, 1=16071
- Klots, C.E. See Kistiakowsky, G.B., 1=6568
- Klots, C.E. See Kistiakowsky, G.B., 1=6569
- Klotsman, S.M., Timofeev, A.N. and Trakhtenberg, I.Sh. Measurement of diffusion coefficients in oxides, 1=6113
- Klotz, A.H. Invariance of Planck's constant in revised relativity of J. Palacios, 1=18258
- Kloverstrom, F.A., Deck, R.M.R. and Reyenga, A.J. Critical measurements on near-homogeneous BeO-moderated, enriched-uranium fueled systems, 1=17235
- Klucharev, A.P. See Vanetsian, R.A., 1=3445
- Klucharyev, O.P. See Val'ter, A.K., 1=13663
- Kluckow, R. The <sup>44</sup>me dependence of the current in a hydrogen gas discharge, 1=2948
- Kluckow, R. The transient growth of currents in a Townsend gas discharge under uniform field, 1=18795
- Klug, N.P. and Zweifel, P.F. An H<sub>2</sub>O-D<sub>2</sub>O moderated reactor, 1=17197
- Kluge, J., Stasiw, O. and Süptitz, P. A direct proof for the migration of holes in silver chloride, 1=1110
- Kluge, W. and Schulz, A. Departures from the photoelectric proportionality law in gas-filled photocells in the low current and anomalous glow regions, 1=9636
- Klumpp, R.G. and Webster, J.C. Intelligibility of time-compressed speech, 1=6661
- Klüver, J.W. Parametric coupling between the transverse waves on o- and m-type beams, 1=10784
- Klüver, J.W. See Bobroff, D.L., 1=16398
- Kluyver, J.C. See Goebel, K., 1=8732
- Klyachkin, V.I. The theory of orientational ordering of polar crystals, 1=2362
- Klyachkin, V.I. The statistical theory of ferro- and antiferroelectrics, 1=14548
- Klyavin, O.V. and Smirnov, V.I. Investigation of the width of X-ray lines in aluminum deformed at 4.2°K, 1=15057
- Klyavin'sh, Ya. See Veze, A., 1=4711
- Klyucharev, A.P. See Val'ter, A.K., 1=13420
- Klyucharev, A.P. See Vanetsian, R.A., 1=17093
- Klyucharyev, O.P. See Val'ter, A.K., 1=19455
- Klyuchnikov, Yu.F. See Presnyakov, A.A., 1=6125
- Klyukin, I.I. Attenuation of flexural waves in rods and plates by means of resonance vibrating systems, 1=16000
- Klyukin, I.I. A practical method of visualizing time or space distributions of noise or vibration, 1=18537
- Klyushnikov, V.D. The laws of plasticity for a material with hardening, 1=3978
- Kmetko, E.A. Effect of interlamellar bisulfate ions upon the flexural strength and dimensions of polycrystalline graphite, 1=3989
- Knaap, H.F.P. and Beenakker, J.J.M. The Lennard-Jones 6-12 potential parameters of H<sub>2</sub> and D<sub>2</sub>, 1=11137
- Knaap, H.F.P., Knoester, M. and Beenakker, J.J.M. The volume change on mixing for several liquid systems and the difference in molar volume between the ortho and para modifications of the hydrogenic molecules, 1=8110
- Knaap, H.F.P., Knoester, M., Verekamp, F.H. and Beenakker, J.J.M. The second virial coefficient of binary mixtures of the hydrogen isotopes and helium at 20.4°K, 1=6898
- Knaap, H.F.P. See Knobler, C.M., 1=9384
- Knab, O.D. Exoelectronic emission of coloured crystals, 1=18914
- Knapp, D.G. Some features of magnetic storms in high latitudes, 1=21097
- Knapp, E.A. See Karr, H.J., 1=5465
- Knapp, E.A. See Kenney, R.W., 1=8484
- Knappe, W. Determination of characteristic thermal data of bad thermal conductors by means of a two plate apparatus without guard ring, 1=9500
- Kneale, S.G. See Marsh, H.W., 1=5333
- Knecht, D.J. See Cladis, J.B., 1=21075
- Knecht, R.W. and Davies, K. Solar flare effects in the F region of the ionosphere, 1=20997



- Knechtli, R.C. and Wada, J.Y. Generation and measurement of highly ionized quiescent plasmas in steady state, 1-8324
- Kneip, G.D. See Betterton, J.O., Jr., 1-9513
- Kneller, E., Nagashima, T. and Schmelzer, G. Coercivity in nickel and iron-nickel single crystals with plastic deformation, 1-2474
- Kneller, E. See Gerstner, D., 1-6336
- Kneser, H.O. and Roesler, H. Acoustic absorption in  $\text{CO}_2$ -A mixtures, 1-180
- Kneser, H.O. See Breazeale, M.A., 1-9419
- Kniffen, D.A. See Naugle, J.E., 1-12701
- Knight, H.de B. Electrode contamination and arc formation, 1-10686
- Knight, H.T. and Rink, J.P. Dissociation energy of cyanogen and related quantities by X-ray densitometry of shock waves, 1-11131
- Knight, H.T. See Rink, J.P., 1-10295
- Knight, J.A. See Wilkins, B., 1-10288
- Knight, J.M. Strict localization in quantum field theory, 1-10417
- Knight, J.R. Behaviour of magnesium impurity in gallium arsenide, 1-14466
- Knight, J.R. Crystal growth of gallium arsenide using carbon boats, 1-14998
- Knight, W.D. High level oscillator for nuclear resonance, 1-5605
- Knight, W.D. See Androes, G.M., 1-2922
- Knight, W.D. See Androes, G.M., 1-9162
- Knight, W.D. See Klein, M.P., 1-20264
- Knippenberg, W.F. See van Daal, H.J., 1-17716
- Knipper, A. A contribution to the experimental study of excited levels in some radioactive nuclei, 1-16979
- Knipper, A. See Gorodetzky, S., 1-613
- Knipper, A. See Gorodetzky, S., 1-1880
- Knipper, A. See Gorodetzky, S., 1-16226
- Knipper, A. See Gorodetzky, S., 1-16985
- Knipper, A. See Gorodetzky, S., 1-17038
- Knitter, H.H. and Wäffler, H. Radiative capture of deuterons in  $\text{Be}^9$  and  $\text{C}^{12}$ , 1-19515
- Knittl, Z. See Kard, P.G., 1-16102
- Knobbout, J.A. The application of analogues to the solution of heat-transfer problems. I. Historical development of analogues based on examples, 1-6970
- Knobler, C.M., Knaap, H.F.P. and Beenakker, J.J.M. Measurement of volume contraction and heat of mixing of oxygen-nitrogen mixtures, 1-9384
- Knobler, C.M., van Heijningen, R.J.J. and Beenakker, J.J.M. Excess thermodynamic properties of the liquid systems  $\text{O}_2$ -A and  $\text{O}_2$ -N<sub>2</sub>, 1-8109
- Knoester, M. See Knaap, H.F.P., 1-6898
- Knoester, M. See Knaap, H.F.P., 1-8110
- Knof, H. Mass transport in liquid metals perpendicularly to crossed electric and magnetic fields, 1-1966
- Knoll, M.E. Active-metal soldering of crystalline quartz, 1-4165
- Knook, B. and van den Berg, G.J. The electrical resistance of pure Au and Ag at low temperatures, 1-7615
- Knop, G. See Backenstoss, G., 1-8478
- Knopoff, L. and Gangi, A.F. Transmission and reflection of Rayleigh waves by wedges, 1-1782
- Knopoff, L. See Fredricks, R.W., 1-1781
- Knowles, J.E. A temperature compensated magnetizing coil, 1-5527
- Knowles, J.E. A further explanation of the shape of the hysteresis loop of "square loop" ferrites, 1-6360
- Knowles, J.E. The irreversible change of magnetization produced in "square loop" ferrite by pulsed magnetic fields, 1-9038
- Knowles, J.E. The estimation of domain wall velocity in a "square loop" ferrite, and some observations on the reversal process, 1-14736
- Knowles, J.W., Manning, G., Bartholomew, G.A. and Campion, P.J. A comparison on the neutron capture  $\gamma$ -ray spectra of  $\text{Gd}^{156}$  and  $\text{Gd}^{158}$ , 1-8739
- Knowles, J.W. See Bartholomew, G.A., 1-2030
- Knox, F.B. On the validity of treating a dense plasma as a metal in radio-frequency containment of plasmas, 1-5461
- Knox, K. See Beckman, O., 1-2464
- Knox, R.S. A note on exciton multiplicities, 1-14223
- Knox, R.S. and Bassani, F. Band structure of solid argon, 1-17444
- Knox, W.A. A Canadian-built birefringent monochromator, 1-2588
- Knox, W.J., Quinton, A.R. and Anderson, C.E. Evaporation of charged particles from highly excited compound nuclei, 1-734
- Knox, W.J. See Anderson, C.E., 1-733
- Knox, W.J. See Beringer, R., 1-3383
- Knox, W.J. See Hubbard, E.L., 1-10749
- Knudsen, D.B. See Hill, H.A., 1-12197
- Knudsen, E. See Norinder, H., 1-6593
- Knudsen, E. See Norinder, H., 1-10312
- Knvazeva, L.V. See Pistol'kors, A.A., 1-5592
- Knyaz'kov, L.G. See Kel'man, V.M., 1-4666
- Ko, H.C. Amplitude scintillation of radio star at ultra-high frequency, 1-9197
- Ko, H.C. Characteristics of cosmic radio radiation, 1-12780
- Ko, H.C. See Kraus, J.D., 1-8013
- Koba, S. Convex-core model of molecules in crystalline state. II, 1-14142
- Koba, Z. Statistical theory of multiple particle production with angular momentum conservation, 1-7199
- Koba, Z. Statistical theory of multiple particle production with angular momentum conservation, 1-13371
- Koba, Z. On the angular momentum weight factor in the statistical theory of multiple particle production, 1-16676
- Koba, Z. See Hayakawa, S., 1-3429
- Kobatake, Y. Transport phenomena in polymer membranes, 1-15848
- Kobayakawa, K. and Imamura, T. A field theoretical investigation of multiple meson production. I. Pion-nucleon collisions, 1-3206
- Kobayakawa, K. See Yajima, N., 1-10883
- Kobayashi, A., Oda, Z., Kawaji, S., Arata, H. and Sugiyama, K. Impurity conduction of cleaned germanium surfaces at low temperatures, 1-1048
- Kobayashi, A. See Tadokoro, H., 1-12279
- Kobayashi, H. Measurements of neutron flux by shielded "long counter", 1-16817
- Kobayashi, H. Measurements of neutron intensity by the use of manganese bath, 1-16818
- Kobayashi, H. BF<sub>3</sub> neutron counter, 1-16819
- Kobayashi, H. Measurements of neutron energy by gas recoil counter, 1-19218
- Kobayashi, H., Haseda, T. and Kanda, E. The superexchange interaction between  $\text{Cr}^{+3}$  pair in chromium bi-nuclear complex, 1-12517
- Kobayashi, K. An experimental demonstration of the production of chemical remanent magnetisation with Cu-Co alloy, 1-14705
- Kobayashi, K. and Tomiki, T. Absorption band due to a presence of impurity bromine in KCl crystals, 1-10105
- Kobayashi, K. and Tomiki, T. Studies on the preparation of pure alkali chlorides, 1-12622
- Kobayashi, K. and Tomiki, T. Temperature dependences of the fundamental absorption tail of KCl and the absorption due to bromines in KCl, 1-14582
- Kobayashi, K. See Shoda, K., 1-17082
- Kobayashi, S. Elastic and inelastic scattering of protons by oxygen and neon, 1-8709
- Kobayashi, S. Elastic and inelastic scattering of protons by oxygen in the energy region of 6.9 MeV to 15.6 MeV, 1-9853
- Kobayashi, S. Thomas-Fermi-Dirac model of compressed ions, 1-11062
- Kobayashi, S., Matsuda, K., Nagahara, Y., Oda, Y. and Yamamuro, N. Elastic and inelastic scattering of protons from nickel isotopes;  $\text{Ni}^{58}$  and  $\text{Ni}^{60}$ , in the energy range from 7.0 MeV to 15.3 MeV, 1-9852
- Kobayashi, S. See Kikuchi, S., 1-7113
- Kobayashi, S. See Matsuda, K., 1-17095
- Kobayashi, S. See Oda, Y., 1-8724
- Kobayashi, T. The growth of snow crystals at low super-saturations, 1-20831
- Kobayashi, T. See Iso, C., 1-10898
- Kobayashi, T. See Ito, D., 1-530
- Kobayashi, T. See Kato, T., 1-15734
- Kobayashi, T. See Otsuka, E., 1-2497
- Kobayasi, M. and Marumori, T. On the collective excitation of spherical nuclei, 1-3384
- Kobayasi, S. Quantum-mechanical calculation of the cohesive energy of cuprous sulfide  $\mu$ -Cu<sub>2</sub>S crystal, 1-895

- Kobe, D.H. Correction and interpretation of Fourier coefficients of X-ray diffraction patterns from very small, distorted crystals, 1=20505
- Kobelev, L.Ya. The effect of correlation on the frequency of plasma oscillations, 1=6092
- Kobelev, L.Ya. Description of an electron-ion plasma, 1=7072
- Kobelev, L.Ya. Calculating the correlation in a system of particles using Green's double-particle function, 1=7557
- Kobelev, L.Ya. The calculation of the after-effect function of a system of interacting particles, 1=17928
- Kobiichuk, N.M. See Golik, O.Z., 1=12879
- Kobrak, H. Internal pairs from  $\pi^-$ -proton interactions at rest, 1=13477
- Kobtsev, Yu.D. See Nekrasov, M.M., 1=19931
- Kobuke, Y. See Uehara, Y., 1=6226
- Kobzarev, I.Yu. and Okun', L.B. Which is heavier: the  $K_1^0$ -meson or the  $K_2^0$ -meson? 1=3230
- Kobzarev, I.Yu. and Okun', L.B. On the theory of the vector, 1=16674
- Kobzarev, I.Yu., Okun', Yu.B. and Pomeranchuk, I.Ya. Electromagnetic interaction of a neutral vector meson, 1=16826
- Kobzev, V.A., Lukin, Yu.T., Takibaev, Zh.S., Tsadikova, G.R. and Shalagina, E.V. Interaction between 9 BeV protons and protons, 1=19196
- Koc, S. On the determination of the position of the energy level of surface recombination centres, 1=14399
- Koc, S. Slow non-exponential changes of surface conductivity of germanium, 1=14430
- Koc, S. Characteristic parameters of recombination centres, 1=17657
- Koc, S. Very slow changes in time constant of relaxations of surface conductivity of germanium, 1=17682
- Koc, S. The origin of slow relaxation effects on a germanium surface when studying the a.c. field effect, 1=17683
- Koch, A.J.J., van der Steeg, M.G. and de Vos, K.J. Permanent magnets with high coercivity based on Fe-Co-Ni-Al alloys, 1=1235
- Koch, G. Ultrasonic image conversion using an electron mirror, 1=8195
- Koch, G. Notes on the radiation pattern of parabolic mirrors in conjunction with re-setting of radioastronomical equipments, 1=15529
- Koch, J.W. See Van Name, F.W., Jr., 1=16728
- Koch, K.M. See Dannhauser, F., 1=9020
- Koch, L. Spectral studies of luminescence due to excitation of inert gases by  $\alpha$ -rays, 1=8165
- Koch, L., Messier, J. and Kerns, Q. Nuclear method of measurement of diffusion length in p-n junctions, 1=3779
- Koch, L., Messier, J. and Valin, J. N.I.P. silicon junction detectors, 1=3253
- Koch, L., Messier, J. and Valin, J. Description of p-i-n junctions used as detectors of nuclear particles. Spectrometry of high-energy ionizing particles. Detection of  $\gamma$ -rays, 1=5614
- Koch, L., Messier, J. and Valin, J. Measurement of the mean ionization energy in silicon for  $\alpha$  and  $\beta$  particles by means of nip junctions, 1=8946
- Koch, P. See Ziering, S., 1=11775
- Koch, R.C. and Grandy, G.L. Xenon-krypton separation by gas chromatography, 1=1495
- Koch, R.H. Times of minimum light for several eclipsing binaries, 1=4205
- Koch, R.H. Departures from the Russell model in TX Ursae Majoris, 1=9281
- Koch, W. See Cvijanovich, G., 1=16778
- Koch, W. See Gorgé, V., 1=4829
- Kochanova, L.A., Shchukin, E.D., Likhtman, V.I. and Rebinder, P.A. The origin and development of cracks in deformed crystals, 1=6478
- Kochanova, L.A. See Shchukin, E.D., 1=6471
- Kochanovská, A. The influence of the spectral profile of the  $K_{\alpha 1,2}$  doublet and diffraction broadening on the integrated intensities of high angle diffractions, 1=15050
- Kochelaev, B.I. The longitudinal relaxation of nuclear spins at very low temperatures in a paramagnetic crystal, 1=1278
- Kochelaev, B.I. A contribution to the theory of nuclear spin-lattice relaxation in octahedral complexes, 1=3943
- Kochelaev, B.I. Relaxation absorption of sound in a paramagnetic substance, 1=17404
- Kochemirovskii, A.S. See Viktorova, E.N., 1=12887
- Kochendörfer, A. and Schürenkämper, A. The state of stress in notched rods and its effect on the creep and the approach to brittle fracture of steels, 1=12589
- Kochenov, A.S. The stability of a nuclear power plant, 1=753
- Kochergin, V.P. and Orlov, V.V. Neutron slowing-down lengths, 1=16811
- Kochina, N.N. and Mel'nikova, N.S. Strong point-explosion in a compressible medium, 1=1474
- Kochina, N.N. and Mel'nikova, N.S. Unsteady motion of a gas driven out by a piston neglecting the counter-pressure, 1=8148
- Kochina, N.N. and Mel'nikova, N.S. Properties of the solution of the problem of point detonation in compressible matter, 1=11776
- Kochina, N.N. and Mel'nikova, N.S. Properties of the solution of the problem of point detonation in compressible matter, 1=15934
- Kocian, P. and Kracík, J. Conditions of appearance of a low-pressure striated discharge, 1=10684
- Kociński, J. On the theory of spin waves in ferrimagnetics, 1=1241
- Kociński, J. Scattering of slow neutrons in ferrimagnetic crystals, 1=12545
- Kock, W.E. Related experiments with sound waves and electromagnetic waves, 1=199
- Kocks, U.F. Polyslip in single crystals, 1=1328
- Koda, S. See Matsuura, K., 1=14876
- Koda, S. See Matsuura, K., 1=14877
- Koda, S. See Nakazima, K., 1=20598
- Kodama, M. See Fukushima, S., 1=3359
- Kodis, R.D. On the theory of diffraction by a composite cylinder, 1=4722
- Kodiukov, V.M. The effect of boundary conditions on the  $\gamma$ -ray build-up factor, 1=7225
- Kodlubik, I.I. See Belenkova, M.M., 1=10214
- Kodoma, M. and Nagata, T. Cosmic-ray increase on July 16-17, 1959, 1=19306
- Kodyukov, V.M. See Gorshkov, G.V., 1=5705
- Kodzhespirov, F.F. Thermal conductivity of BaTiO<sub>3</sub>-based manganese niobate solid solutions, 1=17431
- Koehlin, Y. On a new method of studying ultrashort scintillations, 1=6967
- Koedam, M. Cathode sputtering by rare-gas ions of low energy, 1=13136
- Koedam, M. and Hoogendoorn, A. Sputtering of copper single crystals bombarded with  $A^+$ ,  $Kr^+$  and  $Ne^+$  ions with energies ranging from 300-2000 eV, 1=9647
- Koedam, M. See Weijzenfeld, C.H., 1=18950
- Koehler, D.R. See Alford, W.L., 1=12184
- Koehler, W.C. Neutron diffraction by helical spin structures, 1=6346
- Koehler, W.C. Neutron diffraction by helical spin [magnetic] structures, 1=20497
- Koehler, W.C. See Cable, J.W., 1=6348
- Koehler, W.C. See Herpin, A., 1=2482
- Koehler, W.C. See Wilkinson, M.K., 1=6347
- Koehler, W.C. See Wilkinson, M.K., 1=9135
- Koelmans, H. Association and dissociation of centres in luminescent ZnS-In, 1=20018
- Koelmans, H. and Grimmeiss, H.G. The photoconductivity of CdIn<sub>2</sub>S<sub>4</sub> activated with Cu or Au, 1=3786
- Koelmans, H. and Grimmeiss, H.G. The incorporation of Cu in CdIn<sub>2</sub>S<sub>4</sub> photoconductors, 1=14501
- Koelmans, H. See Grimmeiss, H.G., 1=14631
- Koelmans, H. See Grimmeiss, H.G., 1=17775
- Koenig, L.R. and Spyers-Duran, P.A. Simple methods of determining water drop sizes by means of photographic emulsions, 1=12853
- Koenig, S.H. and Hall, J.J. Low temperature transport in "split P-germanium", 1=3754
- Koeppe, W. The Joule-Thomson effect, 1=18681
- Koeppe, W. Shape of the inversion curve for low temperatures, 1=18682
- Koerts, L.A.C. See Tjin A Djie, H.R.E., 1=19072
- Koerts, W. See Palma-Vittorelli, M.B., 1=7775
- Koester, L.J.Jr. Automatic scanning of spark chamber photographs, 1=10825
- Koffman, L. See Hulthén, E., 1=14012
- Kofink, W. Complete spherical harmonics solution of the Boltzmann equation for neutron transport in homogeneous media with cylindrical geometry, 1=503



- Kofink, W. New forms of solution of the Boltzmann equation for monoenergetic neutron transport in spherical geometry, 1=8804
- Kofoed-Hansen, O. Coupling constant determinations from investigations of nuclear beta-decay, 1=8636
- Koga, H., Horai, K. and Matsumura, O. Electron spin resonance of  $Mn^{++}$  in  $SrCl_2$ ,  $CdCl_2$  and  $CdBr_2$ , 1=14802
- Koga, T. Transport phenomena in a fully ionized gas confined in a strong magnetic field, 1=10674
- Koga, T. Interaction between a radio wave and a plasma, 1=11646
- Koga, T., Everton, J.G. and Wilber, P.C. Electron-heavy particle collision model in a plasma, 1=16318
- Kogan, A.V., Kul'kov, V.D., Nikitin, L.P., Reinov, N.M., Sokolov, I.A. and Stel'makh, M.F. Polarization of some radioactive isotopes in alloys, 1=14155
- Kogan, M.N. Equations of motion of a rarefied gas, 1=6902
- Kogan, M.N. On the uniqueness of quasi-hyperbolic magnetohydrodynamic flows, 1=10778
- Kogan, Sh.M. and Sandomirskii, V.B. The theory of the external emission of hot electrons from semiconductors, 1=317
- Kogan, V.I. Recombination radiation from a hydrogen plasma, 1=7053
- Kogan, V.I. On the yield of thermonuclear D-D reactions, 1=7410
- Kogan, V.I. The fluctuating microfield and the multiple collisions in a gas of charged (or gravitating) particles, 1=8330
- Kogan, V.I. The fluctuating microfield and the multiple collisions in a gas of charged (or gravitating) particles, 1=11936
- Kogan, V.I. See Babikov, V.V., 1=7052
- Kogan, V.S., Lazarev, B.G. and Bulatova, R.F. Different lattice constants of solid neon isotopes, 1=15070
- Kogan, V.S., Lazarev, B.G., Ozerov, R.P. and Zhdanov, G.S. Neutron diffraction study of the crystalline structure of solid hydrogen and deuterium, 1=20528
- Kogan, V.S., Lazarev, B.G., Zhdanov, G.S. and Ozerov, R.P. A cryostat for use at liquid hydrogen and helium temperatures in neutron diffraction studies, 1=11865
- Kogan, V.S. See Bulatova, R.F., 1=4043
- Kogan, V.S. See Vasyutinskii, B.M., 1=985
- Kogan, V.S. See Vasyutinskii, B.M., 1=1436
- Kogarko, B.S. A [possible] model of liquid cavitation, 1=15805
- Kogarko, S.M. and Ryzhkov, D.L. A study of the amplification of compression waves during combustion, 1=18665
- Kogure, Y. On the irreversible behavior of coupled oscillators with application to time of flight, 1=12814
- Koh, P.K. Cube texture in ultrathin molybdenum permalloy tape, 1=6527
- Koh, Y. See Katoh, T., 1=12175
- Koh, Y. See Nozawa, M., 1=12174
- Kohl, H. Movement of the F-layer of the ionosphere during bay disturbances of the earth magnetism, 1=1539
- Köhler, H. A new coma-free Cassegrain system, 1=17991
- Köhler, H. A new telescope eyepiece with extremely large field of view, 1=18583
- Köhler, H. See Förstner, A., 1=6950
- Köhler, H.S. The three-nucleon cluster term energy in nuclear matter, 1=7311
- Köhler, H.S. The many body problem of oxygen-16, 1=19331
- Kohler, J.W.L. The gas refrigerating machine and its position in cryogenic techniques, 1=4511
- Kohler, M. On the canonical form of dynamics of a particle in a gravitational field, 1=12796
- Köhler, R. Study of the proton magnetic resonance of the crystalline solid phase of azoxyphenol-di-p-n-amyl ether, 1=5076
- Kohler, R.H. Detection of double resonance by frequency change: application to  $Hg^{201}$ , 1=3515
- Kohlhaas, R. and Ballensiefen, G. Fine structure of Weiss domains on {110} faces of FeSi single crystals in terms of magnetic field strength and direction, 1=11436
- Kohlhaas, R. and Müller, S. On the influence of the image effect on the measurement of magnetic saturation by means of a magnetic balance after H. Lange and
- Kohman, T.P. See Macfarlane, R.D., 1=4842
- Kohn, H. See Hofmann, F.W., 1=8234
- Kohn, H. See Hofmann, F.W., 1=8815
- Kohn, J.M. See Birkhoff, R.D., 1=18947
- Kohn, W. Cyclotron resonance and de Haas-van Alphen oscillations of an interacting electron gas, 1=11188
- Kohout, F. and Weiss, I. Review of Hall probes, 1=18970
- Kohra, K. and Watanabe, E. Anomalous transmission of electrons in a film of molybdenite, 1=7101
- Kohra, K. and Watanabe, H. Measurement of anomalous absorption coefficients of electrons for MgO crystals, 1=20715
- Kohra, K. See Ishii, Z., 1=6451
- Kohra, K. See Ishii, Z., 1=11197
- Kohra, K. See Yoshimatsu, M., 1=2509
- Kohra, K. See Yoshimatsu, M., 1=11208
- Kohra, K. See Yoshimatsu, M., 1=14262
- Kôji, Y., Tsujimura, A., Hihara, T. and Kushida, T. Internal magnetic field in iron and iron alloys measured by n.m.r., 1=17949
- Kôji, Y., Tsujimura, A., Hihara, T. and Kushida, T. N.M.R. of  $Co^{59}$  in ferromagnetic cobalt alloys, 1=20257
- Kôji, Y., Tsujimura, A. and Kushida, T. N.M.R. of  $Co^{59}$  in ferromagnetic hexagonal cobalt metal, 1=20256
- Kôji, Y., Tsujimura, A. and Yukimoto, Y. The temperature and pressure dependence of the nuclear resonance of  $Co^{59}$  in face-centered-cubic cobalt metal, 1=11464
- Koide, F.T. Depth of penetration as a measure of reflectivity of thin conductive films, 1=9482
- Koide, S. See Kamimura, H., 1=10128
- Koide, S. See Sinha, K.P., 1=7741
- Kolke, M. and Danno, A. Radiation effects on dimethyl-diphenyl siloxane copolymer. I. Protective effect of phenyl radical on the cross-linking, 1=11138
- Koike, Y. See Nishioka, A., 1=9154
- Koikov, S.N., Kunin, V.Ya. and Tsikin, A.N. Calculation of the change of defect concentration in rutile ceramics on ageing and regeneration, 1=17638
- Koikov, S.N. and Tsikin, A.N. The solution of the problem of the thermal breakdown of non-uniform dielectrics, 1=5040
- Koikov, S.N. and Tsikin, A.N. Solution of the problem of thermal spark-over in heterogeneous dielectrics subjected to unsymmetrical boundary conditions, 1=19932
- Koizumi, T. See Nakahara, I., 1=83
- Kojima, H. and Goto, K. Magnetic domain observation of  $BaFe_2O_7$  by Faraday effect, 1=20090
- Kojima, H., Tebble, R.S. and Williams, D.E.G. The variation with temperature of the magnetic susceptibility of some of the transition elements, 1=14679
- Kojima, K. and Nishimaki, N. A-centres in potassium chloride crystals, 1=14339
- Kojima, K., Nishimaki, N. and Kojima, T. Structure and properties of A-centers in KCl, 1=19810
- Kojima, K. See Nishimaki, N., 1=17573
- Kojima, S. and Hagiwara, S. Radiation of plasma oscillation, 1=15096
- Kojima, S., Kawasaki, E. and Kato, K. Oscillations in a plasma in a weak magnetic field, 1=18896
- Kojima, S. and Minematsu, M. Nuclear quadrupole resonance of nitrogen in cyanuric chloride, 1=10198
- Kojima, T. Potential barrier of phenol from its microwave spectrum, 1=7460
- Kojima, T. Microwave spectrum of methyl mercaptan, 1=9929
- Kojima, T. See Kojima, K., 1=19810
- Kojima, Y. See Torizuka, Y., 1=6388
- Kok, J.A. and Van Vroonhoven, C.E.C.M.M. Aspects of Kokalas, J.J. See Vratny, F., 1=8981
- Kokorev, D.T. Experimental methods applied to the determination of some temperature radiation parameters, 1=16147
- Kokorish, E.Yu. Use of the Peltier effect for making transistor junctions in a germanium monocrystal pulled from the melt, 1=17786
- Kokorish, E.Yu. and Sheftal', N.N. Growing of dislocation-free germanium single crystals, 1=4026
- Kokorish, N.P. See Kurov, G.A., 1=14435
- Koksharova, S.F. See Vasilenko, S.S., 1=19401
- Kokubun, S. See Nagata, T., 1=15354
- Kokurina, M.V. See Adrianova, I.I., 1=18612
- Kolakowski, B. Structure of etching figures on bismuth selenide single crystals, 1=14955
- Kolar, O.C. Mechanism of the reaction  $O^{16} + p \rightarrow p + 4\alpha$  at 29 MeV, 1=7378
- Kolb, A.C. Magnetic compression of plasmas, 1=5468
- Kolb, A.C. See McLean, E.A., 1=291

- Kolb, A.C. See McLean, E.A., 1=12917
- Kolb, A.C. See Rostoker, N., 1=18827
- Kolb, K. and Macherauch, E. A texture conditioned surface effect in the drawing of thin polycrystalline specimens, 1=9089
- Kolb, K. and Macherauch, E. The influence of anisotropy on X-ray measurements of lattice extension on nickel, 1=10256
- Kolbenstvedt, H. and Olsen, H. Momentum-spin correlations in photo-electric effect and in single quantum positron annihilation, 1=19601
- Kolbin, M.N. See Konorov, P.P., 1=17677
- Kolesnikov, L.Ya. See Valter, A.K., 1=19536
- Kolesnikov, L.Ya. See Vatset, P.I., 1=19537
- Kolesnikova, E.N. See Grinberg, G.A., 1=5593
- Kolesnikova, E.N. See Grinberg, G.A., 1=12017
- Kolesnikova, M.M. See Sokolov, A.A., 1=5687
- Kolesov, V.E. See Denisov, F.P., 1=12187
- Kolesova, E.B. See Koronkevich, V.P., 1=18595
- Kolga, V.V. See Danilov, V.I., 1=344
- Kolga, V.V. See Dmitrievsky, V.P., 1=18962
- Kolganov, V.Z., Lebedev, A.V., Nikitin, S.Ya. and Smolyankin, V.T. Liquid-hydrogen bubble chamber, 1=3096
- Kolganov, V.Z. See Belonogov, A.V., 1=3097
- Kolganova, E.D. See Vaisenberg, A.O., 1=16839
- Kolganova, E.D. See Vaisenberg, A.O., 1=19223
- Kolganova, E.D. See Vaisenberg, A.O., 1=19228
- Kolkunov, V.A. Positions of the singularities of certain Feynman diagrams, 1=16715
- Kolkunov, V.A., Okun, L.B., Rudik, A.P. and Sudakov, V.V. Position of the nearest  $\pi\pi$ -scattering amplitude singularities, 1=2089
- Kollar, F. and Russell, R.D. Small signal impedance of a solid core inductance, 1=10648
- Kollár, G. and Proszt, J. Revision of the classical law of molar boiling point elevation, 1=11608
- Koller, L.R. and Coghill, H.D. Formation of phosphor films by evaporation, 1=6560
- Kolm, H.H. and Mawardi, O.K. Hydromagnet: a self-generating liquid conductor electromagnet, 1=10770
- Kolmer, F., Krhák, M. and Tichý, J. Contribution to the problem of diffuseness of the sound field in a reverberation chamber, 1=16043
- Kolmer, F. and Tichý, J. Energy relations in sound propagation in porous materials with rigid skeleton, 1=16023
- Kolobkov, V.P. See Viktorova, E.N., 1=3866
- Kolobova, K.M. See Nemnonov, S.A., 1=7715
- Kołodziejczak, J. Transport of current carriers in n-type indium antimonide at low temperatures, 1=14469
- Kołodziejczak, J. On the theory of transport phenomena in semiconductors, 1=17648
- Kołodziejczak, J. Electrons and holes in indium antimonide, 1=17738
- Kołodziejcki, R. An attempt to calculate the reaction  $^{14}\text{N}(d,p)^{15}\text{N}^*$  by the Born first approximation, 1=13850
- Kolomenskii, A.A. Theory of the motion of particles in an accelerator with variable "periodicity" [Kratnost'yu] — the microtron, 1=1949
- Kolomenskii, A.A. A store-injector for a proton synchrotron, 1=11991
- Kolomenskii, A.A. and Lebedev, A.N. The suppression of betatron oscillations in strong-focusing electron synchrotrons, 1=9656
- Kolomenskii, A.A. and Lebedev, A.N. Beam stability in stacked orbits, 1=13140
- Kolomenskii, A.A. and Lebedev, A.N. Some properties of orbits in accelerations in conditions of similarity, 1=13142
- Kolomiets, B.T. See Ivanov-Omskii, V.I., 1=20439
- Kolomichuk, V.N. See Regel', V.R., 1=17539
- Kolomoets, L.A. See Semenkovich, S.A., 1=20438
- Kolomoets, N.V. and Vedernikov, M.V. Thermoelectric properties of ferromagnetic metals and their alloys, 1=19914
- Kolomoets, N.V. See Semenkovich, S.A., 1=20438
- Kolomoets, N.V. See Vedernikov, M.V., 1=5034
- Kolontsova, E.V. and Ignat'eva, L.A. Diffuse scattering of X-rays by quartz crystals before and after neutron irradiation, 1=15058
- Kolontsova, E.V. and Zhestovskaya, M.I. The effects of neutron bombardment on lithium fluoride crystals, 1=3702
- Kolontsova, E.V. See Bagaryatskii, Yu.A., 1=20435
- Kołos, W. On wave functions for the problem of electron and X-ray scattering by helium atoms, 1=3518
- Kołos, W. Approximate wave functions in the calculation of [atomic] electron excitation accompanying the beta-decay of  $\text{He}^6$ , 1=13961
- Kofos, W. and Wolniewicz, L. The coupling between electronic and nuclear motion and the relativistic effects in the ground state of the  $\text{H}_2$  molecule, 1=14096
- Koloskova, N.G. and Kopvillem, U.Kh., Acoustic excitation of free nuclear induction in cubic crystals, 1=6428
- Kolosov, V.I. See Hrýshayev, I.O., 1=13126
- Kolpakov, M.I. See Zhdanov, A.P., 1=3099
- Kolsky, H. The mechanical testing of high polymers, 1=14882
- Kolsrud, M. See Eriksen, E., 1=16660
- Koltay, E. Electron optical construction of inhomogeneous accelerating tubes, 1=340
- Kolyadin, K.I. See Gurevich, M.M., 1=2866
- Komanichu, N. See Agarbichanu, I.I., 1=19342
- Komar, A. "Minimal property" of electromagnetic interaction for spin- $\frac{1}{2}$  particles, 1=2015
- Komar, A. and Salam, A. Renormalization problem for vector meson theories, 1=4776
- Komar, A.A. See Komar, A.P., 1=5989
- Komar, A.A. See Komar, A.P., 1=11085
- Komar, A.P. The fine structure of the photo-proton energy spectrum and the nuclear levels of  $\text{Li}^6$ , 1=8584
- Komar, A.P. The kinetic energy of fission fragments from the photo-fission of  $\text{Th}^{232}$  and  $\text{U}^{238}$ , 1=8789
- Komar, A.P. and Komar, A.A. Molecules and molecular and atomic complexes as guides of electronic waves, 1=5989
- Komar, A.P. and Komar, A.A. Molecules and molecular and atomic complexes as guides of electronic waves, 1=11085
- Komar, A.P. and Kovarzh, Z. Isothermal gamma calorimeter, 1=5706
- Komar, A.P. and Kovarzh, Z. Isothermal gamma calorimeter, 1=10872
- Komar, A.P. and Kruglov, S.P. A quantometer for measuring the energy flux of bremsstrahlung from betatrons and synchrotrons and its investigation for  $E_{\gamma\text{max}} < 100 \text{ MeV}$ , 1=5709
- Komar, A.P., Krzhemenek, Ya. and Yavor, I.P. Photodisintegration of  $\text{Ne}^{22}$ , 1=3436
- Komar, A.P., Krzhemenek, Ya. and Yavor, I.P. Photodisintegration of  $\text{Ne}^{23}$ , 1=11000
- Komar, A.P. and Makhnovskii, E.D. The fine structure of the energy spectrum of photoprotons and the levels of  $\text{Li}^6$ , 1=5893
- Komar, A.P., Makhnovskii, E.D. and Poddubnov, V.P. Relative escape and energy distribution of photo-deuterons from copper, 1=4855
- Komar, A.P., Mikheev, G.F. and Chernov, N.N. A system of extremal regulation of the intensity of  $\gamma$ -radiation of a synchrotron, 1=5515
- Komar, A.P., Mikheev, G.F. and Chernov, N.N. A system of extremal regulation of the intensity of  $\tau$ -radiation of a synchrotron, 1=11992
- Komar, A.P., Mikheev, G.F., Fominenko, V.P. and Chernov, N.N. A new method for investigating the process of injection of electrons in the betatron, 1=4683
- Komar, A.P., Vorob'ev, A.A. and Korolev, V.A. Measurement of the fluctuations of ionization of  $\alpha$ -particles in argon, 1=18762
- Komar, A.P. See Vorob'ev, A.A., 1=18756
- Komar, E.G. A cyclotron with a radially travelling magnetic wave, 1=9654
- Komar, E.G. See Afrosimov, V.V., 1=9602
- Komar, E.G. See Glukhikh, V.A., 1=4617
- Komar, E.G. See Glukhikh, V.A., 1=5477
- Komar, E.G. See Glukhikh, V.A., 1=9258
- Komar, E.G. See Glukhikh, V.A., 1=9603
- Komarek, K. See Miller, E., 1=17750
- Komarov, N.N. and Fadeev, V.M. Plasma in a self-consistent magnetic field, 1=18837
- Komarov, W.J. See Yeffseyev, W.S., 1=12035
- Komarov, V.I. See Akimov, Yu.K., 1=1985
- Komarov, V.I. See Evseev, V.S., 1=19499
- Komarov, V.V., Kurepin, A.B. and Popova, A.M. The possibility of use of the (n, 2n) reaction in nuclear spectroscopy, 1=4834
- Komarov, V.V. See Vasil'ev, S.S., 1=16464



- Komarovskii, L.V. A rigorous solution of the equations [governing] three-dimensional non-stationary flow of gases of the double-wave type, 1=4365
- Komarovskii, L.V. A rigorous solution of the equations [governing] three-dimensional non-stationary flow of gases of the double-wave type, 1=10531
- Komatsubara, K. Change of surface state of Ge by electron bombardment, 1=17690
- Komatsubara, K., Inuishi, Y., Edagawa, H. and Shibaike, T. 1/f noise and channel in Ge p-n junction, 1=14485
- Komatsubara, K. See Kurata, T., 1=11312
- Komatsuzawa, A. See Sugano, R., 1=3239
- Komel'kov, V.S., Morozova, T.I. and Skvortsov, U.V. The investigation of a powerful electric discharge in deuterium, 1=7037
- Komel'kov, V.S. See Skvortsov, Yu.V., 1=5430
- Komel'kov, V.S. See Vasil'ev, V.I., 1=2975
- Komissarova, L.N. See Spitsyn, V.I., 1=20427
- Komissarova, Z.A. See Baskova, K.A., 1=19755
- Komiya, H. See Ibuki, S., 1=14507
- Komkov, A.I. The structure of natural fergusonite, and of a polymorphic modification, 1=15107
- Kommandeur, J. and Hall, F.R. Electronic conduction in complexes of aromatic hydrocarbons with iodine, 1=3775
- Kommandeur, J. See Blomgren, G.E., 1=19866
- Kommandeur, J. See Singer, L.S., 1=3938
- Komnik, Yu.F. See Palatnik, L.S., 1=5379
- Komnik, Yu.F. See Palatnik, L.S., 1=12443
- Komnik, Yu.F. See Palatnik, L.S., 1=15176
- Komoda, T. Lower levels in  $\text{Ca}^{48}$ , 1=614
- Komoda, T. M1-transition in  $\text{V}^{51}$  and configuration mixing, 1=8659
- Komoda, T. Ground states of Ca isotopes, 1=10954
- Komoda, T. M1-transition in  $\text{V}^{51}$  and configuration mixing, 1=10988
- Kompaneets, A.S. On the bond in the  $\text{C}^{12}-\text{C}^{12}$  nuclear molecule, 1=17153
- Kompaneitsev, N.A. See Sadovskii, V.D., 1=10227
- Kompanejev, A.S. The separation of gaseous mixtures by a vapour current, 1=20781
- Komsha, G. and Simionescu, K. Investigation of a demountable ion pump with cathodic sputtering, 1=1773
- Komsha, G. See Gel'berg, A., 1=14693
- Komura, S., Kunitomi, N., Hamaguchi, Y. and Sakamoto, M. Ferromagnetism of the intermetallic compound  $\text{UFe}_2$ , 1=20078
- Komura, S., Kunitomi, N., Tseng, P.K., Shikazono, N. and Takekoshi, H. Mössbauer effect of the intermetallic compound  $\text{UFe}_2$ , 1=19686
- Komura, Y., Tomile, Y. and Nathans, R. X-ray measurement of the scattering factor of iron in ordered  $\text{Fe}_3\text{Al}$ , 1=11561
- Kon, A.Z. See Perlin, Yu.E., 1=20034
- Kondalah, E., Jhingan, M.L. and Badrinathan, C. Surface direct interaction of 14 MeV neutrons with fluorine, 1=17124
- Kondilenko, I.I. and Korotkov, P.A. The connection between the absorption coefficients and intensity of the Raman lines in the resonance region, 1=12291
- Kondilenko, I.I. and Vorob'eva, G.A. An annular low-pressure mercury lamp, 1=9480
- Kondo, H. See Kinoshita, K., 1=11440
- Kondo, H. See Kinoshita, K., 1=11441
- Kondo, J. Electron spin resonance of  $\text{Mn}^{++}$  ion in ionic crystals, 1=3936
- Kondo, J. Spin-lattice relaxation of donor electrons in silicon, 1=11489
- Kondo, J. Internal magnetic field in rare earth metals, 1=20041
- Kondo, K., Hirakawa, H., Miyahara, A., Oka, T. and Shimoda, K. Microwave Zeeman effect of formaldehyde, 1=7464
- Kondo, K. and Oka, T. Stark-Zeeman effects on asymmetric top molecules. Formaldehyde  $\text{H}_2\text{CO}$ , 1=7465
- Kondo, K. See Shimoda, K., 1=14020
- Kondo, M., Yamazaki, T. and Yamabe, S. Angular distribution of ( $\alpha, p$ ) reactions in some light nuclei, 1=13855
- Kondo, M. See Mikumo, T., 1=9881
- Kondo, M. See Mikumo, T., 1=9882
- Kondo, M. See Yamabe, S., 1=12191
- Kondoh, H. Antiferromagnetic resonance in NiO in far-infrared region, 1=12557
- Kondoh, H. See Uchida, E., 1=9045
- Kondorskii, E.I. Origins of the Nernst effect in ferromagnetic
- Kondorskiy, Ye.I. See Bekeshko, N.A., 1=6429
- Kondrashev, L.F., Kurashov, A.A., Linev, A.F., Sidorov, V.A., Sokolov, N.I. and Khaldin, N.N., 1=3194
- Kondrasheva, L.D. and Podmoshenskii, I.V. Determination of atomic concentrations in arc plasma by a pulse absorption method, 1=2289
- Kondratenko, V.M. See Samoilovich, A.H., 1=11284
- Kondrat'ev, K.Ya. and Rozenberg, G.V. Convention of actinometry and atmospheric optics, 1=2563
- Kondrat'ev, L.N. See Balatz, M.Ya., 1=4919
- Kondratiev, N.A. See Grigorov, N.L., 1=3265
- Konecny, J.O. See Hurlbert, R.C., 1=4950
- Konečný, K. See Juna, J., 1=13846
- Konenko, L.D. See Pasechnýk, M.V., 1=16229
- Konenkov, Yu.K. A Rayleigh-type flexural wave, 1=2808
- Konev, V.N. See Arkharov, V.I., 1=14310
- Konev, V.N. See Arkharov, V.I., 1=14311
- König, H. Ultra-low-frequency atmospheric, 1=4115
- König, H. and Ankermüller, F. The effect on man of low frequency electrical processes in the atmosphere, 1=15241
- König, L.A., Mattauch, J.H.E. and Wapstra, A.H. Adjustment of relative nuclidic masses. II.  $70 < A < 200$ , 1=19609
- König, L.A. See Everling, F., 1=12266
- Konin, A.D. See Zinov, V.G., 1=4804
- Konishi, T., Butler, R.A. and Fernandez, C. Effect of anoxia on cochlear potentials, 1=6664
- Konisi, G. and Yamamoto, K. A quantitative investigation on the "compositeness" of a particle, 1=10836
- Konisi, G. and Yamamoto, K. Transition amplitudes in perturbation theory and Dyson's integral representation, 1=12063
- Konitzer, J.D. See Markham, J.J., 1=10017
- Kono, R. The dynamic bulk viscosity of polystyrene and polymethyl methacrylate, 1=10477
- Kono, R. The dynamic bulk and shear viscosities of polyvinylchloride, 1=18351
- Kono, R. The dynamic bulk and shear viscosity of high polymers. I., 1=20343
- Kōno, T. See Takahashi, M., 1=11438
- Kōno, T. See Takahashi, M., 1=12533
- Kono, T. See Takahashi, M., 1=20103
- Konobeev, Yu.V. See Agranovich, V.M., 1=14187
- Konobeev, Yu.V. See Agranovich, V.M., 1=14224
- Konobeevskii, S.T. and Butra, F.P. Diffuse X-ray scattering from irradiated diamond, sapphire, silicon and germanium crystals, 1=3703
- Kononenko, V.A. See Kozýrs'kyy, H.Ya., 1=14895
- Kononov, B.A. See Borob'ev, A.A., 1=16453
- Kononov, V.N., Stavisskii, Yu.Ya. and Tolstikov, V.A. Radiative capture cross-sections for 25 keV neutrons, 1=4872
- Konopka, R. See Piekara, A., 1=4480
- Konopleva, R.F. See Rývkín, S.M., 1=6166
- Konoplyasova, N.S. See Baranskii, P.I., 1=12435
- Konoplyasova, N.S. See Baranskii, P.I., 1=14439
- Konorov, P.P. and Kolbin, M.N. Investigation of changes in charge-carrier diffusion length and electrode potential of germanium under electrolytic treatment, 1=17677
- Konorov, P.P. and Sokolov, A.N. Electrical conductivity and photoconductivity of lead oxide layers treated with sulphur, selenium and tellurium, 1=3770
- Konorova, E.A. and Sorokina, L.A. Photoconductivity induced in colourless alkali halide crystals by strong electric fields, 1=19897
- Konorova, E.A. See Afanas'eva, E.A., 1=14392
- Konowalow, D.D. and Hirschfelder, J.O. Morse potential parameters for O-O, N-N, and N-O interactions, 1=7447
- Konowalow, D.D. and Hirschfelder, J.O. Intermolecular potential functions for nonpolar molecules, 1=7503
- Konowalow, D.D., Taylor, M.H. and Hirschfelder, J.O. Second virial coefficient for the Morse potential, 1=6899
- Konozenko, I.D., Ust'yanov, V.I. and Halushka, A.P. The nature of gamma-conductivity of cadmium sulphide crystals, 1=19903
- Konstantinov, B.P. and Badenko, L.A. Electrical-diffusion studies of the behaviour of indium and antimony impurities in germanium, 1=14307
- Konstantinov, B.P. See Afrosimov, V.V., 1=9602
- Konstantinov, B.P. See Anisimov, A.I., 1=293

- Konstantinov, B.P. See Anoshkin, V.A., 1=4616
- Konstantinov, O.V. and Perel', V.I. Collisions of particles in a high-temperature plasma, 1=4605
- Konstantinov, O.V. and Perel', V.I. On the energy distribution of fast neutral atoms leaving a plasma, 1=9610
- Konstantinov, O.V. See Gross, E.F., 1=19971
- Konstantinov, V.D., Korolev, A.M., Ovcharenko, V.I. and Gurin, Yu.L. Calculation of certain properties of weakly deformed nuclei, 1=8604
- Konstantinov, Yu.S. Paramagnetic resonance detected by means of a parametrically excited circuit, 1=10799
- Konstantinov, Yu.S. Application of a synchronized autodyne for studying nuclear magnetic resonance spectra, 1=16605
- Konstantinović, J.M. See Živanović, M.D., 1=14987
- Kontorovich, I.E. and Mermel'shtein, Yu.M. Effect of grain size on the diffusion of carbon in iron, 1=3683
- Kontsevoi, Yu.A. and Iglitsyn, M.I. Investigation of the stationary photoconductivity and surface recombination velocity of silicon, 1=14518
- Kontsevoi, Yu.A. and Iglitsyn, M.I. Investigation of the stationary photoconductivity and surface recombination velocity of silicon, 1=17804
- Konuma, M. See Nakamura, S., 1=8506
- Konwent, H. See Jaśkiewicz, A., 1=6196
- Kónya, A. On the sequence of quantum states in atoms, 1=19580
- Koontz, R.L. See Greenfield, M.A., 1=11026
- Koontz, R.L. See Greenfield, M.A., 1=13236
- Kopaleishvili, T.I., Vashakidze, I.Sh., Mamasakhlisov, V.I. and Chilashvili, G.A. Alpha-deuteron model of the  $\text{Li}^9$  nucleus, 1=4824
- Kopaleishvili, T.I., Vashakidze, I.Sh., Mamasakhlisov, V.I. and Chilashvili, G.A. Alpha-deuteron model of the  $\text{Li}^9$  nucleus, 1=5818
- Kopaleishvili, T.I. See Vashakidze, I.Sh., 1=454
- Kopaleishvili, T.I. See Vashakidze, I.Sh., 1=5856
- Kopaleishvili, T.I. See Vashakidze, I.Sh., 1=17077
- Kopan', V.S. See Hertsriken, S.D., 1=14248
- Kopan', V.S. See Hertsriken, S.D., 1=14525
- Koparanova, N. Some properties of photoelectric loss and heat-stimulated dielectric loss in crystal phosphors of the type  $\text{ZnS.CdS.Cu:Ag}$ , 1=7686
- Kopeć, Z. Density of states, effective mass of electrons in  $\text{InSb}$ , 1=1074
- Kopeć, Z. On the scattering of electrons in  $\text{InSb}$ , 1=2411
- Kopeć, Z. Effective mass method in the case of non-quadratic dispersion formula, 1=11274
- Kopecký, J. See Urbanec, J., 1=7392
- Kopecký, J. See Urbanec, J., 1=17121
- Kopecký, M. Some remarks on the methods of research into the periodicity of sun-spots, 1=15461
- Kopfermann, H. On optical pumping in gases, 1=11073
- Kopfermann, H. See Bucka, H., 1=2284
- Kopp, J.K., Shapiro, A.M. and Erwin, A.R.  $\pi^+$ -Proton scattering at 990 MeV, 1=10907
- Koppel, J. Time-dependent neutron spectra, 1=17107
- Koppelman, G. Irregularities in evaporated interference films and their connection with light-scattering, 1=6959
- Koppelman, G. and Krebs, K. The optical properties of dielectric films with slight departures from homogeneity, 1=16099
- Koppelman, G., Krebs, K. and Leyendecker, H. Optical investigation of the structure of cryolite evaporated films, 1=16100
- Koppelaar, T.J. and Fine, M.E. Acoustical study of quenching in  $\alpha$  Cu-Al alloys, 1=12648
- Köppendörfer, W. Hydromagnetic shock waves in linear pinch collapse, 1=16336
- Köppendörfer, W. See Hain, K., 1=2973
- Koptsik, V.A. Polymorphic phase transitions and symmetry, 1=14947
- Kopvillem, U.Kh. The quadrupole moment of the components of the fine structure of the nuclear and electronic paramagnetic resonance lines in magnetically dilute crystals, 1=11471
- Kopvillem, U.Kh. The possibility of observing the fine structure of an electronic and nuclear spin echo, 1=20193
- Kopvillem, U.Kh. See Kolosova, 1=6428
- Kopylov, G.I. In connection with the article by L.G. Yakovlev "Calculation of phase space integrals in the covariant formulation of the theory of multiple production of particles", 1=3149
- Kopylov, G.I. A method for the calculation of the statistical weights and distributions in theories of multiple production, 1=19118
- Kopylov, G.I. See Granovskii, Ya.I., 1=13461
- Kopylova, D.K. See Dzhanelidze, L.P., 1=19282
- Kopylovskii, B.D. See Bogdanov, S.V., 1=17704
- Kopytina, M.V. See Butusov, Yu.M., 1=14201
- Kopytov, E.I. See Samokhvalov, A.A., 1=5036
- Kor, S.K. and Verma, G.S. Influence of the dielectric constant on the ultrasonic relaxation frequency in  $\text{MnSO}_4$  solutions, 1=18404
- Korbel, Z. See Gramenitskii, I.M., 1=10820
- Korchak, A.A. and Syrovatsky, S.I. On the composition of primary cosmic rays, 1=2144
- Korchevoi, Yu.P. See Morgulis, N.D., 1=16372
- Kordes, E. The calculation of ionic radii from interionic distances, 1=11562
- Kore'eda, A. See Nishiyama, Z., 1=14281
- Korenblit, I.Ya. Magnetoelectric effects in  $\text{Bi}_2\text{Te}_3$  in the case of anisotropic scattering of carriers, 1=5021
- Korenblit, I.Ya. See Efimova, B.A., 1=19869
- Korenblit, I.Ya. See Samoilovich, A.G., 1=17703
- Korenblit, I.Ya. See Samoilovich, A.G., 1=19858
- Korenblit, L.L. See Samoilovich, A.G., 1=7533
- Korenchenko, S.M. See Zinov, V.G., 1=4804
- Korff, S.A. and Haymes, R.C. High neutron and radiation intensities at balloon altitudes during auroral display, 1=13589
- Korff, S.A. and Haymes, R. Observations of cosmic ray neutrons at the time of the July 1959 event, 1=19307
- Korgueva, I. See Martalogu, N., 1=5412
- Korhonen, U. and Vihinen, S. On deformation of electron clouds in some ionic crystals, 1=15071
- Koritke, H. Measurement of lattice constant in thin layers of  $\gamma$ -iron and nickel, 1=20669
- Korkhmazyan, N.A. See Amatuni, A.Ts., 1=19162
- Kormer, S.B. See Zel'dovich, Ya.B., 1=16065
- Kormer, S.B. See Zel'dovich, Ya.B., 1=18577
- Korn, G.A. See Brubaker, T.A., 1=7968
- Kornbichler, H. Static hydraulic stability of boiling water reactors, 1=17230
- Korneeva, I.V. See Pashinkin, A.S., 1=4006
- Kornegay, W. See Johnston, H.S., 1=18768
- Körner, H.J. See Bodenstedt, E., 1=632
- Körner, H.J. See Bodenstedt, E., 1=2160
- Körner, H.J. See Bodenstedt, E., 1=8568
- Körner, H.J. See Bodenstedt, E., 1=19410
- Kornetzki, M., Moser, E. and Rös, E. Manganese zinc ferrites with different kinds of magnetisation loops, 1=7767
- Kornetzki, M. and Rös, E. The anhysteretic magnetization
- Kornev, A.M. See Gorodetskii, D.A., 1=20701
- Korobeinikov, V.P. and Karlikov, V.P. On the interaction of strong shock waves with an electromagnetic field, 1=5542
- Korobochko, Yu.S. and Shil'kov, K.S. Model of a cylindrical betatron without iron, 1=4684
- Korolenko, Yu.I. See Karal'nik, S.M., 1=14621
- Korolev, A.M. Excitation of collective nuclear levels in stripping reactions, 1=8757
- Korolev, A.M. See Konstantinov, V.D., 1=8604
- Korolev, F.A., Klement'eva, A.Yu. and Meshcheryakova, T.F. Interference light filters with a transmission band of 1.5  $\mu$  width, 1=12995
- Korolev, F.A., Kulikov, O.F. and Ersov, A.G. Quantum excitation and radiational damping of electron oscillations in cyclic accelerators, 1=7112
- Korolev, F.A. See Ershov, A.G., 1=5517
- Korolev, V.A. See Komar, A.P., 1=18762
- Korolev, V.A. See Vorob'ev, A.A., 1=18756
- Korolev, Yu.M. The structure of alluvialite, 1=15098
- Korolevich, Yu.B. See Dzhanelidze, L.P., 1=19282
- Korol'kov, V.S. Dependence of the electron shell dimensions on the atomic number of the atom, 1=13918
- Korolyuk, A.P. See Galkin, A.A., 1=3598
- Korolyuk, A.P. See Galkin, A.A., 1=17402
- Koronkevich, V.P. and Kolesova, E.B. Measurement of the optical density of the blackening of spectral lines using interference microscopy methods, 1=18595
- Korostoff, E. See Matcovich, T., 1=6322
- Korotkov, P.A. See Kondilenko, I.I., 1=12291



- Korovin, L.I. Magneto-optical absorption spectra in semiconductors with arbitrary form of isoenergetic electron surfaces. The case of closed trajectories, 1=19955
- Korovin, L.I. and Bulashevich, T.Yu. Oscillations of the absorption coefficient of [monocrystalline] tellurium in a magnetic field directed along the crystal optical axis, 1=12495
- Korovina, L.I. See Lysov, B.A., 1=17277
- Körper, K. See Severin, H., 1=7148
- Korringa, J. See Faulkner, J.S., 1=7550
- Korringa, J. See Mills, R.L., 1=6377
- Korringa, J. See Wood, R.F., 1=11238
- Korshunov, Yu.V. See Antonov, A.V., 1=4679
- Korshunov, Yu.V. See Antonov, A.V., 1=16457
- Korst, N.N. Macroscopic equations for the magnetic moment in some magnetic resonance problems, 1=14821
- Korsunskii, M.I. Concerning the nature of a new type of photoconductivity, 1=19908
- Korsunskii, M.I. and Borovikova, G.P. Influence of very small admixtures of antimony on the L series of the X-ray spectrum of Ge, 1=20002
- Korsunskii, M.I., Litvinova, L.B. and Borovikova, G.P. The influence of gallium admixture on the position of  $L\alpha_1$  and  $L\beta_1$  emission lines of germanium, 1=17904
- Korsunskii, M.I., Pastushuk, N.S. and Mokhov, G.D. Elimination of the effect of non-photoconductive layers in studies of photoconductivity of mercury-bearing amorphous selenium films, 1=14517
- Korsunskii, M.I., Pastushuk, N.S. and Mokhov, G.D. Elimination of the effect of non-photoconductive layers in studies of photoconductivity of mercury-bearing amorphous selenium films, 1=17803
- Korsunskii, M.I., Pastushuk, N.S. and Mokhov, G.D. A new type of photoconductivity, 1=19907
- Korsunskii, V.M. and Lisitsa, M.P. Infrared absorption and structure of the hole band of tellurium, 1=5048
- Kosenko, V.E. and Khomenko, L.A. Diffusion of silver on germanium surfaces, 1=19805
- Kosenko, V.E. and Nestarenko, B.A. Vaporization of silicon in tellurium vapours, 1=11859
- Kosenko, V.E. See Ignatkov, V.E., 1=11858
- Kosevich, A.M. and Pastur, L.A. A dislocation model of a twin, 1=12382
- Kosevich, A.M. and Tanatarov, L.V. Formation of cavities in solids after local melting, 1=12407
- Kosevich, A.M. See Andreev, V.V., 1=3614
- Kosevich, V.M. Detection of dislocation defects in antimony by the etch method, 1=14283
- Kosevich, V.M. Interaction of twin lamellae with obstacles, 1=14952
- Kosevich, V.M., Moroz, N.G. and Bashmakov, V.I. The influence of inclusions on the twinning of zinc crystals, 1=4010
- Kosevich, V.M. and Soldatov, V.P. Experiments on the etching of zinc single crystals, 1=19794
- Kosevich, V.M. See Palatnik, L.S., 1=14282
- Kosevich, V.M. See Palatnik, L.S., 1=17531
- Koshel', O.N. See Sytenko, T.N., 1=17688
- Koshelyaev, G.V. See Vasil'ev, S.S., 1=16464
- Koshiba, M. See Aizu, H., 1=3316
- Koshiba, M. See Aizu, H., 1=3317
- Koshiba, M. See Aizu, H., 1=13548
- Koshiba, M. See Hayakawa, S., 1=3329
- Koshino, S. Scattering of electrons by the thermal motion of impurity ions, 1=9992
- Koshino, S. Scattering of electrons by the thermal motion of impurity ions. II, 1=14199
- Koshino, S. and Ando, T. Resonance transfer of ionization energy in semiconductors, 1=14408
- Koshino, S. and Ando, T. Resonance transfer of ionization energy in semiconductors, 1=14410
- Koshkin, N.I. See Zalivchii, V.N., 1=2825
- Koshkin, V.M. See Palatnik, L.S., 1=12443
- Koshmarov, Yu.A. See Kosterin, S.I., 1=15924
- Koski, W.S. See Ring, M.A., 1=17348
- Koski, W.S. See Roberts, E.M., 1=4948
- Kosman, M.S. and Izvozchikov, V.A. Photoelectric coloring of lead oxide, 1=12462
- Kosman, M.S. and Muravskii, B.S. The creation of current oscillations in silicon at high pulse voltages, 1=19859
- Kossel, D. and Schmidt, W. Optical interference and internal photoeffects in thin photoconductive layers, 1=14499
- Kössler, H.J. See Berger, W., 1=1261
- Kostanashvili, N.I. See Dzhanelidze, L.P., 1=19282
- Kosten, C.W. The mean free path in room acoustics, 1=8209
- Kosten, C.W. The problem of the reverberation method solved, 1=10573
- Kosten, C.W. International comparison measurements in the reverberation room, 1=16044
- Koster, G.F. See Statz, H., 1=6419
- Koster, J.R. See Kent, G.S., 1=20994
- Kosterin, S.I. and Koshmarov, Yu.A. Turbulent boundary layer on a flat plate in a stream of dissociating gas, 1=15924
- Kostomarov, D.P. See Dnestrovskii, Yu.N., 1=4729
- Kostomarov, D.P. See Dnestrovskii, Yu.N., 1=18868
- Kostruykov, V.N. Platinum thermometer for calorimetric work, 1=10624
- Kostyk, B.M. See Verderber, R.R., 1=9028
- Kostyukova, E.P. The relation of spot size to size and angular disorientation of crystallites, 1=14948
- Koswig, H.D. and Stasiw, O. Spectral location of absorption bands of lattice defect electrons in ion grids, 1=2397
- Kot, M.V. See Simashkevich, A.V., 1=17722
- Kotajima, K. See Takahashi, K., 1=17113
- Kotaka, T., Kurata, M. and Onogi, S. The viscoelastic behavior of concentrated polymer solutions, 1=15783
- Kotelnikov, K.A. See Grigorov, N.L., 1=5801
- Kotera, T. and Toda, M. On the theory of Brownian motion and spin relaxation, 1=70
- Kothari, L.S. and Khubchandani, P.G. Slowing down of neutrons in graphite close to thermal equilibrium, 1=13441
- Kotik, J. and Newstein, M.C. Theory of laser oscillations in Fabry-Perot resonators, 1=2853
- Kotin, C.M. Calculation of the angular distribution of the  $Li^q(n, \gamma) Li^e$  reaction by means of the intermediate coupling shell model, 1=9866
- Kotin, L. An acoustic model of diffusion in gases. I, 1=18461
- Kotlarevsky, D.M. See Manjavidze, Z.Sh., 1=3303
- Kotlyar, B.I. See Vainshtein, E.E., 1=6218
- Kotlyar, L.M. A new design of a differential photometer for a solar magnetograph, 1=17989
- Kotov, V.I. and Pushtarik, V.A. The effect of a space charge on the motion of particles in accelerators, 1=10,52
- Kottenstette, J.P. See Murgai, M.P., 1=4096
- Kottwitz, D.A. Thermal neutron flux spectrum in a medium with a temperature discontinuity, 1=13434
- Koulikova, J.N. See Akinyan, S.T., 1=18147
- Koutecký, J. On the theory of surface states, 1=3632
- Koutecký, J. An interpretation of the conditions for the existence of Shockley surface states, 1=17465
- Koutecký, J. and Tomasek, M. Contribution to the theory of the Shockley surface states. I. General formulation and the case of zero deformation of the potential on the Goodwin-Artmann model, 1=941
- Koutecký, J. See Tomasek, M., 1=7546
- Kouvel, J.S. Exchange anisotropy in alloys of composition (Ni, Fe), Mn, 1=7742
- Kouvel, J.S. Exchange anisotropy in cobalt-manganese alloys, 1=7744
- Kouvel, J.S. and Hartelius, C.C. Abrupt magnetic transition in MnSn, 1=11460
- Kouvel, J.S. and Wilson, R.H. Magnetization of iron-nickel alloys under hydrostatic pressure, 1=5065
- Kouvel, J.S. and Wilson, R.H. Magnetocrystalline anisotropy of Fe-Si alloy crystals under hydrostatic pressure, 1=6279
- Kouvel, J.S. See Jacobs, I.S., 1=6255
- Kouvel, J.S. See Jacobs, I.S., 1=7768
- Kovacs, A. See Block, M.M., 1=13500
- Kovacs, A. See Leitner, J., 1=16901
- Kovacs, A.J. See Rabesiaka, J., 1=20423
- Kovács, I. Investigation of the  $A^{\Pi}$  state of the NH molecule, 1=836
- Koval', A.G. See Fogel', Ya.M., 1=4558
- Koval', A.G. See Fogel', Ya.M., 1=16269
- Kovalev, A.N. See Belova, N.A., 1=1091
- Kovalev, E.E. See Osanov, D.P., 1=7331
- Kovalev, I.F. Potential functions of molecules of the homologous series  $(CH_3)_n SiH_{4-n}$  ( $n = 1 - 4$ ), 1=825

- Kovalev, I.F. Potential functions of molecules of the series  $(CH_3)_nSiCl_{4-n}$  ( $n = 1-4$ ), 1=9923
- Kovalev, I.F. Potential functions of molecules of the series  $(CH_3)_nSiCl_{4-n}$  ( $n = 1-4$ ), 1=11086
- Kovalev, O.V. Degeneracy of energy levels in crystals, 1=932
- Kovalev, V.P. and Stavinsky, V.S. The systematics of the prompt fission neutron spectrum, 1=17170
- Kovalevsky, J. and Barlier, F. Determination of the osculatory elements of the orbit of an artificial satellite, 1=6749
- Koval'skii, A.E. and Pivovarov, L.Kh. Variation of the temperature coefficient of the intensity of X-ray lines of cobalt due to dissolution of tungsten carbide, 1=1396
- Kovan, I.A. See Akhmatov, A.P., 1=4628
- Kovan, I.A. See Borodin, A.V., 1=18886
- Kovan, I.A. See Patrushev, B.I., 1=18905
- Kovan, I.A. See Rusanov, V.D., 1=18858
- Kovarskii, V.A. See Perlin, Yu.E., 1=17478
- Kovarch, Z. See Komar, A.P., 1=5706
- Kovarch, Z. See Komar, A.P., 1=10872
- Kovácsnay, L.S.G. Plasma turbulence, 1=5451
- Kovenskii, I.I. Diffusion of tungsten in a cobalt-based alloy, 1=14303
- Kovenskii, I.I. Degree of ionization of silver in a silver-palladium alloy, 1=20576
- Kovenskii, I.I. See Kalinovich, D.F., 1=7596
- Kovens'kii, I.I. See Frantsevych, I.N., 1=12655
- Kovens'kii, I.I. See Frantsevych, I.N., 1=12656
- Kovens'kii, I.I. See Frantsevych, I.N., 1=12657
- Kovner, M.S. Instability of low-frequency electromagnetic waves in a plasma traversed by a beam of charged particles, 1=18864
- Kovrizhnikh, A.A. See Antropov, G.P., 1=3454
- Kovrizhnykh, L.M. Shock waves in relativistic magnetohydrodynamics, 1=19013
- Kovrizhnykh, L.M. The equilibrium distribution of current density in straight high-current discharges, 1=10680
- Kovtun, S.F. See Popov, B.E., 1=6545
- Kowalewski, L. Concerning the quantum theory of antiferromagnetics, 1=20170
- Kowalewski, L. On the dispersion formula in ferrites with spinel structure, 1=20171
- Kowalewski, V.J. and de Kowalewski, D.G. Nuclear magnetic resonance spectra of the ABX<sub>2</sub> type: field dependence and relative signs of spin-spin coupling constants, 1=3567
- Kowalewski, V.J. and Hoffman, R.A. A nuclear magnetic resonance spectrometer, 1=381
- Kowalewski, V.J. See de Kowalewski, D.G., 1=14105
- Kowalewski, V.J. See de Kowalewski, D.G., 1=15911
- Kowalski, P. Remarks on the three-dimensional geometry of colour representation, 1=18627
- Kowalski, K.L. and Feldman, D. Transition matrix for nucleon-nucleon scattering, 1=10884
- Kowalski, L. Construction and study of a bismuth fission chamber for the detection of high energy neutrons, 1=13450
- Kowalski, S. See Bertozzi, W., 1=8689
- Kowalski, T. See Chaloupka, P., 1=16943
- Kownacki, J. See Ambroży, B., 1=16955
- Kownacki, J. See Chojnacki, S., 1=670
- Koyama, H. See Nagasawa, S., 1=15478
- Koyama, R. Flow birefringence of polymer solutions, 1=15878
- Koyama, R. and Cerf, R. Correction to an article on the statistical mechanics of chain macromolecules in a velocity field, 1=19678
- Koyasu, M. On the relation between the reverberant sound absorption coefficient and the normal incidence absorption coefficient of fibrous materials, 1=6930
- Koyrizhnykh, L.M. Instability of longitudinal oscillations of a plasma of electrons and ions placed in an external electric field, 1=4626
- Koysooko, L. See Borst, L.B., 1=19687
- Kozai, Y. Effect of precession and nutation on the orbital elements of a close earth satellite, 1=1663
- Kozai, Y. The gravitational field of the earth derived from motions of three satellites, 1=4189
- Kozai, Y. Note on the motion of a close earth satellite with a small eccentricity, 1=6747
- Kozai, Y. Tesserar harmonics of the gravitational potential of the earth as derived from satellite motions, 1=12740
- Kozhushner, M.A. and Shabalin, E.P. Production of Lepton particle pairs on a Coulomb centre, 1=19159
- Kozima, K. and Suétaka, W. "Rotational" isomers of cyclopentane derivatives, 1=19674
- Kozina, G.S. See Favorin, V.N., 1=10123
- Kozina, O.G. and Marakov, G.I. Transient processes in the acoustic fields generated by a piston membrane of arbitrary shape, 1=16014
- Kozlov, A.A. See D'Yakov, G.P., 1=6331
- Kozlov, A.A. See Manjavidze, Z.Sh., 1=3303
- Kozlov, V.F., Marchenko, V.L. and Vogel', Ya.M. High-frequency ion source with discharge taking place in salt vapours, 1=16431
- Kozlov, V.F. See Fogel', Ya.M., 1=18780
- Kozłowski, L. and Kubiak, S. Effect of cathodic hydrogen on the magnetic properties of thin electrolytic nickel films, 1=14720
- Kozodaev, M.S., Kuliukin, M.M., Suliaev, R.M., Filippov, A.I. and Shcherbakov, Yu.A. A high-pressure diffusion chamber in a pulse magnetic field, 1=19073
- Kozodaev, M.S., Kulyukin, M.M., Suliaev, R.M., Filippov, A.I. and Shcherbakov, Yu.A. Angular and momentum distributions of residual nuclei produced in the inelastic scattering of fast pions and protons on helium, 1=19296
- Kozodaev, M.S. See Baiukov, Yu.D., 1=19167
- Kozodaev, M.S. See Baiukov, Yu.D., 1=19168
- Kozýrs'kii, H.Ya., Kononenko, V.A. and Okrainets', P.M. A study of the structural change of nickel during creep, 1=14895
- Kozýrs'kii, H.Ya. See Danýlenko, V.M., 1=20695
- Kracík, B. See Brabec, V., 1=13721
- Kracík, B. See Brabec, V., 1=17029
- Kracik, J. A note on the explanation of the temperature variation in the positive column, 1=16283
- Kracík, J. See Bakule, R., 1=16287
- Kracík, J. See Kocian, P., 1=10684
- Kraemer, R. See Block, M.M., 1=13500
- Kraev, M. Coulombic corrections of the  $\alpha^m$  order of positronium energy levels, 1=16764
- Krafft, J. See Bouchez, R., 1=13796
- Krafft, J. See David, J.E., 1=18953
- Kraft, L.G. See Pineo, V.C., 1=20919
- Kraft, O.E. See Bonch-Osmolovskaya, N.A., 1=19393
- Kraft, R.P. See Arp, H.C., 1=5159
- Kragel'skii, I.V. On a two-term friction law, 1=20396
- Krähmer, W. Investigations on ferroelectrics and their use in dielectric resonance amplifiers, 1=19925
- Kraichnan, R.H. Dynamics of nonlinear stochastic systems, 1=4267
- Krainik, N.N. See Smolenskii, G.A., 1=12478
- Krainik, N.N. See Smolenskii, G.A., 1=14560
- Krajewski, T. The effect of flexural stresses on the dielectric properties of polycrystalline barium titanate, 1=12477
- Krajewski, T. The effect of flexural stresses on the piezoelectric properties of polycrystalline barium titanate, 1=12480
- Krall, N.A. and Rosenbluth, M.N. Stability of a slightly inhomogeneous plasma, 1=2984
- Krall, N.A. See Albares, D.J., 1=11548
- Kramer, B. See Kallmann, H., 1=6181
- Kramer, B. See Kallmann, H., 1=12464
- Kramer, B. See Shionoya, S., 1=5054
- Kramer, E.N. Results of a study of photographs of the bolide of May 11, 1955, 1=18057
- Kramer, G. P-wave phase shifts at 210 MeV and the photo-disintegration of the deuteron, 1=2103
- Kramer, H. Dielectric relaxation phenomena and intramolecular dipole motion of anilines in dilute solution, 1=12895
- Kramer, H. The influence of independent mobility of the NH<sub>2</sub>-group in aniline derivatives on their dielectric relaxation properties, 1=15895
- Kramer, H.H., Hanes, M.H. and Barr, E.J. High-resolution kinetic spectroscopy by a multiple-flash method, 1=10586
- Kramer, H.P., Bogert, B.P. and Hagelbarger, D.W. Stability of pressure-supported molten zones in horizontal sheets, 1=7853
- Kramers, H.C. Some experimental aspects of the flow properties of liquid helium II, 1=5388
- Kramp, K. See Priester, W., 1=2570



- Kranjc, A. Trigonometrical verification of an optical system by electronic computer, 1-16060
- Kranz, A.Z. See Bernstein, W., 1-312
- Kranz, J. and Passon, B. Kerr hysteresis: a phenomenon of surface magnetization, 1-11433
- Kranz, J. and Passon, B. Measurement of the magnetization in the surface of silicon-iron single crystals by means of the amplified magneto-optical Faraday effect, 1-11434
- Kranz, J. and Schauer, A. The use of the amplified magneto-optical Kerr effect for rendering visible the magnetic domains in polycrystalline cobalt and nickel, 1-1224
- Kranz, J. and Schauer, A. Increase of the magneto-optical Kerr rotation through interference, 1-19956
- Kranzer, H.C. Thermalization of a fast ion in a plasma, 1-2960
- Krasilnikov, D.D. 24 hour intensity variations of cosmic rays of energy  $2 \times 10^{14}$  and  $2 \times 10^{15}$  eV, 1-2151
- Krasilnikov, D.D. See Kuzmin, A.I., 1-20877
- Krasil'nikov, V.N. Effect of a thin elastic layer on the propagation of [low-frequency] sound in a liquid half-space, 1-16021
- Krasin, A.K., Minashin, M.E. and Sviridenko, V.Ya. The effect of neutron temperature on charge life and conversion ratio in a high power reactor, 1-770
- Krasner, S. See Keating, D.T., 1-19796
- Krasnitskaya, N.D. See Viktorova, E.N., 1-12887
- Krasnoperov, G.V. and Lapkin, N.I. A study of heat treatment of magnetically soft aluminium-iron alloys, 1-6270
- Krasnopevtsev, V.V. Influence of irradiation by thermal neutrons on the dielectric properties of alkali-halide crystals, 1-12468
- Krasnov, L.B. See Berlovich, E.E., 1-2181
- Krasnov, L.B. See Berlovich, E.E., 1-3405
- Krasnov, L.V. See Berlovich, E.E., 1-17045
- Krasnov, L.V. See Berlovich, E.Ye., 1-5852
- Krasnovskii, A.A. See Litvin, F.F., 1-3872
- Krasnozhenov, E.P. and Porfir'ev, V.V. Absorption line profiles in spectra of novae, 1-18113
- Krasnushkin, P.E. The boundary problem for the propagation of electromagnetic waves in a spherically-layered, anisotropic, dissipative medium, 1-16578
- Krasnushkin, P.E. Solution of the boundary value problem for propagation of radio waves round the earth, while taking into account general geophysical factors, 1-16590
- Krasnushkin, P.E. The boundary problem for the propagation of electromagnetic waves in a spherically layered, anisotropic, dissipative medium, 1-19040
- Krasnushkin, P.E. Daily and seasonal variations of the field intensity of long radio waves, 1-19043
- Krasnushkin, P.E. The lower layers of the ionosphere (C, D and E) in the light of information theory and the problem of propagation of long and very long radio waves around the earth, 1-20966
- Krasovitskaya, R.M. See Kantor, P.B., 1-6074
- Krasovskii, V.P. and Fakidov, I.G. Magnetocaloric effect in the low-temperature range of the transformation of magnetite, 1-3897
- Krasovskii, Yu.P. Existence of aperiodic flow with free boundary, 1-5259
- Krassovsky, V.I. Energy sources of the upper atmosphere, 1-6600
- Krassovsky, V.I., Shefov, N.N. and Yarin, V.I. On the OH airglow, 1-21022
- Krassovsky, V.I., Shklovsky, I.S., Galperin, G.I. and Svetitsky, E.M. On fast corpuscles of the upper atmosphere, 1-3311
- Kratenko, Yu.P. See Azimov, S.A., 1-3274
- Kratochvil, J. Elastic stress around linear dislocation in anisotropic medium, 1-17530
- Kratochvil, P. The effect of microsegregation on the generation of dislocations in zinc single crystals, 1-17534
- Kratochvíl, P. and Molčík, M. An electron microscope study of the structure of zinc single crystals, 1-20415
- Kraus, D.L., Petrocelli, A.W. and Price, J.C. An inexpensive null reading torsion balance, 1-6814
- Kraus, J.D., Nash, R.T. and Ko, H.C. Some characteristics of the Ohio state university 360-foot radio telescope, 1-8013
- Kraus, K. On condensation processes in the expanding universe, 1-10371
- Kraus, K. Energy-momentum concepts of the gravitational field, 1-11694
- Kraus, L. See Neuringer, J.L., 1-11944
- Krause, F. and Steenbeck, M. On the validity of extremal principles of entropy production for stationary electrical flows, 1-18746
- Krause, G. A simple measurement device of high reproducibility for ionization gauges, 1-18484
- Krause, I.Y. and Lüders, G. Experimental verification of relativity using nuclear resonance absorption, 1-10411
- Krause, I.Y. and Lüders, G. Nuclear resonance absorption without a recoil. (Mössbauer effect), 1-10960
- Krause, I.Y. See Schmidt-Ott, W.D., 1-7359
- Krause, J.T. Conical basket heater for high temperature evaporations of metals and oxides, 1-1627
- Kraushaar, J.J. See McCullen, J.D., 1-7356
- Kraushaar, W.L., See Clark, G.W., 1-7297
- Kraushaar, W.L. See Ingard, U., 1-6806
- Krauskopf, J. See Shortess, G.K., 1-9233
- Krauss, M. Use of Gaussian orbitals for atoms-in-molecule calculations, 1-8849
- Krauss, M. See Wallenstein, M.B., 1-5418
- Kraut, A. Results in the physics of nuclear fission, 1-3466
- Kraut, A. Results of the physics of nuclear fission, 1-9888
- Krautkrämer, J. See von Haselberg, K., 1-204
- Krauze, W. and Gorski, W. A new type of ionization gauge, 1-2796
- Krauze, W. and Pytkowski, S. The resistance leak detector, 1-2797
- Kravtsov, N.V. See Strakhovskii, G.M., 1-3036
- Krawinkel, G.H. The theory of the pressure in polar dielectrics in inhomogeneous electric fields, 1-1754
- Krawinkel, G.H. A contribution to the theory of the displacement of the equi-potential lines in polar dielectrics subjected to an inhomogeneous electric field, 1-10658
- Krawinkel, G.H. and Zetzmann, H.J. On a field dependent displacement of the equipotentials in polar liquid dielectrics in inhomogeneous electric fields, 1-9403
- Kraybill, H. See Smith, G.A., 1-3222
- Kraybill, H. See Smith, G.A., 1-13415
- Kraybill, H. See Stonehill, D., 1-12102
- Kraybill, H.L. See Baltay, C., 1-16906
- Krebs, J.J. Proton spin polarization of water adsorbed on sucrose chars, 1-5953
- Krebs, K. and Winkler, R. The hyperfine structure of europium. I, 1-4902
- Krebs, K. and Winkler, R. The quadrupole moment of europium, 1-4903
- Krebs, K. and Winkler, R. Fine and hyperfine structure of Am I, 1-7436
- Krebs, K. See Koppelman, G., 1-16099
- Krebs, K. See Koppelman, G., 1-16100
- Krebs, K.H. See Bernhard, F., 1-9707
- Krechko, M.S. See Pustovalov, G.E., 1-3527
- Krecker, U. See Engelhardt, H., 1-5620
- Krecker, U. See Grote, L.C., 1-9760
- Kreger, W.E. and Lynn, R.L. A measurement of the decay of  $^{18}\text{W}$ , 1-5869
- Krehbiel, H. and Meyer-Berkhout, U. Production of twenty-one new short-lived isomers by photonuclear reactions, 1-19439
- Krieger, T.J. Influence of ergodic behavior on the scattering of slow neutrons by a harmonic oscillator, 1-4799
- Kreiken, E.A. The fall-out of meteoric iron particles, 1-6705
- Kreiken, E.A. Representation of stellar systems by polytropic gas-spheres, 1-15519
- Kreimer, G.S., Vakhovskaya, M.R. and Baranov, A.I. Strength and hardness of two-phase cermet alloys of titanium carbide with tungsten carbide and cobalt, 1-6468
- Kreiter, T.J. Dating lunar surface features by using crater frequencies, 1-4191
- Krejčí, M., Melichar, M. and Zikán, M. Analogue computers in reactor engineering and the simulator at the Czechoslovak Institute of Nuclear Physics, 1-761
- Krejčí, V. Stability of a glow discharge in small currents, 1-16290
- Kremenchugskii, L.S. See Mal'nev, A.F., 1-4465
- Kremenchugskii, L.S. See Mal'nev, A.F., 1-13013
- Kremenchuhs'kii, L.S. See Mal'nev, A.F., 1-12986
- Kremenchuhs'kii, L.S. See Mal'nev, A.F., 1-13012
- Kremheller, A. and Faria, S. Particle growth during zinc sulfide phosphor preparation, 1-1380
- Krempl, H. See Eichinger, R., 1-283

- Kreplin, R.W. Solar X-rays, 1=20878
- Kresin, V.Z. See Pitayevskii, L.P., 1=16581
- Kresnin, A.A. Polarization of  $\gamma$ -quanta in the bremsstrahlung of electrons on protons, 1=19169
- Kresnin, A.A. See Vysots'kii, H.L., 1=10871
- Kresnin, A.A. See Vysots'kii, H.L., 1=12973
- Krestnikov, Yu.A. and Shebanov, V.A. The polarization of  $\Lambda$ -hyperons produced from light nuclei by  $\pi^-$ -mesons of momentum 2.8 BeV/c, 1=16869
- Krestnikov, Yu.S. See Barmin, V.V., 1=19273
- Kretschmar, G.G. See Potter, R.F., 1=10096
- Kreutzer, K. The production of temperatures in the region of absolute zero, 1=4521
- Krichevskii, I.R. and Rott, L.A. Contribution to the theory of Brownian movement in the critical region, 1=12811
- Krieger, I.M. Molecular theory of isotropic turbulence, 1=15800
- Krieger, I.M. See Prigogine, I., 1=6353
- Kriegsmann, H. and Kessler, G. Vibration spectra of some tin (IV and II) fluorine complexes, 1=833
- Kriessman, C.J. and Harrison, S.E. Cation distributions in magnesium-nickel ferrites, 1=6520
- Krigbaum, W.R. See Roe, R.J., 1=20406
- Krikorian, E. See Brecher, C., 1=14603
- Krikorian, N.H. See Storms, E.K., 1=1397
- Krimm, S. See Onishi, T., 1=17902
- Krimmel, E. Electron interference in the neighbourhood of the caustic curve of a magnetic quadrupole lens, 1=16413
- Krimmel, E. See Lenz, F., 1=16404
- Krimsky, G.F. See Kuzmin, A.I., 1=20877
- Krinchik, G.S. and Chetkin, M.V. Exchange interaction and magneto-optical effects in ferrite garnets, 1=19957
- Kripyakevich, P.I. Metallic structures with high coordination numbers, 1=4032
- Kripyakevich, P.I. The  $\alpha$ -Mn and  $\beta$ -Mn structures, 1=4040
- Kripyakevich, P.I. and Gladyshevskii, E.I. Crystal structures of some compounds of palladium with magnesium, 1=15077
- Kripyakevich, P.I. See Gladyshevskii, E.I., 1=15082
- Krisement, O. See Meinhardt, D., 1=2534
- Krisher, L.C. See Thaddeus, P., 1=16594
- Krishna Murty, B. and Subrahmanyam, B. Elastic constants of crystals by wedge method—electrical detection of resonant frequencies, 1=20284
- Krishna Murty, V.G. See Krishna Rao, K.V., 1=11354
- Krishna Rao, K.V. Determination of photoelastic constants in the presence of tilt of the axes, 1=19953
- Krishna Rao, K.V. and Krishna Murty, V.G. Variation with temperature of the photo-elastic constants of sodium chloride, 1=11354
- Krishnamachari, S.L.N.G. and Broida, H.P. Effect of molecular oxygen on the emission spectra of atomic oxygen—acetylene flames, 1=8842
- Krishnamurthi, M. and Suryanarayana, M. Ultrasonic propagation through aqueous solutions of acetates, 1=6858
- Krishnamurthi, M. and Suryanarayana, M. Ultrasonic propagation through binary mixtures containing acetic acid, 1=6859
- Krishnamurthi, M. and Suryanarayana, M. Ultrasonic studies in chemically active liquid media. I. Aqueous solution of  $N_2O_4$ , 1=11760
- Krishnamurthi, M. See Bhagavantam, S., 1=18137
- Krishnamurthi, V.G. Ultra-violet bands of mercury iodide, 1=854
- Krishnamurthi, D. The Raman and infra-red spectra of some solid hydroxides. I. Raman effect data. II. Correlation with crystal structure. III. Discussion of the infra-red data, 1=1171
- Krishnamurthy, B. Dispersion of ultrasonic velocity in electrolytes, 1=4339
- Krishnan, A.A. and Ramachandran, V. Interface energy studies of some copper-base alloys containing an insoluble liquid phase. I, 1=6522
- Krishnan, K.S. Effect of specular reflexions on the radiation flux from a heated tube, 1=2904
- Krishnan, K.S. and Jain, S.C. Quenching of cation vacancies in doped crystals of sodium chloride, 1=17513
- Krishnan, K.S. and Sundaram, R. Radiative transfer of energy in the core of a heated tube, 1=1839
- Krishnan, R.S., Chandrasekharan, V. and Rajagopal, E.S. Elastic and photoelastic constants of crystals, 1=6442
- Krishnan, R.S., Chandrasekharan, V. and Rajagopal, E.S. Elastic behaviour of diamond, 1=14845
- Krishnan, R.S. and Rajagopal, E.S. The atomistic and the continuum theories of crystal elasticity, 1=20289
- Krishnan, R.S. See Chandrasekharan, V., 1=17398
- Krishnan, T. and Labrum, N.R. The radio brightness distribution on the sun at 21 cm from combined eclipse and pencil-beam observations, 1=18165
- Krishnan, T. and Mullaly, R.F. Decimetre radio bursts concurrent with solar type IV radiation, 1=18170
- Krishnaswamy, P.B. Induction flowmeter, 1=6844
- Krishtal, M.A. Density of vacancies in iron-chromium alloys, 1=4982
- Krishtal, M.A. See Piguzov, Yu.V., 1=10207
- Kristensen, I.K. An experimental study of the two Kelvin relations, 1=1117
- Kristesku, N. Wave propagation in rubber, 1=1780
- Kristiansson, K., Mathiesen, O. and Waldeskog, B. The abundance of nuclei heavier than oxygen in the primary cosmic radiation, 1=566
- Kristiansson, K., Mathiesen, O. and Waldeskog, B. Identification of non-relativistic heavy primaries in cosmic radiation by photometric measurements in nuclear emulsions, 1=567
- Kristiansson, K. See Waldeskog, B., 1=5323
- Kristofel', N.N. The interaction of an activator with partly symmetrical local vibrations, 1=14627
- Kristofel', N.N. See Petrashen', M.I., 1=14200
- Krisuk, I.T. See Protopopov, A.N., 1=743
- Kritskaya, V.K. See Batenin, I.V., 1=3698
- Krivchenkov, V.D. See Gershtein, S.S., 1=19575
- Krivo, N.I. and Reinov, N.M. An experimental determination of the mass of a polaron in copper oxide, 1=3638
- Krivogla, M.A. [Diffuse] scattering of X-rays by highly distorted homogeneous solid solutions, 1=4038
- Krivogla, M.A. Static distortions and weakening of line intensities in X-ray of neutron diffraction patterns of solid solutions with face-centred cubic lattices, 1=6524
- Krivogla, M.A. A theory of damping of elastic vibrations in two-phase mixtures, 1=11806
- Krivogla, M.A. Theory of the Debye attenuation factor for regular reflections in real crystals, 1=15052
- Krivogla, M.A. A theory of scattering of X-rays in distorted heterogeneous solid solutions, 1=15153
- Krivogla, M.A. Width and shape of Mössbauer lines in solid solutions, 1=19696
- Krivogla, M.A. Theory of inelastic scattering of neutrons by imperfect crystals, 1=20501
- Krivogla, M.A. See Danilenko, V.M., 1=2359
- Krivogla, M.A. See Kashcheev, V.N., 1=14731
- Krivogla, M.A. See Kashcheev, V.N., 1=17971
- Krivogla, M.A. See Kashcheev, V.N., 1=19481
- Krivogla, M.A. See Kashcheev, V.N., 1=20502
- Krivosheev, M.V. See Golant, V.E., 1=9687
- Krivosheev, M.V. See Golant, V.E., 1=9688
- Krivosheev, M.V. See Golant, V.E., 1=12019
- Krivosheev, M.V. See Golant, V.E., 1=12020
- Kriys'kii, I.Yu. See Lomsadze, Yu.M., 1=13428
- Krizhansky, L.M. and Murin, A.N. The yields of  $Sr^{90}$  and  $Sr^{92}$  in the fission of  $Pu^{239}$  by pile neutrons, 1=7408
- Krlin, L. On the uncertainty of semirelativistic circular electron accelerators with constant-time field, 1=10750
- Krlin, L. On the problem of a cyclotron for particles with relativistic increase in mass, 1=16461
- Křňák, M. See Kolmer, F., 1=16043
- Krochmann, J. Measurement of diffusion, 1=5361
- Krochmann, J. Maximum value of the photometric equivalent of radiation for scotopic vision, 1=9229
- Krochmann, J. and Schwarzkopf, F. Filter monochromator with graded wavelength interference filter, 1=1822
- Krogdahl, M.K. Note on the Stark effect for large quantum numbers, 1=7427
- Kröger, F.A. See Gibson, A.F., 1=5008
- Kroh, J., Green, B.C. and Spinks, J.W.T. Formation of free radicals in tritiated  $H_2O$  and  $D_2O$  ice, 1=7468
- Kroh, J., Green, B.C. and Spinks, J.W.T. Tritium as a source of radiation in electron spin resonance studies, 1=11474
- Kroh, J. and Spinks, J.W.T. Tritium as an internal source of radiation in e.p.r. studies of organic materials, 1=12307
- Kroh, J. and Spinks, J.W.T. Tritium as an internal source of radiation in E.P.R. studies of organic materials, 1=15907



- Krohn, M. See Bethge, H., 1=10278  
 Krohn, V.E. See Burgy, M.T., 1=500  
 Krohs, A. Secondary emission multipliers and image converters, 1=7092  
 Kroitoru, N. See Chobanu, G., 1=1039  
 Krokhin, O.N. See Basov, N.G., 1=1097  
 Krokhin, O.N. See Basov, N.G., 1=5013  
 Krokhin, O.N. See Basov, N.G., 1=9681  
 Krokhin, O.N. See Basov, N.G., 1=17278  
 Krokhin, O.N. See Basov, N.G., 1=19848  
 Królikowski, W. On the vector bosons, 1=465  
 Królikowski, W. A fixed-source approach to scattering of kaons. Supplement, 1=541  
 Królikowski, W. Effective range approximation for scattering of kaons with scalar coupling, 1=542  
 Królikowski, W. Scattering of kaons with  $\bar{K}K\pi\pi$  coupling in the fixed-source theory, 1=543  
 Królikowski, W. Fermions and the intrinsic Pauli principle, 1=5644  
 Królikowski, W. On the conservation of isofermions and the rule  $\Delta S = \Delta Q$  in weak processes, 1=9728  
 Królikowski, W. Pionic gauge, 1=13332  
 Królikowski, W. A possible mechanism of the high energy maxima in pion-nucleon cross-sections, 1=13486  
 Królikowski, W. A possible mechanism of the  $D_{3/2}$ ,  $T = \frac{1}{2}$  resonance in pion-nucleon scattering, 1=13487  
 Królikowski, W. Some remarks on global symmetry, 1=13503  
 Królikowski, W. On weak pion interaction in non-leptonic hyperon decays, 1=13513  
 Królikowski, W. On single-strange mesons, 1=19220  
 Kroll, N.M. See Dennery, P., 1=3127  
 Krömer, H. Negative effective masses in semiconductors, 1=6132  
 Kronmunga, A.J. and McCarthy, I.E. Determination of the parity change in inelastic scattering from the angular distribution, 1=5904  
 Kronmunga, A.J. and McCarthy, I.E. Simplified discussion of backward peaking in direct interactions, 1=8681  
 Kron, G.E. and Mayall, N.U. Photoelectric photometry of galactic and extragalactic star clusters, 1=1655  
 Kronenberg, K.J. Crystal lattice investigation of the permanent magnet precipitate in various Alnico materials, 1=6526  
 Kröner, E. See Pfeleiderer, H., 1=6810  
 Kronick, P.L. and Labes, M.M. Organic semiconductors. V. Comparison of measurements on single-crystal and compressed microcrystalline molecular complexes, 1=19887  
 Kronmüller, H. and Seeger, A. The approach to ferromagnetic saturation. II. Theory of the approach law in plastically deformed face-centred cubic single crystals, 1=20079  
 Kronmüller, H. See Seeger, P., 1=3659  
 Kronmüller, H. See Seeger, A., 1=12598  
 Krook, M. Continuum equations in the dynamics of rarefied gases, 1=5295  
 Kroon, D.J. Nuclear magnetic resonance, 1=380  
 Kroon, D.J. Line shape of proton magnetic resonance in paramagnetic solids, 1=14826  
 Kroon, D.J. Some remarks on the profile of resonance lines of protons in paramagnetic solids, 1=14828  
 Kropfl, W.J. See Armington, J.C., 1=11665  
 Kropin, A.A. See Danilov, V.I., 1=344  
 Kröplin, P. The new pulse-grating spectrograph of Veb Carl Zeiss, Jena, 1=2864  
 Kröplin, P. A new plane grating spectrograph, 1=9476  
 Kropschot, R.H. See Arp, V.D., 1=6513  
 Kropschot, R.H. See Arp, V.D., 1=10632  
 Kropschot, R.H. See Blatt, F.J., 1=1116  
 Kroupa, F. Circular edge dislocation loop, 1=7580  
 Kroupa, F. and Brown, L.M. Elastic self- and interaction energies of dislocation jogs, 1=19782  
 Kroupa, F. and Price, P.B. "Conservative climb" of a dislocation loop due to its interaction with an edge dislocation, 1=3669  
 Kroupa, F., Silcox, J. and Whelan, M.J. On the annealing of prismatic dislocation loops in aluminium, 1=19777  
 Kroupa, F. See Babuška, I., 1=17500  
 Kroupa, F. See Babuška, I., 1=17501  
 Krucheanu, E. and Chistyakov, Yu.D. Some peculiarities of the structure of zinc selenide crystals, 1=4045  
 Kruchek, M.P. See Vol'kenshtein, M.V., 1=2344  
 Krueger, A.J. See Venkateswaran, S.V., 1=20812  
 Krueger, H.H.A. and Berlincourt, D. Effects of high static stress on the piezoelectric properties of transducer materials, 1=17856  
 Krüger, G. The appearance of carbon steel with square-loop characteristics, 1=2471  
 Kruger, H. See Sard, R.D., 1=2072  
 Kruger, J. The oxide films formed on copper single crystal surfaces in water. II. Rate of growth at room temperature, 1=10281  
 Krüger, L. and Rothleitner, J. Negative muon decay in the K-shell, 1=17102  
 Kruglak, H. Current teaching practices and problems in the general physics laboratory, 1=1671  
 Kruglov, S.P. See Komar, A.P., 1=5709  
 Kruglyak, Yu.A. See Izmailov, N.A., 1=18397  
 Kruglyakov, E.P. See Markov, M.N., 1=14515  
 Kruglykh, A.A. See Ivanov, V.E., 1=12654  
 Kruh, R.F. See Petz, J.I., 1=5101  
 Kruh, R.F. See Standley, C.L., 1=6377  
 Kruh, R.F. See Young Soo Kim, 1=9378  
 Kruizinga, J.H. See Mandl, G., 1=6833  
 Krupička, S. Study of magnetic after-effect in magnesium manganese ferrites, 1=14739  
 Krupička, S. A note on magnetic after-effect in iron rich ferrites, 1=20138  
 Krupička, S. and Vilum, F. Magnetic relaxation spectrum of ferrites.  $Mn_xFe_{3-x}O_{4+y}$ , 1=17976  
 Krupkowski, A. On the partial thermodynamic functions, 1=18394  
 Krupnikova-Perlina, E.I. See Lainer, D.I., 1=1425  
 Kruschwitz, W.H. Undergraduate college physics research and its sponsorship, 1=2674  
 Kruse, O.E. Hearing and seeing beats, 1=11817  
 Kruse, P.W. See Farber, W.A., 1=9502  
 Kruse, T.H. See Benczer-Koller, N., 1=10986  
 Kruseman Aretz, F.E.J. and Cohen, E.G.D. A theory of order-disorder phenomena. I, 1=9150  
 Kruseman Aretz, F.E.J. and Cohen, E.G.D. A theory of order-disorder phenomena. II, 1=9151  
 Krush, I.I. and Tsekhmistrenko, Ya.V. Spectrum of elementary excitations of superfluid Fermi systems, 1=12823  
 Krushinskii, L.L. and Shor'gin, P.P. The vibrational structure of electron excitation levels of molecules in the quantum theory of scattering of light, 1=9949  
 Krushinskii, L.L. and Shor'gin, P.P. The vibrational structure of electron excitation levels of molecules in the quantum theory of scattering of light, 1=11114  
 Krushinskii, L.L. See Shor'gin, P.P., 1=4479  
 Kruskal, M. Hydromagnetics and the theory of plasma in a strong magnetic field and the energy principles for equilibrium and stability, 1=15721  
 Kruskal, M. Asymptotic theory of systems of ordinary differential equations with all solutions nearly periodic, 1=15722  
 Kruskal, M. Landau damping, 1=15723  
 Krutov, V.A. and Gorshkov, V.G. Higher born approximations in pair conversion, 1=3422  
 Kryazhev, F.I. and Petrov, N.A. Plate waves in a three-layer medium, 1=16016  
 Krýlova, T.N. and Bagdýk'yants, G.O. A study of the optical properties and structure of titanium dioxide layers, 1=10091  
 Krynicki, K. See Blicharski, J., 1=9409  
 Krynicki, K. See Hennel, J.W., 1=15908  
 Krysmanski, K.H. On the question of thermal equilibrium in the iron arc, 1=4582  
 Kryter, F.D. The meaning and measurement of perceived noise level, 1=4421  
 Krývets', G.E. See Val'ter, A.K., 1=13649  
 Krývohlaz, M.O. and Týkhonova, O.O. Effect of geometrical distortions of the crystal lattice on X-ray and thermal neutron scattering by multiconstituent disordered solid solutions, 1=15054  
 Krývohlaz, M.O. and Týkhonova, O.O. Theory of X-ray scattering by interstitial solid solutions, 1=20574  
 Kryvohlaz, M.O. and Týkhonova, O.O. Theory of X-ray scattering by multicomponent ordered solutions, 1=20616  
 Kryzhanovskii, B.P. and Kuznetsov, A.Ia. Refractory stannic oxide film and its uses, 1=20673  
 Krzhemenek, Ya. See Komar, A.P., 1=3436

- Krzhemenek, Ya. See Komar, A.P., 1=11000
- Krzycki, Z. Measurements of resonance line width of ferrites in a waveguide with diaphragm, 1=20183
- Krzywicki, A. On the possibility of measuring the branching  
 $(\pi^- + p \rightarrow \pi^0 + \pi^- + p)$   
 ratio  $R = \frac{(\pi^- + p \rightarrow \pi^+ + \pi^- + n)}{(\pi^- + p \rightarrow \pi^0 + \pi^- + p)}$  at very high energies, 1=2084
- Krzywicki, A. High-energy pion-nucleon collisions and isotopic properties of the pion-pion interaction, 1=2085
- Krzywicki, A. On the final-state interaction in single-pion production processes, 1=16841
- Krzywicki, A. and Szymanski, J. A note on the phenomenological theory of unstable particles, 1=5646
- Ksendzov, Ya.M. The mechanism of the electrical conductivity of ferro- and antiferromagnetic semiconductors, 1=5009
- Ksienski, A. Equivalence between continuous and discrete radiating arrays, 1=4727
- Ku, T.C. and Pimbley, W.T. Effect of temperature on the emission of electrons from abraded surfaces of beryllium, calcium, aluminum, and magnesium, 1=5489
- Kuan, H.M. See Bonner, T.W., 1=8577
- Kubal, J. See Beneš, J., 1=19079
- Kubanskii, P.N. A theory of acoustic streaming near hot solids, 1=4414
- Kubarev, A.V. Narrow-band measurement of nuclear absorption line width and magnetic field gradient, 1=4741
- Kubaschewski, O. and Heymer, G. The thermodynamics of the chromium-iron system, 1=2539
- Kubiak, S. See Kozłowski, L., 1=14720
- Kubo, H. See Mitani, K., 1=8317
- Kubo, K. Radiation induced optical absorptions in crystalline quartz and fused silica, 1=12406
- Kubo, K. and Katano, Y. Observations of dislocation network in neutron-irradiated LiF crystal, 1=14274
- Kubo, M. See Ito, K., 1=6046
- Kubo, T. See Kitamura, S., 1=14508
- Kubose, D.A. and Hamill, W.H. Mass dependent ion collection efficiencies in a mass spectrometer, 1=13133
- Kubota, B. and Hirota, E. Electrical resistivity of ferromagnetic chromium dioxide, 1=14395
- Kubota, B. See Hirota, E., 1=14759
- Kubota, H. Interference colour, 1=18550
- Kubota, H. See Nakamura, T., 1=14971
- Kluch, F. See Hellwege, K.H., 1=8881
- Kuchela, K.N. See Birks, J.B., 1=8865
- Kuchela, K.N. See Birks, J.B., 1=9401
- Kuchela, K.N. See Birks, J.B., 1=9402
- Kuchela, K.S. and Peshori, L.H. Application of bidirectional dekatron tubes in low level beta activity measurements by cancellation technique, 1=2176
- Kucher, T.I. Theory of hole F-centres in alkali halide crystals, 1=14334
- Kucher, T.I. The problem of diffusion in an evaporated solid medium, 1=17550
- Kucher, T.I. and Tolpýgo, K.B. Structure of hole bands in alkali chlorides, 1=931
- Kucher, T.I. and Tolpýgo, K.B. Structure of hole bands in alkali chlorides, 1=4979
- Kucher, T.I. See Demidenko, Z.A., 1=19699
- Kucherenko, E.T. and Nazarenko, O.K. A hydrogen leakage filler, 1=12405
- Kucherov, R.Ya. and Tsulaya, T.S. Absorption of sound reflected from the plane surface of a solid, 1=18524
- Kuchitsu, K. See Bartell, L.S., 1=17370
- Kuchkov, E.M. Relation between ion energy distribution function and the form of lines in the mass-spectrum of a radio-frequency mass-spectrometer, 1=335
- Kluchle, M. Measurement of the temperature dependence of the diffusion of neutrons in water and diphenyl by the pulse method, 1=5733
- Kuchle, M. and Beckurts, K.H. A remark on the transport mean free path of thermal neutrons in graphite, 1=7249
- Kuchowicz, B. On a possible isotopic structure of the D-particle, 1=532
- Kuchowicz, B. A tentative explanation of small deviations observed in beta spectra, 1=2184
- Kuchowicz, B. On the shapes of allowed beta spectra, 1=13706
- Kukhynka, M.Yu. See Kyshko, S.M., 1=14046
- Kuckes, A.F., Motley, R.W., Hinnov, E. and Hirschberg, J.G. Recombination in a helium plasma, 1=11924
- Kuckes, A.F. and Wilson, R. Asymmetry in 143 MeV pn scattering, 1=3182
- Kuckes, A.F., Wilson, R. and Cooper, P.F.Jr. On the deuteron as a free nucleon target at 145 MeV, 1=13525
- Kudashev, E.F. See Cherdyn'tsev, V.V., 1=3304
- Kudielka, H. and Müller, H. Production of monochromatic X-radiation of desired frequency from the continuous spectrum, 1=3030
- Kudinov, E.K. Investigation of the hole spectrum of Bi<sub>2</sub>Te<sub>3</sub>, 1=12442
- Kudo, S. See Murakami, K., 1=19312
- Kudrin, L.P. The equation of state of partially ionized hydrogen, 1=18834
- Kudryashov, O.I. See Ivanova, T.V., 1=15889
- Kudryashov, P.I. and Sveshnikov, B.Ya. The depolarization of the fluorescence of solutions by radiative and radiationless excitation-energy transfer, 1=9397
- Kudryashov, P.I., Sveshnikov, B.Ya. and Shirokov, V.I. Kinetics of concentration depolarization of luminescence and intermolecular transfer of excitation energy, 1=2761
- Kudryashov, P.I. See Ivanova, T.V., 1=12888
- Kudryashov, P.I. See Sveshnikov, B.Ya., 1=2763
- Kudryavtsev, V.S. The electron distribution function in a plasma in a magnetic field, 1=7055
- Kuehner, J.A., Almqvist, E. and Bromley, D.A. Reaction mechanism studies on Si<sup>28</sup>(d,p)Si<sup>29</sup>. I. Distorted wave effects, 1=2235
- Kuehner, J.A., Almqvist, E. and Bromley, D.A. Reaction mechanism studies on Si<sup>28</sup>(d,p)Si<sup>29</sup>. II. Interference effects, 1=4875
- Kuehner, J.A., Almqvist, E. and Bromley, D.A. Gamma-ray de-excitation of the low levels of F<sup>19</sup>, 1=7323
- Kuehner, J.A., Almqvist, E.A. and Bromley, D.A. Reduced width extraction from stripping data, 1=8758
- Kuehner, J.A., Almqvist, E. and Bromley, D.A. Interference effects in stripping, 1=8759
- Kuehner, J.A., Whalen, B., Almqvist, E. and Bromley, D.A. Quasi-molecular resonances in C<sup>12</sup> + C<sup>12</sup>, 1=8784
- Kuehner, J.A. See Almqvist, E., 1=8783
- Kuehner, J.A. See Almqvist, E., 1=16691
- Kuehner, J.A. See Almqvist, E.A., 1=8720
- Kuehner, J.A. See Bromley, D.A., 1=8754
- Kuehner, J.A. See Bromley, D.A., 1=8755
- Kuehner, J.A. See Bromley, D.A., 1=8782
- Kuehner, J.A. See Bromley, D.A., 1=11039
- Kuehner, J.A. See Litherland, A.E., 1=13660
- Kuehner, J.A. See McCallum, G.J., 1=2187
- Kuglin, C.D., Ellett, M.R. and Cuff, K.F. Oscillatory magnetoresistance in n-type PbTe, 1=6162
- Kuglin, C.D. See Cuff, K.F., 1=17748
- Kuhl, W. Effect of edges on the sound absorption of porous materials, 1=8210
- Kuhl, W. and Kath, U. Remarks on the measurement of sound absorption in auditoria having complete diffusivity, 1=9459
- Kuhl, W. and Westphal, W. Difference of loudness in plane-wave and diffuse sound field, 1=12940
- Kuhl, W. See Keibs, L., 1=223
- Kühn, G.J. and Lutsch, A. Elastic wave mode conversion at a solid-solid boundary with transverse slip, 1=10560
- Kuhn, H.G. and Turner, R. Isotope shift and hyperfine structure in the spectrum of tellurium, 1=19594
- Kuhn, P.M. See Tanner, C.B., 1=15221
- Kuhn, S.J. See Cook, D., 1=2325
- Kuhne, K. Interferometric testing of the planeness of long beds, 1=4296
- Kühne, K. A review of the importance of different methods of testing objectives in industry, 1=4444
- Kühne, K. Quantitative measurements of Schlieren in glasses, 1=4447
- Kuhr, F. See Brauersreuther, E., 1=1077
- Kuiper, H. and Friedburg, H. Hyperfine structure of the metastable <sup>3</sup>P<sub>2</sub>-state of Kr<sup>83</sup> by the atomic beam resonance method, 1=13927
- Kuiper, J.W. See Kundu, M.R., 1=2657
- Kukanov, A.B. On the quantum theory of the Vavilov-Cherenkov radiation emitted by a particle with a magnetic moment, 1=19170
- Kukharskii, A.A. See Subashiev, V.K., 1=3687
- Kukhtevich, V.I., Sinitin, B.I. and Tsipin, S.G. Removal cross-sections for 2.9 MeV neutrons, 1=7385



- Kukin, V.D. and Frenkin, A.R. "Illusory" states and the condition for crossing symmetry, 1=5654
- Kukin, V.D. and Frenkin, A.R. The construction of the scattering matrix in nonlocal theory, 1=19130
- Kuks, I.M. See Zhdanov, A.P., 1=3260
- Kuks, I.M. See Zhdanov, A.P., 1=13263
- Kuks, I.M. See Zhdanov, A.P., 1=19186
- Kulakov, B.A. See Belyakov, A.N., 1=10815
- Kul'chitskii, L.A. and Presperin, V. Fast photoneutrons from some elements, 1=19437
- Kul'chitskii, L.A. See Bazhanov, E.B., 1=4856
- Kulenkampff, H. and Röss, D. Improved measurement of the X-ray bremsstrahlung spectra from thin anti-cathodes at 34 keV, 1=9745
- Kulenkampff, H. and Zinn, W. Polarisation of the X-ray bremsstrahlung from thin anticathodes at 35 and 45 keV, 1=9746
- Kuliasko, F. and Mertens, R. On the diffraction of light by standing supersonic waves: Oblique incidence of the light, 1=16109
- Kulik, B.A. See Bogoroditskii, N.P., 1=14537
- Kulik, I.O. The momentum distribution function of a Fermi-particle gas in the high-density limit, 1=18306
- Kulik, I.O. and Zil'berman, G.E. Controlled crystallization of melts containing impurities. II, 1=14995
- Kulik, I.O. See Geguzin, Ya.E., 1=9158
- Kulik, I.O. See Zil'berman, G.R., 1=7547
- Kulikov, A.V., Chizhov, V.P. and Yavor, I.P. A method of investigating complex nuclear reactions, 1=13240
- Kulikov, G.S. See Boltaks, B.I., 1=3756
- Kulikov, G.U. See Vernov, S.N., 1=3288
- Kulikov, G.V., Nesterova, N.M., Nikolsky, S.I., Solovieva, V.I., Khristiansen, G.B. and Chudakov, A.E. Spectrum of extensive air showers in a number of particles at 200 and 3860 meters above sea level, 1=3283
- Kulikov, G.V. See Vernov, S.N., 1=3280
- Kulikov, G.V. See Vernov, S.N., 1=3287
- Kulikov, O.F. See Ershov, A.G., 1=5517
- Kulikov, O.F. See Korolev, F.A., 1=7112
- Kulikovskii, A.G. and Lyubimov, G.A. On the paper of V.A. Belokon'. "The permanent structure of shock waves with Joule dissipation", 1=361
- Kulikovskii, A.G. and Lyubimov, G.A. On gas-ionizing magnetohydrodynamic shock waves, 1=5570
- Kuliukin, M.M. See Kozodaev, M.S., 1=19073
- Kulkarni, V.G. See Joshi, M.C., 1=641
- Kul'kov, V.D. See Kogan, A.V., 1=14155
- Kulp, B.A. Effect of electron bombardment on the near-infrared fluorescence of single crystal CdS, 1=14653
- Kulp, B.A. and Kelley, R.H. P-type photoconductivity and infrared quenching in electron-bombarded CdS, 1=10056
- Kulsrud, R. See Backus, G., 1=16410
- Kulsrud, R.M. Hydromagnetic equilibria in a toroid from the particle point of view, 1=4610
- Kulsrud, R.M. See Bernstein, I.B., 1=314
- Kulsrud, R.M. See Bernstein, I.B., 1=11942
- Kulyukin, M.M. See Kozodaev, M.S., 1=19296
- Kumabe, I. See Ogata, H., 1=11006
- Kumabe, I. See Ogata, H., 1=11012
- Kumagai, H. On a design of wide range magnet for cyclotron, 1=1941
- Kumagai, H. See Kikuchi, S., 1=7113
- Kumamoto, J., Ibers, J.A. and Snyder, R.G. Method for manipulating reactive crystals for X-ray analysis, 1=15037
- Kumar, D. See Elwell, D., 1=6436
- Kumar, I.J. A problem in heat transfer, 1=16140
- Kumar, K. Validity of the two-particle approximation in the many-body problem, 1=460
- Kumar, K. and Bhaduri, R.K. Fermi-Thomas type approximation for nuclei, 1=9800
- Kumar, R. Unsteady flow of a viscous liquid contained between two infinite co-axial circular cylinders, 1=15794
- Kumar, R. Propagation of small disturbances in viscous liquid contained between two infinite co-axial cylinders, 1=18357
- Kumar, R. See Weingaertner, E., 1=4915
- Kumar, R.C. Decay-modes of the schizon. An isobaric spin analysis, 1=5655
- Kumar, S. Thermal expansion of simple ionic crystals, 1=918
- Kumar, S.S. On gravitational instability. II, 1=15607
- Kumar, S.S. On gravitational instability. III, 1=15608
- Kumar, S.S. See Kato, S., 1=15606
- Kume, K. Proton magnetic resonance in pure and doped ice, 1=11498
- Kume, K. and Hoshino, R. Proton magnetic resonance of ice single crystal, 1=12572
- Kume, K. and Kakiuchi, Y. Proton magnetic resonance in hydrogen bonded dimers in solids, 1=9074
- Kume, K. and Kakiuchi, Y. The O-H...O bond in orthoboric acid, 1=14078
- Kümmel, F. Calculation of thermodynamic properties of an isothermal hydrogen plasma, 1=18843
- Kümmel, H. Compound pair states in imperfect Fermi gases, 1=5691
- Kümmel, H. On the pairing energy of medium heavy nuclei, 1=8563
- Kümmel, U. Dielectric after-effects in CdS crystals, 1=17817
- Kummer, W. Gauge-transformation and quantization of free electromagnetic field, 1=16647
- Kund, G.G. See Zhiglinskii, A.G., 1=18607
- Kunda, M.R. and Firor, J.W. Interferometric studies of type IV solar bursts of continuum radiation on 340 and 87 Mc/s, 1=15543
- Kunda, M.R. and Haddock, F.T. Centimeter-wave solar bursts and associated effects, 1=8025
- Kündig, W. Influence of paramagnetism on angular correlation (measurement of the nuclear magnetic moment of Dy<sup>160</sup> and Er<sup>160</sup>), 1=9834
- Kundt, U. See Grote, L.C., 1=9760
- Kundt, W. The plane-fronted gravitational waves, 1=8042
- Kundu, M.R. An interferometric study of active solar regions at 3 cm wavelength, 1=6734
- Kundu, M.R. Some studies on the occurrence of type IV solar bursts of continuum radiation, 1=11684
- Kundu, M.R. Solar radio emission on centimeter waves and ionization of the E layer of the ionosphere, 1=15274
- Kundu, M.R., Roberts, J.A., Spencer, C.L. and Kuiper, J.W. A comparison of the dynamic spectra of solar radio bursts in the decimeter- and meter-wavelength ranges, 1=2657
- Kundu, M.R. and Steinberg, J.L. On the polarization of sources of solar activity on 3 cm wavelength, 1=45
- Kūnev. See Kŭnev, S., 1=14503
- Kuni, F.M. and Terent'ev, I.A. Method of successive extension of the spectral functions in the Mandelstam representation, 1=19153
- Kunin, V.Ya. and Tsikin, A.N. Change of dielectric properties of rutile ceramics with the passage of a current and with heating, 1=1138
- Kunin, V.Ya. and Tsikin, A.N. Characteristic features of the change in electrical conductivity of rutile ceramics in the process of electrical ageing and regeneration, 1=17637
- Kunin, V.Ya. See Koikov, S.N., 1=17638
- Kunisz, M.D. and Séguier, J. The ratios of the triplet component intensities of (1s2p <sup>3</sup>P<sub>1,0</sub> - 1s4s <sup>3</sup>S<sub>1</sub>) λ 4713 Å and (1s2p <sup>3</sup>P<sub>1,0</sub> - 1s4d <sup>3</sup>D<sub>3,2,1</sub>) λ 4472 Å of helium, under different spectral excitation conditions, 1=17267
- Kunitomi, N. See Komura, S., 1=19686
- Kunitomi, N. See Komura, S., 1=20078
- Kunst, B. See Lovreček, B., 1=9520
- Kunts, I.D.Jr., Schleyer, P.von R. and Allerhand, A. Long-range N<sup>14</sup>-H<sup>1</sup> nuclear-resonance coupling in isonitriles, 1=19669
- Kuntze, M. See Daniel, H., 1=7350
- Kunz, P.D. An alpha-particle model for some light nuclei, 1=7309
- Kunze, I. and Stasiw, O. The absorption of the defects in silver bromide with the addition of divalent impurity ions, 1=19968
- Kunzler, J.E., Buehler, E., Hsu, F.S.L., Matthias, B.T. and Wahl, C. Production of magnetic fields exceeding 15 kilogauss by a superconducting solenoid, 1=3037
- Kunzler, J.E., Buehler, E., Hsu, F.S.L. and Wernick, J.H. Superconductivity in Nb<sub>3</sub>Sn at high current density in a magnetic field of 88 KGauss, 1=5399
- Kunzler, J.E. and Hsu, F.S.L. Magnetothermal oscillations and the Fermi surface, 1=17457
- Kunzler, J.E. and Klauder, J.R. The observation of four types of Hall constant anisotropy in copper and their role in the determination of the Fermi surface, 1=19835
- Kunzler, J.E. See Klauder, J.R., 1=7623

## AUTHOR INDEX

- Kunzler, J.E. See Klauder, J.R., 1=19834  
 Kunzlová, I. See Bohun, A., 1=4998  
 Kuo, J. See Brune, J., 1=6585  
 Kuo, L.G. See Ilakovac, K., 1=7260  
 Kuo Ch'i-Ti., Ratner, B.S. and Sergeev, B.V. An investigation of the  $\text{Sn}^{113}$  ( $\gamma$ , n) and  $\text{Sn}^{114}$  ( $\gamma$ , n) reactions, 1=13773  
 Kuo Ch'i-Ti. See Go Tsi-di, 1=17083  
 Kuo-Hsien-Tzou. On the problem of consistency of the field quantization rules, 1=12804  
 Kuo-Hsien Tzou. A model of Leptons and of weak interactions, 1=13320  
 Kuščík, V. and Đurović, S. The crystal structure of copper dipyrindine dibromide  $\text{Cu}(\text{C}_5\text{H}_4\text{N})_2\text{Br}_2$ , 1=9138  
 Kuper, C.G. Theory of negative ions in liquid helium, 1=8270  
 Kuperus, J. Low energy proton capture resonances in the chlorine isotopes, 1=7375  
 Kuperus, J. and Smith, P.B. Yield measurements of alpha particles from the  $^{27}\text{Al}(\text{p}, \alpha)$   $^{24}\text{Mg}$  and  $^{31}\text{P}(\text{p}, \alpha)$   $^{28}\text{Si}$  reactions, 1=7371  
 Kuperus, J. See Smith, P.B., 1=17096  
 Kupperian, J.E.Jr., Byram, E.T., Chubb, T.A. and Friedman, H. Far ultraviolet radiation in the night sky, 1=6629  
 Kuppermann, A. and Larson, J.G. Nonmolecular nature of nitric oxide-inhibited thermal decomposition of n-butane, 1=1469  
 Kupstov, A.V. See Egorov, L.B., 1=19226  
 Kurashov, A.A., Linev, A.F., Rybakov, B.V. and Sidorov, V.A. A multi-channel time-of-flight fast-neutron spectrometer, 1=514  
 Kurashov, A.A. See Kondrashev, L.F., 1=3194  
 Kurata, M. See Kotaka, T., 1=15783  
 Kurata, T. and Komatsubara, K. A curious characteristic of P-N-P junctions, 1=11312  
 Kurath, D. Magnetic moments of mirror nuclei, 1=16967  
 Kurath, D. and Lawson, R.D. Positive-parity states in mass-13 nuclei, 1=5836  
 Kurath, D. and Lawson, R.D. Positive-parity states in mass-13 nuclei, 1=8585  
 Kurbatov, B.L. See Vilesov, F.I., 1=16263  
 Kurbatov, B.L. See Vilesov, F.I., 1=18763  
 Kurbatov, L.N. See Berezhnaya, L.A., 1=17802  
 Kurbatov, L.N. See Erofeichev, V.G., 1=11269  
 Kurbatov, L.N. See Erofeichev, V.G., 1=12422  
 Kurbatov, L.V. See Skrotskii, G.V., 1=6390  
 Kurdgelaidze, D.F. On the solution of nonlinear equations of physical field theory, 1=15386  
 Kurdgelaidze, D.F. See Ivanenko, D., 1=16716  
 Kurdyumov, G.V. See Batenin, I.V., 1=3698  
 Kurdyumov, H.V., Bil'dzyukévych, I.A., Khandross, L.G. and Chornyi, V.G. Change in the fine crystalline structure on the aging of certain high-temperature alloys [nimonic type], 1=15127  
 Kurdyumova, I.H. See Butylenko, O.K., 1=14985  
 Kurdyumova, R.N. and Baranova, R.V. An electron-diffraction study of thin films of cuprous iodide, 1=20536  
 Kurepin, A.B. See Komarov, V.V., 1=4834  
 Kurganov, G.B. See Karasik, V.R., 1=1046  
 Kurghin, I.S. See Derjaguin, B.V., 1=10494  
 Kuri, Z., Fujiwara, Y., Ueda, H. and Shida, S. Behavior of the free radicals trapped in gamma-irradiated compounds which contain hydrogen bonds, 1=6056  
 Kuri, Z. See Ueda, H., 1=20230  
 Kurilko, V.I. A contribution to the kinetic theory of the reflection of electromagnetic waves from a moving plasma, 1=5455  
 Kurilko, V.I. A contribution to the kinetic theory of the reflection of electromagnetic waves from a moving plasma, 1=11928  
 Kurita, Y. and Gordy, W. Electron spin resonance in a gamma-irradiated single crystal of L-cystine dihydrochloride, 1=3937  
 Kurita, Y. and Gordy, W. Electron spin resonance in a gamma-irradiated single crystal of thiodiglycolic acid, 1=7787  
 Kurita, Y. See Miyagawa, I., 1=2345  
 Kuritsyn, V.N. Arbitrary incidence of a plane electromagnetic wave on a conducting disk, 1=4718  
 Kuriyama, K. See Kimura, M., 1=5909  
 Kuriyama, K. See Kimura, M., 1=12194  
 Kuriyama, M. X-ray line broadening from the polished surfaces of silver and gold, 1=11557  
 Kuriyama, M., Yamanouchi, H. and Hosoya, S. Ferromagnetic resonance absorption of single-crystal thin films of nickel, 1=14770  
 Kurlina, E.V. See Sheftel', I.T., 1=19883  
 Kurlina, E.V. See Sheftel', I.T., 1=19884  
 Kurnick, S.W. and Fitzpatrick, R.L. Galvanomagnetic measurements in highly conducting semiconductors, 1=12419  
 Kurnick, S.W. See Appel, J., 1=17479  
 Kurochkin, S.S. Magnetic measurements using permalloy pickups at a proton synchrotron, 1=5526  
 Kurochkin, S.S. and Zel'dovich, M.P. Application of nuclear resonance in magnetic measurements in a proton synchrotron, 1=5519  
 Kuroda, C. Time decrease of permeability of substitutional ferromagnetic alloys, 1=14728  
 Kuroda, C. Anisotropy of polycrystalline sheets of v-permendur, 1=17963  
 Kuroda, C., Miyadal, T., Naemura, A., Niizeki, N. and Takata, H. Magnetic torque curves for a single crystal of thulium orthoferrite ( $\text{TmFeO}_3$ ), 1=7770  
 Kuroda, K. See Kimura, M., 1=5909  
 Kuroda, K. See Kimura, M., 1=12194  
 Kuroda, P.K., Hodges, H.L. and Moore, H.E. Fallout from nuclear detonations of February and April 1960, 1=7933  
 Kuroda, S.T. An example of a scattering system in Jauch's sense, 1=16691  
 Kuronuma, E. A new solution of the clock paradox, 1=15619  
 Kuropatenko, V.F. A method of calculation of [the propagation of] shock waves, 1=5292  
 Kurosawa, T. Heitler-London approach to electrical conductivity. II. A proof of the hopping motion, 1=11248  
 Kurosawa, T. Polarization waves in solids, 1=14160  
 Kurosawa, T. See Yamashita, J., 1=8933  
 Kurov, G.A., Sheftal', N.N. and Kokorish, N.P. Investigation of coarse-grained germanium layers produced by pyrolysis of gas, 1=14435  
 Kurova, I.A. and Tyapkina, N.D. The electrical conductivity of lithium-doped germanium at low temperatures, 1=3751  
 Kuroyanagi, J. Change in modulus of rigidity of brass wires by cold-working and subsequent annealing, 1=11517  
 Kuroyanagi, J. On the relation between the change in modulus of rigidity of brass wires by cold-rolling and rolling textures, 1=20298  
 Kuroyanagi, T. Decays of photoreaction products of selenium, 1=13756  
 Kuroyanagi, T. See Homma, S., 1=13713  
 Kuroyanagi, T. See Morinaga, H., 1=346  
 Kuroyanagi, T. See Morinaga, H., 1=7345  
 Kuroyanagi, T. See Takahashi, K., 1=17113  
 Kurskii, Yu.A. The distribution of non-equilibrium carriers in the surface layer of the space charge in semiconductors at high surface potentials, 1=12428  
 Kursunoglu, B. Complex orthogonal and antiorthogonal representation of Lorentz group, 1=4756  
 Kurt, V.G. See Kaplan, S.A., 1=18018  
 Kurti, N. See Hobden, M.V., 1=4520  
 Kurtseva, N.N. See Kashtanova, A.M., 1=14538  
 Kurtze, G. Light weight walls with high transmission loss, 1=220  
 Kurtze, G. and Bolt, R.H. On the interaction between plate bending waves and their radiation load, 1=193  
 Kurtze, G. See Meyer, E., 1=8191  
 Kurylenko, C. On the mean potential  $V_0$  in aluminium, 1=12350  
 Kurz, R.J. See Barish, B.C., 1=8486  
 Kušcer, I. See Strnad, J., 1=15929  
 Kusch, P. See Rao, V.S., 1=6051  
 Kusch, W. See Chojnacki, S., 1=670  
 Kusch, W. See Yeffseyev, W.S., 1=12035  
 Kuschakevich, Iu.P. See Selinov, I.P., 1=17010  
 Kush, V.Z. See Evseev, V.S., 1=19499  
 Kuschakevich, S.A. See Lerinman, R.M., 1=1416  
 Kushal', M.Ya. The stability of forced oscillations in a self-rotating system, 1=5244  
 Kushida, T. and Saiki, K. Shift of nuclear quadrupole resonance frequency by electric field, 1=14836  
 Kushida, T. See Kô, Y., 1=17949  
 Kushida, T. See Kô, Y., 1=20256  
 Kushida, T. See Kô, Y., 1=20257  
 Kushida, T. See Uehara, Y., 1=6226  
 Kushner, L.M. See Parker, R.L., 1=20432  
 Kushnerev, M.Ya., Linde, V.R. and Roginskii, S.Z. The electrical conductivity of the cobalt-manganese spinels with admixtures of lithium, titanium, and copper oxides, 1=14357



- Kushneriuk, S.A. Distribution of resonant neutron capture in a natural uranium rod—application to NRX rod 683, 1=783
- Kushnin, Yu.M. See Der-Shvarts, G.V., 1=4649
- Kushnir, R.M. Charge exchange between caesium ions and atoms, 1=11915
- Kushnir, R.M. Charge exchange between potassium ions and atoms, 1=13070
- Kushnir, Yu.M., Nyrkov, V.G., Butslov, M.M. and Bordovskii, G.A. Application of an image converter to an electron microscope, 1=4648
- Kushnirenko, E.A. See Budagov, Yu.A., 1=19297
- Kushul', M.Ya. The stability of forced oscillations in a self-rotating system, 1=19461
- Kushwaha, R.S. Decay of shock waves in a stellar atmosphere, 1=1654
- Kushwaha, R.S. Thermally induced convection in a stellar atmosphere, 1=9287
- Kushwaha, R.S. See Bhatnagar, M.S., 1=15508
- Kusin, N.N. See Vereshchagin, L.F., 1=5001
- Kusin, N.N. See Vereshchagin, L.F., 1=11251
- Kuske, A. Some new [photoelastic] stress-optical methods, 1=11723
- Kuskowski, R.L., Novey, T.B. and Warshaw, S.D. Design and construction of a system of pulsed magnets, 1=10/61
- Kustaanheimo, P. On the determination of orbits of comets and asteroids, 1=9256
- Kustaanheimo, P. The determination of the osculating orbit of an artificial earth satellite, 1=18217
- Kluster, R. Electrostatic molecular models for the Kerr effect in non-polar liquids, 1=12884
- Kusumegi, A. See Goebel, K., 1=8732
- Kusumoto, H. The effect of deuteron irradiation on the nuclear magnetic resonance in teflon, 1=9072
- Kusumoto, H., Itoh, J., Hirota, K. and Ueda, T. On the proton chemical shift in deuterium substituted p-xylene and toluene, 1=2317
- Kuszell, A. The critical problems for multilayer slab systems, 1=17183
- Kuszell, A. and Mika, J. Thermal utilization factor in water—graphite moderated lattice, 1=19559
- Kuszell, A. See Żelazny, R., 1=15749
- Kuszell, A. See Żelazny, R., 1=16799
- Kuszell, A. See Żelazny, R., 1=16803
- Kutikov, I.E. See Spivak, P.E., 1=4791
- Kutikov, I.Ye. See Spivak, P.E., 1=5900
- Kutlu, H. and Ögder, M. Photoelectric effect in Ag—As—S alloys, 1=5025
- Kutschabsky, L. See Schmidt, G., 1=8173
- Kutschale, H. Long-range sound transmission in the Arctic Ocean, 1=20805
- Kutsenko, A.V. See Gol'danskii, V.I., 1=4786
- Kuttruff, H. See Meyer, E., 1=8191
- Kuttruff, H. See Meyer, E., 1=9458
- Kutuzov, A.A. See Broder, D.L., 1=19213
- Kutuzova, G. See Yiglane, Kh., 1=19105
- Kuvshinskii, E.V. See Antuf'ev, V.V., 1=12659
- Kuvshinskii, E.V. See Bessonov, M.I., 1=11519
- Kuvshinskii, E.V. See Bessonov, M.I., 1=12605
- Kuvshinskii, E.V. See Bessonov, M.I., 1=12607
- Kuvshinskii, E.V. See Bessonov, M.I., 1=20387
- Kuwabara, G. and Aoyagi, K. Absorption and excitation bands of KCl(Tl) in the extreme ultra-violet region, 1=1181
- Kuwabara, G. See Aoyagi, K., 1=12494
- Kuwabara, S. Impulsive motion of a circular cylinder in a viscous fluid at small Reynolds numbers, 1=18355
- Kuwahara, K. Curie point in thin Ni films determined by electrical method, 1=2477
- Kuwahara, K. and Goto, M. Thickness dependence of domain orientation in thin nickel films, 1=10155
- Kuwahara, K. See Tatsumoto, E., 1=14362
- Kuwahara, K. See Tatsumoto, E., 1=14722
- Kuwahara, K. See Tatsumoto, E., 1=14726
- Kužel, R. The effect of oxygen on the electric conductivity of a cuprous oxide single crystal, 1=17726
- Kuźma, W. See Andruskiewicz, J., 1=16615
- Kuz'menko, P.P. and Kal'na, H.I. Regularities in the short-range order of alloys of the Cd—Mg system, 1=12643
- Kuz'menko, P.P. and Kal'na, H.I. Kinetics of phase transitions in alloys of the Cd—Mg system, 1=12645
- Kuz'menko, P.P. and Khar'kov, Ye.I. Electrical migration in Cd and Zn, 1=14304
- Kuzmenko, P.P. and Khar'kov, Ye.I. Migration of silver on passing direct current through it, 1=14319
- Kuz'menko, P.P. and Khar'kov, Ye.I. Electrical [diffusion] transport in solid Al [in temperature range 500–570°C], 1=14325
- Kuz'menko, P.P. and Petrenko, P.V. Certain anomalies in the properties of ferro—aluminium alloys and their nature, 1=15129
- Kuz'menko, P.P. See Khar'kov, Ye.I., 1=14300
- Kuz'menko, P.P. See Khar'kov, Ye.I., 1=15163
- Kuz'menko, P.P. See Petrenko, P.V., 1=12412
- Kuz'min, A.D. and Salomonovich, A.E. 8 mm wavelength radio emission from the region of Taurus-A, 1=18206
- Kuz'min, A.D. and Udalt'sov, V.A. Polarization of 10 cm radiation from the Crab Nebula, 1=15567
- Kuzmin, A.I. On the relationship between the primary and secondary components of cosmic radiation, 1=3340
- Kuzmin, A.I. Intensity variations of cosmic rays underground, 1=3352
- Kuzmin, A.I., Shaffer, G.V., Shaffer, Y.G., Krasilnikov, D.D., Krinsky, G.F., Mamrukov, A.P., Smirnov, N.S. and Yarin, V.I. Materials of complex geophysical observations in Yakutsk for July 1959, 1=20877
- Kuz'min, R.N., Shuravlev, N.N. and Losievskaya, S.A. The atomic structure of RuS<sub>2</sub> and OsSb<sub>2</sub>, 1=4049
- Kuz'min, R.N. and Zhdanov, G.S. X-ray analysis of the superconductor  $\beta$  BiRh, 1=15087
- Kuz'min, R.N. See Zhuravlev, N.N., 1=15123
- Kuz'min, V.A. See Zatsepin, G.T., 1=16834
- Kuz'min, V.N. See Zhdanov, A.P., 1=3099
- Kuznetsov, A.A. The frequency and temperature dependences of  $\epsilon$  and  $\tan \delta$  of ZnPc—TiO polycrystals, 1=2432
- Kuznetsov, A.A. See Van Gan—chan., 1=2099
- Kuznetsov, A.A. See Van Gan—chan., 1=16902
- Kuznetsov, A.A. See Van Gan—chan., 1=19284
- Kuznetsov, A.Ia. See Kryzhanovskii, B.P., 1=20673
- Kuznetsov, A.K. See Kalinin, P.D., 1=11857
- Kuznetsov, A.S. See Helfer, H., 1=5755
- Kuznetsov, A.S. See Helfer, H., 1=7269
- Kuznetsov, A.S. See Vovchenko, V.G., 1=16855
- Kuznetsov, A.Ya. and Pafomova, L.A. Semiconducting films of ZrO<sub>2</sub>, 1=1088
- Kuznetsov, E.V. See Ivanovskaya, I.A., 1=19501
- Kuznetsov, F.M. See Senchenkov, A.P., 1=771
- Kuznetsov, I.A. Experimental investigation of the influence of an electromagnetic field on the flow [of a liquid] past a cylinder, 1=1565
- Kuznetsov, I.A. The thermo-electric properties of chromium steels after various heat treatments, 1=10071
- Kuznetsov, N.M. See Skvortsov, Yu.V., 1=5430
- Kuznetsov, V.P. Internal bremsstrahlung and electromagnetic corrections to  $\mu$ —e decay, 1=16829
- Kuznetsov, V.V. Production of tritium in lead and aluminium by high-energy protons, deuterons and  $\alpha$ -particles, 1=19469
- Kuznetsov, V.V. See Van Yung-yui [Wang Yung-Yü], 1=3461
- Kuznetsova, E.A. See Levitskaya, M.A., 1=1451
- Kuznetsova, K.F. See Funke, V.F., 1=9144
- Kuznetsova, M.Ya. See Van Yun-yui [Wang Yung-Yü], 1=3461
- Kuznetsova, R.I. See Pines, B.Ya., 1=20670
- Kuzyakov, Yu.Ya., Tatevskii, V.M. and Tunitskii, L.N. Rotational analysis of boron monoxide bands lying in the vacuum ultraviolet region, 1=2329
- Kvartskhava, I.F., Kervalidze, K.N. and Gvaladze, Yu.S. Instability of induced pinch, 1=2974
- Kvartskhava, I.F., Kervalidze, K.N. and Gvaladze, Yu.S. Instability of induced [theta-] pinch, 1=9593
- Kvasnica, J. Losses through bremsstrahlung in relativistic and ultra-relativistic region of electron temperatures of plasma, 1=8322
- Kvasnica, J. A possible estimate of the elementary length in electromagnetic interactions, 1=13282
- Kvasnica, J. A remark on the third law of thermodynamics, 1=16180
- Kwei, G.H. See Herschbach, D.R., 1=12336
- Kwestroo, W. See Braun, P.B., 1=14743
- Kwiatkowski, S. See Woźnicki, W., 1=9936
- Kydd, P. See Miyama, H., 1=20740
- Kydd, P.H. See Lyon, R.K., 1=12677
- Kydd, P.H. See Mullaney, G.J., 1=8167

- Kyle, L. See Herring, J., 1-18038  
 Kyner, W.T. See Diliberto, S.P., 1-6745  
 Kýnev, S. [ Kúnev ], and Pirinchieva, R. On the role of electrodes and non-symmetrical illumination in the investigation of photoelectric properties of CdS monocrystals, 1-14503  
 Kýnev, S. See Borisov, M., 1-7678  
 Kýshko, S.M. and Kuchýnka, M.Yu. Effect of pressure on the excitation functions of certain bands of a negative system of the  $N_2^+$  molecule, 1-14046
- Labarre, J.F. See Pascal, P., 1-14074  
 Labartkava, É.K. An ultrasonic receiver based on a semi-conducting thermistor, 1-9455  
 Labáu, V. and Nicolae, M. Study of the loading of certain nuclear emulsions with boron and lithium, 1-415  
 Labáu, V. See Ausländer, J.S., 1-179  
 Laberrigue-Frolow, J., Balandine, M.P. and Orvinovski, S.Z. Absorption of  $\pi^+$  mesons with energies of about 50 MeV in carbon nuclei, 1-7281  
 Laberrigue-Frolow, J. See Berthelot, A., 1-19281  
 Labes, M.M. See Kronick, P.L., 1-19887  
 Laboragine, I. See Caforio, A., 1-5780  
 Laboragine, I. See Quareni, G., 1-13518  
 Laborde, G. A study of the photosphere and sunspots using molecular band spectra, 1-15454  
 Laborie, P. See Blanc, D., 1-19037  
 Labrum, N.R. The radio brightness of the quiet sun at 21 cm wavelength near sunspot maximum, 1-8024  
 Labrum, N.R. See Krishnan, T., 1-18165  
 Labuda, E.F. and LeCraw, R.C. New technique for measurement of microwave dielectric constants, 1-7015  
 Lăbușcă, E. and Constantinescu, F. Variation of magnetic properties of mixed ferrites,  $Cu + Ni$ , as a function of the ratio of copper ferrite to nickel ferrite, 1-6361  
 Lăbușcă, E., Teodorescu, I. and Mirion, I. Electron-microscopic investigations of the crystallization process in ferrites and the influence of the structure on their magnetic properties, 1-3914  
 Laby, J.E. See Hopper, V.D., 1-413  
 Lacey, A.R. See Alexander, P.W., 1-14644  
 Lachâtre, J. See Decaux, B., 1-16588  
 Lachaux, R. See Eschenbrenner, S., 1-1582  
 Lachenaud, M. The possibilities of realizing optical systems for the medium and far infrared with artificial synthetic single crystals, 1-1814  
 Lacombe, E. See Magnac-Valette, D., 1-7289  
 Lacombe, M. Relations in proton-proton scattering between the experimental quantities and the coefficients of Wolfenstein's matrix  $m$ , 1-2054  
 Lacombe, P. See Wyon, G., 1-9109  
 Lacombe, P. Influence of the number of grating lines on the precision of transmission factor measurements, 1-16063  
 Lacoste, F. and Bishop, G.R. Experimental study of the charge distribution of  $O^{16}$  and  $O^{18}$  by electron scattering, 1-17280  
 LaCoste, L.J.B. and Harrison, J.C. Some theoretical considerations in the measurement of gravity at sea, 1-20792  
 Lacoste, R. See Blanc, D., 1-8287  
 Lacoste, R. See Blanc, D., 1-16205  
 Lacour, J. and Raieviski, V. Control of a nuclear reactor in the sub-critical region, 1-2265  
 Lacroix, R. Cubic crystal field splitting of the  $Gd^{3+}$  ion, 1-7517  
 Lacroix, R. Charge transfer and the spin-Hamiltonian for the  $Cr^{3+}$  ion, 1-9052  
 Lacroix, R. See Emch, G., 1-11476  
 Lacroix, R. See Sierro, J., 1-14796  
 Lad, R.A. The theory and mechanism of diffusion in solids, 1-12399  
 Ladányi, K. Variational method for the solution of the quantum-mechanical many-body problem, 1-789  
 Ladányi, K. On the Bethe-Salpeter method in the thirring model, 1-13268  
 Ladányi, K. and Szépfalusy, P. An approximate solution of a generalized statistical model, 1-18307  
 Ladell, J. Interpretation of diffractometer line profiles distortion due to the diffraction process, 1-20473
- Ladenbauer, I.M. Sodium-24 excitation function for lithium-6 ions on aluminium, 1-5942  
 Ladenbauer, I.M., Preiss, I.L. and Anderson, C.E. Excitation functions for lithium-6 induced reactions on aluminum-27, 1-12223  
 Laderman, A.J. and Oppenheim, A.K. Influence of wave reflections on the development of detonation, 1-11623  
 Ladik, J. A half-empirical method for the determination of the bond energy of the hydrogen molecule's ground state on the basis of the molecular orbital method, 1-860  
 Ladik, J. The ground state of the hydrogen molecule on the basis of relativistic quantum mechanics with the aid of the wing wave function. II. The relativistic correction energy terms, 1-17325  
 Ladik, J. Approximate determination of the most important radiation correction energy terms for the ground state of the hydrogen molecule, 1-17326  
 Ladik, J. See Náray-Szabó, L., 1-2544  
 Laegreid, N. and Wehner, G.K. Sputtering yields of metals for  $Ar^+$  and  $Ne^+$  ions with energies from 50 to 600 eV, 1-4669  
 Laevastu, T. and Mellis, O. Size and mass distribution of cosmic dust, 1-18020  
 Lafauciere, J. See Bastard, C., 1-7098  
 Laff, R.A. and Fan, H.Y. Carrier lifetime in indium antimonide, 1-1076  
 Lafferty, J.M. Hot-cathode magnetron ionization gauge for the measurement of ultra high vacua, 1-4386  
 Laffineur, M. Radio astronomy, 1-4212  
 Laffineur, M., Bloch, M. and Bretz, M. A procedure for photographing the solar corona during total eclipses, 1-9271  
 Laffitte, A. See Fert, C., 1-16414  
 Laffitte, É. and Pujols, C. Variation of the degree of polarization along the fluorescence spectrum of several dyes in solid solution; effect of concentration, 1-7723  
 La Force, R.C., Ravitz, S.F. and Day, G.F. Effect of dilute solid solutions of iron and of nickel on the nuclear resonance of  $Co^{59}$ , 1-7800  
 Lagarde, A. On the problem of the photoelastic response of a viscoelastic material in the dynamic region, 1-3821  
 Lagarde, D. See Lennuier, R., 1-236  
 Lagarde, D. See Lennuier, R., 1-2283  
 Lagarrigue, A. See Baglin, C., 1-9764  
 Lagasse, J. and Mira, C. A non-linear study of the parallel integrator [circuit] using a first-order [algebraic] approximation, 1-5404  
 Lagasse, J. See Blanc, D., 1-8287  
 Lagasse, J. See Blanc, D., 1-16205  
 Lagerqvist, A. and Lazarova-Girsamov, V. Rotational analysis of some copper chloride [ $CuCl$ ] bands, 1-14004  
 Lagerqvist, A. See Barrow, R.F., 1-6003  
 Lagnaux, J.P. See Davis, D.H., 1-5782  
 Lagnaux, J.P. See Jones, B.D., 1-8500  
 Lagnaux, J.P. See Jones, B.D., 1-19502  
 Lagow, H.E., Horowitz, R. and Ainsworth, J. Arctic atmospheric structure to 250 km, 1-7927  
 Lagunova, T.S. See Emel'yanenko, O.V., 1-9503  
 Lagunova, T.S. See Emel'yanenko, O.V., 1-14467  
 Lahiri, J. See Ghosh, S.K., 1-20261  
 Lai, K. See Jones, L.W., 1-3101  
 Lai, K.W., Jones, L.W. and Perl, M.L. Negative pion-proton elastic scattering at 1.51, 2.01 and 2.53 BeV/c outside the diffraction peak, 1-16870  
 Laidler, K.J. See Steel, C., 1-10292  
 Laikin, M. Optical properties of synthetic quartz, 1-8979  
 Lainer, D.I. and Krupnikova-Perlina, E.I. On the problem of the mechanism of formation of recrystallization textures in metals and alloys, 1-1425  
 Lainer, D.I., Petrusevich, R.L. and Sollertinskaya, E.S. The effect of small zinc additions on the preferred orientation of aluminium crystals grown out of a melt, 1-1375  
 Lainer, D.I. and Tsýpin, M.I. The structure of a scale on titanium, 1-12661  
 Lainer, L.V. See Mil'vidskii, M.G., 1-7837  
 Laing, E.W., Roberts, S.J. and Whipple, R.T.P. Equilibrium configurations of a toroidal plasma, 1-9588  
 Laing, E.W. and Robson, A.E. Non-adiabatic magnetic traps, 1-9600  
 Laing, R.A. and Rorschach, E.E., Jr. Hydrodynamic drag on spheres moving in liquid helium, 1-6692  
 Lajzerowicz, M.J. Dielectric relaxation and coupling between dipoles; ferro- or antiferroelectric transitions, 1-17830



- Lakatos, G. and Bitó, J. On moving striations of low-pressure mercury discharges, 1=18798
- Lakatos, G. and Bitó, J. The influence of external resistance on the moving striations of the positive column, 1=18799
- Lakshman, S.V.J. and Tiruvenganna Rao, P. Ultraviolet band spectra of AsO and AsO<sup>+</sup>, 1=14051
- Lakshminarayana, B. Dielectric dispersion of polar liquids. I. Ethyl benzoate, amyl benzoate and ethyl cinnamate, 1=1748
- Lakshminarayana, B. Dielectric dispersion of polar liquids. II. Ethyl lactate and isoamyl lactate, 1=1749
- Lakshminarayana, B. Dielectric dispersion of polar liquids. III. Asymmetric dispersion in glycerol, 1=1750
- Lakshminarayana, G. and Kesava Rao, B. An exact solution in finite strain, 1=9355
- Lakshminarayana, V. and Jnanananda, S. Interaction of gamma radiation with matter, 1=7226
- Lakshminarayana, V. and Jnanananda, S. Scattering cross-sections of gamma radiation, 1=8695
- Lal, A. See Arnika, H.J., 1=13818
- Lal, D. See Craig, H., 1=12688
- Laletin, N.I. The effect of a cylindrical channel on neutron diffusion, 1=19564
- Laliece, B., Colombani, A. and Thureau, P. Variation of resistance of a thin metal film deposited on a deformable substrate, 1=8924
- Lallemant, A., Duchesne, M. and Walker, M.F. The electronic camera, its installation, and results obtained with the 120-inch reflector of the Lick Observatory, 1=2591
- Lallemant, C. See Hugolin, L., 1=13054
- LaLonde, L.M. See Gordon, W.E., 1=8015
- Lalovic, B. See Reid, J.M., 1=675
- Lam, D.G., Jr. See Wachtman, J.B., Jr., 1=10204
- Lamarsh, J.R. See Ravets, J.M., 1=17194
- Lamb, G.L., Jr. Input impedance of a beam coupled to a plate, 1=6918
- Lamb, H.J. See Blade, J.C., 1=15157
- Lamb, J. See Tasköprülü, N.S., 1=5277
- Lamb, R.C. See Lawrence, R.S., 1=10397
- Lamb, W.A.S. See Hester, R.E., 1=2211
- Lamb, W.R., Rhoads, F.A. and Applebaum, P.S. A shutter for use between source and work during vacuum evaporations, 1=9432
- Lambe, J., Laurance, N., McIrvine, E.C. and Terhune, R.W. Mechanisms of double resonance in solids, 1=9067
- Lambe, J. See Cole, T., 1=10184
- Lambe, J. See Terhune, R.W., 1=11490
- Lambert, M., Mazieres, C. and Guinier, A. Lithium precipitation in single crystals of lithium fluoride irradiated by thermal neutrons, 1=19820
- Lambert, M. See Barjon, R., 1=725
- Lambert, M. See Barjon, R., 1=13856
- Lambert, M. See Berthier, J., 1=2188
- Lambert, R.F. See Holte, J.E., 1=5325
- Lambert, R.F. See Holte, J.E., 1=16028
- Lambert, R.F. See Smith, D.A., 1=1778
- Lambert, R.F. See Tack, D.H., 1=8147
- Lamberts, R.L. Sine-wave response techniques in photographic printing, 1=11847
- Lamborizio, C. See Castagnoli, C., 1=12088
- Lamborizio, C. See Galtieri, A.B., 1=12089
- Lambrecht, H. On the possibility of rejuvenation of stars by accretion, 1=18117
- Lamkin, J.C. See Temkin, A., 1=2298
- Lamm, O. Diffusion coefficient and friction in a general two-component fluid, 1=15852
- Lämmermann, H. Zeeman effect of the Sm<sup>+++</sup>  $\text{H}_2/\text{F}_{11}/2$  transition in hexagonal Sm(C<sub>2</sub>H<sub>5</sub>SO<sub>4</sub>)<sub>9</sub>H<sub>2</sub>O, 1=6207
- Lämmermann, H. See Friedlicher, A., 1=2443
- Lampa, E. See Johansson, E., 1=15448
- Lampert, M.A. and Rose, A. Volume-controlled, two-carrier currents in solids: the injected plasma case, 1=1036
- Lancaster, J.K. See Hirst, W., 1=14928
- Lancman, H. See Ambroży, B., 1=16595
- Lancman, H. See Chojnacki, S., 1=670
- Lancman, H. See Chojnacki, S., 1=2195
- Lanczos, C. Linear differential operators, 1=17980
- Landa, P.S. Losses of electrons in synchrotrons due to the quantum character of the radiation, 1=18961
- Landau, L. See Begun, G.M., 1=12324
- Landau, L.D. Small binding energies in quantum field theory, 1=4767
- Landaud, G. and Mabboux, C. Analysis of the correlation coefficient of the uncertainty function  $X(t) = \pm 1$ . Application to the study of the disintegration laws of radioelements, 1=19376
- Landauer, R. and Swanson, J.A. Frequency factors in the thermally activated process, 1=4266
- Landé, A. Derivation of the quantum law from non-quantum principles, 1=8051
- Landé, A. Unitary interpretation of quantum theory, 1=10416
- Landé, A. Why do probabilities interfere? 1=18276
- Landé, K., Mann, A.K., Reibel, K. and White, D.H. Present status of image intensifier systems, 1=3102
- Landecker, K. and Imrie, K.S. A novel type of high power pulse transmitter, 1=8385
- Lander, J.J. Recent work on surface properties of  $\Pi$ -VI semiconductors, 1=14461
- Lander, J.J. Reactions of lithium as a donor and an acceptor in ZnO, 1=17764
- Landesman, A. The dynamic polarization of protons on paradichlorobenzene in a low field, 1=11497
- Landesman, A. Dynamic polarization in low fields of protons in paradichlorobenzene, 1=20273
- Landesman, A. and Abragam, A. A study of the relaxation [behaviour] of a paramagnetic ion by means of dynamic polarization, 1=2769
- Landesman, A. See Goldman, M., 1=7797
- Landhäuser, E. General lorentz transformations of the dirac equation, 1=10421
- Landmark, B. See Brown, R.R., 1=15349
- Landmark, B. See Eriksen, K.W., 1=1544
- Landmark, B. See Eriksen, K.W., 1=20954
- Landsberg, E.G. and Kalashnikov, S.G. The electron capture cross-section for atomic manganese in germanium, 1=17687
- Landsberg, L.G. See Balatz, M.Ya., 1=4919
- Landsberg, L.G. See Belonogov, A.V., 1=3097
- Landsberg, P.T. Reaction-kinetic problems in the case of recombination by electron collisions, 1=6081
- Landsberg, P.T. The relativistic theory of the fresnel drag coefficient, 1=10410
- Landsberg, P.T. Definition of the perfect gas, 1=12921
- Landsberg, P.T. Quantum statistical ergodic and H-theorems for incompletely specified systems, 1=15715
- Landsberg, P.T. See Beattie, A.R., 1=1038
- Landseer-Jones, B.C. Viscous damping of hydromagnetic waves in the corona, 1=12753
- Landshoff, P.V. A discussion of dual diagrams in perturbation theory, 1=2020
- Landshoff, P.V., Polkinghorne, J.C. and Taylor, J.C. A proof of the Mandelstam representation in perturbation theory, 1=7212
- Landshoff, P.V. and Treiman, S.B. Analytic properties of production amplitudes, 1=8431
- Landshoff, P.V. See Eden, R.J., 1=7213
- Landshoff, P.V. See Eden, R.J., 1=16696
- Landsman, A.P. See Subashiev, V.K., 1=3687
- Lane, C.T. See Reppe, J.D., 1=4528
- Lane, G.H. and Everhart, E. Ion-atom potential energy functions obtained from keV scattering data, 1=818
- Lane, H.L., Catania, A.C. and Stevens, S.S. Voice level: autophonic scale, perceived loudness, and effects of sidetone, 1=4142
- Lane, J.A. The radio refractive index gradient over the British Isles, 1=20935
- Lane, J.A. and Pearson, J.E. Standardization of strong electromagnetic fields, 1=5579
- Lane, R.N. and Mikeska, E.E. Problems of field measurement of transmission loss as illustrated by data on lightweight partitions used in music buildings, 1=18543
- Lane, R.O., Langsdorf, A.S., Jr., Monahan, J.E. and Elwyn, A.J. The angular distributions of neutrons scattered from various nuclei, 1=7380
- Lane, R.O., Morehouse, N.F., Jr. and Phillips, D.L. The correction of resonance peaks for experimental resolution, 1=17982
- Lane, W.R. See Edwards, J., 1=227
- Lanenkina, V.K. See Vavilin, E.I., 1=5431
- Lang, A.R. See Hart, M., 1=20489
- Lang, D. See Rajewsky, B., 1=10873

- Lang, D.D. See Zama, W.A., 1=1325
- Lang, D.W. Coulomb barrier in a highly excited nucleus, 1=10948
- Lang, D.W. Analysis of recent measurement of nuclear level density parameters, 1=13646
- Lang, G. See DeBenedetti, S., 1=6261
- Lang, I.G. Use of the density-matrix method in dealing with conduction electrons interacting with lattice vibrations, 1=2377
- Lang, I.G. Use of the density-matrix method in dealing with conduction electrons interacting with lattice vibrations, 1=4965
- Lang, I.G. Investigation of two-phonon processes using the density matrix method, 1=19709
- Lang, I.G. See Ansel'm, A.I., 1=6083
- Láng, J. The properties of PbSe films, with Ag doping in an atmosphere of air, 1=8956
- Lang, J. See Gyulai, J., 1=11289
- Langbein, D. Electrical conduction phenomena in anisotropic media. I. Strongly convergent solutions of linear operator equations, in particular of the Bloch integral equation, 1=11249
- Lange, F. Investigations on superconducting Nb<sub>3</sub>Sn specimens. I, 1=18720
- Lange, F. Investigations on superconducting Nb<sub>3</sub>Sn specimens. II, 1=18721
- Lange, V.N. and Regel', A.R. Features of the dependence of energy gap and carrier mobility on composition of tellurium-selenium and tellurium-sulphur solid solutions, 1=1086
- Lange, W.J. See Riemersma, H., 1=15977
- Lange-Hesse, G. Southerly extension of the Aurora Borealis as shown by German land and sea-observations during the I.G.Y., 1=1564
- Langel, R.A. See Stamm, G.L., 1=20804
- Langenberg, D.N. See Burstein, E., 1=5400
- Langenberg, D.N. See Kip, A.F., 1=17489
- Langenberg, D.N. See Stiles, P.J., 1=12516
- Langenberg, D.N. See Stiles, P.J., 1=17930
- Langendorff, H. See Hagen, U., 1=15361
- Langer, D. and Warschauer, D.M. Notes on a high pressure gas apparatus, 1=4166
- Langer, G. and Radnik, J.L. Development and preliminary testing of a device for electrostatic classification of sub-micron airborne particles, 1=7921
- Langer, J.S. Frequency spectrum of a disordered one-dimensional lattice, 1=11153
- Lañger, J.S. Theory of impurity resistance in metals. II, 1=17599
- Langer, J.S. Some considerations of analyticity in the many-fermion problem, 1=18310
- Langer, J.S. and Ambegaokar, V. Friedel sum rule for a system of interacting electrons, 1=3617
- Langer, L.M. See Camp, D.C., 1=10981
- Langer, L.M. See Hamilton, J.H., 1=10984
- Langer, L.M. See Howe, D.A., 1=17028
- Langer, R.E. [Ed.] Frontiers of numerical mathematics, 1=4169
- Langer, R.E. [Ed.] Partial differential equations and continuum mechanics, 1=7966
- Langevin, H. See Marty, N., 1=8723
- Langevin, M. and Bussière De Nercy, A. A study of the resonant scattering of photons by magnesium, 1=2203
- Langevin, M. See Bussière de Nercy, A., 1=13632
- Langevin, M. See Bussière de Nercy, A., 1=13763
- Langevin-Joliot, H., Marty, N. and de Bouard, M.X. The pp'γ reactions produced by 155 MeV protons in the case of giant resonance, 1=13784
- Langevin-Joliot, H. See Bergamaschi, C., 1=16462
- Langford, D. See Narin, F., 1=773
- Langhoff, H. and Hennies, H.H. Experimental demonstration of double quantum emission in the 0<sup>+</sup>-0<sup>+</sup> transition of Zr<sup>40</sup>, 1=17002
- Langkau, R. See Bormann, M., 1=11022
- Langkau, R. See Bormann, M., 1=19490
- Langner, G. Information theory applied to microscopy with X-rays, 1=20698
- Langpape, R. See Klages, G., 1=4353
- Langpape, R. See Klages, G., 1=12896
- Langsdorf, A.S., Jr. See Lane, R.O., 1=7380
- Lanius, K. See Grote, L.C., 1=9760
- Lanning, D.D. See Donahue, D.J., 1=13820
- Lannutti, J.E. See Button, J., 1=5727
- Lanou, R.E.Jr. See King, R.C., 1=10928
- Lanshina, L.V. and Shakhparonov, M.I. The fine structure of the Rayleigh scattering of light in solutions and the dispersion of hypersonic vibrations, 1=4341
- Lansiart, A. and Jeanmaire, L. Gamma spectrograph for the study of the radioactivity of the human body, 1=7951
- Lansiart, A. and Jeanmaire, L. A device for the measurement of radioactivity in the human body, 1=9819
- Lansiart, A. See Julliot, C., 1=2259
- Lansraux, G. and Boivin, G. Maximum of the factor of encircled energy, 1=2882
- Lanthrop, J.L., Lundy, R.A., Telegdi, V.L., Winston, R. and Yavvanovitch, D.D. Measurements on muon disappearance rates versus time in C, Mg, Al, Si and P, 1=17300
- Lantsov, M.N. See Dubovskii, B.G., 1=17245
- Lanyon, H.P.D. and Spear, W.E. Space charge limited current flow and deep trapping in selenium, 1=11509
- Lanzi, G., Siragusa, G. and Zanotti, L. Preliminary results on two new free radicals in solution, 1=15905
- Lanzi, G. See Bonera, G., 1=6580
- Lanzi, G. See Bonera, G., 1=12900
- La Paglia, S.R. and Duncan, A.B.F. Vacuum ultraviolet absorption spectrum of phosgene, 1=3548
- La Paglia, S.R. and Duncan, A.B.F. Vacuum ultraviolet absorption spectrum and dipole moment of nitrogen trifluoride, 1=6024
- La Paglia, S.R. and Duncan, A.B.F. Vacuum ultraviolet absorption spectra of hexafluoroacetone and hexachloroacetone, 1=8846
- LaPaz, L. On the magnetic damping of rotation of artificial satellites of the earth, 1=2670
- Laperashvili, L.V. and Matinyan, S.G. Single-meson contribution to the photoproduction of π<sup>-</sup> mesons on protons, 1=19234
- Lapeyre, R. Numerical integration of the equation of motion of a particle in an electromagnetic field, 1=4645
- Lapeyre, R. Study of errors in the numerical integration of paraxial trajectories in electron optics for rotationally symmetric systems, 1=16407
- Lapeyre, R. and Laudet, M. Numerical integration of marginal rays in electron optics, 1=1914
- Lapeyre, R. and Laudet, M. A method of numerical integration of marginal trajectories in electron optics, 1=4644
- Lapidus, L.I. and Chzhou Guan-chzhao [Chou Kuang-chao]. Inelastic interactions in the final state and near-threshold peculiarities, 1=2025
- Lapidus, L.I. and Chzhou Guan-Chzhao [Chou Kuang-chao]. The low energy limit of the Y-N scattering amplitude and crossing symmetry, 1=16734
- Lapidus, L.I. and Chzhou Guan-Chzhao [Chou Kuang-Chao]. The elastic scattering of γ-rays by deuterons below the pion-production threshold, 1=19289
- Lapidus, L.I. and Chzhou Guan-chzhao [Chou Kuang-chao]. Elastic scattering of gamma quanta by nuclei, 1=19435
- Lapin, A.D. Sound propagation in a waveguide having [one or two] rectangular grooves in the walls, 1=16017
- Lapin, Yu.V. Friction and heat exchange in a compressible turbulent boundary layer at [the surface of] a plate with matter being injected, 1=4368
- Lapin, Yu.V. Friction and heat exchange in compressible turbulent boundary layers during a chemical reaction due to admission of a different substance, 1=4369
- Lapina, A.V. See Adrianova, I.L., 1=2879
- Lapinski, W.L. See Kaufman, S., 1=11804
- Lapkin, N.I., Bukhvostova, N.G. and Falaleev, G.A. The effect of heat treatment on magnetic properties of nickel-zinc ferrites, 1=6359
- Lapkin, N.I. See Krasnoperov, G.V., 1=6270
- Laplaca, S. and Post, B. Thermal expansion of ice, 1=17426
- Lapointe, S.M. and Rose, D.C. The effective directional sensitivity of cosmic-ray neutron monitors, 1=8529
- Lapointe, S.M. See Rose, D.C., 1=3371
- Laporte, O. and Wilkerson, T.D. Hydrodynamic aspects of shock tube spectroscopy, 1=170
- Lapsley, A.C. Precipitator monitor detects fuel failures, 1=13904
- Lapte, D.A. Kirenski, L.V., 1=10148
- Laranjeira, M.F. An elementary theory of thermal and pressure diffusion in gaseous binary and complex mixtures. I. General theory, 1=6891



- Laranjeira, M.F. An elementary theory of thermal and pressure diffusion in gaseous binary and complex mixtures. II. Binary mixtures with experimental comparison, 1=6892
- Laranjeira, M.F. and Kistemaker, J. Experimental and theoretical thermal diffusion factors in gaseous mixtures. III. Ternary mixtures, 1=6893
- Lardinois, J. Nuclear shape effect on isomeric shift [in  $\text{In}^{115}$  III and  $\text{Hg}^{197}$ ], 1=13691
- Lardner, R.W. Unitarity and the Mandelstam representation, 1=5678
- Lardner, R.W. Unitarity and the Mandelstam representation. II, 1=13336
- Larenz, R.W. On the mean free path in plasma, 1=9539
- Larenz, R.W. See Burkhardt, G., 1=2986
- Larenz, R.W. See Hunger, K., 1=16312
- Larikov, L.N. The determination of metal recrystallization temperatures, 1=11584
- Larikov, L.N. The mobility of atoms in metals in the region of recrystallization temperatures, 1=11585
- Larikov, L.N. Mechanism of ageing of lead alloys, 1=15151
- Larikov, L.N. See Danilenko, V.M., 1=2359
- Larikov, L.N. See Gertsriken, S.D., 1=978
- Larionov, B.A. See Glukhikh, V.A., 1=4617
- Larionov, B.A. See Glukhikh, V.A., 1=5477
- Larionov, B.A. See Glukhikh, V.A., 1=9258
- Larionov, B.A. See Glukhikh, V.A., 1=9603
- Larish, E. A possible non-stationary thermonuclear reactor, 1=10728
- Lark, N.L. See Schaeffer, O.A., 1=13681
- Larkin, A.I. Thermodynamic functions of a low-temperature plasma, 1=4590
- Larkin, A.I. See Vaks, V.G., 1=13316
- Larkin, A.I. See Vaks, V.G., 1=19107
- Larrabee, R.D. Current-voltage characteristics of forward biased long p-i-n structures, 1=1037
- Larrabee, R.D. Majority carrier magnetosurface effect, 1=14405
- Larroque, P. Calculation of the interference function of Debye-Scherrer diagrams produced by very small homoatomic crystals of cubic form, crystallizing in the F.C.C. system, 1=2533
- Larroque, P. and Nguyen Quat Ti. Theoretical study of the effect on Debye-Scherrer diagrams of interchange faults in small homogeneous face-centred-cubic crystals, 1=15056
- Larsen, R.R. Neutron-proton scattering and the determination of the pion-nucleon coupling constant, 1=7247
- Larsh, A.E. See Ghiorso, A., 1=13700
- Larsh, A.E. See Sikkeland, T., 1=13870
- Larson, A.C. See Cromer, D.T., 1=20544
- Larson, H.V., Myers, I.T. and Le Blanc, W.H. Method of linearizing thermistor thermometer data in calorimetry, 1=16168
- Larson, J.G. See Kuppermann, A., 1=1469
- Larson, O.W. See Reynolds, D.C., 1=17912
- Larsson, K.E., Dahlborg, U. and Holmryd, S. A study of some temperature effects on the phonons in aluminium by use of cold neutrons, 1=4966
- Lary, E.C. See Salz, F., 1=13088
- Larzillière, H. See Eschenbrenner, S., 1=1582
- Lascombe, J. See Saumagne, P., 1=18413
- Lashkar'ov, V.Ye., Bondarenko, R.M., Dobrovol'skiy, V.M., Zurin, H.P., Lytovchenko, V.G. and Strikha, V.I. Properties of germanium with a beryllium addition, 1=14453
- Lashko, O.S. and Romanova, O.V. The structure of some metallic liquid alloys, 1=12861
- Lasich, W.B. See Evans, D., 1=19267
- Lasich, W.B. See Jones, B.D., 1=8500
- Lasinio, G.J. See De Tollis, B., 1=5887
- Laskar, W., Tate, C., Pardoe, B. and Burke, P.G. Two channel five nucleon reactions with central forces, 1=9739
- Laskar, W. See Burke, P.G., 1=3171
- Laskar, W. See Wolf, S.E., 1=16890
- Laslett, L.J., Neil, V.K. and Sessler, A.M. Coherent electromagnetic effects in high current particle accelerators III. Electromagnetic coupling instabilities in a coasting beam, 1=8366
- Laslett, L.J. and Zaffarano, D.J. Photonuclear conference at Karlsruhe, 1=13765
- Laslett, L.J. See Hammer, C.L., 1=4681
- Laslett, L.J. See Neil, V.K., 1=8365
- Lassen, L. The attachment of the decay products of radon and thoron to electrically charged aerosol particles, 1=15247
- Lassen, L. and Rau, G. The deposition of radioactive atoms on aerosols, 1=628
- Lassen, L. and Weicksel, H. The attachment of radioactive atoms on aerosols (suspended chemical agents) in the size range  $0.7-5 \mu$  (radius), 1=2179
- Lassen, N.O. and Sidorov, V.A. ( $\alpha, p$ ) reactions in medium weight elements, 1=730
- Lassette, E.N. See Peek, J.M., 1=3559
- Lassila, K. See Breit, G., 1=7217
- Lassila, K.E. See Breit, G., 1=499
- Lassila, K.E. See Breit, G., 1=5138
- Lassila, K.E. See Breit, G., 1=4807
- Lassila, K.E. See Breit, G., 1=19181
- Lassila, K.E. See Huli, M.H., 1=8461
- Latham, J. and Mason, B.J. Electric charge transfer associated with temperature gradients in ice, 1=20834
- Latham, J. and Mason, B.J. Generation of electric charge associated with the formation of soft hail in thunderclouds, 1=20835
- Latimer, P. Anomalous dispersion of  $\text{CS}_2$  and  $\text{CHCl}_3$  - theoretical predictions, 1=2757
- Latimer, P. See MacRae, R.A., 1=21112
- Latimer, R.M. See Ghiorso, A., 1=13700
- Latmiral, G. See Gerosa, G., 1=13154
- Latsh, V.V., Minaev, N.G., Somin, B.Kh. and Stepina, N.E. Solubility of excess ferric oxide in  $\text{NiZn}$  ferrites, 1=6487
- Lau, E. The double microscope for visible light, 1=18589
- Lau, E. and Gehrmann, E. Photomechanical effects, 1=4425
- Lau, E. and Hess, G. Photographic photometry of large areas, 1=18560
- Lau, E. and Rienitz, J. Further development of the optical microscope, 1=2850
- Laubitz, M.J. Mathematical treatment of a four-component furnace, 1=13005
- Laubitz, M.J. On measurement of thermal conductivity at high temperatures, 1=18640
- Laudet, M. See Lapeyre, R., 1=1914
- Laudet, M. See Lapeyre, R., 1=4644
- Laudise, R.A., Crockett, J.H. and Ballman, A.A. The hydrothermal crystallization of yttrium iron garnet and yttrium gallium garnet and a part of the crystallization diagram  $\text{Y}_2\text{O}_3-\text{Fe}_2\text{O}_3-\text{H}_2\text{O}-\text{Na}_2\text{CO}_3$ , 1=14966
- Laughlin, J.S. See Barr, N.F., 1=5707
- Laughridge, F.I. See Gibbons, M.G., 1=9187
- Laugier, J. See Fleury, J., 1=13534
- Laukonis, J.V. and Coleman, R.V. Iron whisker surface rearrangements resulting from the hydrogen reduction of oxides and from thermal etching, 1=4030
- Launay, L. and Beccaria, M. Magnetic and telluric perturbations recorded at Tamanrasset following the nuclear high altitude explosions called "Experiment Argus" (August-September 1958), 1=1583
- Laurance, N. See Lambe, J., 1=9067
- Laurence, G.C. Reactor safety in Canada, 1=2253
- Laurenceau, P. See Goudet, G., 1=17859
- Laurenson, L. See Elsworth, L., 1=183
- Laurie, P.S. and Finch, H.F. Solar activity and geomagnetic storms, 1959, 1=1643
- Laurie, V.W. Microwave spectrum of cis-difluoroethylene. Structures and dipole moments of fluoroethylenes, 1=3538
- Laurie, V.W. Microwave spectrum of isobutylene. Dipole moment, internal barrier, equilibrium conformation, and structure, 1=8832
- Laurie, V.W. See Herschbach, D.R., 1=12273
- Laurila, E. On the magnetic permeability of mixtures containing ferromagnetic particles and porous ferromagnetic materials, 1=14724
- Laustriat, G. and Coche, A. Effect of oxygen on liquid scintillators, 1=10516
- Laustriat, G. and Coche, A. Effect of oxygen on liquid scintillators. Influence of temperature, 1=10517
- Laustriat, G. and Coche, A. Influence of temperature on liquid scintillators, 1=18418
- Laustriat, G. See Coche, A., 1=1908

- Lauter, E.A. Effects of the July event in the lower ionosphere as deduced from long wave propagation in medium latitudes, 1=20914
- Lauter, E.A. Excessive ionization in the lower ionosphere and instabilities in the outer radiation belt, 1=20967
- Lauterbur, P.C. See Ettinger, R., 1=2350
- Lautman, R.G. See Stein, M.N., 1=17822
- Lautz, G. The technical exploitation of the thermal energy of metals and semiconductors, 1=2427
- Lautz, G. and Pilkuhn, M. On recombination noise in germanium in the range of impurity semiconduction, 1=1054
- Lauwerier, H.A. The surface charge of a semi-infinite cylinder due to an axial point charge, 1=16238
- Lavakare, P.J. See Biswas, S., 1=3318
- Laval, J. Thermal dilation in crystalline media. I. Dilation factors, 1=17427
- Laves, F. See Brun, E., 1=1286
- Laves, F. See Pfenninger, H.H., 1=10092
- Laves, F. See Pfenninger, H.H., 1=11212
- Lavie, A. See Lindeman, H., 1=16172
- Lavik, M.T., Daniel, T.B. and Abbott, A.N. Friction of molybdenum diselenide, 1=14931
- Laville, G. A new ultrasonic interferometer of the Fabry-Pérot type, 1=16040
- Lavime, M.C. See Gatos, H.C., 1=14284
- Lavine, J.M. Extraordinary Hall-effect measurements on Ni, some Ni alloys, and ferrites, 1=11265
- Lavine, J.M. See Rindner, W., 1=14956
- Lavine, M.C. See Gatos, H.C., 1=1367
- Lavine, M.C. See Gatos, H.C., 1=17519
- Lavine, M.C. See Gatos, H.C., 1=20657
- Lavney, J. See Colombani, A., 1=16480
- Lavrenko, V.A. See Frantsevich, I.N., 1=1334
- Lavrent'ev, F.F., Soifer, L.M. and Startsev, V.I. Thermal etching and annealing of twin layers in crystals of antimony, 1=12617
- Lavrent'ev, F.F. See Bengus, V.Z., 1=3668
- Lavrent'ev, F.F. See Startsev, V.I., 1=14285
- Lavrukhina, A.K., Rakovskii, E.E., Su Khun-Gui [Su Hung-Kuei] and Khoinat'skii, S. Fission of antimony by high-energy protons, 1=17176
- Law, J.T. Surface properties of vacuum cleaned silicon, 1=1066
- Law, J.T. Some experiments using a vacuum-cleaned silicon p-n junction, 1=7659
- Law, J.T. Surface electrical changes caused by the adsorption of hydrogen and oxygen on silicon, 1=8948
- Law, M.E. See Artna, A., 1=640
- Law, P.F. and Fannin, B.M. Radiation from a current filament above a homogeneous earth, with application to micropulsations, 1=20902
- Lawless, K.R. See Catlin, A., 1=4009
- Lawley, K.P. See Buckingham, A.D., 1=13926
- Lawrence, G.P. See Deuchars, W.M., 1=19495
- Lawrence, P.E. See Luborsky, F.E., 1=6308
- Lawrence, R.S., Jespersen, J.L. and Lamb, R.C. Amplitude and angular scintillations of the radio source Cygnus-A observed at Boulder, Colorado, 1=10397
- Lawrenson, I.J. See Bernheim, R.A., 1=4362
- Lawrenson, I.J. See Gutowsky, H.S., 1=8138
- Lawruk, B. A hinged thin shallow spherical shell rectangular in the horizontal projection, 1=1714
- Lawson, A.W. See Bloomfield, P., 1=6066
- Lawson, A.W. See Everett, G., 1=12469
- Lawson, A.W. See Payne, R.T., 1=12357
- Lawson, J., Lawson, W. and Seaton, M.J. The calculation of Born partial wave integrals for some transitions in H produced by electron impact, 1=3508
- Lawson, J.D. On the classification of electron streams, 1=9637
- Lawson, J.D., Lord, D.H. and Russell, F.M. Pendulum analogues to illustrate the particle motion in spiral ridge accelerators, 1=9664
- Lawson, J.D. See Crawford, F.W., 1=16326
- Lawson, J.R. See Dillard, C.R., 1=843
- Lawson, R.D. and MacFarlane, M.H. A rotational model for  $\text{Fe}^{57}$ , 1=8561
- Lawson, R.D. See Kerman, A.K., 1=16954
- Lawson, R.D. See Kurath, D., 1=5836
- Lawson, R.D. See Kurath, D., 1=8585
- Lawson, W. See Lawson, J., 1=3508
- Lax, B. Magnetoplasma effects in solids, 1=7564
- Lax, B., Mavroides, J.G., Zeiger, H.J. and Keyes, R.J. Cyclotron resonance in indium antimonide at high magnetic fields, 1=7570
- Lax, B. and Nishina, Y. Theory of interband Faraday rotation in semiconductors, 1=11356
- Lax, B. and Nishina, Y. Interband Faraday rotation in III-V compounds, 1=17740
- Lax, B. and Zwerdling, S. Magneto-optical phenomena in semiconductors, 1=6203
- Lax, B. See Brown, R.N., 1=17488
- Lax, B. See Wright, G.B., 1=17871
- Lax, M. and Hopfield, J.J. Selection rules connecting different points in the Brillouin zone, 1=14217
- Lax, M. and Mengert, P. Influence of trapping, diffusion and recombination on carrier concentration fluctuations, 1=1035
- Layson, W.M. Modification of the Chew-Low formula for the  $(\frac{1}{2})^+ \pi$ -N resonance, 1=13488
- Layson, W.M., Malos, J. and Millar, D.D. Angular selectivity of a Geiger telescope arrangement for cosmic ray air showers, 1=578
- Layton, E.M., Jr. See Ruedenberg, K., 1=8944
- Layzer, A.J. Free propagator expansion in the evaluation of the lamb shift. I, 1=7425
- Layzer, A.J. Free propagator expansion in the evaluation of the Lamb shift. II, 1=7426
- Lazarev, A.N. Vibrational spectra of silicates. I. Infrared spectra of silicates with anions of the  $[\text{Si}_2\text{O}_7]^{4-}$  type, 1=2327
- Lazarev, A.N. and Tenisheva, T.F. Vibrational spectra of silicates. II. The infrared absorption spectra of silicates and germanates with chain anions, 1=14610
- Lazarev, A.N., Tenisheva, T.F. and Grebenshchikov, R.G. The structure of barium silicates, 1=20551
- Lazarev, A.N. and Zaitseva, A.S. Valence vibrations of hydroxyl in ferroelectric crystals of  $\text{KH}_2\text{PO}_4$  and  $\text{KD}_2\text{PO}_4$ , 1=5037
- Lazarev, B.G. and Fedorova, M.F. A high-capacity vacuum adsorption pump, 1=4384
- Lazarev, B.G., Semenenko, E.E. and Sudovtsov, A.I. Modifications of beryllium and iron in films condensed on to cold substrates, 1=15179
- Lazarev, B.G. See Bulatova, R.F., 1=4043
- Lazarev, B.G. See Gindin, I.A., 1=11508
- Lazarev, B.G. See Gindin, I.A., 1=12594
- Lazarev, B.G. See Kan, L.S., 1=18723
- Lazarev, B.G. See Kogan, V.S., 1=11865
- Lazarev, B.G. See Kogan, V.S., 1=15070
- Lazarev, B.G. See Kogan, V.S., 1=20528
- Lazarev, S.D. See Kikoin, I.K., 1=3718
- Lazarev, S.D. See Kikoin, I.K., 1=5030
- Lazareva, L.E. See Bogdankevich, O.V., 1=19436
- Lazareva, T.P. and Usik, P.A. Interaction of high-energy nucleons with complex nuclei, 1=3259
- Lazarova-Girsamof, V. See Lagerqvist, A., 1=14004
- Lazarovici, C. See Totia, H., 1=2068
- Lazarus, D. See Tichelaar, G.W., 1=2396
- Lazorenko-Manevich, R.M. and Izidinov, S.O. Kinetics of cathodic processes on semiconductor electrodes with the participation of valence-band electrons, 1=20746
- Lazukin, V.N. Splitting of paramagnetic resonance lines in inhomogeneous fields, 1=14786
- Lazukov, N.A., Chelnokov, I.E. and Ivanov, V.P. A study of the experimental nuclear reactor VVR-S, 1=750
- Lbov, A.A. See Antropov, G.P., 1=3454
- Lea, K.R. See Harvey, J.S.M., 1=3932
- Lea, R.M. See Louttit, R.I., 1=12127
- Leachman, R.B. and Ford, G.P. Fore-aft yields of fragments from 14 MeV neutron-induced fission, 1=2250
- Leadabrand, R.L. A note on the disposition of daytime auroral ionization in space, 1=15318
- Leadabrand, R.L., Dyce, R.B., Fredriksen, A., Presnell, R.I. and Schlobohm, J.C. Evidence that the moon is a rough scatterer at radio frequencies, 1=15556
- Leadabrand, R.L., Jaye, W.E. and Dyce, R.B. A note on 106.1-Mc/s auroral echoes detected at Stanford following the solar event of November 12, 1960, 1=21062
- Leadabrand, R.L. See Jaye, W.E., 1=9302
- Leadbetter, A.J. See Flubacher, P., 1=2379
- Leader, E. The optical model in  $\pi$ -nuclear scattering, 1=13831



- Leader, E. See Amati, D., 1=5717  
 Leader, E. See Amati, D., 1=5718  
 Leaf, B. See Prigogine, I., 1=18983  
 Leal Ferreira, J. and Katayama, Y. On a non-local electromagnetic model for electron and muon masses, 1=3164  
 Leal Ferreira, P. See Bund, G.W., 1=3228  
 Lean, J.B. A low temperature yield instability in iron, 1=1319  
 Leask, M.J.M., Osborne, D.W. and Wolf, W.P. Magnetic properties of uranium tetrafluoride, 1=11412  
 Leask, M.J.M. See Ball, M., 1=6365  
 Leaver, V.M. See Hall, J.A., 1=6981  
 Leavitt, J.A., Baker, M.R., Nelson, H.M. and Ramsey, N.F. Proton radio-frequency spectrum of  $\text{HCl}^{35}$ , 1=19661  
 Leavitt, J.A. See Baker, M.R., 1=2347  
 Leavitt, J.A. See Nelson, H.M., 1=7492  
 Lebeau, A. A feature of nocturnal magnetic activity at the Dumont D'Urville Station (Adelie Land), 1=21092  
 Lebeau, A. See Eschenbrenner, S., 1=1582  
 Lebedev, A.N. High frequency beam stacking by a cyclic accelerator, 1=16448  
 Lebedev, A.N. See Kolomenskii, A.A., 1=9656  
 Lebedev, A.N. See Kolomenskii, A.A., 1=13140  
 Lebedev, A.N. See Kolomenskii, A.A., 1=13142  
 Lebedev, A.V. See Belonogov, A.V., 1=3097  
 Lebedev, A.V. See Kolganov, V.Z., 1=3096  
 Lebedev, B.P. and Tikhomirov, V.G. Experimental investigation of the combustion of two-phase mixtures in a turbulent stream, 1=4094  
 Lebedev, N.A. See Murin, A.N., 1=989  
 Lebedev, P.I. See Balatz, M.Ya., 1=4919  
 Lebedev, R.M. See Belyakov, V.A., 1=19244  
 Lebedev, R.M. See Van Shu-fen., 1=19182  
 Lebedev, S.Ya. See Stavisskii, Yu.Ya., 1=4569  
 Lebedev, V.I. and Kalashnikova, V.I. The average number of neutrons from the thermal fission of  $\text{Am}^{241}$ , 1=3477  
 Lebedev, V.S. See Zaidel', R.M., 1=2779  
 Lebedev, V.V. Determination of the coefficient of heat conductivity of metals in the high temperature range, 1=9988  
 Lebedeva, I.V. A study of the reverberation chamber in the Department of Acoustics of Moscow State University, 1=4419  
 Lebedinsky, A.I. See Vernov, S.N., 1=3309  
 Le Bihan, M.T. and Petiau, J. A contribution to the study of the structure of lead sulphur arsenides in the Binn strata. Crystalline structure of rathite III, 1=4050  
 Lébl, M. See Bohun, A., 1=4958  
 Lébl, M. See Bohun, A., 1=17584  
 Lébl, M. See Trnka, J., 1=20011  
 LeBlanc, F. See Jursa, A.S., 1=6566  
 LeBlanc, F.J. See Tanaka, Y., 1=6021  
 LeBlanc, J.M. See Catron, H.C., 1=11023  
 LeBlanc, J.M. See Goldberg, M.D., 1=7291  
 LeBlanc, M.A.R. See Daniels, J.M., 1=3585  
 LeBlanc, O.H., Jr. Band structure and transport of holes and electrons in anthracene, 1=17451  
 LeBlanc, O.H., Jr and Devins, J.C. Townsend ionization constants in n-alkanes, 1=1890  
 LeBlanc, W.H. See Larson, H.V., 1=16168  
 LeBlanc, W.H. See Myers, I.T., 1=13379  
 LeBorgne, E. Effect of fire on the magnetic properties of soil and on those of schist and granite, 1=1209  
 LeBorgne, E. Experimental study of magnetic susceptibility in the case of an ensemble of very fine magnetic grains dispersed in a nonmagnetic substance, 1=14725  
 LeBot, Jac. See LeBott, Jean., 1=14535  
 LeBot, Jean, Blanchard, M.L., Baron, A., Colin, Y., Dang Tran Quan, Grosvald, G. and LeBot, Jac. Dipolar absorption.  
 I. Non-stoichiometric oxides and sulphides.  
 II. Adsorption of water on various mineral substances.  
 III. Double arsenate of ammonium and thallium, 1=14535  
 Lebovitz, N.R. See Chandrasekhar, S., 1=18999  
 Lebowitz, J.L. and Percus, J.K. Long-range correlations in a closed system with applications to nonuniform fluids, 1=8545  
 Lebowitz, J.L. See Frisch, H.L., 1=12413  
 Lebowitz, J.L. See Helfand, E., 1=5220  
 Lebrun, A., Constant, E., Moriamez, M., Liebaert, R. and Risbourg, A. The rapid tracing of radiofrequency spectra of dielectrics from 1 to 10 000 Mc/s, 1=10796  
 Lebrun, A. See Constant, E., 1=12894  
 Lebrun, A. See Moriamez, M., 1=12893  
 Leck, J.H. See Burt, R.B., 1=20690  
 Leck, J.H. See Carter, G., 1=20677  
 Leck, J.H. See Cobic, B., 1=10552  
 Leckie, F. and Pestel, E. Transfer-matrix fundamentals, 1=5317  
 Lecomte, C. See Haymann, P., 1=9966  
 Lecomte, J. See Vincent-Geisse, J., 1=16064  
 Lecomte, M. See Mayer, G., 1=9082  
 Lecomte, M. See Mayer, G., 1=17592  
 Lecordier, J.C. See Colombani, A., 1=16480  
 LeCraw, R.C., Spencer, E.G. and Gordon, E.I. Extremely low loss acoustic resonance in single-crystal garnet spheres, 1=14171  
 LeCraw, R.C. and Walker, L.R. Temperature dependence of the spin-wave spectrum of yttrium iron garnet, 1=6353  
 LeCraw, R.C. See Kasuya, T., 1=7781  
 LeCraw, R.C. See Labuda, E.F., 1=7015  
 LeCraw, R.C. See Pincus, P., 1=17970  
 LeCraw, R.C. See Spencer, E.G., 1=14777  
 LeCroy, W. and Rosen, J. Viewing probe for high voltage pulses, 1=5520  
 Leder, L.B. See Klein, R., 1=18909  
 Leder, L.B. See Klein, R., 1=18910  
 Lederer, S. The Fermat principle in the five-dimensional theory, 1=7141  
 Lederer, S. The five-dimensional representation of particles of spin 2, 1 and 0, 1=18255  
 Lederman, L.M. Electromagnetic properties of electrons and muons, 1=8446  
 Lederman, L.M. Neutral K-mesons, 1=8499  
 Lederman, L.M. Report on spark chamber work at Nevis Laboratory, 1=10823  
 Lederman, L.M. See Devons, S., 1=517  
 Ledoux, P. and Boury, A. Vibrational stability of stars of originally pure hydrogen, 1=18108  
 Ledoux, P., Schwarzschild, M. and Spiegel, E.A. On the spectrum of turbulent convection, 1=2633  
 Lee, B. See Wilson, D.J., 1=6907  
 Lee, B.W. Two-pion exchange mechanism in  $\text{K}^+\text{N}$  scattering, 1=4809  
 Lee, B.W. and Cho, K.S. Modified static equations for the  $\text{K}\pi$ -interaction. Effect of pion-pion resonance, 1=12113  
 Lee, B.W. See Aaron, R., 1=427  
 Lee, C.H. and Maddin, R. Effect of torsional deformation on self-diffusion in silver, 1=14321  
 Lee, D.M., Fairbank, H.A. and Walker, E.J. Dielectric constant, density, expansion coefficient, and entropy of liquid  $\text{He}^3$  under pressure below  $1^\circ\text{K}$ , 1=4524  
 Lee, E.W. and Birss, R.R. The magnetostriction of lithium-chromium ferrite in the neighbourhood of its compensation point, 1=3907  
 Lee, E.W. and Birss, R.R. The magnetoelastic constants of nickel, 1=17969  
 Lee, E.W. See Birss, R.R., 1=1225  
 Lee, E.W. See Birss, R.R., 1=20105  
 Lee, J. See Brandon, M., 1=12093  
 Lee, J.A. See Marples, J.A.C., 1=20530  
 Lee, L. and Farnell, G.W. Phase singularities for microwave lenses with aberrations, 1=4720  
 Lee, L.L., Jr. See Hintz, N.M., 1=19370  
 Lee, M.A. Variation with temperature of the distribution coefficient of indium in germanium, 1=3781  
 Lee, O.S. Effect of an internal wave on sound in the ocean, 1=6932  
 Lee, R.W. See Frank, R.C., 1=17558  
 Lee, R.W. See Fry, D.L., 1=1475  
 Lee, R.W. See Swets, D.E., 1=5685  
 Lee, R.W. See Swets, D.E., 1=11783  
 Lee, S.W. See Wanick, R.W., 1=13095  
 Lee, T.D. and Yang, C.N. Some consideration on global symmetry, 1=9729  
 Lee, T.H. and Greenwood, A. Theory for the cathode mechanism in metal vapor arcs, 1=7041  
 Lee, W. See Goldhaber, G., 1=16791  
 Lee, W.H. See Allam, D.S., 1=18407  
 Lee, Y.J. See Allen, J.E., 1=17136  
 Lee, Y.K. See Wu, C.S., 1=603  
 Lee, Y.Y. On the temperature dependence of paramagnetic resonance in the case of the Ising model, 1=20191  
 Lee-Whiting, G.E. See Bartholomew, G.A., 1=2030

- Leefe, S. and Liebson, N. Leveling system for liquid nitrogen, 1=2582
- Lees, D.J. and Rusbridge, M.G. Magnetic field diffusion in Zeta, 1=9611
- Lees, D.J. See Rusbridge, M.G., 1=9633
- Lees, J., Muller, B.H. and Noble, J.D. Degassing of liquids for nuclear spin-lattice relaxation studies, 1=8136
- Lees, J. See Pugh, H.L.D., 1=20436
- Lefebvre, C. See Heastie, R., 1=1848
- Lefebvre, R. Electron spin resonance line shape of a polycrystalline CH radical, 1=3939
- Lefebvre, R. Proton resonance line shape for a polycrystalline aromatic radical, 1=11129
- Lefebvre, R. Calculation of the electron spin resonance line shape for a polycrystalline radical with anisotropic g tensor and proton hyperfine interactions, 1=17341
- Lefebvre, R. See Dearman, H.H., 1=3560
- Lefebvre-Brion, H., Moser, C.M. and Nesbet, R.K. A calculation of the potential energy curves for some electronic states of carbon monoxide, 1=9947
- Lefebvre-Brion, H., Moser, C. and Nesbet, R.K. Ultraviolet spectra of carbon monoxide, 1=19643
- Lefever, R.A. and Chase, A.B. Growth spirals on synthetic magnetoplumbite crystals, 1=9113
- Lefever, R.A., Torpy, J.W. and Chase, A.B. Growth of single crystals of yttrium aluminium garnet from lead oxide-lead fluoride melts, 1=10235
- Lefever, R.A. See Wickersheim, K.A., 1=14568
- Lefevre, J. and Pecker, J.C. Deviation from equilibrium and abundances in solar and stellar photospheres. VI. The variation of central intensities of metallic lines between the centre and the limb of the sun, 1=15453
- Lefevre, R. Calculation of the electron resonance spectrum of the CH radical in the polycrystalline state, 1=11116
- Lefort, M. Nuclear reactions induced by heavy ions: points of interest and various applications, 1=13860
- Lefort, M., Simonoff, G.N. and Tarrago, X. Spallation reactions in thorium due to 150 and 82 MeV protons, 1=12200
- Lefort, M., Simonoff, G. and Tarrago, X. The secondary reactions of formation and energy distribution of alpha fragments produced by 150 MeV protons on bismuth, 1=13802
- Lefort, M., Simonoff, G. and Tarrago, X. Fission-spallation competition in thorium targets bombarded by 155 MeV protons, 1=13871
- Lefort, M. See Boussières, G., 1=2215
- Lefort, M. See Duquesne, M., 1=4744
- Lefrançois, J. Duty cycle improvement on the Harvard synrocyclotron, 1=16465
- Lefrançois, J. See Thorndike, E.H., 1=498
- Le Fur, B. Transformation of the laminar boundary layer equations for variable physical properties with arbitrary distributions of pressure and wall temperature, 1=6850
- le Fur, B. Convection of heat in a fluid with constant physical properties under laminar conditions with any pressure gradient and wall temperature, 1=16143
- Legardeur, R. See Consoli, T., 1=2969
- Legendre, R. Flow around a slender body, 1=15795
- Legendy, C. See Bowers, R., 1=19837
- Léger, C. See Bibron, R., 1=8629
- Leger, E.G., Nyberg, D., Graf, K. and Tardif, L. Zig-Zag oscilloscope presentation of millimicrosecond accuracy for microsecond time intervals, 1=2727
- Legge, G.J.F. and Bubb, I.F.  $C^{13}$  level structure in the excitation region of 20.5-26.5 MeV, 1=16981
- Legge, G.J.F. A search for fine structure in the reactions  $B^{10}(d, \alpha)Be^8$  and  $B^{10}(d, \alpha)B^{8*}$ , 1=17141
- Legler, W. The statistics of electron avalanches in electro-negative gases, at high field intensities and at large gas amplification, 1=8311
- Legoux, Y. See Boussières, G., 1=2215
- Legowski, S. Calculation of the shape of the mercury resonance line broadened by argon, based on the theory of Jablonski, 1=13935
- Legrand, J.P. The predecrease of cosmic rays in periods of maximum solar activity (April 1957 - December 1958), 1=580
- Legrand, J.P. The cosmic rays "predecrease" (prebaisse) in the maximum solar activity period (April 1957 - December 1958), 1=3350
- Legrand, M. See Grosjean, M., 1=2894
- Le Grand, Y. See Joyal, M., 1=21134
- Legros, G. See Depraz, J., 1=13795
- Legros, G. See Depraz, J., 1=13814
- Legros, M. See Cocconi, V.T., 1=19241
- Legvold, S. See Alstad, J.K., 1=5003
- Legvold, S. See Alstad, J.K., 1=11261
- Legvold, S. See Green, R.W., 1=7774
- Legvold, S. See Nelson, D.T., 1=11414
- Lehane, J. See Brisbourn, F.A., 1=16844
- Lehar, F., Palečková, J., Skřivánek, J. and Veselá, M. Excitation of levels by inelastic neutron scattering, 1=13651
- Lehar, F., Skřivánek, J. and Veselá, M. Excitation of Fe, Mn and Mg levels by inelastic neutron scattering, 1=9865
- Le Héricy, J., Bourellier, F. and Montuelle, J. On the tendency to polygonization in copper purified by zone melting, 1=4012
- Lehiste, I. and Peterson, G.E. Transitions, glides, and diphthongs, 1=6662
- Lehiste, I. and Peterson, G.E. Some basic considerations in the analysis of intonation, 1=7952
- Lehmann, C. and Leibfried, G. Focusing 110 collision chains in face-centred crystals at small angles, 1=7604
- Lehmann, J. and Hills, R.F. Proposed nomenclature for the phases of uranium alloys, 1=20587
- Lehmann, J. See Bayley, R.T., 1=6227
- Lehmann, W. Microscopic observations on electroluminescent ZnS:Cu phosphors, 1=1188
- Lehmann, W.J. The average rule compared with the complete isotopic rule for vibrational frequencies, 1=13996
- Lehmann, W.J., Wilson, C.O.Jr. and Shapiro, I. Infrared spectra of alkyldiboranes. IV. 1,1-dimethyl- and 1,1-diethyldiboranes, 1=6013
- Lehmann, W.J., Wilson, C.O., Jr and Shapiro, I. Infrared spectra of alkyldiboranes. V. Tri- and tetramethyl- and ethyldiboranes, 1=6014
- Lehmberg, R.H. Axiomatic development of the laws of vacuum electrodynamics, 1=13156
- Lehmppuhl, G. and Molière, K. Interference division effects on transmission through macroscopic crystal wedges, 1=20503
- Lehner, G. The dynamic effect of the tubular pinch effect, 1=18881
- Lehner, G. Hydromagnetic instability of a hollow pinch effect, 1=18882
- Lehnert, B. The energy balance and confinement of a magnetized plasma, 1=5459
- Lehnert, B. Energy balance and confinement of a magnetized plasma, 1=7080
- Lehnert, B. Stability of an inhomogeneous plasma in a magnetic field, 1=9548
- Lehnert, B. On the confinement of charged particles in a magnetic field, 1=9587
- Lehnert, B. Stability of a plasma boundary in a magnetic field, 1=10711
- Lehnert, B. Stability of a plasma with a continuous density distribution, 1=13090
- Lehnert, B. Voltage characteristics of a rotating plasma, 1=18825
- Lehnert, B. and Sjögren, G. Stability of a hollow mercury jet, 1=5554
- Lehnert, B. and Sjögren, G. A liquid conductor model of the hollow pinch, 1=9678
- Lehnert, B. See Bergström, J., 1=1194b
- Lehnert, B. See Hoh, F.C., 1=13080
- Leibfried, G. and Ludwig, W. Adiabatics of sound propagation in crystals, 1=3601
- Leibfried, G. See Lehmann, C., 1=7604
- Leibler, K. The possibility of obtaining anisotropic artificial dielectrics, 1=14544
- Leibler, K. and Brański, W. Two-phase ferroelectric systems. I. Barium titanate-metal, 1=17845
- Leibler, K. See Bensasson, R., 1=14107
- Leiby, C.C. See Chen, C.L., 1=4562
- Leifson, O.S. and Jeffries, C.D. Dynamic polarization of nuclei by electron-nuclear dipolar coupling in crystals, 1=10185
- Leigh, J.J. Stripping analysis of the  $Be^9(Li^6, \alpha)B^{11}$  reaction, 1=13864
- Leigh, J.J. and Blair, J.M. Differential cross sections of the  $Be^9(Li^6, \alpha)B^{11}$  reaction, 1=738



- Leijzers Vis, W. and Makkink, J.H. The 2.5 MeV Van de Graaff generator of the Electrical Engineering Laboratory of the Technological University at Delft, 1=5505
- Leinbach, H. See Brown, R.R., 1=15349
- Leinbach, H. See Campbell, W.H., 1=15262
- Leinbach, H. See Ortnier, J., 1=20946
- Leipuner, L.B. See Martin, H.J., 1=8514
- Leipunskii, O.I.  $\gamma$ -rays from a nuclear explosion, 1=16727
- Leipunskii, O.I. and Sakharov, V.N. Propagation of the radiation from  $\text{Co}^{60}$  in air above the earth, 1=4117
- Leipzig, F.D. and Altamari, L.A. An apparatus for measurement of the surface area of irradiated coarse powders, 1=20645
- Leiser, M. See Barut, A.O., 1=64
- Leisi, H.-J., Brunner, J.H., Perdrisat, C.F. and Scherrer, P. Monoenergetic positrons, 1=9832
- Leitner, J., Gray, L., Harth, E., Lichtman, S., Westgard, J., Block, M., Brucker, B., Engler, A., Gessaroli, R., Kovacs, A., Kikuchi, T., Meltzer, C., Cohn, H.O., Bugg, W., Pevsner, A., Schleip, P., Meer, M., Grinellini, N.T., Lendinara, L., Monari, L. and Puppi, G. Helicity of the proton from  $\Lambda$  decay, 1=16901
- Leitner, J. and Rhee, Y.I. Evidence for low rates for  $\beta$  decay of  $\Sigma^-$  and  $\Lambda$  hyperons, 1=12121
- Leitner, J. See Block, M.M., 1=13500
- Lekh Vir. and Gill, P.S. Latitude-dependence of a Forbush type decrease, 1=13579
- Lekh Vir. and Gill, P.S. Latitude dependence of nucleonic intensity during August 24-September 20, 1957, 1=13580
- Leksin, G.A. See Bayukov, Yu.D., 1=19257
- Leliart, G. See De Soete, D., 1=17297
- Leliakov, I. and Friedlaender, F.J. An improved model for flux reversal in Ni-Fe cores, 1=7751
- Lemaire, H.P. and Croft, W.J. Ferrite thin films, 1=6351
- Leman, G. See Friedel, J., 1=7738
- Leman, G. See Gousseland, G., 1=14205
- Lemberg, I.Kh. See Andreyev, D.S., 1=2243
- le Mée, J. See Martin, A.V.J., 1=17783
- le Mée, J. See Martin, A.V.J., 1=17784
- Le Méhauté, B. A theoretical study of waves breaking at an angle with a short line, 1=15813
- Lemeille, C., Marquez, L., Saunier, N. and Coste, M. The reactions of  $\text{Li}^+$  ions on beryllium, 1=15865
- Lemeille, C. See Coste, M., 1=19532
- Lemmer, R.H. and Weisskopf, V.F. On the preponderance of prolate deformations in nuclei, 1=13629
- Lemmlein, G.G., Dukova, E.D. and Chernov, A.A. Growth of crystals from vapour near the ternary point, 1=14975
- Lemon, E.H. See Talbot, J.H., Jr., 1=2262
- Le Montagner, S. Measurements of the permittivity of solids as a function of temperature. Interpretation of experimental curves in different cases, 1=14542
- Le Montagner, S. Dipolar relaxation phenomena as a function of temperature, 1=14543
- Le Montagner, S. and Rousselot, M.M. On some dielectric properties of methyl ammonium alum, 1=11337
- Lempicki, A., Samelson, H. and Brown, A. Slit-width error in the measurement of absorption constants, 1=2867
- Lempicki, A. See Birman, J.L., 1=10090
- Lenard, A. Exact statistical mechanics of a one-dimensional system with coulomb forces, 1=15704
- Lenard, A. See Backus, G., 1=16410
- Lend'el, V.I. See Lomsadze, Yu.M., 1=16871
- Lendinara, L. See Block, M.M., 1=13500
- Lendinara, L. See Leitner, J., 1=16901
- Lendvai, E., Shanda, J. and Veisburg, Ya. Some remarks on the d.c. and a.c. electroluminescence of  $\text{ZnS}:\text{Cu}:\text{Mn}$ , 1=20032
- Lendvay, E. Luminescence of adsorbed fluorescein, 1=20022
- Lend'el, V.I. See Lomsadze, Yu.M., 1=13428
- Lenel, F.V. See Ansell, G.S., 1=3970
- Lenfestey, A.G. Low-temperature heat exchangers, 1=18683
- Lengyel, B.A. and Mitzner, K.M. Electromagnetic surface waves on a plane interface, 1=13180
- Lenham, A.P. and Franz, O.G. Astrometric investigations of galactic clusters. I. NGC 129, 1=4208
- Lenior, M. On the motion of a particle in the theory of the spin gravitational field, 1=2682
- Lenk, A. See Reichardt, W., 1=2722
- Lennon, C.J. See Blanco, V.M., 1=18112
- Lennuier, R. and Lagarde, D. Apparatus for spectral analysis at high resolution in the ultraviolet. Application to the measurement of hyperfine intervals of the  $6^3\text{P}_1$  level of  $\text{Hg}^{199}$  and  $\text{Hg}^{201}$ , 1=2283
- Lennuier, R., Lagarde, D. and Filippi, F. Optical properties of thin Al films between 2537 and 5460 Å, 1=236
- Lenoble, J. Application of the method of spherical harmonics to anisotropic diffusion of light, 1=10604
- Lenoble, J. Application of the method of spherical harmonics to the study of the state of polarization of scattered radiation, 1=16117
- Lenoble, J. See Isacchi, S., 1=244
- Lenoir, M. The equations of motion in unified field theory, 1=6778
- Lentz, T. and Miyata, J. Automatic magneto-optic rotation tester, 1=10608
- Lenz, F. [Note]. Transmission of slow electrons through thin films, 1=7102
- Lenz, F. Extension of the Cornu diagram to the case of a partially transparent and phase-shifting half-plane, 1=18616
- Lenz, F. and Krimmel, E. The general intensity distribution in the neighbourhood of a caustic surface coherently illuminated, 1=16404
- Lenz, K. Experimental investigations of the performance of prism monochromators, 1=2861
- Lenz, K. See Foitzik, L., 1=20839
- Leonard, J.H. and Houghton, G. Effect of mass transfer on the velocity of rise of bubbles in water, 1=12857
- Leonard, S.L. See Heflinger, L.O., 1=5464
- Leonov, L.F. See Prokhorov, P.S., 1=11633
- Leonov, Yu.S. A new phosphor  $2\text{Li}_2\text{O}:\text{WO}_3:\text{U}$ , 1=2456
- Leontovich, M. Generalization of the Kramers-Kronig formulae to media with spatial dispersion, 1=18984
- Leontovich, M.A. Some investigations on the physics of a heated plasma and its containment, 1=9575
- le Pair, C. See de Bruyn Ouboter, R., 1=8272
- le Pair, C. See van den Meijdenberg, C.J.N., 1=8274
- le Pape, M. See Olkowsky, J., 1=5913
- le Pape, M. See Olkowsky, J., 1=8731
- le Pape, M. See Olkowsky, J., 1=13794
- Lepilin, V.A. See Bredov, M.M., 1=17771
- Lequeux, J. and Heidmann, J. Interferometer measurements of extragalactic radio sources at 1420 Mc/s in the east-west direction, 1=18205
- Lequeux, J. See Barat, J., 1=4221
- Lequeux, J. See Heidmann, J., 1=15561
- le Quinto, R. See Prevot, F., 1=350
- Leray, J. The verification of the theory of the orientation of rigid particles by birefringence during flow, 1=15875
- Leray, J. and Scheibling, G. Photoelectric polarimeter with a rotating phase plate, 1=2893
- Leray, J., Scheibling, G. and Sadron, C. Laws of combination of birefringence; application to the Maxwell effect in poly-dispersed systems, 1=9488
- Le Ray, M. Study of the 9 metre spectrograph of the Paris-Meudon observatory, 1=16080
- Lerfald, G. and Scheibe, P. Method of studying travel time anomalies of high frequency radio waves, 1=3070
- Lerinman, R.M., Shchegoleva, T.V., Kushakevich, S.A. and Selitskaya, S.I. Electron microscope investigation of the structural transformations in the titanium-manganese and titanium-chromium alloys, 1=1416
- Lerjefors, C.A., Matthias, E. and Karlsson, E. The gyro-magnetic ratio of the 137 keV rotational level in  $\text{Os}^{186}$ , 1=12157
- Lerjefors, C.A. See Karlsson, A., 1=12156
- Lerner, M.M. See Tareev, B.M., 1=3730
- Leroi, G.E. and Klemperer, W. Infrared spectra of sodium and potassium cyanide, 1=14028
- Leroi, G.E. See Hougen, J.T., 1=8848
- Le Roux, É. Classical theory of the absorption of radiation by particles, 1=3058
- Le Roux, É. Classical theory of the absorption of radiation energy by particles, 1=15754
- Le Roux, É. Theoretical study of synchrotron radiation from radio sources, 1=18200
- LeRoux, É. See Barat, J., 1=4221
- LeRoy, J. Symmetric and antisymmetric tensors of the second order and their functions, 1=9243
- Leroy, J. Mean nucleus of prompt neutrons emitted in the fission of  $^{235}\text{U}$ ,  $^{239}\text{Pu}$ ,  $^{232}\text{Th}$ , 1=13869

- Leroy, J. See Sher, R., 1=17172
- Leroy, J.L. Interpretation of the polarization of [monochromatic] light from sunspots, 1=2615
- Leroy, J.L. See Cheynier, B., 1=16434
- Leroy, J.L. See Dollfus, A., 1=15483
- Leruste, P. See Andrade e Silva, J., 1=2705
- Leruste, P. See Andrade e Silva, J., 1=5214
- Leruste, P. See Andrade e Silva, J., 1=5215
- Leruste, P. See Andrade e Silva, J., 1=15690
- Lés, Z. and Niewodniczański, H. Intensity ratios of spectral lines in the sharp series triplets of atoms of the second column of the periodic table, 1=13952
- Leslie, C.B. and Sorensen, N.R. Integral solution of the shallow water sound field, 1=5326
- Leslie, D.C.M. See King-Hele, D.G., 1=1667
- Leslie, D.H. See Berlincourt, T.G., 1=1878
- Leslie, F.E. See Murcray, D.G., 1=6590
- Leslie, F.E. See Murcray, D.G., 1=15226
- Leslie, P.R.R. A shell source of radio emission, 1=2663
- Leslie, P.R.R. Radio emission from normal galaxies, 1=10399
- Leslie, P.R.R. An investigation of the clustering of radio stars, 1=15562
- Leslie, P.R.R. and Elsmore, B. Radio emission from the Perseus cluster, 1=9293
- Lessin, I., Golden, D.E. and Fisher, L.H. Transient breakdown studies in hydrogen at low values of  $E/p$ , 1=18811
- Lessoff, H. See Greifer, A.P., 1=6369
- Lester, W.W. On the theory of the propagation of plane, finite amplitude waves in a dissipative fluid, 1=12852
- Letfus, V. Note on the temperature determination of the iron arc and the derivation of  $f$  values, 1=16083
- Le Tourneux, J. See Blin-Stoyle, R.J., 1=10983
- Leutwyler, H. On a modified five-dimensional theory avoiding certain difficulties in the Jordan-Thiry theory, 1=2694
- Leutwyler, H. The static spherically symmetric solution in five dimensional theory, 1=15657
- Leutz, H. The  $\beta^+$ -spectrum of  $\text{Na}^{22}$ , 1=17030
- Leutz, H. See Egelkraut, K., 1=642
- Lev, E.Ya. See Brach, B.Ya., 1=17813
- Levatich, J.L. See Vergara, W.C., 1=4732
- Levchenko, A.A. See Palatnik, L.S., 1=14282
- Levchenko, A.A. See Palatnik, L.S., 1=17531
- Levchenko, Yu.Z. See Fogel', Ya.M., 1=4558
- Levchenko, Yu.Z. See Fogel', Ya.M., 1=16269
- Levelt, J.M.H. The reduced equation of state, internal energy and entropy of argon and xenon, 1=6896
- Levelt, J.H.M. The validity of the law of corresponding states, 1=18465
- Levelt, J.M.H. See Hurst, R.P., 1=3603
- Leven-Fisher, N.P. See Dmitriev, A.B., 1=4167
- Levenberg, I. See Abdurazakov, A., 1=646
- Leveque, P., Martinelli, P. and Tanguy, J.C. Applications of radioactive elements using new apparatus, 1=13664
- Lever, R.F., Powers, J.K., Richards, J.L. and Sirgo, H.V. Simple apparatus for the growth of germanium dendrites, 1=2530
- Levesque, R.J.A. and Hornyak, W.F. A wide pulse height dynamic range coincidence circuit for slow phosphors, 1=4539
- Levesque, R.J.A. See Marion, J.B., 1=16820
- Levi, A. The angle of divergence of pairs produced by photons in a crystal, 1=19760
- Lévi, C. See Ballini, R., 1=695
- Levi, L. See Jaccard, C., 1=17518
- Levi, M. See Garin, A., 1=13256
- Levi, M.W., Sapp, R.C. and Culvahouse, J.W. Influence of magnetic interaction on nuclear orientation of cobalt-60 in rare-earth double nitrates, 1=3586
- Leviardi, A. See Arduino, H.A., 1=14639
- Levin, B.Ya. See Zhurkov, S.N., 1=12600
- Levin, B.Yu. and Maeva, S.V. Some calculations on the thermal history of the moon, 1=5134
- Levin, E.M. See Robbins, C.R., 1=15096
- Levin, G.M. Determination of thermal conductivity coefficients of gases with a universal plane bialorimeter, 1=10550
- Levin, H.I. See Polot'skiy, I.H., 1=14853
- Levin, M.L. Thermal shock behaviour of brittle materials, 1=11172
- Levin, M.L. On the stability of plasma bunches in a waveguide, 1=18883
- Levin, V.V. See Broder, D.L., 1=19213
- Levine, D. and Monser, G.J. Polarization, ghost, and shading effects in dichroic beam splitters, 1=10583
- Levine, H.B. Classification of diagrams for a plasma equation-of-state, 1=9545
- Levine, L.P. See Targ, R., 1=8387
- Levine, M.M. Breeding ratio in  $\text{U}^{233}$  and  $\text{Pu}^{239}$  fueled reactors, 1=17198
- Levine, M.M. Generalized resonance integral representation [for absorption], 1=17240
- Levine, M.M., Roach, K.E., Wehmeyer, D.B. and Zweifel, P.F. The slowing down of neutrons by deuterium, 1=13436
- Levine, R.C. DeForest's "diffraction microphone" — optical detection of sound in air, 1=18529
- Levinger, J.S. Can the nuclear many-body problem be solved by using perturbation theory 1=2155
- Levinger, J.S. Theories of giant dipole resonances, 1=8685
- Levinger, J.S. and Simmons, L.M. Neutron gas, 1=19204
- Levinger, J.S. See Razavy, M., 1=8539
- Levinger, J.S. See Rojo, O., 1=13526
- Levinson, I.B. Exciton models in the tight binding approximation, 1=942
- Levinstein, H. See Engeler, W., 1=12461
- Levintov, I.I. and Trostin, I.S. Neutron polarization in the reaction  $\text{C}^{13}(\text{d}, \text{n})\text{N}^{13}$ , 1=19521
- Levintov, I.I. See Kanavets, V.P., 1=19258
- Levintov, I.I. See Trostin, I.S., 1=19291
- Levi Setti, R. See Ammar, R.G., 1=607
- Levi Setti, R. See Ammar, R.G., 1=5832
- Levitina, E.I. Metal mirrors with high reflection coefficients, 1=9472
- Levitskaya, M.A. and Kuznetsova, E.A. X-ray investigation of stresses of the second type in thin vacuum-deposited films of sodium chloride and aluminium, 1=1451
- Levitskii, L.S. See Dvoryashin, A.S., 1=18093
- Levitt, L.S. Extreme pressures. II. Volume-temperature relationship for gases, 1=6903
- Levoy, M.M. See Newgard, J.J., 1=17181
- Levshenkova, L.A. See Kesaev, I.G., 1=4585
- Levshin, V.L. and Tunitskaya, V.F. Luminescence and its kinetics during excitation of  $\text{ZnS} : \text{Mn}$  phosphors, 1=2457
- Lévy, A. Fourth order finite difference equation for the Helmholtz equation for systems of revolution, 1=2838
- Levy, D. See Lüst, R., 1=10707
- Lévy, F. See Berthelot, A., 1=19281
- Levy, H.B., Hicks, H.G., Nervik, W.E., Stevenson, P.C., Niday, J.B. and Armstrong, J.C., Jr. Radiochemical studies of neutron-induced fission of  $\text{U}^{235}$  and  $\text{U}^{238}$  and the two-mode fission hypothesis, 1=17167
- Levy, J. Explicit solution of the inhomogeneous transport equations in a modified version of Einstein's theory, 1=6773
- Levy, J. Trajectories in the unified field theory, 1=18253
- Lévy, M. Range of proton-antiproton annihilation, 1=3186
- Lévy, P. and Bonnel. The absolute measurement with a coincidence telescope of the effective cross-sections of  $(n, p)$  and  $(n, d)$  reactions, 1=17108
- Lévy, P. See Bonnel, C., 1=9816
- Lévy, P. See Bonnel, C., 1=19286
- Levy, P.W. Color centers and radiation-induced defects in  $\text{Al}_2\text{O}_3$ , 1=11230
- Levy, R.A. Resonant spin-spin interaction between donors and acceptors in silicon, 1=1273
- Levy, S. See Conrad, M.A., 1=16374
- Levy, S.E. and Carlisle, R.W. Generation of intense audio sound fields utilizing arrays of multiple-driver horns, 1=10563
- Levy-Mandel, R. See Gendreau, G., 1=16460
- Lew, J.S. Drift rate in a dipole field, 1=18987
- Lewandowski, Z., Makowska-Rzeszutko, M. and Wróbel, Z. Fading of tracks of alpha-particles in nuclear emulsions and a method for the correction of the visibility of alpha-particle tracks in the gamma background, 1=3100
- Lewin, C. See Berthelot, A., 1=19281
- Lewin, G. Electron image amplifier for applications in astronomy, 1=5123
- Lewins, J. The use of the generation time in reactor kinetics, 1=13884
- Lewins, J. The time-dependent importance of neutrons and precursors, 1=17188



- Lewins, J. Variational representations in reactor physics derived from a physical principle, 1=17189
- Lewins, J. Surface perturbation theory, 1=17190
- Lewins, J. The approximate separation of kinetics problems into time and space functions by a variational principle, 1=18336
- Lewins, J. A derivation of the time-dependent adjoint equations for neutron importance in the transport, continuous slowing-down and diffusion models, 1=19210
- Lewis, D.H. See Wallace, J.D., 1=12705
- Lewis, F.R.Jr. See Carver, T.R., 1=11075
- Lewis, G.M. The tensile strength of liquids in Berthelot tubes, 1=11771
- Lewis, G.M., Gabathuler, E. and Azuma, R.E. On the separation of  $\pi^+$  mesons by a time of flight method, 1=5771
- Lewis, G.M. See Joshi, B.R., 1=2193
- Lewis, H.W. See Bevington, P.R., 1=2212
- Lewis, H.W. See Wilenzick, R.M., 1=3449
- Lewis, J.A. Generalized thermal resistance, 1=18653
- Lewis, M. Stark broadening of spectral lines by high-velocity charged particles, 1=2286
- Lewis, N.W. Line-spread functions of photographic emulsions, 1=13004
- Lewis, P.S. See Waddell, C.N., 1=19460
- Lewis, R.M. Solution of the equations of statistical mechanics, 1=4268
- Lewis, R.M. and Keller, J.B. Solution of the functional differential equation for the statistical equilibrium of a crystal, 1=3590
- Lewis, T.J. and Secker, P.E. Influence of the cathode surface on arc velocity, 1=2954
- Lewis, T.J. See Swan, D.W., 1=18424
- Lewis, W.B. and Pretzel, F.E. Properties of lithium hydride. III. Paramagnetic resonance of color centers, 1=19811
- Lewowski, T. Photo-stimulated emission of exo-electrons from anode-oxidized layers of aluminium, 1=16375
- Lewowski, T. and Sujak, B. The influence of liquids on the tribo-stimulation of aluminium leading to photo-stimulated exo-electron emission, 1=16356
- Leycuras, Y. Transitions between the glow and arc regimes, 1=7034
- Leyenaar, A. See Kaufman, L., 1=6531
- Leyendecker, H. See Koppelman, G., 1=16100
- Leyer, J.C. See Brochet, C., 1=18456
- Leyniers, R. See Thomas, E., 1=4383
- Lhost, A. See Danguy, L., 1=9749
- Li, A.C. See Bolotin, H.H., 1=16997
- Li, C.H. See Stokes, R.J., 1=1342
- Li, C.H. See Stokes, R.J., 1=3096
- Li, C.H. See Stokes, R.J., 1=20365
- Li, Che-Yu, Ruoff, A.L. and Spencer, C.W. Effect of pressure on the energy gap of Bi<sub>2</sub>Te<sub>3</sub>, 1=14209
- Li, J.C.M. Some elastic properties of an edge dislocation wall, 1=3665
- Li, J.C.M. High-angle tilt boundary—a dislocation core model, 1=6108
- Li, J.C.M. Cross slip and cross climb of dislocations induced by a locked dislocation, 1=8907
- Li, J.C.M. Energy of a crossed grid of screw dislocations, 1=14265
- Li, J.C.M. The stress field of an infinite edge dislocation wall, 1=17528
- Li, K.K.Y. See Stroke, H.H., 1=8229
- Li Seng-jung See Li Sen-Dzhun, 1=4081
- Li, T. See Fox, A.G., 1=7143
- Liander, H. and Lundblad, E. Some observations on the synthesis of diamonds, 1=5092
- Liang Chih-an. See Lyan Chzhi-an', 1=1605
- Liang, E.T. See Tourin, R.H., 1=11070
- Libby, D. and Ormerod, M.G. Electron spin resonance spectrum of stretched polyethylene, 1=20227
- Libby, W.F. Chemistry of positive ions. I. General theory particularly for the radiation induced cross linkage of polymers and polymerization of saturated hydrocarbons, 1=20766
- Libby, W.F. Radiocarbon dating, 1=5849
- Libelo, L.F. See Hirschel, L.R., 1=12907
- Liberman, I. See Frerichs, R., 1=3765
- Libovický, S. See Šesták, B., 1=17529
- Libovický, S. See Šesták, B., 1=20363
- Lichnerowicz, A. Propagators and commutators in general relativity, 1=15633
- Lichnerowicz, A. The anticommutator of the spinor field in general relativity, 1=15635
- Lichnerowicz, A. Anticommutator for the field corresponding to spin- $\frac{1}{2}$  in an Einstein space, 1=16646
- Lichnerowicz, A. Petiau—Duffin—Kemmer theory in general relativity, 1=18251
- Licht, A.L. The drag on a charged satellite, 1=19224
- Licht, A.L. and Toll, J.S. Two-point function and generalized free fields, 1=16643
- Licht, S. See Zajac, A., 1=12996
- Lichten, W. Angular distribution of Lyman- $\alpha$  radiation emitted by H(2S) atoms in weak electric fields, 1=2282
- Lichtenberg, D.B. Possible relations among the meson-baryon coupling constants, 1=7207
- Lichtenberg, D.B. Low-energy predictions of modified Yukawa potentials between two nucleons, 1=7208
- Lichtenberg, D.B. On the observability of the signs of the strong interaction coupling constants, 1=8422
- Lichtensteiger, M. See Beun, J.A., 1=10066
- Lichtensteiger, M. See Beun, J.A., 1=11321
- Lichtenstein, M. and White, C.T. Relative visual latency as a function of retinal locus, 1=15380
- Lichtman, S. See Leitner, J., 1=16901
- Lide, D.R., Jr. Dipole moments of hydrocarbons, 1=4954
- Lide, D.R., Jr. and Christensen, D. Molecular structure of propene, 1=17371
- Lide, D.R., Jr. See Harmony, M.D., 1=17319
- Lide, D.R., Jr. See Mann, D.E., 1=4932
- Lidiard, A.B. and Tharmalingam, K. Diffusion processes at low temperatures, 1=2391
- Lidiard, A.B. See Tharmalingam, K., 1=19765
- Lidofsky, L.J. See Benenson, R.E., 1=7398
- Lidofsky, L.J. See Benenson, R.E., 1=10972
- Lieb, E. Operator formalism in statistical mechanics, 1=6798
- Lieb, E. See Mattis, D., 1=10638
- Liebaert, R. See Lebrun, A., 1=10796
- Lieberman, D.S. and Lüscher, E. The Mössbauer effect. A conference report, 1=600
- Lieberman, P. Perturbations in vocal pitch, 1=7955
- Liebman, I. See Cassel, H.M., 1=8261
- Liebmann, B. See Howe, S., 1=14905
- Liebson, M. Sealing molybdenum leads to aluminosilicate glass, 1=6687
- Liebson, N. See Leefe, S., 1=2582
- Liedler, R. See Deubner, F.L., 1=15402
- Liehr, A.D. "Tonic radii," spin-orbit coupling and the geometrical stability of inorganic complexes, 1=3554
- Liehr, A.D. Interaction of the vibrational and electronic motions in some simple conjugated hydrocarbons. III. A semiempirical formulation, 1=17509
- Lielausis, O. See Branover, G., 1=7137
- Lielausis, O. See Branover, G., 1=16526
- Liemohn, H. The outer radiation belt and aurorae, 1=1567
- Lienard, P. Experimental study of acoustic absorption by perforated panels, 1=207
- Lien Chih-Ch'ao. See Lyan' Chzhi-Chao., 1=11305
- Lien Chih-Ch'ao. See Lyan' Chzhi-Chao, 1=17737
- Lien Chih-ch'ao. See Lyan, Chzhi-chao, 1=17739
- Lien, W.H. and Phillips, N.E. Heat capacity anomaly in solid air, 1=7537
- Liepmann, H.W. and Vlasses, G. Magnetically driven cylindrical shock waves, 1=12914
- Lietz, G.P. See Mann, H.M., 1=13230
- Lietzke, M.P. See Stoughton, R.W., 1=507
- Lifshits, E.M. and Khalatnikov, I.M. The singularities of cosmological solutions of the gravitational equations. II, 1=4244
- Lifshits, I.M., Kaganov, M.I. and Tanatarov, L.V. On the theory of radiation-induced changes in metals, 1=19816
- Lifshits, I.M., Slutskin, A.A. and Nabutovskii, V.M. Peculiarities of motion of charged quasiparticles in a variable and inhomogeneous electromagnetic field, 1=18990
- Lifshitz, E.M. See Dzyaloshinskii, I.E., 1=15706
- Lifshitz, E.M. See Khalatnikov, I.M., 1=7976

- Lifshitz, I.M. and Kaganov, M.I. Some problems of the electron theory of metals I. Classical and quantum theory of electrons in metals, 1=3633
- Lifshitz, I.M. and Slyozov, V.V. The kinetics of precipitation from supersaturated solid solutions, 1=20619
- Lifshitz, J. See Gall, B., 1=3312
- Lifshitz, J. See Gall, R., 1=13546
- Lifson, S. and Roig, A. On the theory of helix-coil transition in polypeptides, 1=9961
- Li Ga En [Li Ka Yen], Osentinski, G.M., Sodnom, N., Govorov, A.M., Sizon, I.V. and Salatskii, V.I. Investigation of the  $\text{He}^+ + \text{H}^+$  reaction, 1=555
- Li Ga En. See Govorov, A.M., 1=19292
- Ligda, M.G.H. Radar observation of lightning, 1=1516
- Lighthill, M.J. Studies on magneto-hydrodynamic waves and other anisotropic wave motions, 1=8382
- Lightle, R.E. Criticality of MTR-type fuel elements, 1=2268
- Ligtenberg, F.K. An example of stress analysis without strain measurements, 1=11719
- Li Hsuang-Ming. See Egorov, L.B., 1=17298
- Liid'ya, G.G. See Lushchik, Ch.B., 1=17909
- Liigant, M. and Einasto, Ya. The theory of automatic satellite tracking telescopes, 1=18230
- Likhachev, M.F., Stavinskii, V.S., Syui Yuin-chan [Hsu Yün-ch'ang] and Chzhan Nai-sên [Chang Nai-sên]. Total cross-sections for the interaction of 4.75 and 3.7 BeV/c  $\text{K}^+$  and  $\pi^+$ -mesons with protons and nuclei, 1=19265
- Likhachev, V.A. See Davidenkov, N.N., 1=1440
- Likhtman, V.I., Bryukhanova, L.S. and Andreeva, I.A. The long-term strength of metals, 1=14907
- Likhtman, V.I., Bryukhanova, L.S. and Andreeva, I.A. The long-term strength of metals, 1=20370
- Likhtman, V.I. See Bryukhanova, L.S., 1=20383
- Likhtman, V.I. See Kochanova, L.A., 1=6478
- Likhtman, V.I. See Shchukin, E.D., 1=6471
- Likin, O.B. A high-speed amplitude analyser with a "grey wedge", 1=4543
- Liley, B.S. See Herdan, R., 1=5450
- Liljeblad, R. Some comments on statistical thermodynamics, 1=9337
- Liljenzin, J.O. See Lindner, R., 1=15208
- Lillegraven, A. See Hvinden, T., 1=9823
- Liller, W. The nature of the grains in the tails of comets 1956h and 1957d, 1=2604
- Liller, W. Report on the effects of Project West Ford on optical astronomy, 1=6726
- Liller, W. Photoelectric photometry of comets, 1=18047
- Lillethun, E. See Cocconi, G., 1=7243
- Lilley, A.E. Radio properties of an orbiting scattering medium, 1=6727
- Lilley, J.S. The emission of charged particles from the bombardment of silver with nitrogen ions, 1=8786
- Lilley, J.S. See Greenlees, G.W., 1=8774
- Lilly, E.H. See Foreman, H., 1=19377
- Lim, T.G. and Bosgra, S.J. Nuclear potential for the  $\text{K}^+$  - meson, 1=5774
- Limareva, L.A. See Sveshnikov, B.Ya., 1=2763
- Limareva, L.A. See Sveshnikov, B.Ya., 1=4350
- Limber, D.N. The analysis of spherically symmetric distributions of matter, 1=15409
- Limentani, S. See Ammar, R.G., 1=5832
- Lin, C.C. and Fowler, R.G. Theory of collision transfer of excitation in helium, 1=19597
- Lin, C.C. See Rinehart, E.A., 1=5603
- Lin, C.C. See Rinehart, E.A., 1=9692
- Lin, C.C. See Yamazaki, M., 1=9958
- Lin, C.J. Behavior of ferro- or ferrimagnetic very fine particles, 1=6309
- Lin, S.C. Limiting velocity for a rotating plasma, 1=16329
- Lin, S.C. and Fyfe, W.I. Low-density shock tube for chemical kinetics studies, 1=2783
- Lin, S.T. Remanent magnetization of a synthetic hematite single crystal, 1=6291
- Lin, T.H. On the associated flow rule of plasticity based on crystal slips, 1=1321
- Lin, T.H., Uchiyama, S. and Martin, D. Stress field in metals at initial stage of plastic deformation, 1=14875
- Lin, W.C., McDowell, C.A. and Rowlands, J.R. Electron spin resonance of X-ray irradiated single crystals of glutamic acid hydrochloride, 1=14797
- Linares, R.C. The growth of barium titanate single crystals from molten barium fluoride, 1=14993
- Linares, R.C., Jr. See Pappalardo, R., 1=17887
- Linares, R.C. Jr. See Spencer, E.G., 1=14777
- Lin Chang-Ta. See Lin'Chzhan-da., 1=20130
- Lin'Chzhan-da. See Goryaga, A.N., 1=20130
- Linck, J. See Bilwes, R., 1=13701
- Lind, D.A. and Day, R.B. Studies of gamma rays from neutron inelastic scattering, 1=7381
- Lind, W. See Gorge, V., 1=604
- Lindberg, L. and Jacobsen, C. On the amplification of the poloidal magnetic flux in a plasma, 1=8334
- Lindberg, L. See Alfven, H., 1=9612
- Lindblad, B.A. The radiant and orbit of a bright fireball, 1=15433
- Linde, V.R. See Kushnerev, M.Ya., 1=14357
- Lindeman, H. and Lavie, A. Instrument for the measurement of the heat of vaporization of water, 1=16172
- Lindeman, H., Mornel, E. and Galil, U. Measurement of time intervals for time correlated radioactive decay, 1=7329
- Linden, B.R., Schenkel, F.W., Jr and Snell, P.A. The development of photomultipliers for scintillation counting, 1=2995
- Linden, B.R. See McPherson, P.M., 1=10589
- Lindenbaum, S.J., Love, W.A., Niederer, J.A., Ozaki, S., Russell, J.J., and Yuan, L.C.L. Antiproton-proton and proton-proton total cross-section from 4 to 20 BeV/c, 1=16789
- Lindenbaum, S.J. See Sternheimer, R.M., 1=10904
- Lindenberger, K.H. See Fuchs, H., 1=644
- Lindenblad, N.E. See Rosi, F.D., 1=8967
- Lindenfeld, P. Tests and comparisons of carbon and germanium thermometers, 1=2909
- Lindenfeld, P. Thermal conductivity of normal and superconducting lead alloys, 1=12360
- Linder, B. Energy and free energy of cohesion, 1=11750
- Linder, B. See Carter-Waschek, C., 1=19374
- Linderberg, J. Perturbation treatment of Hartree-Fock equations, 1=2272
- Lindgren, B. See Pettersson, A.V., 1=11098
- Lindgren, E.R. Liquid flow in tubes. IV. The transition process and turbulent flow related to tube diameter and microscopic surface properties, 1=5257
- Lindgren, E.R. Liquid flow in tubes. V. Effects of lateral tube deflections on some turbulent transition quantities, 1=5258
- Lindgren, I. See Cabezas, A., 1=2150
- Lindgren, I. See Cabezas, A.Y., 1=9900
- Lindgren, I. See Judd, B.R., 1=9901
- Lindgren, S. See Sandström, A.E., 1=3373
- Lindhard, J. and Scharff, M. Energy dissipation by ions in the keV region, 1=16441
- Lindholm, E. See Gustafsson, E., 1=7029
- Lindley, D.H. and Banbury, P.C. Surface relaxation effects in germanium at reduced temperatures, 1=1052
- Lindner, C.N. See Berg, R.A., 1=13385
- Lindner, J. On non-linear field theory, 1=11692
- Lindner, J. See Bechert, K., 1=5638
- Lindner, R., Liljenzin, J.O. and Reinhardt, H. Radiometric sedimentation analysis, 1=15208
- Lindner, R. and Matzke, H. Diffusion of radon in oxides by recoil labelling, 1=17563
- Lindquist, D.L. See Prescott, J.R., 1=16388
- Lindqvist, K. and Lundén, A. Thermal diffusion of the Li isotope in solid lithium sulphate, 1=19803
- Lindroth, H. See Westermarck, T., 1=19400
- Lindsay, E.M. A new catalogue of emission-line stars and planetary nebulae in the small magellanic cloud, 1=6721
- Lindsay, R.H. and Carr, R.J. ( $\text{He}^+$ ,  $\text{Be}^+$ ) reaction in magnesium, aluminum, titanium, cobalt, and copper from threshold to 42 MeV, 1=729
- Lindt, W. See Debrunner, H., 1=3372
- Lindt, W. See Gorgé, V., 1=4829
- Línek, A. and Novák, C. Structure factor computing machine, 1=15028
- Linenberger, G.A., Orndoff, J.D. and Paxton, H.C. Enriched-uranium hydride critical assemblies, 1=13898
- Linev, A.F. See Kondrashev, L.F., 1=3194
- Linev, A.F. See Kurashov, A.A., 1=514
- Linevsky, M.J. Infrared spectrum of lithium fluoride monomer by matrix isolation, 1=4935



- Linfield, R.F. See Hefley, G., 1=6592
- Linfoot, E.H. Wave-theoretic and ray-theoretic contrast transmission functions, 1=1806
- Linfoot, E.H. Focal tolerances and best focal setting for model photographic images with primary spherical aberration, 1=16130
- Lingenfelter, R.E. Criticality calculations of BeO-moderated enriched uranium systems, 1=17236
- Lingenfelter, R.E., Canfield, E.H. and Hess, W.N. The lunar neutron flux, 1=18033
- Lingenfelter, R.E. See Hess, W.N., 1=15593
- Linhart, J.G. Dynamic stability of a conducting cylindrical shell in a magnetic field, 1=4709
- Linhart, J.G. Experiments on interaction of plasmas and microwaves, 1=9572
- Linhart, J.G. A simplified analysis of the dynamics of plasma guns, 1=18824
- Link, F. A possible test for the existence of the Chapman corona in radio astronomy, 1=15535
- Linlor, W.I. Plasma production by traveling resonant perturbations, 1=16332
- Linnell, R.H. Near-ultraviolet solution spectra of pyridazine, 1=8123
- Linnenbom, V.J. See Cheek, C.H., 1=11656
- Linnett, J.W. See Green, M., 1=2338
- Linnett, J.W. See Green, M., 1=2339
- Linnett, J.W. See Jennings, K.R., 1=13942
- Linsley, J., Scarsi, L. and Rossi, B. Extremely energetic cosmic-ray event, 1=10944
- Linsley, J. See Clark, G.W., 1=7297
- Linz, A.Jr. and Newnham, R.E. Ultraviolet absorption spectra in ruby, 1=11371
- Liotta, R.S. See De Tollis, B., 1=5887
- Lipas, P.O. and Davidson, J.P. Octupole vibrations of deformed even nuclei, 1=13643
- Liperovskii, V.A. Anisotropic propagation of longitudinal electroacoustical waves in a drifting plasma, 1=18863
- Lipkin, D.M. Note on the modified gravitational equations  $g^* R_{ik} = 0$ , 1=6769
- Lipkin, H.J. Collective motion in many-particle systems. II. Treatment of coupled systems, 1=8080
- Lipkin, H.J. Debye-Waller factor in Mössbauer interference experiments, 1=11146
- Lipkin, H.J. Pairing and quadrupole forces in a two-dimensional soluble model, 1=15605
- Lipkin, H.J. See Ullman, J.D., 1=7225
- Lipman, N.H. See Cocconi, V.T., 1=19241
- Lipman, N.H. See Culligan, G., 1=8477
- Lipnik, A.A. Binding and decay of a Mott exciton taking into account the exact Coulomb functions, 1=4980
- Lipnik, P. See Colard, J., 1=13662
- Lipnik, P. See de Croës, M., 1=13726
- Lipnik, P. See Deutsch, J.P., 1=8647
- Lipnik, P. See Deutsch, J.P., 1=9835
- Lipnik, P. See Deutsch, J.P., 1=17036
- Lippert, W. Thermally induced changes in thin films in the electron microscope, 1=1466
- Lippert, W. The dependence of contrast in the electron microscope on the atomic number of the irradiated substance, 1=20704
- Lippert, W.K.R. Method of determining the propagation parameters of wave motion in acoustical material, 1=197
- Lippincott, E.R., Schroeder, R. and Steele, D. Dissociation energies of diatomic molecules, 1=9956
- Lippincott, E.R., Steele, D. and Caldwell, P. General relation between potential energy and internuclear distance for diatomic molecules. III. Excited states, 1=12271
- Lippincott, E.R., Welsh, F.E. and Weir, C.E. Microtechnique for the infrared study of solids. Diamonds and sapphires as cell materials, 1=1817
- Lippincott, S.L. Parallax and orbital motion of 42 Comae = ADS 8804 from plates taken with the 24-inch Sproul refractor, 1=11681
- Lippmann, B.A. and Schey, H.M. Optical-model analysis of low-energy electron-hydrogen scattering, 1=3520
- Lippmann, H.J. See Brauersreuther, E., 1=1077
- Lipscomb, W.N. See Kainuma, Y., 1=15051
- Lipscomb, W.N. See Kern, C.W., 1=12318
- Lipscomb, W.N. See Moore, E.B., Jr., 1=17335
- Lipscomb, W.N. See Simpson, P.G., 1=20550
- Lipscomb, W.N. See Wang, F.E., 1=20549
- Lipsett, F.R. Four-specimen liquid-helium cryostat for fluorescence, 1=11838
- Lipsett, F.R. See Rolfe, J., 1=11363
- Lipsicas, M. and Bloom, M. Nuclear magnetic resonance measurements in hydrogen gas, 1=15965
- Lipsicas, M., Bloom, M. and Muller, B.H. N.M.R. measurement of gas compressibility, 1=8146
- Lipsicas, M. See Bloom, M., 1=18476
- Lipsitt, H.A. See Garrett, H.J., 1=13145
- Lipsitt, E.A. See Marcinkowski, M.J., 1=10024
- Lipskaya, N.V. See Tikhonov, A.N., 1=20798
- Lipskii, Yu.N. The photography of the reverse side of the moon — techniques and preliminary results, 1=18031
- Lipson, S.G. See Denton, M.J., 1=5264
- Liptay, W. and Czekalla, J. The absolute determination of the direction of the transition moment and dipole moment of excited molecules by the measurement of electric dichroism. I. Theory, 1=14118
- Lipworth, E. See Cabezas, A., 1=2159
- Li Sen-Dzhun [Li Seng-jung] and Pinsker, Z.G. An electron diffraction study of the Ag—Sb system in thin films, 1=4081
- Lisitano, G. and Tutter, M. Microwave measurements on a high frequency gas discharge, 1=19023
- Lisitsa, M.P. and Kholodar', G.A. The infrared absorption and the energy band structure of cuprous oxide, 1=2446
- Lisitsa, M.P. and Kholodar', G.A. The infrared absorption and the energy-band structure of cuprous oxide, 1=6205
- Lisitsa, M.P. and Strizhevskii, V.L. The temperature dependence of the vibrational absorption band intensities of gases, 1=12928
- Lisitsa, M.P. and Strizhevskii, V.L. Fermi resonance in the case of carbon tetrachloride, 1=19629
- Lisitsa, M.P. See Korsunskii, V.M., 1=5048
- Lisle, J.C. and Shaw, P.F.D. Gamma-radiation following resonant proton capture by chlorine, 1=653
- Lisle, J.C. See Pilicarp, A.J.P.L., 1=19534
- Lisnyk, A.H., Lytovchenko, S.H., Ursul, D.A. and Savchenko, N.A. Investigation of the effect of short-range order on the electrical resistance of certain binary alloys, 1=14354
- Lissberger, P.H. Vacuum sluice valve of large aperture, 1=5310
- Lissberger, P.H. Kerr magneto-optic effect in nickel-ion films. I. Experimental, 1=11357
- Lissberger, P.H. Kerr magneto-optic effect in nickel-iron films. II. Theoretical, 1=11358
- List, G. Corona discharges in atmospheric air, 1=9530
- List, G. On the electrical breakdown of argon at high pressure, 1=13074
- Li Syuan-Min. See Egorov, L.B., 1=17298
- Li Syuang-Ming. See Egorov, L.B., 1=5988
- Liszka, L. Dropout phenomenon observed in the satellite 1958  $\phi_2$  transmissions, 1=18232
- Litherland, A.E., Batchelor, R., Ferguson, A.J. and Gove, H.E. Excited states of  $O^{18}$  studied by the reaction  $H^2(O^{18}, p)\gamma O^{18}$ , 1=3465
- Litherland, A.E. and Bromley, D.A. A two-dimensional pulse-height analyser, 1=1868
- Litherland, A.E., Clark, M.A. and Gove, H.E. A 7.02 MeV level in  $Ne^{20}$ , 1=16989
- Litherland, A.E. and Ferguson, A.J. Gamma-ray angular correlations from aligned nuclei produced by nuclear reactions, 1=9846
- Litherland, A.E. and Gove, H.E. Linearly polarized gamma rays from nuclear reactions, 1=9740
- Litherland, A.E., Kuehner, J.A., Gove, H.E., Clark, M.A. and Almqvist, E. Rotational bands in  $Ne^{20}$ , 1=13660
- Litherland, A.E. See Clark, M.A., 1=16990
- Litherland, A.E. See Ferguson, A.J., 1=8756
- Litherland, A.E. See Gove, H.E., 1=13792
- Litherland, A.E. See Hinds, S., 1=7343
- Litherland, A.E. See Hinds, S., 1=8581
- Litherland, A.E. See Hinds, S., 1=8582
- Litherland, A.E. See Hinds, S., 1=8623
- Litherland, A.E. See Hinds, S., 1=13657
- Litovchenko, V.G. An investigation of fast surface states of silicon, 1=6155
- Litovchenko, V.G. and Lyashenko, V.I. An investigation of the properties of germanium surfaces at various temperatures. I. Amplitude characteristics, 1=14433

## AUTHOR INDEX

- Litovchenko, V.G. and Lyashenko, V.I. An investigation of the properties of germanium surfaces at various temperatures. II. Kinetics of surface processes, 1=14454
- Litovchenko, V.G. See Dobrovolskii, V.N., 1=6144
- Litovitz, T.A. See Madigosky, W.M., 1=4338
- Litovitz, T.A. See Slie, W.M., 1=15867
- Littauer, R.M., Schopper, H.F. and Wilson, R.R. Scattering of BeV electrons by hydrogen and deuterium, 1=13394
- Littauer, R.M. See Feldman, M., 1=2092
- Litting, C.N.W. The physics of computer elements, 1=6690
- Little, E.M., Quinn, W.E. and Ribe, F.L. Effects of ionization and magnetic initial conditions on a magnetically compressed plasma (Scylla), 1=10721
- Little, L.H. v vibration of adsorbed ethylene, 1=7467
- Little, W.A. Kapitza [thermal] resistance between helium and metals in the normal and superconducting states, 1=10618
- Little, W.A. Unimportance of surface roughness upon the Kapitza resistance, 1=13036
- Little, W.A. See Parks, R.D., 1=11415
- Littlefield, T.A. See Hands, R.A., 1=5343
- Littler, D.J. The rate of emission of spontaneous fission neutrons by natural uranium, 1=3469
- Littman, H. and Davidson, B. Theoretical bound on the thermoelectric figure of merit from irreversible thermodynamics, 1=5032
- Litvin, F.F. and Personov, R.I. Fine structure in the absorption and fluorescence spectra of certain pigments at 77°K, 1=7707
- Litvin, F.F. and Personov, R.I. Fine structure in the absorption and fluorescence spectra of certain pigments at 77°K, 1=11361
- Litvin, F.F., Vladimirov, Yu. A. and Krasnovskii, A.A. The chemiluminescence of chlorophyll in photochemical reactions, 1=3872
- Litvin, V.F. Electrostatic analyser for studying angular distributions of charged particles of nuclear reactions, 1=4748
- Litvin, V.F. See Alekseev, N.V., 1=17144
- Litvinova, L.B. See Korsunskii, M.I., 1=17904
- Litwinski, J. On a certain problem of stochastic bodies with discontinuously non-homogeneous properties, 1=1703
- Litzman, O. and Celý, J. Approximate calculation of frequencies of localized vibrations, 1=17396
- Liu, L. Valence spin-orbit splitting and conduction g tensor in Si, 1=12441
- Liu, S.H. Exchange interaction between conduction electrons and magnetic shell electrons in rare-earth metals, 1=936
- Liu, S.H. Indirect exchange model for ferromagnetic metals, 1=11420
- Liu, S.H., Nishina, Y. and Good, R.H.Jr. Microwave measurement of mobility: analysis of apparatus, 1=11291
- Liu Shun-fu. See Lyu Shun'-fu., 1=6233
- Livesey, D.J. The variation with temperature of Young's modulus for some uranium alloys and for thorium, vanadium and niobium, 1=2504
- Livesey, J.L. Inertia effects in viscous flows, 1=5251
- Livingston, J.D. and Bean, C.P. Specific heat of superparamagnetic particles, 1=14178
- Livingston, J.D. See Hilliard, J.E., 1=14273
- Livingston, P.M. and Curtiss, C.F. Kinetic theory of moderately dense, rigid-sphere gases, 1=10546
- Livingston, R. See Zeldes, H., 1=3655
- Livingston, R. See Zeldes, H., 1=12561
- Livingston, R.S. and Howard, F.T. [Ed.]. The Oak Ridge relativistic isochronous cyclotron. I. Development of the isochronous cyclotron, 1=1937
- Livshits, B.L. The method of perturbations for an operator of simple structure, 1=5198
- Livshits, B.L. Effect of free rotation in molecules on the normal vibration frequencies, 1=14003
- Livshits, L.D., Genshaft, Yu.S. and Ryabinin, Yu.N. Polymorphic transformation of cerium under pressure, 1=10226
- Livshits, L.D. See Ryabinin, Yu.N., 1=6685
- Liwschitz, M.P. See Anderson, J.C., 1=15557
- Lizuka, J. and Klein, A. Theory of single pion production in proton-proton collisions, 1=10906
- Lleó, A. See Catalá, J., 1=17150
- Lleó, A. See Catalá, J., 1=19542
- Llewellyn, J.P. See Andrew, E.R., 1=10197
- Llewellyn Jones, F. The physics of electrical contact phenomena, 1=11900
- Llewellyn Jones, F., Hopkins, M.R. and Jones, C.R. Measurement of metal transfer in electrical contacts by the radioactive isotope method, 1=16295
- Llewellyn Jones, F. See Dutton, J., 1=18757
- Lloyd, L.J. See Wolf, S.E., 1=16890
- Lloyd, L.T. Recrystallization of deformed alpha-uranium single crystals, 1=20430
- Lloyd, R.A. and Adams, E.H. Recording micro-densitometer employing beta-radiation from a carbon-14 radio-isotope source, 1=18338
- Lo, Y.T. On the theoretical limitation of a radio telescope in determining the sky temperature distribution, 1=18143
- Lo, Y.T. See Swenson, G.W., 1=8014
- Loader, B.E. See Bauer, S.H., 1=13933
- Loasby, R.G. A simple volumometer, 1=19466
- Löb, H. Energy distribution of argon- and hydrogen ions from a high frequency ion source, 1=18939
- Lobanov, Yu.N. and Tulinov, N.I. The behaviour of an electron beam in a betatron during the injection period, 1=5521
- Lobanov, Yu.N. and Tulinov, N.I. The behaviour of an electron beam in a betatron during the injection period, 1=11993
- Lobashov, V.M., Nazarenko, V.A. and Rusinov, L.I.  $\beta$ - $\gamma$  polarization correlation in the  $\beta$  decay of  $\text{Sc}^{46}$ , 1=13727
- Lobikov, E.A. See Gorelik, L.L., 1=5474
- Lobikov, E.A. See Gorelik, L.L., 1=11550
- Lobkowitz, B. and Marmier, P. (p,n) reactions in some medium-weight nuclei, 1=9862
- Lobov, G.A. Polarization of internal-conversion electrons and positrons emitted after  $\beta$ -decay of a nucleus, 1=3424
- Lochak, G. See Andrade e Silva, J., 1=2705
- Lochak, G. See Andrade e Silva, J., 1=5214
- Lochak, G. See Andrade e Silva, J., 1=5215
- Lochak, G. See Andrade e Silva, J., 1=15690
- Lochner, J.P.A. and Burger, J.F. Optimum reverberation time for speech rooms based on hearing characteristics, 1=16046
- Lock, C.M. and Stevens, P.J. Connexion between micro-pulsations and the ionosphere, 1=21096
- Lock, W.O. High energy nuclear physics, 1=12095
- Lock, W.O. See Baldassarre, F., 1=16862
- Lock, W.O. See Cvijanovich, G., 1=16778
- Lockett, A.M. See Brueckner, K.A., 1=589
- Lockett, F.J. Interpretation of mathematical solutions in viscoelasticity theory illustrated by a dynamic spherical cavity problem, 1=20338
- Lockwood, G.E.K. Spin rate of the satellite Echo I as determined by a tracking radar, 1=2672
- Lockwood, J.A. An investigation of the Forbush decreases in the cosmic radiation, 1=13584
- Loeb, L.B., Westberg, R.G. and Huang, H.C. Streamer mechanism in filamentary spark breakdown in argon by fast photomultiplier techniques, 1=10679
- Loeb, L.B. See Hudson, G.G., 1=10678
- Loeb, M. and Dickson, C. Factors influencing the practice effect for auditory thresholds, 1=11660
- Loeb, M. and Fletcher, J.L. Contralateral threshold shift and reduction in temporary threshold shift as indices of acoustic reflex action, 1=21119
- Loeffler, F.J. See Palfrey, T.R., 1=8482
- Loewenstein, E.V. Optical properties of sapphire in the far infrared, 1=2438
- Loewenstein, K.L. Studies in the composition and structure of glasses possessing high Young's moduli. I. The composition of high Young's modulus glasses and the function of individual ions in the glass structure, 1=20635
- Loewenstein, V. Interferometric spectra of ammonia and carbon monoxide in the far infrared, 1=841
- Löfgren, T. An assessment of the power of the non-negativity criterion as used in X-ray crystal structure determinations, 1=20482
- Löfgren, T. A simple precision method for the determination of cell parameters, 1=20507
- Lofthus, A. Molecular two-centre hybrid and exchange integrals between  $2p\pi$  and  $3p\pi$  atomic orbitals, 1=14068
- Lofthus, A. Molecular two-centre integrals between  $2p\pi$  and  $3p\pi$  atomic orbitals. II. Coulomb integrals, 1=14069
- Lofthus, A. Molecular two-centre integrals between  $2p\pi$  and  $3p\pi$  atomic orbitals. III. Penetration integrals, 1=19650
- Logachev, J.L. See Vernov, S.N., 1=5797
- Logachev, Yu.I. See Vernov, S.N., 1=4815



- Logachev, Yu.I. See Vernov, S.N., 1=10939
- Logan, R.A., Augustyniak, W.M. and Gilbert, J.F. Electron bombardment damage in silicon esaki diodes, 1=10054
- Logan, R.A., Gilbert, J.F. and Trumbore, F.A. Electron mobilities and tunneling currents in silicon, 1=3757
- Logan, R.A. See Chynoweth, A.G., 1=2413
- Logan, R.A. See Chynoweth, A.G., 1=3779
- Logan, R.A. See Spitzer, W.G., 1=14441
- Logan, R.A. See Trumbore, F.A., 1=14456
- Loges, F. Calculation of the transmission factor in the diffraction at a slit of a p-polarized plane [electromagnetic] wave, by an approximation method, 1=18614
- Logie, H.J., Jackson, J., Anderson, J.C. and Nabarro, F.R.N. Effect of plastic deformation on resistivity of gold-palladium alloys, 1=14360
- Logie, H.J. See Urlau, R.R., 1=14210
- Logunov, A.A., Tavkhelidze, A.N., Todorov, I.T. and Chernikov, N.A. Majorization of Feynman diagrams, 1=3124
- Logunov, A.A., Tavkhelidze, A.N., Todorov, I.T. and Chernikov, N.A. Majorization of Feynman diagrams, 1=9727
- Logunov, V.N. and Semenov, S.S. On internal injection of electrons in the betatron, 1=4682
- Loh, E. and Newman, R. Infrared properties of flame-fused MnO crystals, 1=6215
- Loh, S.C. Uncharged conducting toroidal ring in a uniform electric field, 1=18743
- Lohmann, A. Active contrast-transfer theory, 1=229
- Lohmann, A. Contrast and image quality measured by the double star method, 1=9468
- Lohr, L.L., Jr. See Moore, E.B., Jr., 1=17335
- Lohrmann, E. Investigation of bremsstrahlung and pair production at energies  $> 10^{11}$  eV, 1=9744
- Lohrmann, E., Teucher, M.W. and Schein, M. Nuclear interactions and mean free paths of protons, neutrons, and alpha particles at energies around 250 BeV/nucleon, 1=7240
- Lohrmann, E. See Barkow, A.G., 1=7238
- Lohrmann, E. See Gierula, J., 1=7239
- Lohrmann, E. See Haskin, D.M., 1=571
- Lohrmann, E. See Haskin, D.M., 1=3522
- Lohrmann, E. See Teucher, M.W., 1=3256
- Lohvynenko, A.A. See Kaplan, S.A., 1=13167
- Loitsyanski, L.G. The hypothesis of localness in the turbulent motion of a viscous fluid, 1=8100
- Lomaglio, C. The spin Hamiltonian appropriate to a single crystal belonging to the orthorhombic system, 1=20211
- Lomaglio, G. and Uebersfeld, J. Electron paramagnetic resonance in a gamma-irradiated single crystal of glycine, 1=20210
- Lomakin, Z.D. See Tikhonov, A.N., 1=20798
- Lomanov, M.F. and Shchegolev, V.A. A hydrogen-containing liquid in a bubble camera for operation at room temperature, 1=12037
- Lomanov, M.F. See Blinov, G.A., 1=3098
- Lomask, M.R. and Saenger, R.A. Ambient noise in a deep inland lake, 1=9457
- Lombard, D.B. and Blanchard, C.H. Fission-to-indium age in water, 1=16805
- Lombard, F.J. and Martin, F. Statistics of electron multiplication, 1=4636
- Lombard, R. See Berthier, J., 1=2188
- Lombard, R. See Berthier, J., 1=7348
- Lomer, W.M. Susceptibility of chromium-based alloys of transition elements, 1=1246
- Lomer, W.M. Magnetism in transition metal alloys, 1=20039
- Lommel, J.M. See Graham, C.D., Jr., 1=6319
- Lommel, J.M. See Hilliard, J.E., 1=14273
- Lomnev, S.P. Calculation of the phase trajectories of charged particles taking into account the Coulomb interaction in the buncher of the linear electron accelerator, 1=4674
- Lomnev, S.P. Calculation of the phase trajectories of charged particles taking into account the coulomb interaction in the buncher of the linear electron accelerator, 1=10747
- Lomnitz, C. On thermodynamics of planets, 1=15424
- Lomon, E., Morris, S., Irwin, E.J., Jr and Troung, T. The pion-pion interaction in  $\tau$ -decay, 1=12111
- Lomon, E. See Feshbach, H., 1=12086
- Lomon, E.L. The boundary condition model of nuclear forces, 1=19329
- Lomon, E.L. The nuclear many body problem in the boundary condition model, 1=19330
- Lomon, E.L. and Nauenberg, M. The  $^3S_0$  nucleon interaction in the boundary condition model, 1=8454
- Lomont, J.S. and Moses, H.E. Reply to Dr. Shewell's criticism, 1=15694
- Lomsadze, Yu.M. Concerning a "strong" coupling method in the quantized field theory, 1=8410
- Lomsadze, Yu.M., Lend'el, V.I. and Ernst, B.M. The behaviour of the total cross-sections for  $\pi p$ -scattering at high energies, 1=16871
- Lomsadze, Yu.M., Lend'el, V.I. and Kriys'kii, I.Yu. Neutron scattering on protons from the viewpoint of the  $\pi$ -meson pair doublet, 1=13428
- Lonati, R.D. The presence of long life alpha emitters in the air, 1=12692
- Lonati, R.D. and Skoff, G. Plastic scintillators in dosimetry of intense  $\gamma$  radiation beams, 1=7227
- Lonchamp, J.P. See Gegauff, C., 1=2001
- Lonchamp, J.P. See Pfohl, R., 1=8409
- Long, C.D. See White, J., 1=13389
- Long, D. Scattering of conduction electrons by lattice vibrations in silicon, 1=1069
- Long, D. Stress dependence of the piezoresistance effect, 1=17787
- Long, M.W. Detectors for microwave spectrometers, 1=1981
- Long, R. See Anderson, C.E., 1=733
- Long, R.J. and Marks, D.R. The relation between the optical and radio magnitudes of galaxies, 1=12786
- Longequeue, N. Study of the lifetime of positrons in metals, 1=489
- Longin, P. Luminescence of some aliphatic aldehydes and ketones in the vapour phase and in dilute solution crystallized at 77°K, 1=6908
- Longini, R.L. See McKelvey, J.P., 1=11279
- Longman, I.M. Solution of an integral equation occurring in the study of certain wave-propagation problems in layered media, 1=10569
- Longman, I.M. The interpolation of earth-tide records, 1=20793
- Longmire, C.L. The use of plasma for propulsion of inter-planetary rockets, 1=16340
- Longmire, M.S. See Amdur, I., 1=14124
- Longmore, J. and Petherbridge, P. Munsell value/surface reflectance relationships, 1=10610
- Longo, J. and Ward, R. Magnetic compounds of hexavalent rhenium with the perovskite-type structure, 1=14694
- Longo, L. See Ward, R., 1=6376
- Longo, M.J., Moyer, B.J., and Perez-Mendez, V.  $\pi^-p$  elastic scattering at 550, 600, 720, 900 and 1020 MeV, 1=10921
- Longoni, A.M. See Freund, P.G.O., 1=15479
- Longworth, L.G. The mutual diffusion of light and heavy water, 1=2752
- Longuet-Higgins, H.C. and Salem, L. The forces between polyatomic molecules. I. Long-range forces, 1=14132
- Lonsdale, K. and Milledge, J. Analysis of thermal vibrations in crystals: a warning, 1=19697
- Loof, H.W. and van der Sande, G.A.F. New field of application for the Moiré method, 1=11718
- Loos, J. Theory of ferromagnetic resonance line shape in insulators, 1=20173
- Loos, J. Influence of inhomogeneities in magnetic crystal on ferromagnetic resonance line shape, 1=20174
- Loos, J. A contribution to the theory of ferromagnetic resonance at high power levels, 1=20175
- Loosemore, W.R. Gas ionisation detectors, 1=8400
- Łopuszański, J. The Ruijgrok-Van Hove model expressed in terms of "dressed" operators, 1=436
- Lorber, H.W. See Swartz, G.A., 1=305
- Lorch, H.O. See Burnett, T.B., 1=18751
- Lord, D.H. See Lawson, J.D., 1=9664
- Lord, J.J. See Blue, M.H., 1=8456
- Lord, H. and Parker, R. Electrical resistivity of nickel ferrite, 1=1082
- Lord, H. See Gordon, R.L., 1=18788
- Lord, N.W. and Blinder, S.M. Isotropic and anisotropic hyperfine interactions in hydrazyl and carbazyl, 1=8860
- Lord, P. and Wetton, R.E. Instrument for the continuous determination of the mechanical internal energy losses in high-polymer solids over a wide range of temperature and frequency, 1=20283
- Lord, R.S. See Cohen, B.L., 1=1938
- Lorenz, M.R. See Janz, G.J., 1=4535
- Lorenz, P.B. Tortuosity in porous media, 1=7882
- Lorenzelli, V. Force constants of phosphorus trichloride, 1=13980

- Lorenzelli, V. and Delorme, P. Spectrum of crystalline potassium ferrocyanide in the far infrared (45-140 $\mu$ ), 1=14598
- Loretto, M.H. See Clarebrough, L.M., 1=1418
- Loretto, M.H. See Clarebrough, L.M., 1=1419
- Loretto, M.H. See Clarebrough, L.M., 1=1420
- Loretto, M.H. See Clarebrough, L.M., 1=6453
- Loretto, M.H. See Clarebrough, L.M., 1=17508
- Loretto, M.H. See Clarebrough, L.M., 1=17508
- Loretto, M.H. See Clarebrough, L.M., 1=20591
- Loric, G. See Epelboin, I., 1=12679
- Loriers, J. and Villers, G. Preparation, and study of some properties, of mixed yttrium and rare earth garnets, 1=10171
- Loriers, J. See Villers, G., 1=11453
- Lőrinczy, A. and Pataki, G. On the reverse characteristics of germanium junction diodes, 1=14478
- Lorquet, J.C. Study of the electron-molecule interaction: electronic transitions induced by bombardment, 1=3549
- Lory, M.L. See Blamont, J., 1=15254
- Lory, M.L. See Blamont, J.E., 1=10319
- Los Alamos Radiochemistry Group. See Cowan, G.A., 1=8799
- Losev, S.A. and Generalov, N.A. The non-equilibrium state behind a shock wave in air, 1=2778
- Loshaek, S. See Sandler, S.R., 1=5281
- Loshaek, S. See Sandler, S.R., 1=6236
- Loshmanov, A.A. See Ozerov, R.P., 1=11551
- Losievskaya, S.A. See Kuz'min, R.N., 1=4049
- Loskevich, E.S. See Babetski, S.Yu., 1=19314
- Lostis, P. The study, production and control of thin films giving a chosen path difference between perpendicularly polarized components, 1=5350
- Losty, J. See Culhane, L., 1=2097
- Lothe, J. Lorentz force on screw dislocations and related problems, 1=7582
- Lottermoser, W. and Meyer, F.J. Frequency measurements in sung chords, 1=9213
- Lotz, W. and Sittkus, A. High stability electronic equipment for registering the nucleon component of cosmic rays, 1=2116
- Lotz, W., Sittkus, A. and Hassler, W. Investigation of an arrangement for the measurement of the nucleon component of cosmic rays, 1=568
- Louat, N. The Peierls-Nabarro force and the deformation of iron and steel, 1=1316
- Louchard, G. Stochastic study of the history of neutrons in a moderator, 1=2059
- Loudon, L. See Keffer, F., 1=6266
- Loudon, R. See Elliott, R.J., 1=17392
- Loudon, R. See Elliott, R.J., 1=19985
- Loudon, R. See Sparks, M., 1=7761
- Lougher, E.H. See Simon, R., 1=1838
- Loughhead, R.E. and Bray, B.J. Granulation near the extreme solar limb, 1=11679
- Loughhead, R.E. and Bray, R.J. Phenomena accompanying the birth of sunspot pores, 1=18072
- Loughhead, R.E. See Bray, R.J., 1=7986
- Loughnan, C.J. Motion of geomagnetic field lines, 1=7944
- Loughnan, C.J. See Gadsen, M., 1=1562
- Louisnard, N. and Girard, A. Measurements on some photoconductive cells in the infrared, 1=1107
- Lourens, J.A.J. See Baker, J.M., 1=9046
- Louttit, R.I., Morris, T.W., Rahm, D.C., Rau, R.R., Thorndike, A.M., Willis, W.J. and Lea, R.M. Production of strange particles in p-p collisions at 2.85 BeV, 1=12127
- Louwerse, P. See Michels, A., 1=6879
- Lovas, I. See Kardon, B., 1=8651
- Love, T.A. and Murray, R.B. The use of surface-barrier diodes for fast-neutron spectroscopy, 1=3193
- Love, W.A. See Fidecaro, M., 1=5518
- Love, W.A. See Gatti, G., 1=13228
- Love, W.A. See Lindenbaum, S.J., 1=16789
- Love, W.F. and Wei, W.F. Longitudinal magnetoresistance in n-type germanium: experimental, 1=11293
- Love, W.F. See Arp, V.D., 1=9513
- Love, W.F. See Diesel, T.J., 1=17698
- Lovejoy, C.A., Rasmussen, J.O. and Shirley, D.A. Nuclear orientation of Pm<sup>143</sup>, 1=10959
- Lovejoy, D.R. Sensitive diaphragm type pressure transducer, 1=4300
- Lovelace, C. On the existence of solutions of the pion-pion dispersion equations. I, 1=13355
- Lovell, A.C.B. Investigation of the universe by radio astronomy, 1=41
- Lovell, R.J. See Herget, W.F., 1=853
- Lovera, G. See Barbetta, M.G., 1=5804
- Lovering, J.F. Micrometeorite impacts to an altitude of 135 km, 1=6259
- Lovering, J.F. See Stacey, F.D., 1=18061
- Lovreček, B. and Kunst, B. Electrolytic junction with amplifying properties, 1=9520
- Lovtysus, G.P. See Starik, I.E., 1=18
- Low, F.E. Correspondence principle approach to radiation theory, 1=5624
- Low, F.E. Persistence of stability in Lagrangian systems, 1=10442
- Low, F.J. Low-temperature germanium bolometer, 1=16186
- Low, W. Paramagnetic resonance spectrum of dysprosium in the cubic field of calcium fluoride, 1=3933
- Low, W. See Foner, S., 1=1270
- Low, W. See Friedman, E., 1=1259
- Low, W. See Shaltiel, D., 1=20212
- Low, W. See Vincow, G., 1=9055
- Löwdin, P.O. Note on the separability theorem for electron pairs, 1=11107
- Löwdin, P.O., Pauncz, R. and de Heer, J. On the calculation of the inverse of the overlap matrix in cyclic systems, 1=4173
- Lowe, D.S. See Mundie, L.G., 1=1841
- Lowe, J. See Greenlees, G.W., 1=712
- Lowe, L.F. See Burke, E.A., 1=505
- Lowell, C.E. and Williams, W.S. High-temperature calorimeter for the determination of heats of formation of refractory compounds, 1=16170
- Lowenthal, G.C. See Klemens, P.G., 1=19830
- Lowes, F.J. See Roberts, P.H., 1=20803
- Lowman, K.M. and Billings, D.E. Study of the flare-surge event of September 7, 1958, 1=1644
- Lowrie, R. and Sligh, F. Differential volumometer for measuring minute volume changes in solids, 1=10465
- Lowry, E.M. and DePalma, J.J. Sine-wave response of the visual system. I. The Mach phenomenon, 1=10354
- Lowthian, C.S. Transient temperatures in a uranium rod, 1=772
- Lozano, J.M. and Moshinsky, M. Dispersion relations and the causality concept, 1=8438
- Lozgagev, V.I. Determination of solid angles, 1=9244
- Lozhkin, O.V. See Gorichev, P.A., 1=17177
- Lozhkin, O.V. See Perfilov, N.A., 1=3468
- Lozinsky, M.G. Grain boundary adsorption and "superhigh plasticity", 1=14883
- Lozovik, V.G. New method of determining the surface diffusion coefficient, 1=14296
- Lozovskii, V.N. The distribution of relaxation times in thermal ionic polarization, 1=1126
- Łożykowski, H. Electroluminescence of ZnSe:Cu with a Cu<sub>2</sub>Se layer in an a.c. and d.c. field, 1=6239
- Łożykowski, H. and Męczyńska, H. Electroluminescence of alkaline earth sulphide phosphors, 1=6240
- Łożykowski, H. and Męczyńska, H. An attempt to obtain electroluminescence of organophosphors, 1=14660
- Łożykowski, H. and Rozwadowski, M. The influence of ultrasonics on the electroluminescence of ZnS:Cu, 1=1189
- Lu Ne-Chuan. See Danilov, V.I., 1=344
- Lubchenko, A.F. Electromagnetic wave propagation in molecular crystals with weak exciton-phonon interaction. I. Absorption and dispersion of electromagnetic waves, 1=11347
- Lubchenko, A.F. Propagation of electromagnetic waves in molecular crystals with weak exciton-phonon interaction. II. Natural optical activity, 1=11348
- Lubchenko, A.F. Propagation of electromagnetic waves in molecular crystals with weak exciton-phonon interaction. III. Magneto-optical effects, 1=11349
- Lubchenko, A.F. Correlation of collective motion with motion of "extra" nucleons [in nuclei], 1=19335
- Lubchenko, A.F. See Dzyub, I.P., 1=3389
- Lubchenko, A.F. See Dzyub, I.P., 1=17393
- Lübcke, E. Frequency evaluation of noise spectra, 1=216
- Lübcke, E. Research on noise measurement, 1=4422
- Lubkin, E. Neutrons from the capture of a polarized mu meson, 1=4873



- Luborsky, F.E. Development of elongated particle magnets, 1=6341
- Luborsky, F.E. and Lawrence, P.E. Saturation magnetization and size of iron particles less than 100 Å in diameter, 1=6308
- Lucas, B.T. See Robinson, E.L., 1=7347
- Lucas, D.H. See Cross, P.A.E., 1=1623
- Lucas, J. See Decaux, B., 1=16588
- Lucas, J.H. See Phillips, R., 1=21157
- Lucas, L.R. and Hernandez, H.P. Inflatable gasket for the 72 inch bubble chamber, 1=410
- Lucas, M.S.P., Owen, H.A. Jr., Stewart, W.C. and Vail, C.R. Vacuum-arc evaporation of refractory metals, 1=6688
- Lucas, R. The propagation of heat in solids, 1=7541
- Lucas, R. On the distribution of temperatures in solids under a flux of heat, 1=18656
- Lucas, R. and Pauthier-Camier, S. The measurement, by means of polarized ultrasonic waves, of the variation of the elastic constants of a solid subjected to stress, 1=20282
- Lucchesi, P.J. See Yates, D.J.C., 1=11601
- Luchner, K. See Kallmann, H., 1=14641
- Luciat-Labry, J. See Orr, R.L., 1=2541
- Luck, G. Influence of crystal form on the energy and time resolution of a scintillation apparatus, 1=5613
- Luck, G. The effect of target thickness on the spectral distribution of the bremsstrahlung from an electron accelerator, 1=9662
- Lücke, K. See Howe, S., 1=14905
- Luckey, G.W. The effects of halogen gases on the electrical conductivities of silver bromide and silver chloride, 1=3727
- Lucovsky, G. Electrical characteristics of diffused InAs p-n junctions, 1=14479
- Ludemann, C.A. See Marion, J.B., 1=16820
- Lüders, G. Translationally invariant oscillator potential, 1=6783
- Lüders, G. Symmetry properties of strong and weak interactions, 1=8420
- Lüders, G. See Krause, I.Y., 1=10411
- Lüders, G. See Krause, I.Y., 1=10960
- Ludford, G.S.S. Inviscid flow past a body at low magnetic Reynolds number, 1=5574
- Ludford, G.S.S. and Murray, J.D. On the flow of a conducting fluid past a magnetized sphere, 1=7130
- Ludloff, H.F. See Fillers, L., 1=18356
- Ludloff, H.F. See Reiche, F., 1=7155
- Ludlow, J.H. See Harding, G.N., 1=9574
- Ludvig, E. See Miller, J.W., 1=6670
- Ludwig, G.H. See O'Brien, B.J., 1=15328
- Ludwig, G.W. and Woodbury, H.H. Splitting of electron spin resonance lines by an applied electric field, 1=20214
- Ludwig, G.W. See Ham, F.S., 1=3934
- Ludwig, G.W. See Woodbury, H.H., 1=20233
- Ludwig, O.G. and Parr, R.G. On the introduction of arbitrary angular peakedness into atomic orbitals, 1=12302
- Ludwig, W. Dielectric investigation of polycrystalline selenium, 1=17818
- Ludwig, W. and Eckart, F. Dielectric relaxation phenomena in selenium, 1=10073
- Ludwig, W. See Hahn, H., 1=2372
- Ludwig, W. See Leibfried, G., 1=3601
- Ludziejewski, J. See Ambroży, B., 1=16995
- Luers, D., Mitra, I.S., Willis, W.J. and Yamamoto, S.S.  $K_2^0$  decays and interactions, 1=16883
- Lüers, D. See Harigel, G., 1=10819
- Luhman, W. See Galligan, J.M., 1=1309
- Luhrs, G. and Mayer-Boricke, C. Conversion line spectrum of  $Po^{214}$  ( $RaC'$ ), 1=657
- Luhrs, H.N. See Spence, H.R., 1=8171
- Luhrs, H.N. See Spence, H.R., 1=12585
- Łukaszuk, L. On the mass spectrum of baryons, 1=462
- Luke, K.P. and Jamerson, F.E. Low-frequency oscillations in a filamentary cathode cesium diode converter, 1=8347
- Lukeš, F. The temperature dependence of the refractive index of silicon, 1=11353
- Lukeš, F. The temperature dependence of the refractive index of germanium, 1=17867
- Lukes, T. Fluctuations and the electrical conductivity of metals, 1=10661
- Lukes, T. The statistical properties of sequences of stochastic pulses, 1=15394
- Lukierski, J. On the interpretation of isovector components, 1=419
- Lukierski, J. The isorepresentation of leptons, 1=2006
- Lukierski, J. The global symmetry in weak interactions, 1=13318
- Lukierski, J. The generalization of Dirac's equation. I, 1=15680
- Lukierski, J. The generalization of Dirac's equation. II, 1=15681
- Lukin, Yu.T. See Kobzev, V.A., 1=19196
- Lukirskii, A.P., Rumsh, M.A. and Karpovich, I.A. Measurement of the photoelectric emission yield of 1.54-13.3 Å X-rays, 1=13109
- Lukirskii, A.P., Rumsh, M.A. and Smirnov, L.A. A monochromator for very soft X-rays which can count the absolute number of quanta, 1=3029
- Lukirskii, A.P. See Rumsh, M.A., 1=4634
- Lukirskii, A.P. See Rumsh, M.A., 1=10730
- Lukirskii, L.P., Rumsh, M.A. and Smirnov, K.A. Measurement of the yield of photoelectrons emitted under the action of very soft X-rays, 1=2990
- Lukovtsev, P.D. See Bardina, N.G., 1=20747
- Luk'yanov, S.Yu., Podgornyi, I.M. and Sumarokov, V.N. Plasma confinement in a trap with a magnetic field that increases toward the periphery, 1=18884
- Luk'yanov, V.K. Energies of rotational states of non-axial nuclei with  $J = 10$  and  $J = 12$ , 1=19354
- Lul'ka, V.A. See Elagin, Yu.P., 1=19485
- Lumbroso, N. See Poquet, E., 1=6254
- Lumley, E. A method of making a Ronchi test on an aspheric mirror, 1=11830
- Lundbak, A. Some simple formulas for latitude effects and lifetimes of satellites, 1=9298
- Lundberg, C.W. See James, R.H., 1=7121
- Lundblad, E. See Liander, H., 1=5092
- Lundén, A. Self-diffusion and the structure of molten salts, 1=11755
- Lundén, A. A note on the transport phenomena of pure fused nitrates, 1=15199
- Lundén, A. and Blomqvist, G. The isotope effect in the electrolytic transport of lead ions in molten lead bromide, 1=15198
- Lundén, A. See Lindqvist, K., 1=19803
- Lundgren, T.S., Atabek, B.H. and Chang, C.C. Transient magnetohydrodynamic duct flow, 1=12008
- Lundin, A.G., Mikhailov, G.M. and Gabuda, S.P. Investigation of reorientation of the guanidinium ion in the ferroelectric  $C(NH_2)_3Al(SO_4)_2 \cdot 6H_2O$  by the nuclear magnetic resonance method, 1=19923
- Lundin, A.G. See Aleksandrov, K.S., 1=4059
- Lundquist, N. and Myers, H.P. The saturation magnetisation of the monoborides of Mn, Fe and Co, 1=20063
- Lundqvist, S.O. Remarks on the lattice dynamics of alkali halide crystals, 1=19689
- Lundström, T. and Klimecki, V. Analogue computer for the summation of Fourier series with digital recording of the results, 1=17984
- Lundy, R.A. See Lanthrop, J.L., 1=17300
- Lunel, M. Stellar infrared photometric studies by means of a lead sulphide photocell, 1=38
- Lunev, V.V. Application of a method of small perturbations to problems of laminar boundary layer, 1=2773
- Lun'kin, Yu.P. Boundary-layer equations and their boundary conditions in the case of supersonic motion in a moderately rarefied gas, 1=2772
- Lun'kin, Yu.P. Change in gas parameters during non-equilibrium dissociation behind a shock wave, 1=2777
- Lupan, Yu.A. See Ptushyn's'kii, Yu.H., 1=14452
- Lupinski, J.H. See van der Hoek, J.A., 1=17718
- Lupu, C. See Bîrcă-Gălăţeanu, D., 1=6017
- Lurçat, F. and Michel, L. On the relations between charges and spin, 1=16661
- Lur'e, B.G. See Murin, A.N., 1=989
- Lur'e, B.G. See Murin, A.N., 1=14314
- Lur'e, K.A. Two-dimensional problem of an incompressible fluid of finite electrical conductivity flowing past solid bodies in the presence of a magnetic field perpendicular to the flow, 1=3043
- Luria, S.M. Accommodation and scotopic visual acuity, 1=6672
- Lurié, D. See Bowcock, J., 1=2088
- Lurié, D. See Bowcock, J., 1=5764
- Lurié, D. See Gourdin, M., 1=5753
- Lurio, A. See Stern, E., 1=11341

- Lüscher, E. See Holloway, W.W., Jr. 1=12256  
 Lüscher, E. See Lieberman, D.S., 1=600  
 Lush, G.J. See Esten, M.J., 1=19192  
 Lushchik, Ch. See Klement, E., 1=2360  
 Lushchik, Ch.B. International Conference on Physics of Semiconductors, 1=6131  
 Lushchik, Ch.B., Lild'ya, G.G., Lushchik, N.E., Shvarts, K.K. and Yaëk, I.V. Physical processes in alkali halide crystal phosphors, activated by mercury-like ions, 1=17909  
 Lushchik, Ch.B., Lushchik, N.E. and Shvarts, K.K. Electron-vibrational processes in luminescence centres of ionic crystals, 1=2452  
 Lushchik, N.E. See Lushchik, Ch.B., 1=2452  
 Lushchik, N.E. See Lushchik, Ch.B., 1=17909  
 Lushchikov, V.I. See Aksenov, S.I., 1=13633  
 Lusignan, B. Cosmic noise absorption measurements at Stanford, California, and Pullman, Washington, 1=15279  
 Lüst, R. The propagation of waves in a plasma, 1=315  
 Lüst, R. Activity of comets' tails during periods of geomagnetic inactivity, 1=7981  
 Lüst, R. Magneto-fluid dynamic shock waves, 1=10779  
 Lüst, R. and Pfirsch, D. Light pressure on a diffracting edge, 1=10603  
 Lüst, R., Suydam, B.R., Richtmyer, R.D., Rotenberg, A. and Levy, D. Hydromagnetic stability of a toroidal gas discharge, 1=10707  
 Lüst, R. See Hain, K., 1=5484  
 Lustig, C.D. See Motley, R., 1=9620  
 Lustig, H. The Mössbauer effect, 1=599  
 Lustig, H. Gravitational and inertial mass, 1=1679  
 Lüthi, B. and Wyder, P. A Monte-Carlo calculation for a size effect problem, 1=1008  
 Luthra, J.M. and Padmanabhan, V.M. X-ray study of neutron irradiated barite (BaSO<sub>4</sub>), 1=9130  
 Lutsch, A. See Kühn, G.J., 1=10560  
 Lutskii, A.E. and Panova, A.N. The hydrogen bond and the propagation velocity of sound in liquids, 1=2755  
 Luttinger, J.M. Analytic properties of single-particle propagators for many-fermion systems, 1=4282  
 Luttinger, J.M. Theory of the de Haas-van Alphen effect for a system of interacting fermions, 1=6256  
 Luttinger, J.M. Theory of the Fermi surface, 1=17452  
 Luttinger, J.M. and Stiles, P.J. Theory of the magnetic susceptibility of holes in germanium, 1=20044  
 Lutzky, V.P. See Val'ter, A.K., 1=13649  
 Lutzky, V.P. See Val'ter, A.K., 1=13663  
 Lutzky, V.P. See Val'ter, K., 1=13616  
 Lu Yang. See Lyu Yuian', 1=19359  
 Luzzati, V. Interpretation of absolute measurements of X-ray central scattering in point and linear collimation; solutions of globular and rod-like particles, 1=15839  
 Luzzati, V. and Benoit, H. Central scattering of X-ray by filiform particles, 1=20485  
 Luzhinskaya, M.G. and Shur, Ya.S. Effect of elastic stresses and thermomechanical treatment on the magnetic properties of some hard magnetic materials, 1=9032  
 L'vov, S.N., Nemchenko, V.F. and Samsonov, G.V. Some regularities of the electrical properties of the borides, carbides and nitrides of the transition metals of groups IV-VI of the periodic system, 1=3707  
 Lyagin, I.V. and Ginzburg, E.Kh. On  $\Sigma^+ \rightarrow p + e^+ + e^-$  and  $\Sigma^+ \rightarrow p + \mu^+ + \mu^-$  decays, 1=19278  
 Lyall, E. See Hewitt, G.F., 1=21166  
 Lyamshev, L.M. Calculation of acoustic radiation emitted by a turbulent aerodynamic stream, 1=4402  
 Lyamshev, L.M. Some integral equations in the acoustics of a moving medium, 16009  
 Lyamshev, L.M. The acoustic radiation of turbulent flow in the presence of elastic boundaries, 1=16010  
 Lyamshev, L.M. Sound radiation from elastic shells excited by turbulent aerodynamic flow, 1=16011  
 Lyamshev, L.M. Reflection of sound from a moving thin plate, 1=18522  
 Lyamshev, L.M. and Rudakov, S.N. Radiation of sound by plates and shells in water, 1=18508  
 Lyan Chzhi-an' [Lian Chih-an] and Chistovich, L.A. Frequency-difference limens as a function of tonal duration, 1=1605  
 Lyan' Chzhi-Chao [Lien Chih-Ch'ao] and Nasledov, D.N. Electrical and galvanomagnetic properties of crystalline p-type indium antimonide at low temperatures, 1=11305  
 Lyan' Chzhi-Chao [Lien Chih-Ch'ao] and Nasledov, D.N. Electrical and galvanomagnetic properties of n-type InSb at low temperatures, 1=17739  
 Lyashchenko, A.B. See Mel'nichuk, P.I., 1=11500  
 Lyashenko, V.I., Chernaya, N.S. and Gerasimov, A.B. Investigation of the energy distribution of surface electron states in cleaned germanium surface and with adsorption of oxygen, 1=1045  
 Lyashenko, V.I., Lytovchenko, V.G. and Sambur, I.H. Investigation of the [fast] surface states of germanium, 1=14436  
 Lyashenko, V.I. and Skubenko, A.F. The influence of impurities on the properties of Sb<sub>2</sub>S<sub>3</sub>, 1=19898  
 Lyashenko, V.I. and Sytenko, T.N. Conductivity of a Ge surface, 1=11296  
 Lyashenko, V.I. See Litovchenko, V.G., 1=14433  
 Lyashenko, V.I. See Litovchenko, V.G., 1=14434  
 Lyashenko, V.S., Bykov, V.N. and Pavlinov, L.V. Self-diffusion of zirconium in some binary and ternary alloys based on zirconium, 1=6115  
 Lyashenko, V.S., Bykov, V.N. and Pavlinov, L.V. The effect of iron and nickel impurities on self-diffusion in  $\alpha$ -zirconium, 1=6116  
 Lyashenko, V.S. See Ibragimov, Sh.Sh., 1=10021  
 Lykos, P.G. and Schmeising, H.N. Maximum overlap atomic and molecular orbitals, 1=11057  
 Lykos, P.G. See Adams, O.W., 1=9935  
 Lykos, P.G. See Gilbert, T.L., 1=11106  
 Lykos, P.G. See Miller, R.L., 1=17332  
 Lykoudis, P.S. Transition from laminar to turbulent flow in magneto-fluid mechanic channels, 1=5551  
 Lynch, D.W. See Chairotti, G., 1=993  
 Lynch, F.J. See Holland, R.E., 1=4841  
 Lynch, G.J.E. See Singleton, D.G., 1=5601  
 Lynch, G.R. Final state of the antiproton-proton system, 1=16790  
 Lynch, G.R. See Button, J., 1=5727  
 Lynch, G.R. See Nguyen-huu Xuong, 1=16788  
 Lynch, G.R. See Szymanski, H.A., 1=1460  
 Lynch, J. See Bell, W.E., 1=10585  
 Lynch, J.G. See Robertson, J.C., 1=9009  
 Lynden-Bell, R.M. High resolution nuclear magnetic resonance spectra of diphosphine and monophosphine, 1=12570  
 Lynn, J.E. Computational methods for analysis of resonance transmission data for S-wave neutrons, 1=19208  
 Lynn, J.E. See Firk, F.W.K., 1=8741  
 Lynn, R.L. See Kreger, W.E., 1=5869  
 Lynton, H. See Fleming, J.E., 1=15090  
 Lyon, A.J. and Skinner, N.J. Equatorial spread-F and F-layer heights, 1=4127  
 Lyon, A.J., Skinner, N.J. and Wright, R.W. Equatorial spread-F at Ibadan, Nigeria, 1=21010  
 Lyon, A.J., Skinner, N.J. and Wright, R.W.H. The belt of equatorial spread-F, 1=1538  
 Lyon, A.J. See Appleton, E., 1=20973  
 Lyon, D.N. and Hopkins, T.E. The magnetic susceptibility of silicon bronze (everdur 1010) in high fields, 1=6293  
 Lyon, D.N. See Hornung, E.W., 1=10625  
 Lyon, E.F. See Bridge, H.S., 1=15583  
 Lyon, R.H. Effect of membrane strain on fatigue damage rate. Asymptotic calculation, 1=9433  
 Lyon, R.H. On the vibration statistics of a randomly excited hard-sprung oscillator. II, 1=15995  
 Lyon, R.H., Heckl, M. and Hazelgrove, C.B. Response of hard-sprung oscillator to narrow-band excitation, 1=15996  
 Lyon, R.H. See Maidanik, G., 1=18539  
 Lyon, R.K. and Kydd, P.H. Gaseous detonations. XIV. The CH radical in acetylene oxygen detonations, 1=12677  
 Lyon, R.K. See Kistiakowsky, G.B., 1=20739  
 Lyon, W.S. Reactor neutron activation cross-sections for a number of elements, 1=17115  
 Lyon, W.S., Eldridge, J.S. and Bate, L.C. 3.1 hour Y<sup>90m</sup>, 1=12185  
 Lyon, W.S. See Eldridge, J.S., 1=5878  
 Lyon, W.S. See Macklin, R.L., 1=17163  
 Lyon, W.S. See Weston, L.W., 1=11024  
 Lyons, D. See Kaplan, T.A., 1=6349  
 Lyons, D.H. and Kaplan, T.A. Method for determining ground-state spin configurations, 1=935



- Lyons, L.E. See Alexander, P.W., 1=14644  
 Lyons, L.E. See Craig, D.P., 1=14592  
 Lyons, V.J. See Silvey, G.A., 1=14462  
 Lys, J.E.A. and Runciman, W.A. The luminescence of uranium-activated fluorides, 1=2455  
 Lyskovich, A.B. See Belikovich, B.A., 1=4025  
 Lyskovych, O.B. See Belikovich, B.O., 1=11542  
 Lysov, B.A., Belova, L.P. and Korovina, L.I. The polarization of recombination, 1=17277  
 Lysytsya, M.P. and Malynko, V.M. Temperature dependence of the infrared absorption [band intensities] of carbon tetrachloride in a gaseous state, 1=11791  
 Lysytsya, M.P. and Malynko, V.M. The effect of an aggregate state on the intensity and structure of certain absorption bands of carbon tetrachloride in the presence of Fermi resonance, 1=14031  
 Lysytsya, M.P. See Verlan, E.M., 1=13987  
 Lytovchenko, S.H. See Dekhtyar, I.Ya., 1=15128  
 Lytovchenko, S.H. See Lisnyk, A.H., 1=14354  
 Lytovchenko, V.G. Calculation of the surface recombination rate and the bulk lifetime of carriers under nonsymmetrical boundary conditions, 1=14416  
 Lytovchenko, V.G. See Lashkar'ov, V.Ye., 1=14453  
 Lytovchenko, V.G. See Lyashenko, V.I., 1=14436  
 Lyttleton, R.A. Dynamical calculations relating to the origin of the solar system, 1=12739  
 Lyttleton, R.A. An accretion hypothesis for the origin of the solar system, 1=15416  
 Lytvynenko, V.V. Interaction of light with impurity centres in the case of intermediate coupling, 1=11350  
 Lyubarskii, G.Ya. The kinetic theory of shock waves, 1=18452  
 Lyubarskii, G.Ya. See Akhiezer, A.I., 1=18818  
 Lyubars'kii, H.Ya. and Polovin, R.V. Simple magnetosonic waves, 1=12012  
 Lyubars'kii, H.Ya. See Akhiezer, A.Y., 1=13168  
 Lyubars'kii, H.Ya. See Polovin, R.V., 1=12013  
 Lyubimov, A.L. See Belyakov, A.N., 1=10815  
 Lyubimov, G.A. See Kulikovskii, A.G., 1=361  
 Lyubimov, G.A. See Kulikovskii, A.G., 1=5570  
 Lyubimov, M.L., Shakhov, K.P. and Yukhvidin, Ya.A. Experience in designing and manufacturing all-metal vacuum systems, 1=9429  
 Lyubimov, V.A. See Alikhanov, A.I., 1=3411  
 Lyubin, V.M. and Fedorova, G.A. On the question of high-voltage photo-electromotive forces in thin semiconductor layers, 1=6178  
 Lyubov, B.Ya. and Fastov, N.S. Diffusion in a plastically deformed medium, 1=14293  
 Lyul'ka, V.A. Isotopic invariance in processes involving antihyperons, 1=13514  
 Lyul'ka, V.A. See Ivanenko, D.D., 1=2165  
 Lyu Yulan [Lu Yang] Pyatov, N.I., Solov'ev, V.G., Silin, I.N. and Furman, V.I. The properties of some strongly deformed nuclei, 1=19359  
 Lyyjnen, A. See Nurmi, M., 1=13714  
 Lyu Shun'-fu. See Tolstoi, N.A., 1=6233  
 Ma, C.H. and Swalin, R.A. A study of solute diffusion in liquid tin, 1=141  
 Maak, J. See Grimmeiss, H.G., 1=3861  
 Maas, R.W. See Ney, E.P., 1=2589  
 Maass, O. See Graham, G.D., 1=1768  
 Mabboux, C. See Dumas, J.C., 1=7174  
 Mabboux, C. See Landaud, G., 1=19376  
 McAdams, R.E. See Nichols, R.T., 1=7346  
 McAleer, W.J. See Kallmann, H., 1=6181  
 McAulay, I.R. See Cummins, D.O., 1=1984  
 McAulay, I.R. See Delaney, C.F.G., 1=2178  
 McAvoy, B.R., Feldman, D.W., Castle, J.G.Jr. and Warren, R.W. Optical saturation of F-centre spin resonance, 1=14333  
 McAvoy, B.R. See Feldman, D.W., 1=4547  
 McCaa, R.C. See Kaufman, S., 1=11804  
 McCaldin, J.O. and Wittry, D.B. Germanium saturated with gallium antimonide, 1=3752  
 McCall, D.W., Anderson, E.W. and Huggins, C.M. Self-diffusion in linear dimethylsiloxanes, 1=5273  
 McCall, D.W., Douglass, D.C. and Anderson, E.W. Erratum: self-diffusion in liquids: paraffin hydrocarbons, 1=4331  
 McCall, D.W., Douglass, D.C. and Anderson, E.W. Self-diffusion in liquid ammonia, 1=15855  
 McCall, D.W. See Douglass, D.C., 1=4330  
 McCall, G. See Bady, I., 1=6396  
 MacCallum, C.J. Comment on dynamical theory of electro-sedimentation, 1=144  
 McCallum, G.J. Determination of M1-E2 mixing amplitudes in  $Mg^{25}$ ,  $Al^{27}$ ,  $Si^{28}$ , and  $P^{31}$ , 1=10993  
 McCallum, G.J., Bromley, D.A. and Kuehner, J.A. A search for double dipole de-excitation in  $C^{12}$ , 1=2187  
 McCallum, G.J. See Mani, G.S., 1=701  
 McCarroll, R. Resonance charge transfer between  $H(1s)$  and  $H^+$  calculated by means of an approximation based on an expansion in atomic eigenfunctions, 1=19608  
 McCarroll, W.H. Phases in the photoelectric sodium-potassium-antimony system, 1=7677  
 McCarroll, W.H. Crystal structure of photoelectric films  
 McCarthy, D.E. Response characteristics of a radiation thermocouple at various pressures, 1=11853  
 McCarthy, I.E. and Pursey, D.L. Simple realistic treatment of nuclear direct-interaction processes, 1=7363  
 McCarthy, I.E. and Pursey, D.L. A simple treatment of nuclear direct interaction processes, 1=8675  
 McCarthy, I.E. See Kromminga, A.J., 1=5904  
 McCarthy, I.E. See Kromminga, A.J., 1=8681  
 McCarthy, R.L. and MacLachlan, A. Observation of free radical kinetics in the cyclohexane-oxygen system, 1=20727  
 McCartin, P.J. See Stevens, B., 1=15962  
 McCarty, K.P. and Mason, F.A. Kirkendall effect in gaseous diffusion, 1=176  
 McCauley, G.P. Parity, 1=3103  
 McChesney, M., McNeill, P.C. and Matthews, J.J. Studies of the low pressure argon arc in a magnetic field, 1=2953  
 McClelland, J.D. See Rasor, N.S., 1=17416  
 McClelland, W.M. Photoproduction of charged  $\pi$  mesons from nuclei, 1=12098  
 McClure, G.W. High-voltage glow discharges in  $D_2$  gas. I. Diagnostic measurements, 1=18804  
 McClure, J.A. See MacRae, R.A., 1=21112  
 McClure, J.W. Electronic structure and magnetic properties of monocrystalline graphite, 1=3880  
 McClure, J.W. See Wong, C., 1=11010  
 McCluskey, G.E., Jr. See Wood, F.B., 1=18103  
 McConkey, E.A.G. See Barker, R.S., 1=6119  
 McConnell, H.M. Spin-orbit coupling in orbitally degenerate states of aromatic ions, 1=4947  
 McConnell, H.M. The biradical paradox, 1=6026  
 McConnell, H.M. Intramolecular charge transfer in aromatic free radicals, 1=12322  
 McConnell, H.M. and McLachlan, A.D. Nuclear hyperfine interactions in orbitally degenerate states of aromatic ions, 1=4943  
 McConnell, H.M. See Dearman, H.H., 1=6055  
 McConnell, H.M. See Dearman, H.H., 1=9058  
 McConnell, H.M. See Sternlicht, H., 1=20194  
 McCormick, W.W. See Jones, H.W., 1=10683  
 McCoubrey, J.C., Milward, R.C. and Ubbelohde, A.R. Energy transfer in polyatomic molecules. II. Relative catalytic efficiency for energy transfer to different vibrations to the same molecule, 1=19676  
 McCoubrey, J.C. See Hudson, G.H., 1=19675  
 McCowan, J.D. and McIntosh, R. The complex dielectric constant at low microwave frequencies of ethyl chloride adsorbed on porous Vycor glass, 1=9423  
 McCracken, K.G. and Palmeira, R.A.R. Comparison of solar cosmic rays injection including July 17, 1959, and May 4, 1960, 1=13582  
 McCracken, K.G. and Palmeira, R.A.R. The magnetic fields in interplanetary space as derived from observations of the cosmic ray solar flare effects, 1=18017  
 McCracken, K.G. See Steljes, J.F., 1=16935  
 MacCracken, L.G. Reflection of plane waves by random cylindrical surfaces, 1=16561  
 McCrary, J.H. See Ashe, J.B., 1=9705  
 McCrea, W.H. The origin of the solar system, 1=14  
 McCrea, W.H. Star formation with special reference to stellar clusters, 1=12757  
 McCree, K.J. Colour confusion produced by voluntary fixation, 1=1620  
 McCree, K.J. The saturation of spectral colours viewed in a small field, 1=6677  
 McCree, K.J. Small-field tritanopia and the effects of voluntary fixation, 1=6678

## AUTHOR INDEX

- MacCrone, R.K. and Nabarro, F.R.N. Behaviour of broadcast frequency waves at oblique incidence during an annular eclipse, 1=16592
- McCubbin, T.K.Jr. A double-pasq spectrometer, 1=10592
- McCullagh, G.C. A simple plasma oscillator, 1=5482
- McCullen, J.D. and Kraushaar, J.J. Decay of  $K^{\alpha}$  and  $Sc^{\alpha}$ , 1=7356
- McCulloch, D.B. See Ingram, G., 1=766
- McCullough, J.P. See Douslin, D.R., 1=15952
- McCullough, J.P. See Scott, D.W., 1=13985
- McCullough, R.A. See Skibitzke, H.E., 1=15830
- McCumber, D.E. Generalized self-consistent-field and random-phase approximations for multiphase systems, 1=15728
- McCumber, D.E. Quantum-mechanical many-particle treatment of sound propagation, 1=15743
- McCune, J.E. See Resler, E.L.Jr., 1=5557
- McCurry, R.E. and Schaffert, R.M. Space-charge-limited currents in resin films, 1=1023
- McCusker, C.B.A., Malos, J. and Poole, P.C. An experiment to check an apparent north-south asymmetry in arrival direction of cosmic ray air shower  $10^6$  particles, 1=2134
- McCusker, C.B.A., Page, D.E. and Reid, R.J. The solar variation in rate of extensive air showers, 1=2152
- McCusker, C.B.A. See Brisbout, F.A., 1=2111
- McCusker, C.B.A. See Brisbout, F.A., 1=13562
- McCusker, C.B.A. See Brisbout, F.A., 1=16844
- McCusker, C.B.A. See Reid, R.J., 1=12138
- McCusker, C.B.A. See Ueda, A., 1=13561
- McDaniel, E.W. See Hooper, J.W., 1=4555
- McDaniels, D.K. See Naqib, I., 1=7111
- McDermott, L.C. See Smotrich, H., 1=7404
- McDermott, M.N. and Novick, R. Large-aperture polarizers and retardation plates for use in the far ultraviolet, 1=1846
- McDermott, M.N. See Faust, W.L., 1=11065
- MacDonald, A.L. See Hemmat, N., 1=10241
- McDonald, D.F., Dunn, B.J. and Braddock, J.V. Rise-time characteristics of organic solution scintillators, 1=2765
- McDonald, D.F. See Braddock, J.V., 1=13454
- Macdonald, D.K.C. Electrical resistance in liquid metals and the change on melting, 1=150
- MacDonald, D.K.C. and Pearson, W.B. Thermoelectricity in metals at normal temperatures — a query, 1=17806
- MacDonald, D.K.C., Pearson, W.B. and Templeton, I.M. Thermoelectricity at low temperatures. VIII. Thermoelectricity of the alkali metals below  $2^{\circ}\text{K}$ , 1=1114
- MacDonald, D.K.C., Pearson, W.B. and Templeton, I.M. Measurements of thermoelectricity below  $1^{\circ}\text{K}$ . IV, 1=3796
- MacDonald, D.K.C. See Guénault, A.M., 1=17814
- MacDonald, D.K.C. See Hughes, D.G., 1=12247
- MacDonald, F.A. See Huli, M.H., 1=8461
- MacDonald, G.J.F. Interior of the moon, 1=6698
- MacDonald, G.J.F. Stress history of the moon, 1=9253
- MacDonald, G.J.F. Surface heat flow from a differentiated earth, 1=20795
- MacDonald, H.E. See Blanc, J., 1=12446
- MacDonald, H.E. See Bube, R.H., 1=2421
- Macdonald, J.R. Theory and application of a superposition model of internal friction and creep, 1=20314
- McDonald, J.S. and Connolly, T.J. Investigation of natural convection heat transfer in liquid helium, 1=18658
- MacDonald, N. Variation of nuclear moments of inertia with deformation, 1=8553
- Macdonald, N. and Douglas, A.C. The magnetic spectrograph data on level densities of light nuclei, 1=9813
- McDonald, R.R. See Schneider, K.A., Jr., 1=7551
- McDonald, R.S. See Corbett, J.W., 1=3657
- McDonald, R.S. See Mackenzie, J.D., 1=5346
- McDonald, W.M. and Walt, M. Distribution function of magnetically confined electrons in a scattering atmosphere, 1=21066
- MacDonald, W.M. See Walt, M., 1=21071
- MacDowall, J. Some observations at Halley Bay [Antarctica] in seismology, glaciology and meteorology, 1=1497
- MacDowall, J. Geomagnetic observations at Halley Bay [Antarctica], 1=1572
- McDowell, C.A. See Farmer, J.B., 1=7502
- McDowell, C.A. See Lin, W.C., 1=14797
- McDowell, M.R.C. Electron capture in fast collisions. I. Capture by fast protons in atomic hydrogen, 1=17284
- McDowell, M.R.C. and Peach, G. Ionization of lithium by fast protons and electrons, 1=4556
- McDowell, M.R.C. and Peach, G. Quantal study of diffusion and viscosity cross sections for a screened coulomb potential, 1=18769
- McDowell, R.S. Coupled anharmonic vibrations and spectral band broadening, 1=8828
- McDowell, R.S., Horrocks, W.D., Jr and Yates, J.T. Infrared spectrum of  $\text{Co}(\text{CO})_4\text{NO}$ , 1=4933
- MacDowell, S.W. Coupled integral equations of the Omnès-Muskhelishvili type, 1=7205
- MacDowell, S.W. See Blankenbecler, R., 1=10855
- MacDowell, S.W. See Goldberger, M.L., 1=495
- Macefield, B.E.F. and Towle, J.H. Energy levels of  $^{32}\text{P}$ ,  $^{32}\text{Cl}$  and  $^{44}\text{Sc}$  from (d,n) reactions, 1=619
- Macefield, B.E.F., Towle, J.H. and Gilboy, W.B. A study of the reaction  $^{40}\text{Ca}(d,n)^{41}\text{Sc}$ , 1=9874
- Macefield, B.E.F. See Barry, J.F., 1=19283
- Macefield, B.E.F. See Towle, J.H., 1=5940
- Macefield, B.E.F. See Towle, J.H., 1=13857
- Macek, J.H. and Duffey, G.H. Bonding in icosahedral complexes, 1=3564
- Macek, J.H. and Duffey, G.H. Bonding in cubic complexes, 1=4946
- MacEwan, D.M.C. and Sutherland, H.H. Two-dimensional fourier transform technique for analysing random structures, 1=9133
- McEwan, W.S. See Mallory, H.D., 1=20388
- McEwen, D.J. See Montalbetti, R., 1=10328
- McEwen, J.G. See Connolly, P.L., 1=10899
- McEwen, K.L. Electronic structures and spectra of some nitrogen-oxygen compounds, 1=4941
- Macfarlane, M.H. See French, J.B., 1=13619
- Macfarlane, M.H. See Kerman, A.K., 1=16954
- MacFarlane, M.H. See Lawson, R.D., 1=8561
- McFarlane, R.A. The finite beam space-charge limited diode as a noise transducer, 1=8352
- McFarlane, R.A. Microwave noise in accelerated electron streams, 1=8353
- Macfarlane, R.D. Natural occurrence of samarium-146, 1=5987
- Macfarlane, R.D. and Kohman, T.P. Natural radioactivity in medium-heavy elements, 1=4842
- McGarry, E.D. See Gunst, S.B., 1=17191
- McGee, J.D. Photoelectronic image intensifiers, 1=16389
- McGee, J.D. and Wheeler, B.E. Single stage photoelectronic image intensifiers, 1=16390
- McGee, J.D. See Mims, W.B., 1=14792
- McGee, R.X. and Murray, J.D. A sky survey of neutral hydrogen at  $\lambda$  21 cm. I. The general distribution and motions of the local gas, 1=18201
- McGee, R.X., Murray, J.D. and Pawsey, J.L. Streaming of interstellar hydrogen in the vicinity of the sun, 1=10372
- McGervy, J.D., Horstman, H. and DeBenedetti, S. Mean lives of positrons in oxidizing solutions, 1=18436
- McGill, I.S., Menzies, D.C. and Price, M.R. The unit of neutron flux. I, 1=7248
- McGlashan, M.L. See Guggenheim, E.A., 1=14145
- McGlashan, M.L. See Guggenheim, E.A., 1=16178
- McGlenn, W.D. Annihilation of polarized positrons in magnetized iron, 1=19753
- McGlynn, S.P., Smith, J.K. and Neely, W.C. Electronic structure, spectra, and magnetic properties of oxyanions. III. Ligation effects on the infrared spectrum of the uranyl ion, 1=11104
- McGowan, F.K. and Stelson, P.H. Coulomb excitation of states in  $\text{Th}^{232}$  and  $\text{U}^{238}$ , 1=624
- McGowan, F.K. and Stelson, P.H. Coulomb excitation of the second  $2^+$  states in W, Os, and Pt nuclei, 1=8725
- McGowan, F.K. and Stelson, P.H. Decay of  $\text{Rh}^{102} \rightarrow \text{Ru}^{102}$ , 1=13755
- McGowan, F.K. See Stelson, P.H., 1=609
- McGowan, J., III. See Thaxter, J.B., 1=12016
- McGrath, J.W. and Silvini, A.A. Structure of the water molecule in solid hydrated compounds, 1=4055
- McGrath, J.W. See Silvini, A.A., 1=3931
- McGregor, A.T., Nicholls, R.W. and Jarmain, W.R. Frank-Condon factors and R-centroids for some bands of the  $\text{SiO } ^4\text{A}''\text{-X}^+\text{ } ^2\text{A}''$  band system, 1=17308
- MacGregor, M.H. Neutron-proton phase-shift analysis at 95 MeV, 1=13427



- MacGregor, M.H., Moravcsik, M.J. and Noyes, H.P. Modified analysis of nucleon-nucleon scattering. IV. p-p scattering between 9.68 and 98 MeV, 1=16771
- McGuire, J.H. An absolute thermal radiation calorimeter, 1=18663
- McGuire, T.R. See Heikes, R.R., 1=2466
- McGurn, J. See Kidson, G., 1=17567
- McHargue, C.J. and Yakel, H.L., Jr. Phase transformations in cerium, 1=2518
- McHargue, C.J. See Bolling, G.F., 1=12395
- McHargue, C.J. See Wilkinson, M.K., 1=9135
- Macherauch, E. See Kolb, K., 1=9089
- Macherauch, E. See Kolb, K., 1=10256
- Machida, M. See Yasaki, T., 1=3225
- Machida, S. See Furuichi, S., 1=8455
- Machida, S. See Goto, J., 1=10865
- Machida, S. See Goto, S., 1=4899
- Machida, S. See Hoshizaki, N., 1=10864
- Machida, S. See Kawarabayashi, K., 1=10881
- Machida, S. See Taketani, M., 1=10863
- Machlin, E.S. See Intrater, J., 1=20361
- Machlup, S. and Christopher, M.E. Piezoelectricity of quartz for finite strain, 1=10083
- McHugh, J.P., Tiller, A.W., Haszko, S.E. and Wernick, J.H. Phase diagram for the pseudobinary system  $\text{Ag}_2\text{Te}-\text{Sb}_2\text{Te}_3$ , 1=20584
- McHugh, J.P. See Cosgrove, G.J., 1=8969
- McIlwain, C. See Rothwell, P., 1=3305
- McIlwain, C.E. Scintillation counters in rockets and satellites, 1=1982
- McIlwain, C.E. Direct measurement of particles producing visible auroras, 1=15304
- McIlwain, C.E. See Forbush, S.E., 1=21073
- McInnes, B.A. A study of ionospherics at Macquarie Island, 1=20848
- McInteer, B.B. and Reisfeld, M.J. Erratum: thermal-diffusion-column shape factors for the Lennard-Jones(12-6) potential, 1=8157
- McIntosh, A.B. and Heal, T.J. Eds. Materials for nuclear engineers, 1=4884
- McIntosh, B.A. Analysis of a type of rough-trail meteor echo, 1=5170
- McIntosh, H.V. Symmetry-adapted functions belonging to the symmetric groups, 1=4175
- McIntosh, H.V. Towards a theory of the crystallographic point groups, 1=6506
- McIntosh, R. See McCowan, J.D., 1=9423
- McIntyre, J.A., Wang, K.H. and Baker, S.D. Determination of nuclear surface parameters by means of the elastic scattering of light nuclei, 1=8545
- McIntyre, R.G. and Fowler, R.G. The diffusion of resonance excitation through a gas, 1=8086
- McIntyre, R.J. Theory of microplasma instability in silicon, 1=11300
- McIntyre, R.J. A note on the method of determining ionization coefficients for electrons and holes in silicon, 1=14488
- McIrvine, E.C. Screened impurity potentials in metals, 1=11193
- McIrvine, E.C. Phenomenology of impurity conduction in semiconductors, 1=19769
- McIrvine, E.C. See Lambe, J., 1=9067
- Mack, D.A. See Baker, S.C., 1=2936
- Mack, J.E. See Schroeder, D.J., 1=5974
- Mack, R.J. and Zweifel, P.F. Greuling-Goertzel calculations in heavy water, 1=13438
- Mackay, B.H. See Downes, J.G., 1=21154
- MacKay, I. Organic-cooled deuterium moderator reactors, 1=2254
- McKay, R.W. and Gravelle, W.E. The Hall effect and resistivity of tellurium, 1=8958
- McKelvey, J.P. Recombination of excess carriers at twin structures in germanium, 1=5017
- McKelvey, J.P., Longini, R.L. and Brody, T.P. Alternative approach to the solution of added carrier transport problems in semiconductors, 1=11279
- McKenna, S.M.P. See Ellison, M.A., 1=7996
- McKenna, S.M.P. See Ellison, M.A., 1=7997
- McKenna, S.M.P. See Ellison, M.A., 1=15479
- McKenna, V.R., Baxter, A.M. and Shute, G.G. Energy levels in  $^{15}\text{N}$ , 1=10970
- McKenna, V.R. and Shute, G.G. Inelastic scattering of protons on  $\text{C}^{13}$ , 1=19453
- McKenzie, A.S.V., Cole, J.F.I. and Jacob, L. Shock-excited dark discharge, 1=16278
- MacKenzie, D.R. See Connor, R.D., 1=19419
- Mackenzie, J.D., McDonald, R.S. and Murphy, W.K. Infrared spectroscopy of melts and hygroscopic glasses, 1=5346
- Mackenzie, J.D. See Kaskan, W.E., 1=4937
- McKenzie, J.M. and Ewan, G.T. Semiconductor electron detectors, 1=3186
- McKenzie, J.M. and Waugh, J.B.S. Silicon junctions as particle spectrometers, 1=3083
- Mackenzie, K.V. Sound-speed measurements utilizing the bathyscaph Trieste, 1=12685
- Mackenzie, K.V. Long-range shallow-water transmission, 1=18519
- Mackenzie, K.V. Bottom reverberation for 530 and 1030 c/s sound in deep water, 1=18525
- McKeown, D. New method for measuring sputtering in the region near threshold, 1=4671
- McKeown, M. See Scharff-Goldhaber, G., 1=12171
- McKibbin, D.D. See Hanson, W.B., 1=20999
- McKim, F.R. Magnetic susceptibility measurements on type A myoglobin crystals, 1=14673
- Mackin, R.J., Jr. Plasma accumulation in a device fed by energetic-ion trapping, 1=18892
- McKinley, D.W.R. and Webb, E.L.R. Reduction of meteor velocities from continuous-wave radio records, 1=9257
- McKinney, C.M. See Barnard, G.R., 1=4413
- McKinney, C.M. See Hampton, L.D., 1=6936
- Mackinnon, L. and Taylor, M.T. The possible relation between the shape of the Fermi surface and the magnetic-field rotation diagrams of ultrasonic attenuation, 1=19742
- Mackintosh, A.R. Magnetoacoustic effects in lead and tin, 1=17459
- Mackintosh, I.M. See Miller, G.L., 1=3082
- Mackie, H. and Mayrick, R.G. A plastic capsule technique for the combustion calorimetry of volatile or chemically reactive compounds: the heat of combustion of polythene, 1=6986
- Macklen, E.D. Investigation of the electrical contact properties of granular carbon aggregates, 1=17633
- Macklin, R.L., DeSaussure, G., Kingston, J.D. and Lyon, W.S. Manganese bath measurements of  $\eta$  of  $\text{U}^{235}$  and  $\text{U}^{238}$ , 1=17163
- Macklin, R.L. See Gibbons, J.H., 1=7384
- McKnight, J.A. See Bishop, J., 1=5986
- Mackor, E.L. and MacLean, C. The influence of localized charges on the magnetic shielding of protons in aromatic carbonium ions, 1=11119
- Mackor, E.L. See Maclean, C., 1=11126
- Mackor, E.L. See MacLean, C., 1=11767
- MacLachlan, A. See McCarthy, R.L., 1=20727
- McLachlan, A.D. Electrons and holes in alternant hydrocarbons, 1=14071
- McLachlan, A.D. Self-consistent field theory of the electron spin distribution in  $\pi$ -electron radicals, 1=14108
- McLachlan, A.D. The wave functions of electronically degenerate states, 1=19652
- McLachlan, A.D. and Baker, M.R. A hydrodynamic model for diamagnetic induced currents in molecules, 1=19651
- McLachlan, A.D. and Harris, R.A. Mayer's ensembles of maximum entropy, 1=9339
- McLachlan, A.D. See Hobey, W.D., 1=2337
- McLachlan, A.D. See McConnell, H.M., 1=4943
- McLachlan, D., Jr. Similarity function for pattern recognition, 1=15389
- McLachlan, D., Jr. and Chamberlain, L.L. Geometrical approach to the theory of probability, 1=10366
- McLaren, E.H. and Weinberg, F. Zn:Tl phase diagram at very low thallium concentrations, 1=9147
- McLaren, K.G. and Tabor, D. The frictional properties of lignum vitae, 1=4004
- McLaughlin, D.B. Visual photometric observations of  $\omega$  Serpentis, 1=12767
- McLaughlin, E. Transport coefficient ratios for isotopically substituted molecules in the liquid phase and the transport mechanism, 1=10498
- McLaughlin, E. and Ubbelohde, A.R. Pre-freezing phenomena in molten metals, 1=15844
- McLaughlin, E. See Horrocks, J.K., 1=15849

- McLaughlan, E.C. Noise suppression in pulse receivers, 1=11686
- McLaughlin, W.L. Megaroentgen dosimetry employing photographic film without processing, 1=400
- McLaughlin, W.L. See Ehrlich, M., 1=16129
- McLay, A.B. See Pieczonka, W.A., 1=2495
- Maclean, C. and Mackor, E.L. Proton exchange in carbonium ions of methyl-substituted benzenes, 1=11126
- MacLean, C. and Mackor, E.L. Nuclear magnetic resonance of proton complexes of weak bases, 1=11767
- MacLean, C. See Mackor, E.L., 1=11119
- McLean, D. See Carrington, W., 1=14272
- McLean, E.A., Faneuff, C.E., Kolb, A.C. and Griem, H.R. spectroscopic study of helium plasmas produced by magnetically driven shock, 1=291
- McLean, E.A., Kolb, A.C. and Griem, H.R. Visible precursor radiation in an electro-magnetic shock tube, 1=12917
- McLean, S., Meleka, A.H. and Barr, W. An autoradiographic effect, 1=18635
- McLean, T.P. The absorption edge spectrum of semiconductors, 1=6210
- McLean, T.P. and Paige, E.G.S. A theory of the effects of carrier-carrier scattering on mobility in semiconductors, 1=17664
- McLean, T.P. and Paige, E.G.S. Electron-hole scattering and minority carrier mobility in germanium, 1=19853
- Macleay, R.Q. and Holroyd, L.V. Space-time analysis of the sonoluminescence emitted by cavitating water, 1=4346
- McLellan, A.G. Selection rules for spin-orbit matrix elements for the configuration  $f^n$ , 1=3497
- McLellan, A.G. Eigenfunctions for integer and half-odd integer values of  $J$  symmetrized according to the icosahedral group and the group  $C_{3v}$ , 1=7515
- McLennan, J.A.Jr. Nonlinear effects in transport theory, 1=18322
- MacLeod, G.R. See Bartke, J., 1=8515
- McLeod, J. and Werbrouck, A.E. Mechanical equivalent of heat apparatus, 1=1852
- McLeroy, E.G. Complex image theory of low-frequency sound propagation in shallow water, 1=11811
- MacLusky, G.J.R. Automatic control of a research reactor, 1=2263
- McMahon, H.O. See Miles, J.L., 1=11320
- MacMahon, J.P. A 100 channel pulse analyzer utilizing dual step conversion, 1=2933
- McMahon, J.P. Argonne three dimensional analyzer, 1=11892
- McManigal, P.G. See Barish, B.C., 1=8486
- McManus, G.M. See Flinn, P.A., 1=11165
- McManus, G.M. See Flinn, P.A., 1=20294
- McManus, G.M. See Flinn, P.A., 1=20590
- McMaster, W.H. Matrix representation of polarization, 1=8428
- McMillan, J.A. Paramagnetism: A key to the knowledge of chemical bonding, 1=3881
- McMillan, J.A. and Smaller, B. Paramagnetic resonance of some copper complex compounds, 1=14795
- McMillan, R.C. See King, G.J., 1=8921
- McMillan, R.C. See King, G.J., 1=17579
- McMillan, W.G. See Nash, C.P., 1=10693
- McMillen, J.H. Research programs in non-Ph.D. granting institutions, 1=2676
- McMorrow, E.W. See Wallace, J.D., 1=2829
- McMurry, H.L. Coordinates for the group vibration method for calculating molecular frequencies, 1=13993
- McNair, A. The half-life of vanadium-50, 1=12180
- McNair, A. The half-life of long-lived lutetium-176, 1=17011
- McNair, A. and Wilson, H.W. The half-life of rubidium-87, 1=12162
- McNamara, A.G. Auroral radar observations at 48 Mc/s during the period of the 12 November 1960 solar event, 1=21059
- McNamee, J.M. See Dalgarno, A., 1=9805
- McNarry, L.R. The observation of a solar event in white light from Resolute, N.W.T., on August 30, 1957, 1=2617
- McNarry, L.R. See Covington, A.E., 1=10393
- McNaught, R.A. See Goulding, F.S., 1=18731
- McNeely, D.R. See Forstater, H., 1=19716
- McNeill, D.J. See Curry, C., 1=3514
- McNeill, K.G. Further comment on the interrelationship of physical quantities, 1=1672
- McNeill, K.G., Trojan, O.A.D. and Dawson, D.J. Gamma-active fall-out in Ontario 1958-60, 1=17007
- McNeill, K.G. See Baker, R.G., 1=8688
- McNeill, K.G. See Baker, R.G., 1=17073
- McNeill, K.G. See Taagepera, R., 1=17853
- McNeill, P.C. See McChesney, M., 1=2953
- McNesby, J.R. See Gordon, A.S., 1=6570
- McNesby, J.R. See Okabe, H., 1=6573
- McNish, A.G. Nomenclature for standards of radioactivity, 1=13665
- McNish, A.G. See Huntoon, R.D., 1=1676
- McNiven, H.D. Extensional waves in a semi-infinite elastic rod, 1=2809
- Macovei, M. See Grigoriu, A., 1=5513
- McPherson, P.M., Sclar, N., Linden, B.R., Brouwer, W. and Stair, A.T.Jr. Photodetecting instrument with flat wave-length response, 1=10589
- McPherson, R. See Taylor, H.W., 1=1878
- McPherson, R. See Taylor, H.W., 1=19420
- Macq, P.C. See Demortier, G., 1=13841
- McQuillan, A.D. See Jones, D.W., 1=10130
- McQuillan, M.K. A study of the titanium-silver system, 1=15162
- McQuistan, R.B. See George, R.I., 1=11670
- MacRae, A.U. See Germer, L.H., 1=20658
- Macrae, J.C. and Gray, W.A. Significance of the properties of materials in the packing of real spherical particles, 1=6552
- MacRae, R.A., McCure, J.A. and Latimer, P. Spectral transmission and scattering properties of red blood cells, 1=21112
- Macrakis, M.S. A possible long-range communications link between ground and low-orbiting satellites, 1=1546
- Macrakis, M.S. Theoretical and experimental study of the backscattering cross section of an infinite ribbon, 1=1973
- Macris, C.J. Spicules and their contribution to the formation of the solar chromosphere, 1=4201
- McSkimin, H.J. Pulse superposition method for measuring ultrasonic wave velocities in solids, 1=2819
- McSkimin, H.J. Effect of diffraction on velocity of sound, 1=6933
- McSkimin, H.J. Notes and references for the measurement of elastic moduli by means of ultrasonic waves, 1=7809
- McSkimin, H.J. See Bateman, T., 1=7810
- McSkimin, H.J. See Fisher, E.S., 1=15135
- MacSwan, A.M. See Campbell, D.S., 1=6920
- Macurdy, L.B. See Bowman, H.A., 1=102
- Macurdy, W.B. See Bliss, J.C., 1=21129
- McVickers, R.C. See Maskrey, J.T., 1=16293
- McVittie, G.C. See Bonnor, W.B., 1=15410
- McVoy, K.W. Neutron-neutron scattering length, 1=4800
- McVoy, K.W. Electron-nucleus scattering and two-nucleon correlations, 1=19444
- McWeeny, R. Zero-field splitting of molecular Zeeman levels, 1=4939
- McWeeny, R. Comment on the calculation of zero-field splittings, 1=12361
- McWeeny, R. and Mizuno, Y. The density matrix in many-electron quantum mechanics. II. Separation of space and spin variables; spin coupling problems, 1=13911
- Madan, M.P. See Bahadur, J., 1=14130
- Madansky, L. See Culligan, G., 1=8477
- Madansky, L. See Pevsner, A., 1=7450
- Madansky, L. See Zdanis, R., 1=3459
- Madár, J. A contribution to the crystal structure of  $\text{KHSeO}_4$ , 1=9141
- Madár, J. See Karavičová, M., 1=9140
- Madatova, E.H. See Dekhtyar, I.Y., 1=11429
- Madatova, E.G. See Hertsricke, S.D., 1=20625
- Madden, H.H. and Farnsworth, H.E. Tests for chemisorption of nitrogen on a clean (100) nickel surface, 1=6563
- Madden, H.H.Jr. See Farnsworth, H.E., 1=20687
- Madden, R.P. and Canfield, L.R. Apparatus for the measurement of vacuum ultraviolet optical properties of freshly evaporated films before exposure to air, 1=11836
- Maddin, R. See Lee, C.H., 1=14321
- Maddock, A.J. Design of scales for industrial instruments, 1=4164
- Madella, G.B. Plane condenser electrostatic actuators, 1=10574
- Madelung, O. The theory of zone drawing of semiconductors in the presence of a gas phase, 1=15002
- Mader, C.L. See Pretzel, F.E., 1=7697



- Mader, J. and Sujak, B. On the possibility of the determination of plastic deformation with the help of a Geiger point counter, 1=12590
- Mader, S. and Seiger, A. On the slip line pattern of face-centered cubic metal crystals, 1=2511
- Mader, S. See Seiger, A., 1=12598
- Madigan, J.R. See Arai, T.T., 1=8301
- Madigan, J.R. See Reich, A.D., 1=2902
- Madigosky, W.M. and Litovitz, T.A. Mean free path and ultrasonic vibrational relaxation in liquids and dense gases, 1=4338
- Madikyan, R.A. See Geguzin, Ya.E., 1=4024
- Madorskii, A.Ya. See Rakhman, B.M., 1=6462
- Madsen, A.W. See Morrey, J.R., 1=10595
- Madsen, P.E. See Johnson, C.E., 1=10135
- Maecker, H. See Frie, W., 1=941b
- Maecker, H. See Frie, W., 1=13071
- Maeda, H. and Ondoh, T. Evidence of quasi-perpendicular propagation of hydromagnetic waves caused by nuclear explosions over Johnston Island, 1=6658
- Maeda, H. and Yamamoto, M. A note on daytime enhancement of the amplitude of geomagnetic-storm sudden commencements in the equatorial region, 1=1592
- Maeda, H. and Yamamoto, M. Daytime enhancement of the amplitude of geomagnetic sudden impulses in the equatorial region, 1=4134
- Maeda, H. See Miyazawa, H., 1=12436
- Maeda, H. See Sakurai, K., 1=18168
- Maeda, H. See Yamamoto, M., 1=15350
- Maeda, H. See Yasuhara, M., 1=21094
- Maeda, H. See Yonemitsu, H., 1=14384
- Maeda, K. Directional dependence of atmospheric temperature effects on cosmic-ray muons at sea-level, 1=2115
- Maeda, K. Electroluminescence of insulated particles. II, 1=12507
- Maeda, K. Production of atmospheric neutrons by solar  $\gamma$  rays, 1=21081
- Maeda, K. and Patel, V.L. Seasonal variations of cosmic-ray intensity in polar regions, 1=16946
- Maeda, K., Patel, V.L. and Singer, S.F. Solar flare cosmic-ray event of May 4, 1960, 1=16933
- Maeda, K. and Singer, S.F. Energy dissipation of spiralling particles in the polar atmosphere, 1=20959
- Maeda, K. See Chasson, R.L., 1=3348
- Maeda, R. See Fukushima, N., 1=1595
- Maeda, S. See Schatz, P.N., 1=4343
- Maeda, T. See Kameda, T., 1=2126
- Maeda, T. See Kameda, T., 1=10941
- Maeda, T. See Kameda, T., 1=12137
- Maeder, D.G. Electronics for handling random events, 1=5407
- Maekawa, S. See Edagawa, H., 1=17776
- Maenz, H., Tiedeken, R. and Wanke, R. Improved cine projection objectives for new film projection systems, 1=8247
- Maes, S. Third-order corrections to the vibration-rotation energy of polyatomic molecules, 1=7458
- Maes, S. See Grenier-Besson, M.L., 1=17304
- Maeva, S.V. See Yu Levin, B., 1=5134
- Maffei, P. Observation of comets. I. Photographic observation of the Arend-Roland (1956 h) comet, 1=13054
- Maffei, P. Observation of comets. II. Photographic observation of comet Mrkos (1957 d), 1=18055
- Magarvey, R.H. and Bishop, R.L. The wake of a moving drop, 1=4319
- Magarvey, R.H. and Bishop, R.L. Wakes in liquid-liquid systems, 1=10482
- Magarvey, R.H. and Bishop, R.L. Transition ranges for three-dimensional wakes, 1=18374
- Magarvey, R.H., Bishop, R.L. and Blackford, B.L. Time interval in the Clement and Désormes experiment, 1=6987
- Magat, L.M. See Glazer, A.A., 1=1219
- Magee, J.L. and Funabashi, K. Dissociation processes in electronically excited molecules. Linear chain model, 1=8859
- Magee, J.L. See Nosworthy, J.M., 1=4349
- Mager, A. and Hillmann, H. On the coercive force of zone-melted iron, 1=10144
- Magidson, I.A. See Bokshstein, B.S., 1=7588
- Magill, J.H. Light transmission technique for following continuous changes in optical retardation in polymer films, 1=19962
- Magistrelli, F. See Allen, J.E., 1=5454
- Maglić, B.C., Alvarez, L.W., Rosenfeld, A.H. and Stevenson, M.L. Evidence for a  $T = 0$  three-pion resonance, 1=16840
- Maglić, B.C., Feld, B.T. and Diffey, C.A. Angular distribution of protons from  $\pi^-p$  scattering at 900 MeV, 1=12105
- Maglić, B.C., Kalbfleisch, G.R. and Stevenson, M.L. Charge asymmetries in the angular distribution of  $\pi$  and K mesons from antiproton annihilation in flight, 1=13472
- Maglić, B.C. See Button, J., 1=5727
- Maglić, B.C. See Feld, B.T., 1=13419
- Magnac-Valette, D., Lacombe, E., Bilwes, R. and Clier, P. Determination of cross-sections of  $D + D = p + T + 4.03$  MeV at energies below 15 keV, 1=7289
- Magnac-Valette, D., Monnier, M., Caffier, P. and Clier, P. Calculation of  $\langle \sigma v \rangle$  coefficients, 1=7411
- Magnac-Valette, D. See Bilwes, R., 1=2182
- Magnac-Valette, D. See Bilwes, R., 1=3458
- Magnac-Valette, D. See Bilwes, R., 1=13701
- Magnac-Valette, D. See Gérardin, C., 1=16919
- Magnac-Valette, D. See Seltz, R., 1=2242
- Magnac-Valette, D. See Suffert, M., 1=2236
- Magnasco, V. Molecular structure deduced from the statistical theory of the electric moments of linear polymers. I. Study of polyoxyethylene-glycol, 1=8867
- Magnuson, G.D., Meckel, B.B. and Harkins, P.A. Etch effects from oblique-incidence ion bombardment, 1=4672
- Magnuson, G.D. See Harrison, D.E.Jr., 1=8562
- Magnusson, E.A. and Zauli, C. Evaluation of molecular integrals by a numerical method, 1=12303
- Magnusson, E.A. See Craig, D.P., 1=867
- Mahadevan, E.G. See Weingaertner, E., 1=4915
- Mahadevan, K. See Prasad, K.K., 1=16154
- Mahaffey, D.W. See Emeleus, K.G., 1=9631
- Mahan, B.H. See Doering, J.P., 1=9174
- Mahanty, J. On the vibration spectrum of a disordered linear lattice, I, 1=6069
- Mahanty, J., Maradudin, A.A. and Weiss, G.H. Vibrational thermodynamic properties of lattices with defects. II. Two- and three-dimensional simple cubic lattices, 1=9973
- Mahl, H. and Weitsch, W. Small-angle diffraction with electron beams, 1=15038
- Mahlman, H.A. The OH yield in the  $\text{Co}^{60}\gamma$  radiolysis of  $\text{HNO}_2$ , 1=20763
- Mahmoud, K.A. and El-Nesr, M.S. Analysis of scintillation spectrometer observations of  $\text{Co}^{60}$  and  $\text{Na}^{24}$  gamma radiation through cadmium, 1=7330
- Mahr, H. Ultraviolet absorption of the mixed system  $\text{KCl-KBr}$ , 1=8989
- Maidanik, G. The flow of fluids through capillaries, powder beds and porous media, 1=131
- Maidanik, G. Use of delta function for the correlations of pressure fields, 1=18538
- Maidanik, G. and Lyon, R.H. Response of strings to moving noise fields, 1=18539
- Maier, C. See Hansen, G.E., 1=17217
- Maier, E.J., Bloch, B.L., Edelstein, R.M. and Siegel, R.I. Measurement of the rate  $\mu + \text{C}^{12} \rightarrow \text{B}^{12} + \nu$ , 1=9871
- Maier, G. Exciton spectra of mixed crystals, 1=3637
- Maier, W. and Meier, G. A simple theory of the dielectric properties of homogeneously oriented liquid crystals of the nematic type, 1=10519
- Maier, W. and Meier, G. Dielectric anisotropy and dielectric loss of some liquid crystals, 1=12892
- Maier, W. and Meier, G. The principal dielectric constants of the homogeneously ordered liquid crystal phase of p-azoxyanisole, 1=18425
- Maier, W. See Friebolin, H., 1=17359
- Maier, W. See Markau, K., 1=17345
- Maier, W. See Dreizler, H., 1=9691
- Mailänder, M. See Schneider, R., 1=9478
- Maillard, R. See Papineau, A., 1=18938
- Maiman, T.H. Stimulated optical emission in fluorescent solids. I. Theoretical considerations, 1=11390
- Maiman, T.H., Hoskins, R.H., D'Haenens, I.J., Asawa, C.K. and Eytuhov, V. Stimulated optical emission in fluorescent solids. II. Spectroscopy and stimulated emission in ruby, 1=11391
- Main, R.M. See Hubbard, E.L., 1=1049
- Mainsbridge, B. Relative intensity of the 17.2 and 14.3 MeV gamma rays from the  $\text{Li}^7(p,\gamma)\text{Be}^8$  reaction, 1=693

## AUTHOR INDEX

- Mainsbridge, B. The angular distributions of the gamma radiation from the  $\text{Li}^7(p, \gamma)\text{Be}^8$  reaction from  $E_p = 200$  keV to 1100 keV, 1=694
- Mainstone, J.S., Elford, W.G. and Weiss, A.A. A suggested improvement to the c.w. technique for measurement of meteor velocities, 1=1633
- Maisch, W.G. See Schamp, H.W., Jr, 1=6955
- Maisenhälder, F. See Schneider, R., 1=18597
- Maissel, L.I. See Simmons, J.G., 1=10746
- Maita, J.P. See Compton, V.B., 1=11881
- Maitland, A. New derivation of the vacuum breakdown equation relating breakdown voltage and electrode separation, 1=18810
- Maitland, R. See Barrow, B.B., 1=2932
- Maitland, R. See Barrow, B.B., 1=4545
- Maitrot, M. Some remarks concerning differential fast coincidence systems, 1=1876
- Majewski, W. On the possibility of neutral currents in four-fermion interactions, 1=537
- Majewski, W. On the polarization of neutrons from muon capture by the nucleus, 1=2063
- Majewski, W. The universal Fermi interaction in the muon capture, 1=13833
- Majewski, Z., Sikorski, S. and Świdorski, J. On the relation between anomalous resistivity and concentration gradient of carriers in germanium, 1=1042
- Majima, T. See Suzuki, T., 1=13198
- Majlis, N. See Arduino, H.A., 1=14639
- Major, J.V. See Allen, J.E., 1=17136
- Major, S.S., Jr. Electrokinetic potential (EKP) versus electromotive force (EMF), 1=4552
- Majumdar, K. See Joshi, K.C., 1=14040
- Majumdar, K. See Mohan, H., 1=3841
- Majumdar, S.K. Electrodynamics of a charged particle moving through a plasma without magnetic field, 1=1958
- Majumdar, S.K. Radiation by charged particles passing through an electron plasma in an external magnetic field, 1=10723
- Majumder, N.K. See Mukherjee, S.K., 1=5924
- Majumder, N.K. See Mukherjee, S.K., 1=13453
- Mak, A.A. Density of charged particles in the channel of a spark discharge, 1=16281
- Mak, A.A. See Vanyukov, M.P., 1=5428
- Mak, A.A. See Vanyukov, M.P., 1=10681
- Makar'ina, L.A. See Varfolomeev, A.A., 1=2139
- Makarov, S.S. See Brekhovskikh, L.M., 1=5327
- Makarov, V.I. and Fadeeva, N.A. Radiation of waves by shells in a sound-field, 1=18513
- Makarov, V.I. See Kan, L.S., 1=18723
- Makarov, V.P. See Zhilich, A.G., 1=17884
- Makaryunas, K.V. See Starodubtsev, S.V., 1=11036
- Makhan'k, A.G. The effect of vibrations on the [nuclear] quadrupole coupling constants of alkali-halide molecules, 1=2348
- Makhnovskii, E.D. See Komar, A.P., 1=4855
- Makhnovskii, E.D. See Komar, A.P., 1=5893
- Makhov, A.F. Penetration of electrons into solids. I. Intensity of the electron beam. Transverse paths of electrons. II. Depth distribution of electrons. III. Absorption of the energy of the electron beam, 1=6098
- Maki, A.G. Infrared spectra of carbon monoxide as a solid and in solid matrices, 1=14601
- Maki, A.H. Rotational isomerism in terephthaldehyde anion, 1=17368
- Maki, A.H. See Melchior, M.T., 1=6040
- Maki, M. See Saitō, T., 1=1738
- Maki, T. See Mikumo, T., 1=8771
- Maki, T. See Mikumo, T., 1=9881
- Maki, T. See Morita, S., 1=12214
- Maki, T. See Mikumo, T., 1=9882
- Maki, Z. A note on the leptonic decay of hyperons, 1=3237
- Maki, Z., Nakagawa, M., Ohnuki, Y. and Sakata, S. A unified model for elementary particles, 1=3120
- Maki, Z. and Ohnuki, Y. The non-leptonic decays of hyperons, 1=12120
- Makin, M.J. and Minter, F.J. Irradiation hardening in copper and nickel, 1=1004
- Makin, M.J., Whapham, A.D. and Minter, F.J. Dislocation loops and hardening in neutron irradiated copper, 1=10004
- Makita, M. and Morimoto, M. Photoelectric study of sunspots, 1=6708
- Makita, M. See Unno, W., 1=15510
- Makita, T. See Takahashi, I., 1=14103
- Makkink, J.W. See Leijzers Vis, W., 1=5505
- Makolagwa, S. Effect of potassium ions on final properties of Mn-Zn ferrite, 1=20135
- Makover, S.G. and Bokhan, N.A. The motion of the Enke-Baklund comet for the years 1898-1911 and a new determination of the mass of Mercury, 1=2605
- Makowska-Rzeszutko, M. See Lewandowski, Z., 1=3100
- Maksimenko, V.M. and Rozenal', I.L. Covariant statistical theories of multiple particle production, 1=3150
- Maksimenko, V.M. See Goldanskii, V.I., 1=3227
- Maksimenko, V.M. See Gramenitskii, I.M., 1=19183
- Maksimov, L. See Kagan, Yu., 1=18475
- Maksimova, G.V. See Osiko, V.V., 1=12502
- Malakhov, L.N. See Vertsner, V.N., 1=8961
- Malakhov, V.V. The scattering equations for low energies, 1=19151
- Malakhov, V.V., Rashevskaya, E.P. and Fainberg, V.Ya. Use of the dispersion approach in investigation of the simplest Green's functions in meson dynamics, 1=4777
- Malamud, H. See Neuringer, J.L., 1=11944
- Malaviya, V. See Ghosh, S.N., 1=20869
- Mal'chenko, V.I. Determining the radius of meson-nucleon interaction, 1=13832
- Mal'chenko, V.I. Double dispersion relations for potential scattering, 1=16721
- Male, J.C. Luminescence excitation spectrum of diamond near the fundamental absorption edge, 1=9001
- Maleev, S.V. Polarization resulting from the scattering of [slow] neutrons by ferromagnetic substances, 1=20120
- Málek, Z. and Schlüppel, W. Uniaxial magnetic anisotropy of evaporated thin cobalt films, 1=3894
- Málek, Z. and Schlüppel, W. Direct measurement of the uniaxial magnetic anisotropy of evaporated thin films of iron, nickel, permalloy and cobalt, 1=3895
- Málek, Z. See Frajt, Z., 1=17962
- Málek, Z. See Kamberský, V., 1=14718
- Málek, Z. See Kamberský, V., 1=16481
- Malenka, B.J. and Valk, H.S. High-energy potential scattering with short-range forces, 1=7215
- Malenka, B.J. and Valk, H.S. Interpretation of elastic  $\pi^+ - p$  scattering at 1.1 BeV, 1=7278
- Malenkov, G.G. [Contribution] to the problem of the structure of liquid water, 1=11749
- Malenkov, G.G. [Contribution] to the problem of the structure of liquid water, 1=12864
- Maletskii, I. See Abramchik, M., 1=18518
- Malevskaya, L.A. See Belov, K.P., 1=20181
- Malhotra, P.K. and Tsuzuki, Y. Analysis of some nuclear interactions of energies ( $10^{12} - 10^{14}$ ) eV/nucleon, 1=5800
- Malickó, L. Investigations of dislocations in single crystal and polycrystalline plates of AgCl, 1=17532
- Malik, F.B. Elastic scattering of low energy positrons by atoms, 1=17282
- Malik, F.B. and Trefftz, E. Ionization cross-section of O V due to electron impact by consideration of partial exchange, 1=18767
- Malik, F.B. and Trefftz, E. The potential model treatment of the scattering of electrons by atoms and the existence of negative ions, 1=19604
- Malik, G.N. See Garber, R.I., 1=10159
- Maling, J.E. See Bloise, M.S.Jr., 1=14090
- Malinin, V.I. See Perel'man, S.M., 1=9742
- Malinofsky, W.W. and Babbitt, R.W. Fine-grained ferrites. I, nickel ferrite, 1=6356
- Malinovski, A. and Yordanov, D. A new method for determining air humidity by the heat exchange of a cooled thermistor, 1=1508
- Maliszewski, E. The optical properties of slow chopper and time-of-flight device, 1=19214
- Malitson, H.H., Purcell, J.D., Tousey, R. and Moore, C.E. The solar spectrum from 2635 to 2085 Å, 1=2612
- Malkiel, G.S. On slow and rapid neutron-capture processes in the theory of origin of the elements, 1=17109
- Malkiel, G.S. and Sukhanov, B.I. An ion source operated by high-frequency pulses, 1=4657
- Malkin, G.M. Simultaneous investigation of the photo-dielectric effect and the light sum in the  $\text{ZnS:Cu:Co}$  phosphor, 1=14545



- Malkin, G.M. Investigation of the relaxation time of photodielectric effect in the ZnS:Cu:Co phosphor, 1=14546
- Malkin, G.M. See Vergunas, F.I., 1=1129
- Malkin, G.M. See Vergunas, F.I., 1=6192
- Malkin, M.S. Half-life measurement in the micro- and millisecond range, 1=4540
- Malkin, M.S. See Hubbard, E.L., 1=10/49
- Malkov, E.I. and Shmushkevich, I.M. Emission of electromagnetic radiation in collisions of particles with similar values of  $e/m$ , 1=17154
- Malkov, M.P., Zel'dovich, A.G., Fradkov, A.B. and Danilov, I.B. The separation of deuterium on an industrial scale by low-temperature distillation, 1=4916
- Malkovich, R.Sh. Methods of calculating the mobility of impurity ions in solid bodies, 1=3680
- Malkovich, R.Sh. and Afanas'eva, M.A. Penetration of silver into rutile and perovskite ceramics, 1=17564
- Malkovich, R.Sh. See Boltaks, B.I., 1=3756
- Malkus, W.V.R. and Veronis, G. Surface electro-convection, 1=2943
- Mallahan, F.J. See Vonnegut, B., 1=20843
- Mallmann, C.A. Evidence for the existence of rotational levels in all even-even nuclei, 1=8605
- Mallmann, C.A. Evidence for the existence of rotational levels in all even nuclei, 1=9812
- Mallmann, C.A. See Klema, E.D., 1=13644
- Mallory, H.D. and McEwan, W.S. Transparency of glass and certain plastics under shock attack, 1=20388
- Mallory, V. See Burris-Meyer, H., 1=1613
- Malmberg, P.R. See Fox, R.E., 1=12684
- Malmberg, T. Determination of the specific volume of liquid copper-lead alloys, 1=18345
- Malme, C.I. See Smith, P.W., 1=18501
- Malmeister, A. Progress of the physical and technical sciences in Latvian SSR, 1=53
- Mal'nev, A.F., Esel'son, M.P. and Kremenchugskii, L.S. The basic principles of recording spectra in infrared spectrophotometers, 1=4465
- Mal'nev, A.F. and Kremenchugskii, L.S. A low-temperature receiver of thermal radiation, 1=13013
- Mal'nev, A.F. Vacuum infrared spectrometer for the process control of petroleum products, 1=11841
- Mal'nev, A.F. and Kremenchugskii, L.S. Infrared analysers and their application for the automation of production processes, 1=12986
- Mal'nev, A.F. and Kremenchugskii, L.S. Apparatus for measuring the parameters of radiation detectors, 1=13012
- Malone, C.P. See Gill, S.J., 1=3034
- Malos, J. See Brisbourn, F.A., 1=15562
- Malos, J. See Brisbourn, F.A., 1=16844
- Malos, J. See Layson, W.M., 1=578
- Malos, J. See McCusker, C.B.A., 1=2134
- Malos, J. See Reid, R.J., 1=12138
- Malov, N.N., Orlova, N.P., Selivanenko, N.E. and Fedotov, I.I. Some lecture demonstrations for a physics course, 1=2673
- Maloy, J.O., Salandini, G.A., Manfredini, A., Peterson, V.Z., Friedman, J.I. and Kendall, H. Polarization of the recoil photon from  $\pi^0$  photoproduction in hydrogen, 1=8483
- Malpass, L.F. See Goldiamond, I., 1=15381
- Maltby, P. Note on the Evershed effect in sunspots, 1=15458
- Maltby, P. Distribution of origin and decay of noise storms on the solar disk, 1=15546
- Maltby, P. Central component of the radio source Centaurus A, 1=18191
- Maltby, P. and Steen, O. On the connection between solar noise storms and observable parameters of sunspots, 1=15548
- Maltby, P. See Moffet, A.T., 1=18208
- Mal'tsev, A.A. The isotopic effect in the singlet bands of the BF molecule, 1=3545
- Mal'tsev, A.A., Kataev, D.I. and Tatevskii, V.M. An investigation of the electronic spectra and the isotopic shift of compounds of boron and oxygen. III.  $\gamma$ -bands of the BO molecule, 1=4938
- Mal'tsev, V.M. and Prokoshkin, Yu.D. Secondary processes on the production of pions in nuclei, 1=17103
- Maltsev, V.M. See Barashnikov, V.S., 1=9849
- Malurkar, S.L. Probability of unusual elements in very big solar flares connected with cosmic ray bursts, 1=18086
- Małuszyńska, K., Natanson, I. and Yuan-Han-Yung. Azimuthal angular distribution of  $\alpha$ -particles from the  $B^{10}(n, \alpha)Li^7$  reaction with polarized thermal neutrons, 1=13815
- Malvano, R. Recent results on the nuclear photo-effect, 1=17074
- Malville, J.M. Narrow hydrogen emission in the aurora, 1=6640
- Malville, J.M. Excitation of helium in the aurora, 1=21056
- Malville, J.M. and Moreton, G.E. Trajectories of chromospheric disk surges, 1=15493
- Malý, L. See Plajner, Z., 1=13737
- Maly, M. Isogradient apparatus for the evaluation of photographic images, 1=4483
- Malýgin, G.A. See Davidenkov, N.N., 1=1440
- Malykh, V.D. See Raikhbaum, Ya.D., 1=2955
- Malýnko, V.M. See Lysytsya, M.P., 1=11791
- Malýnko, V.M. See Lysytsya, M.P., 1=14031
- Malýshev, G.M. See Afrosimov, V.V., 1=9602
- Malýshev, G.M. See Zaidel', A.N., 1=5479
- Malýshev, G.M. See Zaidel', A.N., 1=5480
- Malýshev, G.M. See Zaidel', A.N., 1=5481
- Malýshev, G.M. See Zaidel', A.N., 1=9605
- Malýshev, G.M. See Zaidel', A.N., 1=9606
- Malýshev, G.M. See Zaidel', A.N., 1=9607
- Malýshev, G.M. See Zaidel', A.N., 1=10699
- Malýshev, G.M. See Zaidel', A.N., 1=11952
- Malýshev, I.F. See Afrosimov, V.V., 1=9602
- Malýshev, I.F. See Glukhikh, V.A., 1=5477
- Malýshev, I.F. See Glukhikh, V.A., 1=9603
- Malýshev, K.A. See Belenkova, M.M., 1=10214
- Malýshev, V.A. The kinetics of pumping of vacuum systems in the quasi-stationary regime, 1=5303
- Malýshev, V.A. The kinetics of pumping of vacuum systems in the quasi-stationary regime, 1=11794
- Malyuta, Yu.M. Dispersion relations for vertex parts, 1=1690
- Malyuzhinet, G.D. Developments in our concepts of diffraction phenomena. (On the 130th anniversary of the death of Thomas Young), 1=2881
- Mamaladze, Yu.G. Mutual friction in helium II, 1=4527
- Mamalui, Yu.A. See Borovik, E.S., 1=11449
- Mamasakhilov, V.I. See Kopaleishvili, T.I., 1=4824
- Mamasakhilov, V.I. See Kopaleishvili, T.I., 1=5818
- Mamasakhilov, V.I. See Vashakidze, I.Sh., 1=3434
- Mamrukov, A.P. See Kuzmin, A.I., 1=20877
- Man, L.I. See Semiletov, S.A., 1=11594
- Manable, T. See Okamura, S., 1=147
- Manalla, R. See Grigorovich, R., 1=12972
- Manakova, M.A. See Ziuzin, V.P., 1=4685
- Manara, A. See Camagni, P., 1=19763
- Manassi, V. The measurement of temperature with electric resistance thermometers, 1=2907
- Mancebo, L. Multibeam cathode-ray tube aids shock-wave studies, 1=324
- Manchester, F.D. See Franck, J.P., 1=17413
- Mandé, C. Contribution to the study of gold, palladium and their alloys by X-ray spectrography, 1=19998
- Mandel, J. Ordinary waves in an indefinite elastoplastic medium, 1=11511
- Mandel, J. The moving discontinuity surfaces in an indefinite elastoplastic medium, 1=11512
- Mandel, L. Photon degeneracy in light from optical maser and other sources, 1=11826
- Mandel, L. and Wolf, E. Some properties of coherent light, 1=10575
- Mandel, M. The dielectric constant and Maxwell-Wagner dispersion of suspensions of oriented prolate spheroids, 1=18744
- Mandel, M. See Edelstein, A.S., 1=17364
- Mandelbrojt, J. Physical one-nucleon and two-nucleon wave functions in fixed source theory, 1=8449
- Mandelkern, L., Posner, A.S., Diorio, A.F. and Roberts, D.E. Low-angle X-ray diffraction of crystalline nonoriented polyethylene and its relation to crystallization mechanisms, 1=11605
- Mandel'shtam, S.L. See Zhivlyuk, Yu.N., 1=20866
- Mandelstam, S. See Chew, G.F., 1=5760
- Mandeville, C.E. See Alford, W.L., 1=12184
- Mand, G. and Kruizinga, J.H. Spontaneous discontinuities in laminar flow of two viscous liquids through porous material, 1=6833
- Mandritskaya, K.V. See Dzhaneldidze, L.P., 1=19282

- Manduchi, C. and Zannoni, G. The decay of  $A^{27}$  by electron capture, 1=19411
- Maneck, S.S. See Chiplonkar, V.T., 1=10685
- Manelli, I. See Bartke, J., 1=8513
- Manfredini, A. See Barbaro-Galtieri, A., 1=17102
- Manfredini, A. See Galtieri, A.B., 1=12089
- Manfredini, A. See Maloy, J.O., 1=8483
- Mang, H.J. See Dietrich, K., 1=19349
- Mangabeira-Albernaz, P.L. See Sherrick, C.E.Jr., 1=15376
- Mangaly, J. See Chiplonkar, V.T., 1=4578
- Mange, P. The distribution of minor ions in electrostatic equilibrium in the high atmosphere, 1=20900
- Mangeney, A. Conductivity tensor of a homogeneous and slightly ionized hot plasma, 1=16308
- Mangialajo, M., Principi, P. and Tonolini, F. A 150 kV ion accelerator, 1=10748
- Mangin, C. Influence of temperature on the structure of the vibrational bands of ketonic carbonyl groups and of the benzene ring, 1=12288
- Mangum, B.W. See Hutchison, C.A.Jr., 1=6234
- Manheimer-Timnat, Y. Ionization measurements in shocked gases, 1=9524
- Mani, G.S., McCallum, G.J. and Ferguson, A.T.G. Neutron cross-sections in aluminum, 1=701
- Mani, G.S. and Nair, K.G. Proton emission from nuclei due to neutron interactions, 1=13812
- Mani, G.S., Tombrello, T.A. and Rao, D.A.A.S.N. Neutron cross-sections in chlorine, 1=3450
- Manjavidze, Z.Sh., Roinishvili, N.N., Chikovani, G.E., Kozlov, A.A., Kotlarevsky, D.M., Tatalashvili, N.G. and Tsintsabadze, A.I. Observations on cosmic ray penetrating showers at the altitude of 2000 m above sea level, 1=3303
- Manley, R.S.J. Crystals of cellulose, 1=7836
- Mann, A.K. See Lande, K., 1=3102
- Mann, D.E. and Thrush, B.A. On the absorption spectrum of  $CF_4$  and its vibrational analysis, 1=2317
- Mann, D.E., Thrush, B.A., Lide, D.R., Jr., Ball, J.J. and Acquista, N.A. Spectroscopy of fluorine flames. I. Hydrogen-fluorine flame and the vibration-rotation emission spectrum of HF, 1=4932
- Mann, D.E. See Harmony, M.D., 1=17319
- Mann, E., v. Jan, R. and Seeger, A. Elastic displacement field of single and double forces in anisotropic media, 1=19766
- Mann, H.M., Haslett, J.W. and Lietz, G.P. Pulse rise time for charged particles in p-n junctions, 1=13230
- Mann, L.G. See Bloom, S.D., 1=660
- Mann, L.G. See Bloom, S.D., 1=19405
- Mann, L.G. See West, H.I., Jr., 1=17027
- Mann, R.A. and Rose, M.E. Depolarization of negative  $\mu$  mesons, 1=518
- Mannami, M. See Hashimoto, H., 1=10250
- Mannami, M. See Hashimoto, H., 1=10251
- Mannari, I. Space-time correlation function in the theory of electrical conductivity, 1=17598
- Mannella, G. and Harteck, P. Surface-catalyzed excitations in the oxygen system, 1=11094
- Mannelli, I. See Bertanza, L., 1=5765
- Mannelli, I. See Bertanza, L., 1=7265
- Mannelli, I. See Bertanza, L., 1=19075
- Manning, G. and Rogers, J. Measurement of the rotational g-factor ( $g_R$ ) for several nuclei, 1=2163
- Manning, G. See Knowles, J.W., 1=8739
- Manning, J.J. See Murray, R.B., 1=2999
- Manning, J.R. Diffusion in a chemical concentration gradient, 1=14295
- Manogg, P. See v. Keussler, V., 1=18622
- Manolov, S. Special case of the existence of small periodic movements of two pendulums subjected to uniform rotation, 1=1721
- Manquenouille, R. See Gorodetzky, S., 1=613
- Manquenouille, R. See Gorodetzky, S., 1=1880
- Manquenouille, R. See Gorodetzky, S., 1=16226
- Manquenouille, R. See Gorodetzky, S., 1=16985
- Manquenouille, R. See Gorodetzky, S., 1=17038
- Manring, E.R. Micrometeorite measurements from 1958 alpha and gamma satellites, 1=5141
- Manring, E.R. See Marmo, F.F., 1=6612
- Mansikka, K. On the electron density distributions in ions of NaCl, KCl, and RbCl crystals, 1=15072
- Manske, G. See Grote, L.C., 1=9760
- Manson, J.E. See Junge, C.E., 1=10306
- Manson, J.E. See Junge, C.E., 1=20815
- Manson, J.M. See Cloutier, J.A.R., 1=20762
- Manson, N. See Bellet, J.C., 1=15950
- Manson, N. See Brochet, C., 1=18456
- Mantis, H.T. and Winckler, J.R. Balloon observation of artificial radioactivity at the base of the stratosphere, 1=15245
- Mäntysalo, E. See Hovi, V., 1=14389
- Mäntysalo, E. See Hovi, V., 1=14390
- Manuel, P.W. and Blackwell, J.H. Axisymmetric perturbations in a conducting liquid confined by rigid walls, 1=12011
- Manuel Lozano, J. Causal description of the potential scattering of Bargmann, 1=13359
- Manus, C. See Guidini, J., 1=7030
- Manus, G. Enhanced diffusion and oscillations in weakly ionized plasmas, 1=11956
- Manuzio, G. and Vitale, S. Elastic scattering of 1.25 MeV  $\gamma$ -rays in lead, 1=13764
- Many, A., Grover, N.B., Goldstein, Y. and Harnik, E. Surface mobility measurements in germanium, 1=1050
- Many, A. See Harnik, E., 1=1051
- Many, A. See Orosnik, J., 1=14514
- Manzano, J.R. See Roederer, J.G., 1=13587
- Manzano, J.R. See Roederer, J.G., 1=19309
- Mapleton, R.A. Electron capture from  $He(1s^2)$  by protons, 1=7031
- Mapleton, R.A. Characteristic coulomb Green's function and its eigenfunction expansion, 1=10850
- Mapleton, R.A. Application of a singular wave-function operator in scattering theory, 1=10851
- Mapother, D.E. See Cochran, J.F., 1=4533
- Mapother, D.E. See Garfinkel, M., 1=7001
- Mapother, D.E. See Shaw, R.W., 1=1858
- Marable, J.H. See Gross, E.E., 1=13890
- Maradudin, A.A. Nonequilibrium processes in isotopically disordered crystals, 1=7527
- Maradudin, A.A., Montroll, E.W., Weiss, G.H., Herman, R. and Milnes, H.W. Green's functions for monatomic simple cubic lattices, 1=2368
- Maradudin, A.A. and Wallis, R.F. Lattice anharmonicity and optical absorption in polar crystals. II. Classical treatment in the linear approximation, 1=11360
- Maradudin, A.A. and Weiss, G.H. Limiting optical frequencies in alkali halide crystals, 1=14164
- Maradudin, A.A. See Klemens, P.G., 1=11198
- Maradudin, A.A. See Mahanty, J., 1=9973
- Maradudin, A.A. See Sack, R.A., 1=17411
- Maradudin, A.A. See Wallis, R.F., 1=11378
- Marais, A. and Merceron, T. Some experimental results concerning relaxation phenomena in Ni-Zn ferrites, 1=17973
- Marais, A. See Braginski, A., 1=17974
- Marakov, G.I. See Kozina, O.G., 1=16014
- Marathe, B.R. See Henisch, H.K., 1=3871
- Marcazzan, G.M., Menichella Saetta, E. and Tonolini, F. (n,  $\alpha$ ) and (n, p) reactions in CsI crystal with 14 MeV neutrons, 1=13821
- Marcazzan, G.M. See Colli, L., 1=13826
- March, N.H. and Murray, A.M. Electronic wave-functions round a vacancy in  $\alpha$  metal, 1=938
- March, N.H. and Murray, A.M. Self-consistent perturbation treatment of impurities and imperfections in metals, 1=14246
- March, N.H. and Young, W.H. Probability density of electron separation in a uniform electron gas, 1=951
- March, N.H. See Banyard, K.E., 1=20547
- March, N.H. See Corless, G.K., 1=19761
- March, N.H. See Young, W.H., 1=953
- March, P.V. and Walker, T.G. The photoproduction reaction  $^{60}Ni(\gamma, \pi^-)^{60}Cu$ , 1=5894
- March, R. See Erwin, A.R., 1=12103
- March, R.H. Positive pion production in p-p collisions at 420 MeV with polarized protons, 1=529
- Marchal, A. and Ivon, P. The lifetime of a metastable state of proactinium 233, 1=13688
- Marchal, E. and Marchal, J. Determination of the distribution curve of the lengths of linear macromolecules in solution by dielectric absorption, 1=11766
- Marchal, J. See Marchal, E., 1=11766



- Marchal, R. On the minimum of the work needed to separate two perfect gases, 1=15954
- Marchand, A. See Pacault, A., 1=3763
- Marchand, A. See Pacault, A., 1=3764
- Marchand, A. See Poquet, E., 1=6254
- Marchant, H. See Hinds, S., 1=16987
- Marchant, J.C. and Dillon, P.L.P. Correlation between random-dot samples and the photographic emulsion, 1=8245
- Marchaterre, J.F. and Petrick, M. The prediction of stream volume fractions in boiling systems, 1=18675
- Marchenko, A.I., Sal'kov, E.A., Fedorus, G.A. and Fursenko, V.D. Various [photoelectric] properties of single crystals of Cds with an admixture of gold, 1=19899
- Marchenko, V.L. See Kozlov, V.F., 1=16431
- Marchin, J.M. See Wyon, G., 1=9109
- Marchuk, P.M. See Borzyak, P.H., 1=13116
- Marchuk, P.M. See Morhulius, N.D., 1=11970
- Marcinkowski, M.J. and Brown, N. Transformation—disorder to order in  $\text{Ni}_3\text{Mn}$ , 1=6535
- Marcinkowski, M.J. and Brown, N. Theory and direct observation of dislocations in the  $\text{Fe}_3\text{Al}$  superlattices, 1=14280
- Marcinkowski, M.J. and Brown, N. The direct observation of antiphase boundaries in the  $\text{Fe}_3\text{Al}$  superlattice, 1=20595
- Marcinkowski, M.J. and Lipsitt, H.A. Electrical resistivity of chromium in the vicinity of the Néel temperature, 1=10024
- Marcinkowski, M.J. and Miller, D.S. The effect of ordering on the strength and dislocation arrangements in the  $\text{Ni}_3\text{Mn}$  superlattice, 1=17538
- Marcinkowski, M.J. See Fisher, R.M., 1=20594
- Marcley, R.G. Apparatus drawings project. Report number 12. Hall effect magnet, 1=351
- Marcley, R.G. Apparatus drawings project. Report number 11. Classen's method  $e/m$  of electrons apparatus, 1=484
- Marcley, R.G. Apparatus drawings project. Report number 13. Large electromagnet, 1=3038
- Marcley, R.G. Apparatus drawings project. Report number 14. Omegatron for undergraduate laboratory determination of the ratio  $e/m$  of the proton, 1=3187
- Marcley, R.G. Apparatus drawings project. Report number 15. Acceleration carts and track, 1=5247
- Marcley, R.G. Apparatus drawings project. Report number 16. Apparatus for measuring the Rutherford scattering of alpha particles by thin metal foils, 1=7401
- Marcley, R.G. Apparatus drawings project. Report number 20. Versatile electric stop clock control system, 1=10652
- Marcley, R.G. Apparatus drawings project report number 17. Small X-ray tube, 1=10754
- Marcley, R.G. Apparatus drawings project. Report number 18. Nuclear magnetic resonance absorption apparatus, 1=10794
- Marcley, R.G. Apparatus drawings project. Report number 19. Apparatus for electron paramagnetic resonance at low fields, 1=10795
- Marcoux, J. See Gauthier, G., 1=19630
- Marcu, M. and Spîrchez, M. A Monte-Carlo calculation of the production spectrum of mesons in jets, 1=5799
- Marcu, M. See Friedländer, E.M., 1=5758
- Marcu, M. See Friedländer, E.M., 1=12087
- Marcus, P.M. See Seraphim, D.P., 1=11885
- Marcus, R.A. See Slagg, N., 1=6574
- Marcus, Y. Isotope calculations. Parent activity from daughter growth, 1=13667
- Marcuse, D. Stimulated emission from HCN gas maser, observed at 88.6 kMc, 1=9684
- Marder, L. Gravitational waves in general relativity. V. An exact spherical wave, 1=15647
- Maréchal, A. High-precision pointing, 1=5341
- Maréchal, A. See Fleury, P., 1=1803
- Marek, A. A note to recent theories of Brownian motion in non-linear systems, 1=1883
- Marek, A. See Karlovsky, J., 1=17765
- Marek, J. Observation in the year 1645 of diffraction through a lattice, 1=12999
- Marenesi, R., Sacerdoti, G. and Toschi, R. The blocking inductor in the magnet supply circuit of the Italian 1000 MeV synchrotron, 1=8290
- Marezio, M. See Cimino, A., 1=20535
- Marfaing, Y. Nature of the currents in InSb p-n junctions, 1=19889
- Marfaing, Y. Influence of the surface on the photoelectric sensitivity of p-n junctions in InSb, 1=19906
- Marg, E. See Hill, R.M., 1=12988
- Margenau, H. See Herman, R., 1=8811
- Margolin, S.D. and Fakidov, I.G. Magnetic studies of alloys of the chromium-germanium system, 1=11424
- Margolis, B. Neutron polarization by Coulomb scattering, 1=5731
- Margolis, B. See Englefield, M., 1=5785
- Margolis, B. See Greenberger, D.M., 1=7206
- Margolis, J.S. Energy levels of  $\text{PrCl}_2$ , 1=19973
- Margoninski, Y. Effect of a constant electrical field on germanium fast surface states, 1=5018
- Margoninski, Y. and Farnsworth, H.E. Influence of wet and dry ambients on fast surface states of germanium, 1=11295
- Margottin-Maclou, M. Calculation of force field and interpretation of vibration spectra of methyl alcohol ( $\text{CH}_3\text{OH}$ ,  $\text{CH}_3\text{OD}$ ,  $\text{CD}_3\text{OH}$  and  $\text{CD}_3\text{OD}$ ), 1=13984
- Margrave, J.L. See Grimley, R.T., 1=2380
- Margrave, J.L. See Iczkowski, R.P., 1=18754
- Margrave, J.L. See Poland, D.E., 1=8257
- Marguin, P. Recent measurements of the Auger effect in the K and L shells of mean elements, 1=13744
- Marguin, P. and Moussa, A. Study of the K and L Auger electrons of  $\text{Ba}^{137}$ , 1=7354
- Marguin, P. and Moussa, A. Conversion and Auger (K and L) electrons in the decay  $\text{Tm}^{170}$ - $\text{Yb}^{170}$ , 1=7355
- Marguin, P. See Ravier, J., 1=13740
- Maria, H.J. See Fritz, J.J., 1=10630
- Maria, H.J. See Fritz, J.J., 1=11866
- Mariani, C. See Vacaigo, A., 1=17372
- Mariani, F. and Molina, F. Geomagnetic, auroral, ionospheric and cosmic ray perturbations: their interdependence and relation to solar activity, 1=1524
- Mariani, F. and Molina, F. Geomagnetic, auroral, ionosphere and cosmic ray disturbances: interdependence and relation with solar activity, 1=15250
- Marie, G. See Angel, Y., 1=4690
- Marikhin, V.A. See Slutsker, A.I., 1=16580
- Marin, M. See Dollfus, A., 1=15483
- Marin, P.C. See Backenstoss, G., 1=8478
- Marinano, M. See Carrelli, A., 1=15809
- Marinchuk, A.E. See Perlin, Yu.E., 1=20034
- Mariner, T. Critique of the reverberant room method of measuring air-borne sound transmission loss, 1=11824
- Marinresco, M. and Popov, V.M. The application of Liapounov's second method to the study of automatic regulating systems for nuclear reactors, 1=2264
- Maringer, R.E. Some effects of directional ordering in zone-melted iron, 1=6447
- Maringer, R.E. and Duga, J.J. Fatigue of indium antimonide, 1=14859
- Marini, G. See Bachelet, F., 1=3344
- Marini, G. See Bachelet, F., 1=16926
- Marini, M. Linearized supersonic flow in a jet or in a nearly cylindrical tube, 1=4312
- Marino, L.L. See Neynaber, R.H., 1=11079
- Marino, L.L. See Neynaber, R.H., 1=17279
- Marinov, A. See Bauminger, R., 1=7769
- Marinov, A. See Bauminger, R., 1=9037
- Marinov, A. See Bauminger, R., 1=11454
- Marinov, M. See Zhelyazkov, I., 1=7166
- Marinov, M. and Vodeničarov, H. Counting efficiency of thin Cds crystals used as channel conductors, 1=1986
- Marion, J.B. Accelerator energy calibrations, 1=13138
- Marion, J.B., Levesque, R.J.A., Ludemann, C.A. and Detenbeck, R.W. A versatile, high efficiency  $4\pi$  neutron detector, 1=16820
- Maris, T.A.J. A remark on the isobaric spin space, 1=8419
- Maris, T.A.J. An interpretation of the isobaric spin space, 1=16662
- Maris, T.A.J. See Jacob, G., 1=3439
- Maris, T.A.J. See Jacob, G., 1=8718
- Maris, T.A.J. See Jacob, G., 1=19327
- Marish, K.S. and Soroko, L.M. Complete set of experiments for determination of relations between the amplitudes for pion production by nucleons in various isotopic spin states, 1=16851
- Mark, A. Single crystal silicon overgrowths, 1=15014
- Mark, H. See Halim Kazi, A., 1=12128
- Mark, H. See Jopson, R.C., 1=17050
- Mark, J.T. See Dreyer, K., 1=4619

- Markau, K. and Maier, W. On the  $C^{13}$  hyperfine structure in the e.s.r. spectrum of the naphthalene negative ion for natural abundance, 1=17345
- Marker, R.C. Vacuum techniques and components used for a continuously pumped linear electron accelerator, 1=4676
- Markham, J.J. and Konitzer, J.D. Experimental study of the shape of the F band absorption in NaCl, 1=10017
- Markham, M.F. See Musgrave, M.J.P., 1=5322
- Markin, B.I. Investigation of the electrical conductivity of rubidium-boron glasses, 1=10033
- Markin, E.P. and Sobolev, N.N. The infrared reflection spectra of boron oxide and fused quartz at high temperatures, 1=11379
- Markin, S.A. See Vlasov, V.P., 1=2429
- Markin, V.I. Investigation of the electrical conductivity of Rubidium-Boron glasses, 1=11270
- Märkl, H. On the possible instability of the power density and xenon concentration in a large thermal power reactor, 1=3490
- Marklund, I. See Bäckström, G., 1=662
- Marklund, I. See Grabowski, Z., 1=668
- Marklund, I. See Grabowski, Z., 1=3418
- Markov, A.A. See Baiukov, Yu.D., 1=19167
- Markov, A.A. See Baiukov, Yu.D., 1=19168
- Markov, M.A. and Zheleznykh, I.M. On high energy neutrino physics in cosmic rays, 1=19300
- Markov, M.N. and Khaikina, A.S. Optical properties of bismuth in bulk in the 3-36  $\mu$  spectral region, 1=2812
- Markov, M.N. and Kruglyakov, E.P. Local sensitivity of PbS photoresistors, 1=14515
- Markova, G.V. See Fishkova, L.M., 1=12700
- Marković, B. and Miller, D. Influence of light source size on interference in geometrical shadow, 1=16104
- Markovich, M.G. and Tsukkerman, I.I. Spherical aberration of quadrupole magnetic lenses, 1=1918
- Markovskii, L.Ya. and Smirnova, R.I. The luminescence properties of gold-activated zinc selenide, 1=17913
- arkovych, M.L. and Muchnyk, V.M. Structure of thunderstorm showers according to the data of the intensity distribution of a radio echo with height, 1=20833
- Marks, D.R. See Long, R.J., 1=12786
- Markstein, G.H. Modified double slit interferometer for shock wave investigations, 1=2781
- Marlotte, G. and Demetriades, A. Electrical discharges in hypersonic flows, 1=2958
- Marmet, P. and Morrison, J.D. A mass spectrometer for ionization efficiency studies using an electron velocity selector, 1=16256
- Marmet, P. See Kerwin, L., 1=1887
- Marmet, P. See Kerwin, L., 1=19620
- Marmier, P. See Lobkowicz, B., 1=9862
- Marmo, F.F., Aschenbrand, L.M. and Pressman, J. Artificial electron clouds. I. Summary report on the creation of artificial electron clouds in the upper atmosphere, 1=6608
- Marmo, F.F., Aschenbrand, L.M. and Pressman, J. Artificial electron clouds. III. Release of atomic potassium at 121 km, 1=6610
- Marmo, F.F., Pressman, J. and Aschenbrand, L.M. Artificial electron clouds. II. General considerations, 1=6609
- Marmo, F.F., Pressman, J., Manning, E.R. and Aschenbrand, L. Artificial electron clouds. V. Morning twilight study, release of cesium and sodium at 128 and 116 km, 1=6612
- Marmo, F.F. See Pressman, J., 1=6611
- Marmo, F.F. See Pressman, J., 1=10324
- Marn, D. See Silvini, A.A., 1=3095
- Marnet, C. See Jaumann, J., 1=18426
- Marochnik, L.S. The form of cometary envelopes, 1=18052
- Marple, D.T.F. See Aven, M., 1=17763
- Marple, D.T.F. See Piper, W.W., 1=17864
- Marples, J.A.C. and Lee, J.A. Structure of  $\delta$ -plutonium, 1=20530
- Marquet, M. Removal of screen structure from photographs by optical filtering, 1=1832
- Marquet, M. and Tsujuchi, J. Interpretation of some properties of images obtained in experiments on removal of dot structure from half-tone images, 1=16131
- Marquez, L. Nuclear reactions produced by lithium ions, 1=13862
- Marquez, L. See Coste, M., 1=19532
- Marquez, L. See Lemeille, C., 1=13863
- Márquez, R. See Brú, L., 1=6512
- Marquit, E. See Bogdanowicz, 1=12122
- Marr, R.B. See Bég, M.A.B., 1=16881
- Marriage, A. How many quanta? 1=16126
- Marrone, M.J. See Isoya, A., 1=19512
- Marrone, P.V. See Hartunian, R.A., 1=6878
- Marrus, R., Nierenberg, W.A. and Winocur, J. Hyperfine structure and nuclear moments of protactinium 233, 1=7434
- Marrus, R. See Cabezas, A., 1=2159
- Marrus, R. See Cabezas, A.Y., 1=9900
- Marsan, J. See Barbier, D., 1=7942
- Marsden, B.G. The orbit and ephemeris of periodic comet oterma, 1=10382
- Marsden, P.L., Crowden, J.B. and Hatton, C.J. Increase in the intensity of cosmic radiation on May 4th, 1960, 1=579
- Marsh, A.R.S. See Barnard, G.P., 1=8405
- Marsh, B.B. See Alford, W.P., 1=19504
- Marsh, D.M. Stress concentration at crystal surfaces and the embrittlement of sodium chloride, 1=3995
- Marsh, D.M. Micro-tensile testing machine, 1=10200
- Marsh, H.W. Exact solution of wave scattering by irregular surfaces, 1=5332
- Marsh, H.W., Schulkin, M. and Kneale, S.G. Scattering of underwater sound by the sea surface, 1=5333
- Marshak, H. See Newson, H.W., 1=13652
- Marshak, I.S. Electrical breakdown of gases at pressures close to atmospheric pressure, 1=8316
- Marshak, R.E. and Okubo, S. Towards a two-field theory of elementary particles, 1=8415
- Marshak, R.E. and Okubo, S. Remarks on the low-lying baryon isobars, 1=19104
- Marshak, R.E. and Sudarshan, E.C.G. Introduction to elementary particle physics, 1=13364
- Marshak, R.E. See Okubo, S., 1=10839
- Marshak, R.E. See Okubo, S., 1=13303
- Marshall, B.J. Elastic constants of CsBr from 4.2° K to 300° K, 1=1294
- Marshall, J. Hydromagnetic plasma gun, 1=16342
- Marshall, J.H. See Barna, A., 1=1875
- Marshall, L. Magnetic mirrors in the Milky Way Galaxy, 1=5166
- Marshall, S.A. See Hacker, D.S., 1=20743
- Marshall, T.C. and Goldstein, L. Experimental study of the diamagnetism of gaseous plasmas with electron and nuclear spin resonance techniques, 1=7074
- Marshall, T.W. Isotope shifts in the N.M.R. spectra of  $H_2$ , HD and  $D_2$  due to zero-point vibration, 1=14101
- Marshall, T.W. and Pople, J.A. Nuclear magnetic shielding and diamagnetic susceptibility of interacting hydrogen atoms, 1=14102
- Marshall, W. The unrestricted Hartree-Fock method, 1=12236
- Marshall, W. and Stuart, R. Theory of transition ion complexes, 1=14152
- Marshall, W.L. See Gill, J.S., 1=18344
- Marsigny, L. See Pannetier, G., 1=13943
- Marsigny, L. See Pannetier, G., 1=15961
- Marsigny, L. See Pannetier, G., 1=20731
- Marszałek, T. See Frąckowiak, D., 1=6863
- Marszałek, T. See Frackowiak, D., 1=9399
- Martalogu, N., Ivanov, E. and Ploștinariu, D. Coulomb excitation of  $Ta^{181}$  by 5.5 and 6.5 MeV protons, 1=7328
- Martalogu, N. and Minzatu, I. On the electrical polarizability of the neutron, 1=13430
- Martalogu, N., Tintă, F., Dumitrescu, R., Korgueva, I. and Molea, M. A single channel time analyser for the spectrometry of fast particles by means of time-of-flight techniques in the nanosecond region, 1=5412
- Martalogu, N. See Andreescu, I., 1=2076
- Martalogu, N. See Hulubel, H., 1=5735
- Martegani, A. See Deconinck, G., 1=703
- Martegani, A. See Deconinck, G., 1=13810
- Martell, C. See Dahl, L.F., 1=11573
- Martell, E.A. and Drevinsky, P.J. Atmospheric transport of artificial radioactivity, 1=1520
- Martelli, G. Some notes on thermonuclear reactors, 1=17249
- Martelli, G., van der Raay, H.B., Rubinstein, R., Chapman, K.R., Dowell, J.D., Frisken, W.R., Musgrave, B. and Reading, D.H. Isotropic spin dependence of nucleon-nucleon cross-sections between 600 and 1000 MeV, 1=16770
- Martelli, G. See Dowell, J.D., 1=408
- Martelli, G. See Dowell, J.D., 1=5724



- Martellucci, S. See Ascoli-Bartoli, U., 1=5475
- Marth, W. Changes in copper and boron surfaces under particle radiation, 1=14351
- Martin, A. S-matrix, left-hand cut discontinuity and potential, 1=8432
- Martin, A. Analytic properties of deuteron photodisintegration matrix element for fixed energy, 1=12129
- Martin, A. Range of the nucleon-antinucleon annihilation potential, 1=16776
- Martin, A. and Targonski, G. On the uniqueness of a potential fitting a scattering amplitude at a given energy, 1=13343
- Martin, A. and Vinh Mau, R. Double dispersion relations for deuteron photo- and electrodisintegration, 1=8517
- Martin, A. See Gourdin, M., 1=5753
- Martin, A. See D'Espagnat, B., 1=434
- Martin, A. See Vinh Mau, R., 1=8434
- Martin, A.D. Optical model potential for  $K^-$  meson-nucleus scattering, 1=13509
- Martin, A.E. Dimensions of electrical and magnetic quantities, 1=18239
- Martin, A.V.J. Introduction of technetron theory, 1=7664
- Martin, A.V.J. The technetron as a circuit element, 1=17782
- Martin, A.V.J. and le Mée, J. Graphical analysis of the operation of the technetron, 1=17783
- Martin, A.V.J. and le Mée, J. Graphical analysis of the operation of the technetron. II. Comparative study of various approximations, 1=17784
- Martin, B.W. Free-convection heat transfer in the inclined open thermosyphon, 1=250
- Martin, C.S. and de Segovia, J.L. Study of thermal conductivity gauge: the thermocouple gauge, 1=16132
- Martin, D. See Lin, T.H., 1=14875
- Martin, D.G. The effect of lattice distortion around point defects on the scattering of long-wavelength neutrons, 1=957
- Martin, D.G. The influence of impurity atoms on the annealing kinetics of electron irradiated copper, 1=17512
- Martin, D.H. See Bloor, D., 1=16077
- Martin, D.H. See Field, S.B., 1=19626
- Martin, D.H. See Jones, G.O., 1=17894
- Martin, D.L. Specific heat of sodium at low temperatures, 1=14180
- Martin, D.L. The electronic specific heat of lithium isotopes, 1=17421
- Martin, D.L. Specific heat anomalies associated with the resistance-minimum phenomena in magnesium-manganese alloys, 1=19713
- Martin, D.L. The electronic specific heat of lithium-magnesium alloys, 1=19721
- Martin, D.L. See Franck, J.P., 1=17413
- Martin, D.L. See Franck, J.P., 1=18717
- Martin, D.W. and Ward, W.D. Subjective evaluation of musical scale temperament in pianos, 1=6937
- Martin, D.W. See Hooper, J.W., 1=4555
- Martin, D.W. See Ward, W.D., 1=7558
- Martin, F. See Lombard, F.J., 1=4636
- Martin, H.A. See Priester, W., 1=2569
- Martin, H.A. See Priester, W., 1=2570
- Martin, H.C. See Hay, D.R., 1=10548
- Martin, H.J., Leipuner, L.B., Chinowsky, W., Shively, F.T. and Adair, R.K. Properties of the Y as observed in the interaction  $K^0 + p \rightarrow \Lambda^0 + \pi^+ + \pi^0$ , 1=8514
- Martin, H.J., Sampson, M.B. and Miller, D.W. Proton groups from the  $F^{16}(\alpha, p)Ne^{22}$  reaction and the  $Ca^{40}(\alpha, p)Sc^{43}$  reaction, 1=2240
- Martin, H.J. See Freitag, W., 1=8194
- Martin, H.J.Jr. See Holm, G.B., 1=8769
- Martin, H.J., Jr. See Preston, R.L., 1=4877
- Martin, J.A. See Green, F.L., 1=13674
- Martin, J.H. and Muller, G.M. Quantity and quality of scattered X-rays, 1=5710
- Martin, J.L. The vibrational spectra of disordered chains, 1=12825
- Martin, J.L. See Dean, P., 1=8874
- Martin, M. Study of intermolecular hydrogen bonds. I. Alcohols. II. Chloroform, 1=11113
- Martin, M. See de Kowalewski, D.G., 1=15911
- Martin, M.B., Arns, R.G. and Wiedenbeck, M.L. Analysis of gamma-gamma polarization-directional correlations involving multipole mixtures, 1=5866
- Martin, P.C. See Kadanoff, L.P., 1=18699
- Martin, T.C. See Nablo, S.V., 1=13221
- Martin, W.C. and Tech, J.L. Energy levels and magnetic dipole transitions in the  $4p^4$  ground configuration of singly ionized atomic bromine (Br II), 1=8812
- Martin, W.C. and Corliss, C.H. The spectrum of singly ionized atomic iodine (I II), 1=17268
- Martin-Boiyyer, M. and Meinzel, J. Direct fluorescence from monocrystals of naphthalene doped with anthracene, 1=20024
- Martineau, M. See Davoine, F., 1=7725
- Martinelli, P. See Leveque, P., 1=13664
- Martinelli, P. See Seibel, G., 1=20785
- Martinet, J. Measurement of the thermal conductivity of conductors at high temperatures, 1=16134
- Martínez Carrera, S. and García-Blanco Gutiérrez, S. The structure of barium dithionate dihydrate IV. Refinement of the (010) projection, 1=1400
- Martins, N. See Osada, J., 1=13696
- Martinuzzi, S. Preparation of thin films of gallium by vacuum evaporation, 1=7884
- Martinuzzi, S. Electrical resistivity of thin films of gallium of thickness greater than  $30m\mu$ , 1=17610
- Martinuzzi, S. Preparation of thin films of gallium arsenide, 1=20668
- Martius, U.M. and Bratina, W.J. Frequency dependence of ultrasonic wave attenuation in Armco iron and low-carbon steel, 1=6335
- Marton, L. See Fowler, H.A., 1=11548
- Marton, L. See Hbri, E.M., 1=20529
- Marton, L. See Simpson, J.A., 1=10740
- Marty, N., Langevin, H. and de Bouard, X. High energy  $\gamma$  rays from levels excited in the giant resonance region by inelastic scattering of 150 MeV protons, 1=8723
- Marty, N. See Bergamaschi, C., 1=16462
- Marty, N. See Langevin-Joliot, H., 1=13784
- Martz, D.E. New method for sealing infrared window materials to glass, 1=5347
- Marumori, T. On the collective motion in even-even spherical nuclei, 1=8606
- Marumori, T. On the collective motion in even-even spherical nuclei, 1=9801
- Marumori, T., Murota, T., Takagi, S., Tanaka, H. and Yasuno, M. Note on the pairing correlation in nuclear matter, 1=13609
- Marumori, T. See Kobayasi, M., 1=3384
- Marutyan, N.A., Matevosyan, K.A. and Toshiyan, R.T. Interaction of  $5 \times 10^{12}$  eV nucleons with emulsion nuclei, 1=19185
- Maruyama, M. See Tsukada, K., 1=12203
- Maruyama, S. Dynamic behaviour of twinning in tin crystals at various temperatures and strain rates, 1=9103
- Maruya, K. See Saitô, T., 1=1738
- Marvan, M. The energy-momentum tensor of an electromagnetic field in an optically active medium, 1=16577
- Marvaud, J. Differential ionization chamber for the measurement of the activity of radioactive gases, 1=7167
- Marwadi, P.R. See Chiplonkar, M.W., 1=20862
- Marx, G. and Elkishem, M. Absorption of high energy neutrinos, 1=13390
- Marx, G. See Reuter, B., 1=4054
- Marx, R. See Bensasson, R., 1=14107
- Marzetta, L.A. See Cook, H.D., 1=10600
- Mas, L. and Montserrat, A. Wave fronts in Einstein's unified theory, 1=6776
- Mas, L. See Montserrat, A., 1=6777
- Mas, L. See Montserrat, A., 1=15662
- Masagutov, V.S. See Azimov, S.A., 1=19227
- Masaïke, A. See Ogata, H., 1=11006
- Masaïke, A. See Ogata, H., 1=11012
- Masaïke, A. See Yasumi, S., 1=12188
- Mascarenhas, S. See Freitas, L.G., 1=1119
- Mase, S. Anisotropy of galvanomagnetic tensors of semimetals with particular attention to bismuth, 1=17618
- Mase, S. and Tanuma, S. Galvanomagnetic tensors of bismuth single crystals at low temperatures, 1=1013
- Mase, S. and Tanuma, S. Measurements of galvanomagnetic tensors of bismuth single crystals at low temperatures, 1=3722
- Masek, G.E., Heggie, L.D., Kim, Y.B. and Williams, R.W. Scattering of 2 BeV/c muons in carbon and lead, 1=7257

- Masek, G.E., Toutonghi, J.P., Williams, R.W. and Coward, D.H. Measurement of electron scattering in carbon to compare with a muon experiment, 1=17088
- Masek, G.E. See Heggie, L.D., 1=4745
- Masek, G.E. See Kim, C.Y., 1=8471
- Masek, G.E. See Swanson, R.J., 1=9706
- Masevich, A.G. Evolution of stars decreasing in mass, 1=12761
- Masevich, A.G. and Volkonskaya, T.G. The structure of the sun, 1=21
- Masharov, S.I. See Rezanov, A.I., 1=10117
- Mashkevich, V.S. The dipole approximation in the microscopic theory of crystals. I. Lattice vibrations with allowance for electron dispersion, 1=898
- Mashkova, E.S. and Chetverikova, G.A. Investigation of the temperature dependence of secondary electron emission from piezo-electric mono-crystals, 1=13122
- Mashkovets, M.D. See Avetikov, V.G., 1=3800
- Mashkovich, M.D. The problem of the dielectric losses and permittivity of glasses at very high frequencies, 1=14541
- Mashovets, T.V. and Rývkin, S.M. The temperature dependence of the carrier lifetime in germanium in the intrinsic-conduction region, 1=6148
- Mashovets, T.V. See Vitovskii, N.A., 1=14259
- Mašin, A. and Bakalíková, O. Surface martensite and plastic deformation, 1=20364
- Maskrey, J.T., Dugdale, R.A. and McVickers, R.C. Arc initiation on heated metals by a hydrogen discharge, 1=16293
- Maslen, V.W. See Hurley, A.C., 1=9946
- Masley, A.J. See Winckler, J.R., 1=10936
- Masley, A.J. See Winckler, J.R., 1=16931
- Masley, A.J. See Winckler, J.R., 1=18094
- Maslov, V.N. and Nabatova, L.V. High-temperature gaseous etching of germanium single crystals, 1=5089
- Maslov, V.P. and Tartakovskii, B.D. Transmission of flexural waves through an arbitrary intermediate rod, 1=15999
- Mason, A. The flux of primary cosmic ray  $\alpha$ -particles over Southern England, 1=9783
- Mason, B. The origin of meteorites, 1=15439
- Mason, B.J. Nucleation of water aerosols, 1=11627
- Mason, B.J. and Maybank, J. The fragmentation and electrification of freezing water drops, 1=20832
- Mason, B.J. See Bryant, G.W., 1=973
- Mason, B.J. See Latham, J., 1=20834
- Mason, B.J. See Latham, J., 1=20835
- Mason, C.L. Simple schlieren demonstration, 1=12998
- Mason, D.R. and Cook, J.S. Zone levelling and crystal growth of peritectic compounds, 1=5093
- Mason, E.A., Miller, L. and Carman, P.C. Kirkendall effect in gases, 1=18463
- Mason, E.A. See Amdur, I., 1=14124
- Mason, E.A. See Saxena, S.C., 1=173
- Mason, E.A. See Saxena, S.C., 1=174
- Mason, E.A. See Weissman, S., 1=6895
- Mason, E.A. See Weissman, S., 1=10525
- Mason, F.A. See McCarty, K.P., 1=176
- Mason, H.L. Analog simulation of zone melting, 1=10240
- Mason, J. See Bernal, J.D., 1=6554
- Mason, P. Relation of physical behaviour to molecular packing in crosslinked rubber, 1=20655
- Mason, R. The diamagnetic susceptibilities of some hydrogen-bonded molecules, 1=14073
- Mason, S.G. See Goldsmith, H.L., 1=15791
- Mason, W.P. See Bateman, T., 1=7810
- Mason, W.P. See Bateman, T., 1=7820
- Massa, F. Comments on "pressure response of condenser microphones at low ambient pressures", 1=12949
- Massal'ski, E.I. See Babetski, S.Yu., 1=19314
- Massalski, J. and Turek, L. On the density spectrum of electron-photon component of extensive air showers of cosmic radiation, 1=12136
- Massalski, T.B. and King, H.W. The lattice spacing relationships in close-packed  $\alpha$  and  $\zeta$  phases based on gold, 1=1408
- Massalski, T.B. and King, H.W. Lattice spacing relationships and the electronic band structure of close-packed  $\alpha$  and  $\zeta$  phases of gold-based alloys, 1=1409
- Massalski, T.B. and King, H.W. Changes of lattice spacings in alloys and the shape of the Fermi surface, 1=17460
- Massalski, T.B. See Bolling, G.F., 1=12395
- Massalski, T.B. See King, H.W., 1=20571
- Massen, C.H. See Poulis, J.A., 1=14677
- Massey, H.S.W. and Moussa, A.H. Positronium formation in helium, 1=8448
- Massey, J.B. See Greene, D., 1=9665
- Massey, J.T., Beard, C.I. and Jen, C.K. Microwave spectral series of deuterated hydrogen peroxide, 1=4930
- Massignon, D. See Sapet, J.C., 1=18443
- Massonnie, J.P. Use of the brightest galaxies in a cluster as a distance indicator, 1=8008
- Massonnie, J.P. Use of the brightest galaxies of a cluster as a distance indicator. Application, 1=8009
- Massonnet, L. See Garron, J.P., 1=13783
- Mastel, B. See Bierlein, T.K., 1=3699
- Mastel, B. See Bierlein, T.K., 1=3700
- Mastel, B. See Newkirk, H.W., Jr., 1=17587
- Mastenbrook, H.J. and Dinger, J.E. Distribution of water vapor in the stratosphere, 1=20819
- Masterov, E.P. and Muromtseva, V.N. An example of anti-waveguide propagation of sound in laminar-inhomogeneous media, 1=4406
- Masters, J.I., Capone, B.R. and Gianino, P.D. Measurement technique for narrow line width ferromagnets, 1=7159
- Masterson, J.E., Hubert, W.E. and Carr, T.R. Wind and temperature measurements in the mesosphere by meteorological rockets, 1=20888
- Mastoor, M.A. See Stryland, J.C., 1=919
- Mastova, L.V. See Rývkin, S.M., 1=6166
- Masuda, I. The wavelength dependence of quantum efficiency and absorption coefficient of  $\text{ZnSiO}_3/\text{Mn}$  powder phosphor, 1=12506
- Masuda, I. See Uehara, Y., 1=6226
- Masuda, K. and Suita, T. E.S.R. of irradiated DPPH protected by polystyrene, 1=20228
- Masuda, Y. See Ogata, H., 1=11006
- Masuda, Y. See Ogata, H., 1=11012
- Masuda, Y. See Yasumi, S., 1=12188
- Masumoto, K. See Kamigaichi, T., 1=11250
- Masumoto, K. See Yamamoto, M., 1=20412
- Masuno, K. See Waku, S., 1=11336
- Masuno, K. See Waku, S., 1=14558
- Masuno, K. See Waku, S., 1=17838
- Matakura, Y. Heat treatment centers in silicon, 1=12440
- Matalygina, Zh.I. See Plotnikov, Yu.I., 1=2423
- Matano, See Fukui, 1=2125
- Matano, T. See Fukui, S., 1=19311
- Matantseva, I.I. See Mishin, D.D., 1=1204
- Matcovich, T., Belson, H.S. and Goldberg, N. Resonant frequency shift in ellipsoidal samples, 1=6400
- Matcovich, T., Korostoff, E. and Schmeckenbecher, A. Anisotropy rotation in thin permalloy films at room temperature, 1=6322
- Matterrese, L.M. Comments on the e.p.r. spectrum of  $\text{Mn}^{++}$  in calcite, 1=7785
- Matevosyan, K.A. See Marutyan, N.A., 1=19185
- Máthé, G., Scharbert, T. and Berenyi, D. Investigations on the decay scheme of  $^{131}\text{I}$  in the flow energy region of gamma-rays, 1=8654
- Máthé, G. See Scharbert, T., 1=13753
- Mather, R.A. See Millman, G.H., 1=15555
- Matheson, R.M. See Engstrom, R.W., 1=2993
- Mathews, J.F. See Blackman, L.C.F., 1=1014
- Mathews, J.F. See Blackman, L.C.F., 1=1015
- Mathews, J.F. See Blackman, L.C.F., 1=1016
- Mathews, M.V., Miller, J.E. and David, E.E., Jr. Pitch synchronous analysis of voiced sounds, 1=4143
- Mathews, M.V. See Speeth, S.D., 1=12712
- Mathews, P.M. and Sankaranarayanan, A. Observables in the extreme relativistic representation of the Dirac equation, 1=16670
- Mathews, P.M. See Sudarshan, E.C.G., 1=2699
- Mathews, W.G. and Wallace, L. Auroral temperature determination from  $\text{A } ^2\Pi \rightarrow \text{X } ^2\Sigma$  bands of the  $\text{N}_2^+$  molecule, 1=15313
- Mathiasen, R.L. See Anderson, R.C., 1=10555
- Mathiesen, O. Determination of the charge of relativistic heavy primaries in cosmic radiation by  $\delta$ -ray counting and a comparison with photometric identification, 1=565
- Mathiesen, O. See Kristiansson, K., 1=566
- Mathiesen, O. See Kristiansson, K., 1=567
- Mathiesen, O. See Waldeskog, B., 1=564
- Mathiesen, O. See Waldeskog, B., 1=3323



- Mathieu, J. See Blanc, D., 1=9697  
 Mathieu, J. See Blanc, D., 1=19055  
 Mathieu, J. See Tacussel, J., 1=15931  
 Mathieu, J.P., Poulet, H. and Tramer, A. Some aspects of the interactions between electromagnetic and elastic waves in solids, 1=906  
 Mathieu, J.P. See Badoz, J., 1=10609  
 Mathieu, J.P. See Brahms, S., 1=846  
 Mathieu, J.P. See Hadni, A., 1=9925  
 Mathur, P.B. See Rajagopalan, K.S., 1=1487  
 Mathur, P.C. See Bhowmik, B., 1=13496  
 Mathur, S.B. and Mitra, A.P. The upper atmosphere and outer space. I, densities, temperatures and concentrations of atmospheric constituents from 130 to 1000 km, 1=6599  
 Mathur, S.C. A method of measuring principal magnetic susceptibilities of triclinic crystals, 1=17937  
 Mathur, V.S. Thermodynamic functions of the relativistic Thomas-Fermi atom at low temperatures, 1=5501  
 Mathur, V.S. Angular momentum distribution in the statistical atom with a net angular momentum, 1=17255  
 Mathur, V.S. See Gupta, K.K., 1=1859  
 Mathur, V.S. See Nigam, B.P., 1=5714  
 Mathurin, C. A complex-variable solution of the first problem of static plane elasticity, 1=8089  
 Matijević, E., Kerker, M. and Schulz, K.F. Light scattering of coated aerosols. I. Scattering by the AgCl cores, 1=11637  
 Matijević, E., Ottewill, R.H. and Merker, M. Light scattering by infinite cylinders. Spider fibres, 1=2889  
 Matijević, E. See Kerker, M., 1=2890  
 Matijević, E. See Kerker, M., 1=8241  
 Matinyan, S.G. On the determination of the sign of the mass difference of  $K_1^0$  and  $K_2^0$  mesons, 1=16888  
 Matinyan, S.G. See Laperashvili, L.V., 1=19234  
 Matlow, S.L. Three-dimensional FE-MO model. I.  $\Delta H$  of dissociation of homonuclear diatomic molecules, 1=6035  
 Matora, I.M. Scattering of slow electrons on helium atoms with excitation of  $2^1S$  and  $2^3S$  levels, 1=4913  
 Matossi, F. See Gutjahr, H., 1=5059  
 Matschat, K. Cellular stream motion in fluids, 1=12850  
 Matsen, F.A. Dipole moment of lithium hydride, 1=7501  
 Matsen, F.A. See Brigman, G.H., 1=5969  
 Matsen, F.A. See Silverman, J.N., 1=17286  
 Matsubara, I. Infrared spectrum and molecular configuration of glutaronitrile, 1=17317  
 Matsubara, T. and Blatt, J.M. Bose Einstein condensation of correlated pairs, 1=4278  
 Matsuda, H. Electrostatic analyzer with variable focal length, 1=10743  
 Matsuda, H. and van den Meijdenberg, C.J.N. Comments on the theory of the static helium film, 1=8273  
 Matsuda, K. Scattering of protons from light-medium-weight even-even nuclei, 1=8710  
 Matsuda, K. Scattering of protons from light even-even nuclei, 1=8711  
 Matsuda, K., Nagahara, Y., Oda, Y., Yamamura, N. and Kobayashi, S. The elastic and inelastic scattering of protons by magnesium in the energy range from 7.3 MeV to 15.9 MeV, 1=17095  
 Matsuda, K. See Kikuchi, S., 1=7113  
 Matsuda, K. See Kobayashi, S., 1=9852  
 Matsuda, K. See Oda, Y., 1=8724  
 Matsudaira, N. A calculation of the electrical conductivity, 1=12408  
 Matsudaira, N. See Kanazawa, H., 1=3647  
 Matsudaira, N. See Kanazawa, H., 1=3876  
 Matsugashita, T. and Shinohara, K. Electron spin resonance studies of radicals formed in irradiated polytetrafluoroethylene, 1=19873  
 Matsui, A. See Kato, R., 1=14591  
 Matsui, E. See Tamai, T., 1=17911  
 Matsui, Y. See Tadokoro, H., 1=12279  
 Matsumae, S. The effect of the internal stress on the longitudinal magnetostriction in weak magnetic field. VI, 1=3906  
 Matsumoto, H. See Fukuda, K., 1=995  
 Matsumoto, H. See Fukuda, K., 1=20221  
 Matsumoto, M. Electric multipole transitions in the  $D(\gamma p)n$  reaction at high energy, 1=3245  
 Matsumoto, M. Photodisintegration of the deuteron in the high energy range, 1=3247  
 Matsumoto, M. Note on the  $D(\gamma, p)n$  reaction at the  $\gamma$ -ray energy of 164 MeV, 1=15529  
 Matsumoto, M. See Iwadare, J., 1=10935  
 Matsumoto, S. and Mikamo, S. On the inelasticity in high-energy nuclear interactions, 1=13407  
 Matsumura, K. See Yamaguchi, J., 1=14301  
 Matsumura, T. and Tanabe, Y. Synthesis of AlN crystals, 1=11537  
 Matsunaga, M. The structure of electrodeposited chromium, 1=20522  
 Matsuo, S. See Narumi, H., 1=3180  
 Matsuo, S. See Narumi, H., 1=14140  
 Matsuo, S. See Narumi, H., 1=19615  
 Matsuo, T. and Sugihara, T.T. Evidence for low-momentum-transfer process in  $K^{41}(\alpha, n)Sc^{44m}$ ,  $g$  reactions from range measurements of products, 1=9884  
 Matsuoka, S. Hypothesis of voids in semicrystalline polymers, 1=20639  
 Matsuoka, S. See Kimura, M., 1=1757  
 Matsuoka, S. See Shimizu, T., 1=2499  
 Matsushima, T. The viscosity of liquid sulfur, 1=1726  
 Matsushita, S. Seasonal and day-to-day changes of the central position of the  $S_q$  overhead current system, 1=20901  
 Matsushita, S. See Miya, K., 1=1976  
 Matsuura, K. Frequency shift in ammonia absorption lines other than (3,3), 1=2316  
 Matsuura, K. Atomic clock on an ammonia absorption line, 1=18343  
 Matsuura, K. and Inuishi, Y. Annealing of radiation damage on lifetime in silicon, 1=14458  
 Matsuura, K. and Inuishi, Y. Effect of neutron irradiation on carrier lifetime in Si, 1=17714  
 Matsuura, K. and Koda, S. The effect of  $\theta'$  phase on the plastic deformation of an age-hardenable Al-Cu 4% alloy, 1=14876  
 Matsuura, K. and Koda, S. The effect of plastic deformation on the cluster formation in an Al-Cu 4% alloy, 1=14877  
 Matsuura, M. See Sugibuchi, K., 1=20258  
 Matsuura, N. See Shirai, T., 1=20764  
 Matsuzawa, K. Condenser microphones with plastic diaphragms for airborne ultrasonics. II, 1=6940  
 Mattauch, J.H.E. See Everling, F., 1=12266  
 Mattauch, J.H.E. See König, L.A., 1=19609  
 Mattes, B.L. and Perls, T.A. Transducer for the measurement of thermal power, 1=8256  
 Mattheiss, L.F. Antiferromagnetic linear chain, 1=12262  
 Mattheiss, L.F. Effective exchange integral, 1=12263  
 Matthes, W. Calculation of the Fermi age and leakage factor of heterogeneous light water reactors with the Monte-Carlo method, 1=3484  
 Matthes, W. and Springer, T. The computation of the Fermi age in a heterogeneous reactor by the Monte Carlo method, 1=7416  
 Matthews, A.G. See Collins, C., 1=3069  
 Matthews, D.L. Vibrational relaxation of carbon monoxide in the shock tube, 1=4375  
 Matthews, H. and Doherty, W.R. Magnetoresistance measurements by means of arbitrarily shaped flat samples, 1=11997  
 Matthews, H.I. See Harvev, J., 1=11563  
 Matthews, J.J. See McChesney, M., 1=2953  
 Matthews, J.W. The observation of dislocations to accommodate the misfit between crystals with different lattice parameters, 1=19789  
 Matthews, P.T. and Salam, A. Resonance effects in intermediate boson theory, 1=12049  
 Matthews, P.T. and Salam, A. Diffraction scattering of elementary particles, 1=13329  
 Matthews, P.T. and Salam, A. Dispersion relations and diffraction scattering, 1=19134  
 Matthews, P.T. See Evans, L., 1=12043  
 Matthews, P.T. See Feldman, G., 1=547  
 Matthias, B.T., Bozorth, R.M. and Van Vleck, J.H. Ferromagnetic interaction in  $EuO$ , 1=17947  
 Matthias, B.T., Clogston, A.M., Williams, H.J., Corenzwit, E. and Sherwood, R.C. Ferromagnetism in solid solutions of scandium and indium, 1=12526  
 Matthias, B.T., Compton, V.B. and Corenzwit, E. Some new superconducting compounds, 1=18712

- Matthias, B.T., Peter, M., Williams, H.J., Clogston, A.M., Corenzwit, E. and Sherwood, R.C. Magnetic moment of transition metal atoms in dilute solution and their effect on superconducting transition temperature, 1=3882
- Matthias, B.T. See Compton, V.B., 1=11881
- Matthias, B.T. See Geballe, T.H., 1=8285
- Matthias, B.T. See Jaccarino, V., 1=1277
- Matthias, B.T. See Kunzler, J.E., 1=3037
- Matthias, B.T. See Nagle, D.E., 1=1210
- Matthias, B.T. See Phillips, N.E., 1=1863
- Matthias, B.T. See Wernick, J.H., 1=11877
- Matthias, E. See Karlsson, A., 1=12156
- Matthias, E. See Lerjefors, C.A., 1=12157
- Mattig, W. and Schröter, E.H. The centre-limb variation of the continuum at  $\lambda = 5893$  Å and the wings of the Na D-lines in sunspots, 1=15471
- Mattig, W. and Schröter, E.H. Remarks on the determination of intensities in the wings of strong Fraunhofer lines, 1=18077
- Mattis, D. and Lieb, E. Exact wave functions in superconductivity, 1=10638
- Mattox, D.M. and Gildart, L. Energy gaps in bismuth trioxide, 1=19734
- Mattox, D.M. See Gildart, L., 1=19871
- Matukura, Y. Properties of grain boundaries in silicon, 1=17711
- Matulenko, Yu.A. See Belyakov, A.N., 1=10815
- Matumoto, K. and Nakagawa, M. On the structure of the elementary particles, 1=3121
- Matumoto, K. Remarks on the mass formula in the Sakata model, 1=16669
- Matumoto, Z. Formulas in the Fermi theory of beta decay. II. On the beta ray angular correlation, 1=3408
- Matumoto, Z. See Yamada, M., 1=16964
- Matumura, O. See Koga, H., 1=14802
- Matusevich, E.S. See Kazanskii, Yu.A., 1=5703
- Matuura, N. and Nagata, T. On the earth storms. III. Interaction between the solar corpuscular stream and the earth's magnetic field, 1=15353
- Matuyama, E. Small-angle scattering of X-rays from deformed natural graphite, 1=6566
- Matveev, O.A. See Rývkin, S.M., 1=6166
- Matveev, V.V. and Sokolov, A.D. Investigation of hard X-radiation in the toroidal apparatus "Tokamak 2", 1=1901
- Matveeva, E.N. See Medvedev, M.N., 1=10809
- Matyska, M. The magnetic susceptibility of solid solutions of semiconducting compounds of  $\text{Al}_{1-x}\text{B}_x$ , 1=20049
- Matysina, Z.A. See Danylenko, V.M., 1=12635
- Matzke, H. See Lindner, R., 1=17563
- Maude, A.D. End effects in a falling-sphere viscometer, 1=10475
- Maund, J.E. and Chalmers, J.A. Point-discharge currents from natural and artificial points, 1=15235
- Maunder, L. See Parks, R., 1=19462
- Maurer, R.D. Light scattering by neutron irradiated silica, 1=19946
- Maurikakis, G. The evolution of galactic clusters, 1=32
- Mavel, G. Theoretical nuclear magnetic resonance curves for complex formation and dissociation, 1=7490
- Mavel, M.G. Nuclear magnetic resonance study of proton exchange in alcohol-water mixtures, 1=8144
- Mavroides, J.G. See Brown, R.N., 1=17488
- Mavroides, J.G. See Lax, B., 1=7570
- Mawardi, O.K. See Kolm, H.H., 1=10770
- Mawardi, O.K. See Yildiz, M., 1=1798
- Mawdsley, J. Fading of satellite transmissions and ionospheric irregularities, 1=1547
- Mawdsley, J. Air density variations in the mesosphere and the winter anomaly in ionospheric absorption, 1=20886
- Mawdsley, J. and Richards, I.R. Ionospheric scattering of satellite transmissions, 1=9304
- Mawer, P.A. See Bloor, D., 1=16077
- Mawer, P.A. See Jones, G.O., 1=17894
- Max, E. See Hieke, M., 1=14712
- Maxim, I. Some magnetic properties of the substances  $\text{FeSe}_{1+x}$ , 1=1206
- Maxim, I. The law of electronic concentration in the ferromagnetism of nickel alloys, 1=3892
- Maxim, I., Ausländer, D. and Stan, V. Variation of the Curie temperatures in the alloys Ni-Cu-Sn, 1=3891
- Maxson, D.R.  $\text{O}^{16}(\rho, \alpha)\text{N}^{13}$  angular distributions at 15.5-18.1 MeV, 1=17100
- Maxwell, A. Recent developments in solar radio astronomy, 1=44
- Maxwell, A., Howard, W.E., III. and Garmire, G. Some statistics of solar radio bursts at sunspot maximum, 1=15547
- Maxwell, A., Thompson, A.R. and Garmire, G. The association of solar radio bursts with auroral streams, 1=6641
- Maxwell, A. See Thompson, A.R., 1=6743
- Maxwell, E. See Chase, C.E., 1=9509
- Maxworthy, T. Discontinuity properties of laminar flames, 1=6977
- May, A.D. Width of the magnetic resonance of the  $4^3\text{P}_1$  level of zinc excited by electron bombardment, 1=2281
- May, A.D. See Decomps, B., 1=12258
- May, A.N. Random slip model of fatigue and Coffin's law, 1=1340
- May, F.T. and Dandl, R.A. Active filter element and its application to a Fourier comb, 1=7007
- May, L. and Dillard, C.R. Infrared spectrum of stannane, 1=7471
- May, R.M. Diamagnetism of electrons in a weak periodic potential, 1=3877
- May, T.C. See Winckler, J.R., 1=10936
- May, T.C. See Winckler, J.R., 1=16931
- May, T.C. See Winckler, J.R., 1=18094
- Mayall, N.U. See Kron, G.E., 1=1655
- Mayaud, P.N. A new system of magnetic coordinates for the study of the upper atmosphere: the coordinates of the equatorial ring, 1=1573
- Maybank, J. See Mason, B.J., 1=20832
- Mayer, G. and Lecomte, M. Internal energy and elastic constants of silicon irradiated by fast neutrons, 1=9082
- Mayer, G. and Lecomte, M. The effect on fast neutrons on crystalline quartz and vitreous silica, 1=17592
- Mayer, H.M. See Harigel, G., 1=10819
- Mayer, J.E. Approach to thermodynamic equilibrium, 1=6793
- Mayer, J.W. See Bailey, N.A., 1=12075
- Mayer, J.W. See Friedland, S.S., 1=3081
- Mayer, J.W. See Grainger, R.J., 1=3090
- Mayer, J.W. See Raymo, C.T., 1=13251
- Mayer, M. See Alper, S., 1=572
- Mayer, M.E. Remarks on compound models, conserved currents and weak interactions, 1=430
- Mayer, M.E. See Friedländer, E.M., 1=19189
- Mayer, S.W. Calculation of metal surface tensions. Ionic-salt and monatomic models for liquid metals, 1=18385
- Mayer, S.W. See Reiss, H., 1=9374
- Mayer, S.W. See Reiss, H., 1=13026
- Mayer, W.G. and Hiedemann, E.A. Corrected values of the elastic moduli of sapphire, 1=1290
- Mayer, W.G. and Hiedemann, E.A. Corrected values of elastic constants of sapphire, 1=20297
- Mayer, W.G. and Hiedemann, E.A. Light diffraction by progressive ultrasonic waves in Plexiglas, 1=8237
- Mayer-Borick, C. See Luhrs, G., 1=657
- Mayer-Kuckuk, T. and Nierhaus, R. Determination of random coincidences in fast-slow coincidence circuits, 1=5408
- Mayers, G.R.A. See Davies, J.T., 1=15782
- Mayhew, Y.R. See Rogers, G.F.C., 1=15799
- Maynard, K. See Vonnegut, B., 1=20845
- Maynard, L.A. Propagation of meteor burst signals during the polar disturbance of November 12-16, 1960, 1=18174
- Mayo, C.G. and Head, J.W. Simplifying the Fourier integral by adequate specification, 1=6689
- Mayo, S. See Cohen, B.L., 1=3397
- Mayo, S. See Cohen, B.L., 1=3398
- Mayrick, R.G. See Mackle, H., 1=6986
- Mayrone, L. See Colombino, P., 1=5715
- Mazalov, L.N. and Batsanov, S.S. Use of perturbation theory in calculation of ionic refractivities of lanthanides and actinides, 1=3818
- Mazel, E.Z. See Atsarkin, V.A., 1=1064
- Mazel, E.Z. See Atsarkin, V.A., 1=6153
- Mazelsky, R. See Eisner, R.L., 1=14991
- Mazelsky, R. See Miller, R.C., 1=17673
- Mazey, D.J. See Barnes, R.S., 1=1002
- Mazieres, C. See Lambert, M., 1=19820
- Mazo, R.M. Line widths in the electron paramagnetic resonance spectrum of gaseous atomic hydrogen, 1=3510



- Mazo, R.M. Momentum-correlation function in a Rayleigh gas, 1=12925
- Mazo, R.M. See Mortimer, R.G., 1=20752
- Mazonaschwili, B.N. and Höhne, M. Photoconductivity in Ti (Br, I), 1=19911
- Mazue, J. and Rafałowicz, J. Experimental estimation of the degree of the ionic thermal dissociation of the CuI vapour in the air atmosphere between 350° C and 550° C, 1=14112
- Mazur, A. See Friml, M., 1=16828
- Mazur, J. First investigation on clouds over British Isles using an aircraft, 1=15228
- Mazur, J. and Rafałowicz, J. Hypothesis on the ionic mechanism of the growth of whiskers obtained by reduction of the metal halides, 1=15005
- Mazur, J. See Hoffmann, T., 1=20447
- Mazur, J. See Hofman, T., 1=11547
- Mazur, J. See Wall, F.T., 1=20725
- Mazur, P. See Ross, J., 1=11616
- Mazur, P. See van der Linden, J., 1=11709
- Mazur, P. See Vlieger, J., 1=8073
- Mazurkiewicz, Z. General expressions for the boundary conditions and the differential equation of equilibrium and vibration of an anisotropic nonhomogeneous plate, 1=185
- Mazzoldi, P. See Careri, G., 1=16189
- Mazzoldi, P. See Cunsolo, S., 1=13032
- Meaburn, G.M.A.C. See Weeks, J.L., 1=19964
- Mead, C.A. Operation of tunnel-emission devices, 1=8962
- Mead, C.A. Anomalous capacitance of thin dielectric structure, 1=11335
- Meadows, A.J. A contracting polytrope in a magnetic field, 1=9286
- Meadows, A.J. Turbulence and rotation in early-type stars, 1=18105
- Meadows, J.W., Jr. See Sugihara, T.T., 1=3471
- Meakins, R.J. Mechanisms of dielectric absorption in solids, 1=7083
- Mechel, F. Sound attenuation and amplification in air flow through ducts with absorbent linings, 1=8185
- Mecke, P. See Fuchs, E., 1=10109
- Mecke, R. Infrared spectra of water, 1=6860
- Meckel, B.B. and Harkins, P.A. Production and analysis of a large-diameter plasma beam, 1=4618
- Meckel, B.B. See Magnuson, G.D., 1=4672
- Meczyńska, H. See Łożykowski, H., 1=6240
- Męczyńska, H. See Łożykowski, H., 1=14660
- Medford, R.D. See Wright, J.K., 1=18876
- Medford, R.D. See Wright, J.K., 1=18878
- Medlin, W.L. Thermoluminescence in dolomite, 1=5060
- Medlin, W.L. Decay of phosphorescence in  $\text{CaCO}_3$ ,  $\text{MgCO}_3$ ,  $\text{CaMg}(\text{CO}_3)_2$ , and  $\text{CaSO}_4$ , 1=7724
- Medlin, W.L. Decay of phosphorescence from a distribution of trapping levels, 1=11392
- Medlin, W.L. Thermoluminescence in anhydrite, 1=20035
- Mednikov, A.K. See Kalashnikov, S.G., 1=2407
- Mednikov, A.K. See Kalashnikov, S.G., 1=6147
- Mednikov, A.K. See Kalashnikov, S.G., 1=17517
- Medveczky, L. and Somogyi, G. Range of protons in the Agfa K2 nuclear emulsion, 1=16633
- Medvedev, B.V. The axiomatic method and perturbation theory, 1=3142
- Medvedev, B.V. A functional expansion of the scattering matrix in normal products of asymptotic fields, 1=19146
- Medvedev, M.N., Matveeva, E.N. and Zhil'tsova, L.Ya. Large volume plastic scintillators, 1=10809
- Medvedev, V.S. See Ereimenko, V.V., 1=6175
- Mee, C.H.B. Electrical conductivity and thermoelectric power of calcium oxide, 1=17725
- Mee, C.H.B. Effect of ultra-violet irradiation on the electrical conductivity of cathodes coated with barium oxide, 1=18913
- Meecham, W.C. See Ford, G.W., 1=1799
- Meehan, C.J. Experimental study of intermetallic diffusion in large temperature gradients, 1=7599
- Meehan, J.E. and Hugus, Z.Z. Light scattering functions for spherical particles with  $m = 1.65(0.05)1.85$ , 1=4478
- Meer, M. See Leitner, J., 1=16901
- Meeron, E. Exact treatment of particle correlation functions and free energy, 1=6802
- Meeron, E. Theory of classical fluids and the convolution approximation (note on papers by Tohru Morita), 1=10501
- Meeron, E. Transport equations for plasmas in strong external fields, 1=16310
- Meessen, A. The theory of photoexcitation in solids, 1=14579
- Meessen, A. Theory of the photoelectric effect in metals, 1=16373
- Meessen, A. The fundamental photoelectric effect for semiconductors and for CsSb, 1=17791
- Meetz, K., Ott, K. and Sanatani, S. Iteration of multigroup theory and application to the calculation of the neutron spectrum in flattened reactors, 1=17224
- Megaw, H.D. Order and disorder. I. Theory of stacking faults and diffraction maxima, 1=976
- Megaw, H.D. Order and disorder. II. Theory of diffraction effects in the intermediate plagioclase feldspars, 1=15108
- Megaw, H.D. Order and disorder. III. The structure of the intermediate plagioclase feldspars, 1=15109
- Megaw, W.J. See Billings, C.E., 1=7895
- Megaw, W.J. See Chamberlain, A.C., 1=11635
- Megerle, K. See Giaever, I., 1=8284
- Meghreblian, R.V. Gaseous propulsion reactors, 1=15581
- Megill, L.R. and Jamnick, P.M. Technique for calculating infrared absorbance by a regular band, 1=16050
- Megill, L.R. See Roach, F.E., 1=2575
- Megrelishvili, T.G. See Fishkova, L.M., 1=21026
- Meharry, M.R. See Henry, W.G., 1=4463
- Mehl, R.F., Swanson, M. and Pound, G.M. Estimation of equilibrium vacancy concentration in solid metals, 1=17502
- Mehltretter, J.P. A primary spectrophotometric standard of high accuracy, 1=234
- Mehltretter, J.P. Standardization of the luminescent source of the Paris Institute D'Astrophysique, 1=15403
- Mehta, M.K. See George, K.A., 1=341
- Mehta, M.L. On the summation of generalized ladders for a many-fermion system, 1=1708
- Mehta, M.L. Spacing distribution and level-density in random matrix approximation, 1=8612
- Mehta, O.P. See Arnikaar, H.J., 1=20685
- Mei Chio Chen and Taylor, H.A. Reaction of nitrogen atoms with ozone, 1=7905
- Meiboom, S. Nuclear magnetic resonance study of the proton transfer in water, 1=4360
- Meier, G. See Maier, W., 1=10519
- Meier, G. See Maier, W., 1=12892
- Meier, G. See Maier, W., 1=18425
- Meier, H.W. See Grote, L.C., 1=5760
- Meijer, P.H.E. Note on the behaviour of a vapour-liquid system above and below the critical point, 1=1847
- Meijer, P.H.E. Line shape of ultraviolet absorption in solid noble gases, 1=11362
- Meijer, P.H.E. See Bowen, J.I., 1=6789
- Meijering, J.L. On the thermodynamics of the Au-Pt system, 1=20580
- Meiklejohn, W.H. Exchange anisotropy in stainless steel, 1=6278
- Meiling, G.E. See Kingery, W.D., 1=7625
- Meiller, F.H. See Norris, G.F., 1=4449
- Meinel, G. Scientific principles of violin making: survey, 1=16031
- Meinhardt, D. and Krisement, O. Structure investigation of chromium carbide  $\text{Cr}_3\text{C}_2$  by thermal neutrons, 1=2534
- Meinke, W.W. See Anders, G.U., 1=722
- Meinzel, J. See Martin-Bouyer, M., 1=20024
- Meisenheimer, R.G. and Swalen, J.D. Magnetic properties of  $\text{HCrO}_2$  and  $\text{DCrO}_2$ , 1=11413
- Meisser, O. Vibrations of all wavelengths in the earth, 1=4108
- Meissner, H.G. See Schubert, K., 1=5099
- Meissner, H.G. See Schubert, K., 1=6528
- Meister, R. See Gruber, J., 1=9449
- Meitert, S. See Ausländer, J.S., 1=179
- Meitzler, A.H. Mode coupling occurring in the propagation of elastic pulses in wires, 1=8175
- Meixner, B.D. See Harlow, F.H., 1=15925
- Meixner, J. The angular momentum law in the thermodynamics of irreversible processes, 1=15712
- Meixner, J. See Tang, C.L., 1=3056
- Meixner, J. Reversibility and irreversibility in linear passive systems, 1=18290
- Meixner, J. Relaxation phenomena and their thermodynamic treatment, 1=18329
- Mekhedov, V.N. See Van Yun-yui [Wang Yung-Yü], 1=3461
- Mekhtiev, G.F. Cross-relaxation in substances containing paramagnetic centres of two types, 1=20241

- Melamed, N.T. See Bolef, D.I., 1=20292
- Melankholin, N.M. Absorption spectra of crystals of some thiazine and oxazine dyes, 1=14595
- Melbourne, K.V. See Eden, G.E., 1=15831
- Melcher, J.R. A useful analogy for single-group neutron diffusion theory, 1=13889
- Melcher, J.R. Electrohydrodynamic and magnetohydrodynamic surface waves and instabilities, 1=19005
- Melchior, M.T. and Maki, A.H. Electron spin resonance study of p-phenylene-diamine positive ion, 1=6040
- Meleka, A.H., Barr, W. and Baker, A.A. Evidence of sub-surface cross-slip in fatigued copper, 1=14900
- Meleka, A.H. and Dunn, G.B. Fatigue-induced after-effect in zinc single crystals, 1=20360
- Meleka, A.H. and Evershed, A.V. The dependence of creep behaviour on the duration of a superimposed fatigue stress, 1=20356
- Meleka, A.H. See McLean, S., 1=18635
- Melekhin, V.N. See Kapitza, S.P., 1=18965
- Melekhin, V.N. See Kapitsa, S.P., 1=18966
- Meleshina, A.M. The effect of vibrations on the forbidden transitions in a molecule, 1=14065
- Meleshina, V.A., Zheludev, I.S. and Rez, I.S. Application of the method of charged powders in the study of the domain structure and morphological features of the growth of crystals of triglycine sulphate, 1=12613
- Meleshko, E.A. See Antonov, A.V., 1=4679
- Meleshko, E.A. See Antonov, A.V., 1=16457
- Melhuish, W.H. Distribution of fluorescence from a disk-shaped cuvette, 1=4430
- Melhuish, W.H. Quantum efficiencies of fluorescence of organic substances: effect of solvent and concentration of the fluorescent solute, 1=15890
- Melichar, M. See Krejčí, M., 1=761
- Melik-Barkhudarov, T.K. See Gor'kov, L.P., 1=18698
- Melik-Gaikazyan, I.Ya., Treskina, M.N. and Zavodovskaya, E.K. The F-band half-width and the density of F-centres in monocrystalline solid solutions KCl-KBr, 1=14332
- Melik-Gaikazyan, I.Ya. and Zavodovskaya, E.K. Relationship between the half-width of an F-band in solid solutions of alkali-halide crystals with the degree of their imperfection, 1=14331
- Melik-Gaikazyan, I.Ya., Zavodovskaya, E.K. and Treskina, M.N. Concerning the distribution of impurities in alkali-halide crystals, 1=4983
- Melik-Gaikazyan, I.Ya. See Zavodovskaya, E.K., 1=12374
- Melin, O. See Forsling, W., 1=19386
- Melioranskii, A.S., Estulin, I.V. and Kalinkin, L.F. A study of low-lying excited states in  $Mn^{56}$  and  $Ho^{166}$  by measuring cascade quantum coincidences, 1=13659
- Melioransky, A.S. See Estulin, I.V., 1=8648
- Melkanoff, M.A., Saxon, D.S. and Nodvik, J.S. On the shape of the imaginary part of the optical model potential, 1=19448
- Melkonian, E. See Gould, F.T., 1=16812
- Melkonian, E. See Wajima, J.T., 1=8465
- Mellis, O. See Laevastu, T., 1=18020
- Mellish, C.E. Neutron threshold reactions: an inter-comparison, 1=13824
- Melmed, A.J. and Gomer, R. Field emission from whiskers, 1=8342
- Mel' nichuk, P.I., Klimenko, V.N. and Lyashchenko, A.B. Determination of the elastic modulus of chromium carbide-nickel alloys, 1=11500
- Mel'nikov, G.P. Review of the principles of registration used in multichannel pulse-height and time analysers, 1=4546
- Mel'nikov, M.A. See Vorob'ev, A.A., 1=5427
- Mel'nikov, V.K. See Sayasov, Yu.S., 1=4673
- Melnikova, M.V. See Troitskaya, V.A., 1=20800
- Mel'nikova, N.N. See Belyakov, V.A., 1=19244
- Mel'nikova, N.S. See Kochina, N.N., 1=1474
- Mel'nikova, N.S. See Kochina, N.N., 1=8148
- Mel'nikova, N.S. See Kochina, N.N., 1=11776
- Mel'nikova, N.S. See Kochina, N.N., 1=15934
- Mel'nikova, V.I. and Bogachev, I.N. Volume changes during ordering of the Ni-Mn alloy, 1=10171
- Melton, C.E. Studies of transient species formed during catalytic reactions of  $CO_2 + D_2$  and of 1-butene, 1=20733
- Melton, C.E. See Ropp, G.A., 1=7918
- Meltzer, A.S. See Greenberg, J.M., 1=2594
- Meltzer, B. Space-charge-limited currents in cylindrical and spherical insulator diodes, 1=266
- Meltzer, C. See Leitner, J., 1=16901
- Meltzer, C.M. See Block, M.M., 1=13500
- Men', A.N. The relationship between the equilibrium value of the lattice constant of a mixed spinel and composition, 1=4051
- Men', A.N. Configurational free energy of a multicomponent solid solution with allowance for interstitial atoms, 1=6547
- Men', A.N. Calculation of correlation parameters for the second configuration sphere in an N-component solid solution, 1=6548
- Men', A.N. Determination of the degree of short-range order in multi-component disordered solid solutions, 1=9148
- Men', A.N. Determination of the number of independent parameters of short- and long-range order in multi-component solid solutions, 1=15154
- Men', A.N. The determination of the configurational specific heat of many-component spinels, 1=19714
- Men', A.N. The influence of the distribution of cations in many-component stoichiometric spinel on the equilibrium pressure of oxygen, 1=20450
- Men', A.N. The distribution of cations in a multicomponent stoichiometric spinel, 1=20563
- Mendelson, E.S. Improved method for studying tympanic reflexes in man, 1=4150
- Mendelson, S. Dislocation etch pit formation in sodium chloride, 1=12616
- Mendelson, S. Birefringence due to dislocations in glide bands of rocksalt single crystals, 1=14261
- Mendelssohn, K. [Ed.]. Progress in cryogenics. Vol. 2, 1=4509
- [Ed.]. Mendelssohn, K. Progress in cryogenics. Volume 3, 1=13029
- Mendelssohn, K. See Brewer, D.F., 1=15035
- Mendoza, E. A sketch for a history of early thermodynamics, 1=5382
- Mendoza, E. A sketch for a history of the kinetic theory of gases, 1=6901
- Menefee, E. and Peticolas, W.L. Molecular weight distribution from the normal coordinate theory of viscoelasticity, 1=14133
- Menefee, E. See Peticolas, W.L., 1=14134
- Meneghetti, D. See Hummel, H.H., 1=15435
- Menes, M. and Bolef, D.I. Nuclear quadrupole coupling in alkali iodide crystals, 1=19702
- Menes, M. See Bolef, D.I., 1=20292
- Mengert, P. See Lax, M., 1=1035
- Menichella Saetta, E. See Marcazzan, G.M., 1=13821
- Menkes, J. Existence of solutions of one-dimensional flow of a real gas, 1=4366
- Men'kov, A.A. See Spitsyn, V.I., 1=20427
- Mennrath, P. See Gorodetzky, S., 1=7360
- Menotti, P. and Tomozawa, Y. Wigner condition and low energy scattering, 1=5699
- Menotti, P. See Hamilton, J., 1=12101
- Mennrath, P. See Gorodetzky, S., 1=17062
- Men'shikov, A.Z. and Nemnonov, S.A. X-ray absorption spectra of compounds with the nickel arsenide structure, 1=14617
- Menshikov, M.I. See Vekshinsky, S.A., 1=9426
- Menter, J.W. See Bassett, G.A., 1=2554
- Mentkovskii, Yu.L. Perturbation theory for large quantum systems, 1=459
- Menyuk, N. See Goodenough, J.B., 1=14670
- Menyuk, N. See Kaplan, T.A., 1=6349
- Menzel, D.H. See de Vaucouleurs, G., 1=15
- Menzel, E. and Hohlfeld, K. Optical microscopy with mechanical premagnification, 1=18591
- Menzies, A.C. Optical spectroscopy, 1=12987
- Menzies, D.C. See McGill, I.S., 1=7248
- Merat, P. Some theoretical problems concerning elementary particles, 1=10876
- Mercea, J. See Mercea, V., 1=4364
- Mercea, V., Mercea, J. and Ursu, I. A rotating disk viscometer, 1=4364
- Mercea, V. and Ursu, I. Study of the limit of variation of the viscosity of oxygen with magnetic field, 1=1760
- Mercea, V., Ursu, I. and Văsar, G. A contribution to the study of electrolysis by a fluctuating current, 1=6572
- Mercer, H. See Walker, L.A., 1=13675



- Merceron, T. See Braginski, A., 1=17974  
 Merceron, T. See Bragiński, A., 1=20137  
 Merceron, T. See Marais, A., 1=17973  
 Mercier, A. See Gorge, V., 1=604  
 Mercier, C. A necessary stability criterion for a toroidal hydromagnetic system with scalar pressure, 1=7078  
 Mercier, C. and Cotsaftis, M. Equilibrium and stability for toroidal magnetohydrodynamic systems under scalar pressure in the neighbourhood of a magnetic axis, 1=18992  
 Mercier, R.P. Diffraction by finite irregular objects, 1=6963  
 Meredith, B.L. See Heeschen, D.S., 1=18207  
 Meredith, J.E. See Sawkill, J., 1=4018  
 Mériel, P. See Boutron, F., 1=20481  
 Mériel, P. See Herpin, A., 1=2482  
 Meriel, P. See Herpin, A., 1=12546  
 Meriel, P. See Herpin, A., 1=14763  
 Méricoux, R. See Brin, A., 1=1856  
 Merisov, B.A. See Khotkevich, V.I., 1=1020  
 Merkulov, L.G. Absorption of ultrasonic waves in alkali-halide crystals, 1=901  
 Merkulov, L.G. and Yakovlev, L.A. Ultrasonic investigations in deformed NaCl crystals, 1=17406  
 Merl, W. Influence of alloy structure on the transfer of matter, 1=16294  
 Merle, M. See Canac, F., 1=8150  
 Merlin, M. See Baldassarre, F., 1=16862  
 Merlin, M. See Caforio, A., 1=5780  
 Mermel'shtein, Yu.M. See Kontorovich, I.E., 1=3683  
 Mermin, N.D. Two models of brownian motion, 1=10428  
 Mermin, N.D. See Baym, G., 1=4779  
 Mermod, R. See von Dardel, G., 1=2053  
 Merrifield, R.E. Ionized states in a one-dimensional molecular crystal, 1=8898  
 Merrifield, R.E. See Kepler, R.G., 1=2402  
 Merrihue, C.M. Search for  $a\bar{g}^-$  branch in  $I^{24}$ , 1=17022  
 Merrill, J.A. See Jacobs, R.T., 1=17216  
 Merrill, J.J. and DuMond, J.W.M. Nuclear effects observed in X-ray spectra, 1=8819  
 Merrill, J.J. and DuMond, J.W.M. Precision measurement of L X-ray wavelengths and line widths for  $74 \leq Z \leq 95$  and their interpretation in terms of nuclear perturbations, 1=14615  
 Merrill, P.W. Unidentified lines in spectra of sun and stars, 1=15501  
 Merrill, R.C. See Hartman, P.L., 1=3814  
 Merrison, A.W. See Cocconi, V.T., 1=19241  
 Merritt, F.R. See Galt, J.K., 1=9996  
 Merritt, F.R. See Galt, J.K., 1=17485  
 Merritt, J.S. See Campion, P.J., 1=13235  
 Merritt, J.S. See Geiger, K.W., 1=10982  
 Merritt, J.S. See Graham, R.L., 1=17053  
 Merson, R.H. The motion of a satellite in an axisymmetric gravitational field, 1=9300  
 Mertens, R. The diffraction of light by two superposed parallel supersonic waves being harmonics of the same fundamental, 1=242  
 Mertens, R. See Kuliasko, F., 1=16109  
 Mertsching, J. The influence of surfaces on the electrical conductivity of solids at elevated temperatures, 1=3704  
 Merz, E.R. and Caretto, A.A.Jr. Neutron-deficient nuclides of hafnium and lutetium, 1=8645  
 Merz, W.J. Space-charge-limited currents in CdS and ZnS, 1=17792  
 Merz, W.J. See Fatuzzo, E., 1=14561  
 Merzabekian, E.G. See Molchanov, A.P., 1=2650  
 Merzari, F. See Colli, L., 1=13826  
 Mescherov, R.A., Mironov, E.S., Nemenov, L.M., Rybin, S.N. and Kholmovskii, Yu.A. Acceleration of ions in a cyclotron with azimuthal variation of the magnetic field, 1=16455  
 Mescheryakov, M.G. See Helfer, H., 1=5755  
 Mescheryakov, M.G. See Helfer, H., 1=7266  
 Meservey, E.B. and Goldberg, L.P. Particle surfaces for high-energy electrons in a stellarator, 1=16348  
 Meshcherov, R.A. and Mironov, E.S. Production of an azimuthally varying magnetic field, 1=18977  
 Meshcheryakov, M.G. See Vovchenko, V.G., 1=16855  
 Meshcheryakov, V.A. See Efremov, A.V., 1=5679  
 Meshcheryakov, V.A. See Efremov, A.V., 1=19256  
 Meshcheryakova, T.F. See Korolev, F.A., 1=12995  
 Meshkovskii, A.G. See Blinov, G.A., 1=3098  
 Meskat, W. Development tendencies in viscometry, 1=11735  
 Mes'kin, V.S. and Al'ftan, E.A. On the causes of and means of reducing the instability of high precision resistance alloys, 1=7614  
 Mesnard, G. See Déjardin, G., 1=1132  
 Messel, H. The new radio astronomy centre of the University of Sydney, 1=42  
 Messiah, A. See Bros, J., 1=16640  
 Messier, J. See Koch, L., 1=3253  
 Messier, J. See Koch, L., 1=3779  
 Messier, J. See Koch, L., 1=5614  
 Messier, J. See Koch, L., 1=8946  
 Messiter, A.F. See Cole, J.D., 1=6885  
 Messmer, J.H. See Woodside, W., 1=20650  
 Messmer, J.H. See Woodside, W., 1=20651  
 Mestel, L. The Hertzprung-Russell diagram, 1=12760  
 Mestel, L. A note on equatorial acceleration in a magnetic star, 1=15498  
 Metenin, V.I. Investigation of vortex [tube] temperature separators for compressed gas, 1=2775  
 Metheringham, A.J. See Esten, M.J., 1=19192  
 Methfessel, S., Middelhoek, S. and Thomas, H. Nucleation processes in thin permalloy films, 1=6330  
 Methfessel, S., Middelhoek, S. and Thomas, H. Partial rotation in permalloy films, 1=14721  
 Metson, G.H. and Holmes, M.F. The conductivity of oxide cathodes. IX. thermo-electric power, 1=6183  
 Metz, A. The deviation of light waves by the movement of refracting media, 1=2839  
 Metz, A. Total reflection and backward radiation from "Secondary Sources" according to Huygens' principle, 1=5466  
 Metzger, F.R. Lifetime of the 161 keV excited state in  $\text{Sn}^{117}$ , 1=4840  
 Metzger, F.R. Lifetime and g-factor of the first excited state in  $\text{Fe}^{58}$ , 1=19368  
 Metzger, F.R. See Deutch, B.I., 1=7357  
 Metzger, F.R. See Rasmussen, V.K., 1=12161  
 Metzger, F.R. See Rothem, T., 1=5876  
 Metzger, F.R. See Swann, C.P., 1=664  
 Metzger, M. See Arora, O.P., 1=959  
 Metzner, P. Methods of microscopy with objects at a distance, 1=18588  
 Meulders, J.P. See Deconninck, G., 1=13810  
 Meurers, H. Continuous supervision of the sedimentation of "hot particles" from the atmosphere, 1=17005  
 Meyer, A. and Murray, R.B. Scintillation response of activated ionic crystals to charged particles, 1=2461  
 Meyer, A. See Murray, R.B., 1=7727  
 Meyer, A.F.A. See Anton'eva, N.M., 1=13750  
 Meyer, A.J.P. and Asch, G. Experimental  $g'$  and  $g$  values of Fe, Co, Ni, and their alloys, 1=6332  
 Meyer, A.J.P. See Cadeville, M.C., 1=3889  
 Meyer, A.J.P. See Cadeville, M.C., 1=7743  
 Meyer, A.J.P. See Scott, G.G., 1=11462  
 Meyer, D.I. and Terwilliger, K.M. A  $14 \times 14 \times 7$  in. thin plate spark chamber, 1=9701  
 Meyer, E., Dinkelacker, A. and Tamm, K. Flow noise in water-filled tubes, 1=16012  
 Meyer, E., Kurtze, G., Kuttruff, H. and Tamm, K. A new reverberation room for sound waves and electromagnetic waves, 1=8191  
 Meyer, E. and Kuttruff, H. On the acoustic properties of the new Beethovenhalle in Bonn, 1=9458  
 Meyer, E., Schilz, W. and Tamm, K. The construction of an anechoic acoustic wave basin, 1=8192  
 Meyer, E. and Schnupp, P. Model experiments on electromagnetic reflected beam direction finding (radar) using ultrasonic waves (sonar), 1=8190  
 Meyer, F.J. See Lottermoser, W., 1=8213  
 Meyer, G. See Horstmann, M., 1=3018  
 Meyer, G. See Horstmann, M., 1=15053  
 Meyer, G. See Horstmann, M., 1=16425  
 Meyer, H. See Foner, S., 1=19664  
 Meyer, H. See Rives, J.E., 1=18690  
 Meyer, H.J.G. See Risken, H., 1=11282  
 Meyer, K. On the theory of the exchange model of ferromagnetism, 1=20058  
 Meyer, L. and Reif, F. Ion motion in superfluid liquid helium under pressure, 1=10634

- Meyer, P. The cosmic ray alpha-particle flux during sharp Forbush intensity decreases, 1=13590
- Meyer, P. and Prentki, J. On a contradiction between experimental results on nuclear form factors and certain symmetries of strong interactions, 1=494
- Meyer, P., Prentki, J. and Yamaguchi, Y. Determination of the relative  $\Sigma$ - $\Lambda$  parity and of the ratio of asymmetry coefficients  $\alpha_\Lambda$  to  $\alpha_\Sigma$  in hyperon decay from the pion-hyperon resonance, 1=550
- Meyer, P., Prentki, J. and Yamaguchi, Y. On the pion-hyperon resonances and on the possible uses thereof. (Determination of the  $\Sigma$ - $\Lambda$  relative parity and of the  $\alpha_\Sigma/\alpha_\Lambda$  ratio), 1=5784
- Meyer, P., Prentki, J. and Yamaguchi, Y. Proposal of an experiment on  $\Sigma^+$ -decays, 1=8510
- Meyer, P. and Vogt, R. Electrons in the primary cosmic radiation, 1=7294
- Meyer, P. See Fan, C.Y., 1=21077
- Meyer, P. See Hess, W.N., 1=21076
- Meyer, R.T. and Meyers, R.J. Dipole moment of the OH radical from the Stark effect of its microwave spectrum, 1=7497
- Meyer, R.X. Heat-transfer near the stagnation point of a body of revolution in the presence of a magnetic field, 1=363
- Meyer, R.X. Magnetohydrodynamic hypersonic flow in the quasi-Newtonian approximation, 1=5575
- Meyer, R.X. Plasma propulsion by means of a travelling sinusoidal magnetic field, 1=16338
- Meyer, V. and Hintz, N.M. Charged particle and total reaction cross sections for protons at 9.85 MeV, 1=8712
- Meyer, V., Müller, H., Staub, H.H. and Zurmühle, R. The  $\gamma$ -radiation of the  $\text{Li}^2(p,\gamma)$  resonance at 441.3 keV, 1=19471
- Meyer, V.E., Kinsinger, J.B. and Parker, P.M. Expected square of the length of isotactic vinyl hydrocarbon-type chains, 1=7507
- Meyer, W.E. The initiation of electrical breakdown in vacuum, 1=4586
- Meyer, W.E. Resolving power of a spherically corrected electrostatic electron microscope, 1=18930
- Meyer, W.E. Practical resolving power of electron microscopes, 1=18931
- Meyer-Arendt, J.R. Comment on Melankholin's article on absorption spectra of thiazine dyes, 1=14596
- Meyer-Arendt, J.R. and Wood, J.K. Light-optical analogs of X-ray diffraction patterns, 1=7857
- Meyer-Berkhout, U. See Krehbiel, H., 1=19439
- Meyer-Eppler, W. The spectral structure of the German  $r$ -allophone, 1=1600
- Meyer-Kückuk, T. and Michel, F.C. Comparison of the beta spectra of  $\text{B}^{12}$  and  $\text{N}^{12}$ , 1=17020
- Meyer-Schützmeister, L., Preston, R.S. and Hanna, S.S. Internal magnetic fields in manganese-tin alloys, 1=9023
- Meyer-Schutzmeister, L. See Hanna, S.S., 1=621
- Meyerand, R.G. See Salz, F., 1=13088
- Meyerand, R.G., Jr. See Salz, F., 1=5502
- Meyerhoff, R.W., Bailey, D.M. and Smith, J.F. X-ray diffraction camera for the alignment of large single crystals, 1=10245
- Meyers, M.D. See Cotton, F.A., 1=3831
- Meyers, R.J. See Meyer, R.T., 1=7497
- Meyerson, S. Effect of electron energy on some electron-impact processes, 1=10669
- Mezger, F.W. See Carpenter, C.P., 1=15740
- Mezger, P.G. Radioastronomical methods, 1=15524
- Mezger, P.G. and Strassl, H. The thermal radiation of the moon at 1420 Mc/s, 1=6697
- Mianes, P., Grudzińska, S. and Stawikowski, A. Physical observations of the periodic comet Giacobini-Zinner (1959 b), 1=19
- Miara, G. See Baldo-Ceolin, M., 1=551
- Miari, G. See Baldo-Ceolin, M., 1=10926
- Miasek, M. Tight binding method for white tin, 1=890
- Miasek, M. The distribution of electrons in the process of impact ionization, 1=14220
- Miasek, M. Electron impact ionization. The probability of occupying states after ionization, 1=14400
- Miasek, M. and Suffczyński, M. Space group of white tin. I. Symmetry points, 1=15023
- Miasek, M. and Suffczyński, M. Space group of white tin. II. Symmetry lines and planes, 1=15024
- Michael, D.H. Energy considerations in the instability of a current-vortex sheet, 1=16248
- Michael, P. Thermal neutron flux distributions in space and energy, 1=17214
- Michaelis, E.G. See Barton, J.C., 1=5809
- Michalak, J.T. and Glenn, R.C. Transmission electron microscope observations of magnetic domain walls, 1=10153
- Michalowicz, A. See Bergamaschi, C., 1=16462
- Michalowicz, A. See Caverzasio, C., 1=16782
- Michalska, R. On the conservation law of the angular momentum of a system of rotating bodies in the general theory of relativity, 1=15638
- Michalska, R. Action principle for the motion of rotating bodies in the general theory of relativity, 1=15639
- Michalska, R. The equations of motion of rotating oblate bodies in the general theory of relativity, 1=15640
- Michard, R. The inhomogeneity of the solar photosphere, 1=15450
- Michard, R., Mouradian, Z. and Semel, M. Magnetic fields in a centre of solar activity before and during an eruption, 1=15476
- Michaudon, A., Bergère, R., Coin, A. and Joly, R. Measurement and analysis of the fission cross-section of  $\text{U}^{235}$ , 1=13868
- Michaudon, A. See Ribon, P., 1=16385
- Michels, A., Abels, J.C., ten Seldam, C.A. and de Graaff, W. Polynomial representation of experimental data; application to virial coefficients of gases, 1=5294
- Michel, A. See Frie, W., 1=13071
- Michel, F.C. See Meyer-Kückuk, T., 1=17020
- Michel, L. and Rouhaninejad, H.  $\Sigma^- \rightarrow \Lambda^0$  relative parity from  $\Sigma^0$  decay, 1=7287
- Michel, L. See Bouchiat, C., 1=16873
- Michel, L. See Lurçat, F., 1=16661
- Michel, R.E. and Rosenblum, B. Multicomponent magnetoplasma resonance in p-type germanium, 1=17491
- Micheletti, S. See Colli, L., 1=8749
- Micheletti, S. See Colli, L., 1=18453
- Micheletti, S. See Isoya, A., 1=19512
- Michellini, G.G.A. See Bassi, P., 1=13243
- Michels, A., de Graaff, W. and ten Seldam, C.A. Virial coefficients of hydrogen and deuterium at temperatures between  $-175^\circ\text{C}$  and  $+150^\circ\text{C}$ . Conclusions from the second virial coefficient with regards to the intermolecular potential, 1=6897
- Michels, A., de Kluiver, H. and Ten Seldam, C.A. The formation of weakly bound molecules. Mercury-inert gas and their contribution to the satellite bands of the mercury 2537 Å ( $^1\text{S}_0 - ^3\text{P}_1$ ) resonance line perturbed by inert gases at low densities, 1=808
- Michels, A., Dumoulin, E. and van Dijk, J.J.T. Gas-liquid phase equilibrium in the system  $\text{NH}_3$ -A, 1=18673
- Michels, A., Wassenaar, T. and Louwerse, P. Isotherms of neon at temperatures between  $0^\circ\text{C}$  and  $150^\circ\text{C}$  and at densities up to 1100 amagat (pressures up to 2900 atmospheres), 1=6879
- Michener, W.H. Apparatus review: thermoelectric generator, 1=7021
- Michie, R.W. Structure and evolution of globular clusters, 1=8006
- Michielsen-Effinger, J. Validity of the crystal field theory for the study of transition metal ions in aqueous solution. Absorption spectrum of the bivalent vanadium ion, 1=8122
- Michielsen-Effinger, J. Nuclear quadrupole moments determined by atomic and molecular spectroscopy, 1=16970
- Micu, M. Angular correlation theory with Jacob-Wick method, 1=17009
- Micu, M. and Săndulescu, A. The reduced widths for deuteron emission, calculated on the basis of the nuclear shell model, 1=5851
- Micu, M. See Ciulli, S., 1=5485
- Middelhoeck, S. Domain walls in thin ferromagnetic Ni-Fe films, 1=3900
- Middelhoeck, S. The influence of local anisotropy fluctuations on the magnetic properties of thin NiFe films, 1=11439
- Middelhoeck, S. See Methfessel, S., 1=6330
- Middelhoeck, S. See Methfessel, S., 1=14721
- Middelkoop, W.C. See Fidecaro, M., 1=5518
- Middelkoop, W.C. See Gatti, G., 1=13228
- Middelkoop, W.C. See Gatti, G., 1=16854
- Middlehurst, J. Mercury switch for establishing the true electrical zero in precise thermocouple measurements, 1=5366



- Middlehurst, J. and Jones, T.P. Photoelectric optical pyrometer, 1=6980
- Middlehurst, J. and Kennett, B. An a.c. modulated flame ionization triode, 1=16157
- Middleman, S. and Gavis, J. Expansion and contraction of capillary jets of Newtonian liquids, 1=4311
- Middleman, S. and Gavis, J. Expansion and contraction of capillary jets of viscoelastic liquids, 1=11743
- Middleman, S. and Gavis, J. Erratum: I. Expansion and contraction of capillary jets of Newtonian liquids; II. Expansion and contraction of capillary jets of viscoelastic liquids, 1=18379
- Middleton, F.H. Analytic hysteresis function, 1=6287
- Middleton, F. and Hinds, S. A study of the  $Mg^{24}(d,p)Mg^{25}$  reaction, 1=19508
- Middleton, R. See Hinds, S., 1=617
- Middleton, R. See Hinds, S., 1=2238
- Middleton, R. See Hinds, S., 1=7343
- Middleton, R. See Hinds, S., 1=8581
- Middleton, R. See Hinds, S., 1=8582
- Middleton, R. See Hinds, S., 1=8623
- Middleton, R. See Hinds, S., 1=12217
- Middleton, R. See Hinds, S., 1=13657
- Middleton, R. See Hinds, S., 1=16987
- Middleton, R. See Hinds, S., 1=19509
- Middleton, R.M. See Gazzara, C.P., 1=11166
- Middleton, S.P. See King, R.J., 1=6818
- Middleton, W.E.K. and Wyszczek, G.W. Visual thresholds in the retinal periphery for red, green, and white signal lights, 1=4162
- Midgley, J.W. and Teer, D.G. Surface orientation and friction of graphite, graphitic carbon and non-graphitic carbon, 1=11528
- Miduno, Z. See Hukuda, K., 1=1489
- Midzuno, Y. Scattering of microwaves from a cylindrical plasma in the Born approximation. I, 1=16568
- Midzuno, Y. Scattering of microwaves from a cylindrical plasma in the Born approximation. II, 1=16569
- Midzuno, Y. See Kihara, T., 1=5448
- Midzuno, Y. See Kihara, T., 1=8319
- Midzuno, Y. See Kihara, T., 1=8325
- Miedema, A.R. See Haseda, T., 1=19719
- Miedler, L.J. See Boettner, A., 1=19963
- Mielenz, K.D. Tolerances for layer thicknesses in dielectric multilayer coatings and interference filters, 1=16098
- Mielnik, B. On the damping problem in quantum theory, 1=15683
- Mies, E. See Ceulemans, H., 1=11891
- Miesowicz, M. See Bartke, J., 1=3262
- Miessner, B.F. Piano sounding-board vibration, 1=8189
- Migachev, A.I. See Dmitrievskii, V.A., 1=1491
- Migatake, Y. An example of nonlocal interaction, 1=10840
- Migdal, A.B. Single particle excitations and superfluidity in systems consisting of Fermi particles with an arbitrary interaction. Application to the nucleus, 1=16724
- Migdal, A.B. See Braginsky, S.I., 1=7044
- Migdal, A.B. See Drozdov, S.I., 1=8599
- Migeotte, M. Vertical distribution of atmospheric ozone. Comparison of various methods. A. Introduction, 1=1504
- Migeotte, M. See Delbouille, L., 1=27
- Mihelich, J.W. See Funk, E.G., Jr. 1=650
- Mihelich, J.W. See Harmatz, B., 1=12160
- Mihul, A.C. and Petrascu, M.G. Fission of  $U^{238}$  with  $\mu^-$ -mesons, 1=745
- Mihul, E.K. See Barashenkov, V.S., 1=16909
- Mika, J. See Kuszell, A., 1=19559
- Mikaelian, L.A. See Spivak, P.E., 1=2040
- Mikaelyan, L.A. See Spivak, P.E., 1=3414
- Mikaelyan, L.A. See Spivak, P.E., 1=4791
- Mikaelyan, L.A. See Spivak, P.E., 1=5900
- Mikamo, S. See Matsumoto, S., 1=13407
- Mikeska, E.E. See Lane, R.N., 1=18543
- Mikeska, H.J. See Fick, E., 1=11410
- Mikhailov, V.A., Roinishvili, V.N. and Chikovani, G.E. Controlled spark chamber — a new device for the observation of charged particle tracks, 1=13265
- Mikhail, H., Hanafy, Z. and Salem, T.M. Magnetic susceptibility of mercuric oxide at various temperatures, 1=17929
- Mikhailenko, I.E. See Spitsyn, V.I., 1=20656
- Mikhailov, G.M. See Aleksandrov, K.S., 1=4059
- Mikhailov, G.M. See Lundin, A.G., 1=19923
- Mikhailov, I.G. and Shutilo, V.A. Distortion of the ultrasonic waveform of finite amplitude in various liquids, 1=4337
- Mikhailov, L.N. See Nastyukha, A.I., 1=16432
- Mikhailov, N.Ya. and Yagn, Yu.I. Experimental investigation of limiting carrying capacity of nickel tubes for different load applications: tensile stresses, shear moments and internal pressures, 1=6467
- Mikhailov, N.Ya. and Yagn, Yu.I. Experimental investigation of limiting carrying capacity of nickel tubes for different load applications: tensile stresses, shear moments and internal pressures, 1=10221
- Mikhailov, Y. Highly intensive heat and mass transfer in dispersed media, 1=16139
- Mikhailovskaya, V.V. See Imianitov, I.M., 1=16215
- Mikhalekov, V.S. See Dekhtyar, I.Ya., 1=2046
- Mikhalekov, V.S. See Dekhtyar, I.Ya., 1=3151
- Mikhalekov, V.S. See Dekhtyar, I.Ya., 1=6095
- Mikhalekov, V.S. See Dekhtyar, I.Ya., 1=11185
- Mikhalekov, V.S. See Dekhtyar, I.Ya., 1=14309
- Mikhalekov, V.S. See Hertsricken, S.D., 1=20625
- Mikhalevskii, V.S. See Ivanova, V.D., 1=12018
- Mikheev, G.F. See Komar, A.P., 1=4683
- Mikheev, G.F. See Komar, A.P., 1=5515
- Mikheev, G.F. See Komar, A.P., 1=11992
- Mikheev, M.N. See Belenkova, M.M., 1=10214
- Mikheev, M.N. See Brainina, Z.Z., 1=15149
- Mikheev, V.L. See Druin, V.A., 1=19540
- Mikhul, A. See Van Gan-ghan, 1=19284
- Mikhul, A.K. and Petrashku, M.G.  $\mu^-$ -meson fission of  $U^{238}$ , 1=12228
- Mikhul, E.K. See Barashenkov, V.S., 1=9849
- Mikke, K. See Ramanna, R., 1=9889
- Mikoshiba, N. Interaction of conduction electrons with acoustic waves in simple semiconductors, 1=8875
- Mikoshiba, N. Interaction of conduction electrons with acoustic waves in many-valley semiconductors, 1=11276
- Mikoshiba, N. Interaction of electrons and holes with acoustic waves in intrinsic semiconductors, 1=14413
- Mikulski, J., Mrowec, S., Stronski, I. and Werber, T. A contribution to the mechanism of sulphitation of Cu—Zn alloys with low Zn-content, 1=1439
- Mikulski, J. See Blicharski, J., 1=9409
- Mikulyak, R.M. See Gershenzon, M., 1=11407
- Mikumo, T. Anomalies in the scattering of alpha particles by carbon, 1=13852
- Mikumo, T., Yamaguchi, H., Nonaka, I., Hitaka, S., Maki, T., Mukai, M. and Nakajima, T. Elastic and inelastic scattering of alpha particles by carbon, 1=8771
- Mikumo, T., Yamaguchi, H., Nonaka, I., Odera, M., Hashimoto, Y., Kondo, M. and Maki, T. Elastic and inelastic scattering of alpha particles by carbon, 1=9882
- Mikumo, T. See Kikuchi, S., 1=7113
- Mikumo, T. See Tanaka, S., 1=8776
- Mikumo, T. See Tanaka, S., 1=8779
- Mikumo, T. See Tanaka, S., 1=12219
- Mikumo, T. See Tanaka, S., 1=12220
- Mikura, Z. On the superconducting ground state, 1=11875
- Milberg, M.E. See Parsons, J.L., 1=11569
- Milburn, R.H. See von Dardel, G., 1=2053
- Milekhin, G.A. More accurate definition of the hydrodynamical theory of multiple particle production, 1=3275
- Milekhin, G.A. Analysis of possible hydrodynamical theories of multiple particle production with different equations of state, 1=3277
- Miler, M. See Vaško, A., 1=18578
- Miles, J.L. and McMahon, H.O. Use of monomolecular layers in evaporated-film tunnelling devices, 1=11320
- Miles, J.L. See Smith, P.H., 1=11886
- Miles, J.R.N. See Suddaby, A., 1=10499
- Miles, J.W. Motion of a rigid cylinder due to a plane elastic wave, 1=1779
- Miles, J.W. Comments on "propagation of intense shock waves into the earth", 1=6584
- Miles, P.A. Magnetic resonance in canted ferrimagnets, 1=9050
- Miles, P.A. and Edgerton, H.E. Optically efficient ruby laser pump, 1=10788
- Milevskii, L.S. The effect of quenching on the minority-carrier lifetime in silicon, 1=1065

- Milevskii, L.S. Mechanism of recombination-centre formation in germanium and silicon quenched from low temperatures, 1=2408
- Milevskii, L.S. Mechanism of recombination-centre formation in germanium and silicon quenched from low temperatures, 1=6151
- Milevskii, L.S. The effect of quenching on the minority-carrier lifetime in silicon, 1=6154
- Milevskii, L.S. See Akimchenko, I.P., 1=988
- Milevskii, L.S. See Akimchenko, I.P., 1=4989
- Milford, F.J. and Gager, W.B. Knight shift in potassium, 1=2498
- Milford, F.J. See Unruh, H., Jr., 1=12509
- Milford, J.R. See Brewer, A.W., 1=1503
- Milford, J.R. See Brewer, A.W., 1=1504
- Milford, S.N., Morrissey, J.J. and Scanlon, J.H. Born cross sections for inelastic scattering of electrons by hydrogen atoms. III. 5s, 5p, 5d, 5f, 5g states, 1=814
- Milford, S.N. and Shen, S.P. Spallation of interstellar matter: cosmic-ray intensity in the past, 1=9251
- Millar, D.D. See Burnstein, R., 1=2075
- Millar, D.D. See Layson, W.M., 1=578
- Millar, D.D. See Reid, R.J., 1=12138
- Millar, R.F. Scattering by a grating. I, 1=2885
- Milledge, J. See Lonsdale, K., 1=19697
- Miller, B.S. See Carlson, F.F., 1=1269
- Miller, B.S. See King, G.J., 1=8921
- Miller, B.S. See King, G.J., 1=17579
- Miller, C.E. The ionic distribution in the garnets  $Gd_2Al_2Fe_2O_{12}$  and  $Y_2Al_2Fe_2O_{12}$ , 1=20562
- Miller, C.F. See Gilbert, G.B., 1=11590
- Miller, C.W. See Crowley-Milling, M.C., 1=18952
- Miller, D. and Evans, H.C. A level controller for liquid nitrogen, 1=5373
- Miller, D. See Bellamy, E.H., 1=474
- Miller, D. See Hobbie, R.K., 1=501
- Miller, D. See Marković, B., 1=16104
- Miller, D.G. and Dennis, W. Definition of the perfect gas and its relation to the second law of thermodynamics, 1=1854
- Miller, D.H. See Berge, J.P., 1=10932
- Miller, D.H. See Dahl, O.L., 1=5781
- Miller, D.H. See Dalitz, R.H., 1=10933
- Miller, D.S. See Aarj, S., 1=7747
- Miller, D.S. See Marcinkowski, M.J., 1=17538
- Miller, D.W., Wegner, H.E. and Hall, W.S. Coulomb-distorted (d,p) angular distributions as a function of bombarding energy, 1=19505
- Miller, D.W. See Holm, G.B., 1=8770
- Miller, D. See Martin, H.J., 1=2240
- Miller, E., Komarek, K. and Cadoff, I. Interrelation of electronic properties and defect equilibria in PbTe, 1=17750
- Miller, G.E., Richardson, W.F. and Serotta, N. The measurement of river flow by the use of underwater sound, 1=4316
- Miller, G.H. See Pritchard, G.O., 1=20721
- Miller, G.H. See Utterback, N.G., 1=17383
- Miller, G.L., Brown, W.L., Donovan, P.F. and Mackintosh, I.M. Silicon p-n junction radiation detectors, 1=3082
- Miller, G.L., Foreman, B.M., Yuan, L.C.L., Donovan, P.F. and Gibson, W.M. Application of solid state detectors to high energy physics, 1=3088
- Miller, G.L., Pixley, R.E. and Segel, R.E. Alpha-particle decay of the 15.1 MeV state in  $^{12}C$ , 1=13699
- Miller, G.L. See Chase, R.L., 1=2938
- Miller, G.L. See Gibson, W.M., 1=12231
- Miller, H.C. See Opegard, A.L., 1=6305
- Miller, J., Schuhl, C., Tamas, G. and Tzara, C. A monoenergetic photon beam of variable energy produced by the annihilation of positrons in flight, 1=12074
- Miller, J., Schuhl, C., Tamas, G. and Tzara, C. Preliminary results on the production of monochromatic photons by the annihilation of positrons in flight, 1=13372
- Miller, J., Schuhl, C. and Tzara, C. Properties of positrons: Results obtained from monochromatic photons in the field of photonuclear reactions, 1=19177
- Miller, J. See Tamas, G., 1=17079
- Miller, J. See Tamas, G., 1=17080
- Miller, J.E. See Mathews, M.V., 1=4143
- Miller, J.F. and Himes, R.C. Properties of PbSe prepared by powder-metallurgy techniques, 1=1078
- Miller, J.M. See Houck, F.S., 1=11034
- Miller, J.W. and Ludvig, E. The perception of movement persistence in the Ganzfeld, 1=6670
- Miller, K.T. See Mueller, M.H., 1=15061
- Miller, L. See Mason, E.A., 1=18463
- Miller, M.H. and Dow, W.G. Experimental study of anomalous electron stream behaviour, 1=3012
- Miller, N.C. See Huntington, H.B., 1=14306
- Miller, P.B. Frequency-dependent hall effect in normal and superconducting metals, 1=1011
- Miller, P.B. See Haering, R.R., 1=7660
- Miller, P.D. See Gibbons, J.H., 1=7384
- Miller, R.A. Velocity variation of lead sunspots within the solar cycle, 1=4198
- Miller, R.A. Inclined lines of sunspot activity, 1=15456
- Miller, R.C. On the origin of Barkhausen pulses in  $BaTiO_3$ , 1=17844
- Miller, R.C., Heikes, R.R. and Mazelsky, R. Model for the electronic transport properties of mixed valency semiconductors, 1=17673
- Miller, R.C. and Savage, A. Motion of  $180^\circ$  domain walls in  $BaTiO_3$  under the application of a train of voltage pulses, 1=8976
- Miller, R.C. Sagar, A., 1=17735
- Miller, R.E. See Jennings, L.D., 1=3605
- Miller, R.F. Scattering by a grating. II, 1=2886
- Miller, R.F. and Curl, R.F., Jr. Microwave spectrum of  $O^{18}$  formyl fluoride and the structure of formyl fluoride, 1=12287
- Miller, R.F. See Heavens, O.S., 1=12664
- Miller, R.L. and Hornig, D.F. Infrared spectrum and force field of crystalline hydrogen peroxide, 1=3843
- Miller, R.L. and Lykos, P.G. Use of distorted orbitals in molecular wave functions, 1=17332
- Miller, S.C. and Omar, M.A. Longitudinal magnetoresistance in n-type germanium: theoretical, 1=11294
- Miller, S.C. and Wilcox, R.M. Left-right asymmetry in Compton scattering by transversally polarized electrons, 1=19164
- Miller, W.F. See Smith, K., 1=815
- Miller, W.F. See Vandenbosch, R., 1=16960
- Miller, Yu.G. An investigation of electrical transport in metals and semiconductors under the action of the Hall electric field, 1=19801
- Milliard, J. Regulated supply for electronic flash tubes, 1=16217
- Milligan, D.E. Infrared spectroscopic study of the photolysis of chlorine azide in solid argon at  $4.2^\circ K$ , 1=12680
- Milligan, D.E. Infrared spectroscopic study of the photolysis of methyl azide and methyl-d<sub>3</sub> azide in solid argon and carbon dioxide, 1=20755
- Milligan, D.E., Hexter, R.M. and Dressler, K. Infrared spectroscopic evidence for the rotation of the ammonia molecule in solid argon and nitrogen, 1=6010
- Millikan, R.C. Measurement of particle and gas temperatures in a slightly luminous premixed flame, 1=9169
- Millikan, R.C. Optical properties of soot, 1=10086
- Millikan, R.C. See Kaskan, W.E., 1=4937
- Millman, G.H., Moceyunas, A.J., Sanders, A.E. and Wyrick, R.F. The effect of Faraday rotation on incoherent backscatter observations, 1=20923
- Millman, G.H., Sanders, A.E. and Mather, R.A. Radar-lunar investigations at a low geomagnetic latitude, 1=15555
- Mills, A.D. See Tanenbaum, M., 1=6156
- Mills, B.D., Jr. A simple mechanical analogy for isothermal compression of liquids and solids, 1=15778
- Mills, B.Y. On the identification of extragalactic radio sources, 1=46
- Mills, B.Y. Galactic structure at meter wavelengths, 1=18184
- Mills, B.Y. A survey of radio sources at 3.5 m wavelength, 1=18188
- Mills, B.Y., Slee, O.B. and Hill, E.R. A catalogue of radio sources between declinations  $-20^\circ$  and  $-50^\circ$ , 1=8029
- Mills, B.Y. See Goddard, B.R., 1=8022
- Mills, D. See Jones, W.M., 1=6556
- Mills, I.M. Vibrational perturbation theory, 1=4927
- Mills, I.M. Errors in "wave functions for the methane molecule", 1=14088
- Mills, R.L., Grilly, E.R. and Sydorak, S.G. Anomalous melting properties of  $He^3$ , 1=4526
- Mills, R.L., Kenan, R.P. and Korringa, J. Perturbation theory of antiferromagnetism, 1=6377



- Mills, R.L. and Schuch, A.F. Crystal structure of the  $\alpha$  form of He<sup>4</sup>, 1=8279
- Mills, R.L. See Schuch, A.F., 1=13039
- Mills, W.R., Jr. See Caldwell, R.L., 1=17114
- Milmoe, J.O. See Murgai, M.P., 1=4096
- Milne, J.G.C. Superconducting transition temperature of high-purity tantalum metal, 1=7000
- Milne, T.A. and Klein, H.M. Mass spectrometric study of heats of dimerization of alkali chlorides, 1=2356
- Mil'ner, A.S. and Tatarinova, L.I. Electrical and magnetic properties of nickel films vacuum-deposited on glass, 1=10027
- Milner, C.J. and Ausburn, K.J. The matching of pierce guns to tunnels, 1=11573
- Milner, S.R. The classical field theory of matter and electricity. I. An approach from first principles, 1=2679
- Milner, S.R. The classical field theory of matter and electricity. II. The electromagnetic theory of particles, 1=2680
- Milnes, H.W. See Maradudin, A.A., 1=2368
- Milojević, A.A. See Ajdačić, V.S., 1=13238
- Milone, C. Recent results on photonuclear spectra, 1=17075
- Miloslavskii, V.K. See Shklyarevskii, I.N., 1=16119
- Milton, E.R.V. and Dunford, H.B. Reactions of active nitrogen with hydrogen bromide, bromine, and ethylene, 1=4093
- Milton, E.R.V., Dunford, H.B. and Douglas, A.E. Spectrum of NBr excited in active nitrogen, 1=17311
- Milton, G.M. and Grummitt, W.E. The "reactor" neutron capture cross section of Y<sup>91</sup>, 1=708
- Milton, J.C.D. and Fraser, J.S. Prompt fission yields and total kinetic energy behavior from time-of-flight measurements, 1=12232
- Mil'vidskii, M.G. and Golovin, B.I. Form of the crystallization front of single semiconducting crystals, produced from the melt by the Czochralski method, 1=20428
- Mil'vidskii, M.G. and Lainer, L.V. Twinning and dislocations in single-crystal silicon, 1=7837
- Milward, R.C. See McCoubrey, J.C., 1=19676
- Milyashev, M. See Borisov, M., 1=7668
- Mims, W.B., Nassau, K. and McGee, J.D. Spectral diffusion in electron resonance lines, 1=14792
- Mims, W.B. See Forrester, P.A., 1=3055
- Mimura, H. See Inokuti, M., 1=4263
- Mina, R.T. Relaxation absorption of electromagnetic energy in the antiferromagnetic substance CoCl<sub>2</sub>, 1=20190
- Minaev, N.G. See Latsh, V.V., 1=6487
- Minakov, V.N. See Gridnev, V.N., 1=4064
- Minakov, V.N. See Trefilov, V.I., 1=7874
- Minami, S. Proton-antiproton annihilation and nucleon structure, 1=3188
- Minami, S. S-wave pion-nucleon interaction and nucleon core, 1=3216
- Minami, S. S-wave pion-nucleon interaction, 1=3219
- Minami, S. S-wave K meson-nucleon interaction, 1=3234
- Minami, S. Interactions in nucleon core, 1=13325
- Minami, S.  $KK\pi\pi$ -interaction and nucleon core, 1=13504
- Minami, S. Excited state in  $\Lambda-\pi$  system and  $K^--p$  collision, 1=13516
- Minami, S. On the interaction in nucleon core, 1=16704
- Minami, S. Photon-proton collision at (250-800) MeV, 1=16779
- Minami, S. An isobaric state  $K^*$  in  $K-\pi$  system and  $p + \bar{p} \rightarrow K + K + \pi + \pi$  process, 1=16892
- Minami, S. K meson-nucleon interaction at high energy, 1=16894
- Minami, S. Elastic  $\pi-p$  scattering at 1.4 BeV, 1=19254
- Minami, S. K meson-pion interaction and  $\bar{K}^- + p \rightarrow K^0 + \pi^- + p$  reaction, 1=19266
- Minami, S., Yoshinaga, H. and Fujita, S. Digital circuit for measurement of spectral line intensities, 1=8230
- Minamivama, T. See Sugawara, S., 1=172
- Minashin, M.E. See Krasin, A.K., 1=770
- Mindlin, R.D. High frequency vibrations of crystal plates, 1=15992
- Mineeva, I.A. See Bogatskii, D.P., 1=10259
- Minematsu, M. See Kojima, S., 1=10198
- Minervina, Z.V. See Vaisenberg, A.O., 1=19228
- Mingay, D.W. See Sellschop, J.P.F., 1=8760
- Mingazin, T.A. See Zhuravlev, N.N., 1=4044
- Minguzzi, A.  $\pi-N$  forward dispersion relations with electromagnetic corrections, 1=7276
- Minguzzi, A. Photons interaction with a homogeneous constant magnetic field, 1=9719
- Minguzzi, A. A note on production dispersion relation, 1=13354
- Minguzzi, A. and Streater, R.F. Dispersion relations for some photon reactions, 1=5888
- Minguzzi-Ranzi, A. See Bartke, J., 1=8513
- Minifie, F.D. See Small, A.M., Jr., 1=12711
- Minin, I.N. A point source of light in an absorbing medium between parallel plane surfaces, 1=5336
- Minkler, W.S. and Rouleau, W.T. The effects of internal heat generation on heat transfer in thin fins, 1=18650
- Minkov, I.M. Electrostatic field of a capacitor with a dielectric slab, 1=1884
- Minkov, I.M. Solution of the field in a capacitor whose plates are hollow spherical segments, 1=1885
- Minkowski, R. Optical observations of nonthermal galactic radio sources, 1=18178
- Minkwitz, G. See Schulz, G., 1=9483
- Minn, S. Contribution to the experimental study of the electrical conductivity of thin films of gold, 1=3712
- Minnaert, M. General survey on solar phenomena, 1=18149
- Minnaert, M. General discussion on radio-bursts, 1=18161
- Minnaert, M.G.J. Concluding lecture [Part II—The sun], 1=15538
- Minnaja, N. Solution of the Schroedinger equation in a constant magnetic field and diamagnetism, 1=8055
- Minnhagen, L. The nf and ng levels of Ar II, 1=4900
- Minnhagen, L. (<sup>3</sup>P)nf levels of Cl I, 1=5964
- Minnis, C.M. An estimate of the peak sunspot number in 1968, 1=15455
- Minnis, C.M. and Bazzard, G.H. Similarities in the characteristics of solar radiation at  $\lambda$  10.7 cm and in the far ultraviolet, 1=1660
- Minomura, S. and Drickamer, H.G. Pressure induced color centres in CaF<sub>2</sub> and BaF<sub>2</sub>, 1=4555
- Minomura, S. and Drickamer, H.G. Effect of pressure on the spectra of transition metal ions in MgO and Al<sub>2</sub>O<sub>3</sub>, 1=14589
- Minor, A. See Bucka, H., 1=2284
- Minshall, H. See Greenwood, J.A., 1=14929
- Minter, F.J. See Makin, M.J., 1=1004
- Minter, F.J. See Makin, M.J., 1=10004
- Minturn, R.E. See Datz, S., 1=4958
- Minturn, R.E. See Hansen, R.S., 1=4107
- Minzatu, I. See Martalogu, N., 1=13430
- Minzner, R.A. See Champion, K.W., 1=6603
- Mira, C. See Lagasse, J., 1=5404
- Miralles, L. See Senent, F., 1=411
- Miranda, H.A.Jr. See Braddock, J.V., 1=13454
- Miranker, W.L. Periodic solutions of the wave equation with a nonlinear interface condition, 1=13170
- Miranker, W.L. See Cohen, H., 1=10637
- Mirgalovskaya, M.S. and Strel'nikova, I.A. Preparation of alloyed monocrystals and p-n junctions in aluminum antimonide, 1=19865
- Miron, I. See Lábusčá, E., 1=3914
- Mironov, A.V. Results of spectrographic and radar observations of auroral and night airglow in July 1959 by the stations of the Atmospheric Physics Institute of the USSR Academy of Sciences, 1=21042
- Mironov, E.S., Nemenov, L.M., Sokolov, N.I. and Khaldin, N.N. A [screened] probe for measuring small currents in a cyclotron, 1=5512
- Mironov, E.S. See Mescherov, R.A., 1=16455
- Mironov, E.S. See Meshcherov, R.A., 1=18977
- Mirri, A.M. Millimetre wave spectrum of deuterio-derivatives of formic acid, 1=6009
- Mirri, A.M., Guarnieri, A. and Favero, P. Millimetre wave spectrum and dipole moment of vinyl fluoride, 1=8833
- Mirza, S. See Corge, C., 1=13828
- Misařová, A. and Janoušek, V. Permittivity in the process of polarization reversal of ferroelectric triglycine sulphate, 1=17835
- Misařová, A. and Janoušek, V. Permittivity of barium titanate during switching, 1=17840
- Misawa, S. On Hugenholtz-Pines theory about ground state energy of interacting bosons, 1=10444
- Misawa, S. See Kanazawa, H., 1=3646
- Miselyuk, E.G. See Glinchuk, K.D., 1=5019
- Miselyuk, E.G. See Vasilevskaya, V.M., 1=11214
- Miselyuk, E.G. See Vasilevskaya, V.M., 1=12390

## AUTHOR INDEX

- Miselyuk, O.H. See Byelyayev, A.D., 1=11298  
 Miselyuk, O.H. See Hinchuk, K.D., 1=11299  
 Miselyuk, O.H. See Vinets'kii, R.M., 1=14417  
 Mizezhnikov, G.S. See Shteinsleiger, V.B., 1=16555  
 Mishakova, A.P. and Nikolsky, B.A. On the angular distribution of shower particles in explosive showers produced by high-energy cosmic ray particles, 1=3261  
 Mishakova, A.P. See Tumanian, V.A., 1=2045  
 Mishchenko, K.S. See Zvyagin, B.B., 1=15104  
 Mishchenko, L.S. See Babayan, C.P., 1=3271  
 Mishin, D.D. and Matantseva, I.I. The effect of the shape of ferromagnetic bodies on the coercive force of the materials of those bodies after annealing, 1=1204  
 Mishina, M. See Mutsuro, N., 1=12189  
 Mishkin, E. and Rader, C. Motion of a charged particle in an axially symmetric magnetostatic field, 1=16506  
 Mishkin, E. See Shmoys, J., 1=359  
 Mishra, R.S. A problem in shock waves, 1=12913  
 Mishra, R.S. On streamlines with reference to a shock surface, 1=15936  
 Mishra, U.C. See Vohra, K.G., 1=5848  
 Miskel, J.A. See Bloom, S.D., 1=660  
 Misner, C.W. See Arnowitt, R., 1=61  
 Misner, C.W. See Arnowitt, R., 1=4249  
 Misner, C.W. See Arnowitt, R., 1=5192  
 Misner, C.W. See Arnowitt, R., 1=8047  
 Misra, M. Some axially symmetry empty gravitational fields, 1=15599  
 Misra, S.P. Quantum mechanics in curved space-time, 1=2697  
 Misra, S.P. Fourth order meson equation and neutron-proton scattering, 1=8430  
 Misra, S.P. Fourth order scattering matrix elements of nucleons with a fourth order meson equation, 1=13335  
 Misselwitz, W. Breakdown of thin films, 1=17847  
 Mita, Y. The growth of zinc sulphide single crystals from flux, 1=20442  
 Mitacek, P., Jr and Aston, J.G. Heat capacity and resistivity anomalies in palladium hydride, 1=17418  
 Mitani, K. and Kubo, H. Breakdown of argon at low pressure in a longitudinal magnetic field, 1=8317  
 Mitani, S. See Higashi, S., 1=3294  
 Mitel'man, B.I. See Charnyi, I.A., 1=11774  
 Mitchell, A. See Benveniste, J., 1=12196  
 Mitchell, A. See Benveniste, J., 1=12840  
 Mitchell, A.C. See Benveniste, J., 1=2070  
 Mitchell, A.C. See Benveniste, J., 1=2221  
 Mitchell, A.C. See Benveniste, J., 1=19361  
 Mitchell, B.J. Prediction of X-ray fluorescent intensities and interelement effects, 1=10108  
 Mitchell, E.W.J. and Whitehouse, J.E. The refractivity and light scattering of crystals containing defects, 1=19949  
 Mitchell, E.W.J. See Banbury, P.C., 1=6146  
 Mitchell, E.W.J. See Haneman, D., 1=18922  
 Mitchell, E.W.J. See Kemmey, P.J., 1=17728  
 Mitchell, G.E. See Wilenzick, R.M., 1=3449  
 Mitchell, J.W. Precipitation reactions in crystals of silver and alkali halides, 1=2556  
 Mitchell, J.W. See Bartlett, J.T., 1=3670  
 Mitchell, K.B. Spectroscopic studies of ionization in a hollow-cathode discharge, 1=10671  
 Mitchell, L.H. and Head, A.K. The buckling of a dislocated plate, 1=15761  
 Mitchell, P.V., Wiegand, D.A. and Smoluchowski, R. Formation of F centers in KCl by X-rays, 1=996  
 Mitchell, R.W. and Eisner, M. Concentration dependence of N.M.R. spin-lattice relaxation times in solutions, 1=4359  
 Mithal, K.G. Unsteady flow of a viscous homogeneous incompressible fluid in a circular pipe of uniform cross-section, 1=18364  
 Mithal, K.G. The non-uniform rotation of a non-Newtonian liquid filled in between two coaxial cylinders of infinite length, 1=18366  
 Mitler, H.E. Shell-model analysis of calcium isotopes, 1=5839  
 Mitlid, P. See Alfven, H., 1=9612  
 Mito, I. See Aizu, H., 1=3316  
 Mito, I. See Aizu, H., 1=3317  
 Mito, I. See Aizu, H., 1=13548  
 Mito, S. See Murai, A., 1=12076  
 Mitoff, S.P. Electrical conductivity and thermodynamic equilibrium in nickel oxide, 1=14474  
 Mitra, A.K. Note on the forced torsional vibration of a cylinder having periodic shearing forces along a ring on the curved surface, 1=190  
 Mitra, A.K. Note on the torsional vibration of a thin beam of varying cross-section, 1=12935  
 Mitra, A.N. Analyticity of amplitudes and separable potentials, 1=12059  
 Mitra, A.N. and Naqvi, J.H. A separable potential for the two-nucleon ( $T = 1$ ) interaction, 1=13414  
 Mitra, A.N. and Pandya, S.P. Nuclear spectroscopy with non-local potentials, 1=2167  
 Mitra, A.N., Saxena, R.P. and Narayanaswamy, P. A note on  $\pi$ - $\pi$  interaction, 1=2081  
 Mitra, A.P. See Mathur, S.B., 1=6599  
 Mitra, G.B. and Sanyal, G.S. A microwave analogue for X-ray diffraction I. Effect of the crystallite size, 1=9129  
 Mitra, G.B. See Sanyal, G.S., 1=19031  
 Mitra, S.K. Upper atmosphere and space exploration with artificial satellites, 1=15584  
 Mitra, S.N., Vij, K.K. and Dasgupta, P. Horizontal drift in the ionosphere over Delhi, 1=4125  
 Mitra, S.S. and Joshi, S.K. Debye  $\epsilon$  and compressibility. III. Cubic metals, 1=8884  
 Mitra, S.S. and Joshi, S.K. Debye  $\theta$  and compressibility of CsCl type crystals, 1=9980  
 Mitra, S.S. and Joshi, S.K. Thermal expansion of metals, 1=9981  
 Mitra, S.S. and Joshi, S.K. Lattice frequency of ionic crystals, 1=11151  
 Mitra, S.S. and Joshi, S.K. A normal co-ordinate treatment of the plane symmetrical  $A_2B_2C_2D_2$  molecule, 1=13999  
 Mitra, S.S. See Joshi, S.K., 1=915  
 Mitra, S.S. See Joshi, S.K., 1=14184  
 Mitra, T.K. Scattering of electrons by a screened coulomb field in higher Born approximation, 1=13966  
 Mitra, T.K. See Dutta, S.K., 1=13697  
 Mitrani, L. and Betev, B. Trigger feed of a pair of Geiger-Müller counters, 1=8292  
 Mitrani, L., Betev, B., Kavlovskov, Sh. and Apostolov, D. 27 day variations in the intensity of the  $\mu$ -meson component of cosmic rays measured with narrow angled counter telescopes, 1=7301  
 Mitrani, L. See Kavlovskov, S., 1=7302  
 Mitrofanov, K.P. See Bădescu, A., 1=13694  
 Mitrofanov, N. and Van Loef, J.J. Detection of neutron and photon induced fission by  $ZnS(Ag)$  mixed with uranium and thorium compounds, 1=2247  
 Mitrofanova, S.S. See Vavilin, E.I., 1=5431  
 Mitrokhin, N.M. and Yagn, Yu.I. The systematic character of deviations from plasticity laws, 1=5082  
 Mitrokhin, N.M. and Yagn, Yu.I. The systematic character of deviations from plasticity laws, 1=10211  
 Mitropol'skaya, O.N. The correlation between the geomagnetic disturbances of 1950 and calcium plages, 1=1589  
 Mitropol'skaya, O.N. The relation between the delay time of geomagnetic disturbances and the relative sunspot number, 1=4136  
 Mitsek, A.I. See Turov, E.A., 1=3908  
 Mitskevich, P.K. and Bobyl, V.G. The effect of the electric field intensity on the photoconductivity of liquid organic systems, 1=5280  
 Mitskevich, V.V. A theory of the effect of damping in ionic crystals, 1=11152  
 Mitskevich, V.V. The dynamic theory of ionic crystals of the NaCl type. Thermal and elastic properties, 1=19690  
 Mitskevich, V.V. The dynamic theory of ionic crystals of the NaCl type. Dielectric and optical properties, 1=19691  
 Mitsuhashi, H. Structures of photoconductivity spectra near the fundamental absorption edge of cadmium sulfide, 1=14510  
 Mitsuhashi, H. Effect of current injection on properties of cadmium sulfide crystals, 1=17721  
 Mitsui, T. and Westphal, W.B. Dielectric and X-ray studies of  $CaBa_2TiO_6$  and  $CaSr_2TiO_6$ , 1=19930  
 Mitsui, H. See Morinaga, H., 1=7345  
 Mitsui, T. See Shibuya, I., 1=14556  
 Mitsuishi, A. The optical properties of cadmium telluride in the far infrared region, 1=14578  
 Mitsuishi, T. An electron diffraction study on Cu-Sn alloys, 1=15120  
 Mitsuishi, T. See Shoji, M., 1=17542  
 Mitsumura, H. See Tachibana, F., 1=249



- Mittelbach, P. and Porod, G. X-ray low-angle scattering by dilute colloidal systems. The calculation of scattering curves of parallelepipeds, 1=20772
- Mittelstaedt, P. On the degeneracy of the superconductive state, 1=16192
- Mittendorf, H. On the structure of thin salt films condensed at low temperatures. IV. The systems KCl/TlCl and RbCl/TlCl, 1=15177
- Mittleman, M.H. Proton-hydrogen scattering system, 1=7446
- Mittleman, M.H. Formal theory of rearrangement collisions, 1=9327
- Mittleman, M.H. The scattering of electrons by atomic hydrogen, 1=13967
- Mittner, W. See Baglin, C., 1=9764
- Mitra, I.S. See Luers, D., 1=16883
- Mittsev, M.A. See Ionov, N.I., 1=18758
- Mitui, T. Magnetic anisotropy induced by cold rolling in Cu-Co alloy, 1=10136
- Mitui, T. See Sambongi, T., 1=20082
- Mitui, T. See Satō, M., 1=2472
- Mitui, T. See Sato, M., 1=10149
- Mitzner, K.M. See Lengyel, B.A., 1=13180
- Miura, I. See Fukui, I., 1=2125
- Miura, I. See Fukui, S., 1=19311
- Miura, I. See Wakatsuki, T., 1=8591
- Miura, I. See Wakatsuki, T., 1=9858
- Miura, I. See Wakatsuki, T., 1=13661
- Miwa, H. See Yosida, K., 1=6268
- Miwa, M. and Yamanouchi, M. Further study of the reaction  ${}^7\text{Li}(\gamma t){}^4\text{He}$ , 1=8699
- Miya, K. and Matsushita, S. Recording type direction finder, 1=1976
- Miya, K., Sasaki, T. and Ishikawa, M. Observation of F-layer and sporadic-E scatter at V.H.F. in the far east, 1=6621
- Miyachi, Y. See Ikeda, M., 1=10845
- Miyachi, Y. See Ikeda, M., 1=10846
- Miyachi, Y. See Ikeda, M., 1=13324
- Miyadai, T. Ferrimagnetic resonance in europium-iron garnet, 1=12556
- Miyadai, T., Shichijō, Y. and Tsubokawa, I. Ferrimagnetic resonance line width in polycrystalline  $\text{Y}_2\text{Fe}_{1-x}\text{In}_x\text{O}_{12}$ , 1=1255
- Miyadai, T., Takata, H. and Shichijō, Y. Ferrimagnetic resonance in a single crystal of europium-iron garnet, 1=20186
- Miyadai, T. See Shichijō, Y., 1=12555
- Miyadai, T. See Shichijō, Y., 1=20143
- Miyadal, T. See Kuroda, C., 1=7770
- Miyagawa, I., Kurita, Y. and Gordy, W. Electron spin resonance of an irradiated single crystal of N-acetylglycine, 1=2345
- Miyagi, T. Hydromagnetic Oseen flow past an elliptic cylinder in a uniform magnetic field, 1=16525
- Miyahara, A. See Kondo, K., 1=7464
- Miyahara, S., Muramori, K. and Tokuda, N. Tetragonal distortion in copper manganite-chromite system, 1=20553
- Miyahara, S. and Yamada, T. The aging of permeability in manganese-zinc ferrite, 1=2485
- Miyahara, S. See Muramori, K., 1=17956
- Miyahara, S. See Muramori, K., 1=20134
- Miyahara, S. See Tsushima, K., 1=2481
- Miyahara, Y. See Esaki, L., 1=14490
- Miyakawa, T. See Ohta, T., 1=1148
- Miyakawa, T. See Ohta, T., 1=3823
- Miyakawa, T. See Ohta, T., 1=12365
- Miyake, A. On the eigenvalue problem associated with the solution of the generalized diffusion equation, 1=4288
- Miyake, A. See General theory of relaxations in the polymer chain, 1=7506
- Miyake, A. Apparent temperature dependence of n.m.r. second moment, 1=7795
- Miyake, A. On the intramolecular light scattering of the non-Gaussian chain, 1=8120
- Miyake, A. Intramolecular N.M.R. Second moment of the polymer chain, 1=8866
- Miyake, A. and Adachi, H. Influence of the molecular weight distribution on the polymer properties, 1=10508
- Miyake, A. and Chujō, R. N.M.R. second moment of a radical rotating in a periodic potential, 1=881
- Miyake, A. and Chujō, R. Influence of foreign magnetic nuclei on n.m.r., 1=10189
- Miyake, A., Chujō, R. and Adachi, H. N.M.R. second moment of a radical under the restricted rotation, 1=2349
- Miyake, K. Measurement of the partial pressure of cesium over cesium antimonides, 1=10627
- Miyake, K. Operation of cesium-antimony phototubes under high light level, 1=13118
- Miyake, K. Logarithmic growth of the cesium antimonide films on antimony, 1=20667
- Miyake, S., Hinotani, K., Katsumata, I. and Kaneko, T. An air shower experiment at Mt. Norikura, 1=2127
- Miyake, S., Hinotani, K., Katsumata, I., Kaneko, T. and Ito, N. Lateral density distribution of charged particles in the central region of extensive air shower, 1=13555
- Miyake, S. See Cowley, J.M., 1=20484
- Miyake, Y. Determination of the extension of linear polymer molecule in the solution by the light scattering, 1=17382
- Miyake, Y. and Furuichi, J. Refractive index difference of dilute aqueous solution of polyvinylpyrrolidone, 1=18410
- Miyama, H. and Kydd, P. Gaseous detonations. XV. Expansion waves in gaseous detonations, 1=20740
- Miyamoto, K. The phase Fresnel lens, 1=2840
- Miyamoto, K. On the design of optical systems with an aspheric surface, 1=2843
- Miyamoto, K. Note on the proof of Gabor's expansion theorem, 1=12966
- Miyamoto, K. Wave optics and geometrical optics in optical design, 1=18546
- Miyamoto, S. A geological interpretation of the lunar surface, 1=9254
- Miyamoto, S. See Mizuno, H., 1=8919
- Miyamoto, S. See Mizuno, H., 1=17562
- Miyamoto, S. See Ohkura, H., 1=11236
- Miyamoto, Y. P-wave pion-pion interaction, 1=10912
- Miyamoto, Y. See Iso, C., 1=10834
- Miyamoto, Y. See Kawaguchi, M., 1=9759
- Miyata, J. See Lentz, T., 1=10608
- Miyata, N. Electric conduction of ferrites containing Fe  $\text{Fe}^{2+}$ -ions, 1=12425
- Miyata, N. Ferromagnetic crystalline anisotropy of  $\text{MeFe}_2\text{O}_4$ - $\text{Fe}_3\text{O}_4$  ferrite solid solutions, 1=14696
- Miyata, N. See Funatogi, Z., 1=2484
- Miyatake, Y. Nonlocal interaction, causality and integrability condition, 1=3108
- Miyatake, Y. On the model of elementary particles, 1=3123
- Miyatani, S. Infrared absorption of  $\alpha$ - $\text{Ag}_2\text{Te}_x\text{S}_{1-x}$ , 1=10107
- Miyatani, S. Electrical properties of pseudo-binary systems of  $\text{Ag}_2\text{VTlS}$ ;  $\text{Ag}_2\text{Te}_x\text{Se}_{1-x}$ ,  $\text{Ag}_2\text{Te}_x\text{S}_{1-x}$ , and  $\text{Ag}_2\text{Se}_x\text{S}_{1-x}$ , 1=12410
- Miyazaki, S. See Ichimiya, T., 1=11648
- Miyazaki, Y. and Takeuchi, H. Altitude dependence and time variation of the radiation intensity observed by U.S. satellite 1958  $\alpha$ , 1=3308
- Miyazawa, H. and Maeda, H. Anisotropic Hall coefficients in n-type germanium, 1=12436
- Miyazawa, H. See Hamamoto, I., 1=12143
- Miyazawa, H. See Hara, Y., 1=3174
- Miyazawa, H. See Kwarabayashi, K., 1=3217
- Miyazawa, H. See Yonemitsu, H., 1=14384
- Miyazawa, T. Molecular vibrations and structures of high polymers. I. General method of normal coordinate treatment by internal coordinates and infrared frequencies and conformations of  $(-\text{CH}_2-)_n$ ,  $(-\text{CH}_2-\text{O}-)_n$ , and  $(-\text{CH}_2-\text{O}-\text{CH}_2-)_n$ , 1=12342
- Miyazawa, T. See Shimanouchi, T., 1=19700
- Miyazima, T. See Ito, D., 1=13340
- Miyazima, T. See Osada, J., 1=13696
- Mizetskaya, I.B. See Vitrikhovskii, N.I., 1=1111
- Mizobuchi, A., Katoh, T. and Ruan, J. Mixing ratio of the 440 keV gamma radiation in  ${}^{23}\text{Na}$ , 1=11014
- Mizobuchi, A. See Wakatsuki, T., 1=9858
- Mizumo, H. and Inoue, M. Formation mechanism of F-centers in KCl single crystals heated in potassium vapor, 1=11240
- Mizuno, H. Doping influences on activator diffusion in oxide-coated cathode nickel, 1=318
- Mizuno, H. and Miyamoto, S. Influence of dislocation on diffusion rate of F centers in KCl, 1=8919
- Mizuno, H. and Miyamoto, S. A study of the surface states of a KCl single crystal exposed to potassium vapour, 1=17562
- Mizuno, H. See Haga, K., 1=20115
- Mizuno, H. See Inoue, M., 1=15001

- Mizuno, J. An X-ray study on the structure of cobalt dichloride hexahydrate, 1=11568
- Mizuno, J. The crystal structure and nickel chloride hexahydrate,  $\text{NiCl}_2 \cdot 6\text{H}_2\text{O}$ , 1=20564
- Mizuno, Y. Elementary processes related to the catalytic action of  $\mu^-$  for the p-d fusion reaction, 1=13873
- Mizuno, Y. See McWeeny, R., 1=13911
- Mizuno-Hashimoto, S. See Murakawa, K., 1=313
- Mizushima, M. See Zimmerer, R.W., 1=837
- Mizushima, S. Dislocation model of liquid structure, 1=6851
- Mizushima, Y. Electronic exchange between hydrogen and evaporated nickel films, 1=11599
- Mizushima, Y., Igarashi, Y. and Imai, T. Cold-emitting cathode materials, 1=13101
- Mizushima, T., Iuchi, S., Sasano, T. and Tamura, H. Thermal contact resistance between mercury and a metal surface, 1=18646
- Mizuta, H. See Inoue, T., 1=14703
- Mizutani, H. Effect of solvent on the extension of high polymer molecule, 1=8865
- Mizutani, H. Extension of high polymer molecule and energy change by mixing, 1=12338
- Mjolsness, R.C., Ribe, F.L. and Riesenfeld, W.B. Self-consistent reversed field sheath, 1=10710
- Mladenović, M. See Marinkov, L., 1=13741
- Mladenović, M.S. See Stepčić, R., 1=13533
- Mladjenović, M. Recent developments of beta spectrometers, 1=487
- Mladjenović, M., Novakov, T. and Župancić, M. External conversion spectrum of  $\text{Pt}^{192}$  gamma-rays from the decay of  $\text{Ir}^{192}$ , 1=13742
- Moak, C.D. Space-charge effects in cylindrical beams with uniform acceleration, 1=5500
- Moatti, P. Line broadening by an amplitude selector, 1=16073
- Moatti, P. Effects of saturation and dead time in the amplitude analysers, 1=18732
- Moatti, P. The pile-up of pulses and its influence on energy spectra, 1=19059
- Möbius, H.E. The directional dependence of the magnetic properties of silicon-iron alloys with cubic structure, 1=3893
- Mobley, R.C. Variable, precision regulated, low voltage high current supply for large electromagnets, 1=8289
- Moceyunas, A.J. See Millman, G.H., 1=20923
- Moch, P., Balkanski, M. and Aigrain, P. Band structure of rutile deduced from its optical and electrical properties, 1=928
- Moch, R. See Dumas, J.C., 1=7174
- Mochizuki, M. Smoke observation on boundary layer transition caused by a spherical roughness element, 1=15918
- Mockler, R.C. See Beehler, R.E., 1=1725
- Moenke, H. The infrared spectra of aqueous boron minerals, howlith and danburite in the region from 400 to  $1800\text{ cm}^{-1}$ , 1=8995
- Moenke-Blankenburg, L. Selenium and its crystallographic properties, 1=9101
- Moesta, H. Investigation of energetic inhomogeneities of the surface in the system platinum-potassium, 1=20689
- Moffat, J.W. Determination of pion-pion scattering amplitudes satisfying dispersion relations and unitarity, 1=3220
- Moffat, J.W. See Bransden, B.H., 1=16874
- Moffat, J.W. See Bransden, B.H., 1=12109
- Moffat, R.J. See Halpern, C., 1=16159
- Moffet, A.T. and Maltby, P. Distribution of brightness in extragalactic radio sources, 1=18208
- Mogford, I.L. See Hull, D., 1=12652
- Mogilevskii, E.I., Nikol'skii, G.M. and Nikol'skaya, K.I. The polarization of coronal emission lines, 1=18088
- Mogilevsky, E.I., Akinyan, S.T. and Koulikova, J.N. Bursts of radio-emission of the sun of type IV and disturbance of the magnetic field of the earth in July 1959, 1=18147
- Mohan, G. Dispersion relation and analyticity of a production amplitude, 1=5671
- Mohan, G. The energy parameter in the dispersion relation, 1=12057
- Mohan, H. and Majumdar, K. Absorption spectrum of tellurium monosulphide in the ultraviolet region, 1=3841
- Mohan, P.V. See Fry, D.L., 1=1475
- Mohanty, G.P. and Azároff, L.V. Electron density distributions in ZnO crystals, 1=20538
- Mohanty, R.C., Webb, E.H., Sandhu, H.S. and Roy, R.R. Momentum and angular distribution of recoil electrons in triplet production, 1=16763
- Mohler, D. and Hirst, R.G. Dielectric characteristics of tantalum anodic films as related to film structure, 1=7685
- Mohling, F. Linked-pair expansions in quantum statistics, 1=8075
- Mohling, F. Very low-temperature Fermi gas, 1=8076
- Mohling, F. Theory of nuclear matter, 1=16962
- Möhling, W. and Thiel, H. The actual structure of CdS single crystals, 1=10254
- Mohr, C.B.O. Direct interaction with strong coupling in nuclear collisions. II. E2 excitations, 1=19426
- Mohrherr, R. See Rodbard, S., 1=12704
- Moisar, E. See Klein, E., 1=9492
- Moiseev, A.I. See Ibragimova, D.M., 1=6445
- Moiseev, A.M. See Bogdankevich, O.V., 1=19436
- Moiseev, N.N. The non-uniqueness of possible forms of steady flow of dense liquids in the case of Froude numbers in the region of unity, 1=1727
- Moiseev, V.P. and Popova, O.S. X-ray investigation of phase transformations in electrodeposited manganese, 1=1413
- Moiseiwitsch, B.L. Elastic scattering of slow electrons by helium atoms, 1=9916
- Moiseiwitsch, B.L. A schematic model for the impact excitation of atoms, 1=19602
- Moizhes, B.Ya. See Ioffe, A.F., 1=11904
- Moiseeva, G.A. and Sveshnikov, B.Ya. The mechanism of transitions of excited organic molecules into metastable states, 1=14643
- Mokhov, G.D. See Korsunskii, M.I., 1=14517
- Mokhov, G.D. See Korsunskii, M.I., 1=17803
- Mokhov, G.D. See Korsunskii, M.I., 1=19907
- Molchanov, A.P., Chen Fan-Yun, Wang Shou-Kuang, Merzabekian, E.G. and Salomonovich, A.E. Preliminary results of radio-astronomical observations of annular solar eclipse, April 19, 1958, 1=2650
- Molchanov, V.A., Tel'kovskii, V.G. and Chicherov, V.M. Anisotropy of cathodic sputtering of single crystals, 1=10745
- Molchanov, V.A., Tel'kovskii, V.G. and Chicherov, V.M. Anisotropy of cathodic sputtering of single crystals, 1=11985
- Molchanov, V.A., Tel'kovskii, V.G. and Chicherov, V.M. Angular distribution of particles ejected on the irradiation of a monocrystal by an ion beam, 1=17590
- Molčić, M. See Kratochvil, P., 1=20415
- Moldauer, P.A. Theory of average neutron reaction cross sections in the resonance region, 1=11017
- Molea, M. See Martalogu, N., 1=5412
- Molière, K. See Lehmpfuhl, G., 1=20503
- Molina, F. See Mariani, F., 1=1524
- Molina, F. See Mariani, F., 1=15250
- Molinari, A. Note on the photoparticles' angular distribution, 1=8696
- Molinari, A. See Ascoli, R., 1=5683
- Molinari, V.G. See Boffi, V.C., 1=11051
- Möllenstedt, G. and Bayh, W. Electron biprism interference with widely separated coherent partial beams, 1=18934
- Möllenstedt, G. and Rao, V. A grainless interference filter plate for recording X-ray, electron and ion images, 1=20699
- Möllenstedt, G. and Speidel, R. An ion optical method for reproducing meshes and apertures, 1=21161
- Møller, A.R. Network model of the middle ear, 1=4151
- Møller, C. On the possibility of terrestrial test of the general theory of relativity, 1=63
- Møller, C. Further remarks on the localization of the energy in the general theory of relativity, 1=4248
- Müller, H. See Kudielka, H., 1=3030
- Møller, H.B., Shore, F.J. and Sailor, V.L. Neutron spectrometer for producing pure monochromatic beams in the thermal region, 1=10895
- Møller, H.B., Shore, F.J. and Sailor, V.L. Low-energy neutron resonances in erbium and gadolinium, 1=17123
- Mollwo, E. On the agreement between the electrical dark conductivity and the green luminescence of ZnO, 1=11311
- Molotilov, B.V. and Osip'yan, Yu.A. Anomalous elasticity modulus and domain structure of nickel, 1=20304
- Molozzi, A.R., Franklin, C.A. and Tyas, J.P.I. Cosmic noise measurements from 19607.1 at 3.8 Mc/s, 1=15570
- Molozzi, A.R. See Chapman, J.H., 1=18138
- Molyneux, L., Schneider, E.E. and Sharp, G.R. Digitizer-to-tape punch-coupling unit, 1=15390



- Molyneaux, L. See Edington, J.M., 1=128
- Monaco, S.F. Reflectance of an inhomogeneous thin film, 1=4472
- Monaco, S.F. Homogeneous-inhomogeneous thin-film combinations, 1=10597
- Monahan, J.E. and Mooring, F.P. An investigation of properties of thin lithium films by use of the  $\text{Li}^7(p,n)\text{Be}^7$  reaction, 1=1454
- Monahan, J.E., Raboy, S. and Trail, C.C. Measurement of the energy of the gamma radiation from neutron capture by hydrogen, 1=8464
- Monahan, J.E., Raboy, S. and Trail, C.C. Spectroscopy of gamma radiation from  $\text{Nd}^{144}$ ,  $\text{Sr}^{88}$ , and  $\text{Pb}^{207}$ , 1=12183
- Monahan, J.E. See Hamermesh, B., 1=12153
- Monahan, J.E. See Lane, R.O., 1=7380
- Monari, L. See Block, M.M., 1=13500
- Monari, L. See Leitner, J., 1=16901
- Mönch, W. Measurement of the stored energy release in metal films condensed by low-temperature quenching, 1=20597
- Moncuit, C. Fluorescence of magnesium and calcium platinocyanide crystals, 1=10115
- Monfils, A. See Herzberg, G., 1=6052
- Monforte, F.R., Swanekamp, F.W. and Van Uitert, L.G. Radio frequency technique for pulling oxide crystals without employing a crucible susceptor, 1=10237
- Mongodin, G. See Delafosse, J., 1=15967
- Monin, A.S. Atmospheric diffusion, 1=2562
- Monin, A.S. The structure of atmospheric turbulence, 1=15227
- Monk, H. and Klerys, F.F. Furnace for the uniform heating and mixing of powders in controlled atmospheres, 1=1626
- Monnard, E. and Moussa, A. A study of  $\gamma$ -transitions and Auger electrons of  $\text{Eu}^{153}$ , 1=13731
- Monnard, E. See Moussa, A., 1=13656
- Monnier, M. See Magnac-Valette, D., 1=7411
- Monod-Herzen, G. Automatic recording microphotometer, 1=11839
- Monostori, B. and Weber, A. The Raman spectrum of gaseous  $\text{CF}_4$ , 1=6019
- Monoszon, N.A. See Afrosimov, V.V., 1=9602
- Monoszon, N.A. See Glukhikh, V.A., 1=4617
- Monoszon, N.A. See Glukhikh, V.A., 1=5477
- Monoszon, N.A. See Glukhikh, V.A., 1=9258
- Monoszon, N.A. See Glukhikh, V.A., 1=9603
- Monser, G.J. See Levine, D., 1=10583
- Monsonago, G. A unified model for nuclear photodisintegration phenomena near 20 MeV, 1=13766
- Montague, W.E. and Strickland, J.F. Sensitivity of the water-immersed ear to high- and low-level tones, 1=15375
- Montalbetti, R. and McEwen, D.J. Hydrogen emissions during the period November 9-16, 1960, 1=10328
- Montaldi, E. On the structure of the four-point functions in Heisenberg's non-linear spinor theory, 1=5645
- Montalenti, G. and Sari, C. On the influence of the formation of subgrain structures on the magnetic properties of pure iron, 1=11437
- Montalenti, G. See Biorci, G., 1=1216
- Montalenti, G. See Biorci, G., 1=1226
- Montalenti, G. See Biorci, G., 1=9033
- Montalenti, G. See Biorci, G., 1=14730
- Montanet, L. See Bartke, J., 1=8513
- Montariol, F. See Reich, R., 1=7852
- Montefinale, G. See Cacace, F., 1=15206
- Monteith, J.L. and Szeicz, G. The performance of a Gunn-Bellani radiation integrator, 1=15219
- Montgomery, D. Nonlinear time-dependent plasma oscillations, 1=11955
- Montgomery, D.J., Smith, A.E. and Wintermute, E.H. Static electrification of filaments: effect of filament diameter, 1=4549
- Montgomery, H. and Pells, G.P. The low temperature specific heat of scandium and yttrium, 1=19720
- Montgomery, L.L. See Spencer, D.E., 1=10582
- Montgomery, M.D. Excess noise in germanium and gallium-arsenide esaki diodes in the negative resistance region, 1=17767
- Montgomery, P.O'B. and Bonner, W.A. The ultra-violet flying spot television microscope, 1=8219
- Monti, D., Quareni, G. and Quareni Vignudelli, A. On the radiative decay mode  $\text{K}^+ \rightarrow \pi^+ + \pi^0 + \gamma$ , 1=16879
- Montilla, J., Tinaut, D. and Villena, L. Optical behaviour of viscoelastic materials with high temperatures and large times of loading, 1=3820
- Montroll, E.W. Topics on statistical mechanics of interacting particles, 1=15718
- Montroll, E.W. See Maradudin, A.A., 1=2368
- Montserrat, A. and Mas, L. Wave-fronts in the Einstein unified field theory: the case of a Maurer-Tison characteristic surface, 1=6777
- Montserrat, A. and Mas, L. Wave front in Einstein's unified theory. General survey, 1=15662
- Montserrat, A. See Mas, L., 1=6776
- Montuelle, J. See Bourelier, F., 1=4011
- Montuelle, J. See Le Héricy, J., 1=4012
- Montwill, A. See Culhane, L., 1=2097
- Moodie, A.F. See Cowley, J.M., 1=1831
- Moodie, A.F. See Cowley, J.M., 1=20484
- Moodie, A.F. See Cowley, J.M., 1=20706
- Mookherji, A. and Chhonkar, M.S. Anisotropy of water cluster about the  $\text{Cu}^{++}$  ion, 1=11756
- Mookherji, A. and Chhonkar, N.S. Light absorption in paramagnetic ions in state of solution. II.  $\text{Ni}^{++}$  ion, 1=12881
- Mookherji, A. and Chhonkar, N.S. Light absorption in paramagnetic ions in state of solution. I. Cupric ions, 1=12882
- Mookherji, A. and Chhonkar, N.S. Light absorption in paramagnetic  $\text{Co}^{++}$  ions in state of solution, 1=15883
- Mookherji, A. and Neogy, D. The effect of sixth degree cubic field on rare-earth ions in crystals, 1=17968
- Moon, P.B. Interference between Rayleigh and nuclear resonant scattering of  $\gamma$ -rays, 1=17071
- Moon, P.B. See Black, P.J., 1=601
- Moon, P.B. See Champeney, D.C., 1=5827
- Mooney, R.W. See Hoffman, C.W.W., 1=1403
- Mooney, R.W. See Slavin, W., 1=2865
- Moorcroft, D.R. Models of auroral ionization. I. Auroral ionization models and their radio-reflection characteristics, 1=9204
- Moorcroft, D.R. Models of auroral ionization. II. Applications to radio observations of aurora, 1=9205
- Moore, A.J.W. See Hondros, E.D., 1=4013
- Moore, A.W. See Blackman, L.C.F., 1=16163
- Moore, C.B. See Vonnegut, B., 1=20843
- Moore, C.B. See Vonnegut, B., 1=20845
- Moore, C.E. See Kiess, C.C., 1=4904
- Moore, C.E. See Malitson, H.H., 1=2612
- Moore, D.B. See Muller, G.M., 1=11620
- Moore, D.G. See Pitts, J.W., 1=14843
- Moore, D.W. Proton magnetic resonance spectrum of diketene, 1=11121
- Moore, E.B., Jr, Lohr, L.L., Jr and Lipscomb, W.N. Molecular orbitals in some boron compounds, 1=17335
- Moore, G.E. Dissociation of adsorbed CO by slow electrons, 1=10667
- Moore, H.E. See Kuroda, P.K., 1=7933
- Moore, J.G. and Odencrantz, F.K. The height and geographical position of the red auroral arc of April 1-2, 1960, 1=21050
- Moore, J.G. See Roach, F.E., 1=15310
- Moore, J.G. See Venkateswaran, S.V., 1=20812
- Moore, K.H. Radio astronomy, 1=12777
- Moore, M.N. The power noise transfer function of a reactor, 1=755
- Moore, M.S. See Rester, D.H., 1=3425
- Moore, M.S. See Simpson, O.D., 1=11027
- Moore, M.S. See Simpson, O.D., 1=13829
- Moore, P. The impact of Lunik II on the moon, 1=10400
- Moore, P. See Brice, J.C., 1=13049
- Moore, R.A. See Bhatia, A.B., 1=3596
- Moore, R.B. and White, W. Rotational energy levels of deformed even-even nuclei, 1=8607
- Moore, R.G.Jr. See Clingman, W.H., 1=8296
- Moore, R.T. See Douslin, D.R., 1=15952
- Moore, S.O. See Chernick, J., 1=757
- Moore, T.W. See Kip, A.F., 1=17489
- Moore, W. and Silver, M. Generation of free carriers in photoconducting anthracene. I, 1=2424
- Moore, W.J. and Williams, E.L. Diffusion of zinc and oxygen in zinc oxide, 1=2395
- Moore, W.J. See O'Keeffe, M., 1=17727
- Moorhead, W.G. See Bartke, J., 1=8513

## AUTHOR INDEX

- Moorhouse, R.G. Partial wave dispersion relations in K-nucleon absorption, I, 1=8504
- Moorhouse, R.G. See Bransden, B.H., 1=8505
- Mooring, F.P. See Monahan, J.E., 1=1454
- Moose, P.H. See Hueter, T.F., 1=18534
- Mooser, E. Semiconducting compounds, 1=1040
- Mooser, E. and Pearson, W.B. The chemical bond in semiconductors, 1=6139
- Mooser, E. and Pearson, W.B. The ionic character of chemical bonds, 1=1111
- Mooser, E. See Fischer, G., 1=11290
- Moramez, M. and Lebrun, A. Hertzian spectra of solutions of n-hexanol in octane, 1=12893
- Morales Villasevil, A. See Rodríguez Máiques, E., 1=16620
- Moran, P.A.P. Entropy, Markov processes and Boltzmann's H-theorem, 1=18292
- Moran, P.R., Christensen, S.H. and Silsbee, R.H. Electron spin resonance and optical absorption of electron excess centers in KCl, 1=14330
- Moran, T.I. and Trischka, J.W. New determinations of the vibrational constants of  $\text{Li}^7\text{F}$  and  $\text{Li}^7\text{Cl}^{35}$  by the molecular beam electric resonance method, 1=5996
- Morand, M., Baudinet, Y. and Winand, L. Particles of abnormally long range emitted by polonium sources, 1=7361
- Morand, M., Desprez-Rebaud, S. and Betrencourt, M. Determination of the sensitivity of Ilford G0 and G2 emulsions, 1=9709
- Morand, M., Fayolle, J.C. and Desprez-Rebaud, S. Determination of the sensitivity of emulsions prepared by the bromination of a silver hydrosol, 1=7179
- Mora, S. Example of two mesons' production in  $\text{K}^+$  stars at rest, 1=8498
- Moravcsik, M.J. High energy physics, 1=8397
- Moravcsik, M.J. See MacGregor, M.H., 1=16771
- Morawetz, C.S. Magnetohydrodynamic shock structure without collisions, 1=11934
- Morcillo, J., Fernández Biarge, J. and Herranz, J. Study of bond polar properties, 1=872
- Mordike, B.L. See Balchin, N.C., 1=6913
- Mordike, B.L. The tensile strength of some refractory metals at high temperatures, 1=20378
- Mordkovich, V.N.  $\text{I}_2$  lysis, M.L., 1=17707
- Morduch, G.E. See Whitrow, G.J., 1=2683
- Mordvinov, Yu.P. and Firsov, O.B. Dependence of the inelastic collision cross-sections of atoms and ions on velocity in the case of pseudo-intersection of the levels, 1=2301
- Moreau, E. and Salmon, J. Action of the Boltzmann elastic collision operator on an isotropic velocity function in an imperfect Lorentz gas, 1=8079
- Moreau, J. See Amoignon, J., 1=2794
- Moreau, J.J. Constants of a turbulent islet in a perfect barotropic fluid, 1=15802
- Morehouse, N.F., Jr. See Lane, R.O., 1=17982
- Morel, P. See Anderson, P.W., 1=13038
- Morelli, R. On the validity of the formula giving the short-circuit current gain of a transistor in the common emitter connection, as a function of frequency, 1=17777
- Morelock, C.R. and Sears, G.W. Growth of whiskers by chemical reactions, 1=6501
- Moreno, D. Error analysis in the introductory physics laboratory, 1=1670
- Moreno, M. See Amorós, J.L., 1=1390
- Moret-Bailly, J. The interpretation of vibration-rotation spectra of molecules with tetrahedral or octahedral symmetry, 1=19619
- Moreton, G.E. See Athay, R.G., 1=7989
- Moreton, G.E. See Malville, J.M., 1=15493
- Moreton, G.E. See Young, C.W., 1=2656
- Moretti, C.F. Use of the photoelastic method for the study of residual stresses, 1=11724
- Morgan, D. See Burren, J.W., 1=9648
- Morgan, D.J. Construction and operation of a simple flame-ionization detector for gas chromatography, 1=20775
- Morgan, D.J. See Elliott, R.J., 1=1200
- Morgan, D.J. See Rushbrooke, G.S., 1=14681
- Morgan, J.R. See Gibson, A.F., 1=14492
- Morgan, L.O. See Bloembergen, N., 1=5285
- Morgan, P.G. A note on the drag of a screen at low Reynolds number, 1=2736
- Morgan, P.G. Note on the mechanical analogy of a viscoelastic fluid, 1=11738
- Morgan, P.G. and Saunders, A. An experimental investigation of inertia effects in viscous flow, 1=5252
- Morgenroth, H., Hess, H., Kischel, K., Rademacher, K. and Seliger, K. On the theory of shock wave propagation and channel formation in strong spark discharges, 1=18785
- Morgenroth, H., Hess, H., Kischel, K., Rademacher, K. and Seliger, K. Theory of shock wave propagation and discharge channel development in strong spark discharges, 1=18787
- Morgenroth, H. See Hess, H., 1=18786
- Morgenshtern, Z.L. See Vasil'eva, N.N., 1=10116
- Morgenshtern, J. See Corge, C., 1=17112
- Morgenshtern, J. See Netter, F., 1=9870
- Morgulis, N.D. and Korchevoi, Yu.P. Some properties of Cs plasma in a thermionic energy converter, 1=16372
- Morhulis, N.D. The fate of metal-film cathodes, 1=16363
- Morhulis, N.D. and Marchuk, P.M. Investigation of a caesium arc rectifier, 1=11970
- Mori, H. and Kawasaki, K. On the critical scattering of neutrons, 1=14732
- Mori, H. See Kawasaki, K., 1=17942
- Mori, H. See Kawasaki, K., 1=17943
- Mori, K. See Ezawa, H., 1=3170
- Mori, K. See Ezawa, H., 1=13481
- Mori, K. See Ito, D., 1=530
- Mori, N. Spectral sensitivity determinations by cutoff filters, 1=11827
- Mori, S. See Okazaki, C., 1=14735
- Mori, S. See Tohei, T., 1=17070
- Mori, T. The dipole moment and end-to-end length of the isotactic vinyl polymer. I. Mutual dependence between dipole moment and end-to-end length, 1=12343
- Mori, T. The dipole moment and end-to-end length of the isotactic vinyl polymer. II. A special simplified model and numerical calculations, 1=12344
- Mori, T. The dipole moment and end-to-end length of the isotactic vinyl polymer. III. Convergence of Neumann series, 1=14120
- Mori, T. A correction to my paper "The dipole moment and end-to-end length of the isotactic vinyl polymer. I." 1=17381
- Moriamez, C. Orientation radiofrequency spectra of polyalcohols, 1=2768
- Moriamez, M. See Lebrun, A., 1=10796
- Moriamez-Boullet, Cl. Interpretation of the dielectric properties of glycols, comparison with monoalcohols, 1=15896
- Morigaki, K. Paramagnetic resonance of cobalt in cadmium chloride and cadmium bromide, 1=20202
- Morigaki, K. Electron spin resonance in neutron irradiated  $\text{LiF}$ , 1=20219
- Moriguchi, H. Connection formulas for W.K.B. solutions with two turning points, 1=2
- Moriguchi, H. An improvement of the W.K.B. method in the presence of turning points and the asymptotic solutions of a class of Hill equations, 1=3
- Moriguchi, H. The phase shift formula in the improved WKB method, 1=4264
- Morilleau, E. Development of the manufacture of some types of photomultiplier, 1=16584
- Morimoto, M. See Makita, M., 1=6708
- Morimoto, S. See Takagi, M., 1=13252
- Morin, F.J. Halides, oxides, and sulfides of the transition metals, 1=17674
- Morin, F.J. See Compton, V.B., 1=11881
- Morinaga, H. and Ishii, C. Direct capture of slow neutrons by the nuclear p states, 1=2222
- Morinaga, H. and Kuroyanagi, T. Internal target for a betatron, 1=246
- Morinaga, H., Kuroyanagi, T., Mitsui, H. and Shoda, K. Three new isotopes,  $\text{Co}^{63}$ ,  $\text{Ga}^{75}$ , and  $\text{As}^{81}$ , 1=7345
- Morinaga, H. and Takahashi, K. A  $4^+ \rightarrow 0^+$  cross-over transition, 1=2189
- Morinaga, H. See Chiba, R., 1=13531
- Morinaga, H. See Homma, S., 1=13713
- Morinaga, H. See Takahashi, K., 1=637
- Morinaga, H. See Takahashi, K., 1=17113
- Morineau, Y. See Desbrandes, R., 1=16254
- Morino, F.B. See Nordberg, M.E., 1=639
- Morino, Y. and Toyama, M. Zeeman effect of nuclear quadrupole resonance spectrum in 1,3,5-trichlorobenzene, 1=9076



- Morino, Y. and Toyama, M. Zeeman effect of the nuclear quadrupole resonance spectrum in crystalline powder, 1=20279
- Morino, Y. See Oka, T., 1=13994
- Morino, Y. See Oka, T., 1=14021
- Morino, Y. See Shimizu, H., 1=12325
- Morioka, S. High subsonic flow past a wedge in a two-dimensional wind tunnel at its choked state, 1=161
- Morioka, S. Jets of a perfectly conducting inviscid gas in the presence of a magnetic field parallel to the stream, 1=10772
- Morioka, S. Two-dimensional supersonic jet of a conducting inviscid gas in the presence of a uniform magnetic field, 1=18377
- Morioka, S. Reflection of a weak shock wave in a perfectly conducting gas, 1=19010
- Morioka, S. See Hasimoto, Z., 1=18453
- Morita, M. Possible parity and time-reversal experiments using the Mössbauer effect, 1=8635
- Morita, S., Kawai, N., Gotō, Y., Maki, T. and Mukae, M. The  $N^{14}(d,n)O^{15}$  reaction in the energy range from 1.5 to 2.9 MeV, 1=12214
- Morita, S., Kawai, N., Takano, N., Goto, Y., Hanada, R., Nakajima, Y., Takemoto, S. and Yaegashi, Y. Differential cross sections for the reaction  $C^{12}(d,p)C^{13}$  in the energy range of deuterons from 15 - to 20-MeV, 1=8766
- Morita, S., Kawai, N., Takano, N., Goto, Y., Hanada, R., Nakajima, Y., Takemoto, S. and Yaegashi, Y. Differential cross-sections for the  $N^{14}(d,p)N^{15}$  ground state reaction at the deuteron energy of 16 MeV, 1=12213
- Morita, T. Theory of classical fluids: hyper-netted chain approximation. III. A new integral equation for the pair distribution function, 1=2748
- Morita, T. Theory of classical fluids: hyper-netted chain approximation. IIIA, 1=4323
- Morita, T. Virial expansion formulae for the microfield and micropotential distribution functions and their application to a high temperature plasma, 1=10697
- Morita, T. and Hiroike, K. A new approach to the theory of classical fluids. I, 1=2749
- Morita, T. and Hiroike, K. Integral equations for pair distribution function, 1=4277
- Morita, T. and Hiroike, K. A new approach to the theory of classical fluids. III. General treatment of classical systems, 1=15843
- Morita, Y. See Edagawa, H., 1=17776
- Moriya, Y. Vacuum sintering of quartz powder and phase transformation of quartz, 1=20399
- Moriyama, F. On the radio emission from H II clouds, 1=15568
- Mork, K. and Olsen, H. Radiative corrections to pair production at high energies, 1=490
- Morkowski, J. Spin-spin relaxation time in ferromagnetics, 1=12553
- Morley, J.G. Growth of crystals in glass, 1=1442
- Mornel, E. See Lindeman, H., 1=7329
- Morocho, A.K. See Aminov, L.K., 1=20243
- Moroi, D.S. Photoelectric effect and pair annihilation with large momentum transfer, 1=11078
- Morosin, B. and Haak, F.A. Photoluminescent effects in contact electroluminescence, 1=17924
- Moroz, E.M. On "superposed" accelerators, 1=10751
- Moroz, E.M. A method of injecting charged particles into a magnetic field, 1=16409
- Moroz, E.M. and Shpigel', I.S. Calculation of the electrodynamic repulsion of an undeformed plasma ring from a magnetic "mirror", 1=5457
- Moroz, E.M. and Shpigel', I.S. Calculation of the electrodynamic expulsion of an undeformed plasma ring from a magnetic "mirror", 1=11943
- Moroz, L.G. Electromagnetic scattering of spin  $\frac{1}{2}$  particles, 1=3141
- Moroz, L.P. Imaging of separate linear objects of different width and contrast with surrounding field by a combination of an optical system and a granular layer, 1=16061
- Moroz, L.S. Accelerators with stable osculating particle orbits, 1=343
- Moroz, N.G. See Kosevich, V.M., 1=4010
- Morozov, A.I. and Solov'ev, L.S. A kinetic examination of some equilibrium plasma configurations, 1=18835
- Morozov, A.I. See Kalashnikov, S.G., 1=3750
- Morozov, A.M. Short-lived isomers of Ga, Ge and As produced by 19.2 MeV protons, 1=13690
- Morozov, A.M., Remaev, V.V. and Yampol'skii, P.A. Five new millisecond isomers produced by 19.2 MeV protons, 1=19353
- Morozov, A.M. See Glagolev, V.L., 1=17133
- Morozov, B.V. See Barmin, V.V., 1=19324
- Morozov, B.V. See Kanavets, V.P., 1=19258
- Morozov, E.M. and Fridman, Ya.B. Trajectories of brittle rupture cracks as geodesic lines on the surface of a body, 1=14914
- Morozov, E.V. and Fridman, Ya.B. Trajectories of brittle rupture cracks as geodesic lines on the surface of a body, 1=20382
- Morozov, G.P. See Petrusevich, V.A., 1=11325
- Morozov, G.P. See Petrusevich, V.A., 1=17801
- Morozov, V.M. See Gorlov, G.V., 1=17171
- Morozov, V.P. See Rýbakova, G.I., 1=2321
- Morozova, T.I. See Komel'kov, V.S., 1=7037
- Morozovskii, V.A. See Zingerman, Ya.P., 1=15182
- Morozovskii, V.A. See Zingerman, Ya.P., 1=20683
- Morozovskii, V.A. See Zingerman, Ya.P., 1=20694
- Morpurgo, G. See Chiuderi, C., 1=5754
- Morrey, J.R. and Madsen, A.W. Fused salt spectrophotometry. I. Furnaces for a Cary model 14 spectrophotometer, 1=10595
- Morris, D. and Mungall, A.G. TE surface waves guided by a dielectric-covered metal plane, 1=374
- Morris, D. See Mungall, A.G., 1=368
- Morris, D.E. and Tinkham, M. Effect of magnetic field on thermal conductivity and energy gap of superconducting films, 1=13041
- Morris, E. Spatial correlations in the thermal fluctuations of electrical quantities in the presence of conducting surfaces, 1=7016
- Morris, J.B. See Chamberlain, A.C., 1=11635
- Morris, J.C. Comments on the measurement of emittance of the global radiation source, 1=11851
- Morris, J.R. II, See Pilar, F.L., 1=6037
- Morris, R.G. and Hust, J.G. Thermal conductivity measurements of silicon from 30° to 425°C, 1=19731
- Morris, R.M. and Pedersen, B.O. Design of a second harmonic flux gate magnetic field gradiometer, 1=7948
- Morris, S. See Lomon, E., 1=12111
- Morris, T.W. See Louttit, R.I., 1=12127
- Morris, W.C. See Baker, A.C., 1=11596
- Morrish, A.H. See Bonstrom, D.B., 1=6281
- Morrison, D.R.O. See Bartke, J., 1=8513
- Morrison, G.C. Possibility of a stripping mechanism in transformations induced by lithium ions, 1=739
- Morrison, G.C. Cluster model interpretation of the isotopic spin selection rule in certain nuclear reactions, 1=3463
- Morrison, G.C., Ferguson, A.T.G. and Evans, J.E. Angular distributions of the  $Be^9(d,n)B^{10}$  neutrons, 1=19506
- Morrison, J. and Pines, S. The reduction from geocentric to geodetic coordinates, 1=4186
- Morrison, J.A. Noise propagation in drifting multivelocity electron beams, 3010
- Morrison, J.A. See Barr, L.W., 1=14323
- Morrison, J.A. See Beaumont, R.E., 1=10228
- Morrison, J.A. See Flubacher, P., 1=2379
- Morrison, J.A. See Harrison, L.G., 1=4076
- Morrison, J.D. See Dorman, F.H., 1=6029
- Morrison, J.D. See Dorman, F.H., 1=7023
- Morrison, J.D. See Dorman, F.H., 1=11906
- Morrison, J.D. See Marmet, P., 1=16256
- Morrison, P. See Chiu, H.-Y., 1=2636
- Morrison, R.E. Reflectivity and optical constants of indium arsenide, indium antimonide, and gallium arsenide, 1=19945
- Morrison, S.R. The evaluation of germanium surface treatments, 1=1053
- Morrison, S.R. See Palmer, D.R., 1=1047
- Morrison, S.R. See Palmer, D.R., 1=6157
- Morriss, R.W. Observations of sudden ionospheric disturbances, 1=1532
- Morrissev, J.J. See Milford, S.N., 1=814
- Morrow, C.T., Troesch, B.A. and Spence, H.R. Random response of two coupled resonators without loading, 1=2812
- Morrow, R.A. See Griffiths, G.M., 1=17151
- Morrow, W.E., Jr and MacLellan, D.C. Properties of orbiting dipole belts, 1=6725

- Morse, J.C. See Harvey, D.G., 1=15579
- Morse, R.W. The Fermi surfaces of the noble metals by ultrasonics, 1=19739
- Morse, R.W., Myers, A. and Walker, C.T. On the Fermi surface shapes of the noble metals by ultrasonics, 1=7554
- Mortara, L. See Palfrey, T.R., 1=8482
- Mortensen, E.M. See Sinanoğlu, O., 1=8847
- Mortensen, E.M. See Smith, R.P., 1=12329
- Mortimer, R.G. and Mazo, R.M. Irreversible thermodynamics of systems containing radiation. Application to photochemical reactions, 1=20752
- Mortlock, A.J. The effect of segregation on the solute diffusion enhancement due to the presence of dislocations, 1=981
- Morton, D.C. and Widing, K.G. The solar Lyman-alpha emission line, 1=5153
- Morton, J.R. See Horsfield, A., 1=12000
- Morton, W.T. and Walker, T.G. Hammer tracks from the photo disintegration of light emulsion nuclei, 1=13774
- Moruzzi, V.L. Triangular moment arrangements in manganese-iron spinels, 1=6252
- Moscato, G. The  $(\gamma, 3n)$  reaction in  $\text{Pr}^{141}$ , 1=13772
- Moscato, G. See Nascimben, I.C., 1=4857
- Mosćicki, W. Note on the effects due to pulse-delay phenomena in  $\text{CO}_2 + \text{CS}_2$  G-M. Counters, 1=13200
- Moser, C. See Brion, H., 1=14061
- Moser, C.M. See Lefebvre-Brion, H., 1=9947
- Moser, E. See Kornetzki, M., 1=7767
- Moser, E. See Röss, E., 1=14741
- Moser, F. Absorption spectrum of photochemically colored silver halides, 1=8985
- Moser, F., Burnham, D.C. and Tippins, H.H. Zone refining of the silver halides, 1=4029
- Moser, P., Dautreppe, D. and Brissonneau, P. Observations of defects by magnetic viscosity in neutron irradiated pure iron, 1=1227
- Moses, H.E. See Lomont, J.S., 1=15694
- Moshinsky, M. See Bargmann, V., 1=5695
- Moshinsky, M. See Brody, T.A., 1=13600
- Moshinsky, M. See Lozano, J.M., 1=8438
- Moskalenko, S.A. Exciton absorption of light in  $\text{Cu}_2\text{O}$  crystals. II. The case of absence of constant external fields, 1=3827
- Moskalev, E.I. See Zaidel', A.N., 1=5480
- Moskalev, E.I. See Zaidel', A.N., 1=9606
- Moskalev, S.S. See Adamchuk, Yu.V., 1=19492
- Moskalev, V.A. See Vorobiev, A.A., 1=9652
- Moskalev, V.I. See Budagov, Yu.A., 1=5766
- Moskalev, V.I. See Budagov, Yu.A., 1=19297
- Moskalev, V.I. See Ermolov, P.F., 1=16780
- Moskalev, V.V. Calculation of the second moment of a nuclear magnetic resonance line for a rotating group present in a molecule, 1=20250
- Mosley, M.H. See Powles, J.G., 1=9407
- Mosley, M.H. See Powles, J.G., 1=15906
- Moss, D.G. See Horsfield, A., 1=12000
- Moss, G.L. See Heavens, O.S., 1=12664
- Moss, T.S. Indium antimonide, 1=6158
- Moss, T.S. Optical absorption edge in GaAs and its dependence on electric field, 1=17729
- Moss, T.S. and Hawkins, T.D.H. Interband photoconductivity in germanium, 1=3790
- Moss, T.S. See Houghton, J.T., 1=18079
- Moss, T.S. See Hughes, N.D.P., 1=9268
- Mössbauer, R.L., Stank, F.W. and Wiedemann, W.H. Hyperfine structure splitting of recoilless  $\gamma$ -lines. I. The 80.6 keV level in  $\text{Er}^{166}$ , 1=9815
- Mossman, P. See Doughty, D.C., 1=352
- Mostov, P.M., Neuringer, J.L. and Rigney, D.S. Electromagnetic acceleration of a plasma slug, 1=11933
- Moszkowski, S.A. Nuclear coupling schemes with S-state interactions, 1=8586
- Moszkowski, S.A. See Szawicki, J., 1=5813
- Moszkowski, S.A. See Scott, B.L., 1=13612
- Moszkowski, S.A. See Sood, P.C., 1=4803
- Moszyńska, B. The second-order Raman spectrum of titanium tetrachloride, 1=848
- Moszyńska, B. Variation of the intensity of Raman lines with temperature, 1=15879
- Motchane, J.L. and Uebbersfeld, J. Dynamic polarization of nuclei and molecular diffusion, 1=153
- Motchane, J.L. and Uebbersfeld, J. The influence of the structure of an electron spin resonance line on the dynamic polarization of nuclei, 1=1272
- Motchane, J.L. and Uebbersfeld, J. Macroscopic equations of double resonance. Thermodynamic interpretation, 1=7796
- Motchane, J.L. and Uebbersfeld, J. Diffusion phenomena in double magnetic resonance in the case where the electron resonance line is inhomogeneous, 1=14813
- Motchane, J.L. and Uebbersfeld, J. Nuclear polarization by "double effect" in the presence of diffusion when the electronic resonance line is inhomogeneous, 1=16972
- Motizuki, K. Theory of the nuclear magnetic resonance of  $\text{Co}^{59}$  in  $\text{CoO}$ , 1=9070
- Motizuki, K. and Nagamiya, T. Note on the effect of oxygen molecules contained in solid hydrogen on the rate of ortho-para conversion, 1=2355
- Motley, R., Lustig, C.D. and Sanders, S. Synchrotron radiation from runaway electrons in the stellarator, 1=9620
- Motley, R.W. See Kuckes, A.F., 1=11924
- Motoc, C. Selenium oxidation in the radiation flux of a nuclear reactor, 1=15207
- Motschmann, H. See Frie, W., 1=13071
- Mott, J.E. See Ammar, R.G., 1=607
- Mott, N.F. The transition to the metallic state, 1=4961
- Mott, N.F. and Twose, W.D. The theory of impurity conduction, 1=17651
- Mottelson, B.R. Nuclear coupling schemes and the microscopic description of collective effects, 1=8592
- Mottelson, B.R. and Valatin, J.G. Effect of nuclear rotation on the pairing correlation, 1=2158
- Motz, L. Existence of net electric charges on stars, 1=9285
- Moulton, G.C. and Moulton, W.G. Paramagnetic resonance of X-irradiated single crystals of Rochelle salt, 1=11487
- Moulton, W.G. See Moulton, G.C., 1=11487
- Mouradian, Z. See Michard, R., 1=15476
- Moureu, H. See Calvet, E., 1=2910
- Mourier, G. See Glance, B., 1=16406
- Moussa, A. See Marguin, P., 1=7354
- Moussa, A. See Marguin, P., 1=7355
- Moussa, A. and Monnard, E. Low-energy gamma transition in  $\text{Eu}^{153}$ , 1=13658
- Moussa, A. See Monnard, E., 1=13731
- Moussa, A. See Ravier, J., 1=13740
- Moussa, A. See Ravier, J., 1=13743
- Moussa, A.H. See Massey, H.S.W., 1=8448
- Moutot, M. and Boischoat, A. A study of 169 Mc/s thermal radiation from solar active spots, 1=15440
- Movnin, S.M. See Abroyan, I.A., 1=11963
- Moxon, M.C. See Firk, F.W.K., 1=8741
- Möyakushko, L.K. See Hrishayev, I.A., 1=12931
- Moyal, J.E. Statistical problems in nuclear and cosmic ray physics, 1=13195
- Moyer, B.J. PI-p elastic scattering in the energy region 500-1500 MeV, 1=16877
- Moyer, B.J. See Cence, R.J., 1=8700
- Moyer, B.J. See Longo, M.J., 1=10921
- Moyer, J.W. Stabilization of free radicals at low temperatures. Summary of the N.B.S. program, 1=14109
- Mözer, B. See Baranger, M., 1=10696
- Mozrzymas, J. and Rzewuski, J. Second order invariant differential equation in the spinor space, 1=18265
- Mrass, H. and Diestel, H.G. Determination of the normal threshold of hearing for pure tones in monaural listening with the help of headphones, 1=1606
- Mrass, H. See Bocker, P., 1=213
- Mrowec, S. See Mikulski, J., 1=1439
- Mrozowski, S. See Haering, R.R., 1=4975
- Muchnýk, V.M. See Markovych, M.L., 1=20833
- Muelhaese, C.O. The black void reactor concept, 1=17195
- Mueller, M.H., Heaton, L. and Johanson, E.W. Stepping mechanism for X-ray and neutron diffractometers and spectrometers, 1=15032
- Mueller, M.H., Heaton, L. and Miller, K.T. Determination of lattice parameters with the aid of a computer, 1=15061
- Mueller, R.K. Current flow across grain boundaries in n-type germanium. I, 1=8939
- Mueller, R.K. Current flow across grain boundaries in n-type germanium. II, 1=8940
- Mueller, R.K. and Jacobson, R.L. Growth twins in indium antimonide, 1=7838



- Mueller, W.M. Propagation in periodic electron beams, 1=10792
- Muga, M.L., Bowman, H.R. and Thompson, S.G. Tripartition in the spontaneous-fission decay of  $\text{Cf}^{252}$ , 1=747
- Mugibayashi, N. Exact treatment of the bound state problems in the non-relativistic quantum field theory, 1=13270
- Mugur, M. The relaxation of systems of permanently polarized microsystems, in a strong external field, 1=1711
- Mugur, M. Theory of nuclear magnetic resonance, 1=20253
- Mugur, M. See Corciovei, A., 1=1276
- Muguruma, J. Spiral etch-pits of ice crystals, 1=9105
- Muhleman, D.O., Hudson, R.H., Holdridge, D.B., Carpenter, R.L. and Oslund, K.C. Observed solar pressure perturbations of Echo I, 1=51
- Muir, A.H.Jr. and Boehm, F. Nuclear spectroscopy of  $\text{Ta}^{181}$ , 1=8627
- Muir, H.M. See Vickery, R.C., 1=10072
- Muirhead, H. See Astbury, A., 1=8472
- Muirhead, J.C. Variable focal length mirrors, 1=9471
- Muirhead, J.C. Hearing loss due to gun blast, 1=10345
- Mukae, M. See Morita, S., 1=12214
- Mukai, M. See Mikumo, T., 1=8771
- Mukherjee, A. See Das, T.P., 1=3503
- Mukherjee, D.K. Raman spectra of fluorobenzene at different low temperatures, 1=14034
- Mukherjee, P.N., Dutt, I., Sen Gupta, A.K. and Bhattacharyya, R.L. Decay of  $^{152}\text{Eu}$ , 1=5860
- Mukherjee, S.C. Scattering of electron by Thomas-Fermi potential, 1=13965
- Mukherjee, S.C. Potential function of helium-like atoms and electron scattering by the Born approximation, 1=17258
- Mukherjee, S.K., Ganguly, A.K. and Majumder, N.K. Activation cross sections with 14 MeV neutrons, 1=5924
- Mukherjee, S.K., Majumder, N.K. and Ganguly, A. A high intensity neutron generator, 1=13453
- Mukhin, K.N. See Barkov, L.M., 1=10817
- Mukhitdinova, I.A. See Vanyukov, M.P., 1=19593
- Mukhovatov, V.S. See Vasil'evskii, V.S., 1=1900
- Muldawer, L. Experiments in X-ray physics using a commercial X-ray spectrometer, 1=1950
- Muldawer, L. See Campbell, R.B., 1=12384
- Muldawer, L. See de Bergevin, F., 1=9145
- Muldawer, L. See Wiese, J.R., 1=20573
- Mulhearn, T.O. and Tabor, D. Creep and hardness of metals: a physical study, 1=20389
- Mull, H.R. See Hunter, J., 1=9461
- Mullaly, R.F. See Krishnan, T., 1=18170
- Mullaney, G.J., Kydd, P.H. and Dibelius, N.R. Electrical conductivity in flame gases with large concentrations of potassium, 1=8167
- Mullen, J.G. Isotope effect in intermetallic diffusion, 1=4993
- Müllensiefen, A. See Hohler, G., 1=13470
- Müller, A. On the theory of the resonance absorption of neutrons in heterogeneous reactors. I. 1=3488
- Müller, A. On the theory of the resonance absorption of neutrons in heterogeneous reactors. II. 1=3489
- Müller, A. Theoretical investigation of the behaviour of charged particles in the saddle-point of alternating electrical fields, 1=4697
- Müller, A. Estimation of the heating of neutrons in Be caps, 1=13895
- Muller, B.H. See Bloom, M., 1=18476
- Muller, B.H. See Lees, J., 1=8136
- Muller, B.H. See Lipsicas, M., 1=8146
- Muller, C.A. Hydrogen-line observations on the Coma cluster, 1=18124
- Muller, C.A. 21 cm hydrogen-line absorption in the spectra of discrete sources, 1=18182
- Müller, E.W. and Young, R.D. Determination of field strength for field evaporation and ionization in the field ion microscope, 1=18946
- Müller, E.W. See Wacławski, B.J., 1=11983
- Muller, G.M., Moore, D.B. and Bernstein, D. Growth of explosion in electrically initiated R.D.X., 1=11620
- Muller, G.M. See Martin, J.H., 1=5710
- Müller, H. The question of the hydrodynamic behaviour of a simple macromolecular model in an inhomogeneous field of flow, 1=18359
- Müller, H. See Birgellner, H., 1=9634
- Müller, H. See Hora, H., 1=18918
- Müller, H. See Meyer, V., 1=19471
- Muller, H.G. Weissenberg effect in the thick white of the hen's egg, 1=8850
- Müller, H.G. See Hieke, M., 1=14712
- Müller, K.A. Spin resonance in neutron-irradiated graphite, 1=12558
- Müller, K.A. On the minimum detectable change of a large signal and its application to the sensitivity of microwave and e.p.r. spectrometers, 1=16597
- Müller, K.C. See Ecker, G., 1=7022
- Müller, K.D. See Jahr, R., 1=8455
- Müller, K.G. Vacuum gauges, 1=5306
- Müller, K.G. Description of a gauge for ultra-high vacua and remarks about ultra-high vacua techniques for all-metal mountings, 1=5307
- Müller, K.G. The cathode fall region of a non-stationary glow discharge, 1=16291
- Müller, M. A method for the production of thin films especially carbon films, 1=1449
- Müller, M. Design and construction of an unsymmetrically screened focusing permanent magnet for travelling wave tubes, 1=13151
- Muller, M.W. Distribution of the magnetization in a ferromagnet, 1=9025
- Muller, M.W. and Buffler, C.R. Anisotropy of the spin-wave spectrum, 1=6387
- Muller, M.W. and Wehlau, A. Magnetization curve of an infinite cylinder, 1=17953
- Muller, P. and Barlier, F. Methods of photographic observation of artificial satellites at Meudon observatory, 1=6752
- Müller, R. Coronal observations on the day of the solar eclipse of 1959 October 2, 1=2618
- Müller, S. See Kohlhaas, R., 1=16482
- Muller, T. See Charkpak, G., 1=5742
- Müller, W. See Tuchscheerer, T., 1=4468
- Müller-Hillebrand, D. On the frequency of lightning flashes to high objects. A study on the Gulf of Bothnia, 1=4112
- Müller-Uri, G. The evaluation of quantitative spectral data with a new calculator, 1=6582
- Müller-Warmuth, W. Investigation of proton polarization through the Overhauser effect and of paramagnetic relaxation in  $\text{NO}(\text{SO}_3)_2$  solutions, 1=14819
- Müller-Warmuth, W. and Parikh, P. Some recent experiments on the Overhauser-Abragam-effect in liquids, 1=11770
- Mulliken, R.S. The interaction of differently excited like atoms at large distances, 1=817
- Mulliken, R.S. Lowest triplet states of ethylene, 1=850
- Mulliken, R.S. See Phillipson, P., 1=862
- Mulliken, R.S. See Verma, R.D., 1=9932
- Mulliken, R.S. See Verma, R.D., 1=14005
- Mullikin, T.W. Criticality estimates for spheres and slabs, 1=13896
- Mullin, C.J. See Johnson, W.R., 1=4859
- Mullin, J.B. and Hulme, K.F. Orientation-dependent distribution coefficients in melt-grown InSb crystals, 1=17520
- Mullin, J.W. and Raven, K.D. Nucleation in agitated solutions, 1=12623
- Mullins, W.W. Theory of linear facet growth during thermal etching, 1=20410
- Mulot, P., Poussot, R. and Schmitt, A.P. A pneumatic irradiation device for the measurement of thermal neutron flux in a pile, 1=13907
- Mulot, P., Poussot, R., Schmitt, A.P. and Zaleski, C.P. Automatic apparatus for measuring local gradients of neutron flux in a reactor, 1=5955
- Multani, M.S. See Bhide, V.G., 1=7690
- Mulvey, J. See Engler, A., 1=13544
- Mulvey, J.H. See Blackie, R.F., 1=520
- Mumford, A.J.P. See Smith, K., 1=815
- Muncey, R.W. and Nickson, A.F.B. Sound reinforcement at the Sidney Myer Music Bowl, Melbourne, Australia, 1=8204
- Muncey, R.W. See Nickson, A.F.B., 1=217
- Münch, G. and Zirin, H. Interstellar matter at large distances from the galactic plane, 1=2593
- Munczek, H. See De Tollis, B., 1=521
- Mundie, L.G., Brown, D.E., Hasell, P.G., Jr and Lowe, D.S. An airborne spectroradiometer, 1=1841
- Mundy, J.N. See Grew, K.E., 1=18464
- Mungall, A.G. and Morris, D. Time delay and frequency response of resonant cavities, 1=368

- Mungall, A.G. See Morris, D., 1=374
- Munir, B.A., Pickup, E., Robinson, D.K. and Salant, E.O. Pion production branching ratios through the 900 MeV resonance, 1=5756
- Munir, B.A. See Salant, E.O., 1=16848
- Munk, W. and El sayed, Hassan, M. Atmospheric excitation of the earth's wobble, 1=9180
- Munro, G.H. Ionospheric information from satellite signals, 1=4121
- Munro, I.H. See Birks, J.B., 1=16378
- Munsch, G., Pluvina, P. and Proriot, J. Orthogonal sets of eigenfunctions with definite symmetry for the wave-functions of a system of three identical particles, 1=6785
- Münster, A. Theory of generalized ensembles, 1=66
- Münster, A. Fluctuations of pressure, 1=9336
- Mur, V.D. and Skarzhinski, V.D. Use of the dispersion method for investigation of the simplest Green's functions in quantum electrodynamics, 1=4762
- Mur, V.D. and Skarzhinskii, V.D. The use of an arbitrary gauge of the electromagnetic potentials in the dispersion method, 1=16653
- Mura, T., Tamura, I. and Brittain, J.O. On the internal friction of cold-worked and quenched martensitic iron and steel, 1=3963
- Murad, E. The fluorescence of acetaldehyde vapor, 1=12929
- Murahashi, S. See Tadokoro, H., 1=12279
- Murai, A. and Mito, S. Experimental studies on Cerenkov radiation, 1=12076
- Murakami, K. and Kudo, S. The onset times of cosmic-ray storms, 1=19312
- Murakami, M. Anisotropy of electrical conduction in iron sulfide single crystal, 1=12424
- Murakami, M. See Fujime, S., 1=12418
- Murakami, M. See Naya, R., 1=12531
- Murakami, T. On the variation principle in the kinetic theory of dense gases. I, 1=6800
- Murakami, T. Entropy production and variation principle in the kinetic theory of rigid-sphere gas mixture, 1=12819
- Murakami, Y. and Kawano, O. Effects of cold working on precipitation in age-hardenable alloys, 1=1430
- Murakawa, K. Hyperfine structure of the spectra of Pr I and Pr II, 1=12253
- Murakawa, K. and Hashimoto, S. Measurement of plasma temperature and electron density, 1=13092
- Murakawa, K. and Mizuno-Hashimoto, S. Measurement of plasma temperature and electron density, 1=313
- Murakhver, Yu.E. Resonance charge exchange in hydrogen and sodium, 1=17291
- Muramatsu, K. See Ishikawa, S., 1=15268
- Muramori, K. and Miyahara, S. Spontaneous magnetization of magnesium ferrite-manganite system, 1=17956
- Muramori, K. and Miyahara, S. Magnetic properties of  $\text{MgMn}_2\text{O}_4$ , 1=20134
- Muramori, K. See Miyahara, S., 1=20553
- Murao, T. Electron paramagnetic resonance for metals with two conduction bands, 1=20195
- Muraoka, T. See Ichimiya, T., 1=11648
- Murasik, A., Ruta-Wala, K. and Wanic, A. An examination of the spin waves dispersion relation in a franklinite monocrystal by the neutron scattering method, 1=20119
- Muraskin, M. and Nishijima, K. Time-ordered Green's functions and perturbation theory, 1=7203
- Muratov, V.R. See Balashov, I.F., 1=4456
- Muratov, V.R. See Vanyukov, M.P., 1=19593
- Murav'ev, V.I. See Voronov, F.F., 1=4418
- Muravskii, B.S. See Kosman, M.S., 1=19859
- Muravtsov, L.P. and Smirnov, B.I. X-ray investigation of stacking faults in deformed tantalum, 1=17547
- Murayama, T. The point source of cosmic rays and a variable star " $\omega$ -Orionis", 1=3325
- Murch, S.A. See Kammash, T.B., 1=1310
- Murcray, D.G., Murcray, F.H., Williams, W.J. and Leslie, F.E. Study of 1.4  $\mu$ , 1.9  $\mu$ , and 6.3  $\mu$  water vapor bands at high altitudes, 1=6580
- Murcray, D.G., Murcray, F.H., Williams, W.J. and Leslie, F.E. Water vapor distribution above 90 000 feet, 1=15226
- Murcray, F.H. See Murcray, D.G., 1=6580
- Murcray, F.H. See Murcray, D.G., 1=15226
- Murcray, W.B. Thermal radiation spectrum of the Arctic sky, 1=21020
- Murcray, W.B. and Pope, J.H. Radiation from protons of auroral energy in the vicinity of the earth, 1=15305
- Murdoch, H.S., Ogilvie, K.W. and Rathgeber, H.D. The Sydney cosmic ray spectrometer, 1=2120
- Murdock, C.C. See Cash, A.H., 1=20533
- Murgai, M.P., Milmo, J.O., Kottenstette, J.P. and Smith, F.L. On a problem in the thermal stability of explosives, 1=4096
- Murin, A. See Abdurazakov, A., 1=646
- Murin, A.N., Lur'e, B.G., Banasevich, S.N., Samosyuk, G.P. and Ignatovich, Ya.L. Diffusion and electrolytic migration of  $\text{P}^{32}$  in KCl crystals irradiated with 660 MeV protons, 1=14314
- Murin, A.N., Lur'e, B.G. and Lebedev, N.A. Influence of pressure on the self-diffusion of silver ions in silver bromide, 1=989
- Murin, A.N. and Samosyuk, G.P. Diffusion of impurities in an infinite plate, 1=14284
- Murin, A.N. See Belyaev, B.N., 1=19472
- Murin, A.N. See Krizhansky, L.M., 1=7408
- Muromtseva, V.N. See Masterov, E.P., 1=4406
- Murota, T. On radiative corrections due to soft photons, 1=10830
- Murota, T. See Hiida, K., 1=16757
- Murota, T. See Marumori, T., 1=13609
- Murphy, A.P. and Goodman, J.F. A new shadowing material for electron microscopy, 1=2553
- Murphy, E.J. The dependence of the conductivity of cellulose, silk, and wool on their water content, 1=7626
- Murphy, E.J. The temperature dependence of the conductivity of dry cellulose, 1=17632
- Murphy, P.G. See Beall, E.F., 1=13264
- Murphy, P.G. See Beall, E.F., 1=19277
- Murphy, P.G. See Cook, V., 1=10867
- Murphy, P.G. See Cook, V., 1=16855
- Murphy, P.G. See Jones, D.P., 1=3223
- Murphy, P.V. See Gross, B., 1=3809
- Murphy, P.V. See Gross, B., 1=13376
- Murphy, S.R. See Garrison, G.R., 1=5328
- Murphy, W.K. See Mackenzie, J.D., 1=5346
- Murray, A.A. See Chynoweth, A.G., 1=11306
- Murray, A.M. See March, N.H., 1=938
- Murray, A.M. See March, N.H., 1=14246
- Murray, B. See Watson, K., 1=18032
- Murray, B.C. See Watson, K., 1=18034
- Murray, E.L. Ambipolar diffusion of a meteor trail and its relation with height, 1=5143
- Murray, G.T. Precipitation of helium along dislocations in aluminum, 1=11245
- Murray, J.D. Electromagnetic generation of vorticity in the uniform efflux of a conducting fluid from the surface of a magnetized sphere, 1=16515
- Murray, J.D. See Ludford, G.S.S., 1=7130
- Murray, J.D. See McGee, R.X., 1=10372
- Murray, J.D. See McGee, R.X., 1=18201
- Murray, J.J. See Berge, J.P., 1=10932
- Murray, J.J. See Dahl, O.I., 1=5781
- Murray, K. Photo-proton spectrometer, 1=8459
- Murray, R.B. and Manning, J.J. Response of end-window photo-multiplier tubes as a function of temperature, 1=2999
- Murray, R.B. and Meyer, A. Scintillation response of activated inorganic crystals to various charged particles, 1=7727
- Murray, R.B. See Love, T.A., 1=3193
- Murray, R.B. See Meyer, A., 1=2461
- Murray, R.L., Price, W.T. and Birken, S.H. Control rod theory for asymmetrical arrays and reflected cores, 1=17211
- Murray, R.L. See Hasnain, S.A., 1=3483
- Murrell, J.N. The photoconductivity of molecular crystals, 1=2419
- Murrell, J.N. The effect of paramagnetic molecules on the intensity of spin-forbidden absorption bands of aromatic molecules, 1=14015
- Murrell, J.N. and Salem, L. Energies of excited electronic states as calculated with the zero differential overlap approximation, 1=9934
- Murrmann, H. and Schwink, C. Development of an electron optical method of making magnetic measurements. I. Experimental arrangement and measurements, 1=10758
- Murrmann, H. See Schwink, C., 1=10759
- Murthy, G.T., Peters, B., Ramana-murthy, P.V. and Shreekanth, B.V. An experiment for measuring the chemical composition of primaries in the air shower region, 1=3327



- Murthy, G.T. See Chatterjee, B.K., 1=5805  
 Murthy, G.T. See Chatterjee, B.K., 1=8528  
 Murthy, N.S. See Tawde, N.R., 1=13989  
 Murthy, N.S. See Tawde, N.R., 1=14059  
 Murthy, S.R.S. See Ramanna, R., 1=9889  
 Murty, C.R.K. See Spence, R.D., 1=20165  
 Murty, G.S. Instability of conducting fluid cylinder due to axial current, 1=7132  
 Murty, G.S. See Nayyar, N.K., 1=132  
 Murty, G.S. See Nayyar, N.K., 1=5543  
 Murty, Y.S.N. and Khastgir, S.R. Polarization characteristics of the down-coming radio wave, 1=378  
 Murty, Y.S.N. and Khastgir, S.R. Polarization curves for vertical propagation of radio waves in the ionosphere, 1=7158  
 Murty, Y.S.N. and Khastgir, S.R. General expression for the group refractive index of the ionosphere, 1=20933  
 Murty, Y.S.N. See Khastgir, S.R., 1=4124  
 Mürtz, H.J. and Nüller, H.G. Isotope separation in a circular flow, 1=17295  
 Murvama, T. See Sekido, Y., 1=2141  
 Murzin, V.S. See Babayan, C.P., 1=3271  
 Murzin, V.S. See Grigorov, N.L., 1=5801  
 Murzina, E.A. See Dovzenko, O.I., 1=3290  
 Musa, G. See Comsa, G., 1=2795  
 Musa, G. See Comsa, G., 1=5488  
 Musa, G. See Corciovei, A., 1=12409  
 Musa, M. See Giurgea, M., 1=145  
 Musa, M. See Giurgea, M., 1=5282  
 Muschlitz, E.E. Jr. See Smith, G.M., 1=3521  
 Musci, M. See Felcher, G.P., 1=7253  
 Musci, M. See Felcher, G.P., 1=7525  
 Musen, P. The theory of artificial satellites in terms of the orbital true longitude, 1=15572  
 Musen, P. On the motion of a satellite in an asymmetrical gravitational field, 1=15576  
 Musen, P. On the long-period lunisolar effect in the motion of the artificial satellite, 1=15577  
 Muser, H.E. and Unruh, H.G. The different ferroelectric properties in different regions of Rochelle salt crystals, 1=10079  
 Musgrave, B. See Dowell, J.D., 1=408  
 Musgrave, B. See Dowell, J.D., 1=5724  
 Musgrave, B. See Martelli, G., 1=16770  
 Musgrave, M.J.P. Reflexion and refraction of plane elastic waves at a plane boundary between aeolotropic media, 1=4399  
 Musgrave, M.J.P. and Markham, M.F. Features of the elastic wave surface for a zinc crystal, 1=5322  
 Musha, T. See Itoh, T., 1=11910  
 Musher, J.I. N.M.R. spectra of 1, 4, 4-tetramethylcyclohexyl-cis and trans-2, 6-diacetate, 1=4951  
 Musher, J.I. Long-range nuclear magnetic shielding in molecules and the anisotropy in the magnetic susceptibility of a carbon-carbon single bond, 1=17353  
 Muss, D.R. and Townsend, J.R. Energy dependence of radiation damage in tungsten, 1=3695  
 Musset, P. See Baglin, C., 1=9764  
 Musson-Genon, R. See Goldstein, L., 1=4570  
 Mustafin, K.S. See Kagan, Yu.M., 1=4571  
 Mustard, D. See Derrick, G., 1=5793  
 Muto, J. Investigation of the reaction  $Mg^{2+}(p, \gamma)Al^{26}$ , 1=7377  
 Muto, J. See Jaffe, A.A., 1=731  
 Muto, J. See Okana, K., 1=12159  
 Muto, T. Exciton problem and a new approach to its electronic structure, 1=944  
 Muto, Y. On the resistance anomaly of dilute zinc alloys at low temperatures, 1=14364  
 Muto, Y. See Hirabayashi, M., 1=17606  
 Mutsuro, N., Ohnuki, Y., Sato, K., Kageyama, K. and Kimura, M. Fine structure in the  $N^{14}(\gamma, n)N^{13}$  activation curve, 1=2206  
 Mutsuro, N., Sato, K. and Mishina, M. Fine structure of the  $N^{14}(\gamma, n)N^{13}$  activation curve. II, 1=12189  
 Mutsuro, N. See Chiba, R., 1=13531  
 Mutsuro, N. See Kimura, M., 1=5909  
 Mutsuro, N. See Kimura, M., 1=12194  
 Mütze, H. Double-beam intermittent photometer system using a vibrating oscillograph mirror, 1=4428  
 Mutze, K. Is research on biological optics still topical? 1=2580  
 Muzetskaya, I.B. See Vitrikhovskii, N.I., 1=14963  
 Muzicár, Č. See Muzikarzh, Ch., 1=2035  
 Muzikarzh, Ch. [Muzicár, Č.] Vavilov-Cherenkov effect in uniaxial crystals, 1=2035  
 Muzyka, A. See Ullman, R., 1=10476  
 Myachkova, S.A. and Perel'gin, V.P. Interaction of 14.1 MeV neutrons with Be<sup>9</sup>, 1=17118  
 M'yakota, V.I. See Hryshayev, I.O., 1=15126  
 Myamlin, V.A., Kibardin, V.A. and Gurevich, Yu.Ya. The influence of a magnetic field on the motion of particles in solutions of electrolytes, 1=11905  
 Myasnikov, L.L. Acoustic spin resonance in metals, 1=5074  
 Myasnikov, S.P. See Barkhatov, A.N., 1=16018  
 Myasnikova, R.M. See Kitaigorodskii, A.I., 1=14934  
 Mycielski, J. Mechanism of impurity conduction in semiconductors, 1=11281  
 Mycielski, J. On the mechanism of impurity conduction in semiconductors. I. The activation energy of conductivity, 1=17652  
 Mycielski, J. On the mechanism of impurity conduction in semiconductors. II. Conductivity in the case of strong carrier-phonon interaction, 1=17653  
 Myers, A. Use of high-frequency sound waves in the investigation of some electronic properties of metals, 1=3595  
 Myers, A. See Morse, R.W., 1=7554  
 Myers, E.J. and Davies, F.C. A direct graphical method for the precise determination of lattice parameters of tetragonal or hexagonal crystals, 1=20465  
 Myers, H., Gomez, R., Guinier, D. and Tollestrup, A.V. Photo-disintegration of the deuteron from 500 to 900 MeV, 1=2102  
 Myers, H.P. See Lundquist, N., 1=20063  
 Myers, I.T., Le Blanc, W.H. and Fleming, D.M. Precision adiabatic gamma-ray calorimeter using thermistor thermometry, 1=13379  
 Myers, I.T. See Larson, H.V., 1=16168  
 Myers, R.J. See Harmony, M.D., 1=17319  
 Mýkhailov, H.S. Role of Ba in the incandescence of metal oxide particles due to electron bombardment, 1=15128  
 Mýkhailov, V.I. The scattering of electromagnetic waves by turbulent pulsations, taking into account the average flow curl, 1=15182  
 Mýkhalenkov, V.S. See Dekhtyar, I.Ya., 1=14324  
 Mykura, H. See Blakely, J.M., 1=19804  
 Myl'nikova, I.E. See Bokov, V.A., 1=12473  
 Myrgren, B. See Haraldson, S., 1=3033  
 Myroshnychenko, L.S. See Borzyak, P.H., 1=13115  
 Mysels, K.J., Cox, M.C. and Skewis, J.D. The measurement of film elasticity, 1=15828  
 Mysels, K.J. See Scholten, P.C., 1=20729  
 Mýselyuk, E.G. See Vasýlevs'ka, V.N., 1=11583  
 Myuller, R.L. Electrical conductivity of solids with ionic-homopolar valence. X. Electrical conductivity of glasses containing two types of alkali ions, 1=12420  
 Myuller, R.L. Electrical conductivity of solids with ionic-homopolar valence. XI. Degree of dissociation and mobility of cations in glasses containing two types of ions, 1=12421  
 Nabarro, F.R.N. The force on a moving dislocation, 1=19781  
 Nabarro, F.R.N. See Logie, H.J., 1=14360  
 Nabarro, F.R.N. See MacCrone, R.K., 1=16592  
 Nabarro, F.R.N. See Urlau, R.R., 1=14210  
 Nabatova, L.V. See Maslov, V.N., 1=5089  
 Nābauer, M. Experimental and theoretical investigation on the onset of the superconducting-normal transition under the influence of a supercritical magnetic field at different switch-on velocities of the field, 1=9515  
 Nābauer, M. See Doll, R., 1=13043  
 Nabitovich, I.D. See Andrievskii, A.I., 1=10257  
 Nabitovich, I.D. See Andrievskii, A.I., 1=11595  
 Nablo, S.V. and Martin, T.C. Efficiencies and photofractions of some commonly used NaI(Tl) well crystals, 1=13221  
 Nabutovskii, V.M. See Lifshits, I.M., 1=18990  
 Nachman, M., Schächter, L. and Toṭia, H. The use of spark counters for the detection of fast neutrons, 1=5739  
 Nachman, M. See Grigorescu, L., 1=15125  
 Nachmias, J. Determiners of the drift of the eye during monocular fixation, 1=10352

- Nachmias, J. Brightness and acuity with intermittent illumination, 1=12725
- Nadgornyi, E.M. Growth of whisker-crystals of lithium fluoride, 1=12627
- Nadgornyi, E.M. and Smirnov, B.I. The structure of very thin copper wires, 1=10277
- Nadgornyi, E.M. and Stepanov, A.V. Testing of whisker crystals in tension and bending, 1=20371
- Nadkarni, S.A. See Chiplokar, V.T., 1=18801
- Nadler, M.R. and Kempter, C.P. Thermocouples for use in carbon atmospheres, 1=4502
- Nadler, M.R. See Kempter, C.P., 1=1399
- Nadzhakov, G., Balabanov, S. and Dzhurova, V. The influence of a gaseous discharge on the contact potential of metal surfaces, 1=12372
- Naemura, A. See Kuroda, C., 1=7770
- Naer, V.A. and Rozhentseva, S.A. On proposed semiconductor thermobatteries for refrigerators, 1=11903
- Naer, V.A. and Rozhentseva, S.A. On proposed semiconductor thermobatteries for refrigerators, 1=12467
- Naff, J.T. See Starr, W.L., 1=16339
- Nagae, M. See Ohta, T., 1=3823
- Nagahara, Y. Elastic and inelastic scattering of protons from carbon nucleus from 6.5 MeV to 16 MeV, 1=8713
- Nagahara, Y. Elastic and inelastic scattering of protons from carbon nucleus from 6.5 to 16 MeV, 1=12192
- Nagahara, Y. See Matsuda, K., 1=17095
- Nagahara, Y. See Oda, Y., 1=8724
- Nagahara, Y. See Kobayashi, S., 1=9852
- Nagai, H. and Itô, D. Anomalous creation of  $\mu$ -mesons originating in weak interactions, 1=4806
- Nagai, H. and Itô, D. Possible interconnection between nucleon-structure and multiple production in cosmic ray energy regions, 1=4816
- Nagai, H. See Fujii, K., 1=16682
- Nagai, K. Configurational changes of polypeptide molecules in the helix-coil transition region, I, 1=6062
- Nagai, K. Dimensional change of polypeptide molecules in the helix-coil transition region, II, 1=6063
- Nagai, O. and Nakamura, T. Quadrupole interaction in crystals, 1=9968
- Nagai, O. and Yoshimori, A. Spin waves in  $MnF_2$  and the inelastic scattering of neutrons, 1=14762
- Nagai, R. A mechanism for producing extrusions and intrusions during fatigue, 1=6480
- Nagakura, M. and Yamaguchi, T. Magnetic domain patterns on barium ferrites, 1=6357
- Nagamani, K.D.V. and Chiplokar, V.T. A note on the cross-section of the luminous discharge channel in a glow discharge, 1=13073
- Nagamatsu, H.T. and Sheer, R.E., Jr. Magnetohydrodynamic results for highly dissociated and ionized air plasma, 1=11935
- Nagamatsu, K. On the mechanical relaxation time spectra of crystalline polymers, 1=7820
- Nagamiya, T. Magnetic compounds of transition metals, 1=20037
- Nagamiya, T. See Motizuki, K., 1=2355
- Nagamiya, T. See Uchida, E., 1=9045
- Nagamunswara Rao, K. See Ramanadham, R., 1=8249
- Nagao, F., Ohigashi, S. and Higashino, I. A radio-frequency resistance thermometer, 1=18668
- Nagao, S. and Sato, T. Some experiments on plasma Alfvén waves, 1=9622
- Nagarajan, A.S. See Sastri, M.L.N., 1=16160
- Nagarajan, M.A. Polarization in heavy particle stripping, 1=11031
- Nagarajan, S. Hydromagnetic turbulence, 1=16519
- Nagaraja Rao, C.R. Design of acoustic resonator panels, 1=221
- Nagasaki, M. On the analysis of deuteron stripping reactions, 1=19516
- Nagasawa, A. and Ogawa, S. Study on the twin formation in evaporated silver films, 1=11530
- Nagasawa, H. and Tomono, Y. Proton resonance and spin quenching effect in  $NiSO_4 \cdot 7H_2O$ , 1=20272
- Nagasawa, S., Takakura, T., Tsuchiya, A., Tanaka, H. and Koyama, H. A very unusual flare on November 15, 1960, 1=15478
- Nagashima, K., Potnis, V.R. and Pomerantz, M.A. Theoretical calculation of the solar diurnal variation of the cosmic
- Nagashima, K. See Duggal, S.P., 1=16947
- Nagashima, K. See Pomerantz, M.A., 1=9794
- Nagashima, T. Magnetic properties of very pure iron, 1=3887
- Nagashima, T. See Kneller, E., 1=2474
- Nagata, S. Nuclear deformation and nuclear force. I, 1=10951
- Nagata, S., Yamamoto, K., Hashimoto, K. and Naruse, Y. Flow patterns of liquids in a cylindrical mixing vessel with baffles, 1=121
- Nagata, S. See Ikeda, K., 1=8537
- Nagata, S. See Ikeda, K., 1=10952
- Nagata, T. The cage model by non-spherical interaction potential, 1=11753
- Nagata, T. On the earth storms. I. General introduction, 1=15351
- Nagata, T., Hakura, Y. and Goh, T. Ionospheric black-out in the polar regions during July 1959 events, 1=20912
- Nagata, T. and Kaneda, E. A photoelectric analyzer of all-sky camera auroral photographs, 1=21035
- Nagata, T. and Kokubun, S. On the earth storms. IV. Polar magnetic storms, with special reference to relation between geomagnetic disturbances in the northern and southern auroral zones, 1=15354
- Nagata, T. and Oguti, T. Inter-relation between geomagnetic disturbances and aurorae during the July 1959 events at Syowa Station, Antarctica, 1=21104
- Nagata, T. and Syono, Y. Geomagnetic secular variation during the period from 1955 to 1960, 1=15344
- Nagata, T., Yama-ai, M. and Akimoto, S. "Memory" of initial remanent magnetization and number of repeating of heat treatments in low-temperature behaviour of haematite, 1=12534
- Nagata, T. See Kodoma, M., 1=19306
- Nagata, T. See Matuura, N., 1=15353
- Nagata, T. See Tohmatsu, T., 1=15356
- Nagatani, K. Radiations from  $Ba^{141}$ , 1=7342
- Nagatani, K. See Bromley, D.A., 1=19533
- Nagatani, K. See Takahashi, K., 1=17113
- Nagel, B.C.H. On the relativistic photoeffect in the K-shell, 1=4909
- Nagel, B.C.H. and Olsson, P.O.M. The relativistic photoeffect at the K-shell threshold, 1=4910
- Nagel, H.H. See Bucka, H., 1=17257
- Nagel, M.R. Spurious resolution by image motion, 1=10612
- Nagel, M.R. See Bennett, H.E., 1=9184
- Naggiar, V. Inelastic scattering of low-energy neutrons, 1=13808
- Naghdi, P.M. See Kammash, T.B., 1=1310
- Nagle, D.E., Frauenfelder, H., Taylor, R.D., Cochran, D.R.F. and Matthias, B.T. Temperature dependence of the internal field in ferromagnets, 1=1210
- Nagle, D.E. See Craig, P.P., 1=18713
- Nagle, D.E. See Craig, P.P., 1=19693
- Nagle, D.E. See Dash, J.G., 1=8877
- Nagle, D.E. See Frauenfelder, H., 1=8569
- Nagle, R.J. See West, H.I., Jr., 1=17027
- Nageswara Rao, B.D. and Venkateswarlu, P. The nuclear magnetic resonance spectra of four spin systems. I. The  $H^1$  and  $F^{19}$  resonance spectra of 1-fluoro, 2, 4-dinitrobenzene, 1=17357
- Nagorsen, G. and Averbach, B.L. Small-angle scattering in gold-nickel alloys, 1=7850
- Nagura, T. See Horie, T., 1=8869
- Nagy, K. Angular correlation between neutrino and gamma-quantum in K-capture. II, 1=13735
- Nagy, K.L. Indefinite metric in quantum field theory, 1=15278
- Nagy, K.L. Propagators with dipole ghosts for fermion fields, 1=13288
- Nagy, L. See Nagy, T., 1=18773
- Nagy, T., Nagy, L. and Dési, S. Drift velocities of electrons in argon, nitrogen and argon mixtures, 1=18773
- Nahum, J. See Halperin, A., 1=19993
- Naiki, T. See Hashimoto, H., 1=10250
- Naiki, T. See Hashimoto, H., 1=10251
- Naiman, C.S. Interpretation of the absorption spectra of  $K_2Fe(CN)_6$ , 1=11368
- Naimark, B.M. Some nonlinear boundary value problems in the theory of a Maxwellian medium, 1=15759
- Nainan, T.D. Half-lives of some nuclear states in the millimicrosecond region, 1=12163
- Nair, K.G., Iyengar, K.N. and Ramanna, R. Energy and angular distributions of protons emitted from  $Al^{27}$  due to 14.2 MeV neutron interactions, 1=13813
- Nair, K.G. See Mani, G.S., 1=13812



- Naismith, R., Bevan, H.C. and Smith, P.A. A long term variation in the relationship of sunspot numbers to E-region character figures, 1=20974
- Nakach, A. Interaction of two consecutively injected turns in a circular accelerator, 2=349
- Nakach, A. See Gendreau, G., 1=16460
- Nakada, O. Theory of non-linear responses, 1=12809
- Nakada, O. and Chikahisa, Y. Molecular theory of relaxation phenomena in polymers, 1=7505
- Nakada, O. See Aizu, K., 1=14553
- Nakada, Y. See Greifer, A.P., 1=6369
- Nakagawa, K. Mass spectrometric study on the evaporation of volatile components in polyethylene, 1=13025
- Nakagawa, K. See Itabashi, K., 1=10880
- Nakagawa, M. See Maki, Z., 1=3120
- Nakagawa, M. See Matumoto, K., 1=3121
- Nakagawa, S. See Fujiwara, T., 1=14917
- Nakagawa, T. See Fukuda, K., 1=14336
- Nakagawa, Y. Magnetic susceptibility of liquid alloys of copper with cobalt, iron, manganese, and chromium, 1=152
- Nakagawa, Y. Some results on heat-transport by convection in presence of impressed magnetic fields, 1=5364
- Nakagawa, Y. and Goroff, I.R. Experiments on heat transport by convection in presence of a magnetic field, 1=4710
- Nakagawa, Y. and Hori, T. Antiferromagnetism of MnHg, 1=20166
- Nakagawa, Y. See Tezuka, S., 1=12524
- Nakahara, I. and Koizumi, T. Transverse bending of an infinite plate with a cylindrical circular hole by the three-dimensional theory of elasticity, 1=83
- Nakahara, O. Observation of an anomaly in transistor characteristics, 1=17779
- Nakai, S. and Sasaki, M. On the theory of collective rotations, 1=12824
- Nakai, S. See Adachi, T., 1=466
- Nakai, T. and Sakakibara, T. Effects of  $\gamma$ -ray and neutron irradiation on the pyrolytic carbon film resistors, 1=1026
- Nakajima, K. Stacking faults in copper-nickel alloys, 1=975
- Nakajima, K. Relation between deformation and integrated intensity of X-ray in aluminium single crystals, 1=20348
- Nakajima, S. A note on the electromagnetic response of normal metals, 1=3724
- Nakajima, T. See Mikumo, T., 1=8771
- Nakajima, Y. See Morita, S., 1=8766
- Nakajima, Y. See Morita, S., 1=12213
- Nakajima, Y. See Ohmura, H., 1=13801
- Nakamichi, T. and Yamamoto, M. Antiferromagnetic magnetostriction in CoO and NiO single crystals, 1=14758
- Nakamoto, A. See Doke, T., 1=12036
- Nakamura, A. and Sugiura, Y. Magnetostriction of yttrium iron garnet, 1=14748
- Nakamura, E. and Furuichi, J. Measurement of microwave dielectric constants of ferroelectrics. I. Dielectric constants of BaTiO<sub>3</sub> single crystal at 3.3 kMc/s, 1=12471
- Nakamura, E. and Furuichi, J. Dielectric constants and loss tangents of (glycine)H<sub>2</sub>SO<sub>4</sub> (T.G.S) at 3.3 kMc/s, 1=14551
- Nakamura, H. On a model of nucleon structure and meson-nucleon interaction. I, 1=9750
- Nakamura, H. Application of  $\rho$ -meson theory to 5 BeV  $\pi^-$ -p data, 1=13480
- Nakamura, H. and Toyoda, T. Connection of spinor fields, 1=5643
- Nakamura, K. Cluster expansion technique in the many-fermion systems, 1=10443
- Nakamura, K. See Fukuda, K., 1=10104
- Nakamura, K. See Kato, R., 1=14591
- Nakamura, S. On the weak interaction of baryons, 1=13321
- Nakamura, S. and Konuma, M. Hyperon decay in the nonleptonic mode, 1=8506
- Nakamura, S. and Sato, S. Symmetry of the strong interaction in the four-dimensional isotopic-spin space and in the three-dimensional  $\kappa$ -space, 1=19115
- Nakamura, S. See Okabayashi, T., 1=13302
- Nakamura, T. Angular distribution of n-p scattering at 14.1 MeV, 1=10888
- Nakamura, T. Kinematic theory of ferroelectric domain growth, 1=11344
- Nakamura, T., Fukunaga, K., Takamatsu, K., Yata, M. and Yasumi, S. Fine structure in the giant resonance for Cu<sup>63</sup> and Ag<sup>107</sup> ( $\nu$ , n) reactions, 1=874
- Nakamura, T., Fukunaga, K., Takamatsu, K. and Yasumi, S. Absolute measurement of  $\chi$ -quanta, 1=2028
- Nakamura, T. and Ohi, K. Dislocation etch pits on a- and b-faces of gash crystal, 1=11533
- Nakamura, T. and Ohi, K. Dislocations and fine lines in Rochelle salt crystal, 1=12393
- Nakamura, T., Ohi, K. and Kubota, H. Growth and dissolution processes of G.A.S.H. crystal, 1=14971
- Nakamura, T. See Hisatake, K., 1=8730
- Nakamura, T. See Nagai, O., 1=9968
- Nakamura, T. See Takahashi, H., 1=8912
- Nakamura, Y. Effect of the substructure upon magnetic properties of iron-silicon single crystals, 1=20096
- Nakane, R. Re-appreciation of the second order transition phenomena in polyethylene, 1=9155
- Nakanishi, F. and Sato, Y. Influence of intermediate principal stress on plastic flow, 1=1313
- Nakanishi, N. A note on the ordinary and anomalous thresholds in perturbation theory, 1=3143
- Nakanishi, N. On the validity of multiple dispersion representations, 1=10862
- Nakanishi, N. Remarks on Eden's "proof" of the Mandelstam representation, 1=13338
- Nakanishi, N. Validity of the integral representations for the vertex part in perturbation theory, 1=13353
- Nakanishi, N. Integral representations for scattering amplitudes in perturbation theory, 1=19140
- Nakanishi, N. See Hiida, K., 1=3177
- Nakanishi, N. See Hiida, K., 1=3179
- Nakanishi, N. See Hiida, K., 1=9751
- Nakano, H. On the extremum property in the variation principle in the theory of transport processes, 1=4286
- Nakano, H. On the extremum problem in the variation principle in the theory of susceptibility or relaxation phenomena, 1=4287
- Nakano, H. On a variation principle for calculating the electrical conductivity, 1=7019
- Nakano, H. A variation principle in the theory of transport phenomena, 1=10449
- Nakano, H. A variation principle for calculating general susceptibility tensors, 1=10450
- Nakano, Y. See Furukawa, M., 1=12195
- Nakano, Y. See Hisatake, K., 1=8730
- Nakashima, R. See Kammuri, T., 1=740
- Nakashima, S. The colloidal band in KCl containing NaCl, 1=17585
- Nakashima, S. See Kato, R., 1=19980
- Nakashima, T. See Ishimatsu, T., 1=13843
- Nakata, Y. Auroral echoes in the ionograms obtained in the minauroral region, 1=1566
- Nakatsuka, T. See Asada, T., 1=21113
- Nakau, T. Magnetic resonance in Ti<sub>m</sub>Mg<sub>n</sub>Fe<sub>3-m-n</sub>O<sub>4</sub> ferrites and their magnetization, 1=3924
- Nakau, T. Electrical conductivity of  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>, 1=10036
- Nakau, T. See Takeyama, M., 1=18839
- Nakayama, K. Baryon parity and polarization experiment, 1=10931
- Nakazima, K. and Koda, S. Segregation of solute atoms in Cu-Al alloys, 1=20598
- Nakazumi, Y. See Uchida, E., 1=9045
- Nakhodkin, M.H. and Romanovs'kii, V.O. A study of the kinetics of motion of electrons in secondary emission. I, 1=13123
- Nakhodkin, N.G. and Z'kov, G.A. The influence of oxygen at low pressures on the electric properties of the oxide
- Nakhutin, I.E., Ovechkin, V.V., Ochkin, D.V., Polyakov, A.S. and Khoduleva, Z.K. Production of the radioactive isotope Kr<sup>86</sup> and measurement of its  $\gamma$ -radiation, 1=19418
- Nall, B.H. See Foner, S.N., 1=7025
- Namba, S. Electro-optical effect of zincblende, 1=3825
- Namba, S. High voltage measurement by A.D.P. crystal plate, 1=9516
- Nambu, Y. and Jona-Lasinio, G. Dynamical model of elementary particles based on an analogy with superconductivity. I, 1=7193
- Nambu, Y. and Jona-Lasinio, G. Dynamical model of elementary particles based on an analogy with superconductivity. II, 1=16665
- Nambu, Y. and Sakurai, J.J. Odd  $\Delta$  parity and the nature of the  $\pi$   $\Delta$  coupling, 1=8509

- Nambu, Y. and Shrauner, J.E. Possible bound  $\Sigma$ -A system, 1=19283
- Nambu, Y. See Blankenbecler, R., 1=5670
- Namikawa, T. On the reflection and refraction of hydromagnetic waves in ionised gas, 1=16539
- Namiki, M. Some remarks on the Feynman's variational method, 1=438
- Namiki, M. One-particle motions in many-particle systems and the optical model in nuclear reactions, 1=3430
- Namiki, M. See Kato, T., 1=15734
- Namioka, T. Theory of the ellipsoidal concave grating. I, 1=2883
- Namioka, T. Theory of the ellipsoidal concave grating. II. Application of the theory of the specific grating mountings, 1=2884
- Namioka, T. See Tanaka, Y., 1=17320
- Nanamaru, F. See Okazaki, C., 1=14735
- Nand, S. See Ghosh, S.N., 1=15273
- Nanda, V.S. and Pathria, R.K. Time dependence of the statistical molecular weight distribution of the polymer resulting from vinyl polymerization, 1=12340
- Nanda, V.S. and Pathria, R.K. Theory of numbers and the problem of polymerization, 1=15164
- Naono, T. Spherulitic crystallization of polyethylene, 1=14972
- Napolitano, L.G. On turbulent magneto-fluid dynamic boundary layers, 1=5550
- Naqib, I. and McDaniels, D.K. Kinematic effects in target thickness calculations, 1=7111
- Naqvi, J.H. See Mitra, A.N., 1=13414
- Naqvi, M.A. See Edwards, S.F., 1=5688
- Naraba, T. See Nishioka, A., 1=9154
- Narahari Rao, K. See Brim, W.W., 1=829
- Naranan, S. See Chatterjee, B.K., 1=5805
- Naranan, S. See Chatterjee, B.K., 1=8528
- Narasimhaiah, H. and Pool, M.L. Radioactive decay of  $\text{Tm}^{167}$ , 1=3428
- Narasimham, K.V. Force constants of the uranyl ion by Wilson's F-G matrix method, 1=13983
- Narasimham, K.V. Infrared spectra of uranyl phosphate, oxalate, and salicylate in the solid state, 1=14599
- Narasimham, K.V. Fluorescence spectra of some uranyl salts, 1=14638
- Narasimhamurthy, T.S. Photoelastic behavior of rubidium halides, 1=12482
- Narasimhamurthy, T.S. and Ziauddin, M. Birefringent compensator for studying very small changes in double refraction, 1=10607
- Narasimhan, P.T. and Rogers, M.T. Proton magnetic resonance spectra of compounds of the type  $\text{X}(\text{C}_2\text{H}_5)_n$ . Relative signs of the X-H spin coupling constants, 1=6047
- Narasimha Rao, D.V.G.L. and Gordy, W. Electron spin resonance of an irradiated single crystal of urea oxalate, 1=11488
- Narasimha Rao, D.V.G.L. and Gordy, W. E.S.R. spectra of a gamma-irradiated single crystal of DL-serine, 1=14800
- Narath, A. and Heimann, G. Investigations on the preparation of nuclear track emulsions, 1=9712
- Naray, Z. and Varga, P. Production of light pulses of nano-second rise time and duration by means of gas-discharge
- Náray-Szabó, I. Relation between the structure and physical properties of glass. III. Thermal expansion of glass, 1=2543
- Náray-Szabó, I. and Ladik, J. Relation between the structure and physical properties of glass. IV. Strength of glass, 1=2544
- Narayana, B.L. A new relation between the Cole-Cole distribution parameter  $[\alpha]$  and temperature, 1=4352
- Narayana, J.V. Magnetic field of the planet Venus, 1=15426
- Narayanan, P.S. and Vedam, K. Raman spectrum of strontium titanate, 1=12500
- Narayana Rao, M. See Jha, S., 1=663
- Narayanaswamy, P. See Mitra, A.N., 1=2081
- Narbut, T.P. See Geguzin, Ya.E., 1=4024
- Nardelli, G.F. and Chiarotti, A.R. Equilibrium thermodynamic properties of a vacancy in a f.c.c. lattice with central interaction, 1=6104
- Nardelli, G.F. See Fieschi, R., 1=11223
- Nardelli, M. and Fava, G. Deduction of thermal anisotropy parameters from the electron density distribution, 1=15064
- Nardone, M.C. See Breene, R.G.Jr., 1=11069
- Nariai, H. and Ueno, Y. On a new approach to cosmology. II. The problem of local gravitation, 1=2592
- Nariai, H. and Ueno, Y. On the concept of reggradation in general relativity, 1=10413
- Nariai, H. and Ueno, Y. On some peculiar role of the cosmological constant in the general theory of relativity and in the Schrödinger theory of non-symmetric field, 1=10414
- Narin, F. and Langford, D. Analytic solutions for transient temperature distributions in two-region nuclear reactor fuel elements, 1=773
- Narita, K. Energy spectrum of  $\text{Mn}^{++}$  ion in calcium fluorophosphate. I, 1=12504
- Narita, S. Electroluminescence in zinc sulfide single crystals, 1=7729
- Narten, A. Fractionation of nitrogen isotopes between nitrosonium salt solutions and nitrogen oxides, 1=5985
- Narten, A. Separation factors in multicomponent mixtures of isotopes, 1=12268
- Narumi, H. and Matsuo, S. On the possible existence of electric dipole moments of the proton and the electron, 1=3180
- Narumi, H. and Matsuo, S. Non-adiabatic effects on the bound states of the  $\mu$ -mesonic proton-deuteron system, 1=14140
- Narumi, H. and Matsuo, S. Nuclear finite size effects on the internal conversion in the  $\mu$ -mesonic  $\text{He}^+$  atom, 1=19615
- Naruoka, M. and Omura, H. Digital computer analysis of influence coefficients for deflection and bending moment of orthotropic parallelogram plates, 1=93
- Naruse, Y. See Nagata, S., 1=121
- Nascimento, I.C., Moscati, G. and Goldemberg, J. Systematics of  $(\gamma, 2n)$  reactions, 1=4857
- Nasedkin, Yu.F. Study of a ring discharge in a transverse magnetic field, 1=7040
- Nasedkin, Yu.F. and Osovets, S.M. Investigation of a powerful ring gas discharge when there is an equilibrium orbit, 1=7036
- Nasedkin, Yu.F. and Pavlov, E.I. The effect of the magnetic field shape on a ring gas discharge, 1=7035
- Nash, C.P. and McMillan, W.G. On the mechanism of exploding wires, 1=10693
- Nash, F.R. Size-dependent relaxation times at liquid helium temperatures, 1=14675
- Nash, R.T. See Kraus, J.D., 1=8013
- Nash, T. Low-velocity gas-liquid impinger for the continuous estimation of sulphur dioxide and other atmospheric pollutants, 1=20782
- Nash, W.B. and Standley, K.J. The wall effect in ferri-magnetic resonance experiments, 1=1254
- Nasini, A., Ricca, F. and Saini, G. Clean surfaces and sorption of gases, 1=18493
- Nasledov, D.N. Energy of spectrum and scattering of current carriers in gallium arsenide, 1=17750
- Nasledov, D.N., Smirnova, N.N. and Tsarenkov, B.V. The temperature dependence of the principal parameters of GaAs point-contact diodes, 1=3777
- Nasledov, D.N. See Agaev, Ya., 1=11267
- Nasledov, D.N. See Burdakov, Yu.M., 1=12452
- Nasledov, D.N. See Emel'yanenko, O.V., 1=11266
- Nasledov, D.N. See Emel'yanenko, O.V., 1=14467
- Nasledov, D.N. See Galavanov, V.V., 1=19879
- Nasledov, D.N. See Lyan' Chzhi-Chao., 1=11305
- Nasledov, D.N. See Lyan' Chzhi-Chao, 1=17737
- Nasledov, D.N. See Lyan' Chzhi-chao, 1=17739
- Nassau, J.J. and Stephenson, C.B. Spectral classifications for new or unclassified emission-line, carbon and S, long-period variable, and double stars, 1=8004
- Nassau, K. Application of the Czochralski method to divalent metal fluorides, 1=14990
- Nassau, K., Cherry, L.V. and Wallace, W.E. Intermetallic compounds between lanthanons and transition metals of the first long period. I. Preparation, existence and structural studies, 1=7877
- Nassau, K., Cherry, L.V. and Wallace, W.E. Intermetallic compounds between lanthanons and transition metals of the first long period. II. Ferrimagnetism of AB<sub>2</sub> cobalt compounds, 1=9041
- Nassau, K. See Mims, W.B., 1=14792
- Nassiff, S.J. See Vignau, H., 1=13847



- Nastyukha, A.I., Striganov, A.R., Afanas'ev, I.I., Mikhailov, L.N. and Oganov, M.N. Mass-spectrographic and spectroscopic studies of hydrogen discharge from an ion source, 1=16432
- Nataf, R. Renormalization of a strong nucleon, hyperon, K-meson interaction which does not conserve parity, 1=7197
- Natanson, I. See Mafuszyńska, K., 1=13815
- Nathan, M.I., Paul, W. and Brooks, H. Interband scattering in n-type germanium, 1=14448
- Nathan, O. and Popov, V.I. Coulomb excitation with 14-20 MeV  $\alpha$ -particles: double excitations and systematics of vibrational states in the rare earth region, 1=4833
- Nathan, O. See Bertelsen, U., 1=10992
- Nathans, R. See Komura, Y., 1=11561
- Nathans, R. See Pickart, S.J., 1=2487
- Nathans, R. See Pickart, S.J., 1=11448
- Nauenberg, M. Extrapolation method to determine differential scattering cross sections of unstable particles, 1=456
- Nauenberg, M. and Pais, A. Correlations between cusps in differential cross sections and in polarizations, 1=10910
- Nauenberg, M. See Bjorken, J.D., 1=3137
- Nauenberg, M. See Lomon, E.L., 1=8454
- Naugle, J.E. and Kniffen, D.A. Flux and energy spectra of the protons in the inner Van Allen belt, 1=12701
- Naugol'nikov, B.I. See Rýbakova, G.I., 1=2321
- Naugol'nykh, K.A. and Rozenberg, L.D. The optimum working conditions for a powerful [acoustic] concentrator, 1=4403
- Nault, Y. See Berger, J., 1=15192
- Naumann, R.A. See Diamond, R.M., 1=13752
- Naumkina, N.I., Tartakovskii, B.D. and Éfrussi, M.M. A two-layer vibration-absorbing structure, 1=2804
- Naumov, A.F. See Berzina, I.G., 1=19819
- Naundorf, W. Use of heat filters and cold mirrors in projectors, 1=8216
- Navarro, Q.O. and Shirley, D.A. Nuclear orientation of Dy<sup>155</sup> and Dy<sup>157</sup>, 1=10958
- Naya, R., Murakami, M. and Hirahara, E. Magnetic and electrical anomalies of iron telluride single crystals, 1=12531
- Naya, S. See Oda, T., 1=20491
- Naya, S. See Syozi, I., 1=3885
- Naya, S. See Syozi, I., 1=11419
- Naylor, D. Primary cells, 1=267
- Naylor, D. A non-linear boundary value problem in hypersonic gas dynamics, 1=10529
- Nayyar, N.K. Magnetogravitational instability of an infinite medium with finite electrical and thermal conductivity, 1=15610
- Nayyar, N.K. and Murty, G.S. The flattening of dielectric liquid drop in a uniform electric field, 1=132
- Nayyar, N.K. and Murty, G.S. The stability of an infinite gravitating cylinder of paramagnetic material in the presence of magnetic field, 1=5543
- Nayyar, N.K. See Auluck, F.C., 1=16529
- Nayyar, N.K. See Auluck, F.C., 1=19001
- Nazarenko, O.K. See Kucherenko, E.T., 1=12405
- Nazarenko, V.A. See Lobashov, V.M., 1=13727
- Nazarewicz, W. See Balkanski, M., 1=2440
- Nazaroff, G.V. See Hirschfelder, J.O., 1=8054
- Nazarov, N.I., Ermakov, A.E., Tolok, V.T. and Sinel'nikov, K.D. Propagation of ionic cyclotron waves in a plasma, 1=5487
- Nazarov, N.I., Ermakov, A.E., Tolok, V.T. and Sinel'nikov, K.D. Propagation of ionic cyclotron waves in a plasma, 1=11459
- Naze, J. Properties of linear collision operators. Imperfect Lorentz gases, 1=1704
- Naze, J. Calculation of the electrical conductivity and temperature of a feebly ionized gas, 1=9422
- Neagu, D., Okonov, E.O., Petrov, N.I., Rosanova, A.M. and Rusakov, V.A. Decay properties of K<sub>s</sub><sup>0</sup> mesons, 1=10922
- Neale, D.J. See Powles, J.G., 1=9408
- Neale, D.J. See Powles, J.G., 1=15410
- Neale, R.N. See Hall, J.M., 1=6657
- Nebe, W. A method for the interferometric analysis of three-component mixtures, 1=4373
- Nechai, E.P., Popov, K.V. and Panenkova, L.S. The effect of the temper temperature on the diffusion and solubility of hydrogen in hardened steel, 1=6117
- Nechin, Yu.A. See Vernov, S.N., 1=3280
- Nechin, Yu.A. See Vernov, S.N., 1=3287
- Nechin, Ya.A. See Vernov, S.N., 1=3288
- Nedderman, H.C. See Brock, E.G., 1=12489
- Neddermeyer, S.H. See Deery, R.F., 1=5743
- Nedoseev, S.L. See Borodin, A.V., 1=18886
- Nedospasov, A.V. and Novik, A.E. Velocity of propagation of the ionization front on breakdown in discharge tubes, 1=5422
- Nedospasov, A.V. See Kadomtsev, B.B., 1=9533
- Neduzhii, S.A. Investigation of the dependence of the process of emulsification on ultrasonic intensity, 1=20774
- Needler, G.T. and Opechowski, W. On the nuclear spin relaxation in hydrogen gas, 1=9424
- Néel, L. Superposition of antiferromagnetism and superparamagnetism in a very small grain, 1=14757
- Néel, L. Superparamagnetism of fine particle antiferromagnetics, 1=20155
- Néel, L. Superantiferromagnetism in fine grains, 1=20156
- Néel, L. Calculation of the additional superantiferromagnetic susceptibility of fine grains, and its temperature dependence, 1=20157
- Neelakantan, K.A. See Biswas, S., 1=3318
- Neely, W.C. See McGlynn, S.P., 1=11104
- Ne'eman, Y. Derivation of strong interactions from a gauge invariance, 1=13327
- Ne'eman, Y. Yukawa terms in the unitary gauge theory, 1=13328
- Nefedov, V.N. The mechanism of emission of prompt fission neutrons, 1=4879
- Neff, H. Radiographic stress measurements on hardened steel. I. Determination of the macrostresses, 1=3967
- Neff, V.D. and Walnut, T.H. Effect of temperature on the intensity and structure of bands in the infrared spectrum of rhombic sulfur, 1=19990
- Nefkens, B.M.K. See Palfrey, T.R., 1=8482
- Negi, J.G. Radiation resistance of a vertical magnetic dipole over an inhomogeneous earth, 1=20802
- Negishi, K. Jump phenomenon in resonance curve of ferroelectric ceramics, 1=11343
- Negishi, K. Phase relation between sonoluminescence and cavitating bubbles, 1=12889
- Negishi, K. Experimental studies on sonoluminescence and ultrasonic cavitation, 1=15892
- Negita, H. and Bray, P.J. N<sup>14</sup> pure quadrupole resonances of several nitriles, 1=4950
- Neher, H.V. Variable sensitivity automatic ionization chamber, 1=3075
- Neher, H.V. Busch tube for determining e/m for the electron, 1=10877
- Neher, H.V. Light-pressure tube, 1=12959
- Neher, H.V. and Anderson, H.R. The knee of the latitude curve at balloon altitudes, 1=2148
- Neher, H.V. and Anderson, H.R. Two unusual events at high altitudes, 1=3342
- Neidigh, R.V. See Alexeff, I., 1=18861
- Neil, V.K., Judd, D.L. and Laslett, L.J. Coherent electromagnetic effects in high current particle accelerators. II. Electromagnetic fields and resistive losses, 1=8365
- Neil, V.K. and Sessler, A.M. Coherent electromagnetic effects in high current particle accelerators. I. Interaction of a particle beam with an externally driven radio-frequency cavity, 1=8364
- Neil, V.K. See Laslett, L.J., 1=8366
- Neiler, J.H. See Gibbons, J.H., 1=7384
- Neilson, G.C., Dawson, W.K. and Sample, J.T. Some properties of the low-lying levels of C<sup>11</sup> obtained from B<sup>10</sup> (d, n<sup>0</sup>)C<sup>11</sup>, 1=8587
- Neilson, J.H.S. X-ray stress determination in austenitic steel, 1=1306
- Neiman, R. and Kivelson, D. E.S.R. line shapes in glasses of copper complexes, 1=11479
- Neiman, R. and Kivelson, D. E.S.R. spectra of solid phthalocyanines, 1=11486
- Neiman, R. See Kivelson, D., 1=11117
- Neizvestnyi, I.G. See Rzhano, A.V., 1=14437
- Nekhendzi, E.Yu. The effect of the concentration of impurities and alloying elements on the heat conductivity of nickel and its alloys, 1=9987
- Nekrashevych, O.M. See Berezin, A.K., 1=19038
- Nekrashevych, O.M. See Fainberg, Ya.B., 1=13139
- Nekrashevych, O.M. See Fainberh, Ya.B., 1=19037
- Nekrasov, F.M. The non-linear theory of electron-ion plasma oscillations, 1=4625
- Nekrasov, M.M. and Kobtsev, Yu.D. Nonlinear ferroelectric systems with various Curie temperatures, 1=19931

## AUTHOR INDEX

- Nekrutkina, G.P. See Golant, V.E., 1-8687  
 Nekrutkina, G.P. See Golant, V.E., 1-12019  
 Nelipa, N.F. Double dispersion relations and photoproduction of pions, 1-16852  
 Nelipa, N.F. and Tsarev, V.A. Double dispersion relations and the photoproduction of  $\pi$ -mesons. II, 1-19231  
 Nelkin, M. The decay of a thermalized neutron pulse, 1-13459  
 Nelkin, M. Milne's problem for a velocity-dependent mean free path, 1-16800  
 Nelly, H.H. See Sosin, A., 1-13030  
 Nelson, C.M. and Weeks, R.A. Vacuum-ultraviolet absorption studies of irradiated silica and quartz, 1-7708  
 Nelson, C.M. See Crawford, J.H., Jr., 1-997  
 Nelson, D.F. and Collins, R.J. Spatial coherence in the output of an optical maser, 1-12997  
 Nelson, D.T. and Legvold, S. Adiabatic demagnetization with yttrium-rare earth alloys, 1-11414  
 Nelson, E.M., Leavitt, J.A., Baker, M.R. and Ramsey, N.F. Nuclear interactions in deuterium fluoride, 1-7492  
 Nelson, H.M. See Baker, M.R., 1-2347  
 Nelson, H.M. See Leavitt, J.A., 1-19661  
 Nelson, J.H. Discussion of paper by I.R. Shapiro, J.D. Stolarik, and J.P. Heppner, "The vector field proton magnetometer for I.G.Y. satellite ground stations", 1-1576  
 Nelson, J.H. The gyromagnetic ratio of the proton, 1-2051  
 Nelson, K.E. See Edwards, D.K., 1-16053  
 Nelson, R.C. Energy transfers between sensitizer and substrate. III. Sensitization by thick dye films, 1-17797  
 Nelson, R.C. Energy transfers between sensitizer and substrate. IV. Energy levels in solid dyes, 1-17798  
 Nelson, R.R., Webb, W. and Dixon, J.A. First-order phase transitions of six normal paraffins at elevated pressures, 1-2747  
 Nelson, R.S. and Thompson, M.W. Atomic collision sequences in crystals of copper, silver and gold revealed by sputtering in energetic ion beams, 1-14157  
 Nelson, T.M. See Bartley, S.H., 1-6669  
 Nemchenko, V.F. See L'vov, S.N., 1-3707  
 Nemchenok, R.L. See Shul'man, A.R., 1-13106  
 Nemenov, L.M. See Mescherov, R.A., 1-16455  
 Nemenov, L.M. See Mironov, E.S., 1-5512  
 Nemets, O.F., Salt'kov, L.S. and Sokolov, M.V. The (p, d) reaction and inelastic scattering of protons on Be<sup>9</sup>, 1-4866  
 Nemets, O.F. See Gofman, Yu.V., 1-17139  
 Nemets, O.F. See Gofman, Yu.V., 1-17140  
 Nemets, O.F. See Zaika, N.I., 1-17148  
 Nemilov, Yu.A., Gridnev, K.A. and Pisarevskii, A.N. The intensity of the slowly decaying component of stilbene luminescence excited with  $\alpha$ -particles, 1-6238  
 Nemilov, Yu.A. See Alekseev, N.V., 1-17144  
 Nemirovskii, P.E. Cross-sections for radiative capture of neutrons by heavy nuclei, 1-17117  
 Nemirovskii, P.E. See Elagin, Yu.P., 1-19485  
 Nemnonov, S.A. and Finkel'shtein, L.D. On the nature of the interatomic interaction in hydrides of certain transition metals, 1-891  
 Nemnonov, S.A. and Kolobova, K.M. Connection between certain X-ray and magnetic characteristics of iron-based alloys, 1-7719  
 Nemnonov, S.A., Sorokina, M.F. and Finkel'shtein, L.D. Investigation of the K-absorption spectrum of small zinc additions in aluminum-zinc alloys, 1-14616  
 Nemnonov, S.A. See Men'shikov, A.Z., 1-14617  
 Nenno, S. and Kauffman, J.W. Detection and determination of equilibrium vacancy concentrations in aluminum, 1-7576  
 Nenno, S., Saburi, T., Tagaya, M. and Nishiyama, Z. Observations of dislocation networks in an alloy of body-centered cubic lattice by electron microscopy, 1-11211  
 Neogy, D. See Mookherji, A., 1-17968  
 Neporent, B.S. Developments in molecular spectroscopy in the U.S.S.R., 1-3534  
 Neronova, N.N. and Belov, N.V. Ferromagnetic and ferroelectric space groups, 1-20519  
 Neronova, N.N. See Indenbom, V.L., 1-14943  
 Nerses, V. See Huntington, H.B., 1-14306  
 Nerurkar, N. See Escobar, L.V., 1-7305  
 Nerurkar, N. See Roederer, J.G., 1-13587  
 Nervik, W.E. See Levy, H.B., 1-17167  
 Nesbet, R.K. Molecular model of the Heisenberg exchange interaction, 1-8854  
 Nesbet, R.K. Approximate methods in the quantum theory of many-fermion systems, 1-9349  
 Nesbet, R.K. Construction of symmetry-adapted functions in the many-particle problem, 1-15703  
 Nesbet, R.K. See Kahalas, S.L., 1-12150  
 Nesbet, R.K. See Lefebvre-Brion, H., 1-9947  
 Nesbet, R.K. See Lefebvre-Brion, H., 1-19643  
 Nesbitt, E.A. and Gyorgy, E.M. Two-phase permalloy for high-speed switching, 1-10166  
 Nesbitt, E.A., Williams, H.J., Wernick, J.H. and Sherwood, R.C. Magnetic moments of compounds of cobalt with rare-earth elements having a Cu<sub>2</sub>Ca structure, 1-6382  
 Neshpor, V.S. and Samsonov, G.V. Electrical conductivity of transition metal silicides, 1-3709  
 Neshpor, V.S. and Samsonov, G.V. A study of the Hall effect in silicides of the transition metals, 1-3716  
 Neshpor, V.S. and Samsonov, G.V. Electrical, thermoelectric and magnetoelectric properties of transition-metal silicides, 1-5004  
 Neshpor, V.S. See Samsonov, H.V., 1-13103  
 Neshpor, V.S. See Vainshtein, E.E., 1-2449  
 Nesis, Ye.I. Order — disorder transitions in a binary ionic lattice, 1-15140  
 Nessin, M. See Benczer-Koller, N., 1-10986  
 Nestarenko, B.A. See Kosenko, V.E., 1-11859  
 Nesterenko, E.G. and Chuistov, K.V. Phase transformation during ageing of copper-titanium alloys, 1-1412  
 Nesterenko, Ye.H. and Chuistov, K.V. The effect of plastic deformation on crystal structure changes in the aging of the alloy Cu-Ti, 1-15136  
 Nesterov, A.F. See Rybalko, F.P., 1-10213  
 Nesterov, V.E. See Savenko, I.A., 1-19318  
 Nesterova, N.M. See Chudakov, A.E., 1-3282  
 Nesterova, N.M. See Kulikov, G.V., 1-3283  
 Neştianu, T. See Atanasiu, G., 1-1574  
 Neştianu, T. See Atanasiu, G., 1-6647  
 Netschey, A. See Gutmann, F., 1-19875  
 Nettel, S.J. Interaction of a polarizable potassium chloride crystal with a valence-band hole, 1-3634  
 Nettel, S.J. See Woll, E.J. Jr., 1-11422  
 Netter, F., Corge, C., Julien, J., Vinh-Dinh Huynh and Morgenstern, J. Origin of intense gamma radiation from the absorption of slow neutrons by U<sup>235</sup>, 1-9870  
 Netter, F. See Corge, C., 1-12090  
 Netter, F. See Corge, C., 1-13828  
 Netter, F. See Corge, C., 1-17112  
 Netter, F. See Julien, J., 1-16599  
 Nettleton, R.E. Density fluctuations and heat conduction in a pure liquid, 1-2903  
 Netzel, R.G. and Dillinger, J.R. Epoxy resin as a material for constructing cryogenic apparatus, 1-11867  
 Neuberger, J. and Hatcher, R.D. Infrared optical constants of NaCl, 1-8977  
 Neubert, A. and Klemm, A. Isotope enrichment of Mg, Ca, Sr and Ba by ion migration in molten halides, 1-19613  
 Neudachin, V.G. and Orlin, V.N. Single particle excited states and the model description of light nuclei, 1-19364  
 Neudachin, V.G., Shevchenko, V.G. and Yudin, N.P. On the position of the giant resonance in the dipole absorption of photons by medium weight nuclei, 1-8686  
 Neuert, H. See Breuer, G., 1-3448  
 Neuert, H. See Pollehn, H., 1-11018  
 Neufeld, E.L. A Fourier analysis of winds in the lower E-region, 1-4123  
 Neufeld, J. Space dispersive properties of plasma, 1-10695  
 Neufeld, J. and Doyle, P.H. Electromagnetic interaction of a beam of charged particles with plasma, 1-2965  
 Neufeld, J. and Wright, H. Vavilov-Cherenkov effect and "Bohr radiation" produced by a beam of charged particles in a dispersive medium, 1-16746  
 Neugebauer, M. See Press, F., 1-15422  
 Neugebauer, T. On the interference of photons, 1-18557  
 Neugebauer, T. The calculation of the polarization energy of ionic lattices, 1-19688  
 Neuman, M. Causality and the Lorentz group, 1-5199  
 Neumann, H. See Fischer, R., 1-17649  
 Neumann, H. See Kleint, C., 1-17650  
 Neumann, K. See Dittmar, W., 1-20446  
 Neumann, M.J. See Burns, J., 1-3002  
 Neumann, W. Total radiation of a stationary and superimposed high-temperature argon arc, 1-18805



- Neumann, W. Total radiation of the stationary and impulse-loaded argon high-temperature arcs, 1=18806
- Neumann, W. Determination of the characteristics of a plasma jet emerging in the free atmosphere, 1=18893
- Neuringer, J.L., Kraus, L. and Malamud, H. Electromagnetic diffusion into a cylindrical plasma column during the early stages of pinch formation, 1=11944
- Neuringer, J.L. See Mostov, P.M., 1=11933
- Neuringer, L.J. and Bernard, W. Generation-recombination noise in p-type gold-doped germanium, 1=10045
- Neuroth, N. See Schläfer, R., 1=18594
- Neven, L. See de Jager, C., 1=18118
- Nevzglyadov, V.G. A contribution to the theory of anisotropic turbulence, 1=4307
- Nevzglyadov, V.G. A contribution to the theory of anisotropic turbulence, 1=10486
- Nevzglyadov, V.G. Thermodynamics of turbulent systems, 1=18680
- Newcom, W.A. Convective instability induced by gravity in a plasma with a frozen-in magnetic field, 1=5544
- Newcomb, W.A. and Kaufman, A.N. Hydromagnetic stability of a tubular pinch, 1=4611
- Newgard, J.J. and Levoy, M.M. Considerations in the design of a nuclear rocket, 1=17181
- Newkirk, A.E. See Wihkne, K., 1=14393
- Newkirk, G., Jr. A model of electron corona with reference to radio observations, 1=2647
- Newkirk, G., Jr. The airglow of Venus, 1=6699
- Newkirk, G., Jr. The solar corona in active regions and the thermal origin of the slowly varying component of solar radio radiation, 1=7994
- Newkirk, H.W., Jr., Daniel, J.L. and Mastel, B. Electron microscope studies of damage in irradiated uranium dioxide, 1=17587
- Newman, D.J. See Kilmister, C.W., 1=18235
- Newman, E. Some properties of empty space—time, 1=6763
- Newman, E., Roll, P.G. and Steigert, F.E. Elastic scattering of heavy ions from several gas targets, 1=9886
- Newman, E., Smith, A.M. and Steigert, F.E. Fluorescent response of scintillation crystals to heavy ions, 1=8404
- Newman, E., Toth, K.S., Halbert, M.L. and Zucker, A. Single-nucleon transfer reactions induced by 28 MeV  $N^{14}$  ions, 1=19531
- Newman, E.T. New approach to the Einstein and Maxwell—Einstein field equations, 1=15665
- Newman, E.T. and Tamburino, L.A. New approach to Einstein's empty space field equations, 1=15664
- Newman, P.A. and Binder, R. Neutral optical attenuators, 1=16049
- Newman, P.A. See Bay, Z., 1=16268
- Newman, P.A. See Bay, Z., 1=18760
- Newman, P.C., Brice, J.C. and Wright, H.C. The phase diagram of the gallium—tellurium system, 1=15134
- Newman, R. See Loh, E., 1=6215
- Newman, R.B. See Johnson, F.R., 1=8205
- Newman, R.C. The identification of precipitate particles in single crystals of silicon by reflection electron diffraction, 1=4087
- Newman, R.C. See Bullough, R., 1=8905
- Newman, R.C. See Burcik, E.J., 1=4318
- Newnham, R.E. See Linz, A.Jr., 1=11571
- Newns, H.C. On the stripping of two nucleons, 1=724
- Newsome, R. See Jones, L.W., 1=3101
- Newson, H.W. Correlations in nucleon motions, 1=8613
- Newson, H.W. Symmetric and asymmetric fission, 1=8794
- Newson, H.W., Bilpuch, E.G., Karriker, F.P., Weston, L.W., Patterson, J.R. and Bowman, C.D. s- and p-wave neutron spectroscopy VI. Level density and neutron excess, 1=13653
- Newson, H.W., Gibbons, J.H., Marshak, H., Bilpuch, E.G., Rohrer, R.H. and Capp, P. s- and p-wave neutron spectroscopy. V. Level spacings in heavy nuclei, 1=13652
- Newson, H.W. and Williamson, R.M. High resolution neutron spectroscopy, 1=2067
- Newson, H.W. See Bilpuch, E.G., 1=13654
- Newstein, M. See Senitzky, B., 1=12250
- Newstein, M.C. See Kotik, J., 1=2853
- Newton, A.A. See Bodin, H.A.B., 1=18826
- Newton, A.A. See Bodin, H.A.B., 1=18880
- Newton, J.O. Resonances in the reactions  $Si^{28} + p$ , 1=4867
- Newton, R.C. Structure of the many-channel S matrix, 1=4773
- Newton, R.C. See Jayaraman, A., 1=18678
- Newton, R.C. See Kennedy, G.C., 1=18753
- Newton, R.G. The exponential decay law of unstable systems, 1=16611
- Newton, R.R., Hopfield, H.S. and Kline, R.C. Odd harmonics of the earth's gravitational field, 1=20791
- Nexsen, W.E. Jr. See Coensgen, F.H., 1=5467
- Ney, E.P., Huch, W.F., Kellogg, P.J., Stein, W. and Gillett, F. Polarization and intensity studies of the eclipse of October 2, 1959, 1=5152
- Ney, E.P., Huch, W.F., Maas, R.W. and Thorness, R.B. Eclipse polarimeter, 1=2589
- Ney, E.P. See Freier, P., 1=2147
- Ney, E.P. See Freier, P.S., 1=7298
- Ney, E.P. See Freier, P.S., 1=7299
- Neyman, J. and Scott, E.L. Estimation of the dispersion of the redshift of field galaxies, 1=6723
- Neynaber, R.H., Marino, L.L., Rothe, E.W. and Trujillo, S.M. Low-energy electron scattering from atomic oxygen, 1=11079
- Neynaber, R.H., Marino, L.L., Rothe, E.W. and Trujillo, S.M. Scattering of low-energy electrons by atomic hydrogen, 1=17279
- Nguyen Din Ty. See Van Gan-Chan., 1=2099
- Nguyen Din Ty. See Van Gan-Chan., 1=16902
- Nguyen-Ba-Chanh. Phase diagram for the solid-state ternary system Na—K—Cl—Br, 1=20614
- Nguyen bich Nho. See Cao Xuan Chuan, 1=16636
- Nguyen Dinh Tu. See Van Gan-Chan., 1=16902
- Nguyen Dinh Tu. See Van Gan-Chan., 1=19284
- Nguyen-Huu-Doan. Variation of the ratio of the intensities of the atmospheric sodium D lines during twilight, 1=4130
- Nguyen Huu-Doan. See Dufay, J., 1=21028
- N'guyen Huu Khanh., Goldman, L. and Bouchez, R. Angular distribution of the reaction  $Li^4(p, \alpha)He^3$  from 100—300 keV, 1=13797
- Nguyen-huu Xuong, Lynch, G.R. and Hinrichs, C.K. Antiproton—proton inelastic interactions at 1.61 BeV/c and their use for a test of charge-conjugation invariance in strong interactions, 1=16788
- Nguyen-Khac, U. See Depommier, P., 1=17048
- Nguyen Phong Chau. The problem of motion in nonsymmetric unified field theory, 1=15663
- Nguyen Quat Ti. See Larroque, P., 1=15056
- Nguyen Tan Tai. See Vagner-Dewulf, G., 1=18579
- Nguyen-Trinh-Dzoanh. The development of a high voltage generator with a current of electrified particles under an internal pressure of 10 kg/cm<sup>2</sup>, 1=16245
- Niblett, E.R. See Whitham, K., 1=7949
- Niblett, D.H. Low-frequency measurements on the Bordoni internal friction peak in copper, 1=7816
- Niblett, E.R. See Whitham, K., 1=7949
- Niblett, E.R. Geomagnetic variations between November 12 and November 16, 1960, 1=10340
- Niblett, G.B.F. See Green, T.S., 1=18888
- Nichimura, J. See Aizu, H., 1=3316
- Nichol, A.W. See Garriotti, O.K., 1=20940
- Nicholas, J.F. Discussion of Williams' comments on "The influence of grain size on the stored energy and mechanical properties of copper". I-II, 1=6453
- Nicholls, J. See Carruthers, J.A., 1=10656
- Nicholls, J.A. See Ong, R.S., 1=13160
- Nicholls, J.M. See Gifkins, R.C., 1=1364
- Nicholls, R.W. The Franck-Condon factor ( $q^2 v^2$ ) array to high vibrational quantum numbers for the  $O_2(B^3\Sigma_u^- - X^3\Sigma_g^-)$  Schumann-Runge band system, 1=7454
- Nicholls, R.W. and Watson, M.D. Shock excitation of solid aromatic hydrocarbons, 1=2310
- Nicholls, R.W. See Fallona, J.P., 1=4460
- Nicholls, R.W. See Hébert, G.R., 1=14050
- Nicholls, R.W. See Herman, L., 1=9927
- Nicholls, R.W. See McGregor, A.T., 1=17068
- Nicholls, R.W. See Reeves, E.M., 1=2311
- Nicholls, R.W. See Reeves, E.M., 1=17007
- Nichols, D.L. See Heirtzler, J.R., 1=1593
- Nichols, J.R. See Gibbons, M.G., 1=9187
- Nichols, P.F. Absorption cross section of graphite, 1=17125
- Nichols, R.T. and Jensen, E.N. Grounding of beta sources by an auxiliary alpha source, 1=5847
- Nichols, R.T., McAdams, R.E. and Jensen, E.N. Small-order shape factors in  $In^{114}$ ,  $P^{32}$  and  $Y^{90}$ , 1=7346

- Nicholson, P.W. See Butt, D.K., 1=21164  
 Nicholson, R.W. See Goulding, F.S., 1=18730  
 Nicholson, S.B. and Wulf, O.R. The diurnal variation of K indices of geomagnetic activity on quiet days in 1940-1948, 1=15342  
 Nicholson, S.B. and Wulf, O.R. The diurnal variation of K indices of geomagnetic activity on disturbed days in 1940-1948, 1=21091  
 Nickel, J.C. See Wild, R.L., 1=5107  
 Nickson, A.F.B. and Muncey, R.W. The acoustic conditions accepted by listeners in an auditorium, 1=217  
 Nickson, A.F.B. See Muncey, R.W., 1=8204  
 Nicol, J., Shapiro, S. and Smith, P.H. Direct measurement of the superconducting energy gap, 1=1860  
 Nicol, J. See Smith, P.H., 1=11886  
 Nicolae, M. See Labău, V., 1=415  
 Nicolas, J. See Vassiliev, A., 1=14750  
 Nicolas, J. See Vassiliev, A., 1=20144  
 Nicolau, C. Research by electron paramagnetic resonance on Nicolau, F.M. The optical nuclear model, 1=16959  
 Nicolet, M. Structure of the thermosphere, 1=9190  
 Nicolet, M. Solar radiation at Uccle, 1=15231  
 Nicolet, M. Helium, an important constituent in the lower exosphere, 1=20896  
 Nicolet, M. See Bates, D.R., 1=20890  
 Niculescu, D.Z. See Weiner, M., 1=5617  
 Niday, J.B. Radiochemical study of the ranges in metallic uranium of the fragments from thermal neutron fission, 1=4883  
 Niday, J.B. See Levy, H.B., 1=17167  
 Niederer, J.A. See Lindenbaum, S.J., 1=16789  
 Niehaus, D.J. See Hoge, R.R., 1=13053  
 Niekisch, E.A. Modulated light method for measuring the capture cross-section of traps in cadmium sulphide, 1=1105  
 Niekisch, E.A. The magnitude of the recombination coefficient in CdS, 1=3761  
 Nielsen, A.H. See Herget, W.F., 1=853  
 Nielsen, H.H. Infrared spectroscopy and molecular structure, 1=7469  
 Nielsen, H.H. See Brim, W.W., 1=829  
 Nielsen, H.K. See Gallagher, C.J., 1=8632  
 Nielsen, H.L. See Gallagher, C.J.Jr., 1=8621  
 Nielsen, J.M. See Perkins, R.W., 1=2033  
 Nielsen, J.R. and Holland, R.F. Dichroism and interpretation of the infrared bands of oriented crystalline polyethylene, 1=14608  
 Nielsen, J.R. See Klaboe, P., 1=3540  
 Nielsen, J.R. See Klaboe, P., 1=8839  
 Nielsen, J.R. See Klaboe, P., 1=14026  
 Nielsen, J.W. and Dearborn, E.F. The growth of large single crystals of zinc oxide, 1=2525  
 Nielsen, O.B. See Arbman, E., 1=4832  
 Nielsen, O.B. See Gallagher, C.J.Jr., 1=8621  
 Nielsen, O.B. See Jensen, B.S., 1=2190  
 Nielsen, O.B. See Jørgensen, M., 1=8622  
 Nielsen, O.B. See Toth, K.S., 1=2200  
 Nielsen, O.B. See Toth, K.S., 1=3426  
 Nielsen, S. See Fray, A.F., 1=20672  
 Niemann, F.L. Low energy particle accelerators for precision nuclear physics research, 1=1932  
 Niemann, K. See Hellwege, K.H., 1=8881  
 Niemeck, F. See Gobrecht, H., 1=2547  
 Niemeck, F. See Gobrecht, H., 1=8951  
 Niemelä, L. See Hovi, V., 1=13716  
 Nier, A.O. See Signer, P., 1=15435  
 Nier, A.O. See Thorness, R.B., 1=10558  
 Nierenberg, W.A. See Marrus, R., 1=7434  
 Nierhaus, R. See Mayer-Kuckuk, T., 1=5408  
 Niese, H. Apparatus for measuring the acoustic merit of rooms, 1=2834  
 Niese, H. An investigation into a unified presentation of the loudness build-up law for arbitrary complex noise excitation, 1=21115  
 Niesters, H. See Schmitz, G., 1=18813  
 Niewodniczański, H. See Božek, E., 1=13728  
 Niewodniczański, H. See Božek, E., 1=16984  
 Niewodniczański, H. See Budzanowski, A., 1=719  
 Niewodniczański, H. See Budzanowski, A., 1=13845  
 Niewodniczański, H. See Kisiel, A., 1=17264  
 Niewodniczański, H. See Leś, Z., 1=13952  
 Nifenecker, H. See Ribon, P., 1=16385  
 Nigam, A.N. Distortion of the X-ray absorption edges in metals and alloys due to lattice vacancies, 1=3848  
 Nigam, A.N. and Srivastava, K.S. Forbidden transition  $L_1 M_1$  in the spectrum of platinum (78), 1=3513  
 Nigam, B.P. Dependence of p-p scattering parameters on phase shifts, 1=3181  
 Nigam, B.P. The theory of superconductivity in the Tamm-Dancoff approximation, 1=11873  
 Nigam, B.P. and Mathur, V.S. Difference in the multiple scattering of electrons and positrons, 1=5714  
 Nigam, B.P. Information about the proton-proton scattering matrix from Coulomb interference, 1=9763  
 Nii, R. See Kanai, Y., 1=14379  
 Nii, R. See Kanai, Y., 1=17747  
 Niizeki, N. See Kuroda, C., 1=7770  
 Niizeki, N. See Toyoda, H., 1=11351  
 Nikerov, A.E. See Shishokin, V.P., 1=14923  
 Nikiforova, N.N. See Tikhonov, A.N., 1=20798  
 Nikishov, A.I. Radiative corrections to the scattering of  $\mu$ -mesons on electrons, 1=3203  
 Nikishov, A.I. Absorption of high energy photons in the universe, 1=16737  
 Nikishov, A.I., Rosenthal, I.L. and Slavatskiy, S.A. On the determination of the energy of fast particles from angular distribution of the interaction products, 1=3268  
 Nikitenko, V.I. and Indenbom, V.L. Comparison of stresses and dislocations in a germanium crystal, 1=20321  
 Nikitin, A.V. See Van Gan-Chan, 1=2099  
 Nikitin, A.V. See Van Gan-Chan, 1=16902  
 Nikitin, A.V. See Van Gan-Chan, 1=19284  
 Nikitin, E.N. Thermoelectric properties of the silicon-chromium system, 1=3797  
 Nikitin, L.P. See Kogan, A.V., 1=14155  
 Nikitin, M.K. See Berlovich, E.E., 1=2181  
 Nikitin, M.K. See Berlovich, E.E., 1=3405  
 Nikitin, M.K. See Berlovich, E.E., 1=5852  
 Nikitin, M.K. See Berlovich, E.E., 1=17045  
 Nikitin, M.K. See Berlovich, E.E., 1=19341  
 Nikitin, S.A. See Belov, K.P., 1=14381  
 Nikitin, S.Ya. See Ainutdinov, M.S., 1=10818  
 Nikitin, S.Ya. See Belonogov, A.V., 1=3097  
 Nikitin, S.Ya. See Kolganov, V.Z., 1=3096  
 Nikitin, V.A. and Tsýganov, E.M. Estimate of the upper limit of the charge-exchange cross-section for the pn interaction at 8.5 BeV, 1=16777  
 Nikitin, V.A. See Belyakov, V.A., 1=19244  
 Nikitin, V.F. See Vladimirov, V.S., 1=15672  
 Nikitin, V.F. See Vladimirov, V.S., 1=18260  
 Nikitin, Yu.P. Scattering of K-mesons on nucleons at large orbital momenta, 1=19268  
 Nikitin, Yu.P., Pomeranchuk, I.Ya. and Shmushkevich, I.M. The formation of high energy  $\pi$ -meson beams, 1=19478  
 Nikitin, Yu.P. See Grashin, A.F., 1=3169  
 Nikitine, S., Burckel, J., Biellmann, J. and Reiss, R. Some new observations about the absorption spectra, reflection and photoluminescence of PbI<sub>2</sub> monocrystals at 4°K, 1=1160  
 Nikitine, S. and Reiss, R. Reflection spectroscopy and selective reflection of copper halides at low temperatures, 1=19960  
 Nikitine, S. See Grun, J.B., 1=14590  
 Nikitinskaya, T.I. and Bol'shakova, T.V. Dielectric losses and electrical conductivity of fluorite, 1=19920  
 Nikliborc, J. See Hoffmann, T., 1=20447  
 Nikliborc, J. See Hofman, T., 1=11547  
 Nikolaev, M. Methods of improvement of the quality of development of thick layers of emulsion (400 MK), 1=7181  
 Nikolaev, A.G. See Vernov, S.N., 1=4815  
 Nikolaev, A.G. See Vernov, S.N., 1=10939  
 Nikolaev, V.S., Dmitriev, I.S., Fateeva, L.N. and Teplova, Ya.A. Experimental investigation of electron capture by multiply-charged ions, 1=18779  
 Nikolaev, V.S., Dmitriev, I.S., Fateeva, L.N. and Teplova, Ya.A. Investigation of the equilibrium charge distribution in a fast ion beam, 1=18940  
 Nikolaev, V.S. See Dmitriev, I.S., 1=9358  
 Nikolaeva, T.V. See Rumanova, I.M., 1=15101  
 Nikolayeva, L.H. and Karal'nyk, S.M. A study of the characteristic absorption of X-rays in binary alloys of iron with nickel, cobalt and chromium, 1=11388



- Nikolaĭeva, L.H. and Karal'nik, S.M. Study of the basic K-edge of X-rays of iron and vanadium atoms in their alloy in two modifications, 1=20585
- Nikolaĭeva, L.H. See Karal'nik, S.M., 1=14621
- Nikoleishvili, U.D. See Chkuaseli, D.V., 1=278
- Nikoleishvili, U.D. See Chkuaseli, D.V., 1=4566
- Nikolić, M. See Cvijanovich, G., 1=16778
- Nikolić, M. See Gorgé, V., 1=4829
- Nikolić, M.M. Hypernuclei produced by  $K^-$  interactions in nuclear emulsions. I. Mesic decays, 1=4828
- Nikolic, N.M. See Yoshiki, H., 1=2210
- Nikol'skaya, K.I. See Mogilevskii, É.I., 1=18088
- Nikol'skii, B.A. See Ali-Zade, S.A., 1=16832
- Nikol'skii, E.N. Schwartz's algorithm in stress problems of the theory of elasticity, 1=10456
- Nikol'skii, E.N. Schwartz's algorithm in stress problems of the theory of elasticity, 1=5240
- Nikol'skii, G.M. See Ivanov-Kholodnyi, G.S., 1=19595
- Nikol'skii, G.M. See Ivanov-Kholodnyi, G.S., 1=19596
- Nikol'skii, G.M. See Mogilevskii, É.I., 1=18088
- Nikol'skii, S.I. and Pomanskii, A.A. Calculation of average parameters of extensive cosmic-ray air showers, 1=19313
- Nikol'skii, S.I. and Smorodin, Yu.A. Interpretation of the experimental data on the spectra of electron-photon cascades with energies  $>10^{12}$  eV in the upper layers of the atmosphere, 1=5806
- Nikol'skii, S.I. See Denisov, E.V., 1=16938
- Nikol'skii, Yu.V. See Berezin, A.A., 1=19547
- Nikolsky, B.A. See Gurevich, I.I., 1=8468
- Nikolsky, B.A. See Mishakova, A.P., 1=3261
- Nikolsky, S.I. and Pomansky, A.A. Dependence of various extensive air shower characteristics on total particle number, 1=2138
- Nikolsky, S.I. and Tukish, E.I. Spatial distribution of the energy flow of E.A.S. electron-photon and nuclear-active components at an altitude of 3860 m above sea level, 1=3289
- Nikolsky, S.I. See Dovženko, O.I., 1=2129
- Nikolsky, S.I. See Dovženko, O.I., 1=3290
- Nikolsky, S.I. See Kalachyov, B.V., 1=2131
- Nikolsky, S.I. See Kulikov, G.V., 1=3283
- Nilan, T.G. See Granato, A.V., 1=7605
- Nilov, E.V. See Balashov, I.F., 1=4456
- Nilson, W.G. The effect of quenching and neutron irradiation on internal friction of aluminum-5% magnesium alloy, 1=2507
- Nilsson, A. Angular distribution of the neutrons from the reaction  $Li^7(p,n)Be^7$ , 1=19470
- Nilsson, A. See Kjellman, J., 1=19528
- Nilsson, J. On the  $\mu^-3e$  decay as a test of the applicability of the perturbation expansion in the theory of weak interactions, 1=13322
- Nilsson, S. See Bartke, J., 1=8515
- Nilsson, S. See Ekspang, A.G., 1=5728
- Nilsson, S.G. and Prior, O. The effect of pair correlation on the moment of inertia and the collective gyromagnetic ratio of deformed nuclei, 1=7313
- Nimura, H. Crystal texture of LiF single crystals by X-ray technique, 1=9131
- Nimura, H. See Fukushima, E., 1=20659
- Nine, H.D. and Truell, R. Photosensitive-ultrasonic properties of cadmium sulfide, 1=11157
- Ninomiya, T. Association of vacancies with calcium impurities in potassium chloride crystals, 1=12373
- Nir, A. See Avinur, P., 1=2306
- Nisbet, J.S. Electron-density distribution in the upper ionosphere from rocket measurements, 1=15236
- Nisbet, J.S. and Bowhill, S.A. Electron densities in the F region of the ionosphere from rocket measurements. I. Methods of analysis, 1=15287
- Nisbet, J.S. and Bowhill, S.A. Electron densities in the F region of the ionosphere from rocket measurements. II. Results of analysis, 1=15289
- Nishi, M. Emission spectra from the positive column in the glow discharge through vapors of monohalogen benzenes. I, 1=16286
- Nishi, M., Hamamura, S. and Araki, H. Emission spectra from glow discharge through vapors of aromatic hydrocarbons and n-hexane, 1=14044
- Nishida, A. On the earth storms. II. Stability of solar corpuscular stream, 1=15352
- Nishida, A. and Fukushima, N. Three-dimensional consideration for current-system of geomagnetic variations, 1=1596
- Nishida, M. On stellar models with double energy-sources, 1=2626
- Nishida, M., Tsuda, H. and Tsuji, H. Synthesis of iron group elements by the rapid nuclear process, 1=15516
- Nishida, M. See Hayakawa, S., 1=3328
- Nishida, M. See Hayakawa, S., 1=18122
- Nishida, M. See Hayashi, C., 1=38
- Nishida, M. See Hayashi, C., 1=18119
- Nishiguchi, K. See Husimi, K., 1=12539
- Nishijima, K. Time-ordered Green's functions and electromagnetic interactions, 1=7202
- Nishijima, K. Renormalization of time-ordered Green's functions, 1=16690
- Nishijima, K. See Muraskin, M., 1=7203
- Nishikawa, K. Approach to equilibrium of a large fermion system, 1=7222
- Nishikawa, K., Patterson, D. and Delmas, G. Critical phenomena in thin films using the Bragg-Williams approximation, 1=16178
- Nishikawa, K. and Yamagata, K. On the correlation of nucleate boiling heat transfer, 1=18676
- Nishikawa, K. See Brisbout, F.A., 1=13562
- Nishikawa, K. See Brisbout, F.A., 1=16844
- Nishikawa, M. See Shirai, T., 1=20764
- Nishimaki, N., Kojima, K. and Kojima, T. Nature of A-centres in KCl, 1=17353
- Nishimaki, N. See Kojima, K., 1=14339
- Nishimaki, N. See Kojima, K., 1=19810
- Nishimura, J. The dislocation etch pits of CdS crystals, 1=11213
- Nishimura, J. On the growth of ZnS crystals, 1=20434
- Nishimura, J. See Aizu, H., 1=3317
- Nishimura, J. See Aizu, H., 1=13548
- Nishimura, J. See Fujimoto, Y., 1=7296
- Nishimura, K. Effects of potential well parameters on the polarization of elastically scattered protons, 1=686
- Nishimura, K. Effects of K-meson interactions on the nucleon anomalous magnetic moment, 1=7235
- Nishimura, K. Gamma-rays from inelastic scattering of neutrons by Fe, Cu, Zn, Ge and Se, 1=13809
- Nishimura, K. See Kikuchi, S., 1=7113
- Nishimura, K. See Suwa, S., 1=7241
- Nishimura, S. See Takayanagi, K., 1=6693
- Nishina, Y. and Danielson, G.C. Microwave measurement of Hall mobility: experimental method, 1=11292
- Nishina, Y. See Lax, B., 1=11356
- Nishina, Y. See Lax, B., 1=17740
- Nishina, Y. See Liu, S.H., 1=11291
- Nishioka, A. A short review of discussions of the glass transition, second-order transition, and relaxation phenomena in high polymers, 1=15165
- Nishioka, A., Koike, Y., Owaki, M., Naraba, T. and Kato, Y. Proton magnetic resonance and X-ray diffraction studies of polypropylene, 1=9154
- Nishioka, A. and Takeuchi, M. Dielectric property of triglycine sulfate single crystal at 9000 Mc/s region, 1=1135
- Nishioka, K. See Yoneda, Y., 1=15121
- Nishiwaki, J. Notes on the lustre of moiré patterns, 1=16105
- Nishiyama, Z., Kore'eda, A., Eguchi, I. and Kato, K. Direct observation of the lattice imperfections in pearlites by electron microscopy, 1=14281
- Nishiyama, Z. and Simizu, K. Direct observation of lattice defects in cold-worked high manganese steels by means of electron microscopy, 1=12394
- Nishiyama, Z. See Fujita, H., 1=19786
- Nishiyama, Z. See Nenno, S., 1=11211
- Nishizaki, T. See Barrington, R.E., 1=1549
- Nishizaki, T. See Barrington, R.E., 1=15238
- Nisimura, K. See Kikuchi, S., 1=8516
- Nisimura, K. See Sanada, J., 1=8457
- Nisiyama, Y. See Okabayashi, T., 1=13302
- Nitsche, R. The growth of single crystals of binary and ternary chalcogenides by chemical transport reactions, 1=20443
- Nitsche, R. See Beun, J.A., 1=10066
- Nitsche, R. See Beun, J.A., 1=11321
- Niu, K. A model for multiple meson production in nucleon-nucleon collisions, 1=3278

## AUTHOR INDEX

- Niu, K. Flow of a condensing vapour with heat exchange, 1=8099  
 Niu, K. Flow of condensing vapour with temporary supersaturated state due to heat-removal effect, 1=12847  
 Niu, K. See Fujimoto, Y., 1=7296  
 Niu, K. See Simasaki, T., 1=118  
 Niven, C.D. The electrical conductivity of gelatin film humidified with heavy water vapor, 1=8927  
 Niven, C.D. A psychrometer table for heavy water humidities, 1=9505  
 Nix, W.D. and Huggins, R.A. Domain configurations about nonmagnetic particles in iron, 1=3899  
 Nixon, J.C. and Glorig, A. Noise-induced permanent threshold shift at 2000 cps and 4000 cps, 1=11659  
 No Hsieng Ch'ang. See Vasil'ev, S.S., 1=17032  
 No Sen Chan. See Vasil'ev, S.S., 1=17032  
 Noakes, G.R. The 1961 exhibition of the Institute of Physics and the Physical Society, 1=4226  
 Nobe, K., Baum, E. and Seyer, W.F. Transient strain-induced electrode potentials, 1=6571  
 Noble, B. See Jones, D.S., 1=19030  
 Noble, B. See Wilson, D.J., 1=6907  
 Noble, J.D. See Lees, J., 1=8136  
 Noble, R. See Jacob, L., 1=1953  
 Noble, V.E. and Thomas, J.E.Jr. Effect of gaseous ambients upon 1/f noise in germanium filaments, 1=14440  
 Noci, G. and Rigutti, M. Observation of solar prominences, 1959, at Arcetri Observatory, 1=18096  
 Noci, G. See Drago, F., 1=18584  
 Nocilla, S. Interaction between a rigid body and a free molecule flow. III. Relations between the interaction coefficients and the time of the molecule on the surface, 1=2770  
 Nodvik, J.S. See Melkanoff, M.A., 1=19448  
 Nodvik, J.S. See Rustgi, O.P., 1=8978  
 Noerdlinger, P.D. Concerning certain collisionless plasma-shock wave models, 1=8328  
 Nogami, Y. The  $\Sigma$ -A relative parity and the  $\bar{K}$ -N reaction. II, 1=13511  
 Nogami, Y. See Ohmura, H., 1=13801  
 Noggle, T.S. and Stiegler, J.O. Electron microscope observations of fission fragment tracks in thin films of  $UO_2$ , 1=2003  
 Noggle, T.S. See Stiegler, J.O., 1=7896  
 Noguchi, S. The thermoelectric power of magnesium-cadmium alloys, 1=14531  
 Noguchi, S. The thermoelectric power of the gamma-brasses, 1=19915  
 Noguchi, S. and Sato, T. Concentration dependence of the Hall coefficient in the magnesium-cadmium alloys, 1=12417  
 Noguchi, S. and Sato, T. Thermoelectric power of titanium- and vanadium- carbides, 1=14532  
 Nohara, S. Relaxation phenomena and molecular motion in solid state of high polymers, 1=15166  
 Nohel, J.A. See Ergen, W.K., 1=765  
 Noirot, Y. See Gourdin, M., 1=7275  
 Noll, W. See Coleman, B.D., 1=11737  
 Nolle, E.L. and Galkin, G.N. Generation centres in diffused silicon p-n junctions, 1=19891  
 Nöller, H.G. See Mürtz, H.J., 1=17295  
 Nolting, B.E. The measurement of small displacements by electrical screening, 1=11732  
 Nomofilov, A.A. See Van Shu-fen., 1=19182  
 Nomoto, M. Physical theory of meteor, 1=18065  
 Nomura, K.C. Optical activity in tellurium, 1=5044  
 Nomura, K.C. Analytic solution of the double-diffusion problem, 1=11219  
 Nomura, K.C. and Blakemore, J.S. Decay of excess carriers in semiconductors. II, 1=2406  
 Nomura, K.C. See Blakemore, J.S., 1=3666  
 Nomura, K.C. See Blakemore, J.S., 1=11534  
 Nomura, M. See Shirai, S., 1=20671  
 Nomura, S. Thermal properties of  $NaNO_2$ , 1=14181  
 Nomura, S., Asao, Y. and Sawada, S. Domain structure of  $AB_{0.5}B'_{0.5}O_3$  of perovskite type, 1=20548  
 Nomura, S. and Kawakubo, T. Some properties of complex oxides  $AB_{0.5}B'_{0.5}O_3$  of perovskite type, 1=20548  
 Nomura, S., Kawakubo, T. and Yanagi, T. Specific heat of  $Ti_2O_3$ , 1=14183  
 Nomura, S. See Ishiguro, K., 1=11831  
 Nomura, S. See Kawakubo, T., 1=17640  
 Nomura, Y. and Osanai, T. Diffraction of plane sound wave by many equal circular holes arbitrarily distributed in an infinitely large rigid plane plate, 1=12945  
 Nomura, Y., Yamamura, I. and Inawashiro, S. On the acoustic radiation from a flanged circular pipe, 1=9446  
 Nonaka, I. See Kikuchi, S., 1=7113  
 Nonaka, I. See Mikumo, T., 1=8771  
 Nonaka, I. See Mikumo, T., 1=9881  
 Nonaka, I. See Mikumo, T., 1=9882  
 Nonoyama, M. See Kamiya, Y., 1=12387  
 Noor El Din Abd El Aziz. See Bishara, L.B., 1=7258  
 Noor El-Din Abd Aziz. See Bishara, L.B., 1=7259  
 Norman, P.E. See Klinkenberg, P.F.A., 1=9899  
 Norman, P.E. See Klinkenberg, P.F.A., 1=19590  
 Noothoven van Goor, J.M. See Bölgner, B., 1=9065  
 Noothoven van Goor, J.M. See Bölgner, B., 1=9066  
 Norbeck, E. Lithium-induced reaction yields below 4 MeV, 1=3462  
 Nordberg, M.E., Morinigo, F.B. and Barnes, C.A. Comparison of the  $\beta$ - $\alpha$  angular correlations in  $Li^8$  and  $B^8$ , 1=639  
 Nordemann, D. See Julliot, C., 1=2259  
 Nordfors, B. The statistical error in X-ray absorption measurements, 1=5711  
 Nordfors, B. A discussion of the L-absorption spectra of 47 Ag-52 Te, 1=20000  
 Nordfors, B. and Noreland, E. The X-ray L-absorption spectra of 48 Cd-52 Te, 1=19999  
 Nordhagen, R. The spin and parity of the 648 keV resonance in Nordin, P.Jr. S- and P-wave interactions of  $K^-$  mesons in hydrogen, 1=13499  
 Nordon, P. Rotational vibroscope for the comparison of the torsional properties of thin fibres, 1=15775  
 Noreika, A.J. See Francombe, M.H., 1=6324  
 Norel, G. See Desbrandes, R., 1=16254  
 Noreland, E. See Nordfors, B., 1=19999  
 Norinder, H. and Knudsen, E. The relation between lightning discharges and whistlers, 1=6593  
 Norinder, H. and Knudsen, E. Recent results in the investigation of the relation between lightning discharges and whistlers, 1=10312  
 Norinelli, A. On the determination of the coefficient of torsion of the Eötvös balance. New procedure, 1=6583  
 Norman, G.E. See Biberian, L.M., 1=19598  
 Norreys, J.J. See Brown, A., 1=15089  
 Norris, G.F., Meiller, F.H., Bolen, K.T. and Crisp, L.R. Photomicrographic microscope for both micro and macro application, 1=4449  
 Norris, J.A. See Herschbach, D.R., 1=12336  
 Norris, N.J. See Hubbard, E.L., 1=10749  
 Norris, T.P. and Dowling, J.M. Calculation of the  $v_z$  and inversion energy levels for ammonia and some of its isotopically substituted species, 1=17327  
 Norris, W.G. See Klempner, W., 1=7470  
 Norrish, R.G.W. See Basco, N., 1=14007  
 Norseev, Yu. See Zylicz, J., 1=13720  
 Norseev, Yu.V. See Božek, E., 1=16884  
 Norseev, Yu. See Abdurazakov, A., 1=646  
 Northcliffe, L.C. Energy loss and effective charge of heavy ions in aluminum, 1=337  
 Northcliffe, L.C. See Bromley, D.A., 1=19533  
 Northcliffe, L.C. See Schambra, P.E., 1=338  
 Northover, E.W. Mechanical trace reader, 1=10361  
 Northrip, J.W. High-temperatures discharges in ferroelectric ceramics, 1=1141  
 Northrop, D.C. See Gibbons, P.E., 1=3154  
 Northrop, T.G. The guiding center approximation to charged particle motion, 1=16405  
 Norton, F.J. and Tucker, C.W.Jr. Krypton evolution from metallic uranium, 1=19570  
 Norton, F.J. See Tucker, C.W., Jr., 1=17551  
 Norton, K.A. Recent experimental evidence favouring the  $\rho K_1(\rho)$  correlation function for describing the turbulence of refractivity in the troposphere and stratosphere, 1=1519  
 Nosanow, L.H. Metastable states in strongly coupled quantum systems with continuous spectra, 1=8081  
 Nosanow, L.H. and Vasudevan, R. Nuclear paramagnetic susceptibility of the possible low-temperature phase of liquid  $He^3$ , 1=2919



- Nosar', A.I. and Smirnov, A.A. A theory of residual electrical resistance in multicomponent alloys capable of ordering, with allowance for lattice distortions due to differences in dimensions of atoms, 1=6122
- Nosé, H. Spin wave resonance in Cu-Ni alloy films, 1=14768
- Nosé, H. Spin wave resonance in Ni films, 1=14771
- Nosé, H. Spin wave resonance in Pd-Ni alloy films, 1=14772
- Noskov, M.M. A reflecting phase compensator for optical measurements on metals, 1=6958
- Noskov, M.M. See Zverev, L.P., 1=943
- Noskov, Yu.O. See Savel'ev, V.Ya., 1=10804
- Noskova, L.M. See Karpenko, B.V., 1=3917
- Nosov, V.G. Determination of the deformation and quadrupolarization of alpha-active nuclei from the energy and angular distributions of the alpha particles, 1=17012
- Nosov, V.G. Effect of zero vibrations of the shape of heavy nuclei on the probability of  $\alpha$ -decay, 1=19385
- Nosulenko, N.A. See Shklyarevskii, I.N., 1=16119
- Nosworthy, J.M., Magee, J.L. and Burton, M. On the luminescence minimum in certain scintillator solutions, 1=4349
- Notarrigo, S. See Cuzzocrea, P., 1=5925
- Notni, P. and Oleak, H. Alternation of the light [reflected] from the rocket-case of Sputnik III, 1=18227
- Notni, P. and Oleak, H.; Faulkner, C.R. Rotation period of the artificial satellite, 1958#1, 1=9301
- Nottingham, W.B. Comments on the Barnes cold cathode, 1=11797
- Novack, R.L. See Huffman, R.E., 1=12248
- Novák, C. See Líněk, A., 1=15028
- Novák, M. Spatial period of moving striations as function of electric field strength in glow discharge, 1=16289
- Novak, P.E. See Aline, P.G., 1=13817
- Novakov, T. See Mladjenović, M., 1=13742
- Nováková-Dvorská, M. See Brdička, M., 1=15985
- Nováková-Dvorská, M. See Brdička, M., 1=15986
- Novey, T.B. See Burgy, M.T., 1=500
- Novey, T.B. See Kuskowski, R.L., 1=10761
- Novick, D.T. See Seraphim, D.P., 1=16200
- Novick, R. See McDermott, M.N., 1=11846
- Novik, A.E. See Nedospasov, A.V., 1=5422
- Novikov, B. See Grillot, E., 1=7666
- Novikov, B.V. See Grillot, E., 1=7667
- Novikov, B.V. See Gross, E.F., 1=17794
- Novikov, E.A. Turbulent diffusion in a stream with a [uniform] transverse velocity gradient, 1=6835
- Novikov, E.A. Fluctuations of electron density in the ionosphere, 1=20961
- Novikov, I.I. and Rozelberg, I.L. On the activation energy of grain growth during collective recrystallization of nickel of various degrees of purity, 1=9108
- Novikov, M.T. See Pivovarov, L.I., 1=16266
- Novikov, N.N. See Gertsriken, S.D., 1=958
- Novikov, N.N. See Gertsriken, S.D., 1=978
- Novikov, S.R. See Grinberg, A.A., 1=5026
- Novikov, S.R. See Grinberg, A.A., 1=10063
- Novikov, S.R. See Grinberg, A.A., 1=11263
- Novikov, S.S. and Ryazantsev, Yu.S. Interaction of weak pressure waves with the flame front, 1=11854
- Novikov, S.S. and Ryazantsev, Yu.S. Interaction of a weak entropy wave with the front of a flame, 1=18664
- Novikov, V.I. See Efimova, B.A., 1=19869
- Novikova, S.I. Thermal expansion of  $\alpha$ -Sn, InSb and CdTe, 1=916
- Novikova, S.I. Thermal expansion of  $\alpha$ -Sn, InSb and CdTe, 1=4969
- Novikova, S.I. A study of thermal expansion of GaAs and ZnSe, 1=8885
- Novogrudskii, V.N. and Fakidov, I.G. Magnetocaloric effect and magnetization of the ferrimagnetic sulphide of chromium, 1=10173
- Novogrudskii, V.N. and Fakidov, I.G. Temperature dependence of the hall effect in MnAu, 1=14386
- Novogrudskii, V.N. See Fakidov, I.G., 1=10029
- Novototskii-Vlasov, Yu.F. See Rzhzanov, A.V., 1=14437
- Novozhilov, V.V. See Kadashevich, Yu.I., 1=3976
- Novozhilov, Yu.V. See Braun, M.A., 1=19085
- Novýkov, M.M. See Hertsriken, S.D., 1=11209
- Novýkov, M.M. See Hertsriken, S.D., 1=14247
- Novýkov, M.M. See Hertsriken, S.D., 1=14248
- Novýkov, M.M. See Hertsriken, S.D., 1=14254
- Novýkov, M.M. See Hertsriken, S.D., 1=14255
- Novýkov, M.M. See Hertsriken, S.D., 1=14525
- Novýkov, N.N. See Hertsriken, S.D., 1=11206
- Novýkov, N.N. See Hertsriken, S.D., 1=12386
- Nowacki, W. Thermal stress propagation in viscoelastic bodies. II, 1=195
- Nowinski, J. Thermoelastic problem for an isotropic sphere with temperature dependent properties, 1=1717
- Noxon, J.F. Observation of the ( $b^1\Sigma_g^- - a^1\Delta_g$ ) transition in  $O_2$ , 1=17112
- Noxon, J.F. and Jones, A.V. An auroral emission in the 2.0-2.2  $\mu$  region, 1=1563
- Noyce, R.H. See Barnes, M.W., 1=12859
- Noyes, H.P. See MacGregor, M.H., 1=16771
- Noyes, R.M. Entropy of mixing of interconvertible species. Some reflections on the Gibbs paradox, 1=10290
- Nozaki, T., Tanaka, S., Furukawa, M. and Saito, K. Radio-activation analysis of oxygen in silicon by irradiation with  $\alpha$ -particles in a cyclotron, 1=6581
- Nozaki, T. See Furukawa, M., 1=12195
- Nozal, V. See Connes, J., 1=16074
- Nozawa, M., Yamamoto, H., Yoshizawa, Y. and Koh, Y. Search for weak gamma-rays in the positron decay of  $Mn^{51}$ , 1=12174
- Nozawa, M. See Katoh, T., 1=12175
- Nozdrev, V.F. See Zalivchii, V.N., 1=2825
- Nozières, P. See Betheder-Matibet, O., 1=16195
- Nozik, Yu.Z. See Yamzin, I.I., 1=15091
- Nran'yan, A.A. On the band structure of a crystal of the diamond type, 1=929
- Nudel'man, S.L. A letter to the editor of "Fizika Tverdogo Tela", 1=1392
- Nudel'man, S.L. An instrument for working up the X-ray patterns given by polycrystalline triclinic substances, 1=20515
- Núñez, F. See Craik, D.J., 1=14709
- Núñez-Lagos, R. See Rodriguez Máiques, E., 1=16620
- Nunn, W.M., Jr. Substitution method of measuring standing
- Nuovo, M. See Barducci, I., 1=6445
- Nuovo, M. See Bordoni, P.G., 1=11504
- Nuovo, M. See Bordoni, P.G., 1=14850
- Nuovo, M. See Bordoni, P.G., 1=17533
- Nurmia, M., Kauranen, P., Karras, M., Siivola, A., Isola, A., Graeffe, G. and Lyyjynen, A. Mercury-206: a new natural radionuclide, 1=13714
- Nurmukhametov, R.N., Popova, E.G. and Dokunikhin, N.S. Luminescence of chrysene powders and solutions at 77°K, 1=10114
- Nurzynski, J. See Budzanowski, A., 1=719
- Nurzynski, J. See Budzanowski, A., 1=13845
- Nussbaum, A. and Hager, R.J. Galvanomagnetic coefficients of single-crystal tellurium, 1=14374
- Nussbaum, M. See Block, M.M., 1=15500
- Nussenzeig, H.M. On the physical interpretation of complex poles of the S-matrix, 1=12806
- Nussenzeig, H.M. Soluble model of a break-up process, 1=19114
- Nutant, J. See Hama, F.R., 1=2739
- Nutley, H. and Gerhart, J.B. Decay of  $Ag^{104}$  and levels in  $Pd^{104}$ , 1=631
- Nuyts, J. See Géhéniau, J., 1=9720
- Nyagu, D.V., Okonov, É.O., Petrov, N.I., Rozanova, A.M. and Rusakov, V.A. Experimental verification of the  $\Delta I = \frac{1}{2}$  selection rule for lepton decay of K-mesons, 1=19261
- Nyagu, D.V. and Salukvadze, R.G. Calculated energy losses and ranges of particles in propane, 1=19201
- Nyashin, Yu.I. The spin absorption in various paramagnetic
- Nyberg, D. See Leger, E.G., 1=2727
- Nyborg, W.L. See Brackenridge, J.B., 1=11741
- Nyemets', O.F., Pavlenko, Ye.A. and Sokolov, M.V. Calculation of ionization chambers with grids, 1=12033
- Nyemets', O.F. See Zaika, M.I., 1=13842
- Nyemets', O.F. See Habovych, M.D., 1=11979
- Nygaard, K.J. A liquid scintillation coincidence counter for radiocarbon, 1=13216
- Nýřkov, V.G. See Kushnir, Yu.M., 1=4648
- Nysäter, H. Dynamic measurements of low magnetic fields with special reference to the strong focusing 1.2 GeV electron synchrotron at Lund, 1=16476
- Nysten, K.E. Resonances in and gamma rays from  $Mg^{25}(p, \gamma)Al^{26}$ , 1=9861
- Nystén, K.E. See Simons, L., 1=17061

## AUTHOR INDEX

- Obashi, M. See Sawada, M., 1=11386
- Obayashi, H. Motion of a charged particle in a static magnetic field with axial symmetry, 1=13131
- Obayashi, T. The acceleration of particles in the outer atmosphere, 1=2576
- Obayashi, T. V.L.F. spectra of atmospherics propagated through the ionosphere, 1=4119
- Obayashi, T. Propagation of solar cosmic rays through interplanetary magnetic field, 1=20956
- Obayashi, T. Entry of high energy particles into the polar ionosphere, 1=20957
- Obayashi, T. and Hakura, Y. Poplar ionospheric disturbances and solar corpuscular emissions, 1=9191
- Obayashi, T. and Hakura, Y. Propagation of solar cosmic rays through interplanetary magnetic field, 1=13541
- Obayashi, T. and Hakura, Y. Propagation of solar cosmic rays through interplanetary magnetic field, 1=13542
- Obayashi, T. and Hakura, Y. Solar corpuscular radiation and polar ionospheric disturbances, 1=15494
- Obayashi, T. and Hakura, Y. Polar ionospheric blackouts associated with intense solar flares, 1=20944
- Obenaus, F. Breakdown strength of thick insulating layers in non-uniform fields, 1=286
- Obenaus, F. Flash-over in air as a model for breakdown in insulating materials, 1=17848
- Obenshain, F.E. and Wegener, H.H.F. Mössbauer effect with  $\text{Ni}^{60}$ , 1=5830
- Obenshain, F.E. See Wegener, H.H.F., 1=9807
- Oberländer, S. A method for the qualitative discussion of solution curves for systems of differential equations, 1=6082
- Oberländer, S. Examples of application of the premission method to reaction-kinetic problems in solid-state physics, 1=19732
- Oberländer, S. See Böer, K.W., 1=6176
- Oberlin, M. See Pacault, A., 1=3764
- Obermair, G. and Schwink, C. The magnetization and field of cylindrical bodies, 1=1955
- Oberman, C. On the radiations from co-operative phenomena in plasmas, 1=9632
- Oberst, H. See Bohn, L., 1=1296
- Obinyakov, B.A. See Sklyarevskii, V.V., 1=3427
- O'Brien, B.J. and Ludwig, G.H. Development of multiple radiation zones on October 18, 1959, 1=15328
- O'Brien, B.J., Van Allen, J.A., Roach, F.E. and Gartlein, C.W. Correlation of an auroral arc and a subvisible monochromatic 6300 Å arc with outer-zone radiation on November 28, 1959, 1=15308
- O'Brien, P.A. See Clarence, N.D., 1=20859
- O'Brien, V. Steady spheroidal vortices—more exact solutions to the Navier-Stokes equation, 1=12851
- O'Brien, V. Why raindrops break up — vortex instability, 1=20829
- Obukhov, A.I. and Perfilov, N.A. Anisotropy in the fission of bismuth and uranium by 660 MeV protons, 1=19553
- Obukhov, Yu.V. See Balatz, M.Ya., 1=4919
- Obukhovskii, V.V. See Rakhman, B.M., 1=6462
- Ochkin, D.V. See Nakhutin, I.E., 1=19418
- O'Connor, D.A. The theory and operation of the rotating crystal slow neutron chopper, 1=5738
- O'Connor, D.A. and Sosnowskii, J. Measurement of the slow neutron spectrum of a neutron beam from the W.W.R.S. reactor by means of a crystal neutron spectrometer, 1=10897
- O'Connor, D.A. and Sosnowskii, J. Parasitic multiple Bragg scattering in the neutron crystal spectrometer, 1=20498
- O'Connor, J.R. The use of thermoelectric effects during crystal growth, 1=14992
- O'Connor, T. See Hultberg, S., 1=5875
- O'Connor, T.C. and Sharkey, W.P. Ionization equilibrium in maritime air, 1=12689
- Oda. See Fukui, S., 1=2125
- Oda, M. See Fukui, S., 1=15111
- Oda, N. and Syzuki, H. The energy spectra of secondary electrons in various materials irradiated by gamma rays from  $^{60}\text{Co}$  and  $^{137}\text{Cs}$ , 1=13120
- Oda, T., Naya, S. and Taguchi, I. Matrix theoretical derivation of inequalities. II, 1=20491
- Ola, T. See Takeyama, M., 1=289
- Oda, Y., Takeda, M., Takano, N., Yamazaki, T., Hu, C., Kikuchi, K., Kobayashi, S., Matsuda, K. and Nagahara, Y. Elastic and inelastic scattering of protons from N, Ne, Mg, Si, S and A in the energy range from 7.6 MeV to 14.2 MeV, 1=8724
- Oda, Y. See Kobayashi, S., 1=9852
- Oda, Y. See Matsuda, K., 1=17095
- Oda, Z. See Kobayashi, A., 1=1048
- Odajima, A. Effects of distribution of correlation times upon  $T_1$  and  $T_2$  in nuclear magnetic resonance [of polymers], 1=7806
- Odajima, A. See Kawai, T., 1=14830
- Odajima, A. See Sasaki, M., 1=11602
- Odani, H. See Fujita, H., 1=15168
- Odani, Y. See Gomi, Y., 1=10156
- Odani, Y. See Gomi, Y., 1=15175
- Odehnal, M. See Burget, J., 1=20192
- Odehnal, M. See Burget, J., 1=20247
- O'Dell, C.R. Emission-band and continuum photometry of comet Burnham, 1959 k, 1=10383
- O'Dell, F.W., Shapiro, M.M. and Stiller, B. Abundance ratio of lithium, beryllium and boron to the heavier primary nuclei in the cosmic radiation, 1=3321
- O'Dell, F.W. See Hildebrand, B., 1=3320
- Odencrantz, F.K. See Moore, J.G., 1=21050
- Odenthal, D.W. Simultaneous dichotic frequency discrimination, 1=6665
- Odera, M. See Mikumo, T., 1=9881
- Odera, M. See Mikumo, T., 1=9882
- Odian, A.C. See Bernardini, G., 1=5702
- Odier, M. On some laboratory applications of progressive chemical machining, 1=1624
- Odintsov, A.I. Hyperfine structure and isotopic shift in the  $\text{Tl I}$  spectrum, 1=2295
- Odiot, S. and Saint-James, D. Paramagnetic diffraction of neutrons by rare-earth ions, 1=20054
- O'Dwyer, J.J. High-temperature dielectric breakdown of alkali halides, 1=1140
- Oechsli, R. See Hill, R.M., 1=12988
- Oehme, R. Continuation of scattering amplitudes and form factors through two-particle branch lines, 1=5685
- Oehme, R. Resonance poles and the reaction matrix, 1=8424
- Oehme, R. Two channel reactions in relativistic dispersion theory, 1=9737
- Oehme, R. See Bernstein, J., 1=12125
- Oertel, G. On the structure of caesium-bismuth photocathodes, 1=15142
- Oeschger, H. See Geiss, J., 1=12744
- Oeser, J. See Crannell, H., 1=679
- Oeser, J. See Crannell, H., 1=10965
- Oetinger, R. The limits of audibility for frequency and tone number variations in sound pulses, 1=1611
- Oetjen, R.A., Bell, E.E., Young, J. and Eisner, L. Spectral radiance of sky and terrain at wavelengths between 1 and 20 microns. II. Instrumentation, 1=1511
- Oetjen, R.A. See Bell, E.E., 1=1512
- Ofenhenden, R.H. See Pasechnyĭ, M.V., 1=16229
- Ofer, S. See Bauminger, R., 1=7769
- Ofer, S. See Bauminger, R., 1=9037
- Ofer, S. See Bauminger, R., 1=11454
- Ofer, S. See Elwyn, A.J., 1=720
- Offenbacher, E.L. 1960 visiting foreign staff project (V.F.S.P.) Temple University, 1=4227
- Offerhaus, M.J. Theory of transport and relaxation phenomena in a gas mixture. I-III, 1=15953
- Offret, S. A contribution to the study of the influence of the adsorption of gas on the electrical conductivity of very thin metallic films, 1=17611
- Offret, S. See Sen Sik Minn, 1=17612
- Offret, S. See Sen Sik Minn, 1=17613
- Oganessian, R.S. The prevailing orientation of fragments formed by stratification of a homogeneous gravitating medium in a magnetic field, 1=17999
- Oganezov, K.A. and Shvangiradze, R.R. Intensity distribution in the rotational structure of spectra of isotopic nitrogen molecules and isotopic analysis, 1=19633
- Oganov, M.N. See Akhmatov, A.P., 1=4628
- Oganov, M.N. See Nastyukha, A.I., 1=16432
- Ogata, H., Itoh, H., Masuda, Y., Takamatsu, K., Kawashima, M., Masaike, A. and Kumabe, I. Energy dependence of angular distributions of the reaction  $\text{Al}^{27}(\text{p}, \alpha) \text{Mg}^{24}$  in the energy region between 10.5 and 14.5 MeV, 1=11006



- Ogata, H., Itoh, H., Masuda, Y., Takamatsu, K., Kawashima, M., Masaike, A. and Kumabe, I. Angular distributions of the reactions  $\text{Co}^{59}(\text{p}, \alpha)\text{Fe}^{58}$  at 7.7-14.1 MeV and  $\text{Mn}^{55}(\text{p}, \alpha)\text{Cr}^{52}$  at 7.6-12.9 MeV, 1=11012
- Ogawa, A. and Sone, Y. On the commencement of the Hartmann flow of conducting fluid, 1=16508
- Ogawa, H. See Kikuchi, S., 1=7113
- Ogawa, I. and Doke, T. The double-grid ionisation chamber, 1=13211
- Ogawa, K. Anodic oscillation in glow discharge. I. Simple correspondences of the internal phenomena to the oscillation, 1=285
- Ogawa, S. Antiferromagnetism in  $\text{KMnF}_3$ , 1=1247
- Ogawa, S. The electron paramagnetic resonance of  $\text{Mn}^{2+}$  ions surrounded by an octahedron of fluorine ions, 1=11480
- Ogawa, S. Magnetic transition in  $\text{TiCl}_3$ , 1=14671
- Ogawa, S. Weak ferromagnetism of  $\text{NaNiF}_3$ , 1=14702
- Ogawa, S. E.S.R.: Spectra of irradiated polyvinylalcohol and its related compounds, 1=20226
- Ogawa, S. and Ohi, K. Zeeman quadrupole spectra in p-dichlorobenzene and p-chlorobenzoic acid, 1=8857
- Ogawa, S. and Oka, S. Theory of electric birefringence in dilute solutions of tobacco mosaic virus, 1=8121
- Ogawa, S. and Yokozawa, Y. Paramagnetic resonance of manganese in  $\text{KMnF}_3$ , 1=1262
- Ogawa, S. See Ikeda, M., 1=3119
- Ogawa, S. See Ikeda, M., 1=10845
- Ogawa, S. See Ikeda, M., 1=10846
- Ogawa, S. See Ikeda, M., 1=13324
- Ogawa, S. See Iwasaki, H., 1=11579
- Ogawa, S. See Nagasawa, A., 1=11530
- Ogawa, S. See Takahashi, M., 1=2480
- Ogawa, S. See Takahashi, M., 1=11438
- Ogawa, S. See Takahashi, M., 1=20103
- Ogawa, T. Diurnal variation in atmospheric electricity, 1=1514
- Ogawa, T. Electricity in rain, 1=1515
- Ogawa, T. Measurement of the electrical conductivity and dielectric constant without contacting electrodes, 1=8286
- Ogawa, T. See Saga, S., 1=15229
- Ogaza, S. See Božek, E., 1=13728
- Ogaza, S. See Božek, E., 1=16984
- Ogburn, F. See Giron, I., 1=20523
- Ögder, M. See Kutlu, H., 1=5025
- Ogg, R.A., Jr. See Franconi, C., 1=12308
- Ogier, W.T. See Wild, R.L., 1=5107
- Ogievetskii, V.I. and Polubarinov, I.V. A gauge invariant formulation of neutral vector field theory, 1=19090
- Ogievetskii, V.I. and Polubarinov, I.V. Gauge transformations of Green's functions, 1=19155
- Ogilvie, G.J. and Thomson, A.A. Influence of temperature and bombardment rate on disorientation of silver single crystals by ion bombardment, 1=17591
- Ogilvie, K.W. The half-value period of radium  $\text{C}'$   $\text{Po}^{214}$ , 1=3407
- Ogilvie, K.W. See Davis, L.R., 1=10937
- Ogilvie, K.W. See Herz, A.J., 1=3307
- Ogilvie, K.W. See Murdoch, H.S., 1=2120
- Ogimoto, T. Macroscopic causality and lower limit for the momentum derivative of the scattering phase shift, 1=10857
- Ogimoto, T. and Yamamoto, K. Removal of ghost-pole and unitarity of S-matrix, 1=3115
- Ogino, Y. See Yamaguchi, J., 1=14301
- Ogita, N. See Fukui, I., 1=2125
- Ogita, N. See Fujimoto, Y., 1=7296
- Ogita, N. See Fukuda, H., 1=3297
- Ogita, N. See Hayakawa, S., 1=3296
- Ogle, K.N. Foveal contrast thresholds with blurring of the retinal image and increasing size of test stimulus, 1=12721
- Ogloblin, A.A. See Vlasov, N.A., 1=728
- Ogloblin, A.A. See Vlasov, N.A., 1=17142
- Ogloblin, A.A. See Vlasov, N.A., 1=17149
- Ogreba, A.A. See Barashenkov, V.S., 1=13404
- Oguchi, T. The equivalence of Hamiltonians of Holstein-Primakoff and Dyson in spin-wave theory in ferromagnetics, 1=14680
- Oguchi, T. and Honma, A. Theory of ferro- and antiferromagnetic resonance absorption, 1=12552
- Oguti, T. On the earth storms. V. Inter-relations among the upper atmosphere disturbance phenomena over the polar regions, 1=15355
- Oguti, T. See Nagata, T., 1=21104
- Ohh, S. Note on solute diffusion in face-centered cubic metals, 1=17554
- Ohi, K. See Nakamura, T., 1=11533
- Ohi, K. See Nakamura, T., 1=12393
- Ohi, K. See Nakamura, T., 1=14971
- Ohi, K. See Ogawa, S., 1=8857
- Ohgashi, S. See Nagao, F., 1=18668
- Ohkawa, T. and Kerst, D.W. Stable plasma confinement by multipole fields, 1=13091
- Ohkura, H. Experimental studies on electronic trapping processes associated with dislocation lines in alkali halide crystals, 1=14271
- Ohkura, H. and Awane, K. On a centers in coloured KCl crystals, 1=11233
- Ohkura, H., Awane, K. and Miyamoto, S. On the  $\text{F}^{\rightarrow}\text{F}'$  conversion in the presence of A-, M-, R-, and Z-centers, 1=11236
- Ohkura, H. and Uchida, T. On the reversible optical conversion between A- and B-centres in coloured KCl, 1=17572
- Ohkura, H. See Onuki, M., 1=11232
- Ohlin, P., Siegbahn, K., Sundström, T. and Svennerstedt, S. Studies of neutron production in linear deuterium pinches, 1=749
- Ohlmann, R.C. and Tinkham, M. Antiferromagnetic resonance in  $\text{FeF}_2$  at far-infrared frequencies, 1=11469
- Ohmae, A. Tentative compound model for all baryons and mesons, 1=515
- Ohmae, A. On mass formula of elementary particles, 1=13367
- Ohmae, A. On mass formula and new image of elementary particles, 1=16667
- Ohmae, A. On the new constant and the strangeness, 1=16668
- Ohman, Y. Solar flares and surges observed at the Stockholm Observatory and the Swedish astrophysical station in Anacapri in the year 1959, 1=4200
- Öhman, Y. and Ahnström-Sandgren, B. A solar flare photometer using a Savart polariscope, 1=15400
- Ohmura, H., Ejiri, H., Nakajima, Y., Horie, K., Etoh, K., Ohuchi, A. and Nogami, Y. Resonance levels in the reactions  $^{28}\text{Si}(\text{p}, \gamma)^{28}\text{P}$ ,  $^{28}\text{Si}(\text{p}, \gamma)^{29}\text{P}$  and  $^{30}\text{Si}(\text{p}, \gamma)^{31}\text{P}$ , 1=13801
- Ohmura, H. See Ohmura, T., 1=2277
- Ohmura, T. Effect of the finite size of the proton on the Coulomb energy of the  $\text{He}^3$ , 1=2105
- Ohmura, T. Variational method for scattering length, 1=15700
- Ohmura, T. and Ohmura, H. Continuous absorption due to free-free transitions in hydrogen, 1=2277
- Ohmura, T. See Hara, Y., 1=12260
- Ohnishi, H. and Teranishi, T. Crystal distortion in copper ferrite-chromite series, 1=12378
- Ohnishi, T., Imai, N. and Oosawa, F. Interaction between rod-like polyelectrolytes, 1=8114
- Ohnuki, Y., Takao, Y. and Umezawa, H. On the redundant solutions of the Bethe-Salpeter equation, 1=3130
- Ohnuki, Y. See Ikeda, M., 1=3119
- Ohnuki, Y. See Maki, Z., 1=3120
- Ohnuki, Y. See Maki, Z., 1=12120
- Ohnuki, Y. See Mutsuro, N., 1=2206
- Ohnuma, S. On the small-angle scattering of high-energy protons, 1=13417
- Ohnuma, S. Mass of a neutral vector meson and p-p scattering, 1=16707
- Ohoyama, T. X-ray and magnetic studies of the manganese-germanium system, 1=20043
- Ohoyama, T., Yasukōchi, K. and Kanematsu, K. A new phase of an intermetallic compound  $\text{Mn}_{3-x}\text{Ge}$  and its magnetism, 1=15144
- Ohoyama, T. See Kanematsu, K., 1=14761
- Ohoyama, T. See Kimura, R., 1=20114
- Ohoyama, T. See Yasukōchi, K., 1=1249
- Ohoyama, T. See Yasukōchi, K., 1=12544
- Ohoyama, T. See Yasukōchi, K., 1=14682
- Ohoyama, T. See Yasukōchi, K., 1=14764
- Ohta, K. Time decrease of magnetic permeability in some mixed ferrites, 1=12540
- Ohta, M.(T).  $^6\text{Li}$  emission from nuclear disintegrations produced by 4.3 GeV negative  $\pi$ -mesons, 1=15834
- Ohta, T. Effect of charged dislocation on the thermoelectric power of semiconductors, 1=10070
- Ohta, T. Theory of Seebeck effect in plastically deformed semiconductors, 1=17807

- Ohta, T. and Miyakawa, T. Line shapes of interband magneto-optical absorption in the semiconductors, 1=1148
- Ohta, T. and Miyakawa, T. Collision broadening of the Landau levels, 1=12365
- Ohta, T., Nagae, M. and Miyakawa, T. Theory of line-shapes of interband magneto-optical absorption in semiconductors, 1=3823
- Ohta, T. See Yamashita, T., 1=17692
- Ohtsuka, T. Crystalline field splitting in ferrous, fluosilicate, 1=3888
- Ohtsuka, T. Interaction effects in  $K_2Fe(CN)_6$ , 1=12559
- Ohtsuka, T. Interaction effects in potassium ferricyanide, 1=20224
- Ohuchi, A. See Ohmura, H., 1=13801
- Ohya, N. See Hayakawa, S., 1=3328
- Ojalvo, I.U. Relativistic oscillator with natural forcing functions, 1=10408
- Oka, M. See Asada, T., 1=7609
- Oka, S. See Ogawa, S., 1=8121
- Oka, T. Microwave spectrum of formaldehyde. II. Molecular structure in the ground state, 1=12286
- Oka, T., Hirakawa, H. and Shimoda, K. Microwave spectrum of formaldehyde. I. K-type doubling spectra, 1=12285
- Oka, T. and Morino, Y. Calculation of inertia defect. I. General formulation, 1=13994
- Oka, T. and Morino, Y. Microwave spectrum of formaldehyde III. Vibration-rotation interaction, 1=14021
- Oka, T. See Kasuya, T., 1=838
- Oka, T. See Kasuya, T., 1=7463
- Oka, T. See Kondo, K., 1=7464
- Oka, T. See Kondo, K., 1=7465
- Okabayashi, T., Nakamura, S. and Nisiyama, Y. A remark on the strangeness and isotopic spin for leptons, 1=13302
- Okabe, H. and McNesby, J.R. Vacuum ultraviolet photolysis of ethane: molecular detachment of hydrogen, 1=6573
- Okada, E. See Wakatsuki, T., 1=8591
- Okada, E. See Wakatsuki, T., 1=9858
- Okada, E. See Wakatsuki, T., 1=13661
- Okada, J. and Suzuki, T.  $\alpha$ -trapping centers in n-type silicon, 1=14457
- Okada, J.M. Laboratory experiments concerning a polar cap injection mechanism, 1=20952
- Okada, K. Some properties of X-ray damaged Rochelle salt, 1=10077
- Okada, K. Ferroelectric properties of X-ray damaged Rochelle salt, 1=14555
- Okada, K. Etch pits on X-ray damaged Rochelle salt, 1=19793
- Okada, M. Data sheet no. 43 - forty-two gamma spectra of short-lived nuclides, 1=19417
- Okada, Y., Ito, T. and Amemiya, A. Post-irradiation effect in visible absorption spectra of polyvinyl chloride sheets, 1=10103
- Okado, T. See Akashi, T., 1=20136
- Okamoto, F. Optical absorption of M centers in potassium chloride crystals, 1=17581
- Okamoto, H. Theory of solutions of chain molecules, 1=8106
- Okamoto, K. Electron linear accelerator as a source of intense secondary particle beams, 1=16444
- Okamoto, T. See Tatsumoto, E., 1=3720
- Okamoto, T. See Tatsumoto, E., 1=3721
- Okamoto, T. See Tatsumoto, E., 1=14726
- Okamura, S. and Futami, S. Ionic polymerization of styrene in methylene dichloride by ionizing radiation, 1=15203
- Okamura, S. and Manabe, T. Sensitization and protection observed in G-value and radiation induced luminescence, 1=147
- Okamura, T. See Torizuka, Y., 1=6388
- Okano, K. Odd variables and thermodynamics, 1=79
- Okano, K. Gamma-rays from the reaction  $Al^{27}(p,\gamma)Si^{28}$ , 1=7372
- Okano, K. Thermodynamic basis of relaxation spectroscopy, 1=7815
- Okano, K., Tabata, T. and Fukuda, K. The low levels in  $Si^{28}$  and  $P^{30}$ , 1=8588
- Okano, K., Tabata, T., Fukuda, K. and Muto, J. Lower excited states in  $P^{30}$  from the  $Si^{28}(p,\gamma)P^{30}$  reaction, 1=12159
- Okano, K. and Wada, E. Theory of light scattering by thin rodlike macromolecules in a liquid subjected to shear, 1=4342
- Okano, K. See Tabata, T., 1=9817
- Okano, K. See Tabata, T., 1=12155
- Okano, S. See Doke, T., 1=12036
- Okazaki, A. The superstructures of iron selenide  $Fe_7Se_8$ , 1=20596
- Okazaki, A. and Suemune, Y. The crystal structure of  $KCuF_3$ , 1=12642
- Okazaki, A. and Suemune, Y. The crystal structures of  $KMnF_3$ ,  $KFeF_3$ ,  $KCoF_3$ ,  $KNiF_3$  and  $KCuF_3$  above and below their Néel temperatures, 1=15095
- Okazaki, A. and Suemune, Y. Electron distribution in  $KMnF_3$ ,  $KFeF_3$ ,  $KCoF_3$ , and  $KNiF_3$ , 1=20559
- Okazaki, A., Suemune, Y. and Fuchikami, T. The crystal structures of  $KMnF_3$ ,  $KFeF_3$ ,  $KCoF_3$ ,  $KNiF_3$  and  $KCuF_3$ , 1=2536
- Okazaki, A. See Asanabe, S., 1=8953
- Okazaki, A. See Austin, S.M., 1=5912
- Okazaki, C. X-ray studies on the ferrite-haematite solid solutions, 1=12641
- Okazaki, C., Mori, S. and Nanamaru, F. Magnetic and crystallographic properties of hexagonal barium monoferrite,  $BaO \cdot Fe_2O_3$ , 1=14735
- Okazaki, M. A theory of the magneto-optical absorption, 1=11359
- Okazaki, S. Confirmation of lifetimes by noise and by Haynes-Shockley method, 1=7638
- Oke, J.B. Model for a helium star of 1 solar mass, 1=2629
- O'Keefe, J.A. Tektites as natural earth satellites, 1=5144
- O'Keefe, J.G. See Bray, P.J., 1=12568
- O'Keefe, M. and Moore, W.J. Electrical conductivity of monocrystalline cuprous oxide, 1=17727
- O'Kelley, G.D. See Johnson, N.R., 1=8640
- O'Kelly, L.B. See Hurst, G.S., 1=13065
- O'Kelly, M.E.J. See Caughey, T.K., 1=18498
- Okkerse, B. A method of growing dislocation-free germanium crystals, 1=1378
- Okoniewski, S. Purification of metals by methods involving phase transformations, 1=4071
- Okonov, É.O. Decay properties of heavy mesons and hyperons, 1=2094
- Okonov, É.O. Annihilation of an antiproton-proton system, 1=19202
- Okonov, É.O. The suppression of two-meson annihilation in antiproton-proton interaction, 1=19203
- Okonov, É.O. See Neagu, D., 1=10922
- Okonov, É.O. See Nyagu, D.V., 1=19261
- Okonov, É.O. See Shirokov, M.I., 1=496
- Okrainets', P.M. See Koz'ys's'k'yi, H.Ya., 1=14895
- Okrent, D. See Dickerman, C.E., 1=12234
- Oksman, Ya. A. and Burlakov, A.V. The negative photo-dielectric effect, 1=2434
- Oku, T. See Asada, T., 1=7609
- Okubo, S. Green's function in some covariant soluble problems, 1=5682
- Okubo, S. and Marshak, R.E. Composite model and partially conserved currents in weak interactions, 1=10839
- Okubo, S. and Marshak, R.E. Note on the  $\Delta I = \frac{1}{2}$  selection rule in the composite model of elementary particles, 1=13303
- Okubo, S. See Caianiello, E.R., 1=5658
- Okubo, S. See Marshak, R.E., 1=8415
- Okubo, S. See Marshak, R.E., 1=19104
- Okuda, A. On the R centers in lithium fluoride, 1=19814
- Okuda, A. See Fukuda, D., 1=10102
- Okuda, A. See Fukuda, K., 1=995
- Okuda, F. See Hyodo, S., 1=12603
- Okuda, S. The velocity distribution at the interface between two liquids, 1=12846
- Okuda, S., Inoue, K. and Uei, I. Measurement of surface mean diameter of powders by heat of immersion method, 1=18337
- Okumoto, T. See Takeya, Y., 1=10315
- Okumura, K. See Dugdale, J.S., 1=17608
- Okun, L.B. and Pontekorvo, B. [Pontecorvo, B.]. Which is heavier: "muonium one" or "muonium two", 1=19221
- Okun', L.B. and Rudik, A.P.  $K^+ \rightarrow \pi^+ + e^+ + e^-$  and  $K^+ \rightarrow \pi^+ + \mu^+ + \mu^-$  decays, 1=3226
- Okun', L.B. See Kobzarev, I.Yu., 1=3230
- Okun', L.B. See Kobzarev, I.Yu., 1=16674
- Okun, L.B. See Kolkunov, V.A., 1=2089
- Okun', Yu.B. See Kobzarev, I.Yu., 1=16826
- Ol', A.I. The possible periodicity of solar activity, 1=19073



- Olafson, R.A., Thomas, M.A. and Welsh, H.L. The Raman spectrum of methane-d<sub>4</sub>, 1-6018
- Olah, G.A. See Cook, D., 1-2325
- Olbert, S. See Hersil, J., 1-3368
- Oldekop, W. Exact multigroup diffusion theory of the finite heterogeneous, laminated reactor, 1-13894
- Oldenberg, O. A short duration afterglow of nitrogen; survey of afterglows, 1-6022
- Oldenberg, O., Bills, D.G. and Carleton, N.P. Measurement of weak absorption by molecules, 1-8831
- Oleak, H. See Notni, P., 1-9301
- Oleak, H. See Notni, P., 1-18227
- Oleari, L. and Fiorani, M. Thermodynamical investigations on metallic systems. XI. Determination of the miscibility gap by calculation from the thermodynamical functions for the ternary system Zn-Sn-Bi, 1-142
- Oleari, L. and Fiorani, M. Correlation between electrical resistivity and interactions between the components of liquid metallic systems. Ternary system Zn-Cd-Sb, 1-5284
- Oleari, L. See Fiorani, M., 1-6529
- Oleinik, M.I. See Grazhdankina, N.P., 1-17619
- Oleinik, M.I. See Vereshchagin, L.F., 1-20390
- Olekhovich, N.M. See Sirota, N.N., 1-7865
- Olekhovich, N.M. See Sirota, N.N., 1-12638
- Olekhovich, N.M. See Sirota, N.N., 1-20116
- Oleksuk, L.W. See Storey, R.S., 1-9814
- Oleś, A. On the dependence of the photon-electron ratio on the distance from the axis of extensive air showers of cosmic radiation, 1-13552
- Oles', A.A. See Babetski, S.Yu., 1-19314
- Olesen, J.K. and Wright, J.W. The relationship of low-height ionosonde echoes to auroral-zone absorption and v.h.f. D scatter, 1-20981
- Olesen, M.C. See Elbek, B., 1-689
- Olesen, M.C. See Hansen, O., 1-13787
- Olesen, M.C. See Skurnik, E.Z., 1-5908
- Oleson, N.L. See Putnam, L.H., 1-13081
- Olijnychenko, P. On static solutions in general relativity, 1-15644
- Olipphant, T.A. See Bendt, P.J., 1-6953
- Olive, G. Concerning a proton source with multiple beams, 1-3021
- Oliver, B.H. See Brown, F., 1-9890
- Oliver, J.W. See Grainger, R.J., 1-3090
- Olkowsky, B. A source of ions, in particular He<sup>++</sup>, for an electrostatic accelerator, 1-18937
- Olkowsky, J., Gratot, I. and Le Pape, M. Cross-section for the reactions (p,n) and (p,2n) on Nd<sup>150</sup>, 1-8731
- Olkowsky, J., Gratot, I., Le Pape, M. and Cohen, L. Determination of the cross-sections of reactions proceeding by direct interaction, involving the rare earths, 1-13794
- Olkowsky, J., Le Pape, M. and Gratot, I. The excitation function of Pr<sup>141</sup>(p,n)Nd<sup>141</sup> up to 11.1 MeV, 1-5913
- Olkowsky, J. and Raynal, J. The determination of the imaginary potential in the optical model, 1-855
- Ollendorff, F. The electrostatic field in metals, in particular at the surface next to a non-conductor, 1-17387
- Ollerhead, R. See Bromley, D.A., 1-19533
- Olley, J. See Herz, A.J., 1-3307
- Olley, J.W. A phenomenological model for hypernuclear binding energies, 1-16975
- Olmos, L.F. Resistance to thermal shock in ceramic materials, 1-3997
- Olness, J.W. See Segel, R.E., 1-9826
- Olness, J.W. See Segel, R.E., 1-10971
- Olness, J.W. See Segel, R.E., 1-12166
- Olness, J.W. See Sprenkel, E.L., 1-16980
- Olness, J.W. See van Oostrum, K.J., 1-12158
- Olovsson, I. A low-temperature study of some simple hydrogen-bonded structures, 1-20555
- Olsen, H. See Kolbenstvedt, H., 1-19601
- Olsen, H. See Mork, K., 1-490
- Olsen, J.L. and Rohrer, H. The volume dependence of the electron level density and the critical temperature of superconductors, 1-5398
- Olsen, J.L. See Daunt, J.G., 1-6998
- Olsen, K.H. See Sallo, J.S., 1-6286
- Olsen, L.O. Citations for distinguished service, 1-10403
- Olsen, R.G. See Talboy, J.H., Jr., 1-2262
- Olsen, T. The Fermi surface in tin from ultrasonic attenuation, 1-19740
- Olshaker, A.E. Experimental investigation in lead of the Whipple "meteor bumper", 1-1665
- Olshefski, P.J., Shombert, D.J. and Weingarten, I.R. Use of Hall measurements in evaluating polycrystalline silicon, 1-7642
- Olson, D.N., Schopper, H.F. and Wilson, R.R. Electromagnetic properties of the proton and neutron, 1-7232
- Olson, D.N. See Wilson, R.R., 1-3165
- Olson, H.F. and Belar, H. Aid to music composition employing a random probability system, 1-12947
- Olson, H.F. and Belar, H. Phonetic typewriter III, 1-18527
- Olson, N. Acoustic properties of anechoic chamber, 1-8462
- Olsson, P.O.M. See Nagel, B.C.H., 1-4910
- Olszak, W. and Perzyna, P. Extremum theorems in general viscoelasticity, 1-20336
- Olszewski, S. Simplified self-consistent field equations with correlations, 1-1702
- Olszewski, S. See Friedel, J., 1-7738
- Olte, A. and Siegel, K.M. Distinction between the electromagnetic constants of tektites and Libyan Desert glass and their effect on lunar surface theory, 1-5145
- Olving, S. Electromagnetic and space charge waves in a sheath helix, 1-16403
- O'Malley, T.F., Spruch, L. and Rosenberg, L. Modification of effective-range theory in the presence of a long-range (r<sup>-4</sup>) potential, 1-10852
- O'Malley, T.F. See Spruch, L., 1-455
- Omar, M. and Youssef, T.H. Etch figures on alum and the diamond pattern, 1-14957
- Omar, M.A. See Miller, S.C., 1-11294
- Omholt, A. The time delay of the red [OI] lines in the aurora, 1-10334
- Omholt, A. On the excitation of the first positive N<sub>2</sub> bands in aurorae, 1-21055
- Omnes, R. On a mathematical problem encountered in quantum field theory, 1-16699
- Omont, A. Coherent multiple diffusion of the optical resonance light of the 6<sup>3</sup>P<sub>1</sub> level of mercury in a strong magnetic field, 1-8906
- Omont, A. and Brossel, J. Optical anisotropy of a metal vapour in the neighbourhood of an absorption line, 1-9904
- Omont, A. See Archambault, Y., 1-17260
- Ômori, Y. An investigation of psychrometer, II, 1-9183
- Omura, H. See Naruoka, M., 1-93
- Omura, K. See Asada, T., 1-7609
- Onaka, R., Fukuda, A. and Ejiri, A. The fundamental absorption of lithium fluoride and sodium fluoride, 1-14585
- Oncescu, M. The resistivity temperature coefficient of thin films of tin, 1-6127
- Oncescu, M. See Grigorovici, R., 1-626
- Onchi, Y. Mechanism of the middle ear, 1-9218
- Ondoh, T. On the origin of v.l.f. noise in the earth's exosphere, 1-20893
- Ondoh, T. Variations of the earth's exosphere and geomagnetic disturbances during the geomagnetic storm of 4 September 1958, 1-20897
- Ondoh, T. A possible explanation of S.C.\* observed at high geomagnetic latitudes, 1-21098
- Ondoh, T. and Hashizume, S. The effect of proton gyration in the outer atmosphere represented on the dispersion curve of whistler, 1-20857
- Ondoh, T. See Maeda, H., 1-6658
- Ondris, M. and Kamberský, V. On the problem of the dependence of uniaxial magnetic anisotropy of thin films on the angle of deposition, 1-20101
- Ondris, M. See Frait, Z., 1-17962
- Ondris, M. See Kamberský, V., 1-14718
- O'Neal, E. See Benson, S.W., 1-5108
- Oneda, S., Pati, J.C. and Sakita, B. Asymmetry parameter of A decay and the intermediate boson of weak interactions, 1-3238
- Oneda, S. See Chiba, S., 1-16905
- O'Neill, E.L. and Asakura, T. Optical image formation in terms of entropy transformations, 1-12965
- O'Neill, E.L. and Bradley, L.C. Coherence properties of electromagnetic radiation, 1-16048
- O'Neill, G.K. Report on spark chamber work at Princeton, 1-10824
- O'Neill, P.L. See Jones, D.P., 1-3223

## AUTHOR INDEX

- Ong, R.S. and Nicholls, J.A. On the flow of a hydromagnetic fluid near an oscillating flat plate, 1=13160
- Ong, R.S.B. See Coburn, N., 1=9670
- Onishi, T. and Krimm, S. Origins of characteristic bands in the infrared spectra of isotactic polystyrene and isotactic poly (ring-d, styrene), 1=17902
- Onley, J.W. Light adaptation and the brightness of brief foveal stimuli, 1=9232
- Ôno, Y. Propagation of shock waves in inhomogeneous gases. III. Spherical shock waves, 1=18455
- Ôno, Y., Sakashita, S. and Yamazaki, H. Propagation of shock waves in inhomogeneous gases. I, 1=2780
- Ôno, Y., Sakashita, S. and Yamazaki, H. Propagation of shock waves in inhomogeneous gases. II. Hydromagnetic shock, 1=10774
- Onoe, M. Frequency of edge mode of isotropic thin rectangular plate, circular disk and rod, 1=18502
- Onoe, M. and Pao, Y.H. Edge mode of thin rectangular plate of barium titanate, 1=18503
- Onogi, S. See Kotaka, T., 1=15783
- Onsager, L. Magnetic flux through a superconducting ring, 1=13045
- Onuki, M. Photoconductive hall effect in potassium bromide, 1=14385
- Onuki, M. and Kawamura, H. Polaron mobility in potassium bromide, 1=950
- Onuki, M. and Ohkura, H. Pulse photoconductivity of additively colored KBr, 1=11232
- O-ohata, K. The binding energy of the  $\sigma$  bond. I. General theory, 1=8851
- O-ohata, K. The binding energy of the  $\sigma$  bond. II. Application to the diamond crystal, 1=9964
- O-ohata, K. The polarity of the diatomic molecule, 1=12304
- O-ohata, K. The binding energy of the  $\sigma$  bond. III. Discussion on the ionic structures, 1=17336
- O-ohata, K. The binding energy of the  $\sigma$  bond. IV. Discussion on the higher order terms, 1=17337
- Ookawa, A. A model theory of liquid, 1=12866
- Oort, J.H. A summary and assessment of current 21 cm results concerning spiral and disk structures in our galaxy, 1=18013
- Oort, J.H. See Rougoor, G.W., 1=18014
- Oosawa, F. See Ohnishi, T., 1=8114
- Oosterhoff, L.J. See van der Hoek, J.A., 1=17718
- Opechowski, W. Group representations and solid state physics, 1=6508
- Opechowski, W. See Needler, G.T., 1=9424
- Ophel, T.R. See Bashkin, S., 1=17097
- Ophir, D. See Galil, U., 1=16230
- Öpik, E.J. Tidal deformations and the origin of the moon, 1=5133
- Öpik, E.J. The atmosphere and haze of Mars, 1=15428
- Öpik, E.J. The aerosphere and atmosphere of Venus, 1=18042
- Öpik, E.J. The survival of comets and cometary material, 1=18049
- Öpik, E.J. and Singer, S.F. Distribution of density in a planetary exosphere. II, 1=2602
- Öpik, E.J. and Singer, S.F. Density of the lunar atmosphere, 1=7980
- Öpik, E.J. and Singer, S.F. Escape of gases from the moon, 1=15421
- Opitz, H. See Sommermeyer, K., 1=4838
- Oplinger, D.W. Frequency response of a nonlinear stretched string, 1=1776
- Oppegard, A.L., Darnell, F.J. and Miller, H.C. Magnetic properties of single-domain iron and iron-cobalt particles prepared by borohydride reduction, 1=6305
- Oppegard, A.L. See Swoboda, T.J., 1=6272
- Oppenheim, A.K. See Laderman, A.J., 1=11623
- Oppenheim, I. and Bloom, M. Nuclear spin relaxation in gases and liquids. I. Correlation functions, 1=9410
- Oppenheim, I. and Friedman, A.S. Quantum statistical mechanics of isotope effects, 1=10435
- Oppenheim, I. See Crawford, B.Jr., 1=8268
- Oraevskii, V.N. On resonance photon-photon scattering, 1=19165
- O'Raifeartaigh, L. The S-matrix in the non-local field theory of Arnous and Heitler, 1=5628
- Orayevs'kyi, V.M. See Volkov, D.V., 1=13469
- Orbach, R. On the scattering of phonons by spins at low temperatures. Theoretical, 1=3613
- Orbach, R. On the theory of spin-lattice relaxation in paramagnetic salts, 1=9062
- Orbach, R. See Cooke, A.H., 1=14809
- Orbach, R. See Finn, C.B.P., 1=6423
- Orbach, R. See Finn, C.B.P., 1=14808
- Orear, J. See Connolly, P.L., 1=10899
- O'Reilly, D.E. See Hutchison, C.A., Jr., 1=4332
- O'Reilly, D.E. See Hutchison, C.A., Jr., 1=6873
- O'Reilly, D.E. See Poole, C.P.Jr., 1=10801
- O'Reilly, J.M. and Pierce, L. Microwave spectrum, structure, dipole moment, and internal barrier of vinyl silane, 1=6008
- Oria, M. The teaching of vacuum techniques, 1=2791
- Oriani, R.A. Nucleation in recrystallization phenomena, 1=1370
- Oriani, R.A. Delineation of the problem of soret diffusion, 1=8913
- Orient, O.J. On the mechanism of multiple discharges in self-quenching Geiger counters, 1=390
- Orient, O.J. On the mechanism of multiple discharges in halogen-quenched G.M. Counters, 1=19053
- Origlio, S. See Giorgi, T.A.G., 1=4103
- Orkin-Lecourtois, A. See Baglin, C., 1=9764
- Orlando, A. See Ciccarello, I.S., 1=9490
- Orlenko, B.F. See Pasechnik, M.V., 1=19454
- Orlin, V.N. See Neudachin, V.G., 1=19364
- Orlinov, V. The method of retardation curves with the use of an intermediate accelerating grid, 1=16408
- Orlinski, D.V. See Borzunov, N.A., 1=7246
- Orlov, A.N. Long term strength and stationary creep of polycrystalline materials, 1=10222
- Orlov, A.N. Long term strength and stationary creep of polycrystalline materials, 1=11518
- Orlov, A.N. and Shvarte, I.A. Mechanical stability of large-angle dislocation grain boundaries, 1=15116
- Orlov, B.I. See Adamov, M.N., 1=17338
- Orlov, I.N. and Taboriko, N.I. An experimental study of amplification of light using a device consisting of a photoreistor, a ferroelectric and an electroluminescent phosphor, 1=12981
- Orlov, L.G., Sakvarelidze, L.G. and Utevskii, L.M. Local X-ray spectral analysis when electron diffraction patterns formed by reflection are obtained, 1=20702
- Orlov, L.G. and Utevskii, L.M. The observation of dislocation movement in  $\alpha$ -iron with the electron microscope, 1=19785
- Orlov, V.V. See Broder, D.L., 1=19213
- Orlov, V.V. See Kochergin, V.P., 1=16811
- Orlov, Yu.F. On the mechanism of the damping of free oscillations in a cyclic accelerator, 1=13143
- Orlova, N.P. See Malov, N.N., 1=2673
- Ormerod, A.; Berenbaum, R. and Brodie, I. Measurement of the tensile strength of brittle materials, 1=7828
- Ormerod, M.G. See Libby, D., 1=20227
- Ormont, B.F. See Godik, E.E., 1=12363
- Ormerod, J.H. and Hogg, B.G. Time spectra of positrons annihilating in organic liquids containing halogens, 1=4363
- Orndoff, J.D. See Linenberger, G.A., 1=13898
- Orofino, T.A. and Wenger, F. The effect of impurities on the molecular weight distributions of anionic polymers, 1=12339
- Oroshnik, J. and Many, A. Quantitative photovoltaic evaluation of the resistivity homogeneity of germanium single crystals, 1=14514
- Orr, R.L. Heats of formation of solid Au-Cu alloys, 1=4063
- Orr, R.L., Luciat-Labry, J. and Hultgren, R. Energy of the order-disorder transformation in AuCu, 1=2541
- Orrall, F.Q. and Zirker, J.B. The coefficient of thermal conductivity in the sun's atmosphere, 1=11677
- Orrall, F.Q. and Zirker, J.B. Heat conduction and the fine structure of solar prominences. I. Optically thin model prominences, 1=11680
- Orrall, F.Q. See Dunn, R.B., 1=1649
- Orrall, F.Q. See Jefferies, J.T., 1=7990
- Orrall, F.Q. See Jefferies, J.T., 1=7991
- Ort, W. Changes in electrical resistance of very thin bismuth films especially during the adsorption of oxygen, 1=11253
- Ortalli, I. See Barbaro-Galtieri, A., 1=17102
- Ortalli, I. See Castagnoli, C., 1=12088
- Ortalli, I. See Lamborizio, C., 1=12089
- Ortenberg, F.S. Distribution of intensities of the  $\alpha$ -system bands of the TiO molecule, 1=3550



- Ortenberg, F.S. Calculation of the relative transition probabilities for some band systems of Group II oxides and hydrides, 1=3553
- Ortenburger, I.B. See Hertzberg, M., 1=8313
- Orth, C.J. and Dropesky, B.J. Decay of  $\text{Er}^{172}$  and  $\text{Tm}^{172}$ , 1=8639
- Ortiz, E. Students method for determining the binding energy of the deuteron, 1=13523
- Ortner, J., Leinbach, H. and Sugiyama, M. The geomagnetic storm effect on polar cap absorption, 1=20946
- Ortner, J. See Brown, R.R., 1=15349
- Ortner, J. See Egeland, A., 1=20953
- Ortner, J. See Hultqvist, B., 1=6615
- Ortner, J. See Hultqvist, B., 1=20945
- Ortner, M.H. Infrared spectrum and thermodynamic properties of ruthenium tetroxide, 1=4934
- Orton, J.W. The application of paramagnetic resonance to non-destructive testing, 1=15190
- Orton, J.W., Auzins, P., Griffiths, J.H.E. and Wertz, J.E. Electron spin resonance studies of impurity ions in magnesium oxide, 1=17536
- Orton, J.W. See Wertz, J.E., 1=3653
- Orton, K.F. and Wilkins, K. Automatic live-time measurement and background subtraction for the Hutchinson-Scarrott pulse height analyser, 1=18737
- Orvinovski, S.Z. See Laberrigue-Frolow, J., 1=7281
- Orzhevskii, O.B. See Fistul', V.I., 1=6141
- Orzhevskii, O.B. See Fistul', V.I., 1=19890
- Osada, J., de Oliveira, D.R., Martins, N. and Miyazima, T. A model of  $\alpha$ -decay consistent with  $\alpha$ -reactions, 1=13696
- Osada, J. and Takeda, M. Nuclear potential in many-body problems, 1=10866
- Osada, K. Thermoluminescence of zinc sulfide, 1=7732
- Ōsaka, Y. Theory of polaron mobility, 1=14228
- Ōsaka, Y. The effect of short-range order on paramagnetic resonance, 1=20198
- Osana, T. See Nomura, Y., 1=12945
- Osanov, D.P. and Kovalev, E.E. The shielding of rectangular  $\gamma$ -ray sources, 1=7331
- Osberghaus, O. See Beck, D., 1=9963
- Osberghaus, O. See Brehm, B., 1=17272
- Osborn, J.E. See Hsiao, C.C., 1=14909
- Osborn, R.K. and Klevans, E.H. Photon transport theory, 1=18315
- Osborne, D.W. 15th Calorimetry Conference, 1=5370
- Osborne, D.W. See Flotow, H.E., 1=7538
- Osborne, D.W. See Leask, M.J.M., 1=11412
- Osborne, L.S. See Hill, D.A., 1=4747
- Oselka, M. See Ramlar, W.J., 1=5514
- Osetinski, G.M. See Li Ga En [Li Ka Yen], 1=555
- Osetinskii, G.M. Method of controlling the operation of an ion source, 1=4655
- Osetinskii, G.M. and Savenkova, M.V. Measurement of the thickness of thin foils, 1=9357
- Osetinskii, G.M. See Govorov, A.M., 1=19292
- Osher, J.E. See Hagerman, D.C., 1=10712
- Osher, J.E. See Karr, H.J., 1=5465
- Osherov, V.I. Calculation of the energy change in a system of electrons in a lattice when defects are formed, 1=14206
- Osherov, V.I. Contribution to the theory of localized perturbations in large systems, 1=18304
- Oshida, I. Theory of electrochemical diodes, 1=12678
- Oshida, I. See Saito, T., 1=4
- Oshio, T. See Higashi, S., 1=3294
- Oshio, Y. See Otsuka, E., 1=2497
- Oshurkov, P., Kashcheev, V. and Chestnykh, L. A ferromagnetic cylinder in a constant magnetic field, 1=5067
- Osiko, V.V. and Maksimova, G.V. Valence of the manganese activator in crystal phosphors, 1=12502
- Osipenko, N.N. See Iveronova, V.I., 1=6541
- Osipov, K.A. See Ivanov, V.I., 1=20608
- Osip'yan, Yu.A. See Molotilov, B.V., 1=20304
- Osis, N. and Prokof'ev, P. Obtaining a uniform constant magnetic field in a  $\beta$ -spectrograph, 1=4650
- Oskotskii, V.S. and Éfros, A.L. On the theory of crystal lattices with non-central interatomic forces, 1=14158
- Oslund, K.C. See Muhleman, D.O., 1=51
- Osovets, S.M. A plasma ring in an electromagnetic field, 1=7047
- Osovets, S.M. The theory of rapid processes, 1=7059
- Osovets, S.M. On the mechanism of the observed neutron radiation, 1=9582
- Osovets, S.M., Petrov, Yu.F. and Shchedrin, N.I. The study of a gas discharge in a simply connected region, 1=7039
- Osovets, S.M. and Shchedrin, N.I. A plasma ring with a resistance, 1=7060
- Osovets, S.M. See Nasedkin, Yu.F., 1=7036
- Ostanevich, Yu.M. See Aksekov, S.I., 1=13633
- Ostaszewicz, E. On the fluorescence of Sb- and Mn-activated calcium halophosphates, 1=14628
- Ostaszewicz, E. Absorption in thallium bromide vapour, 1=15959
- Oster, L. Cyclotron radiation from relativistic particles with an arbitrary velocity distribution, 1=3157
- Oster, L. and Phillip K.W.; Bailey, V.A. Existence of net electric charges on stars, 1=5147
- Osterberg, H. and Smith, L.W. Effects of numerical aperture on contrast in ordinary microscopy, 1=10578
- Osterberg, H. and Smith, L.W. Closed solutions of Rayleigh's diffraction integral for axial points, 1=12968
- Osterberg, H. See Smith, L., 1=4438
- Osterberg, H. See Snitzer, E., 1=8225
- Osterbrock, D.E. On ambipolar diffusion in H I regions, 1=15414
- Osterbrock, D.E. The heating of the solar chromosphere, plages, and corona by magnetohydrodynamic waves, 1=15492
- Osterbrock, D.E. and Rogerson, J.B. The helium and heavy-element content of gaseous nebulae and the sun, 1=15518
- Osterbrock, D.E. and Stockhausen, R.E. Photometry and radiometry of gaseous nebulae, 1=2640
- Osterle, J.F. See Hughes, W.F., 1=2735
- Ostroborska, V.V. See Dik, V.B., 1=7851
- Ostroukhov, A.A. Theory of non-stationary thermionic emission of a semiconducting cathode, 1=16370
- Ostroukhov, A.A. and Tomasevich, O.F. Light absorption by  $F'$ -centres in ionic crystals with a cubic lattice, 1=14581
- Ostroumov, A.G. See Efimova, B.A., 1=19869
- Ostroumov, G.A. The results of measurement of the electrical conductivity of electrically insulated liquids, 1=18429
- Ostrovskaya, G.V. See Zaidel', A.N., 1=2305
- Ostrovskii, Yu.I. and Penkin, N.P. Measurement of the oscillator strengths of barium lines, 1=5973
- Ostrovskii, Yu.I. and Penkin, N.P. Measurement of the absolute oscillator strengths of the resonance lines of calcium, strontium and barium ions, 1=13954
- Ostrovskii, Yu.I. and Penkin, N.P. Oscillator strengths of the spectral lines of calcium, 1=19588
- Ostrowski, J.W. Impact recombination in  $\text{Ti}_2\text{S}$ , 1=6164
- Ostrowski, J.W. Collision recombination in  $\text{Ti}_2\text{S}$ , 1=12463
- Ostrowski, K.W. Rectification of photoelectric spectrometer, 1=12989
- Ostwald, L.T. See Wickersham, P.D., 1=13452
- O'Sullivan, W.J., Robinson, W.A. and Simmons, W.W. Sublattice switching in antiferromagnets, 1=20163
- Oswald, W. See Jahr, R., 1=3455
- Othaz, R. See El-Nesr, M.S., 1=19404
- Otokozawa, J. New analyses of anomalous imaginary part, 1=12061
- Otomo, M. See Wada, Y., 1=12578
- Otomo, Y. See Kasai, P.H., 1=14642
- Otroshchenko, G.A. See Gorlov, G.V., 1=17171
- Otsuka, E., Oshio, Y., Kobayashi, T. and Kawamura, H. Nuclear magnetic resonance of  $\text{Na}^{23}$  in sodium chloride crystals, 1=2497
- Otsuka, M. See Horie, T., 1=8869
- Otsuka, R. See Yamaguchi, S., 1=9743
- Otsuki, S., Taketani, M., Tamagaki, R. and Watari, W. Pion theory of nuclear forces and low energy p-wave phase shifts, 1=12067
- Otsuki, S. See Hamada, T., 1=3172
- Ott, K. See Meitz, K., 1=17224
- Ottavi, H. Measurement of the variation of the longitudinal relaxation time ( $T_1$ ) of protons in chloroform as a function of magnetic field, 1=6872
- Ottavi, H. Nuclear magnetic resonance parasitic lines produced by modulation of the static field, 1=19049
- Ottavi, H. See Benoit, H., 1=12567
- Otte, H.M. Lattice parameter determinations with an X-ray spectrogoniometer by the Debye-Scherrer method and the effect of specimen condition, 1=11553
- Otte, H.M. Estimation of a crystallographic orientation relationship, 1=20509
- Otter, M. Optical constants of massive metals, 1=6201

- Otter, M. The temperature dependence of the optical constants of solid metals, 1=10088
- Otterson, D.A. Neutralization of hydroxide ion in melt-grown NaCl crystals, 1=12403
- Ottewill, R.H. and Parreira, H.C. On the determination of Micellar charge from light scattering experiments, 1=20773
- Ottewill, R.H. See Matijević, E., 1=2889
- Ottinger, C. and Ziock, K. Measurement of the oscillator strengths of the gallium lines 4033 Å and 4172 Å and the iron line 3720 Å, 1=17271
- Otto, A.N. Automatic electrophotometric recording of night-sky luminance, 1=10330
- Oualid, J. On a method of determination of the coefficient of thermal diffusion of metals or semiconductors, 1=17568
- Ouannés, C. See Berthelot, A., 1=19281
- Ouchi, T. and Senba, K. Strange neutrino and a composite model for elementary particle. I, 1=13308
- Oudin, J. On Carnot's principle as generalized by Brillouin in its application to the precision of measuring apparatus, 1=15592
- Ovander, L.M. Temperature dependence of the intensity of Raman scattering lines in gases. I, 1=19642
- Ovander, L.N. The form of the Raman scattering tensor, 1=14613
- Ovander, L.N. Raman scattering in crystals, 1=19997
- Ovcharenko, N.M. See Hehuzin, Ya. Ye., 1=15170
- Ovcharenko, N.N. Geguzin, Ya. E., 1=9159
- Ovcharenko, V.I. See Konstantinov, V.D., 1=8604
- Ovchinnikov, S.S. See Dubovoi, L.V., 1=16351
- Ovchinnikov, I.K. and Zinchenko, M.S. Vibrating probe method for investigating axisymmetrical electron beams, 1=11972
- Ovechkin, V.V. See Nakhutin, I.E., 1=19418
- Overbeek, J.T.G. See Black, W., 1=20397
- Overend, J. and Scherer, J.R. Repulsive potential between nonbonded methyl groups, 1=828
- Overend, J. and Scherer, J.R. Transferability of Urey-Bradley force constants. VI. The silyl halides, 1=5990
- Overend, J. See Scherer, J.R., 1=2313
- Overhauser, A.W. See Brailsford, A.D., 1=17602
- Overmeyer, J. Microwave resonance in tetragonally distorted manganese-iron spinel, 1=6394
- Overn, W.M. See James, R.H., 1=7121
- Ovrutskaya, R.M. See Vainshtein, E.E., 1=6218
- Ovsienko, D.E. and Zasimchuk, I.K. The effect of mosaic structure on diffusion of zinc in aluminium monocrystals, 1=6110
- Ovsienko, D.Yu. The growth and certain properties of metal whiskers, 1=15010
- Owaki, M. See Nishioka, A., 1=9154
- Owen, A.E. Properties of glasses in the system  $\text{CaO}-\text{B}_2\text{O}_3-\text{Al}_2\text{O}_3$ . I. The d.c. conductivity and structure of calcium borosilicate glasses, 1=14397
- Owen, B.G. See Holmes, J.E.R., 1=16922
- Owen, B.G. See Holmes, J.E.R., 1=16945
- Owen, G.E. See Reichelt, W., 1=2232
- Owen, G.E. See Zdanis, R., 1=3459
- Owen, H.A.Jr. See Lucas, M.S.P., 1=6688
- Owen, J. Paramagnetic resonance measurements of exchange interactions, 1=6418
- Owen, R.B. Scintillation counters, 1=8401
- Owyang, G.H. Theory and design of a coaxial supporting bead made of composite dielectrics, 1=9686
- Oxley, A.J. See Frisch, O.R., 1=16630
- Oxley, C.L. See Albares, D.J., 1=11948
- Oyarzun, R. See García-Riquelme, O., 1=13940
- Ozaki, S. The latitude effect on extensive air showers of cosmic rays, 1=2135
- Ozaki, S. Selection rules for interaction types in quantum field theory, 1=3129
- Ozaki, S. See Lindenbaum, S.J., 1=16789
- Ozaki, S. See Pak, W., 1=3375
- Ozanich, A.M.Jr. See Bean, B.R., 1=15240
- Ozarov, V. See Gleichauf, P.H., 1=7658
- Özemre, A.Y. Elementary introduction to the study of the time-dependent material buckling, 1=3190
- Özemre, A.Y. The neutron flux formed by the introduction of source neutrons into a pure multiplying medium, 1=3491
- Ozerov, R.P., Kiselev, S.V., Karpovich, I.R., Goman'kov, V.I. and Loshmanov, A.A. A remotely controlled neutron diffractometer based on a Gur-3 unit, 1=11551
- Ozerov, R.P. See Kogan, V.S., 1=11865
- Ozerov, R.P. See Kogan, V.S., 1=20528
- Paál, G. See Balázs, B., 1=9249
- Pabst, K. Investigation of the light yield of solid scintillators excited by  $\alpha$ -,  $\beta$ - and  $\gamma$ -rays, 1=8403
- Pacáková, I. See Horák, Z., 1=15770
- Pacault, A. and Marchand, A. Electronic properties of pre-graphite carbons, 1=3763
- Pacault, A., Marchand, A., Bothorel, P., Zanchetta, J., Boy, F., Cherville, J. and Oberlin, M. A study of the electronic structure of pre-graphite carbons, 1=3764
- Pacault, A. See Poquet, E., 1=6254
- Pace, E.L. and Bobka, R.J. Thermodynamic properties of trifluoroacetonitrile from 12°K to its boiling point, 1=11861
- Pace, J.H., Sampson, D.F. and Thorp, J.S. Spin-lattice relaxation times in ruby at 34.6 Gc/s, 1=1265
- Pace, J.H., Sampson, D.F. and Thorp, J.S. Spin-lattice relaxation times in sapphire and chromium-doped rutile at 34.6 Gc/s, 1=6422
- Pace, S. See Bassani, C., 1=10009
- Pačes, J. and Šuda, P. The influence of plastic deformation on the magnetostriction constant of nickel, 1=14727
- Pačes, J. See Šuda, P., 1=20107
- Pacey, A.J. See Bates, L.F., 1=9035
- Pacey, D.J. A piezoelectric oscillator manometer, 1=6817
- Pachner, J. Notes on the unified field theory, 1=2693
- Pachner, J. Dynamics of the universe, 1=11672
- Pachner, J. On the influence of a magnetic dipole upon the gravitational field, 1=15655
- Pachner, J. On relativistic cosmology, 1=17997
- Pachner, J. Some questions of relativistic cosmology, 1=18001
- Pacholczyk, A.G. The magnetogravitational instability of an infinite compressible cylinder. The formulation of the local instability condition, 1=355
- Pacholczyk, A.G. On the hydromagnetic wave-fronts in the solar atmosphere. Wave-fronts of small amplitude in the nonuniform medium with weak magnetic field, 1=6710
- Pacholczyk, A.G. On the upper limit of the galactic magnetic field, 1=18125
- Pacholczyk, A.G. and Stodołkiewicz, J.S. The magnetogravitational instability of an infinite homogeneous medium when a Coriolis force is acting and viscosity is taken into account, 1=1959
- Pacholczyk, A.G. and Stodołkiewicz, J.S. The magnetogravitational instability of a medium in non-uniform rotation, 1=1960
- Pacholczyk, A.G. and Stodołkiewicz, J.S. The magnetogravitational instability of the medium of finite electrical conductivity, 1=1961
- Pačowska, R. See Blaquiere, A., 1=7415
- Pack, J.L. and Phelps, A.V. Drift velocities of slow electrons in helium, neon, argon, hydrogen, and nitrogen, 1=2300
- Pack, J.L. See Phelps, A.V., 1=5420
- Packman, J.E. The growth of bismuth single crystals by pulling, 1=1377
- Paddy, J.F. and Russell, D.R. The measurement of the surface tension of pure liquids and solutions, 1=6847
- Paderno, Yu.B., Samsonov, G.V. and Fomenko, V.S. Electrical properties of lanthanum hexaboride, 1=5005
- Paderno, Yu.B. See Samsonov, H.V., 1=13103
- Padley, P.J. See Bulewicz, E.M., 1=20738
- Padmanabhan, R.A. A method for the determination of dielectric constants of single crystals at v.h.f., 1=16231
- Padmanabhan, R.A. and Heasell, E.L. Ultrasonic relaxation in triethylamine, 1=1741
- Padmanabhan, V.M. See Luthra, J.M., 1=9130
- Padmini, P.R.K.L. and Ramachandra Rao, B. Investigation of molar sound velocity  $|R|$  in melts and solutions, 1=6857
- Padmini, P.R.K.L. and Ramachandra Rao, B. Ultrasonic velocity in some aqueous solutions of electrolytes, 1=12877
- Padmini, P.R.K.L. and Ramachandra Rao, B. Molar sound velocity in molten hydrated salts, 1=15869
- Padmini, P.R.K.L. and Ramachandra Rao, B. Study of ultrasonic velocity in liquids, 1=18403
- Padmini, P.R.K.L. and Ramachandra Rao, B. Study of temperature variation of ultrasonic velocity and adiabatic compressibility in some liquids. I, 1=18406



- Paetzold, H.K. Observations of the Russian satellites and the structure of the outer terrestrial atmosphere, 1=5174
- Paetzold, H.K. An annual variation of density in the highest layers of the earth's atmosphere, 1=10316
- Paetzold, H.K. Air density in the ionosphere and exosphere, 1=10318
- Paetzold, H.K. A preliminary model for the variations of upper air densities, 1=10335
- Paetzold, H.K. On the composition of the terrestrial exosphere, 1=20895
- Paetzold, H.K. and Piscalar, F. Vertical distribution of atmospheric ozone. Comparison of various methods. D. Optical ozone sonde, 1=1504
- Paetzold, H.K. and Piscalar, F. Meridional ozone distribution and stratospheric circulation, 1=20814
- Pafomov, V.E. Radiation from a charged particle moving through a plate, 1=2036
- Pafomov, V.E. Effect of multiple scattering on transient radiation, 1=2037
- Pafomov, V.E. Effect of multiple scattering on transient radiation, 1=3152
- Pafomova, L.A. See Kuznetsov, A.Ya., 1=1088
- Pagani, A. Stabilization of the output voltage of an alternator by an electronic method, 1=16212
- Page, D.E. See McCusker, C.B.A., 1=2152
- Page, D.E. See Reid, R.J., 1=12138
- Page, E.J. and Rutschmann, J. Notes on a technique for the determination of high-frequency hearing thresholds, 1=7964
- Page, T. Recent statistical studies in astronomy, 1=1628
- Pagel, B.E.J. The surfaces of stars, 1=40
- Pagel, B.E.J. The influence of the chromosphere on solar limb darkening, 1=2619
- Pagel, B.E.J. The distribution of temperature in the neighborhood of the solar limb, 1=7984
- Pagel, B.R. and Petritz, R.L. Noise in InSb photodiodes, 1=14484
- Pages, A. The interest of magnetic storage in nuclear physics, 1=7176
- Pages, A. Multidimensional transfer analysers, 1=16228
- Pagni, M. A uniqueness theorem relating to the equation of conduction of heat, 1=8251
- Pagnia, H. Production of thin hydrocarbon polymerized films with varying specific electric conductivity, 1=20664
- Pahor, S. and Strnad, J. Heat transfer from laminar flow through cylindrical tubes, 1=18651
- Pai, S.I. The wave motions of small amplitude in a fully ionized plasma without external magnetic field, 1=5483
- Pai, S.I. Some considerations on the fundamental equations of electro-magneto-gas dynamics, 1=16542
- Pai, S.I. and Speth, A.I. Shock waves in radiation-magneto-gas dynamics, 1=16543
- Paige, E.G.S. The drift mobility of electrons and holes in germanium at low temperatures, 1=17696
- Paige, E.G.S. See Brown, M.A.C.S., 1=14580
- Paige, E.G.S. See McLean, T.P., 1=17664
- Paige, E.G.S. See McLean, T.P., 1=19853
- Pain, H.J. and Smy, P.R. Magnetic field interactions with shock-ionized argon, 1=1970
- Paine, T.O. Structure and properties of Alnico and E.S.D. permanent magnets, 1=1236
- Paine, W.L. Acoustic measurements under transient temperature conditions, 1=9456
- Pais, A. On symmetries shared by strong and weak interactions, 1=5660
- Pais, A. Theoretical aspects of nonleptonic hyperon decays, 1=7285
- Pais, A. On symmetries shared by strong and weak interactions, 1=16677
- Pais, A. See Nauenberg, M., 1=10910
- Pajak, Z. Intermolecular  $\pi$  effect in aromatic and heterocyclic compounds, 1=11118
- Pajares, J.A. A medium-rate coincidence circuit, 1=13056
- Pak, W., Ozaki, S., Roe, B.P. and Greisen, K. Momentum spectrum of muons, 1=3375
- Pake, G.E. Can four-year colleges prepare physics majors for graduate work in physics 1=12791
- Pake, G.E. See Anderson, M.E., 1=878
- Pake, G.E. See Anderson, M.E., 1=19668
- Pakhomov, A.S. See Belov, K.P., 1=12414
- Pál, L., Szabó, F., Gyimesi, Z., Bata, L. and Turi, L. Investigation of the SR-1 heterogeneous subcritical assembly, 1=13875
- Pál, L. See Ádám, A., 1=13445
- Palacios, J. The Postulates of a new theory of relativity, 1=15626
- Palatnik, L.S. and Il'inskii, A.I. Strength of vacuum-deposited copper films, 1=20374
- Palatnik, L.S. and Komnik, Yu.F. A critical temperature in condensation of Bi, Pb, and Sn, 1=5379
- Palatnik, L.S. and Komnik, Yu.F. Texture of material deposited on an amorphous backing, 1=15176
- Palatnik, L.S., Komnik, Yu.F., Koshkin, V.M. and Belova, E.K. On a group of ternary semiconducting compounds, 1=12443
- Palatnik, L.S., Levchenko, A.A. and Kosevich, V.M. The production of dislocations by electric erosion of single crystals, 1=14282
- Palatnik, L.S., Levchenko, A.A. and Kosevich, V.M. The production of dislocations by electric erosion of single crystals, 1=17531
- Palatnik, L.S. and Tananko, I.A. Ordering of the second kind produced in austenite by intermediate transformation, 1=7832
- Palečková, J. See Lehar, F., 1=13651
- Paleolog, E.A. See Deryagin, O.G., 1=7657
- Palevsky, H. See Hughes, D.J., 1=8667
- Palfrey, T.R., Nefkens, B.M.K., Mortara, L. and Loeffler, F.J. Photoproduction of pions in carbon, 1=8482
- Palfrey, T.R. Jr. See Uretsky, J.L., 1=5757
- Palik, E.D. A far-infrared bibliography, 1=2855
- Palik, E.D., Picus, G.S., Teitler, S. and Wallis, R.F. Infrared cyclotron resonance in InSb, 1=7572
- Palik, E.D., Stevenson, J.R. and Wallis, R.F. Infrared cyclotron resonance absorption in n-type GaAs, 1=17490
- Palik, E.D., Teitler, S. and Wallis, R.F. Free carrier cyclotron resonance, Faraday rotation, and Voigt double refraction in compound semiconductors, 1=17741
- Palik, E.D. and Wallis, R.F. Infrared cyclotron resonance in n-type InAs and InP, 1=11187
- Palik, E.D. See Teitler, S., 1=3819
- Palik, E.D. See Teitler, S., 1=12481
- Palistrant, A.F. See Zamorzaev, A.M., 1=14941
- Palistrant, M.E. See Perlin, Yu.E., 1=10018
- Palko, A.A., Drury, J.S. and Bull, W.E. Separation of boron isotopes. V. The phenol-BF<sub>3</sub> system, 1=11611
- Palma, M.U. See Bellomonte, L., 1=10179
- Palma, M.U. See Ciccarello, I.S., 1=9490
- Palma, M.U. See Palma-Vittorelli, M.B., 1=7775
- Palma-Vittorelli, M.B., Palma, M.U., Drewes, G.W.J. and Koerts, W. Unusual low-temperature magnetic behaviour of some cubic crystals, 1=7775
- Palma-Vittorelli, M.B. See Bellomonte, L., 1=10179
- Palmeira, R.A.R. See McCracken, K.G., 1=13582
- Palmeira, R.A.R. See McCracken, K.G., 1=18017
- Palmeira, R.A.R. See Roederer, J.G., 1=13587
- Palmén, E. On generation and frictional dissipation of kinetic energy in the atmosphere, 1=12691
- Palmer, C.H., Jr. Experimental transmission functions for the pure rotation band of water vapor, 1=831
- Palmer, D.A. See Burch, J.M., 1=5353
- Palmer, D.R., Morrison, S.R. and Dauenbaugh, C.E. Electrical properties of cleaved germanium surfaces, 1=1047
- Palmer, D.R., Morrison, S.R. and Dauenbaugh, C.E. Surface states on cleaved silicon, 1=6157
- Palmer, R. See Hunt, J.N., 1=7928
- Palmer, R.C. and Carter, R.W. A high intensity cesium-137 research irradiator, 1=13668
- Palmer, R.G. and Platt, A. Fast reactors, 1=12233
- Palmer, R.W. See Dutton, J., 1=18757
- Palmer, T.M. Automatic compensation for thermal e.m.f.s and galvanometer zero drift in a feedback fluxmeter, 1=7006
- Palmier-Gerber, M. See Henry, G., 1=15146
- Palmieri, G. and Sanna, R. Light-to-light discriminator switch, 1=16093
- Palumbo, D.T. See Slavin, W., 1=2865
- Pamplin, B.R. Super-cell structure of semiconductors, 1=1386
- Pamplin, B.R. Summarized proceedings of a Conference on Thermoelectricity — Durham, July 1961, 1=18750
- Pamplin, B.R. See Woolley, J.C., 1=17744
- Pamplin, B.R. See Woolley, J.C., 1=19880
- Pan Liang, C.Y. See Wood, D.L., 1=20508
- Panasjuk, L.M. See Simashkevich, A.V., 1=17722
- Panasjuk, V.S. See Antonov, A.V., 1=4679
- Panasjuk, V.S. See Antonov, A.V., 1=16457
- Panat, C.V. See Joshi, M.C., 1=641

- Panattoni, C., Frasson, E. and Amati, L. Application to the "Rimsky retigraph" of a mechanism which permits centring of single crystals by an X-ray method, 1=10246
- Pancharatnam, S. See Raman, C.V., 1=1513
- Panchenko, Yu. M. See Zevin, L.S., 1=20469
- Panchev, S. Theory of locally isotropic turbulence of intermediate scale, 1=1728
- Pancholi, S.C. A new type of liquid anode gamma and beta halogen counter, 1=16613
- Pancholi, S.C. and Saha, N.K. Study of a diode bridge nanosecond resolution coincidence circuit, 1=16223
- Pancholi, S.C. and Saha, N.K. Fast clipped pulses from photo-multiplier tubes, 1=16:86
- Pancholi, S.C. and Saha, N.K. Internal conversion coefficients for some pure E2 transitions, 1=17052
- Pancholi, S.C. See Saha, N.K., 1=16224
- Pande, D.N. Fluorescence of various modifications of uranyl sulphate, 1=6229
- Pande, M.C. and Varma, S.S. Study of variations of the forbidden oxygen lines in the nightglow, 1=21030
- Pandey, S.N. See Singh, K.P., 1=15597
- Pandey, S.N. See Singh, K.P., 1=15605
- Pandeya, D.C. and Tolansky, S. Micro-disk patterns on diamond dodecahedra, 1=11531
- Pandit, L.K. Linear vector spaces with indefinite metric, 1=16644
- Pandit, L.K. See Dallaporta, N., 1=5659
- Pandya, I.M. See Vaidya, P.C., 1=15652
- Pandya, N.V. See Pathak, P.D., 1=14185
- Pandya, S.P. and Shah, S.K. Nuclear interactions in the shell model, 1=9796
- Pandya, S.P. See Mitra, A.N., 1=2167
- Pandya, S.P. See Thankappan, V.K., 1=17001
- Pandya, S.P. See Waghmare, Y.R., 1=13776
- Panenkova, L.S. See Nechai, E.P., 1=6117
- Pangonis, W.J., Heller, W. and Economou, N.A. Theoretical investigations on the light scattering of colloidal soheres. IX. Lateral scattering at 90° from incident natural and linearly polarized light, 1=5359
- Pangonis, W.J. See Heller, W., 1=5360
- Panichi, U. Harmonicity of orbitals and coordination, 1=3618
- Panish, M.B. Vaporization of several rare earth oxides, 1=8263
- Panish, M.B. Vaporization of the rare earth oxides, 1=13022
- Panish, M.B. and Reif, L. Vaporization of iridium and rhodium, 1=9506
- Panish, M.B. and Reif, L. High temperature Knudsen effusion sampling system, 1=10626
- Pankove, J.I. A contribution to the study of infrared emission in germanium, 1=17899
- Pankratov, A.K. See Dvoryashin, A.S., 1=18093
- Pankratov, N.A. and Vasil'ev, E.F. A non-selective optico-acoustic receiver with a capacitor microphone, 1=12984
- Pannetier, G., Goudmand, P., Guenebaut, H. and Marsigny, L. The observation of postluminescence obtained at low temperature in the reaction of active nitrogen or the active mixture ( $N_2 + H_2$ ) with simple organic substances, 1=15961
- Pannetier, G., Marsigny, L. and Deschamps, P. The reaction between active nitrogen and some chlorinated hydrocarbons and the observation of new bands due to an unidentified emitter, 1=20731
- Pannetier, G., Marsigny, L. and Guenebaut, H. Observations of the second positive system of nitrogen in the reactions of atomic nitrogen with some aliphatic amines; assignment of a newly identified band to the (5,5) transition, 1=13943
- Pannetier, G. See Guenebaut, H., 1=2557
- Pannetier, G. See Guenebaut, H., 1=6057
- Panov, A.F. See Vladimirovskii, V.V., 1=7406
- Panov, D.A. See Bogdanov, G.F., 1=9614
- Panova, A.N. See Lutskii, A.E., 1=2755
- Panova, N.M. See Adamovich, M.I., 1=17084
- Panova, V.P. See Belyaev, L.M., 1=14632
- Panseri, C. and Federighi, T. A resistometric of pre-precipitation in Al-10% Zn, 1=1426
- Panson, G.S. and Sullivan, P.B. The enrichment of water in  $H_2O^{18}$  by liquid thermal diffusion, 1=821
- Pant, D.D. and Khandelwal, D.P. Fluorescence spectra of solutions of uranyl nitrate at liquid air temperature. I. Rapidly cooled solutions, 1=14637
- Pantchev, S. New system of dynamic equations of isotropic turbulence, 1=2737
- Panter, C.H. See Yates, B., 1=6982
- Panussi, P. See Daniel, H., 1=17023
- Pao-Hstieh-Hsin, See Bao-Syue-Sin', 1=17557
- Pao, Y.H. See Onoe, M., 1=18503
- Paoletti, A. and Vicentini, M. Diffusion in a liquid indium-tin alloy at the eutectic concentration, 1=2751
- Paoletti, A. and Vincentini-Missoni, M. Diffusion in a liquid indium-tin alloy at several concentrations, 1=8113
- Paoletti, A. See Caglioti, G., 1=20470
- Paolini, F. See Bertozzi, W., 1=8689
- Papadakis, E.P. Ultrasonic attenuation in S.A.E. 3140 and 4150 steel, 1=902
- Papadakis, E.P. Grain-size distribution in metals and its influence on ultrasonic attenuation measurements, 1=18520
- Papadakis, E.P. and Reed, E.L. Ultrasonic detection of changes in the elastic properties of a 70-30 iron-nickel alloy upon heat treatment, 1=7813
- Papadakis, E.P. See Sullivan, P.F., 1=20627
- Papadimitraki, H. Change of thermal and electrical conductivity of ferromagnetics in a magnetic field, 1=9034
- Papapetrou, A. A theorem in unified field theory with non-symmetric  $g_{\mu\nu}$ , 1=15659
- Papapetrou, A. A simple normal form for the gravitational field in the first approximation, 1=18243
- Papapetrou, A. and Schoepf, H.G. The energy of non-stationary gravitational fields, 1=4239
- Papapetrou, A. and Treder, H. The existence of singularity-free solutions of the general relativity field equations, which can represent particle models. II, 1=2686
- Papazian, H.A. Infrared spectra of alkali metal azide crystals, 1=8994
- Pape, L. See Jacobs, M.L., 1=15363
- Papet-Lépine, J. Calculation of the rate of ionization in a feebly ionized gas in the presence of an electric field, 1=18755
- Papineau, A., Benezech, P. and Maillard, R. Multicharged ion source for a cyclotron, 1=18938
- Papineau, A. See Beurtey, R., 1=9883
- Papineau, A. See Beurtey, R., 1=13853
- Papineau, A. See Beurtey, R., 1=16786
- Papineau, A. See Chaminade, R., 1=13207
- Papineau, A. See Saudinos, J., 1=7402
- Papineau, A. See Saudinos, J., 1=7403
- Papineau, A. See Saudinos, J., 1=15858
- Papineau, L. See Ballini, R., 1=695
- Papini, G. On the neutron-proton mass difference, 1=16767
- Papirno, R. Stress and strain in thin films bulged over circular openings, 1=11728
- Papmehl, N. Simple procedure for calculation of the Fermi age of light water, 1=16804
- Papp, M. See Stierstadt, K., 1=20770
- Pappalardo, R. Cubic-field splitting and cubic-symmetry ortho-normal sets of wave functions for J manifolds (J half-integer), 1=7516
- Pappalardo, R. Absorption spectra of  $Cu^{2+}$  in different crystal coordinations, 1=14609
- Pappalardo, R. and Dietz, R.E. Absorption spectra of transition ions in CdS crystals, 1=11380
- Pappalardo, R. and Wood, D.L. Spectrum of  $Yb^{2+}$  in yttrium gallium garnet, 1=2442
- Pappalardo, R., Wood, D.L. and Linares, R.C., Jr. Optical absorption spectra of Ni-doped oxide systems. I, 1=17887
- Pappas, A.C. and Rudstam, G. An approach to the systematics of delayed neutron precursors, 1=4882
- Pappas, A.C. See Rudstam, G., 1=5854
- Pappas, A.C. See Rudstam, G., 1=5946
- Pappas, C.F., Vogler, L.E. and Rice, P.L. Graphical determination of radio ray bending in an exponential atmosphere, 1=5596
- Pappert, R.A. Charge excitation of plasma motion in a magnetic field, 1=304
- Paranjape, B.V. Behavior of hot electrons in microwave fields, 1=8935
- Paranjape, V.V. Low temperature electric field effects in semiconductors, 1=17701
- Parbrook, H.D. See Bryan, M.E., 1=9226
- Parbrook, H.D. See Holmes, R., 1=8160
- Pardeshi, P.A. See Saxena, S.C., 1=12918



- Pardhasaradhi, T.V. A condition for achromatism of three lenses, 1=16056
- Pardoe, B. See Laskar, W., 1=9739
- Paré, V.K. Study of the Bordoni internal friction peaks in copper, 1=5080
- Pare, X. See Ducros, P., 1=11768
- Parfen'ev, P.V., Farbshtein, I.I. and Shalyt, S.S. The galvanomagnetic properties of tellurium. II. The effect of annealing on the temperature dependence of the mobility, 1=3773
- Parfen'ev, R.V., Pogarskii, A.M., Farbshtein, I.I. and Shalyt, S.S. The effect of annealing on the anisotropy of galvanomagnetic properties of tellurium, 1=17623
- Parham, A.G. See Cranshaw, T.E., 1=3292
- Paria, B.N. See Kar, K.C., 1=7210
- Pariiskii, N.N. and Gindilis, L.M. Energy distribution in the gegenschein spectrum, 1=1634
- Pariiskii, Yu.N. Peculiarities of the radio radiation of NGC 4486, 1=10396
- Pariiskii, Yu.N. Peculiarities of the radio radiation of NGC 4486, 1=11687
- Parikh, P. See Müller-Warmuth, W., 1=11770
- Parilis, E.S. and Kishinevskii, L.M. The theory of electron emission by ions, 1=16392
- Parini, V.P. See Balabanov, E.I., 1=3728
- Paris, D.P. Approximation of the sine-wave response of photographic emulsions, 1=11848
- Paris, J.P., Hirt, R.C. and Schmitt, R.G. Observed phosphorescence and singlet-triplet absorption in s-triazine and trimethyl-s-triazine, 1=10126
- Paris, P. A second-order focusing  $\beta$ -spectrograph, 1=13398
- Parish, G.J. Calculation of the behaviour of rubber-covered pressure rollers, 1=11729
- Pariset, J.M. See Steckelmacher, W., 1=4473
- Paritskii, L.G., Rogachev, A.A. and Ryvkin, S.M. The kinetics of the "external" photoeffect [directed] from metal to semiconductor in photocells, 1=17796
- Paritskii, L.G. and Ryvkin, S.M. The study of "non-linear" relaxation processes of photoconduction in the presence of trapping levels, 1=19896
- Paritskii, L.G. See Ryvkin, S.M., 1=12456
- Park, J.G. See Chambers, R.G., 1=16204
- Park, J.F.Jr. Moments of the generalized Rayleigh distribution, 1=17986
- Park, J.J.H. See Salgueiro, L., 1=9845
- Parke, W., De Croës, M. and Sevier, K., Jr. Some methods in the preparation of radioactive materials for use in beta-spectroscopy, 1=629
- Parker, A.W. Sum-coincidence measurements on  $^{154}\text{Eu}$ , 1=17044
- Parker, E.N. The hydrodynamic theory of solar corpuscular radiation and stellar winds, 1=2611
- Parker, E.N. Sudden expansion of the corona following a large solar flare and the attendant magnetic field and cosmic-ray effects, 1=7995
- Parker, E.N. A quasi-linear model of plasma shock structure in a longitudinal magnetic field, 1=9567
- Parker, E.N. Geomagnetic fluctuations and the form of the outer zone of the Van Allen radiation belt, 1=15357
- Parker, E.N. Transresonant electron acceleration, 1=20856
- Parker, E.N. The distribution of trapped particles in a changing magnetic field, 1=21078
- Parker, E.N. Effect of hydromagnetic waves in a dipole field on the longitudinal invariant, 1=21087
- Parker, E.N. See Dessler, A.J., 1=15348
- Parker, E.N. See Hines, C.O., 1=1580
- Parker, G.W. See Roberts, L.D., 1=8791
- Parker, J.G. Effect of several light molecules on the vibrational relaxation time of oxygen, 1=8163
- Parker, J.H., Jr. Exciton-induced F-center growth in KI and KBr crystals, 1=17576
- Parker, J.L. See van Oostrum, K.J., 1=12158
- Parker, K. See Johansson, A., 1=3444
- Parker, P.M. Note concerning ruby maser-type Hamiltonians, 1=10182
- Parker, P.M. See Meyer, V.E., 1=7507
- Parker, R. See Lord, H., 1=1082
- Parker, R.A. and Wasilik, J.H. Dielectric constant and dielectric loss of  $\text{TiO}_2$  (rutile) at low frequencies, 1=1133
- Parker, R.J. See Arnold, R.R., 1=20347
- Parker, R.L. and Kushner, L.M. Growth rates of zinc crystals from the vapor phase, 1=20432
- Parker, R.P. An improved anti-coincidence shield for use in low background counting, 1=16612
- Parker, R.P. and Crookall, J.O. Seasonal variation and age of radioactive fall-out, 1=10313
- Parker, W. A method for the separation of gold irradiated mercury isotopes, 1=17296
- Parker, W. See De Croës, M., 1=630
- Parker, W.E. and East, L.V. Automatic processing system for acoustical data, 1=2828
- Parker, W.J., Jenkins, R.J., Butler, C.P. and Abbott, G.L. Flash method of determining thermal diffusivity, heat capacity, and thermal conductivity, 1=13006
- Parkhomovskii, S.I. Impact on a grid of plates in symmetrical cavitation flow, 1=6834
- Parkinson, D. See Dalgarno, A., 1=1888
- Parkinson, D.H. Summarized proceedings of a symposium on electronic devices at helium temperatures — London, November, 1960, 1=16219
- Parkinson, W.C. and Bilaniuk, O.M. Solid state detectors for high resolution nuclear spectroscopy, 1=16618
- Parkinson, W.H. and Reeves, E.M. Brightness temperatures and intensity measurements in flash discharges, 1=16084
- Parks, J. See Feld, B.T., 1=13419
- Parks, J.G. See Blue, M.H., 1=8456
- Parks, J.R. Criticality criteria for various configurations of a self-heating chemical as functions of activation energy and temperature of assembly, 1=4092
- Parks, R. and Maunder, L. Damped free oscillations of a gyroscopic system, 1=19462
- Parks, R.D. and Little, W.A. Magnetic cooling with paramagnetic metals, 1=11415
- Parkyn, D.G. Analysis of satellite data, 1=20880
- Parmenter, R.H. Enhancement of superconductivity by extraction of normal carriers, 1=18700
- Parr, R.G. See Ludwig, O.G., 1=12302
- Parr, R.G. See Snyder, L.C., 1=5957
- Parr, R.G. See Snyder, L.C., 1=8850
- Parr, W.E. See Conlan, J., 1=4550
- Parreira, H.C. Light scattering by solutions of surface active agents, 1=4477
- Parreira, H.C. See Ottewill, R.H., 1=20773
- Parrent, G.B., Jr. Imaging of extended polychromatic sources and generalized transfer functions, 1=4433
- Parrent, G.B., Jr. and Skinner, T.J. Diffraction of partially coherent light by a plane aperture, 1=5358
- Parrish, W. Results of the I.U.Cr. Precision lattice-parameter project, 1=15068
- Parry, G., Scott, H.D. and Swierszczewski, S. The elastic scattering of  $^3\text{He}$  by C, Mg, Al and Cu, 1=5796
- Parry, G., Scott, H.D. and Swierszczewski, S. The angular distributions of alpha particle groups from the reaction  $^{24}\text{Mg}(^3\text{He}, \alpha)^{27}\text{Mg}$ , 1=9885
- Parry, G. See Dalton, A.W., 1=9878
- Parry, G. See Dalton, A.W., 1=13851
- Parry, G. See Dalton, A.W., 1=17145
- Parry, G.S. See Cimino, A., 1=7834
- Parry, L.G. See Stacey, F.D., 1=18061
- Parry, W.E. Some comments on the reaction matrix for a many-boson system, 1=18312
- Parsons, D. See Crangle, J., 1=1207
- Parsons, J.L. Vibrational spectra of orthorhombic metaboric acid, 1=3542
- Parsons, J.L., Silver, A.H. and Milberg, M.E. Some structural data for cubic metaboric acid, 1=11569
- Parsons, N.R. Phase changes in the daily variation of the cosmic ray nucleonic component, 1=3370
- Parsons, N.R. Effects of short-term world-wide modulation of the primary cosmic radiation on observed daily intensity variations, 1=13569
- Parsons, R.B., Wardzynski, W. and Yoffe, A.D. The optical properties of single crystals of cadmium selenide, 1=14570
- Parthasarathy, R. "Anomalous dispersion" effects in electron diffraction and their possible applications, 1=20496
- Parthasarathy, S. and Bindal, V.N. Ultrasonic velocity in supercooled liquids, 1=12876
- Parzen, G. Accelerators with a general magnetic field, 1=16449
- Parzen, P. Radiation from a modulated electron beam with a plasma background, 1=18856
- Pasachoff, J.M. See Ingrao, H.C., 1=16387

## AUTHOR INDEX

- Pascal, P., Gallais, F. and Labarre, J.F. The diamagnetic susceptibility of ethylenic and acetylenic hydrocarbons, 1=14074
- Paschke, F. Note on the mechanism of the multipactor effect, 1=16299
- Paschkis, V. See Calcaterra, P., 1=11668
- Pasechnik, L.L. See Gabovich, M.D., 1=5470
- Pasechnik, L.L. See Gabovich, M.D., 1=11547
- Pasechnik, M.V., Pucherov, N.N., Orlenko, B.F. and Prokopenko, V.S. Polarization of 6.8 MeV protons scattered on carbon, 1=19454
- Pasechnýk, M.V., Ofenhenden, R.H. and Konenko, L.D. Aima-2 pulse-height analyser, 1=16229
- Pasechnýk, M.V. See Barchuk, I.F., 1=12204
- Pasetchnik, M.V., Pucherov, N.N., Kashuba, I.E. and Tchirko, V.I. Elastic scattering of 6.8 MeV protons by atomic nuclei, 1=8707
- Pasetchnik, M.V. See Val'ter, A.K., 1=8706
- Pashaev, B.P. On the change in the thermal conductivity of tin, bismuth and gallium on melting, 1=9990
- Pashaev, B.P. On the change in the thermal conductivity of tin, bismuth and gallium on melting, 1=11171
- Pashaev, B.P. Change of thermal conductivity of some Cd-Sn and Bi-Sn alloys on melting, 1=19730
- Pashinin, P.P. and Prokhorov, A.M. Measurement of the spin-lattice relaxation time in compounds with strong covalent bonding, 1=14810
- Pashinkin, A.S., Tishchenko, G.B., Korneeva, I.V. and Ryzhenko, B.N. The polymorphism of some chalcogenides of zinc and cadmium, 1=4006
- Pashley, D.W. and Presland, A.E.B. Ion damage to metal films inside an electron microscope, 1=20709
- Pashley, D.W. See Bassett, G.A., 1=2554
- Pashos, T.J., Ritland, G.D. and Russell, J.L.Jr. A method for comparing reactor control materials, 1=11054
- Pasichnýk, M.V. See Val'ter, A.K., 1=19455
- Pasinetti, L.E. On the possibility of using microphotograms in the study of the solar corona, 1=15485
- Paskin, A. See Harrison, R.J., 1=14245
- Paskin, A. See Sagalyn, P.L., 1=17389
- Passatore, G. On the longitudinal depolarization of beams of spin  $\frac{1}{2}$  particles by multiple Coulomb scattering, 1=5899
- Passell, L., Dickinson, W.C. and Bartolini, W. Effect of reflection on the performance of mechanical neutron monochromators, 1=10896
- Passell, T.O. and Perry, C.L. Upstream diffusion in Hagen-Poiseuille flow, 1=5254
- Passon, B. See Kranz, J., 1=11433
- Passon, B. See Kranz, J., 1=11434
- Pasternak, R.A. and Wiesendanger, H.U.D. Interaction of hydrogen and of nitrogen with a molybdenum ribbon, 1=11600
- Pastore, N. Color phenomena, 1=1621
- Pastrňák, J. Refractive index of  $\text{Cu}_2\text{O}$  crystals in region up to  $10\ \mu$ , 1=19947
- Pastrňák, J. The spectral distribution of quantum yield of infrared luminescence of  $\text{Cu}_2\text{O}$  at low temperatures, 1=20005
- Pastrnyak, I. The absorption and reflection of light, and the nature of the optical electron transitions in crystals of  $\text{Cu}_2\text{O}$ , 1=19966
- Pastrnyak, I. and Titov, R.A. The spectral distribution of photoelectric sensitivity of crystals of  $\text{Cu}_2\text{O}$  at low temperatures, 1=12457
- Pastur, L.A. See Kosevich, A.M., 1=12382
- Pastushuk, N.S. See Korsunskii, M.I., 1=14517
- Pastushuk, N.S. See Korsunskii, M.I., 1=17803
- Pastushuk, N.S. See Korsunskii, M.I., 1=19907
- Pataki, G. On the time dependence of irreversible processes in Knudsen gas, 1=15711
- Pataki, G. Application of irreversible thermodynamics in the theory of recombination in semiconductors, 1=19841
- Pataki, G. See Lörinczy, A., 1=14478
- Patankar, A.V. See Das, M.R., 1=9951
- Pataraja, A.D. See Tsintsadze, N.L., 1=4606
- Patashinskii, A.Z. Symmetry of the solutions obtained in determining the singularities of Feynman diagrams by Landau's method, 1=16714
- Patashinskii, A.Z., Rudik, A.P. and Sudakov, V.V. Singularities of the scattering amplitude in perturbation theory, 1=15345
- Patch, R.W. Modification of a photomultiplier for use in the far ultraviolet, 1=13117
- Pate, B.D. and Poskanzer, A.M. Spallation of uranium and thorium nuclei with BeV-energy protons, 1=11016
- Pátek, K. The electroluminescence of  $\text{ZnS:Cu}$  single crystals excited with pulses of alternating polarity, 1=17920
- Pátek, K. The influence of a small electric perturbation on the electroluminescence curve of  $\text{ZnS:Cu}$ , 1=17921
- Pátek, K. On the electroluminescence of  $\text{ZnS}$  at low voltages, 1=17922
- Pátek, K. See Damašková, S., 1=17923
- Pátek, K. See Damašková, S., 1=19988
- Patel, A.R. Structure of etch-pits on diamond surfaces, 1=20409
- Patel, H. See Borst, L.B., 1=19687
- Patel, N.J. and Bhavsar, C.M. The elastic scattering of 426 MeV electrons by lithium-6, 1=17086
- Patel, V.L. See Maeda, K., 1=16933
- Patel, V.L. See Maeda, K., 1=16946
- Paterson, J.M. See Rutherglen, J.G., 1=9702
- Paterson, J.M. See Rutherglen, J.G., 1=9703
- Paterson, M.S. See Kemsley, D.S., 1=2515
- Pathak, P.D. and Pandya, N.V. Thermal expansion of some alkali halides by X-ray diffraction, 1=14185
- Pathria, R.K. and Singh, A.D. Low-temperature behaviour of a Bose gas with hard-sphere interaction, 1=15737
- Pathria, R.K. See Nanda, V.S., 1=12340
- Pathria, R.K. See Nanda, V.S., 1=15164
- Pathria, R.K. See Singh, A.D., 1=10635
- Pati, J.C. Test of global symmetry in pion-baryon interactions by  $K^- + p$  reactions, 1=10909
- Pati, J.C. See Chiba, S., 1=16905
- Pati, J.C. See Oneda, S., 1=3238
- Patla, N. See Kiss, A.E., 1=4686
- Patlach, A.M. See Hutchinson, D.P., 1=16833
- Paton, J. Notes on auroral data for July 1959 in W.D.C. Edinburgh, 1=21040
- Patou, C. See Bermond, J., 1=13251
- Pătrașcu, Ș. The stability of an astatic system; the influence of the value of the magnetic moment, 1=1956
- Patrick, L. Electron emission from reverse-biased p-n junctions in  $\text{SiC}$ , 1=16360
- Patrick, L. and Choyke, W.J. Lattice absorption bands in  $\text{SiC}$ , 1=11372
- Patrushev, B.I., Rusanov, V.D., Kovan, I.A., Savichev, V.V. and Frank-Kamenetskii, D.A. Gyrotropic properties of a plasma in propagation of the extraordinary wave, 1=18905
- Patrushev, B.I. See Akhmatov, A.P., 1=4628
- Patrushev, B.I. See Borodin, A.V., 1=18886
- Patrushev, B.I. See Rusanov, V.D., 1=18858
- Patry, J.P., Seguinot, J. and Scherer, M. Collection times of light from a Cherenkov detector with diffusing walls, 1=1989
- Pattenden, N.J. and Harvey, J.A. The resonance energy cross section of  $\text{U}^{233}$ , 1=8790
- Patterson, A., Jr. See Ettinger, R., 1=2350
- Patterson, D. See Nishikawa, K., 1=16179
- Patterson, J.H. See Kennedy, S.W., 1=9128
- Patterson, J.R. See Newson, H.W., 1=13653
- Patý, L. The measurement of ultrahigh vacuum, I. Review, 1=5304
- Pátý, L. Heat transfer in a molecular manometer, 1=15979
- Pátý, L. and Schürer, P. The influence of the initial conditions on the pressure decrease during ionic pumping, 1=15972
- Pauchard, R. See Alfandari, R., 1=3062
- Paufve, E.H. See Betts, J.F., 1=333
- Paul, E.B. Nuclei in the lp shell and near closed shells [properties of individual levels], 1=8573
- Paul, E.B. See Ferguson, A.T.G., 1=702
- Paul, H. Beta- $\gamma$  gamma directional correlations in the decay  $\text{Sb}^{124} \rightarrow \text{Te}^{124}$ , 1=5420
- Paul, H. Higher order chance coincidences in a fast-slow coincidence arrangement, 1=18736
- Paul, H. See Brunner, W., 1=3467
- Paul, H. See Brunner, W., 1=4878
- Paul, H. See Brunner, W., 1=4881
- Paul, H. See Brunner, W., 1=7409
- Paul, H. See Brunner, W., 1=13867
- Paul, H. See Brunner, W., 1=19550
- Paul, R. Solutions of concentration-dependent diffusion equation, 1=175



- Paul, R. Force constants for unlike molecular interactions on exp-six model from inter-diffusion, 1=8864
- Paul, W. Band structure of the intermetallic semiconductors from pressure experiments, 1=17706
- Paul, W. See Cardona, M., 1=17447
- Paul, W. See Deutsch, T., 1=17625
- Paul, W. See Nathan, M.I., 1=14448
- Paulikas, G.A. See Allen, T.K., 1=284
- Paulikas, G.A. See Kaplan, S., 1=16267
- Paulin, A. The optimum length of a microtron accelerating gap, 1=18963
- Pauling, L. Nature of the metallic orbital, 1=11141
- Pauliny-Toth, I.I.K., Baldwin, J.E. and Shakeshaft, J.R. Some attempts to detect linear polarization of galactic radio emission from the spur at  $\mu = 30^\circ$ , 1=10398
- Paulson, K.V. See Forsyth, P.A., 1=9195
- Paulson, R. See Ginsburg, N., 1=1840
- Paulus, M. and Reverchon, F. An ion bombardment device for micrographic samples, 1=20718
- Pauly, J. Study of the isotopic effect on the course of the electromigration of lithium in vitreous silica, 1=13972
- Pauncz, R. See de Heer, J., 1=4942
- Pauncz, R. See Löwdin, P.O., 1=4173
- Pauncz, R. See Ritter, Z.W., 1=12243
- Pauri, M. See Amar, V., 1=16899
- Pautamo, Y. See Hovi, V., 1=14161
- Pautamo, Y. See Hovi, V., 1=14162
- Pauthenet, R. See Aléonard, R., 1=2488
- Pauthenet, R. See Barnier, Y., 1=14695
- Pauthenet, R. See Barnier, Y., 1=14699
- Pauthenet, R. See Barnier, Y., 1=20069
- Pauthenier, M. and Cochet, R. The twofold physical aspect of the influence of dust deposit on the electrical purification of aerosols, 1=15209
- Pauthier-Camier, S. See Lucas, R., 1=20282
- Pavlenko, V.A., Rafal'son, A.E. and Shereshevskii, A.M. Industrial mass spectrometers. Production and new developments [in USSR]. Review, 1=4664
- Pavlenko, Ye.A. See Nyemets', O.F., 1=12033
- Pavlichenkov, I.M. See Grin', Yu.T., 1=19344
- Pavlik, N. High-temperature stability of magnetic materials, 1=6344
- Pavlinov, L.V. See Lyashenko, V.S., 1=6115
- Pavlinov, L.V. See Lyashenko, V.S., 1=6116
- Pavlov, E.I. See Nasedkin, Yu.F., 1=7035
- Pavlov, N.M. See Rzhzanov, A.V., 1=14438
- Pavlov, V.A. See Datsko, O.I., 1=3962
- Pavlov, V.A. See Ketova, V.P., 1=10208
- Pavlov, V.P. See Zav'yalov, O.I., 1=19236
- Pavlov, V.P. See Zav'yalov, P.I., 1=16861
- Pavlova, V.P. See Arkharov, V.I., 1=14311
- Pavlovskaya, É.A. See Yurasova, V.E., 1=4017
- Pavlovskaya, V.S., Podd'yakov, V.N. and Finkel'shtein, B.N. A study of ageing of duralumin using nuclear magnetic resonance, 1=6540
- Pavlovskaya, V.V. See Gol'danskii, V.I., 1=4786
- Pawlek, F. and Seeger, D. On the influence of non-metallic inclusions on the demagnetization losses of silicon-iron transformer laminations, 1=6284
- Pawsey, J.L. Radio evidence on the large-scale structure of our own and external galaxies. [Introductory lecture to Part IV — the large-scale structure of galaxies], 1=18183
- Pawsey, J.L. and Harting, E. An attempt to detect linear polarization in the galactic background radiation at 215 Mc/s, 1=5254
- Pawsey, J.L. and Hill, E.R. Cosmic radio waves and their interpretation, 1=8012
- Pawsey, J.L. See McGee, R.X., 1=10372
- Paxman, D.H. Spin-lattice relaxation time measurements in dilute potassium ferricyanide, 1=14811
- Paxton, G.W. See Fowler, R.G., 1=2785
- Paxton, G.W. See Rocard, J.M., 1=11669
- Paxton, H.C. See Linenberger, G.A., 1=13898
- Paxton, H.W. See Pound, G.M., 1=11220
- Payen de la Garanderie, H. Emission spectra of mixed cadmium and zinc sulphides activated with silver: the existence of two emission bands, 1=19978
- Paymal, J. and Susse, C. Attempt to interpret the influence of pressure on the modulus of rigidity of two glasses irradiated by neutrons, 1=20301
- Payne, H. and Czyzak, S.J. On the torsion of a thin-wall cylinder following a plastic extension, 1=1311
- Payne, H. See Czyzak, S.J., 1=20320
- Payne, R.T. and Lawson, A.W. Cation mobility and thermal contraction in AgI, 1=12357
- Pazienza, G. The shadow zone in the propagation of sound in the sea, 1=2826
- Pazienza, G. Possibilities and limitations of the use of low frequencies for echo-location, 1=2830
- Peach, G. See McDowell, M.R.C., 1=4556
- Peach, G. See McDowell, M.R.C., 1=18769
- Peacock, N.J. See Bodin, H.A.B., 1=9589
- Peacock, N.J. See Bodin, H.A.B., 1=18826
- Peacock, N.J. See Bodin, H.A.B., 1=18880
- Peacock, T.E. The  $\pi$  electron properties of graphite, 1=3624
- Peacock, T.E. The electronic structure and spectrum of nitrobenzene, 1=14064
- Peacock, T.E. The effect of bond length variations in molecular orbital calculations of  $\pi$ -electron spectra— aniline, 1=14085
- Peacock, T.E. The effective number of electrons in the  $\pi$  band of graphite, 1=14211
- Peak, L.S. See Brisbourn, F.A., 1=13562
- Pearce, R.M. See Bigham, C.B., 1=2266
- Pearlstein, L.D. and Stuart, G.W. Effect of collisional energy loss on ionization growth in  $H_2$ , 1=16265
- Pearlstein, L.D. See Tang, Y.C., 1=10968
- Pearson, C.A. and Butler, S.T. Extensive air showers and the upper atmosphere, 1=575
- Pearson, C.A. See Butler, S.T., 1=10946
- Pearson, C.A. See Butler, S.T., 1=12199
- Pearson, F.J. Some notes on theories of helium, 1=5385
- Pearson, J.E. See Lane, J.A., 1=5579
- Pearson, J.J. Theory of the magnetic anisotropy in  $KMnF_3$ , 1=2465
- Pearson, J.J. See Gelbard, E.M., 1=2064
- Pearson, R.F. and Cooper, R. Magnetic anisotropy and rotational hysteresis in single crystals of magnetite below the transition temperature, 1=12529
- Pearson, R.F. and Cooper, R.W. Torque measurements on rare-earth doped yttrium iron garnet, 1=6364
- Pearson, R.F. and Teale, R.W. Magnetic resonance and magnetocrystalline anisotropy in yttrium iron garnet, 1=3925
- Pearson, R.F. See Teale, R.W., 1=6404
- Pearson, S., Board, A.J. and Wheeler, C. The effect of fatigue stressing on the diffusion rate of zinc in aluminium, 1=19807
- Pearson, W.B. and Templeton, I.M. The effect of dissolved iron on the thermoelectricity of silver at very low temperatures, 1=17815
- Pearson, W.B. and Wolff, G.A. Departures from the ideal chemical and physical structure of a semiconductor considered in relation to chemical reactivity, 1=3736
- Pearson, W.B. See Gold, A.V., 1=6070
- Pearson, W.B. See MacDonald, D.K.C., 1=1114
- Pearson, W.B. See MacDonald, D.K.C., 1=3796
- Pearson, W.B. See MacDonald, D.K.C., 1=17806
- Pearson, W.B. See Mooser, E., 1=1111
- Pearson, W.B. See Pirson, U.B., 1=14526
- Pearson, W.B. See Pirson, U.B., 1=17809
- Pease, M.C. Transduction of noise, theory of a generalized traveling-wave coupler, 1=10786
- Pease, M.C. Generalized coupled mode theory, 1=13177
- Pease, R.S. Sputtering of solids by penetrating ions, 1=7108
- Peaslee, D.C. See Carver, J.H., 1=608
- Pébay-Peyroula, J.C. See Archambault, Y., 1=17260
- Pebay-Peyroula, J.C. See Decomps, B., 1=2280
- Pebay-Peyroula, J.C. See Decomps, B., 1=7431
- Pebay-Peyroula, J.C. See Decomps, B., 1=12258
- Peck, J.M. See Aaraj, S., 1=10129
- Peck, J.M. See Colvin, R.V., 1=7734
- Peck, R.A., Jr. Single particle effects in (n,p) spectra of medium weight nuclei, 1=8742
- Peck, R.A., Jr. (n,d) and (n,p) reactions near  $Z = 50$ , 1=12209
- Peck, R.A., Jr. Gross structure in reactions of deformed nuclei, 1=19423
- Pecker, C. Study of the spectra taken by Bernard Lyot of the eclipse at Khartoum of 28 February 1952. II. Study of a coronal condensation, 1=28

- Pecker, C. The excitation of the red coronal line  $\lambda$  6374, 1-4199
- Pecker, C. A study of Si X emission from the outer layers of the sun, 1-6712
- Pecker, C. and Thomas, R.N. The ratio of intensities of the green and red coronal lines, 1-15486
- Pecker, J.C. See Balli, E., 1-18082
- Pecker, J.C. See Lefevre, J., 1-15453
- Pedersen, B. See Holcomb, D.F., 1-14822
- Pedersen, B.O. See Morris, R.M., 1-7948
- Pedersen, J.C. See Greenberg, J.M., 1-2887
- Pedersen, M.A. Acoustic intensity anomalies introduced by constant velocity gradients, 1-6928
- Pedersen, M.A. Remarks on Mr. Stewart's comments on my paper entitled "acoustic intensity anomalies, etc", 1-12939
- Pedersen, N.E. See Greenberg, J.M., 1-2887
- Pederson, E.C.B. and Bell, R.E. The half-life of the first excited state of  $Tl^{203}$ , 1-5879
- Ped'ko, A.V. Anomalies in the physical properties of gadolinium ferrite garnet in the low temperature region, 1-20123
- Ped'ko, A.V. See Belov, K.P., 1-20145
- Pedrotti, L.S. and Reynolds, D.C. Energy model for edge emission in cadmium sulfide, 1-1176
- Pedrotti, L.S. See Reynolds, D.C., 1-17912
- Peek, J.M. and Lassetre, E.N. Molecular orbital treatment of hydrogen with central potentials and modified boundary conditions, 1-3559
- Peelaers, W. See van Itterbeek, A., 1-17933
- Peet, C.S. See Bulloff, J.J., 1-17643
- Peet, C.S. See Gorton, H.C., 1-7651
- Peeva, A. and Karatoteva, T. On the temperature accommodation of self quenching G.M. counters, 1-13202
- Peeva, A. and Karatoteva, T. Temperature stable region and ageing of the self-quenching G.M. counters, 1-13203
- Pefhany, J. Pneumatic gauges for in-pile measurements, 1-2269
- Pegis, R.J. An exact design method for multilayer dielectric films, 1-16101
- Pegis, R.J. The modern development of Hamiltonian optics, 1-18545
- Peibst, H. See Kleber, W., 1-1084
- Peibst, H. See Kleber, W., 1-10106
- Peierls, R.E. Professor H.W.B. Skinner, F.R.S. (1900-1960), 1-5180
- Peierls, R.E. Open problems [in nuclear structure], I, 1-8530
- Peierls, R.F. Possible mechanism for the pion-nucleon second resonance, 1-12108
- Peiffer, H.R. and Stevenson, F. Cold work and subsequent electrical resistivity increases in pure aluminum, 1-6123
- Peinemann, B. See Gobrecht, H., 1-17752
- Pekar, S.I. Identification of excitons with light waves in a crystal and a macroscopic theory of excitons with and without account of retardation, 1-4981
- Pekar, S.I. and Strȓzhevs'kȓi, S.I. A contribution to the theory of the temperature dependence of dispersion and exciton absorption of light in crystals, 1-19951
- Pekárek, L. and Šícha, M. The connection between low-gradient form of the positive column in oxygen and moving striations, 1-16285
- Pekeris, C.L., Alterman, Z. and Jarosch, H. Rotational multiplets in the spectrum of the earth, 1-10302
- Pekeris, C.L., Alterman, Z. and Jarosch, H. Terrestrial spectroscopy, 1-20797
- Pekeris, C.L. See Alterman, Z., 1-9182
- Peletier, L.A. and Van Wijngaarden, L. Couette flow of a fully ionized gas, considered as a two-component fluid, 1-16541
- Peletminskii, S.V. See Akhiezer, I.A., 1-5236
- Peletminskii, S.V. See Akhiezer, I.A., 1-14683
- Peletminskii, S.V. See Akhiezer, I.A., 1-18314
- Peletminskii, S.V. See Bar'yakhtar, V.G., 1-3921
- Peletmȓn'skȓi, S.V. Volume and surface magneto-elastic waves in metals, 1-11444
- Pell, E.M. Study of Li-O interaction in Si by ion drift, 1-11301
- Pell, E.M. and Ham, F.S. Recombination kinetics for thermally dissociated Li-B ion pairs in Si, 1-11302
- Pellam, J.R. Lev Davydovich Landau. Winner of the Second Fritz London Award, 1-6758
- Pellegrini, F. ( $d$ ,  $\alpha$ ) reactions on  $C^{12}$ ,  $O^{16}$  and  $Mg^{24}$ , 1-8767
- Pells, G.P. See Montgomery, H., 1-19720
- Pelsmaekers, J. and Amelinckx, S. Simple apparatus for comparative density measurements, 1-10470
- Penciolelli, G. See Bergeron, C., 1-4441
- Pendleton, H., III. See Barshay, S., 1-8491
- Penfield, P., Jr. Available power from a nonideal thermal source, 1-16181
- Penfold, J. See Childs, B.G., 1-1195
- Penin, N.A. See Belova, N.A., 1-1091
- Penkin, N.P. and Red'ko, T.P. Relative oscillator strengths of some Zn I and Cd I lines, 1-13953
- Penkin, N.P. See Ostrovskii, Yu.I., 1-5973
- Penkin, N.P. See Ostrovskii, Yu.I., 1-13954
- Penkin, N.P. See Ostrovskii, Yu.I., 1-19588
- Pen'kov, S.N. Method for measuring small optical anisotropy, 1-18559
- Pen'kovs'kȓi, V.V. See Frantsevȓch, I.N., 1-12655
- Pen'kovs'kȓi, V.V. See Frantsevȓch, I.N., 1-12656
- Pen'kovs'kȓi, V.V. See Frantsevȓch, I.N., 1-12657
- Penman, S. See Hutchinson, D.P., 1-16833
- Penné, J. On the classical model of Bopp and Haag for Pauli particles, 1-9726
- Penné, J. On a nonrelativistic wave equation for spin-1 particles, 1-13293
- Penner, S. Calculations of properties of magnetic deflection systems, 1-4661
- Penner, S.S. and Gray, L.D. Approximate infrared emissivity calculations for HCl at elevated temperatures, 1-12926
- Penney, W. See Hunt, J.N., 1-7928
- Pennington, G.A. See Spikes, R.H., 1-124
- Pennington, R.H. Equation of a charged particle shell in a perturbed dipole field, 1-15340
- Penny, C.J.A. Comparison of time determined by the rotation of the earth with time obtained from atomic frequency standards, 1-18022
- Penrod, E.B. and Cho Yen Ho. Mathematical theory of a Peltier effect refrigerator and a thermoelectric generator, 1-16252
- Pepin, P., Tertian, L. and Trillat, J.J. Changes observed in thin films of iron-aluminum alloys heated in air or a vacuum, 1-11576
- Pepperhoff, W. Making a grain structure visible by means of interference [-forming] evaporated layers, 1-1422
- Percival, I.C. A variational principle for scattering phases, 1-454
- Percival, I.C. Waves in a conducting sheet situated in a strong magnetic field, 1-1967
- Percival, I.C. Almost periodicity and the quantal H theorem, 1-5216
- Percus, J.K. See Lebowitz, J.L., 1-9345
- Perdriel, G. See Grognot, P., 1-21139
- Perdrisat, C.F. See Leisi, H.J., 1-9832
- Peregud, B.P. and Abramova, K.B. An instrument for the automatic operation of a magnetic spectrometer, 1-5713
- Perekalina, T.M., Askochinskii, A.A. and Sannikov, D.G. Resonance of domain walls in cobalt ferrite, 1-20092
- Perekalina, Z.B. See Belyaev, L.M., 1-14632
- Perel', V.I. and Eliashberg, G.M. Absorption of electromagnetic waves in a plasma, 1-18867
- Perel', V.I. See Konstantinov, O.V., 1-4605
- Perel', V.I. See Konstantinov, O.V., 1-9610
- Perel'man, S.M., Malinin, V.I. and Shyutte, N.M. A photon counter with a control grid, 1-9742
- Perel'man, T.L. and Anisimov, S.I. The density distribution of charged particles in meteor trails, 1-6704
- Perelomov, A.M. Depolarization of  $\mu^+$ -mesons and polarization of  $\Sigma^+$ -particles in a magnetized paramagnetic gas, 1-19225
- Perelomov, A.M. See Gribov, V.N., 1-16687
- Perelomov, A.M. See Zel'dovich, Ya.B., 1-19120
- Perelyȓin, V.P. See Druin, V.A., 1-19541
- Perelyȓin, V.P. See Myachkova, S.A., 1-17118
- Perepechko, I.I. and Yakovlev, V.F. Interferometer measurement of ultrasonic absorption in gases, 1-18531
- Peres, A. Quantum limitations of Mach's principle, 1-1684
- Peres, A. Problem of Rainich for scalar fields, 1-4236
- Peres, A. Electromagnetic radiation from a freely gravitating charge, 1-5534
- Peres, A. Nonlinear electrodynamics in general relativity, 1-9775
- Peres, A. Neutrino and cosmology, 1-10369



- Peres, A. On geometrodynamics and null fields, 1=16496  
 Peres, A. Gauge covariance of spinor geometry, 1=18266  
 Peres, A. and Rosen, N. Covariant formalism for particle dynamics, 1=5186  
 Peresada, V.P. Diffraction in a non-uniform field, 1=5591  
 Peressini, E.R. See Hartwick, T.S., 1=6407  
 Peressini, E.R. See Hartwick, T.S., 1=7780  
 Peressutti, G. See Furlan, G., 1=9747  
 Perey, F.G.J. Distorted wave born calculation for inelastic scattering of 14 MeV neutrons, 1=8736  
 Perez, M. See Bergström, I., 1=5855  
 Perez-Mendez, V. See Atkinson, J.H., 1=12206  
 Perez-Mendez, V. See Barish, B.C., 1=8486  
 Perez-Mendes, V. See Caris, J.C., 1=2086  
 Perez-Mendes, V. See Caris, J.C., 1=7270  
 Perez-Mendez, V. See Goodwin, L.K., 1=7277  
 Perez-Mendez, V. See Kenney, R.W., 1=8484  
 Perez-Mendez, V. See Longo, M.J., 1=10921  
 Perfilov, G.A. See Gorichev, P.A., 1=17177  
 Perfilov, N.A. Fissionability of nuclei by high-energy protons, 1=19548  
 Perfilov, N.A., Lozhkin, O.V. and Shamov, V.P. Processes of fragmentation and fission in interactions between high energy particles and nuclei, 1=3468  
 Perfilov, N.A., Romanov, Yu.F. and Solov'eva, Z.I. Fission of heavy nuclei with emission of range  $\alpha$ -particles, 1=8798  
 Perfilov, N.A. and Serebrennikov, Yu.I. The interaction of 660-MeV protons with carbon, nitrogen and oxygen nuclei, 1=17106  
 Perfilov, N.A. and Solov'eva, Z.Z. The complex fission of uranium by 14 MeV neutrons, 1=5945  
 Perfilov, N.A., Solov'eva, Z.I., Filov, R.A. and Khlebnikov, G.I. The triple spontaneous fission of  $\text{Cm}^{244}$ , 1=5944  
 Perfilov, N.A., Solov'eva, Z.I., Filov, R.A. and Khlebnikov, G.I. The triple spontaneous fission of  $\text{Cm}^{242}$ , 1=11042  
 Perfilov, N.A. See Obukhov, A.I., 1=19553  
 Périchon, J. See Perron, R., 1=17901  
 Périneau, A. Results of ionospheric observations carried out during the total eclipse of 15th February 1961, 1=20916  
 Perio, P. and Tournarie, M. Periodic antiphase structures or alloys of long periods, 1=12646  
 Perkin, J.L. See Coleman, R.F., 1=5943  
 Perkins, D.H. See Baldassarre, F., 1=16862  
 Perkins, D.H. See Duthie, J., 1=3257  
 Perkins, D.H. See Duthie, J., 1=3258  
 Perkins, D.H. See Duthie, J.G., 1=3364  
 Perkins, D.H. See Duthie, J.G., 1=3365  
 Perkins, D.H. See Fowler, P.H., 1=3301  
 Perkins, D.H. See Fowler, P.H., 1=5803  
 Perkins, D.H. See Fowler, P.H., 1=10343  
 Perkins, M. See Takaki, R., 1=3361  
 Perkins, R.B. See Simmons, J.E., 1=19216  
 Perkins, R.W., Nielsen, J.M. and Diebel, R.N. Total absorption gamma-ray spectrometers utilizing anticoincidence shielding, 1=2033  
 Perkins, W.A. See Kenney, R.W., 1=8484  
 Perkins, W.A. See Post, R.F., 1=7085  
 Perkins, W.A. III. See Caris, J.C., 1=2086  
 Perkins, W.A. III. See Caris, J.C., 1=7270  
 Perl, M.L. See Jones, L.W., 1=3101  
 Perl, M.L. See Lai, K.W., 1=16870  
 Perl, W. A method for curve-fitting by exponential functions, 1=13669  
 Perlin, Yu.E. and Kovarskii, V.A. The theory of the impurity scattering of slow polarons, 1=17478  
 Perlin, Yu.E., Marinchuk, A.E. and Kon, A.Z. The theory of thermoluminescence of impurity crystals, 1=20034  
 Perlin, Yu.E. and Palistrant, M.E. On the theory of photo-ionization of F-centres, 1=10018  
 Perlman, H.S. Relativistic K-shell stopping power theory, 1=816  
 Perlman, H.S. The relativistic theory of K ionization by electrons, 1=2302  
 Perlman, I. Particle states in strongly deformed nuclei, 1=8593  
 Perlman, I. See Asaro, F., 1=8660  
 Perlman, M.L. See Harmer, D.S., 1=7339  
 Perlmutter, M. See Deissler, R.G., 1=18375  
 Perlow, G.J., Ramler, W.J., Stehney, A.F. and Yntema, J.L. Delayed neutrons from  $\text{N}^{17}$ , 1=7362  
 Perls, T.A. See Mattes, B.L., 1=8256  
 Perls, T.A. See Rule, E., 1=2813  
 Perl'shtein, V.A. See Khaimov-Mal'kov, V.Ya., 1=20421  
 Pernegr, J., Petržílka, V., Sedlák, J. and Vrána, J. Energy spectrum of electron pairs in a high energy photon-electron cascade, 1=13553  
 Pernegr, J., Petržílka, V. and Simak, V. Asymmetries in the angular distribution of jet particles, 1=3264  
 Pernegr, J., Šimák, V. and Votruba, M. The two-centre models of particle emission in cosmic-ray jets, 1=16925  
 Perny, G. Spectroscopic research on silver iodide and lead iodide in the crystalline state, 1=17892  
 Perrault, G. Conductivity of the proton in aqueous solution, 1=15901  
 Perrault, G. Protonic conductivity in pure water, 1=15902  
 Perrier, F. See Dupouy, G., 1=7050  
 Perrier, F. See Dupouy, G., 1=20714  
 Perrin, P. See Bouchez, R., 1=13791  
 Perrin, P. See Bouchez, R., 1=13796  
 Perrin, P. See Fleury, J., 1=13534  
 Perring, J.K. and Phillips, R.J.N. On the hard core in nuclear forces, 1=5811  
 Perron, J.C. Measurement of thermal conductivities in the unsteady state, 1=16133  
 Perron, R. and Périchon, J. Infrared spectra of fatty acids in the solid state in the region  $700-900\text{ cm}^{-1}$ , 1=17901  
 Perroud, P. See de La Harpe, A., 1=6973  
 Perry, C.H. See Bloor, D., 1=16077  
 Perry, C.H. See Jones, G.O., 1=17894  
 Perry, C.L. See Passell, T.O., 1=5254  
 Perry, D.L. See White, A.D., 1=10739  
 Perry, R.L. Experimental evidence for the existence of two distinct field emission characteristics from silicon emitters, 1=8341  
 Perry, R.R. See Kashy, E., 1=7324  
 Perry, W.E. See Dale, J.W.G., 1=13208  
 Pershan, P.S. and Bloembergen, N. Electrically induced shift of the  $\text{F}^{18}$  resonance frequency in  $\text{MnF}_2$ , 1=20262  
 Pershan, P.S. See Bloembergen, N., 1=1149  
 Pershin, I.I. See Barmin, V.V., 1=19273  
 Persico, F. See Bellomonte, L., 1=10179  
 Person, W.B., Anderson, G.R., Fordemwalt, J.N., Stammreich, H. and Forneris, R. Infrared and Raman spectra, force constants, and the structures of some polyhalide ions:  $\text{ICl}_2^-$ ,  $\text{ICl}_3^-$ ,  $\text{BrCl}_2^-$ , and  $\text{Br}_3^-$ , 1=14029  
 Personov, R.I. See Litvin, F.F., 1=7707  
 Personov, R.I. See Litvin, F.F., 1=11361  
 Persoz, B. Birefringence of a polystyrene submitted to a constant pulling force, 1=14575  
 Persson, B. See Ask, L., 1=19064  
 Persson, B. See v. Friesen, S., 1=16638  
 Persson, L. and Stockendal, R. A determination of the K-conversion coefficient of the 6.1 sec  $\text{M}_4$  transition in  $\text{Pb}^{203}$ , 1=19414  
 Persson, L. and Sujkowski, Z. K- and L-electron capture probabilities and the decay energy of  $\text{Pb}^{203}$ , 1=19415  
 Persson, P.A. See Bowden, F.P., 1=14897  
 Pertsov, N.V. See Shchukin, E.D., 1=14910  
 Pervakov, B.A. See Khotkevich, V.I., 1=1020  
 Pervakov, V.A. and Khotkevich, V.I. Calorimetric determination of the formation energy of vacancies in gold, 1=3654  
 Pervakov, V.A. and Khotkevich, V.I. Calorimetric determination of the formation energy of vacancies in gold, 1=7577  
 Pervakov, V.A., Khotkevich, V.I. and Shepelev, A.G. Latent energy of plastic deformation of silver at  $-196^\circ$  and  $20^\circ\text{C}$ , 1=9091  
 Pervakov, V.O. See Khotkevich, V.H., 1=14358  
 Pery-Thorne, A. and Garton, W.R.S. Absorption of krypton in the extreme ultraviolet, 1=2291  
 Perzyna, P. See Olszak, W., 1=20336  
 Peschanskii, V.G. See Kaner, E.A., 1=14172  
 Pescia, J. A high power microwave spectrograph (amplitude modulated and frequency stabilized) for diverse applications, 1=13186  
 Pescia, J. See Herve, J., 1=3071  
 Peshkin, M. Symmetry theorems for isospin-invariant reactions, 1=2014  
 Peshkin, M. Angular asymmetry theorems for decay products, 1=10868  
 Peshkin, M., Talmi, I. and Tassie, L.J. The quantum mechanical effects of magnetic fields confined to inaccessible regions, 1=8373  
 Peshkov, V.P. Critical velocities in superfluid helium, 1=16190

## AUTHOR INDEX

- Peshkov, V.P. and Zinov'eva, K.N. Experimental research with He<sup>3</sup>, 1=4523
- Peshori, L.H. See Kuchela, K.S., 1=2176
- Pesic, D.S. Isotope effect in band spectra of magnesium oxide, 1=2328
- Pesin, M.S. and Fabelinskii, I.L. Spectroscopic investigation of the propagation of hypersonic vibrations in viscous liquids, 1=8183
- Pesin, M.S. and Fabelinskii, I.L. Spectroscopic investigation of the propagation of hypersonic vibrations in viscous liquids, 1=10670
- Pessall, N. See Jones, D.W., 1=10130
- Pestel, E. See Leckie, F., 1=5317
- Petch, H.E. See Pieczonka, W.A., 1=2495
- Peter, H. Thermoluminescence and dosimetry in samarium-activated CaSO<sub>4</sub>, 1=16621
- Peter, M. Paramagnetic resonance of <sup>9</sup>S state ions in metals, 1=6417
- Peter, M. See Jaccarino, V., 1=1277
- Peter, M. See Matthias, B.T., 1=3882
- Peter, M. See Sugano, S., 1=7549
- Peterkop, R. Asymptotic expansions of charged-particle wave-functions, 1=3116
- Peterkop, R. Consideration of exchange in ionization, 1=16260
- Peterkop, R. Consideration of exchange in ionization, 1=16262
- Peterlin, A. Gradient dependence of intrinsic viscosity of freely flexible linear macromolecules, 1=2730
- Peterlin, A. Viscosity and dynamic birefringence of flexible macromolecules, 1=15877
- Peterlin, A. and Pintar, M. Temperature dependence of N.M.R. Absorption in solid acetic acid and in some of its chloro and acid chloride derivatives, 1=8856
- Peterman, A. See Eriksson, K.E., 1=422
- Petermann, A. On the muon g-factor, 1=8469
- Peters, B. Primary energy spectrum and air showers, 1=2142
- Peters, B. See Goldhaber, G., 1=12083
- Peters, B. See Murthy, G.T., 1=3327
- Peters, C.W. See Franken, P.A., 1=18556
- Peters, C.W. See Terhune, R.W., 1=8228
- Peters, R. See Hubbard, E.L., 1=10749
- Petersen, R.E. and Emmons, H.W. Stability of laminar flames, 1=7807
- Petersen, R.G. and Phillips, N.E. Heat capacity of antiferromagnetic CuCl<sub>2</sub>·2H<sub>2</sub>O in the spin wave region, 1=9978
- Peterson, A.W. Three-color photometry of the zodiacal light, 1=5146
- Peterson, G.A. and Barber, W.C. Inelastic electron scattering from the deuteron, 1=19285
- Peterson, G.E. See Lehist, I., 1=6662
- Peterson, G.E. See Lehist, I., 1=7952
- Peterson, J.M. See Hernandez, H.P., 1=18956
- Peterson, L. See Winckler, J.R., 1=15585
- Peterson, S.W. and Smith, H.G. Anomalous neutron diffraction in  $\alpha$  cadmium sulfide, 1=4046
- Peterson, V.Z. See Bertanza, L., 1=7265
- Peterson, V.Z. See Maloy, J.O., 1=8483
- Petford, A.D. Micrometer measurement of high dispersion spectra, 1=12734
- Petherbridge, P. See Longmore, J., 1=10610
- Pethica, B.A. See Jones, P.L., 1=1479
- Petiau, G. On the introduction of the concept of a generalized potential in nonlinear theory of particles with spin and its application to the study of simple-structure corpuscle-field models, 1=15691
- Petiau, J. See Le Bilhan, M.T., 1=4050
- Peticolas, W.L. and Menefee, E. Molecular-weight dependence of the viscoelastic properties of whole polymers, 1=14134
- Peticolas, W.L. See Menefee, E., 1=14133
- Petit, G. See Bourlance, C., 1=20722
- Petit, G.Y. Some levels obtained in the course of the alpha disintegration of Th<sup>237</sup> (RaAc), 1=13705
- Petit, G.Y. See Braganca Gil, F., 1=13754
- Petit, J.L., Sicard, L. and Eyraud, L. A simple device for differential enthalpic analysis, 1=9504
- Petitjean, C. See Curien, H., 1=17821
- Petrakis, L. and Sederholm, C.H. Temperature-dependent chemical shifts in the N.M.R. spectra of gases, 1=17354
- Petrakis, L. and Sederholm, C.H. N.M.R. fluorine-fluorine coupling constants in saturated organic compounds, 1=17355
- Petralia, S. See Cevolani, M., 1=16445
- Petrascu, M.G. See Mihul, A.C., 1=745
- Petrash, G.G. Optimum conditions for measurement of absorption band widths, 1=2874
- Petrash, G.G. Optimum condition for recording of spectra, 1=4453
- Petrashen', M.I., Abarenkov, I.V. and Kristofel', N.N. Approximate wave-functions of free ions and of ions in a crystal, 1=14200
- Petrashku, M.G. See Egorov, L.B., 1=5988
- Petrashku, M.G. See Egorov, L.B., 1=17298
- Petrashku, M.G. See Egorov, L.B., 1=19226
- Petrashku, M.G. See Mikhul, A.K., 1=12228
- Petravič, M. See Ilakovac, K., 1=7290
- Petrenko, P.V. and Kuz'menko, P.P. Certain anomalies in the electrical resistance of iron-aluminum alloys due to the iron corner, 1=12412
- Petrenko, P.V. See Kuz'menko, P.P., 1=15129
- Petříček, V. See Burget, J., 1=20192
- Petrick, M. See Marchaterre, J.F., 1=18675
- Petrie, L.E. See Fulton, B.J., 1=21065
- Petriz, R.L. See Pagel, B.R., 1=14484
- Petrocelli, A.W. See Kraus, D.L., 1=6814
- Petrolo, J. See Johnston, W.D., 1=20420
- Petropoulos, J.H. See Barrer, R.M., 1=19799
- Petrov, A.N., Taluts, G.G. and Giterman, M.Sh. The theory of the Stark effect of excitons in ionic crystals, 1=7558
- Petrov, A.V. See Devyatkov, E.D., 1=14189
- Petrov, A.V. See Devyatkov, E.D., 1=17432
- Petrov, D.A. and Bukhanova, A.A. Supercooling in a melt and the growth of crystals by the Czochralski method, 1=20437
- Petrov, G.G. See Gol'danskii, V.I., 1=492
- Petrov, M.P. See Afrosimov, V.V., 1=9609
- Petrov, N.A. See Kryazhev, F.I., 1=16016
- Petrov, N.I. See Neagu, D., 1=10922
- Petrov, N.I. See Nyagu, D.V., 1=19261
- Petrov, N.N. and Dorozhkin, A.A. Emission of electrons from tungsten bombarded with positive ions, 1=16391
- Petrov, R.V. See Emel'yanenko, O.V., 1=11266
- Petrov, T.G. and Treibus, E.B. Crystal growing by the temperature difference method with free convection conditions of the solution, 1=4027
- Petrov, Yu.F. See Osovets, S.M., 1=7039
- Petrov, Yu.G. See Petrzhak, K.A., 1=5948
- Petrov, Yu.I. Gamma radiation from U<sup>235</sup> and Pu<sup>239</sup> fission fragments, 1=17174
- Petrovichev, V.I. Heat transfer to mercury in a circular tube and annular channels with sinusoidal heat load distribution, 1=18644
- Petrových, N.V. See Grechanik, L.A., 1=10047
- Petrucchi, R.H. See Callahan, J.L., 1=9119
- Petrunkin, V.A. Scattering of low-energy photons on a system with spin  $\frac{1}{2}$ , 1=16732
- Petrusevich, R.L. See Lainer, D.I., 1=1375
- Petrusevich, V.A. The determination of certain parameters of a semiconductor from the slope of the spectral response of the photoconductivity, 1=14425
- Petrusevich, V.A. and Sergeeva, V.M. Optical and photoelectric properties of In, Te, 1=11366
- Petrusevich, V.A., Sergeeva, V.M. and Smirnov, I.A. Connection between thermal and optical properties of In, Te, 1=11169
- Petrusevich, V.A., Subashiev, V.K. and Morozov, G.P. Investigation of germanium by photo-electric methods, 1=11325
- Petrusevich, V.A., Subashiev, V.K. and Morozov, G.P. Investigation of germanium by photoelectric methods, 1=17801
- Petruska, J. Changes in the electronic transitions of aromatic hydrocarbons on chemical substitution. I. Perturbation theory for substituted cyclic polyenes, 1=6030
- Petruska, J. Changes in the electronic transitions of aromatic hydrocarbons on chemical substitution. II. Application of perturbation theory to substituted-benzene spectra, 1=6031
- Petry, R.F. See Sastry, K.S.R., 1=10987
- Petrzhak, K.A., Petrov, Yu.G. and Shlyamin, E.A. Range and kinetic energy distributions of U<sup>235</sup> fission fragments, 1=5948
- Petrzhak, K.A. See Dmitriev, V.N., 1=3475
- Petrzhilka, V. See Belyakov, V.A., 1=19244
- Petrzhilka, V. See Glagolev, V.V., 1=8453
- Petržilka, V. See Pernegr, J., 1=3264
- Petržilka, V. See Pernegr, J., 1=13553
- Petschek, H.E. See Fishman, F.J., 1=5453



- Pettengill, G. and Price, R. Radar echoes from Venus and a new determination of the solar parallax, 1=10395
- Petter, G. A new attempt at visual presentation of magnetic field lines for measurement applications, 1=16477
- Petttersson, A.V. and Lindgren, B. The TiO band at 10 025 Å, 1=11098
- Petttersson, B.G., Gerholm, T.R., Grabowski, Z. and van Nooljen, B. Penetration matrix elements and nuclear structure effects in  $Tl^{201}$ , 1=9838
- Petttersson, B.G., Gerholm, T.R., Thun, J. and Siegbahn, K. Decoupling of a time-dependent perturbation caused by aftereffects of hole formation, 1=3421
- Petttersson, B.G., Hamilton, J.H. and Thun, J.E. Higher-order effects in an allowed positron decay in  $Co^{58}$ , 1=2185
- Petttersson, B.G., Thun, J.E. and Gerholm, T.R. Magnetic and quadrupole interactions in  $Hg^{199}$ . Angular correlations, 1=9839
- Petttersson, B.G., Thun, J.E. and Gerholm, T.R. Experimental determination of the conversion coefficient of the 412 keV  $E2$  transition in  $Hg^{198}$ , 1=9840
- Petttersson, B.G. See Gerholm, T.R., 1=9837
- Petttersson, B.G. See Grabowski, Z., 1=9841
- Petttersson, B.G. See Hamilton, J.H., 1=7349
- Petttersson, B.G. See Hamilton, J.H., 1=19406
- Pettie, M. Observation of nuclear magnetic resonance in emission, 1=4358
- Pettit, G.D. See Keller, S.P., 1=1151
- Pettit, G.D. See Keller, S.P., 1=5055
- Pettisol'd, É.G. Some electroluminescent properties of  $ZnO-Bi_2O_3$  mixtures, 1=8242
- Pettus, W.G. Age of  $U^{233}$  fission neutrons in water, 1=17205
- Pettus, W.G. The Dancoff effect in  $H_2O-D_2O$  moderated lattices, 1=17212
- Petty, E.R. Microhardness and other properties of magnesium compounds with the calcium fluoride structure, 1=6484
- Petty, R.L. See Pretzel, F.E., 1=11195
- Petukhov, B.S. and Yushin, A.Ya. Heat transfer during the flow of a liquid metal in the laminar and transition regions, 1=8250
- Petukhov, B.S. and Yushin, A.Ya. Heat transfer during the flow of a liquid metal in the laminar and transition regions, 1=10616
- Petukhova, N.I. See Dzhanelidze, L.P., 1=19282
- Petushkov, A.A. and Estulin, I.V. Circular polarization of the  $\gamma$ -rays accompanying the  $\beta$ -decay of  $Nd^{147}$ , 1=15715
- Petz, J.L., Kruh, R.F. and Amstutz, G.C. X-ray diffraction study of lead sulfide-arsenic sulfide glasses, 1=5101
- Petz, J.L. See Brady, G.W., 1=6854
- Petzold, J. Some comments on the theory of the Mössbauer effect, 1=8876
- Petzold, J. The theory of the Mössbauer effect, 1=13631
- Pevsner, A., Strand, R., Madansky, L. and Toohig, T. Auger rate in  $\mu$ -mesic atoms, 1=7450
- Pevsner, A. See Block, M.M., 1=13500
- Pevsner, A. See Leitner, J., 1=16901
- Pevsner, M.I. See Adamchuk, Yu.V., 1=19492
- Peyret, R. On transition régimes in certain flows of a perfectly conducting fluid, 1=16520
- Peyrou, C. See Bartke, J., 1=8513
- Peyturaux, R. The absolute measurement of monochromatic energy between 6000 Å and 8600 Å emitted from the centre of the solar disk, 1=6711
- Peyturaux, R. Study of the continuous background of the solar spectrum. V. The standard black body, 1=15448
- Pezaris, S.D. See Carabateas, E.N., 1=4641
- Pfann, W.G. and Thurston, R.N. Semiconducting stress transducers utilizing the transverse and shear piezoresistance effects, 1=14495
- Pfau, S. and Rutscher, A. The connection between static and moving striae in the positive columns of glow discharges, 1=4577
- Pfeffer, W. Specific heats of  $HoCl_3 \cdot 6H_2O$  and  $ErCl_3 \cdot 6H_2O$  in the temperature range between 1.2°K and 230°K, 1=9979
- Pfeffer, W. Specific heats of  $DyCl_3 \cdot 6H_2O$  and  $NdCl_3 \cdot 6H_2O$  in the temperature region between 1.2°K and 220°K, 1=17415
- Pfeffer, W. See Hellwege, K.H., 1=8881
- Pfeifer, F. Permalloy alloys with rectangular hysteresis loops, 1=11447
- Pfeifer, H. Proton relaxation and hydration in aqueous solutions of  $Mn^{++}$  ions, 1=12901
- Pfeifer, H. The translational part of the proton relaxation in aqueous solutions of paramagnetic ions, 1=18430
- Pfeifer, H. and Rothe, O. The noise of undamped tuned circuits, 1=2928
- Pfenninger, H.H. Elastic vibrations of quartz plates in stationary electric fields, 1=187
- Pfenninger, H.H. and Laves, F. Changes of refractive index of quartz plates during electrolysis, 1=10082
- Pfenninger, H.H. and Laves, F. Defect channels along the optic axis of quartz, 1=11212
- Pfirsch, D. See Lüst, R., 1=10603
- Pfister, H. Difference of X-ray reflection intensities from opposite directions of the {111}-planes of  $lnP$ , 1=11565
- Pfister, W., Ulwick, J.C. and Vancour, R.P. Some results of direct probing in the ionosphere, 1=20962
- Pfleger, E. See Bauer, J., 1=10490
- Pfleiderer, H., Seeger, A. and Kröner, E. Nonlinear elasticity theory with linear transformations, 1=6810
- Pfohl, R. and Lonchamp, J.P. Photographic study of fission tracks of  $U^{235}$  in nuclear emulsions, 1=8409
- Pfotzer, G. See Ehmert, A., 1=13583
- Pfotzer, G. See Ehmert, A., 1=19310
- Pham Mau Quan. On the relativistic analytical dynamics of a particle, 1=18247
- Pham Xuân Yem. Interactions between matter and radiation in functional theory, 1=7194
- Pham Xuan Yen. Graviton-electron interaction in functional theory, 1=13298
- Phan-Vac-Loc. Generalization of the cini-Touschek transformation (extreme relativistic limit of the Dirac equations) by the method of G.Morpurgo, 1=15682
- Phariseau, P. Surface states in a one-dimensional perfect semi-infinite crystal, 1=7548
- Phariseau, P. Subsurface states in one-dimensional crystals, 1=7555
- Phariseau, P. The energy spectrum of an amorphous substance, 1=9153
- Phariseau, P. The band structure of amorphous solids, 1=11176
- Phariseau, P. Surface states in a finite crystal, 1=14156
- Phelan, R. See Arp, V.D., 1=9513
- Phelps, A.V. and Pack, J.L. Collisional detachment in molecular oxygen, 1=5420
- Phelps, A.V. See Pack, J.L., 1=2300
- Phelps, D.H. See Christy, R.W., 1=17583
- Phelps, F.T. Midwest Solid State Conference, 1=14141
- Philibert, J. See Adda, Y., 1=982
- Philip, J.R. n-diffusion, 1=8085
- Philip, R. Influence of the rate of formation of thin films of silver, obtained by thermal evaporation, on their transmission and reflection factors, 1=7701
- Philip, R. Optical and structural properties of thin metal films. Influence of speed of formation, 1=19939
- Philipp, H.R. See Taft, E.A., 1=3815
- Philippe, M. See Cottier, J.M., 1=13447
- Philippoff, W. Determination of the anisotropy of bond-polarizability of liquids using flow-birefringence measurements, 1=4351
- Philippot, J. Initial conditions in the theory of irreversible processes, 1=15710
- Phillip, K.W. See Oster, L., 1=5147
- Phillips, D.C. See Chandrasekhar, S., 1=15040
- Phillips, D.L. See Fricke, H., 1=5274
- Phillips, D.L. See Lane, R.O., 1=17982
- Phillips, E.A. See Grodzins, L., 1=17868
- Phillips, G.C. and Biedenharn, L.C. The significance of the generalized density of states function for nuclear spectra, 1=8589
- Phillips, G.C., Griffy, T.A. and Biedenharn, L.C. The significance of the generalized density of states function for nuclear spectra, 1=3402
- Phillips, G.C. and Tombrello, T.A. Two-body cluster states in nuclei, 1=584
- Phillips, G.C. and Tombrello, T.A. Cluster model interpretation of energy width variations near threshold, 1=19427
- Phillips, G.C. See Beckner, E.H., 1=11007
- Phillips, G.C. See Beckner, E.H., 1=13798
- Phillips, G.C. See Spencer, R.R., 1=3396
- Phillips, G.C. See Tombrello, T.A., 1=585
- Phillips, G.C. See Tombrello, T.A., 1=7312
- Phillips, J.C. Giant spin density fluctuations, 1=3640
- Phillips, J.C. Generalized Koopmans' theorem, 1=11175

- Phillips, J.C. Cyclotron resonance. Theory, 1=17484  
 Phillips, J.C. Direct observation of open magnetic orbits, 1=19733  
 Phillips, L. See Hemenway, C.L., 1=15441  
 Phillips, N.E. and Matthias, B.T. Heat capacity of ferromagnetic superconductors, 1=1863  
 Phillips, N.E. See Lien, W.H., 1=7537  
 Phillips, N.E. See Petersen, R.G., 1=9978  
 Phillips, N.J. Plasma diffusion in systems with particle losses, 1=9553  
 Phillips, N.J. See Wright, J.K., 1=10719  
 Phillips, O.M. The mean horizontal momentum and surface velocity of finite-amplitude random gravity waves, 1=15811  
 Phillips, P.R. Microwave separator for high energy particle beams, 1=4675  
 Phillips, R. Diamond knife ultra microtomy of metals and the structure of microtomed sections, 1=20626  
 Phillips, R. and Lucas, J.H. Diamond knife trough for the ultra microtome, 1=21157  
 Phillips, R.J.N.  $n-p$  polarization and low energy  $p-p$  phase shifts, 1=4793  
 Phillips, R.J.N. On the  $\pi^- + p \rightarrow \Lambda^0 + K^0$  amplitude, 1=5769  
 Phillips, R.J.N. Antinucleon-nucleon annihilation to two mesons, 1=13408  
 Phillips, R.J.N. See Perring, J.K., 1=5811  
 Phillips, R.L., DeLosh, R.G. and White, D.E. Microwave propagation through a magnetoplasma, 1=7156  
 Phillips, V.A. See Ainslie, N.G., 1=3691  
 Phillips, V.J. See Cherry, E.C., 1=12719  
 Phillips, W.D. See Chesnut, D.B., 1=9056  
 Phillips, W.D. See Chesnut, D.B., 1=14804  
 Phillips, W.L., Jr. Lattice parameter studies of impurity effects on plastic properties of lithium fluoride, 1=12376  
 Phillips, W.R. See Policarpo, A.J.P.L., 1=19534  
 Phillipson, P. and Mulliken, R.S. Note on Hurley's "Improved molecular orbitals and the valence bond theory", 1=862  
 Phillips, P.E. See Ehrenson, S., 1=6038  
 Philp, S.F. See Ingraham, J.C., 1=13059  
 Philpot, J.L. See Hughes, R.H., 1=13944  
 Phlman, R. Ultrasonic transmission at boundary surfaces, 1=8180  
 Piazzoli, A. See Argan, P.E., 1=13242  
 Picard, E. The treatment of results in reactor control, 1=13900  
 Picasso, E. See Argan, P.E., 1=13242  
 Pichanick, F.M., Sandars, P.G.H. and Woodgate, G.K. The nuclear magnetic dipole moments of the stable isotopes of europium and the hyperfine structure anomaly, 1=804  
 Pichanick, F.M.J. and Woodgate, G.K. Zeeman effect in the ground multiplet of samarium, 1=13947  
 Picht, J. A generalization of the Schrödinger equation of wave mechanics, 1=2702  
 Picht, J. Further results on the wave theory of electrons, photons and other elementary particles, 1=16664  
 Pick, M. and Steinberg, J.L. Array of sixteen aeriels working at 9300 Mc/s at the Nançay radioastronomy station, 1=15525  
 Pick, R. and Savelli, M. Study of surface phenomena in semiconductors by the field effect, 1=8931  
 Pickard, W.F. Experimental investigation of the sumoto effect, 1=15893  
 Pickard, W.F. On the Born-Lertes rotational effect, 1=16505  
 Pickart, S.J. and Nathans, R. Unpaired spin density in ordered Fe<sub>2</sub>Al, 1=11448  
 Pickart, S.J., Nathans, R. and Shirane, G. Magnetic structure transitions in Li<sub>2</sub>Mn<sub>2</sub>-xSe, 1=2467  
 Pickelner, S.B. and Shklovsky, I.S. On the problem of the nature of the gas corona of the Galaxy, 1=30  
 Pick-Gutmann, M. Evolution of solar radio-wave emissions of type IV and their relationship with other solar and geophysical phenomena, 1=15542  
 Pickup, E., Robinson, D.K. and Salant, E.O.  $\pi-\pi$  resonance in  $\pi^-p$  interactions at 1.25 BeV, 1=19255  
 Pickup, E. See Fickinger, W.J., 1=19193  
 Pickup, E. See Munir, B.A., 1=5756  
 Pickup, E. See Salant, E.O., 1=16848  
 Picus, G.S. See Palik, E.D., 1=7572  
 Pidd, R.W. See Schupp, A.A., 1=1921  
 Pidstrýhach, T.S. See Kaplan, S.A., 1=13167  
 Pidzyrailo, N.S. See Belikovitch, B.O., 1=11542  
 Piech, T. On a new type of condenser for measuring the dielectric permittivity of solids by the method of immersion, 1=16234  
 Piechocki, W. A certain dynamic problem of thermoelasticity concerning the circular disc, 1=85  
 Piechocki, W. and Ignaczak, J. Thermal stresses due to a thermal inclusion in a circular ring and a spherical shell, 1=86  
 Piechocki, W. and Zorski, H. Thermoelastic problem for a wedge, 1=1716  
 Pieczonka, W.A., Petch, H.E. and McLay, A.B. An electron spin resonance study of manganese impurity in brucite, 1=2495  
 Piekara, A. Hydrogen bonding and dielectric saturation, 1=12891  
 Piekara, A. Physics education in Poland, 1=15588  
 Piekara, A. and Chelkowski, A. Effect of a magnetic field on the dielectric constant of pure liquids, 1=12890  
 Piekara, A. and Konopka, R. Pulse method for measuring Kerr's constant, 1=4480  
 Piekara, B. Electric and magnetic properties of plasma of low-power pulse discharges, 1=7079  
 Piekoszewski, J. See Czachor, A., 1=14442  
 Pierce, C.B. Effect of hydrostatic pressure on ionic conductivity in doped single crystals of sodium chloride, potassium chloride, and rubidium chloride, 1=11271  
 Pierce, J.R. Critical points in the theory of electron beam devices, 1=9638  
 Pierce, J.R. Instabilities and growing waves in electron beam devices, 1=9639  
 Pierce, L. Energy levels for internal and over-all rotation of two-top molecules. I. Microwave spectrum of dimethyl silane, 1=5995  
 Pierce, L. Calculation of the eigenvalues of a tridiagonal Hermitian matrix, 1=15677  
 Pierce, L. and Hayashi, M. Microwave spectrum, dipole moment, structure, and internal rotation of dimethyl sulfide, 1=12283  
 Pierce, L. See Hayashi, M., 1=19622  
 Pierce, L. See O'Reilly, J.M., 1=6008  
 Pierce, L. See Swalen, J.D., 1=15676  
 Pierce, R.D. and Friedberg, S.A. Magnetic susceptibility of FeC<sub>12</sub>·4H<sub>2</sub>O at low temperatures, 1=6385  
 Piercy, J.E. Ultrasonic relaxation and axial-equatorial isomerization in methyl cyclohexane, 1=4340  
 Piéron, H. Nomenclature of retinal ganglion cells, 1=10347  
 Pierre, J. Metallo-plastic joints in vacuum technique, 1=2800  
 Pierre, J. Barkhausen oscillations in ionization gauges, 1=11799  
 Pietenpol, J.L. Auto-ionization of the (1s2s2p)<sup>4</sup>P<sub>3/2</sub> level in Li and He<sup>+</sup>, 1=13928  
 Pietri, G. Glimpse of some problems encountered in the study and construction of photomultipliers with fast response, 1=5492  
 Pietrzak, J. See Klimowski, J., 1=12472  
 Piette, L.H., Johnson, F.A., Booman, K.A. and Colburn, C.B. An e.p.r. study of the tetrafluoro-hydrazine-difluoramino equilibrium, 1=17343  
 Pigeaud, P. Equations of motion in the Jordan-Thiry theory, 1=9321  
 Pigeaud, P. The two-body problem in the Jordan-Thiry theory, 1=15660  
 Piggott, W.R. and Barclay, L.W. The reflection of radio waves from an iceshelf, 1=16562  
 Piggott, W.R. See Bellichambers, W.H., 1=1533  
 Pignanelli, M. See Colli, L., 1=8749  
 Pignanelli, M. See Colli, L., 1=15438  
 Pignotti, A. See Ball, N., 1=13482  
 Pigon, K. A graphical method for determination of mobility ratio in the semiconductors from Hall effect measurements only, 1=17663  
 Piguzov, Yu.V. and Blanter, M.S. The effect of quenching temperature on the nitrogen peak of internal friction in iron, 1=14855  
 Piguzov, Yu.V., Krishtal, M.A. and Golovin, S.A. On the nature of the internal friction peak in heat treated steel, 1=10207  
 Pike, E.R. The Lorentz factor in powder diffraction, 1=20474  
 Pikel'ner, S.B. The origin of the outer radiation band of the earth, 1=4133  
 Pikel'ner, S.B. The mechanism of formation of active regions in the presence of a magnetic field, 1=18075  
 Piskis, A.H. See Schawlow, A.L., 1=9007



- Pikus, G.E. and Bir, G.L. Cyclotron and paramagnetic resonance in strained crystals, 1-6097
- Pikus, G.E. and Bir, G.L. Cyclotron and paramagnetic resonance in deformed crystals, 1-10178
- Pikus, G.E. and Bir, G.L. Cyclotron and paramagnetic resonance in deformed crystals, 1-11472
- Pikus, G.E. and Fiks, V.B. The analysis of micro-impurities with a magnetic-resonance mass spectrometer. II. Calculation of the noise current, 1-12682
- Pikus, G.E. See Bir, G.L., 1-1030
- Pikus, G.E. See Bir, G.L., 1-6142
- Pikus, G.Ya. Investigation of the process of evaporation from oxide-coated cathodes, 1-16369
- Pikus, H.Ya. Effect of electron bombardment on gas generation and on the thermionic emission of an oxide cathode, 1-13105
- Pilar, F.L. and Morris, J.R. II. Choice of parameters for the Hückel  $\pi$ -electronic structure of furan: tentative extension to pyrrole and thiophene, 1-6037
- Pilipovich, V.A. On the anti-stokes phosphorescence of organic substances, 1-6235
- Pilipovich, V.A. Polarization of phosphorescence in organo-phosphors, 1-17916
- Pilkun, H. Isospin for  $N + \bar{N} \rightarrow K + \bar{K} + \pi$  and similar reactions, 1-2048
- Pilkun, H. Recurrence relations in isospin for statistical weights, 1-13460
- Pilkun, H. a model for  $K^0/K^+$  branching ratios for  $\Sigma$  production in high energy  $n-p$  collisions, 1-13478
- Pilkun, M. On recombination noise of germanium single crystals in the range of extrinsic semiconductivity, 1-8944
- Pilkun, M. Fluctuations during the formation of impact ionization avalanches in Ge single crystals between  $5^\circ$  and  $10^\circ K$ , 1-8945
- Pilkun, M. See Lautz, G., 1-1054
- Pillai, M.G.K. and Cleveland, F.F. Potential energy constants, rotational distortion constants, and calculated thermodynamic properties for some planar XYZ<sub>2</sub> molecules, 1-13986
- Pillet, G. Contribution to the study of ionospheric absorption at a fixed frequency. II, 1-4120
- Pillinger, W.L., Hentges, J.J. and Blair, J.A. Tritium decay energy, 1-554
- Pil'nik, G.P. Collimation errors in astronomical observations, 1-17987
- Pilot, J. See Bornkessel, K., 1-20784
- Pilyankevich, A.N. Calculation of the characteristics of inelastic scattering of medium-energy electrons, 1-5979
- Pilyankevich, A.N. Calculation of the characteristics of inelastic scattering of medium-energy electrons, 1-11081
- Pilyankevich, A.N. Some regularities in the elastic scattering of medium-energy electrons, 1-20495
- Pilz, F. The technology of the present-day television charge storage tubes, orthicon and superorthicon, supericonoscope, vidicon, 1-7091
- Pimbley, W.T. and Francis, E.E. Effect of temperature on the exoemission of electrons from abraded aluminum surfaces, 1-13098
- Pimbley, W.T. See Ku, T.C., 1-5489
- Pimentel, G.C. See Ewing, G.E., 1-14600
- Pimonow, L. Contribution to the study of the problem of the tonal selectivity of the ear, 1-1609
- Pinard, P. See Bernard, R., 1-1463
- Pinard, P. See Davoine, F., 1-7725
- Pine, J., Davisson, R.J. and Greison, K. Implications of the high-energy meson spectrum and plus-minus ratio, 1-2119
- Pineo, V.C., Kraft, L.G. and Briscoe, H.W. Some characteristics of ionospheric backscatter observed at 440 Mc/s, 1-20919
- Pines, B.Ya. and Chaikovskii, E.F. The effect of plastic deformation of nickel on the rate of diffusion in the nickel-sulphur system, 1-983
- Pines, B.Ya. and Den Ge Sen [Têng Ko Sêng]. Investigation of internal friction in sintered materials. V. Low temperature effects due to plastic deformation, 1-9084
- Pines, B.Ya. and Den Ge Sen [Têng Ko Sêng]. Investigation of internal friction of sintered substances. III. The effects of plastic deformation, 1-9085
- Pines, B.Ya., Grebennik, I.P. and Smushkov, I.V. Electron and X-ray diffraction measurements of the hetero-diffusion coefficients in the Ni-Cr system, 1-12402
- Pines, B.Ya. and Kuznetsova, R.I. Change in submicroporosity in electrolytic metal films on heating and under load, 1-20670
- Pines, B.Ya. and Sirenko, A.F. The mechanism of fracture of metals in creep, 1-3992
- Pines, B.Ya. and Sirenko, A.F. A correlation between the rate of creep and the lifetime of a metal under load, 1-6461
- Pines, B.Ya. and Sirenko, A.F. The mechanism of fracture of metals in creep, 1-9095
- Pines, B.Ya. and Sivochub, V.A. Structural changes in copper single crystals during creep at elevated temperatures, 1-20358
- Pines, B.Ya. and Smushkov, I.V. The coefficients of self-diffusion in alloys, 1-7591
- Pines, D. Plasma oscillations of electron gases, 1-6093
- Pines, D. Coherent excitation of plasma oscillations in solids, 1-7565
- Pines, D. Classical and quantum plasmas, 1-9538
- Pines, D. and Schrieffer, J.R. Collective behavior in solid-state plasmas, 1-19847
- Pines, S. Variation of parameters for elliptic and near circular orbits, 1-4185
- Pines, S. See Morrison, J., 1-4186
- Pines, Y.B. The kinetics of sintering in the solid phase, 1-6556
- Pinkau, K. The development of cascades initiated by nuclear interaction, 1-13768
- Pinkau, K. See Duthie, J., 1-3257
- Pinkau, K. See Duthie, J., 1-3258
- Pinkau, K. See Duthie, J.G., 1-3364
- Pinkau, K. See Duthie, J.G., 1-3365
- Pinkau, K. See Fowler, P.H., 1-3301
- Pinkau, K. See Fowler, P.H., 1-5803
- Pinker, R. See Halperin, A., 1-11231
- Pinkerton, J.N. See Johnson, C.S., Jr., 1-17349
- Pinkston, W.T. and Satchler, G.R. Collective effects in inelastic scattering, 1-8676
- Pinkston, W.T. and Satchler, G.R. Collective effects in inelastic scattering from nuclei, 1-19424
- Pinsker, Z.G. Concerning disordered structures and ordering processes, 1-15027
- Pinsker, Z.G. See Butorina, L.N., 1-15083
- Pinsker, Z.G. See Khitrova, V.I., 1-15086
- Pinsker, Z.G. See Li Sen-Dzhun, 1-4081
- Pinski, G. Test for pion-pion resonance, 1-5762
- Pintar, M. See Blinc, R., 1-17833
- Pintar, M. See Blinc, R., 1-19924
- Pintar, M. See Peterlin, A., 1-8856
- Pinus, G.N. See Arkhangel'skii, M.E., 1-4106
- Piotrowski, E.A. See Gilbert, R.L., 1-14008
- Piotrowski, E.A. See Ziomek, J.S., 1-6016
- Piotrowski, K. Application of the kinetic theory of liquids to the study of the viscosity curves of transformer oils, 1-8094
- Piper, T.S. Analysis of polarized crystal spectra. The spectrum of cobalt (III) acetylacetonate, 1-17883
- Piper, T.S. and Carlin, R.L. Polarized visible spectra of crystalline trisoxalatometallates, 1-19976
- Piper, W.W. Hartree-Fock atomic wave functions from  $Cu^+$  to  $Kr^{+8}$ , 1-12241
- Piper, W.W. and Marple, D.T.F. Optical properties of free electrons in CdS, 1-17864
- Piper, W.W. and Polich, S.J. Vapour-phase growth of single crystals of II-VI compounds, 1-10238
- Pipkin, A.C. Electrical conductivity of partially ionized gases, 1-2790
- Pipkin, A.C. Diffusion from a slightly ionized region in a uniform flow, 1-16275
- Pipkin, A.C. and Rivlin, R.S. Galvanomagnetic and thermomagnetic effects in isotropic materials, 1-5006
- Pipkin, A.C. and Rivlin, R.S. Electrical conduction in a stretched and twisted tube, 1-10662
- Pipkin, E.L. Amplitude-distribution analyzer, 1-10663
- Pipkin, F.M., Bradley, G.E. and Simpson, R.E. Beta decay matrix elements in  $As^{76}$ , 1-19390
- Pipkin, F.M. See Bradley, G.E., 1-12173
- Pippard, A.B. Theory of ultrasonic attenuation in metals and magneto-acoustic oscillations, 1-904
- Pippard, A.B. Experimental analysis of the electronic structure of metals, 1-2383
- Pippard, A.B. Theory of ultrasonic attenuation in metals, 1-17458

- Pippard, A.B. Experimental summary [Fermi surface conference], 1=17463
- Pippig, E.E. Pressure and temperature coefficients of the electrical resistance of some rhenium alloys, 1=19831
- Piquemal, J. Application of the electrical analogy to the determination of pressure along pipes in forced characteristic vibration, 1=9436
- Piragino, G. See Argan, P.E., 1=13242
- Pirani, F.A.E. A note on Fermi coordinates, 1=4250
- Pirani, F.A.E. and Schild, A. Geometrical and physical interpretation of the Weyl conformal curvature tensor, 1=18250
- Pirenne, J. Thermodynamic properties of an isotopic mixed crystal, 1=8878
- Pirie, N.W. Solar wind and terrestrial oxygen, 1=20811
- Pirinchieva, R. See Kynev, S., 1=14503
- Pirlogea, P. See Bally, D., 1=7254
- Piron, C., Gailloud, M., Rosselet, P. and Biasutti, M. Numerical evaluation of the pseudotritons production cross-section, 1=5716
- Piroué, P.A. See Hendel, A.Z., 1=16924
- Piroué, P.A. See von Dardel, G., 1=2053
- Piroué, P.A. See von Dardel, G., 1=16863
- Pirson, U.B. [Pearson, W.B.]. Review of studies of the thermoelectric properties of group I metals at low temperatures, carried out in the National Research Council Laboratories at Ottawa, 1=14526
- Pirson, U.B. [Pearson, W.B.]. Review of studies of the thermoelectric properties of group I metals at low temperatures, carried out in the National Research Council Laboratories at Ottawa, 1=17809
- Přrvu, V. See Andreescu, I., 1=2076
- Pisarenko, N.F. See Savenko, I.A., 1=19318
- Pisarenko, N.F. See Vernov, S.N., 1=21067
- Pisarenko, V.F. Prebreakdown phenomena in KCl at temperatures of 250-350°C, 1=19933
- Pisarenko, V.F. See Brekhovskikh, L.M., 1=5327
- Pisarenko, Zh.G. and Sheinkman, M.K. Revealing dislocations in CdS single crystals by the etching method, 1=12392
- Pisarenko, Zh.G. and Sheinkman, M.K. Revealing dislocations in CdS single crystals by the etching method, 1=14286
- Pisareva, L.P. See Viryasov, N.M., 1=4751
- Pisarevskii, A.N. See Nemilov, Yu.A., 1=6238
- Pisarevskii, Yu.P. See Erkovich, S.P., 1=2334
- Piscalar, F. See Paetzold, H.K., 1=1504
- Piscalar, F. See Paetzold, H.K., 1=20814
- Piskarev, E.V. See Akhmatov, A.P., 1=4628
- Pistol'kors, A.A., Kaplun, V.A. and Knyazeva, L.V. The diffraction of electromagnetic waves by dielectric or semiconducting sheets, 1=5592
- Pistorius, C.A. Influence of plastic stretching on the resistivity of aluminium, 1=11252
- Pitaevskii, L.P. The form of the [energy] spectrum of elementary excitations in liquid helium II, 1=254
- Pitaevskii, L.P. Vortex lines in an imperfect Bose gas, 1=18696
- Pitaevskii, L.P. Electric forces in a transparent dispersive medium, 1=18745
- Pitaevskii, L.P. See Dzyaloshinskii, I.E., 1=15706
- Pitayevskii, L.P. and Kresin, V.Z. Disturbances produced by a body moving in a plasma, 1=16581
- Pittman, F.K. Nuclear power development in the United States, 1=8894
- Pittock, A.B. A twilight method of determining the vertical distribution of ozone, 1=11646
- Pitts, J.W. and Moore, D.G. Development of high-temperature strain gauges, 1=14843
- Pivavrov, L.Kh. See Koval'skii, A.E., 1=1396
- Pivovarov, L.I., Tubaev, V.M. and Novikov, M.T. Dissociation of molecular hydrogen ions in collisions with gas molecules, 1=16266
- Pivovarov, V.M. Allowance for the effect of internal fields in calculation of Raman intensities, 1=2759
- Pixley, R. See Elwyn, A.J., 1=720
- Pixley, R.E. See Alburger, D.E., 1=9830
- Pixley, R.E. See Donovan, P.F., 1=10964
- Pixley, R.E. See Miller, G.L., 1=13699
- Pizer, H.I. The handling of data from nuclear experiments, 1=7175
- Pizzella, G. See Ferro-Luzzi, M., 1=5722
- Plajner, Z., Malý, L. and Vobecký, M. The conversion electron spectra of Lu<sup>169</sup> and Lu<sup>170</sup>, 1=13737
- Plane, R.A. See Chantry, G.W., 1=7474
- Plane, R.A. See Chantry, G.W., 1=17333
- Planet, W.G.Jr. See Wentink, T.Jr., 1=8998
- Planet, W.G.Jr. See Wentink, T.Jr., 1=8999
- Plano, R. See Eisler, F., 1=16889
- Plass, G.N. Classical electrodynamic equations of motion with radiative reaction, 1=9669
- Plass, G.N. See Stull, V.R., 1=851
- Platas, O. See Silverman, J.N., 1=17286
- Plateau, J. See Henry, G., 1=15146
- Platt, A. See Palmer, R.G., 1=12233
- Platt, J.R. On maximizing the information obtained from science examinations, written and oral, 1=2677
- Platt, J.R. Electrochromism, a possible change of color producible in dyes by an electric field, 1=6004
- Platzman, P.M. and Buchsbaum, S.J. Effect of collisions on the Landau damping of plasma oscillations, 1=16355
- Platzman, R.L. Total ionization in gases by high-energy particles: an appraisal of our understanding, 1=16258
- Platzman, R.L. Probability of ionization by the transfer of the energy of excited atoms to molecules, 1=16259
- Plavnik, G.M. and Rovinskii, B.M. Investigation of the sub-microscopic structure of slightly absorbing materials by a method of multiple small-angle scattering of X-rays, 1=2550
- Plebanski, J. and Ryten, J. Coordinate conditions, 1=15595
- Plebanski, J. See Bertotti, B., 1=1682
- Plebanski, J. See Fried, H.M., 1=5686
- Plendl, J.N. Some new interrelations in the properties of solids based on anharmonic cohesive forces, 1=11156
- Plenge, G. See Cremer, L., 1=211
- Plesset, M.S. and Hsieh, D.Y. Comments on the theory of rectified diffusion, 1=10507
- Plesset, M.S. and Hsieh, Din-Yu. Theory of gas bubble dynamics in oscillating pressure fields, 1=133
- Plesset, M.S. See Hsieh, Din-Yu, 1=4313
- Plesset, M.S. See Hsieh, Din-Yu, 1=11813
- Plessner, K.W. and West, R. High-permittivity ceramics for capacitors, 1=7687
- Pleve, A.A. See Karamyan, A.S., 1=19538
- Pliquett, F. The measurement of long-duration magnetic remanence aftereffect in ferrites, 1=6358
- Plomp, R. Hearing threshold for periodic tone pulses, 1=21120
- Plonus, M.A. Backscattering from a conducting cylinder with a surrounding shell, 1=373
- Ploștinaru, D. See Martalogu, N., 1=7328
- Plotkin, H.H. See Gutwein, G.K., 1=104
- Plotnikov, A.F. See Rzhannov, A.V., 1=17496
- Plotnikov, Yu.I. and Matalygina, Zh.I. Photo-e.m.f.'s in anthracene. I, 1=2423
- Ploughe, W.D. Elastic and inelastic scattering of alpha particles by N<sup>14</sup>, 1=8775
- Plum, H. See Brun, E.A., 1=15919
- Plumb, H.H. See Cataland, G., 1=16185
- Plumier, R. The effect of dimensions and coupling for circularly polarized magnetostatic modes in a small ferrite sphere, 1=2492
- Plumier, R. Size effect for magnetostatic modes of the type (n, n, 0) in a ferrite cylinder, 1=11466
- Pluvina, P. See Munsch, G., 1=6785
- Plyavin, I.K. See Votol, I.K., 1=3865
- Plyler, E.K., Danti, A., Blaine, L.R. and Tidwell, E.D. Vibration-rotation structure in absorption bands for the calibration of spectrometers from 2 to 16 microns, 1=16075
- Plyler, E.K. See Tidwell, E.D., 1=832
- Plyler, E.K. See Wiggins, T.A., 1=17316
- Plyugin, G.A. Methods of determining the position of the moon relative to the stars, 1=18030
- Plyutto, A.A. Acceleration of positive ions in expansion of the plasma in a vacuum spark, 1=18789
- Poch, L. See Zimani, I., 1=16516
- Pócsik, G. Schwinger's equation for one-body propagator of a self-coupled spinor field, 1=441
- Pocsik, G. Propagators of a self-coupled spinor field in Edwards and Lieb's approximation, 1=10832
- Poddubnov, V.P. See Komar, A.P., 1=4855
- Podd'yakov, V.N. See Pavlovskaya, V.S., 1=6540



- Podgoretskii, M.I. and Roizen, I.I. Radiation from a nucleus in the presence of unexcited nuclei of the same type, 1-3392
- Podgoretskii, M.I. and Stepanov, A.V. The Doppler width of emission and absorption lines, 1-18437
- Podgoretskii, M.I. See Dzhaneldidze, L.P., 1-19282
- Podgoretskii, M.I. See Van Shu-fen., 1-19182
- Podgoretskii, M.I. See Zastavenko, L.G., 1-19599
- Podgornyi, I.M. and Sumarokov, V.N. The injection of plasmoids into a magnetic trap with a field which increases towards the periphery, 1-9590
- Podgornyi, I.M. See Luk'yanov, S.Yu., 1-18884
- Podgurskaya, A.V. See Grigorov, N.L., 1-3265
- Podgurski, H.H. and Davis, F.N. A precision McLeod gage for volumetric gas measurement, 1-15978
- Podkopaev, Yu.N. See Artamonova, K.P., 1-17063
- Podlaha, M. On the basic laws of reaction kinetics, 1-15191
- Podmoshenskii, I.V. See Kondrasheva, L.D., 1-2289
- Podolsky, B. and Borman, G. The electromagnetic acceleration of a continuously flowing plasma, 1-16303
- Podolsky, B. and Sherman, A. Isentropic one-dimensional magnetohydrodynamic channel flow, 1-16516
- Poehler, T.O. See Gilbert, G.B., 1-11590
- Poeverlein, H. Propagation of electromagnetic waves in a plasma with strong magnetic field, 1-5598
- Poffé, N., Albouy, G., Bernas, R., Gusakov, M., Riou, M. and Teillac, J. (p, xn) reactions induced in gold by 155 MeV protons, 1-13804
- Poffé, N. See Albouy, G., 1-13686
- Pogarskii, A.M. See Parfen'ev, R.V., 1-17623
- Pogodin, Yu.Ya., Suchkov, V.A. and Yanenko, N.N. Travelling wave equations of gas dynamics, 1-6880
- Pogorelov, A.V. On post-critical deformations of compressed cylindrical shells, 1-94
- Pogorelev, A.V. The elastic deformation of convex shells in the critical region, 1-5239
- Pogorelov, A.V. Post-critical deformations of cylindrical shells under the action of external pressure, 1-15757
- Pogorelov, A.V. Post-critical deformations of cylindrical shells under the action of external pressure, 1-18333
- Pohl, H.A. Formation of liquid jets in nonuniform electric fields, 1-16240
- Pohlack, H. On some new problems of boundary optics of absorbing substances, 1-4470
- Pohlack, H. On questions of chromaticity calculations with special reference to problems of the optics of thin films, 1-8246
- Pohlit, H. See Pohlit, W., 1-3196
- Pohlit, W. and Pohlit, H. Radiation shielding measurements in mixed neutron fields with paraffin moderators, 1-3196
- Pohlman, R. Ultrasonic transmission in heated liquids, 1-8118
- Pohm, A.V. See Daughton, J.M., 1-7120
- Poiani, G. See Caforio, A., 1-5780
- Poincelot, P. On the Lorentz condition, 1-3041
- Poincelot, P. Generalization of the condition at edges, in the case of twisted curve, 1-5594
- Pointu, P., Azou, P. and Bastien, P. Determination of the slip elements by an analysis of the asterisms of the Laue spots and the modes of deformation of beryllium at high temperatures, 1-11516
- Poirier, J.A. and Pripstein, M. Test of isotopic spin conservation from an experiment limit on  $\sigma(d + d \rightarrow \text{He}^4 + \pi^0)$ , 1-9776
- Poirier, J.C. and DeLap, J.H. On the theory of ion pairs in solutions, 1-10511
- Poirier, Y. and Robert, J. Experimental study of the setting up and of the decay of the steady motion of a cylindrical volume of conducting liquid rotating in a magnetic field, 1-4708
- Poirier, Y. See Causse, R., 1-3044
- Pokalyakin, V.I. See Elinson, M.I., 1-17756
- Pokatilov, E.P. Scattering of electrons on the acoustic modes of lattice vibrations in hexagonal crystals, 1-2376
- Pokatilov, E.P. Scattering of electrons on the acoustic modes of lattice vibrations in hexagonal crystals, 1-4967
- Pokorny, G.J. See Ayer, J.E., 1-15774
- Pokrovskaya, S.V. See Rzhanov, A.V., 1-14437
- Pokrovskii, V.L. Threshold phenomena in superconductors, 1-16194
- Pokrovskii, V.L. Absorption of ultrasound in an anisotropic superconductor, 1-18202
- Pokrovskii, V.L. Thermodynamics of anisotropic superconductors, 1-18701
- Pokrovskii, V.L. and Dykhne, A.M. Decay of acoustic excitations in crystals, 1-3600
- Pokrovskii, V.L. and Toponogov, V.A. Reconstruction of the energy gap in a superconductor by measurement of sound attenuation, 1-18703
- Pokrovskii, V.L. See Dykhne, A.M., 1-2013
- Pokrovskii, V.V. See Stepanova, V.M., 1-4016
- Pokrovskii, Ya.E. and Dik, V.B. Apparatus for crystallizing silicon without using a crucible, 1-7849
- Pokrovskii, Ya.E. and Svistunova, K.I. Investigation of recombination in silicon, alloyed with gallium, indium and antimony, 1-17709
- Pokrovskiy, V. See Abdurazakov, A., 1-646
- Polacco, E. See Battaglia, A., 1-14019
- Polacki, Z. See Andruszkiewicz, J., 1-16615
- Polacki, Z. See Grzywacz, J., 1-148
- Polacki, Z. See Kawski, A., 1-14645
- Poland, D.E., Green, J.W. and Margrave, J.L. Corrected optical pyrometer readings, 1-8257
- Polanyi, J.C. Proposal for an infrared maser dependent on vibrational excitation, 1-8389
- Polanyi, J.C. See Cashion, J.K., 1-11792
- Poletti, G. See Felcher, G.P., 1-7253
- Polcarpo, A.J.P.L., Phillips, W.R. and Lisle, J.C. The reaction  $\text{C}^{12}(\text{C}^{12}, \alpha)\text{Ne}^{20}$ , 1-19534
- Polich, S.J. See Piper, W.W., 1-10238
- Polisset, J.C. See Giralt, G., 1-7662
- Politov, N.G. The complex nature of the F-band in KCl crystals, 1-17575
- Polivanov, K.M., Rodichev, A.M. and Ignatchenko, V.A. The influence of the parameters of ferromagnetics on measurement of Barkhausen effect, 1-10147
- Polkinghorne, J.C. See Eden, R.J., 1-7213
- Polkinghorne, J.C. See Eden, R.J., 1-16696
- Polkinghorne, J.C. See Landshoff, P.V., 1-7212
- Poll, J.D. and Van Kranendonk, J. Theory of translational absorption in gases, 1-2789
- Pollack, I. On the combination of intensity and frequency differences in auditory discrimination, 1-12717
- Pollack, I. See Rubenstein, H., 1-9216
- Pollak, M. and Geballe, T.H. Low-frequency conductivity due to hopping processes in silicon, 1-10046
- Pollak, P.I. See Kallmann, H., 1-6181
- Pollak, V.L. Electron spin relaxation in metal-ammonia solutions, 1-5286
- Pollehn, H. and Neuert, H. Measurement of the cross-section for some nuclear reactions using 14 MeV, by an activation method, 1-11018
- Pollitt, C.G. See Halmshaw, R., 1-13144
- Pollock, R.E. See Carver, T.R., 1-11075
- Poloskin, B.P. See Anoshkin, V.A., 1-4616
- Polot'skiy, I.H., Khodov, Z.L. and Levin, H.I. Effect of oxygen impurities and alloying additions on the elastic properties and internal friction of chromium, 1-14853
- Polovin, R.V. The flow of a plasma into vacuum in the presence of a magnetic field, 1-4597
- Polovin, R.V. Shock waves in magnetohydrodynamics, 1-9680
- Polovin, R.V. The "evolutionality" conditions of stationary flows, 1-18444
- Polovin, R.V. The motion of shock waves along a magnetic field, 1-19012
- Polovin, R.V. and Lyubars'kiy, H.Ya. The impossibility of rarefaction shock waves in magnetohydrodynamics, 1-12013
- Polovin, R.V. and Tsyntsadze, N.L. Magnetohydrodynamic equations, 1-13083
- Polovin, R.V. See Akhiezer, A.I., 1-18818
- Polovin, R.V. See Akhiezer, A.Y., 1-13168
- Polovin, R.V. See Lyubars'kiy, H.Ya., 1-12012
- Pol'skii, N.I. and Shvets, I.T. Self-similar solutions of the equation of a laminar boundary layer in magnetohydrodynamics, 1-7129
- Pol'skii, N.I. and Shvets, I.T. Self-similar solutions of the equation of a laminar boundary layer in magnetohydrodynamics, 1-10771
- Polskii, Yu.E. See Vinokurov, V.M., 1-20205
- Poltavchenko, D.S. See Kholev, S.R., 1-18840
- Polubarinov, I.V. See Ogievetskii, V.I., 1-19090
- Polubarinov, I.V. See Ogievetskii, V.I., 1-19155
- Polupan, P.N. Spectrophotometry of the chromospheric limb flare of October 11, 1957, 1-18091

## AUTHOR INDEX

- Polyak, Yu. Ya. See Izyumov, Yu. A., 1-6391  
 Polyakov, A. S. See Nakhutin, I. E., 1-19418  
 Polyakov, E. I. Experimental investigation of turbulent jets of axial symmetry, 1-4310  
 Polyakov, L. M. See Garber, R. I., 1-10359  
 Polyakov, L. M. See Garber, R. I., 1-12396  
 Polyakov, L. M. See Geguzin, Ya. E., 1-17548  
 Polyakova, A. L. Propagation of finite-amplitude [sound] waves in relaxing media, 1-4407  
 Polyakova, A. L. A plane sound wave of finite amplitude in a moving medium, 1-15941  
 Polyakova, G. N. See Fogel', Ya. M., 1-18780  
 Pomanskii, A. A. See Denisov, E. V., 1-16938  
 Pomanskii, A. A. See Nikol'skii, S. I., 1-19313  
 Pomansky, A. A. See Kalachyov, B. V., 1-2131  
 Pomansky, A. A. See Nikolsky, S. I., 1-2138  
 Pomelas, E. See Ballini, R., 1-18738  
 Pomeranchuk, I. Ya. and Shmushkevich, I. M. On processes in the interaction of  $\gamma$ -quanta with unstable particles, 1-5883  
 Pomeranchuk, I. Ya. See Akhiezer, A. I., 1-18323  
 Pomeranchuk, I. Ya. See Berestetskii, V. B., 1-19116  
 Pomeranchuk, I. Ya. See Borovikov, V. A., 1-16785  
 Pomeranchuk, I. Ya. See Kobzarev, I. Yu., 1-16826  
 Pomeranchuk, I. Ya. See Nikitin, Yu. P., 1-19478  
 Pomeranchuk, Ya. I. See Berestetskii, V. B., 1-5665  
 Pomerantz, M. See Das, T. P., 1-14207  
 Pomerantz, M. A., Agarwal, S. P., Schwed, P. and Hanson, H. Satellite determination of heavy primary cosmic-ray spectrum, 1-8525  
 Pomerantz, M. A., Duggal, S. P. and Nagashima, K. Solar-produced cosmic rays near the North and South poles, 1-9794  
 Pomerantz, M. A. and Pontis, V. R. Solar-produced cosmic radiation near the geomagnetic pole on May 4th 1960, 1-2114  
 Pomerantz, M. A., Potnis, V. R. and Sandström, A. E. The cosmic-ray equator and the earth's magnetic field, 1-13577  
 Pomerantz, M. A. See Duggal, S. P., 1-16947  
 Pomerantz, M. A. See Nagashima, K., 1-9793  
 Pomerantz, M. A. See Schieve, W. C., 1-7627  
 Pomeroy, C. D. Summarized Proceedings of a Conference on Stress Analysis — University College of North Staffordshire, April 1960, 1-2500  
 Pompeia, P. A. See de Moraes, A., 1-15392  
 Pondrom, L. G. and Daughtry, J. W. Measurement of deuteron polarization produced by  $d-\alpha$  scattering at 1.07 MeV, 1-3246  
 Ponomarev, Yu. F. See Drozhzhina, V. I., 1-16479  
 Ponslet, A. See Art, A., 1-14950  
 Ponsonby, J. E. B. See Thomson, J. H., 1-10394  
 Pontecorvo, B. See Pontecorvo, B.,  
 Pontecorvo, B. [Pontecorvo]. Experiments using neutrino beams of mesonic origin, 1-16752  
 Pontecorvo, B. [Pontecorvo, B.] and Smorodinskii, Ya. The neutrino and the density of matter in the universe, 1-19172  
 Pontecorvo, B. See Balatz, M. Ya., 1-4919  
 Pontecorvo, B. See Okun, L. B., 1-19221  
 Pontecorvo, B. See Zinov, V. G., 1-4804  
 Pontinen, R. E. and Sanders, T. M., Jr. New electron spin resonance spectrum in antimony-doped germanium, 1-1267  
 Pontis, V. R. See Pomerantz, M. A., 1-2114  
 Ponyatovskii, E. G. The P-T diagram of bismuth at pressures of up to 30 000 kg/cm<sup>2</sup>, 1-11581  
 Pool, M. L. See Narasimhaiah, H., 1-3428  
 Pool, M. L. See Wilson, R. G., 1-649  
 Pool, M. L. See Wilson, R. G., 1-652  
 Poole, C. P. Jr. and O'Reilly, D. E. Apparatus for e.p.r. studies in the temperature interval 25° to 500°C, 1-10801  
 Poole, P. C. See McCusker, C. B. A., 1-2134  
 Poots, G. and Sowerby, L. Axially symmetric stagnation point flow with heat transfer in magnetohydro-dynamics, 1-8375  
 Pope, J. H. An estimate of electron densities in the exosphere by means of nose whistlers, 1-15325  
 Pope, J. H. and Campbell, W. H. Observation of a unique v.l.f. emission, 1-1517  
 Pope, J. H. See Murcray, W. B., 1-15305  
 Pope, M. See Kallmann, H., 1-1488  
 Pope, N. K. See Stewart, A. T., 1-954  
 Pope, R. A., Freck, D. V. and Evans, W. W. Resonances in the  $K^{39}(p, \gamma)Ca^{40}$  reaction from 1.0 to 2.1 MeV, 1-9859  
 Pone, R. A. See Hunt, S. E., 1-690  
 Popescu, C. See Grigoriu, A., 1-5513  
 Popescu, I. On resonant charge transfer in ionized dense gases, 1-18778  
 Popkov, V. I. See Bogdanova, N. B., 1-4575  
 Popkov, V. I. See Bogdanova, N. B., 1-7033  
 Poplawsky, R. P. and Thomas, J. E., Jr. Floating zone crystals using an arc image furnace, 1-2529  
 Pople, J. A. and Schaefer, T. The analysis of complex nuclear magnetic resonance spectra. I. Systems with one pair of strongly coupled nuclei, 1-14094  
 Pople, J. A. See Diehl, P., 1-14095  
 Pople, J. A. See Marshall, T. W., 1-14102  
 Popov, A. F. See Demirkhanov, R. A., 1-297  
 Popov, A. L. See Sorokin, P. V., 1-19457  
 Popov, B. The electrical conductivity of mica under strong electric fields, 1-7624  
 Popov, B. E. The effect of ultrasonics on the structure of vacuum-deposited zinc and beryllium films, 1-1450  
 Popov, B. E., Kovtun, S. F. and Amonenko, V. M. Modification of beryllium and chromium structure by means of ultrasonic irradiation during arc melting, 1-6545  
 Popov, K. V. See Nechai, E. P., 1-6117  
 Popov, N. M. and Zviagin, B. B. Application of a 400 keV electron-diffraction apparatus to the study of single crystals, 1-4036  
 Popov, S. N. Investigation of the distribution of current density in the cross-section of an ion beam, 1-5503  
 Popov, S. N. Investigation of the distribution of current density in the cross-section of an ion beam, 1-11981  
 Popov, S. N. See Smolenskii, G. A., 1-6195  
 Popov, V. A. Scattering of slow neutrons in antiferromagnetics, 1-20158  
 Popov, V. I. See Nathan, O., 1-4833  
 Popov, V. M. See Marinesco, M., 1-2264  
 Popov, Yu. M. and Selivanenko, A. S. Luminescence of a free exciton in a molecular crystal, 1-3853  
 Popov, Yu. M. See Basov, N. G., 1-1097  
 Popov, Yu. M. See Basov, N. G., 1-5013  
 Popov, Yu. M. See Basov, N. G., 1-9681  
 Popov, Yu. M. See Basov, N. G., 1-19848  
 Popov, Yu. P. and Shapiro, F. L. The  $Cl^{35}(n, p)$  reaction and neutron resonance parameters of chlorine, 1-19489  
 Popov, Yu. V. See Adrianova, I. I., 1-2879  
 Popov, Yu. V. See Adrianova, I. I., 1-18612  
 Popov, Yu. V. See Adrianova, I. I., 1-18530  
 Popova, A. A. See Belov, K. P., 1-1253  
 Popova, A. M. See Komarov, V. V., 1-4834  
 Popova, A. M. See Vasil'ev, S. S., 1-16464  
 Popova, E. G. See Nurmukhametov, R. N., 1-10114  
 Popova, I. I. See Iveronova, V. I., 1-15059  
 Popova, O. S. See Moiseev, V. P., 1-1413  
 Popova, S. V. See Vereshchagin, L. F., 1-5001  
 Popova, S. V. See Vereshchagin, L. F., 1-11251  
 Popova, S. V. See Vereshchagin, L. F., 1-14356  
 Popova, S. V. See Vereshchagin, L. F., 1-17604  
 Popova, V. M. See Adamovich, M. I., 1-17084  
 Popović, D. D. See Raišić, N. M., 1-13903  
 Popović, D. R. See Bek-Uzarov, D. N., 1-13723  
 Popp, E. C. See Hunt, A. L., 1-15974  
 Poppoff, I. G. See Whitten, R. C., 1-20968  
 Poquet, E., Lumbroso, N., Hoarau, J., Marchand, A., Pacault, A. and Soule, D. E. Study of the diamagnetism of single crystals of graphite, 1-6254  
 Porai-Koshits, M. A. See Bokii, G. B., 1-15017  
 Porai-Koshits, M. A. See Bukovska, M., 1-4056  
 Porat, D. I. and Ramavataram, K. A proposed method for measuring ranges of heavy ions in solids, 1-4667  
 Porat, D. I. and Ramavataram, K. Rate of energy loss and ranges of carbon and oxygen ions in solids, 1-4668  
 Porfir'ev, V. V. See Krasnozhenov, E. P., 1-18113  
 Porges, K. G. A. and Klippert, T. E. A wide-range neutron detector and monitoring instrument, 1-15446  
 Porgess, P. V. K. and Wilman, H. Surface re-orientation, friction and wear, in the unidirectional abrasion of graphite, 1-1352  
 Porile, N. T. Excitation functions for inelastic scattering reactions of cadmium-111 and indium-115, 1-688  
 Porile, N. T. See Cumming, J. B., 1-611  
 Porile, N. T. See Cumming, J. B., 1-8644  
 Porod, G. See Mittelbach, P., 1-20772  
 Porreca, F. See Carrelli, A., 1-5250  
 Porreca, F. See Carrelli, A., 1-11355  
 Porreca, F. See Davies, G. R., 1-16467



- Porsev, G.D. See Rusinov, L.I., 1=17059
- Porte, A.L., Gutowsky, H.S. and Harris, G.M. Proton magnetic resonance study of crystalline potassium trisoxalato-rhodium (III) hydrate, 1=3952
- Porte, A.L. See Gutowsky, H.S., 1=14104
- Porteous, P. See Harding, G.N., 1=9574
- Porter, C.E. See Eisberg, R.M., 1=13530
- Porter, C.E. See Rosenzweig, N., 1=800
- Porter, C.E. See Rosenzweig, N., 1=11083
- Porter, F.T. See Freedman, M.S., 1=13399
- Porter, G. and Wilkinson, F. Energy transfer from the triplet state, 1=17376
- Porter, G. and Wooding, E.R. Nanosecond light sources, 1=12993
- Porter, G. and Wright, M.R. Intramolecular and intermolecular energy conversion involving change of multiplicity, 1=6058
- Porter, G. See Gover, T.A., 1=20735
- Porter, G.B. See Heicklen, J., 1=7917
- Porter, J.F., Jr. Use of  $\text{PrCl}_3$  in a solid state infrared quantum counter, 1=6978
- Porter, J.F., Jr. Rapid scan infrared spectrograph with linear wavelength presentation, 1=10590
- Porter, N.A. See Hill, D.A., 1=16940
- Porter, N.A. See White, J., 1=13389
- Porter, N.F. See Bradley, E.F., 1=2133
- Porter, R.F. Stabilities of gaseous molecules in the Pb-Se and Pb-Te systems, 1=4953
- Porter, R.F. Molecular association in sodium cyanide vapor, 1=10551
- Porter, R.S. and Johnson, J.F. Non-Newtonian viscosity of polymers, 1=18350
- Porter, W.S. The constitutions of uranium and neptune, 1=5255
- Porterfield, W.W. See Dearman, H.H., 1=9058
- Porteus, J.O. See Bennett, H.E., 1=4471
- Portis, A.M. See Apfel, J.H., 1=17800
- Portis, A.M. See Heeger, A.J., 1=12525
- Portis, A.M. See Snowden, D.P., 1=1080
- Portis, A.M. See Teaney, D.T., 1=10803
- Portis, A.M. See Weger, M., 1=6421
- Portnoff-Porneuf, A. Cleavage of uranium dioxide, 1=20385
- Portnoff-Porneuf, A. Fractographic studies of sintered uranium dioxide, 1=20647
- Póscik, G. Meson-fermion PV-interaction in the Thirring model. II, 1=429
- Poser, C. and Ritschl, R. Intensity ratio in the mercury spectrum of low pressure discharge lamps, 1=18599
- Poskanzer, A.M. See Cumming, J.B., 1=11038
- Poskanzer, A.M. See Pate, B.D., 1=11016
- Posner, A.S. See Mandelkern, L., 1=11605
- Posner, M., Snider, J.L., Berstein, A.M. and Hamilton, D.R. Magnetic moment of  $\text{N}^{15}$ , 1=16968
- Possagno, E. See Cacace, F., 1=15206
- Post, B. See Laplace, S., 1=17426
- Post, R.F. Equilibrium ambipolar potentials in a mirror machine, 1=10714
- Post, R.F. Impurity radiation losses from a high temperature plasma, 1=18855
- Post, R.F. and Perkins, W.A. Velocity-space plasma instabilities observed in a mirror machine, 1=7085
- Post, W. See Altenpohl, D., 1=14964
- Postma, H., Eversdijk Smulders, M.C. and Huiskamp, W.J. Beta emission from oriented  $^{160}\text{Tb}$  and  $^{168}\text{Ho}$  nuclei, 1=8643
- Postma, H. and Wilson, R. Elastic scattering of 146 MeV polarized protons by deuterons, 1=3183
- Postma, N. See Barnett, C.F., 1=16349
- Postnikov, V.S. See Samoilo, A.Ya., 1=7815
- Potapkov, N.A. and Tyablikov, S.V. The theory of the s-d model, 1=3874
- Potapov, V.I. See Potemkin, A.Ya., 1=987
- Potapova, N.I. See Shapiro, B.S., 1=20911
- Potemkin, A.Ya. and Potapov, V.I. Studying the interaction between copper and antimony in germanium, 1=987
- Potemkin, V.V. and Vasil'ev, Yu.V. Investigation of the memory effect in ferrites, 1=20124
- Potnis, V.R. See Nagashima, K., 1=9795
- Potnis, V.R. See Pomerantz, M.A., 1=13577
- Potoceanu, C. See Balea, E., 1=569
- Potoceanu, C. See Balea, E., 1=570
- Potoceanu, C. See Ficuciu, N., 1=535
- Pott, F.P. and Wagner, S. The selective measurement of neutron and photon doses with an ethylene dosimeter, 1=13234
- Pottasch, S.R. Comments on some physical processes in diffuse nebulae, 1=33
- Potter, A.E., Jr. and Del Duca, B.S. Origin of the sodium airglow, 1=15299
- Potter, H.I. and Streletsii, Y.S. A camera for the observation of the moon with the normal astrograph at the main astronomical observatory of the Academy of Sciences, USSR in Pulkovo, 1=10
- Potter, R.F. and Kretschmar, G.G. Optical properties of
- Potter, R.J. Absorption measurements on a plastic scintillator, 1=7726
- Potter, R.J. Transmission properties of optical fibers, 1=12976
- Potter, R.J. and Hopkins, R.E. The optical coupling of a scintillation chamber to an image-intensifying tube, 1=2851
- Pottinger, R.C. See Wright, J.K., 1=18878
- Potts, W.H. See Erley, D.S., 1=7923
- Pötzschke, M. See Schubert, K., 1=5099
- Pötzschke, M. See Schubert, K., 1=6528
- Poulet, H. See Hadni, A., 1=9925
- Poulet, H. See Mathieu, J.P., 1=906
- Poulis, J.A., Massen, C.H. and van der Leeden, P. Magnetic measurements on pure  $\text{MnCO}_3$ , pure  $\text{MnO}$  and dissociating  $\text{MnCO}_3$ , 1=14677
- Poulis, N.J. See Burger, J.P., 1=14827
- Poulis, N.J. See Hass, W.P.A., 1=8137
- Poulis, N.J. See Roest, R., 1=882
- Poulis, N.J. See van der Lugt, W., 1=1285
- Poulis, N.J. See van der Lugt, W., 1=7733
- Poulis, N.J. See van der Lugt, W., 1=20269
- Poulsen, N.B. See Bayly, J.G., 1=17178
- Pound, G.M., Bitler, W.R. and Paxton, H.W. Theory of the self-diffusion coefficient in cubic metals, 1=11220
- Pound, G.M. See Armstrong, R.W., 1=980
- Pound, G.M. See Mehl, R.F., 1=17502
- Pound, G.M. See Rapp, R.A., 1=4022
- Poussot, R. See Mulot, P., 1=13907
- Poussot, R. See Mulot, P., 1=5955
- Powell, A. Theory of sound propagation through ducts carrying high-speed flows, 1=1784
- Powell, A. Concerning the noise of turbulent jets, 1=1801
- Powell, A. On the edgetone, 1=8178
- Powell, A. Distortion of finite amplitude sound wave, 1=9447
- Powell, B.W. See Bartke, J., 1=8513
- Powell, B.W. See Hough, P.V.C., 1=5618
- Powell, C.F. The development of the photographic method of recording tracks of nuclear particles, 1=7178
- Powell, C.J. The origin of the characteristic electron energy losses in ten elements, 1=6100
- Powell, C.J. The origin of the characteristic electron energy losses in aluminium and magnesium, 1=9997
- Powell, R.W. Thermal conductivity as a non-destructive testing technique, 1=10614
- Powell, R.W., Tye, R.P. and Woodman, M.J. Some electrical resistivity measurements on a series of iron-chromium alloys, 1=17607
- Powell, W.M. See Fowler, W.B., 1=5788
- Powell, W.M. See Goldhaber, S., 1=4797
- Power, E.A. and Saavedra, I. Scattering by a bounded non-linear singularity, 1=453
- Power, G. and Jackson, H.L.W. Use of Stokes' stream function for discontinuities of potential at a spherical boundary, 1=16146
- Powers, B.F. See Katz, J.L., 1=15860
- Powers, D.A. and Johansen, I.J.T. Electric strength of rutile single crystals, 1=11345
- Powers, J., Keedy, D.A. and Stein, R.S. Depolarization of scattered light by n-paraffin vapors and the additivity of bond polarization tensors, 1=12296
- Powers, J.K. See Lever, R.F., 1=2530
- Powles, J.G. A test of the theories of magnetic resonance and the study of liquids by this method, 1=10522
- Powles, J.G. and Hartland, A. The measurement of indirect (J) coupling between nuclei in liquids in magnetic resonance by the transient method, 1=5287
- Powles, J.G. and Hartland, A. The measurement of indirect coupling and chemical shift using spin echoes, 1=11192
- Powles, J.G. and Mosley, M.H. A thermal motion effect in the electron spin resonance of a free radical in solution, 1=9407

- Powles, J.G. and Mosley, M.H. Exchange effects and anisotropy broadening of the hyperfine spin resonance spectrum of the biphenyl negative ion in solution, 1=15906
- Powles, J.G. and Neale, D.J. Molecular motion in liquid toluene by proton magnetic resonance relaxation, 1=9408
- Powles, J.G. and Neale, D.J. Multiple proton magnetic resonance relaxation in a number of molecular liquids, 1=15910
- Powlus, R.A. See Glicksman, M., 1=5023
- Powsner, E.R. Self-absorption of carbon-14 samples on thin paper planchets, 1=13672
- Pöyhönen, J. See Heckmann, P.H., 1=13692
- Pozihun, K.A. See Demidov, K.K., 1=15201
- Pozwolski, A. On a generalisation on the problem of determining unitary matrices, 1=17979
- Pradal, F. and Colombie, N. Energy spectrum of a beam emitted by a high-frequency source operating as an electron source, 1=8354
- Pradal, F. and Gout, C. Characteristic energy losses in a 20 keV electron beam transmitted by a composite film, 1=17492
- Pradel, F. and Gout, C. Characteristic energy losses of electrons in cadmium, tellurium and selenium, 1=14241
- Pradel, J. See Brichard, J., 1=9821
- Praderie, F. The influence of carbon on ionization in stellar atmospheres, 1=18114
- Pradhan, B.P. and Gupta, R.C. Dielectric constants of crystalline powders at microwave frequencies, 1=6191
- Pradhan, B.P. and Sharma, M.N. An investigation on dielectric properties of mixtures at radio frequencies, 1=17825
- Prakash, P. and Zimmerman, A.H. Photon decay of hyperons, 1=13512
- Prakash, Y., Steinberg, P.H., Chandler, D.A. and Prem, R.J. On the binding energies of mesic hypernuclei, 1=13636
- Prakash, Y. See Glasser, R.G., 1=9771
- Pramila, G.C. See Jha, S., 1=5829
- Pramila, G.C. See Jha, S., 1=8637
- Pramila, G.C. See Jha, S., 1=13749
- Pramila, K.G.C. See Jha, S., 1=663
- Prange, R.E. The moment of inertia of large superfluid fermion systems, 1=5692
- Prasad, A.N. and Craggs, J.D. Measurement of ionization and attachment coefficients in humid air in uniform fields and the mechanism of breakdown, 1=1891
- Prasad, A.N. and Craggs, J.D. Measurement of Townsend's ionization coefficients and attachment coefficients in oxygen, 1=7026
- Prasad, B.B. See Prasad, B.N., 1=18472
- Prasad, B.N. Influence of directional irradiation on, and the absorption of light in the production of, Joshi effect in mercury vapour, 1=18473
- Prasad, B.N., Prasad, B.B. and Raja Rao, S. Co-occurrence of positive and negative Joshi effect in iodine vapour, 1=18472
- Prasad, K.K., Mahadevan, K. and Havemann, H.A. Flame speeds in oscillating gases in a tube, 1=16154
- Prasad, S.S. On the variation of electronic transition moment  $R_{\alpha}$  in CN violet band systems, 1=14063
- Prasada Rao, T.A. See Haranath, P.B.V., 1=8840
- Prat, M.T. and Gay, R. Definition of  $s$ , the degree of short-range order in a monophasic structure of a binary solid solution, 1=20615
- Pratap, R. Pressure compensated fields, 1=15384
- Pratelli, A.M. The dimensionless products characteristic of magnetofluid dynamics, 1=9674
- Prather, J.L. Atomic energy levels in crystals, 1=14148
- Prato, G.Da. and Putzolu, G. Radiative corrections to  $\pi^- \pi^0 + e^- + \bar{\nu}$  decay, 1=16838
- Prats, F. On potential scattering of relativistic particles, 1=8436
- Pratt, B. and Ben-Sira, M.Y. Resistivity calculations for semiconductor crystals grown by the Czochralski technique, 1=6145
- Pratt, G.W., Jr. Necessity and experimental consistency of antiferromagnetic ground state without long-range order, 1=7773
- Pratt, J.N. See Aldred, A.T., 1=8111
- Pratt, P.L. See Davidge, R.W., 1=8433
- Pratt, R.H. Transfer of helicity in radiation and absorption of high-energy photons, 1=12073
- Prausnitz, J.M. See Hermesen, R.W., 1=8264
- Predazzi, E. See Favella, L., 1=5697
- Predazzi, E. See Freund, P.G.O., 1=13479
- Predvoditelev, A.A., Tyapunina, N.A. and Bystrikov, A.S. An analysis of the spatial distribution of dislocations in cadmium, 1=3667
- Predvoditelev, A.A. See Yurasova, V.E., 1=4017
- Preibisz, Z. See Zyllicz, J., 1=13720
- Preintki, J. See Meyer, P., 1=550
- Preisendorfer, R.W. Generalized invariant imbedding relation, 1=9351
- Preiss, I.L. See Ladenbauer, I.M., 1=12223
- Preist, T.W. See Fowler, G.N., 1=5857
- Preiswerk, P. High-energy physics, 1=384
- Prelec, K. See Cheynier, B., 1=16434
- Prem, R.J. See Prakash, Y., 1=13636
- Prenner, J.S. and Williams, F.E. Effect of interstitial Li on the density of Si, 1=19767
- Prentki, J. See D'Espagnat, B., 1=434
- Prentki, J. See Meyer, P., 1=494
- Prentki, J. See Meyer, P., 1=5784
- Prentki, J. See Meyer, P., 1=8510
- Preobrazhenskii, A.Ya. See Vereschagin, L.F., 1=5090
- Prepost, R., Hughes, V.W. and Ziocck, K. Observation of the hyperfine structure splitting of muonium by use of a static magnetic field, 1=3202
- Prepost, R. See Feher, G., 1=2074
- Prescott, J.R. and Lindquist, D.L. Simple light pulses for testing photomultipliers, 1=16388
- Prescott, J.R. and Rupaal, A.S. The specific fluorescence of plastic scintillator NE102, 1=7169
- Presland, A.E.B. See Pashley, D.W., 1=20709
- Presnell, R.I. See Leadbrand, R.L., 1=15556
- Presnyakov, A.A. and Chervyakova, V.V. The nature of the sudden drop in the plasticity of solid solutions, 1=10215
- Presnyakov, A.A., Dautova, L.I. and Klyuchnikov, Yu.F. Electrical resistance anomalies in brasses and aluminium bronzes, 1=6125
- Presnyakov, A.A. See Starikova, G.V., 1=12584
- Presperin, V. See Kul'chitskii, L.A., 1=19437
- Press, F., Buwalda, P. and Neugebauer, M. A lunar seismic experiment, 1=15422
- Pressman, J., Marmo, F.F. and Aschenbrand, L.M. Artificial electron clouds. IV. Thermal ionization study, night time cesium release at 101 km, 1=6611
- Pressman, J., Marmo, F.F. and Aschenbrand, L.M. Artificial electron clouds. VI. Low altitude study, release of cesium at 69, 82 and 91 km, 1=10324
- Pressman, J. See Marmo, F.F., 1=6608
- Pressman, J. See Marmo, F.F., 1=6609
- Pressman, J. See Marmo, F.F., 1=6610
- Pressman, J. See Marmo, F.F., 1=6612
- Preston, B.W. Computer for the conversion of tristimulus values to trichromatic coefficients, 1=4160
- Preston, J. See Budworth, D.W., 1=1441
- Preston, R.L., Martin, H.J., Jr and Sampson, M.B. Energy levels in  $Zr^{2+}$  excited by the (d, p) reaction, 1=4877
- Preston, R.S. See Hanna, S.S., 1=621
- Preston, R.S. See Meyer-Schützmeister, L., 1=9023
- Prestrud, M. See Bellman, R., 1=15746
- Prestwich, W.V. See Fritze, K., 1=7335
- Prestwich, W.V. See Fritze, K., 1=8656
- Prestwood, R.J. and Bayhurst, B.P. (n,2n) excitation functions of several nuclei from 12.0 to 19.8 MeV, 1=3452
- Pretzel, F.E. and Petty, R.L. Interstitial defects in LiH and NaCl irradiated at low temperatures, 1=11195
- Pretzel, F.E., Rupert, G.N., Mader, C.L., Storms, E.K., Gritton, G.V. and Rushing, C.C. Properties of lithium hydride. I. Single crystals, 1=7657
- Pretzel, F.E. and Rushing, C.C. Properties of lithium hydride. II. Optical absorption by color centers, 1=17578
- Pretzel, F.E. See Lewis, W.B., 1=19811
- Preuss, H. The present-day state of quantum chemistry, 1=858
- Preuss, H. The significance of energy comparison for the accuracy of an approximate solution [of the Schrödinger equation], 1=18270
- Preuss, H. Coulomb and exchange integrals in the method of molecular states, 1=19653
- Preuss, H. See Bingel, W.A., 1=11105
- Preuss, H. See Hofacker, L., 1=17250
- Preuss, L.G. and Escarfail, J.P. Decomposition of spectral intensities into Gaussian curves, 1=18592



- Prevot, F. and le Quinto, R. Vacuum in the Saclay proton-synchrotron, 1=350
- Preziosi, B. See Caianiello, E.R., 1=5653
- Preziosi, S. See Van Uitert, G., 1=11398
- Pribytkova, N.N. See Kiseleva, N.K., 1=19943
- Price, A.H. The dielectric properties of some  $\alpha$ - $\omega$  dibromo alkanes, 1=12897
- Price, F.P. Markoff chain model for growth of polymer single crystals, 1=20422
- Price, G.A. Migration areas and effective delayed neutron fractions by critical experiments, 1=782
- Price, G.A. Neutron temperature measurements with  $^{176}\text{Lu}$ , 1=7255
- Price, J.C. See Kraus, D.L., 1=6814
- Price, M.R. See McGill, I.S., 1=7248
- Price, F.B. On microcreep in zinc whiskers, 1=1327
- Price, P.B. On dislocations loops formed in zinc crystals during low temperature pyramidal glide, 1=10003
- Price, P.B. Direct observations of ion damage in cadmium, 1=12389
- Price, P.B. Nonbasal glide in dislocation-free cadmium crystals. I. The (1011) [1210] system, 1=12595
- Price, P.B. Nonbasal glide in dislocation-free cadmium crystals. II. The (1122) [1123] system, 1=12596
- Price, P.B. Nucleation and growth of twins in dislocation-free zinc crystals, 1=14981
- Price, P.B. See Kroupa, F., 1=3669
- Price, P.J. Strain dependence of the acceptor binding energy in diamond-type semiconductors, 1=17665
- Price, P.J. and Yi-Han Kuo. Acoustic-mode mobilities for "split p-silicon", 1=17710
- Price, P.J. See Keyes, R.W., 1=3930
- Price, R. See Cohen, B.L., 1=3398
- Price, R. See Pettengill, G., 1=10395
- Price, R.B. See Rough, F.A., 1=13905
- Price, R.E. See Cohen, B.L., 1=3397
- Price, R.E. See Cohen, B.L., 1=4876
- Price, R.E. See Cohen, B.L., 1=8598
- Price, R.E. See Cohen, B.L., 1=11030
- Price, R.E. See Hamburger, E.W., 1=3456
- Price, W.C., Harris, P.V., Beaven, G.H. and Johnson, E.A. Ultra-violet absorption spectra of the molecules  $\text{H}_2\text{O}$ ,  $\text{HDO}$  and  $\text{D}_2\text{O}$ , 1=852
- Price, W.T. See Murray, R.L., 1=17211
- Priest, J., Chiou, C. and Caswell, H.L. Characteristics of the annealing kinetics of tin films deposited at 88°K, 1=12663
- Priest, J.H. See Arthur, G., 1=4507
- Priester, W. and Martin, H.A. Earth satellite observations and the upper atmosphere. Temperature inversion in the F1-layer, 1=2569
- Priester, W., Martin, H.A. and Kramp, K. Earth satellite observations and the upper atmosphere. Diurnal and seasonal density variations in the upper atmosphere, 1=2570
- Prieto, F.E. and de Oyarzabal, G.S. Natural uranium light water lattices, 1=19560
- Prigogine, I. On the motion of a charged particle, 1=9342
- Prigogine, I. and Balescu, R. Irreversible processes in gasses. III. Inhomogeneous systems, 1=6352
- Prigogine, I., Balescu, R., Henin, F. and Résibois, P. On the dynamical derivation of equilibrium statistical mechanics, 1=5205
- Prigogine, I., Balescu, R. and Krieger, I.M. On the decay of long-range correlations, 1=353
- Prigogine, I. and Leaf, B. On the field-matter interaction in classical electrodynamics, 1=18983
- Prigogine, I. and Resibois, P. On the kinetics of the approach to equilibrium, 1=15745
- Prigorovskiy, N.I. Stress analysis on three-dimensional Prikhot'ko, A.F. See Broude, V.L., 1=3850
- Prima, A.M. Vibrational spectra of silicates. III. Equations of vibrations of plane silicon-oxygen rings in silicates, 1=5828
- Primachenko, V.E. and Snitko, O.V. The role of the dielectric in investigating the effect of the field in semiconductors, 1=12439
- Primak, W., Szymanski, H. and Keiffer, D. Frequency factors for annealing fast-neutron induced density changes in vitreous silica, 1=7606
- Primakoff, H. and Rosen, S.P. A corrigendum to the article "double beta decay" by H. Primakoff and S.P. Rosen in reports on progress in physics, 1=13710
- Primakoff, H. See Dreitlein, J., 1=16878
- Primas, H. Quantum mechanical systems with a stochastic Hamiltonian, 1=8074
- Primas, H. A generalized perturbation theory for quantum mechanical many-body problems, 1=15702
- Prince, E. Structure of nickel chromite, 1=6519
- Principi, P. See Mangialajo, M., 1=10748
- Pringle, G.E. An apparatus for turning crystals cylindrical, 1=15036
- Pringle, G.E. The potential of a circular current, 1=16492
- Pringle, J.P.S. See Heal, H.G., 1=17577
- Pringle, R.W. See Brooks, F.D., 1=3078
- Prinzler, H. Electron and gas temperature in the positive column of the high current glow discharge at atmospheric pressure, 1=16284
- Prior, A.C. A reversed carrier transport effect in germanium, 1=1056
- Prior, A.C. Growth from the vapor of large single crystals of lead selenide of controlled composition, 1=6497
- Prior, A.C. Vacuum radiation furnace with precise control of temperature gradients for crystal growth by sublimation, 1=6984
- Prior, A.C. Some theoretical considerations on the longitudinal magnetic field induced oscillations in semiconductors [The oscillistor] and a tentative explanation, 1=11288
- Prior, A.C. See Harding, G.N., 1=9574
- Prior, A.C. See Kimmitt, M.F., 1=15944
- Prior, O. See Nilsson, S.G., 1=7313
- Priou, M. See Archambault, Y., 1=17260
- Pripstein, M. See Poirier, J.A., 1=9776
- Prishvalko, A.P. Determination of the optical constants of absorbing materials from measurements of Stokes
- Pritchard, G.O. and Miller, G.H. Comparison of  $\text{CH}_3$  and  $\text{CF}_3$  hydrogen abstraction reactions, 1=20721
- Pritchard, H.O. and Sumner, F.H. Complete set expansions for molecular wave functions, 1=14066
- Privorotskii, I.A. See Kaner, E.A., 1=14172
- Proca, G. See Belbeoch, R., 1=16494
- Prodell, A. See Eisler, F., 1=16889
- Prod'homme, M. Contribution to the study of the viscosity of glasses, 1=20349
- Prokesh, A. See Ivanovskaya, I.A., 1=19501
- Prokhorov, A.M. Quantum counters, 1=19066
- Prokhorov, A.M. See Pashinin, P.P., 1=14810
- Prokhorov, A.M. See Zverev, G.M., 1=1264
- Prokhorov, A.M. See Zverev, G.M., 1=3940
- Prokhorov, A.M. See Zverev, G.M., 1=20238
- Prokhorov, L.V. See Braun, M.A., 1=16710
- Prokhorov, P.S. and Leonov, L.F. Investigation of long-range diffusion forces between water droplets and non-volatile particles, 1=11633
- Prokhorov, V.G. See Andrianov, A.M., 1=9583
- Prokhorov, Yu.G. The problem of recording the energy losses of a plasma, 1=2977
- Prokhovnik, S.J. An interpretation of the Lorentz transformation co-ordinates, 1=1692
- Prokhovnik, S.J. The nature of light propagation, 1=15615
- Prokof'ev, A.N. See Velyukhov, G.E., 1=3451
- Prokof'ev, P. See Osis, N., 1=4650
- Prokof'ev, V.A. Weak waves in an incompressible fluid taking radiation into account, 1=1733
- Prokopenko, V.S. See Pasechnik, M.V., 1=19454
- Prokoshkin, Yu.D. See Dunaitzev, A.F., 1=5773
- Prokoshkin, Yu.D. See Mal'tsev, V.M., 1=17103
- Prokoshkin, Yu.D. See Vasilevskii, I.M., 1=9660
- Prokoshkin, Yu.D. See Vasilevskii, I.M., 1=19195
- Propastina, V.V. The influence of heat treatment on the shear modulus and the Curie point of the alloy Elinvar, 1=7812
- Prorol, J. See Munsch, G., 1=6785
- Prosen, R.J., Holmen, J.O. and Gran, B.E. Rotatable anisotropy in thin permalloy films, 1=6321
- Prosperi, D. See Giannini, M., 1=2186
- Prosperi, D. See Giannini, M., 1=17039
- Prosser, V. The optical constants of single crystals of hexagonal selenium, 1=7696
- Prosz, J. See Kollár, G., 1=11608
- Protopopov, A.N. and Blinov, M.V. The average number of neutrons emitted in the fission of  $^{233}\text{U}$  by 14.8 MeV neutrons, 1=742

- Protopopov, A.N. and Eismont, V.P. Anisotropy of the 14 MeV neutron induced fission of  $U^{235}$ , 1=744
- Protopopov, A.N., Tolmachev, G.M., Ushatski, V.N., Venediktova, R.V., Krisuk, I.T., Rodionova, L.P. and Yakovleva, G.V. Mass distribution of the fragments from the 14.6 MeV fission of  $U^{235}$ ,  $U^{238}$ , and  $Pu^{239}$ , 1=743
- Protopopov, Kh.V., Arslanov, Kh.A., Butomo, S.V. and Timofeeva, T.V. New liquid scintillators, 1=4348
- Protschka, H. See Voiländer, J., 1=20189
- Proud, K.J. See Sethna, D.N., 1=20377
- Provisor, H. Micrographical study of the diffusion of magnesium in cathode nickel, 1=3686
- Provornov, S.M. and Grebennikov, O.F. Camera RKS-1 for high-speed cinematography, 1=9496
- Prowse, D.J. See Deka, G.C., 1=5930
- Prowse, D.J. See Fisk, H.E., 1=3244
- Prowse, D.J. See Helmy, E., 1=9765
- Prowse, D.J. See Van Heerden, I.J., 1=2239
- Prussin, S. Generation and distribution of dislocations by solute diffusion, 1=14270
- Pryamkova, I.A. See Spivak, G.V., 1=327
- Pryan'ishnykov, M.P. See Hertstriken, S.D., 1=11226
- Pryce, M.H.L. See Foglio, M.E., 1=19574
- Prýkhot'ko, A.F. and Soloviov, A.V. Absorption and luminescence of impurities in organic compound crystals at 20°K. I. Spectra of solutions of naphthacene in dibenzyl and diphenyl crystals, 1=11374
- Prýkhot'ko, A.F. and Soloviov, A.V. Absorption and luminescence of impurities in organic compound crystals at 20°K. II. Spectra of naphthacene solutions in crystals of certain uncondensed aromatic hydrocarbons, 1=11375
- Prýkhot'ko, A.F. See Brodin, M.S., 1=11382
- Pryor, A.W. The input stage of a transistor pulse amplifier, 1=1870
- Pryor, A.W. See Sabine, T.M., 1=19823
- Przybylski, A. HD 101065 - A G0 star with high metal content, 1=9284
- Psarev, V.I. Concerning the growth of crystals of intermetallic compounds in the Zn-Sb, Cd-Sb, and In-Sb alloy systems, 1=11543
- Ptitsyn, O.B. Intramolecular interactions in polymer chains, 1=3578
- Ptitsyn, O.B. See Vol'kenshtein, M.V., 1=18299
- Ptitsyna, E.A. See Zaidel', A.N., 1=5480
- Ptitsyna, E.A. See Zaidel', A.N., 1=9606
- Ptushinskii, Yu.G. An oxide cathode with a nickel-tantalum alloy base, 1=10729
- Ptushyn'skii, Yu.H. and Lupan, Yu.A. Sign of the conductivity of powdered Ge films, 1=14452
- Pu Fu-Cho [P'u Fu-ch'o]. Quantum mechanical derivation of formulae for antiferromagnetic resonance, 1=10176
- Pu Fu-Cho [P'u Fu-Ch'o], Tyablikov, S.V. and Shiklosh, T. [Siklós]. Retarded and advanced Green functions in the quantum theory of isotropic ferromagnetics, 1=1205
- P'u Fu-Ch'o. See Pu Fu-Cho, 1=1205
- P'u Fu-ch'o. See Pu Fu-cho, 1=10176
- Pu Fu-cho. See Tyablikov, S.V., 1=7778
- Pucel, R.A. Physical principles of the Esaki diode and some of its properties as a circuit element, 1=14491
- Pucherov, M.M. Angular distribution of elastically scattered [6.8 MeV] protons, 1=13782
- Pucherov, M.M. The angular distribution of elastically scattered 6.8 MeV protons on nuclei with  $Z = 26 - 30$ , 1=13786
- Pucherov, M.M. See Val'ter, A.K., 1=19455
- Pucherov, N.N. See Pasechnik, M.V., 1=19454
- Pudovkina, Z.V. See Pyatenko, Yu.A., 1=15103
- Puff, H. On the electron-phonon interaction, 1=9976
- Puff, R.D. Ground-state properties of nuclear matter, 1=13613
- Pugachev, G.S. See Vitman, F.F., 1=16001
- Pugh, E.M. Conservative field in d.c. networks, 1=10660
- Pugh, E.M. See Sanford, E.R., 1=14363
- Pugh, F.W. and Argyle, B.E. Low-temperature pyromagnetic measurements on nickel, 1=6275
- Pugh, H.G. See Gooding, T.J., 1=395
- Pugh, H.G. See Gooding, T.J., 1=13411
- Pugh, H.L.D. and Lees, J. Synthesis and X-ray analysis of diamond, 1=20436
- Puig, J.R. and Dobó, J. Radiochemical grafting [of polymers] by irradiation at low temperatures, 1=20765
- Pujols, C. See Laffitte, É., 1=7723
- Pulfer, R.F. See Dale, J.W.G., 1=13208
- Pullen, D.J. See Hinds, S., 1=7343
- Pullen, D.J. See Hinds, S., 1=8581
- Pullia, A. See Vaciago, A., 1=20568
- Pulvari, C.F. Ferrielectricity, 1=1139
- Puppi, G. See Block, M.M., 1=13500
- Puppi, G. See Leitner, J., 1=16901
- Puranik, P.G. and Rao, E.V. Potential constants and calculated thermodynamic properties of nitril fluoride and nitril chloride, 1=15981
- Purcell, J.D. See Malitson, H.H., 1=2612
- Purica, I., Ștefănescu, R. and Sabau, M. On the spatial variation of the neutron spectrum in a heterogeneous reactor, moderated and cooled with natural water, 1=7413
- Purkavastha, S. See Kar, K.C., 1=60
- Purmal', A.P. See Kachanova, Zh.P., 1=5111
- Purnell, A.D. See Batchelor, R., 1=5734
- Purser, K.H. See Glover, R.N., 1=8748
- Pursey, D.L. See McCarthy, I.E., 1=7363
- Pursey, D.L. See McCarthy, I.E., 1=8675
- Püschel, W. The mean lifetime of charged  $\Sigma$ -hyperons and investigations on further properties of these particles, 1=3242
- Pushkarev, O.E. See Gubanov, A.I., 1=2364
- Pushkin, E.V. See Avakyan, R.O., 1=19391
- Pushkov, N.V. See Dolginov, S.Sh., 1=3306
- Pushtarik, V.A. See Kotov, V.I., 1=10752
- Pusteria, M. See Ferrari, F., 1=10929
- Pusteria, M. See Ferrari, F., 1=10930
- Pusteria, M. See Costa, G., 1=13502
- Pustovalov, G.E. and Krechko, M.S. Charge distribution in nuclei and energy levels of  $\mu$ -mesonic atoms, 1=3527
- Pustovoit, S.P. Transient thermal convection in a spherical cavity, 1=6975
- Putcherov, N.N. See Pasetchnik, M.V., 1=8707
- Putcherov, N.N. See Val'ter, A.K., 1=8706
- Putley, E.H. Impurity photoconductivity in n-type InSb, 1=3791
- Putnam, L.H., Collins, H.D. and Oleson, N.L. Experimental evidence for beam-plasma interaction in a low-pressure argon discharge, 1=13081
- Putner, T. See Catalan, L.A., 1=16097
- Putner, T. See Steckelmacher, W., 1=4473
- Puttemans, J.P. See Résibois, P., 1=16188
- Puttick, K.E. The shear component of ductile fracture, 1=3994
- Putzeiko, E. See Terenin, A., 1=6060
- Putzolu, G. Radiative corrections to pion production in  $e^+e^-$  collisions, 1=12096
- Putzolu, G. See Prato, G.Da., 1=16838
- P'jankov, H.N. See Hobovych, M.D., 1=13130
- Pyaskovskaya-Fesenkova, E.V. Determination of the transparency coefficient of the atmosphere from the polarization of the light of the sky, 1=6589
- Pyatenko, Yu.A. and Pudovkina, Z.V. Crystal structure of narsarsukite, 1=15103
- Pyatov, N.I. See Lyu Yuian', 1=19359
- Pyatt, K.D.Jr. See Breit, G., 1=499
- Pyle, I.C. The scattering of phonons by bound electrons in a semiconductor, 1=12429
- Pyle, R.V. See Allen, T.K., 1=284
- Pyle, R.V. See Kaplan, S., 1=16267
- Pytkowski, S. Ionization gauge head for very high vacuum measurements, 1=4387
- Pytkowski, S. See Krauze, W., 1=2797
- Pytte, A. Pinch with a small rotation, 1=2971
- Pytte, A. See Frieman, E., 1=11941
- Pyzhov, N.M. See Zolototrubov, I.M., 1=4598
- Quader, M.A. An X-ray study of silver-cadmium alloys, 1=15118
- Quareni, G., Quareni Vignudelli, A., Gottstein, K., Laboragine, I. and Salandin, A. Search for leptonic and radiative decays of charged  $\Sigma$ -hyperons, 1=13518
- Quareni, G. See Monti, D., 1=16879
- Quareni Vignudelli, A. See Monti, D., 1=16879
- Quareni Vignudelli, A. See Quareni, G., 1=13518
- Quarrington, J.E. See Cochran, W., 1=17898



- Quarrington, J.E. See Fray, S.J., 1=6212
- Quassiat, B. See Barbaro-Galtieri, A., 1=17102
- Quassiat, B. See Chiesa, A.M., 1=8501
- Queisser, H.J. Slip patterns on boron-doped silicon surfaces, 1=12597
- Queisser, H.J. See Shockley, W., 1=6170
- Quenby, J.J. See Elliot, H., 1=3357
- Quercigh, E. See Jones, B.D., 1=8500
- Quéré, Y. The mobility of lattice vacancies in silver, 1=14253
- Quéré, Y. and Doulat, J. Deformation under irradiation of uranium at low temperature, 1=10022
- Querzoli, R., Salvini, G. and Silverman, A. The polarization of the proton from the process  $\gamma + p \rightarrow \pi^0$  in the region of the higher resonances, 1=5726
- Quezel, G. See Cohen, J., 1=2470
- Quiesser, H.J., Hubner, K., Shockley, W. Diffusion along small-angle grain boundaries in silicon, 1=11228
- Quince, B.W. See Eisner, H.S., 1=11631
- Quinn, D.J. and Budnick, J.I. Study of the superconducting transition temperature in dilute thallium solid solutions, 1=10642
- Quinn, J.J. Electron-phonon interaction in normal metals, 1=17408
- Quinn, J.J. and Ferrell, R.A. Quasi-particle approach to interaction in an idealized metal, 1=9993
- Quinn, J.M.P. See Reynolds, J.A., 1=9585
- Quinn, W.E. See Little, E.M., 1=10721
- Quinton, A.R. See Anderson, C.E., 1=733
- Quinton, A.R. See Britt, H.C., 1=746
- Quinton, A.R. See Bromley, D.A., 1=19533
- Quinton, A.R. See Hubbard, E.L., 1=10749
- Quinton, A.R. See Knox, W.J., 1=734
- Quiroz, R.S. Seasonal and latitudinal variations of air density in the mesosphere (30 to 80 kilometers), 1=20887
- Quisenberry, K.S. See Armstrong, J.C., 1=7399
- Quisenberry, K.S. See Blair, A.G., 1=7400
- Quist, A.S. See Frank, H.S., 1=4326
- Quivy, R. and Franeau, J. Theoretical and experimental determination of the bremsstrahlung emitted by  $P^{32}$   $\beta$ -rays in Au, 1=13583
- Qurashi, M.M. and Ahsanullah, A.K.M. Investigation of periodic discontinuities in the mutual potential energy of molecules of water and some polyhydric alcohols, 1=4324
- Qurashi, M.M., Ahsanullah, A.K.M. and Rizvi, S.H. Note on a fully dynamical variant of Lees' disc method for the rapid determination of the thermal conductivity of poor conductors, 1=18643
- Qurashi, M.M. and Ahsanullah, A.M.K. The relationship between viscosity and molecular structure. IV. Observation of energy-level structure in the intermolecular potential energy of activation for viscous flow of water, 1=15780
- Qurashi, M.M. and Rizvi, S.H. An accurate rapid semi-dynamical method for the determination of thermal conductivities of poor conductors, 1=18642
- Qurashi, M.M. See Chowdhry, A.M., 1=15781
- Qvist, B. See Brene, N., 1=5779
- Raab, B. See Beiser, A., 1=3048
- Raab, D.H. Forward and backward masking between acoustic clicks, 1=4148
- Rabben, H.H. The Freiburg radio spectrograph. Instrument and preliminary results, 1=18159
- Rabe, E. Determination and survey of periodic Trojan orbits in the restricted problem of three bodies, 1=18023
- Rabenau, A. See Grimmeiss, H.G., 1=17717
- Rabenau, A. See Grimmeiss, H.G., 1=17775
- Rabesiaka, J. and Kovacs, A.J. Isothermal crystallization kinetics of polyethylene. III. Influence of the sample preparation, 1=20423
- Rabin, H. See Faraday, B.J., 1=14341
- Rabinovich, I.S. See Vekshinsky, S.A., 1=9426
- Rabinovich, M.S. See Askaryan, G.A., 1=10713
- Rabinovitch, B.S. See Setser, D.W., 1=20754
- Rabinowicz, E. Influence of surface energy on friction and wear phenomena, 1=11524
- Rabotnikov, Yu.L. A study of the lattice vibrations of tellurium by the methods of group theory, 1=4964
- Raboy, S. and Traul, C.C. A note on the background in NaI scintillation counters, 1=19061
- Raboy, S. See Monahan, J.E., 1=8464
- Raboy, S. See Monahan, J.E., 1=12183
- Rabson, T.A., Barfield, W.D., Bernard, D.L., Bonner, T.W. and Givens, W.W. Gamma radiations from excited states of  $Ne^{20}$ , 1=665
- Racah, G. and Spector, N. The configurations  $3d^n 4p$  in the second spectra of the iron group, 1=806
- Racette, J.H. See Hall, R.N., 1=7847
- Racette, J.H. See Hall, R.N., 1=17689
- Rachal, L.H. Fast response, low inertia vacuum furnace, 1=13019
- Rack, E.P. and Gordus, A.A. Effect of inert-gas moderators on the  $(n, \gamma)$  activated reaction of  $I^{131}$  with  $CH_4$ , 1=10298
- Raczka, R. Evaluation of the phase space integral in the statistical treatment of multiple production with angular momentum conservation, 1=13319
- Raczy, L., Constant, E. and Gabillard, R. Influence of traces of water on the dielectric behaviour of solid acetic
- Raczy, L. See Gabillard, R., 1=16242
- Radchenko, I.V. and Shapovalov, I.M. Peculiarities of the X-ray scattering intensity curves and of the curves of atom distribution in liquid metals (Review), 1=15840
- Radchenko, I.V. See Shapovalov, I.M., 1=11748
- Radchenko, R.V. See Galishev, V.S., 1=17874
- Radchenko, V.P. See Burmistrov, V.R., 1=3419
- Radcliffe, S.V. and White, J.S. Two simple methods for spot welding wires, 1=21162
- Radeloff, C. See Boersch, H., 1=16427
- Radeloff, J. See Bodenstedt, E., 1=632
- Radeloff, J. See Bodenstedt, E., 1=2160
- Radeloff, J. See Bodenstedt, E., 1=8568
- Radeloff, J. See Bodenstedt, E., 1=19410
- Radelt, H. The real structure of cadmium sulphide crystals, 1=7574
- Radelt, H. Becke lines in CdS crystals, 1=10008
- Rademacher, H.J. The [subjective] loudness of noise from heavy vehicles, 1=215
- Rademacher, H.J. and Venzke, G. The subjective and objective evaluations of the sound proofing of dividing walls and ceilings, 1=219
- Rademacher, K. See Hayess, E., 1=18797
- Rademacher, K. See Hayess, E., 1=18807
- Rademacher, K. See Hess, H., 1=18786
- Rademacher, K. See Morgenroth, H., 1=18785
- Rademacher, K. See Morgenroth, H., 1=18787
- Radenkovic, D. Limit theorems for a Coulomb material of non-standard dilatation, 1=20330
- Rader, C. See Mishkin, E., 1=16506
- Radford, H.E., Hughes, V.W. and Beltran-Lopez, V. Microwave Zeeman spectrum of atomic fluorine, 1=11067
- Radford, H.E. See Microwave Zeeman effect of free hydroxyl radicals, 1=7466
- Radford, L.E. Limit of stability of crystalline helium, 1=4529
- Radha, T.K. and Thunga, R. Photon-electron correlations in double Compton scattering, 1=476
- Radha, T.K. See Ramakrishnan, A., 1=16651
- Radha, T.K. See Ramakrishnan, A., 1=18287
- Radhakrishnan, V. Self-absorption in the 21 cm radiation from galactic neutral hydrogen, 1=4219
- Radhakrishnan, V. See Höglund, B., 1=47
- Radicati, L.A. See Fonda, L., 1=5675
- Radici, T. See Fiorentini, A., 1=21138
- Radkevich, I.A. See Vladimirovskii, V.V., 1=7406
- Rädler, K.H. The influence of the magnetic field modulation on the nuclear polarization in the Overhauser effect, 1=7794
- Radlova, L.D. The colour of the bright rays on the lunar surface, 1=18029
- Radnik, J.L. See Langer, G., 1=7921
- Rado, G.T. Report on ferromagnetic resonance at the 1960 conference on magnetism and magnetic materials, 1=6393
- Rado, G.T. Mechanism of the magnetoelectric effect in an antiferromagnet, 1=14370
- Rado, G.T. See Folen, V.J., 1=14369
- Radović, D. See Rushbrooke, J.G., 1=3221
- Radoszewski, T. Characteristics of scintillation counters, 1=19058
- Radvanyi, P. and Génin, J. Deuterons and tritons emitted in the bombardment of carbon nuclei by 155 MeV protons, 1=13803
- Radvanyi, P. See Bergamaschi, C., 1=16462
- Rae, E.R. See Cuninghame, J.G., 1=17169

- Raemer, H. Effect of underground induced polarization on e.l.f. propagation, 1=19039
- Raemer, H.R. On the extremely low frequency spectrum of earth-ionosphere cavity response to electrical storms, 1=20852
- Raether, H. Electron avalanches and their development, 1=4553
- Raether, H. See Hartl, W., 1=6094
- Rafałowicz, J. See Hoffmann, T., 1=20447
- Rafałowicz, J. See Hofman, T., 1=11547
- Rafałowicz, J. See Mazur, J., 1=14112
- Rafałowicz, J. See Mazur, J., 1=15005
- Rafal'son, A.E. See Pavlenko, V.A., 1=4664
- Raffle, J.F. Determination of absolute neutron flux by gold activation, 1=512
- Raghava Rao, R. and Ramachandra Rao, B. Study of horizontal drifts in the E-region at Waltair, 1=20976
- Raghavacharyulu, I.V.V. Representation of space groups, 1=10244
- Raghavacharyulu, I.V.V. and Shrestha, C.B. Irreducible representations of line groups, 1=13997
- Raghavan, R.S. See Jha, S., 1=5829
- Raghavendra Rao, K. See Duggal, V.P., 1=19215
- Ragle, J.L. Anisotropy of nuclear magnetic resonance in vanadium pentoxide, 1=14825
- Ragusa, S. See Ito, D., 1=13340
- Ragusa, S. See Katayama, Y., 1=3167
- Raguzin, R.M. See Zhdanov, A.P., 1=3099
- Rahm, D.C. Rapid beam ejector for the cosmotron, 1=16468
- Rahm, D.C. See Louttit, R.I., 1=12127
- Rahman, A., Singwi, K.S. and Sjölander, A. Dynamics of atomic motions in liquids and cold neutron scattering, 1=6853
- Rahman, A. See Khubchandani, P.G., 1=19625
- Rahman, F. and Ranjan, C. Electrical and magnetic properties of some low-conductivity ferro- and paramagnetic substances at microwave frequencies, 1=1201
- Raichenko, A.I. and Fedorchenko, I.M. On calculations of electrical conductivity of two-component sintered materials, 1=10028
- Raichenko, O.I. The determination of concentration distribution for alloys of heterogeneous metal powders, 1=15169
- Raievski, V. See Lacour, J., 1=2265
- Raikhbaum, Ya.D. and Malykh, V.D. A spectroscopic study of diffusion of atoms in an electric arc, 1=2955
- Raiko, V.I., Ioffe, M.S. and Zolotarev, V.S. Surface-ionization ion source for the separation of isotopes of alkali metals, 1=13975
- Railly, J.W. and Scott, B.F. Height of waves in hydraulic models by the method of stereoscopy, 1=18381
- Raimbault, P. See Sarazin, A., 1=5419
- Raina, N.N. See Evans, D., 1=19267
- Raina, N.N. See Jones, B.D., 1=8500
- Rainal, A.J. Sampling technique for generating Gaussian noise, 1=8297
- Rainwater, J. See Desjardins, J.S., 1=700
- Rainwater, J. See Edelstein, R.M., 1=7394
- Raišić, N.M., Popović, D.D., Takač, S.M. and Dordević, M.M. The experimental determination of the buckling in the bare heavy water natural uranium critical assembly "RB", 1=13903
- Raith, H. See Boersch, H., 1=2479
- Raith, W. On the determination of spin polarization by absorption measurements through optical pumping, 1=17274
- Raith, W. See Boersch, H., 1=10157
- Raith, W. See Boersch, H., 1=12255
- Raizer, M.D. See Grebenshchikov, S.E., 1=4589
- Raja Rao, K.S. On the seasonal variation in lunar and solar geomagnetic tides in the geomagnetic equatorial region, 1=15343
- Raja Rao, S. See Prasad, B.N., 1=18472
- Rajagopal, E.S. The role of initial stresses in lattice dynamics, 1=896
- Rajagopal, E.S. The rotational invariance condition in lattice dynamics, 1=897
- Rajagopal, E.S. The existence of interfacial couples in infinitesimal elasticity, 1=900
- Rajagopal, E.S. Particle size distributions in ultrasonic emulsification, 1=1493
- Rajagopal, E.S. Orientational misalignments in the determination of the elastic constants of cubic crystals, 1=6440
- Rajagopal, E.S. Energy distribution in the diffraction of light of arbitrary beam width by undamped and damped ultrasonic waves, 1=16108
- Rajagopal, E.S. See Chandrasekharan, V., 1=17398
- Rajagopal, E.S. See Krishnan, R.S., 1=6442
- Rajagopal, E.S. See Krishnan, R.S., 1=14845
- Rajagopal, E.S. See Krishnan, R.S., 1=20289
- Rajagopal, E.S. See Viswanathan, R., 1=19727
- Rajagopalan, K. Inelastic scattering of neutrons in solids and liquids — a symposium, 1=16797
- Rajagopalan, K.S. and Mathur, P.B. Correlation of standard electrode potential with atomic and ionic radii of metals, 1=1487
- Rajasekaran, G. and Biswas, S.N. A binding in hypernuclei by nonlocal interaction, 1=8570
- Rajewsky, B. and Lang, D. Absolute measurement of average energy lost by very soft X-rays per ion pair in air, 1=10873
- Raju, P.K. and Talwar, H.S. Radial pulsation of a cylinder in a magnetic field, 1=8383
- Rakavy, G. On the applicability of the transport approximation to the calculation of reactivity, 1=17210
- Rakavy, M. See Burde, J., 1=19365
- Rakhimova, I.Sh. See Yukhnovskiy, I.R., 1=13078
- Rakhman, B.M., Madorskii, A.Ya. and Obukhovskii, V.V. Some features of creep in steel, 1=6462
- Rakhmatulin, Kh.A. The propagation of elasto-plastic waves in complex loading, 1=16007
- Rakin, V.G. and Buinov, N.N. The nature of etch figures in Al-Cu alloys, 1=4015
- Rakin, V.G. and Buinov, N.N. On the structure of slip patterns in metals, 1=10219
- Rakobolskaja, I.V. See Dovzenko, O.I., 1=2129
- Rakotoarijimy, D. See Herman, L., 1=14011
- Rakotoarijimy, D. See Herman, L., 1=14037
- Rakovskii, E.E. See Lavrukhina, A.K., 1=17176
- Ralph, J.E. Radiation induced changes in the cathodoluminescence spectra of natural diamonds, 1=1184
- Ralph, J.E. See Dean, P.J., 1=1183
- Rama. Investigations of the radioisotopes Be<sup>7</sup>, P<sup>32</sup>, and S<sup>35</sup> in rain water, 1=13680
- Rama, Koide, M. and Goldberg, E.D. Iron-55 from nuclear detonations, 1=17006
- Rama Rao, H.S. and Ramachandra Rao, B. Ultrasonic velocities in some binary mixtures of benzyl alcohol, 1=8116
- Rama Rao, E.S. and Ramachandra Rao, B. Ultrasonic absorption measurements in some pure liquids, 1=5392
- Rama Rao, H.S. See Ramachandra Rao, B., 1=15870
- Rama Rao, M. A low pressure expansion cloud chamber, 1=13239
- Rama Rao, M. An internal-counter-controlled low-pressure cloud chamber, 1=16627
- Rama Rao, P.N. See Ramanna, R., 1=9889
- Ramachandra Rao, B. and Rama Rao, H.S. Ultrasonic absorption in aqueous electrolyte solutions, 1=15870
- Ramachandra Rao, B. and Ramana, K.V.V. Variation in height of anisotropy and random drift velocity of the irregularities in the ionosphere, 1=12697
- Ramachandra Rao, B. and Satyanarayana Murty, J. Diffraction of light by very high frequency ultrasonic waves, 1=9485
- Ramachandra Rao, B. See Bhagiratha Rao, E., 1=9199
- Ramachandra Rao, B. See Bhagiratha Rao, E., 1=15291
- Ramachandra Rao, B. See Bhagiratha Rao, E., 1=20927
- Ramachandra Rao, B. See Gopal Rao, M.S.V., 1=8393
- Ramachandra Rao, B. See Gopal Rao, M.S.V., 1=10326
- Ramachandra Rao, B. See Gopal Rao, M.S.V., 1=21009
- Ramachandra Rao, B. See Gopal Rao, M.S.V., 1=21011
- Ramachandra Rao, B. See Padmini, P.R.K.L., 1=887
- Ramachandra Rao, B. See Padmini, P.R.K.L., 1=12877
- Ramachandra Rao, B. See Padmini, P.R.K.L., 1=15869
- Ramachandra Rao, B. See Padmini, P.R.K.L., 1=18403
- Ramachandra Rao, B. See Padmini, P.R.K.L., 1=18406
- Ramachandra Rao, B. See Raghava Rao, R., 1=20976
- Ramachandra Rao, B. See Rama Rao, H.S., 1=8116
- Ramachandra Rao, B. See Rama Rao, H.S., 1=9392
- Ramachandra Rao, B. See Ramana, K.V.V., 1=20938
- Ramachandra Rao, B. See Seshagiri Rao, M.G., 1=15871
- Ramachandra Rao, B. See Gopal Rao, M.S.V., 1=10326
- Ramachandran, E.G. and Dasarathy, C. Stability of retained austenite on ageing, 1=6537



- Ramachandran, E.G. and Dasarathy, C. Athermal stabilization of austenite, 1=6538
- Ramachandran, E.G. and Dasarathy, C. Hydrogen and austenite stabilization, 1=6539
- Ramachandran, G. See Devanathan, V., 1=5751
- Ramachandran, G. See Ramakrishnan, A., 1=8481
- Ramachandran, G. See Ramakrishnan, A., 1=15699
- Ramachandran, G.N. Analysis of the X-ray diffraction pattern of helical structures, 1=20494
- Ramachandran, G.N. and Srinivasan, R. An apparent paradox in crystal structure analysis, 1=9132
- Ramachandran, J. See Rao, C.N.R., 1=14009
- Ramachandran, V. See Krishnan, A.A., 1=6522
- Ramakoteswara Rao, P. and Brody, J.K. Structure of the band spectrum of CuCl molecule, I. Additional knowledge in the coarse structure, 1=19638
- Ramakrishna, S. Pulse spread in proportional counters, 1=393
- Ramakrishna, S. Gas amplification in proportional counters, 1=13206
- Ramakrishna, S. See Bhagavantam, S., 1=18137
- Ramakrishna Rao, V. See Kameswara Rao, K.V., 1=5342
- Ramakrishnan, A., Balachandran, A.P. and Ranganathan, N.R. Some remarks on the structure of elementary particle interactions, 1=16681
- Ramakrishnan, A., Balachandran, A.P., Ranganathan, N.R. and Deshpande, N.G. On an isobaric spin scheme for leptons and the leptonic decays of strange particles, 1=13370
- Ramakrishnan, A., Devanathan, V. and Ramachandran, G. Elastic photoproduction of neutron pions from deuterium, 1=8481
- Ramakrishnan, A. and Radha, T.K. Correlation problems in evolutionary stochastic processes, 1=18287
- Ramakrishnan, A., Radha, T.K. and Thunga, R. On the decomposition of the Feynman propagator, 1=16651
- Ramakrishnan, A., Ramachandran, G. and Devanathan, V. A time-dependent approach to rearrangement collisions, 1=15699
- Ramakrishnan, A., Ranganathan, N.R. and Srinivasan, S.K. A note on the interaction between nucleon and anti-nucleon, 1=493
- Ramakrishnan, A. and Srinivasan, S.K. A note on electron photon showers, 1=9787
- Ramakrishnan, A., Srinivasan, S.K., Ranganathan, N.R. and Venkatesan, K. Photo-mesons from polarized nucleons, 1=526
- Ramamoorthy, P. and Chakraborty, B.B. A note on force-free fields, 1=358
- Raman, C.V. Huyghens' principle and the diffraction of light. I. Theoretical considerations, 1=238
- Raman, C.V. Caustics formed by diffraction and geometric theory of diffraction patterns, 1=239
- Raman, C.V. The perception of light and colour and the physiology of vision. I. The mechanism of perception, 1=21145
- Raman, C.V. The perception of light and colour and the physiology of vision. II. The visual pigments, 1=21146
- Raman, C.V. The perception of light and colour and the physiology of vision. III. The carotenoid pigment, 1=21147
- Raman, C.V. The perception of light and colour and the physiology of vision. IV. Ferriheme and ferriheme, 1=21148
- Raman, C.V. The perception of light and colour and the physiology of vision. V. The colour triangle, 1=21149
- Raman, C.V. The perception of light and colour and the physiology of vision. VI. Defective colour vision, 1=21150
- Raman, C.V. The perception of light and colour and the physiology of vision. VII. General summary, 1=21151
- Raman, C.V. and Pancharatnam, S. The optics of mirages, 1=1513
- Raman, S. Theory of the anomalous dispersion method of determining the structure and absolute configuration of non-centrosymmetric crystals, 1=1393
- Ramana, K.V.V. See Ramachandra Rao, B., 1=12697
- Ramana, K.V.V. and Ramachandra Rao, B. Investigation of ionospheric absorption on 5.65 Mc/s at Waltair, 1=20938
- Ramanadham, R. and Nagamunswara Rao, K. A simple inexpensive automatic camera for photographing at required intervals, 1=8249
- Ramanaiah, P. See Chang, C.C., 1=11739
- Ramanamurthy, P.V. See Murthy, G.T., 1=3327
- Ramanathan, K.G. and Srinivasan, T.M. The atomic heats of gold, platinum and antimony at liquid helium temperatures, 1=3606
- Ramanathan, K.R., Bhonsle, R.V. and Degaonkar, S.S. Effect of electron-ion collisions in the F region of the ionosphere on the absorption of cosmic radio noise at 25 Mc/s at Ahmedabad. Changes in absorption associated with magnetic storms, 1=20982
- Ramanathan, K.R. See Bhonsle, R.V., 1=6653
- Ramanna, R. See Nair, K.G., 1=13813
- Ramanna, R., Claudry, R., Kapoor, S.S., Mikke, K., Murthy, S.R.S. and Rama Rao, P.N. The angular correlation of prompt neutrons and fission fragments in thermal neutron fission of  $U^{235}$ , 1=6889
- Ramaradha, J.M. and Freeman, G.R. Radiolysis of cyclohexane. III. Vapor phase, 1=9176
- Ramaswamy, K. See Venkateswarlu, K., 1=14032
- Ramaswamy, K. See Venkateswarlu, K., 1=15880
- Ramaswamy, K. See Venkateswarlu, K., 1=15881
- Ramaswamy, M.K. L to K capture ratio in the decay of  $Ge^{66}$ , 1=2194
- Ramaswamy, M.K. K-conversion coefficients of E2 transitions, 1=9843
- Ramaswamy, M.K. Search for E0 transition in zinc-68, 1=17047
- Ramaswamy, M.K., Skeel, W.L., Hutchins, D.L. and Jastram, P.S. Directional and polarization correlation studies in the decay of 5-hour  $Sb^{118}$ , 1=2198
- Ramaswamy, M.K., Skeel, W.L., Hutchins, D.L. and Jastram, P.S. Nuclear levels of  $Sn^{118}$ , 1=8608
- Ramavataram, K. See Gale, N.H., 1=3460
- Ramavataram, K. See Gale, N.H., 1=5941
- Ramavataram, K. See Porat, D.I., 1=4667
- Ramavataram, K. See Porat, D.I., 1=4668
- Ramavataram, S. See Jaffe, A.A., 1=731
- Ramazanov, K.A. Electrical properties of alloys of the system Bi-Sb in thin films, 1=19826
- Ramazanov, P.E. See Vergunov, F.I., 1=14547
- Ramdas, A.K. See Becker, W.M., 1=17733
- Ramler, W.J., Yntema, J.L. and Oselka, M. Energy degrading -focusing of cyclotron, 1=5514
- Ramler, W.J. See Perlow, G.J., 1=7362
- Ramos, F. See Brú, L., 1=6512
- Ramsay, D.A. See Clement, M.J.Y., 1=2352
- Ramsay, D.A. See Johns, J.W.C., 1=3572
- Ramsay, J.B. See Campbell, A.W., 1=7911
- Ramsey, B., El-Bayoumi, M.A. and Kasha, M. Intramolecular charge-transfer bands observed in the spectra of some aryl boron compounds, 1=19641
- Ramsey, N.F. See Baker, M.R., 1=2347
- Ramsey, N.F. See Goldenberg, H.M., 1=11082
- Ramsey, N.F. See Leavitt, J.A., 1=19661
- Ramsey, N.F. See Nelson, H.M., 1=7492
- Ramsey, T.H.Jr. See Abernethy, L.L., 1=6499
- Ramseyer, H., Warwick, J.W. and Zirin, H. Connection of a loop prominence with a sunspot, 1=9277
- Ramsden, D. See Wilson, H.W., 1=13670
- Ramsteiner, F. See Schülle, W., 1=14249
- Rançon, P. See Baglin, C., 1=9764
- Rand, R.E. See Davies, G.R., 1=16467
- Rand, S. Plasma as a microwave amplifier, 1=10716
- Rand, S. Coefficient of dynamic friction for slow ions, 1=16274
- Randall, J.E. Biophysics in the medical curriculum, 1=4139
- Randi, P. See Cattani, D., 1=19320
- Randić, M. Comment on the difference between the bond orders calculated by SCF MO and simple MO method, 1=7480
- Randolph, P.D., Brugger, R.M., Strong, K.A. and Schmunk, R.E. Inelastic scattering of slow neutrons from methane, 1=15945
- Randolph, P.D. See Schmunk, R.E., 1=13827
- Ranft, J. The calculation of  $C^{13}$ -H and H-H nuclear spin coupling constants of ethane and ethylene using valence bond wave-functions, 1=17346
- Ranft, J. Long range chemical shifts in aceto-acetic ester and acetylacetone, 1=12309
- Ranganathan, N.R. and Vasudevan, R. The stochastic problem of electron-photon cascades including polarization, 1=2038
- Ranganathan, N.R. See Balachandran, N.P., 1=9774
- Ranganathan, N.R. See Ramakrishnan, A., 1=493
- Ranganathan, N.R. See Ramakrishnan, A., 1=526

- Ranganathan, N.R. See Ramakrishnan, A., 1=13370  
 Ranganathan, N.R. See Ramakrishnan, A., 1=16681  
 Rangappa, K.S. Cryoscopic effect of separation and concentration of solutes, 1=18677  
 Ranjan, C. See Rahman, F., 1=1201  
 Rank, D.H., Birtley, W.B., Eastman, D.P., Rao, B.S. and Wiggins, T.A. Precise measurements of some infrared bands of hydrogen chloride, 1=842  
 Rank, D.H., Eastman, D.P., Rao, B.S. and Wiggins, T.A. Highly precise wavelengths in the infrared. II. HCN, N<sub>2</sub>O, and CO, 1=12985  
 Ranken, W.A., Grover, G.M. and Salmi, E.W. Experimental investigations of the cesium plasma cell, 1=1912  
 Rankin, F.A. A crystal dislocation problem, 1=19783  
 Ranninger, J. Direct observation of the Lorentz contraction, 1=9313  
 Ransil, B.J. Studies in molecular structure. IV. Potential curve for the interaction of two helium atoms in single-configuration LCAO MO SCF approximation, 1=11110  
 Ransil, B.J. See Fraga, S., 1=6036  
 Ransil, B.J. See Fraga, S., 1=12300  
 Rao, B.R. General relativity and perihelion advance, 1=15648  
 Rao, B.S. See Rank, D.H., 1=842  
 Rao, B.S. See Rank, D.H., 1=12985  
 Rao, C.N.R., Goldman, G.K. and Ramachandran, J. Carbonyl stretching vibrations and electronic transitions due to nonbonding electrons in saturated ring ketones, 1=14009  
 Rao, C.N.R. See Yoganarasimhan, S.R., 1=4047  
 Rao, C.R. Ultrasonic dispersion in acetone, 1=18405  
 Rao, C.S.R. and Bhargava, J.C. M.U.F. factor and solar activity, 1=8394  
 Rao, D.A.A.S.N. See Mani, G.S., 1=3450  
 Rao, E.V. See Puranik, P.G., 1=13981  
 Rao, R.D., Desai, H.S. and Gogate, D.V. A note on heat transfer and film boiling, 1=13007  
 Rao, U.R. and Sarabhai, V. Time variations of directional cosmic ray intensity at low latitudes. I. Comparison of daily variation of the intensity of cosmic rays incident from east and west, 1=13571  
 Rao, U.R. and Sarabhai, V. Time variations of directional cosmic ray intensity at low latitudes. II. Time variations of east-west asymmetry, 1=13572  
 Rao, U.R. and Sarabhai, V. Time variations of directional cosmic ray intensity at low latitudes. III. Interpretation of solar daily variation and changes of east-west asymmetry, 1=13573  
 Rao, U.R. See Sarabhai, V., 1=3351  
 Rao, V. See Möllenstedt, G., 1=20699  
 Rao, V.S. and Kusch, P. Alkali-iron group-halogen complexes. Dissociation energies of KClFeCl<sub>2</sub> and CsClFeCl<sub>2</sub>, 1=6051  
 Rao, V.S. and Schoonmaker, R.C. Velocity analysis of molecular beams generated from NaOH vapors, 1=2358  
 Raoult, G. and Duchaux, A.M. A study of the electron paramagnetic resonance of Cu<sup>2+</sup> in copper sulphate magnetically diluted with magnesium sulphate, 1=14794  
 Raoult, G. and Fanguin, R. On a single cavity polarimeter for the 3 cm band, 1=3061  
 Rapoport, I.D. See Babayan, C.P., 1=3271  
 Rapoport, L.P. and Kadenskii, S.G. Superfluidity of nuclear matter, 1=13610  
 Rapp, D. See Hertzberg, M., 1=8313  
 Rapp, D. See Turner, R.E., 1=17375  
 Rapp, R.A., Hirth, J.P. and Pound, G.M. Condensation coefficients in the growth of cadmium and zinc from the vapor, 1=4022  
 Rashba, E.I. An experimental check of the possibility of introduction of a universal surface recombination velocity by investigation of kinetic photoelectric processes, 1=3740  
 Rashba, E.I. and Boiko, I.I. Properties of semiconductors with a [Brillouin zone] extremum loop. III. Behaviour in a magnetic field, parallel to the plane of the loop, 1=14403  
 Rashba, E.I. and Romanov, V.A. A photoelectric method of detecting inhomogeneity with depth of semiconductors, 1=5014  
 Rashba, E.I. and Sheka, V.I. The energy band symmetry in wurtzite-type crystals. II. Band symmetry with allowance for spin interactions, 1=17441  
 Rashba, E.I. and Sheka, V.I. The properties of semiconductors with extremal loops. IV. Angular dependence of combined resonance in strong magnetic fields, 1=19842  
 Rashba, E.I. See Boiko, I.I., 1=14402  
 Rashba, E.I. See Broude, V.L., 1=3850  
 Rashevskaya, E.P. See Malakhov, V.V., 1=4777  
 Rashid, H. See Bransden, B.H., 1=8505  
 Rasigni, G. Changes in the optical properties of thin iron films in vacuum and air, 1=17863  
 Raskin, V.F. See Shifrin, K.S., 1=16116  
 Raskina, E.M. See Voitenko, R.M., 1=7656  
 Rasmussen, C. See Halim Kazi, A., 1=12128  
 Rasmussen, J.O. and Chiao, L.W. Concerning the magnetic moments of deformed nuclei, 1=6554  
 Rasmussen, J.O. See Griffioen, R.D., 1=4843  
 Rasmussen, J.O. See Lovejoy, C.A., 1=10959  
 Rasmussen, J.O. See Shirley, D.A., 1=3587  
 Rasmussen, V.K., Metzger, F.R. and Swann, C.P. Mean life of the 1.61-MeV level of Mg<sup>26</sup>, 1=12161  
 Rasmussen, V.K. See Swann, C.P., 1=664  
 Rasool, I. See Vassy, A., 1=1505  
 Rasool, S.I. Effect of major meteoric showers on the densities of the upper atmosphere, 1=21015  
 Rasor, N.S. and McClelland, J.D. Thermal properties of graphite, molybdenum and tantalum to their destruction, 1=17416  
 Rassman, G. and Henkel, O. Permanent magnetic properties of deformed Fe-Mn-Ti alloys, 1=10143  
 Rassman, G. and Wich, H. Influence of cold working and heat treatment on the electrical and magnetic properties of Fe-Al alloys, 1=10137  
 Rassman, G. and Wich, H. The state and magnetic properties of an alloy with 50% Ni and 50% Fe, 1=6340  
 Rastall, P. A solution of the Einstein field equations, 1=1685  
 Rastall, P. Mach's principle and scalar theories of gravitation, 1=4240  
 Rastogi, R.G. Lunar tide in the F2 layer of the ionosphere near the geomagnetic equator, 1=7938  
 Rastogi, R.P. and Srivastava, R.C. Non-equilibrium thermodynamics of electro-kinetic phenomena, 1=8303  
 Rastogi, R.P., Srivastava, R.C. and Blokhra, R.L. Heats of transfer of ions, 1=11624  
 Rastolx, G. See Gendreau, G., 1=16460  
 Ratcliffe, E.H. Preliminary measurements to determine the effect of composition on the thermal conductivity of glass, 1=11168  
 Ratcliffe, J.A. The highest parts of the ionosphere, 1=4126  
 Ratcliffe, S. and Hughes, J.E. The copper staining of p-n alloyed junction transistor sections, 1=6171  
 Rathenau, G.W. See Bindels, J., 1=6298  
 Rathenau, G.W. See Bosman, A.J., 1=6118  
 Rathenau, G.W. See Bosman, A.J., 1=6546  
 Rathenau, G.W. See Gersdorf, R., 1=7759  
 Rathgeber, H.D., Wallace, C.S. and Winn, M.M. Electro-mechanical methods of recording the results of experiments on cosmic rays and their evaluation by electronic computer, 1=7292  
 Rathgeber, H.D. See Murdoch, H.S., 1=2120  
 Rathna, S.L. Superposability of steady axis-symmetrical flows in a non-Newtonian fluid, 1=15789  
 Rathna, S.L. Couette and Poiseuille flow in non-Newtonian fluids, 1=15790  
 Ratinskaya, A. Remarks on the effective dynamic parameters of inhomogeneous media during propagation of sound waves, 1=2816  
 Ratliff, F. See Riggs, L.A., 1=10355  
 Ratner, A.M. Luminescence of impurity centres. IV, 1=14626  
 Ratner, A.M. and Zil'berman, G.E. Luminescence of impurity centres. III, 1=14625  
 Ratner, B.S. See Go Tsi-di, 1=17083  
 Ratner, B.S. See Kuo Ch'i-Ti., 1=13773  
 Ratner, S.B. Mechanism of wear in polymers and a similarity criterion, 1=4002  
 Ratner, S.B. Mechanism of wear in polymers and a similarity criterion, 1=10223  
 Ratyński, W., Turkiewicz, J. and Zuprański, P. Potential scattering of neutrons in the resonance region, 1=2216  
 Ratyński, W., Turkiewicz, J. and Zuprański, P. Potential scattering of neutrons for Fe, Co, Ni, Cu, Zn, Se, 1=2218  
 Rau, G. See Lassen, L., 1=628  
 Rau, J. See Sudarshan, E.C.G., 1=2699  
 Rau, R.R. See Louttit, R.I., 1=12127  
 Rbuber, A. See Schneider, J., 1=20240  
 Rauch, C.J. Millimeter cyclotron resonance experiments in diamond, 1=14236



- Rauh, E.G. See Cater, E.D., 1=11863
- Raumann, G. and Saunders, D.W. The anisotropy of Young's modulus in drawn polyethylene, 1=10275
- Rautenbach, W.L. A high temperature sputtering ion source for a laboratory isotope separator, 1=18949
- Rautenbach, W.L. See Frahn, W.E., 1=2303
- Rauth, A.M. See Schambra, P.E., 1=338
- Rautian, S.G. Real spectral apparatus, 1=4464
- Rautian, S.G. and Sobelman, I.I. Negative absorption in metal vapours, 1=798
- Rautian, S.G. and Sobel'man, I.I. Negative absorption, 1=14017
- Rautian, S.G. and Sobel'man, I.I. Line shape and dispersion within the absorption band when forced transitions are taken into account, 1=19024
- Raven, K.D. See Mullin, J.W., 1=12623
- Ravenhall, D.G. See Hill, R.D., 1=7284
- Ravets, J.M. and Lamarsh, J.R. Flat flux by nonuniform moderation, 1=17194
- Raviart, A. See Agrinier, B., 1=6948
- Ravich, Yu.I. Theory of photomagnetic effects in semiconductors with complex energy bands, 1=1101
- Ravich, Yu.I. The determination of the characteristic parameters of minority carriers in semiconductors from the measurement of the photoconductivity and photomagnetic effect, 1=14426
- Ravich, Yu.I. The determination of the characteristic parameters of minority carriers in semiconductors from the measurement of the photoconductivity and photomagnetic effect, 1=17669
- Ravier, J., Marguin, P. and Moussa, A. Low energy gamma-transitions and Auger electrons of the disintegration  $\text{Mo}^{99} \rightarrow \text{Tc}^{99}$ , 1=13740
- Ravier, J. and Moussa, A. Low-energy excited levels of  $\text{Tc}^{99}$ , 1=13743
- Ravitz, S.F. See LaForce, R.C., 1=7800
- Raw, C.J.G. Second virial coefficient of boron trifluoride, 1=10543
- Rawer, K. See Argence, E., 1=377
- Rawitscher, G.H. and Fischer, C.R. Comparison of the scattering of positrons and electrons from nuclear charge distributions, 1=8702
- Ray, B. See Ballentyne, D.W.G., 1=9012
- Ray, B. See Woolley, J.C., 1=7878
- Ray, B. See Woolley, J.C., 1=20621
- Ray, D. See Caspari, M.E., 1=9039
- Ray, D.K. Second-order effect of spin-orbit interaction on the paramagnetic resonance spectra of ions with a single 3d electron, 1=14788
- Ray, D.K. On the electron paramagnetic resonance spectra of  $V^{3+}$  in corundum ( $\text{Al}_2\text{O}_3$ ), 1=20235
- Ray, J.A. See Barnett, C.F., 1=16349
- Ray, J.D. Fabrication of Pyrex spiral bourdon, 1=5562
- Ray, J.D. See Cox, J.R.Jr., 1=9168
- Ray, K. Dynamics of the vibration of bar excited by transverse impact of a load (experimental), 1=12934
- Ray, L. Crystal structure of nor-harman: a preliminary report, 1=20570
- Ray, M. Torque on a circular disc rotating in a liquid under the influence of a uniform magnetic field perpendicular to the disc, 1=16528
- Ray, R.K. and Fan, H.Y. Impurity conduction in silicon, 1=3759
- Raybold, R.L. See Harman, G.G., 1=11308
- Rayburn, L.A. 14.4 MeV (n,2n) cross sections, 1=7382
- Raychaudhuri, A. The isoelectronic series of semiconducting compounds with the zinc-blende structure, 1=1087
- Raychaudhuri, A. A general deduction of two important relations in relativistic cosmology, 1=1630
- Raychaudhuri, A.K. Static electromagnetic fields in general relativity, 1=4252
- Raymo, C.T., Brands, C.W. and Schwartz, B. Surface potential of silicon, 1=11303
- Raymo, C.T. and Mayer, J.W. Transient response of p-n junction detectors, 1=13231
- Raymond, F.H. Some comments on the integration of rotation about the centre of gravity in a simulator, 1=11730
- Raynal, J. Determination of deuteron polarization after a nuclear reaction, 1=15528
- Raynal, J. See Beurtey, R., 1=13759
- Raynal, J. See Olkowsky, J., 1=9855
- Rayne, J.A. Band structure of noble metal alloys: Optical absorption in Cu-Ge alloys at 4.2°K, 1=1156
- Rayne, J.A. Optical properties of metals, 1=19938
- Rayne, J.A. and Chandrasekhar, B.S. Elastic constants of  $\beta$  tin from 4.2°K to 300°K, 1=1293
- Rayne, J.A. and Chandrasekhar, B.S. Elastic constants of iron from 4.2 to 300°K, 1=10203
- Rayne, J.A. See Castle, J.G., Jr., 1=9995
- Rayne, J.A. See Chandrasekhar, B.S., 1=2923
- Rayne, J.A. See Chandrasekhar, B.S., 1=20295
- Rayne, J.A. See Flinn, P.A., 1=11165
- Rayne, J.A. See Flinn, P.A., 1=20294
- Raynor, G.V. See Cockayne, E., 1=20624
- Raynor, G.V. See Evans, D.S., 1=20577
- Raynor, G.V. See Evans, D.S., 1=20578
- Raynor, G.V. See Foley, J.H., 1=2538
- Rayski, J. Conservation laws in general relativity, 1=9316
- Rayski, J. Non-linear equations for spinor fields, 1=13285
- Rayski, J. Conservation laws and Fern-equivalence in general relativity, 1=15628
- Raz, B. See Jortner, J., 1=11128
- Raz, B.J., Zeidman, B. and Yntema, J.L. Analysis of the structure of nuclei from (d,t) reactions, 1=716
- Raz, B.J. See Zeidman, B., 1=715
- Razavy, M., Rojo, O. and Levinger, J.S. Velocity-dependent singlet potentials, 1=8539
- Razbirin, B.S. See Bansi-Grilo, M. [Bancie-Grillot], 1=11396
- Razbirin, B.S. See Gross, E.F., 1=3842
- Razdan, H. See Sarabhai, V., 1=3351
- Razdobarin, G.T. See Zaidel', A.N., 1=5481
- Razdobarin, G.T. See Zaidel', A.N., 1=9607
- Razikov, K.Kh. See Berestnev, V.A., 1=20654
- Razumeeenko, N.V. See Brandt, N.B., 1=1191
- Razumovskaya, I.V. See Bartenev, G.M., 1=6466
- Razumovskaya, L.P. and Bochkova, O.P. Optical and electrical properties of "strong" and "weak" high-frequency discharges in neon, 1=2950
- Razumovskii, A.N. See Zaidel', A.N., 1=13971
- Rea, D.G. The effect of hydrogen bonding of the intensity of the CD Raman band of CDCl<sub>3</sub>, 1=6020
- Read, A.A. See Daughton, J.M., 1=7120
- Read, F.H. and Calvert, J.M. Pick-up reactions on a  $^9\text{Be}$  target, 1=3446
- Read, F.H., Calvert, J.M. and Schork, G. Some  $\text{Be}^{9}(\text{d}, \text{p})\text{Be}^{10}$  angular correlation measurements off the stripping peak, 1=5934
- Read, F.H. See Birks, J.B., 1=9402
- Read, H.J. and Graham, A.H. The elastic modulus and internal friction of electrodeposited copper, 1=5079
- Read, M. See Depireux, J., 1=20277
- Read, P.L. and Katz, E. Ionic hall effect in sodium chloride, 1=1025
- Read, R.B. Two-element interferometer for accurate position determinations at 960 Mc, 1=8017
- Reading, D.H. See Martelli, G., 1=16770
- Reale, A. See Berkelman, K., 1=7268
- Reale, A. See Cortellessa, G., 1=7264
- Reale, A. See Cortellessa, G., 1=8479
- Reale, A. See Cortellessa, G., 1=13409
- Rebane, K.K. A theory of electronic-vibrational transitions in systems with many vibrational degrees of freedom, 1=14586
- Rebane, K.K. and Sil'd, O.I. A relationship between electron-vibrational absorption and luminescence bands, 1=2453
- Rebane, T.K. On the connection between the number of  $\pi$ -electrons and the character of the magnetic susceptibility of a class of aromatic molecules, 1=3558
- Reber, L.H. See Isoya, A., 1=19512
- Rebinder, P.A. See Ivanova, L.V., 1=14871
- Rebinder, P.A. See Ivanova, L.V., 1=20322
- Rebinder, P.A. See Kochanov, L.A., 1=6478
- Reboul, T.T. See Swartz, G.A., 1=305
- Rebuffé, L. Ammeters depending on the repulsion between parallel electric currents, 1=10649
- Rebut, P.H. Motion of a particle, and equilibrium of a plasma in cylindrical geometry, 1=9561
- Rebut, P.H. and Somon, J.P. The assumption of a scalar pressure in a collisionless plasma, 1=18851
- Rechenmann, R. Study of the action of temperatures between 20° and 110°C on the sensitivity of nuclear emulsions to different radiations, 1=19078
- Recourt, A. and de Vries, G.H.F. An experimental apparatus for contact microradiography at 200-500V, 1=18967

## AUTHOR INDEX

- Redaelli, G. See Arecchi, F.T., 1=12038  
 Redaelli, G. See Gadda, F., 1=71b5  
 Reddish, V.C. Supernovae, 1=15522  
 Reddoch, A.H. Nuclear quadrupole resonance in  $\text{TiCl}_4$ ,  $\text{ThCl}_4$ ,  $\text{NbCl}_4$ , and  $\text{TaCl}_4$ , 1=14839  
 Reddy, G.S., Booser, C.E. and Goldstein, J.H. Correlation of proton magnetic resonance shifts with group dipole moments in substituted ethylenes, 1=7485  
 Reddy, G.S. and Goldstein, J.H. Constancy of the sums of spin-spin coupling constants in monosubstituted ethylenes, 1=17347  
 Reddy, G.S. See Whipple, E.B., 1=11124  
 Redfield, D. Arc lamp intensity stabilizer, 1=9481  
 Redfield, D. and Baum, R.L. Infrared Christiansen filter effect with boron nitride, 1=3616  
 Redhardt, A. Compensation for fluctuations in source-frequency in electron resonance spectrometers, 1=9693  
 Redies, M.F. See Craig, D.P., 1=8843  
 Rediker, R.H. and Calawa, A.R. Magnetotunneling in lead telluride, 1=19893  
 Red'ko, T.P. See Penkin, N.P., 1=13953  
 Redman, J.K. See Blewitt, T.H., 1=20391  
 Redwood, M. Transient performance of a piezoelectric transducer, 1=8201  
 Redwood, M. Piezoelectric generation of an electrical impulse, 1=16250  
 Ree, T. See Yang, K., 1=12875  
 Reed, E.L. See Papadakis, E.P., 1=7813  
 Reed, J.W. and Harris, P.M. Neutron diffraction study of solid deuterioammonia, 1=20541  
 Reed, R. See Kelly, P.M., 1=20703  
 Reed, T.B. Induction-coupled plasma torch, 1=7083  
 Rees, A.I. See Griffiths, D.H., 1=1579  
 Rees, B.L. See Bristow, J.R., 1=3673  
 Rees, M.H. See Campbell, W.H., 1=15306  
 Reese, W. See Anderson, A.C., 1=18691  
 Reese, W.E. See Turner, W.J., 1=2416  
 Reese, W.E. See Turner, W.J., 1=17670  
 Reeves, E.M. and Nicholls, R.W. Measurements of rotational energy distributions in ionic collisions, 1=17307  
 Reeves, E.M., Nicholls, R.W. and Bromley, D.A. Optical excitation of  $\text{N}_2$  by 0.5 to 1.5 MeV hydrogenic ions, 1=2311  
 Reeves, E.M. See Parkinson, W.H., 1=16084  
 Reeves, L.W. and Strømme, K.O. Studies of rates of conversion and populations of conformations in saturated ring compounds. III. NN' dimethyl piperazine, 1=9955  
 Reeves, R.J. See Sanders, A.P., 1=1954  
 Reff, I. Rest mass of a free particle, 1=59  
 Refsdal, S. Generalization of Singer's formula for the general relativistic red shift to elliptic satellite orbits, 1=18219  
 Regel, A.R. See Andreev, A.A., 1=4355  
 Regel, A.R. See Ioffe, A.F., 1=6137  
 Regel, A.R. See Lange, V.N., 1=1086  
 Regel, V.R. and Govorkov, V.G. Plastic deformation of Zn monocrystals under conditions preventing basal slip. I. Deformation curves, 1=14879  
 Regel, V.R., Urusovskaya, A.A. and Kolomiichuk, V.N. Revealing the emergence of dislocations on the surface of a crystal by the etch method, 1=17539  
 Regel, V.R. See Govorkov, V.G., 1=14864  
 Regel, V.R. See Govorkov, V.G., 1=20319  
 Regel, V.R. See Stepanova, V.M., 1=4016  
 Regener, V.H. and Kenney, J.F. Time variations of cosmic-ray intensity underground at low altitude, 1=3349  
 Regge, T. General relativity without coordinates, 1=5191  
 Regge, T. Bound states, shadow states and Mandelstam representation, 1=5677  
 Regge, T. See De Alfaro, V., 1=12807  
 Regge, T. See Fonda, L., 1=5675  
 Regirer, S.A. The influence of thermal effects on the viscous resistance of a steady uniform liquid flow, 1=6831  
 Regirer, S.A. On an exact solution of the equations of magnetohydrodynamics, 1=9671  
 Rehm, M. See Boersch, H., 1=12255  
 Réi, D.K. Analysis of the electron paramagnetic resonance spectrum of  $\text{V}^{3+}$  in corundum ( $\alpha\text{-Al}_2\text{O}_3$ ), 1=20236  
 Réi, D.K. Theory of covalent bonding in the salts of cobalt and an analysis of the electron paramagnetic resonance spectrum of  $\text{Co}^{++}$  in corundum, 1=20237  
 Reibel, K. See Lande, K., 1=3102  
 Reich, A.D. and Madigan, J.R. Transient response of a thermocouple circuit under steady currents, 1=2902  
 Reich, C.W. See Heath, R.L., 1=10974  
 Reich, G. and Flecken, F. Analysis of partial pressures by means of Omegatron and Farvitron. Comparative view of the ranges of application, 1=18944  
 Reich, H. Design, construction and testing of a microtron, 1=1948  
 Reich, H.J. See Boersch, H., 1=9919  
 Reich, R. and Montañol, F. Study of the segregation of silver in tin during the process of zone melting, 1=7852  
 Reichardt, J. and Wetzstein, H. Measurement of aberrations of photographic objectives by means of the Twyman interferometer, 1=1813  
 Reichardt, W. and Lenk, A. The choice of sign for force and velocity in the case of their representation by equivalent electrical diagrams, 1=2722  
 Reiche, F. and Ludloff, H.F. Electromagnetic radiation in an atmosphere of arbitrary electric conductivity, 1=7155  
 Reichel, G. See Hähle, R., 1=19378  
 Reichel, W. See Schmidt, G., 1=4436  
 Reichelt, W. and Owen, G.E. Gamma-ray correlations from the reaction  $\text{B}^{10}(\text{d}, \text{p})\text{B}^{11}$ , 1=2232  
 Reichold, P. See Baumgartner, F., 1=20736  
 Reid, C. See Connor, T.M., 1=14081  
 Reid, F.J. See Gorton, H.C., 1=7651  
 Reid, J.H. See Elliott, I., 1=12752  
 Reid, J.H. See Ellison, M.A., 1=7996  
 Reid, J.H. See Ellison, M.A., 1=7997  
 Reid, J.H. See Ellison, M.A., 1=15479  
 Reid, J.M. and Lalovic, B. The high-energy photodisintegration of helium, nitrogen and neon, 1=675  
 Reid, R.J., Gopaalsingh, K., Page, D.E., Idnurm, M., McCusker, C.B.A., Malos, J., Millar, D.D. and Winterton, G. The differential electron density spectrum of air showers at high densities, 1=12138  
 Reid, R.J. See McCusker, C.B.A., 1=2152  
 Reid, W.H. The effects of surface tension and viscosity on the stability of two superposed fluids, 1=15779  
 Reide, F. See Yuasa, T., 1=13241  
 Reif, F. See Meyer, L., 1=10634  
 Reif, L. See Panish, M.B., 1=9506  
 Reif, L. See Panish, M.B., 1=10626  
 Reik, H.G. and Risken, H. Distribution functions for hot electrons in many-valley semiconductors, 1=17667  
 Reik, H.G., Risken, H. and Finger, G. Theory of hot-electron effects in many-valley semiconductors in the region of high electric field, 1=1059  
 Reikhrudel', E.M. See Kamoldinov, M.G., 1=19849  
 Reiling, G.H. See Farrall, G.A., 1=11917  
 Reilly, C.A. and Swalen, J.D. On the analysis of high-resolution N.M.R. spectra by iterative methods, 1=876  
 Reilly, C.A. and Swalen, J.D. N.M.R. spectra of glycinaldehyde, 1=6045  
 Reilly, C.A. and Swalen, J.D. Analysis of complex N.M.R. spectra; epichlorohydrin, 1=19662  
 Reilly, C.A. See Swalen, J.D., 1=11123  
 Reimann, H. A vacuum grating spectrometer for the far infrared, 1=2862  
 Reimann, H. See Boldt, W., 1=4467  
 Reimann, H. See Cap, F., 1=3487  
 Reimann, R. See Görlich, P., 1=14329  
 Reimann, R. See Hervé, J., 1=14829  
 Reimer, L. Changes in organic crystals under the action of 60 kV electrons in the electron microscope, 1=2400  
 Reimer, L. Electron optical investigation of domain boundaries in thin ferromagnetic films, 1=10154  
 Reimer, L., Christenhus, R. and Ficker, J. Measurement of object temperature in the electron microscope using electron diffraction, 1=10741  
 Reinberg, A.R. and Grossweiner, L.I. Low-temperature optical bleaching of F centers in  $\text{KCl}$ , 1=8915  
 Reiner, A.S. On the use of formal operator techniques in quantum statistical mechanics, 1=6796  
 Reiner, A.S. Electric monopole transitions in collective nuclei, 1=17043  
 Reiner, A.S. See Van Leeuwen, J.M.J., 1=8057  
 Reiner, M. Plastic yielding in anelasticity, 1=14890  
 Reiner, M. Cross-stresses in the laminar flow of gases in accordance with Maxwell's dynamical theory, 1=18441



- Reinhardt, H. See Lindner, R., 1=15208  
 Reinhardt, R.G. See Barnett, C.F., 1=16349  
 Reinharz, M. See Boato, G., 1=15211  
 Reinharz, M. See Fornaca, G., 1=16311  
 Reinitz, K. Elastic constants of CsBr, CsI, RbBr and RbI, 1=12583  
 Reinov, N.M. See Kogan, A.V., 1=14155  
 Reinov, N.M. See Krivko, N.I., 1=13638  
 Reinsch, C. Measurement of the differential effective cross-section and the average logarithmic energy loss on the scattering of slow neutrons by water and ice, 1=16798  
 Reisfeld, M.J. See McInteer, B.B., 1=8157  
 Reisfeld, R. See Glasner, A., 1=19806  
 Reiss, H. and Anderman, A.I. Scattering of electrons by phonons and impurities in semiconductors, 1=8934  
 Reiss, H. and Helfand, E. Analytical solutions for some zone melting problems, 1=2528  
 Reiss, H. and Mayer, S.W. Theory of the surface tension of molten salts, 1=374  
 Reiss, H., Mayer, S.W. and Katz, J.L. Law of corresponding states for fused salts, 1=13026  
 Reiss, R. See Nikitine, S., 1=1160  
 Reiss, R. See Nikitine, S., 1=19960  
 Reiswig, R.D. See Craig, P.P., 1=18713  
 Reiter, R.A. See Findley, R.W., 1=18342  
 Reitz, D. Proton hyperfine splittings and spin densities of pentaphenylcyclopentadienyl, 1=7487  
 Reitz, D.C., Dravnieks, F. and Wertz, J.E. Carbon-13 hyperfine splittings in semiquinones, 1=7486  
 Reitz, D.C., Hollahan, J.R., Dravnieks, F. and Wertz, J.E. Electron Reitz, J.R. Peltier coefficient at high current levels, 1=14528  
 Reitz, J.R., Seitz, R.N. and Genberg, R.W. Closed-shell ion-ion interactions in calcium fluoride, 1=19710  
 Reitz, J.R. See Joseph, A.S., 1=19737  
 Remaev, V.V. See Morozov, A.M., 1=19353  
 Remaut, G. and Vennik, J. Observations on an electrical effect obtained during deformation of sodium chloride crystals, 1=5043  
 Remaut, G., Vennik, J. and Amelinckx, S. Further observations concerning electrical effects during cyclic stressing of alkali halide single crystals, 1=14933  
 Remaut, G. See Vennik, J., 1=19778  
 Remde, H.F. Effect of cobalt oxide in porous nickel ferrites at very high frequency, 1=6370  
 Remeika, J.P. See Geschwind, S., 1=7784  
 Remeika, J.P. See Gossard, A.C., 1=17950  
 Remy-Battiau, L. The spectrum of the polar aurora. II. Molecular identifications, 1=9203  
 Renard, C. Diurnal and cyclic variations of the intensity of natural radio noise of very low frequency, 1=10307  
 Renard, C. Method of deducing the line of magnetic force taken by a whistler, 1=20849  
 Renau, J. A study of observed spread F, 1=15285  
 Renau, J. Scattering of electromagnetic waves from a non-degenerate ionized gas, 1=16585  
 Renau, J. Theory of overhead nonblanketing sporadic E, 1=20977  
 Renau, J. Discussion of a paper by D.S. Bugnolo, "Spread F and multiple scattering in the ionosphere", 1=21007  
 Renau, J., Camnitz, H. and Flood, W. The spectrum and the total intensity of electromagnetic waves scattered from an ionized gas in thermal equilibrium in the presence of a static quasi-uniform magnetic field, 1=19041  
 Renaud, P. Hypothesis of calculability, 1=1681  
 René, M. See Jones, B.D., 1=8500  
 Renner, H. See Eberhardt, W.H., 1=14038  
 Renner, T. Thermodynamic data and vapour pressure of the most important III-V compounds, 1=14177  
 Renoux, A. See Brichard, J., 1=9821  
 Renson, P. Undiscovered particles. I, 1=4781  
 Renson, P. Undiscovered particles. II, 1=4782  
 Renucci, G.A. Description of a supply for an ionization gauge with logarithmic sensitivity, 1=16216  
 Reppey, J.D., Depatie, D. and Lane, C.T. Helium II in rotation, 1=4528  
 Rérat, B. and Rérat, C. Theoretical Patterson diagrams in two-dimensional space: case of structures containing two atoms per asymmetric unit, 1=20513  
 Rérat, C. See Rérat, B., 1=20513  
 Reshetnikov, A.M. The structure of thin films of antimony sulphide, 1=20666  
 Résibois, P. Approach to equilibrium in quantum systems, 1=1709  
 Résibois, P. Three body collisions in quantum mechanics, 1=344  
 Résibois, P. On the approach to equilibrium in quantum systems, 1=15714  
 Résibois, P. and Puttemans, J.P. On the discontinuity of relaxation times at the  $\lambda$  point, 1=16188  
 Résibois, P. See Henin, F., 1=5210  
 Résibois, P. See Prigogine, I., 1=5205  
 Résibois, P. See Prigogine, I., 1=15745  
 Resler, E.L.Jr. Some remarks on hydromagnetic waves for finite conductivity, 1=5560  
 Resler, E.L.Jr. and McCune, J.E. Some exact solutions in linearized magnetoaerodynamics for arbitrary magnetic Reynolds numbers, 1=5557  
 Restelli, G. See Bertolini, G., 1=2175  
 Rester, D.H., Moore, M.S., Durham, F.E. and Class, C.M. Internal conversion electrons from Coulomb excitation of heavy elements, 1=3425  
 Rester, D.H. See Durham, D.E., 1=8661  
 Reuter, B. and Marx, G. Cadmium-vanadium spinel, 1=4054  
 Reuter, G.E.H. and Stewartson, K. A nonexistence theorem in magneto-fluid dynamics, 1=12006  
 Reverchon, F. See Paulus, M., 1=20718  
 Revkevich, G.P. See Iveronova, V.I., 1=15059  
 Revo, A.L. See Gertsriken, S.D., 1=986  
 Revo, A.L. See Hertsriken, S.D., 1=14299  
 Revutskii, E.I. See Bolotin, L.I., 1=8705  
 Rey, C. See Bloomfield, P., 1=6066  
 Reyenga, A.J. See Kloverstrom, F.A., 1=17235  
 Reyes-Suter, P. and Suter, T. Determination of the  $3.3 \pm 0.2$  nsec half-life of the 103.2 keV level in  $\text{Eu}^{153}$ , 1=19366  
 Reyes-Suter, P. See Suter, T., 1=19369  
 Reyes-Suter, P. See Suter, T., 1=19412  
 Reynolds, A.J. Energy transport due to turbulent mixing in the atmosphere, 1=20825  
 Reynolds, C.E. and Seay, G.E. Multiple shock wave structures in polycrystalline ferroelectrics, 1=1778  
 Reynolds, D.C., Pedrotti, L.S. and Larson, O.W. Edge emission in zinc selenide single crystals, 1=17912  
 Reynolds, D.C. See Pedrotti, L.S., 1=1176  
 Reynolds, G.C. A demountable inductive strain gauge, 1=20286  
 Reynolds, G.T. Present status of scintillation chambers, 1=2002  
 Reynolds, G.T. See Hendel, A.Z., 1=16924  
 Reynolds, J.A. and Quinn, J.M.P. The shock model of the Reynolds, J.B. See Christensen, R.L., 1=8566  
 Reynolds, J.H. Isotopic composition of xenon from enstatite chondrites, 1=4918  
 Reynolds, J.H. I-Xe dating of meteorites, 1=18058  
 Reynolds, J.H. See Jeffery, P.M., 1=18066  
 Reynolds, J.M., Bots, G.J.C. and Coremans, M.J.F.J. Some remarks on the extra heat capacity of a vessel containing liquid helium and a paramagnetic salt, 1=5387  
 Reynolds, P. and Skarsgard, H.M. A plasma betatron, 1=9661  
 Reynolds, P.M. Spectral emissivity of 99.7% aluminium between 200 and 540°C, 1=4498  
 Reynolds, P.M. Non-destructive method of gauging electrodeposited nickel layers, 1=12839  
 Reynolds, P.M. Emissivity errors of infra-red pyrometers in relation to spectral response, 1=15152  
 Reynolds, W.N., Thrower, P.A. and Sheldon, B.E. Aggregation and dispersal of radiation damage in graphite, 1=14348  
 Reyssat, M. See Carru, H., 1=8030  
 Rez, I.S. Some aspects of the chemical crystallography of piezoelectrics, 1=4031  
 Rez, I.S. See Gurevich, V.M., 1=1130  
 Rez, I.S. See Gurevich, V.M., 1=6194  
 Rez, I.S. See Meleshina, V.A., 1=12613  
 Reza, F.M. A bound of the derivative of impedance functions, 1=18725  
 Řezanka, I. and Frána, J. Response of anthracene to  $\beta$ -rays, 1=20021  
 Řezanka, I., Frána, J. and Adam, J. Conversion coefficient on K-shell of 88.3 keV transition in  $\text{Hf}^{178}$ , 1=19413  
 Řezanka, I. See Frána, J., 1=17031  
 Rezanov, A.I. Energy of an electron in a quasi-periodic field, 1=3616

## AUTHOR INDEX

- Rezanov, A.I., Rybin, I.A. and Masharov, S.I. Low-temperature luminescence and afterglow of silica gels, 1=10117
- Reznikova, I.I. See Viktorova, E.N., 1=12887
- Rezvyyi, R.R. See Shalimova, K.V., 1=17793
- Rhead, G.E. See Feinberg, R., 1=14516
- Rhee, Y.I. See Leitner, J., 1=12121
- Rheinhold, I. See Kleber, W., 1=10106
- Rhoads, F.A. See Lamb, W.R., 1=9432
- Rhode, J.I. See Robinson, E.L., 1=7336
- Rhodes, E. See Cleaver, B., 1=16175
- Rhodes, J.R. See Cameron, J.F., 1=20786
- Rhodes, M.B. and Stein, R.S. Light scattering study of the annealing of drawn polyethylene, 1=20641
- Rhodes, R.S., Burgers, J.H. and Edelstein, A.S. Exchange-ordering and observation of forbidden spin resonance transitions in crystalline organic radicals, 1=11483
- Rhodes, P.S. See Anderson, M.E., 1=19668
- Rhys-Roberts, C. and Tredgold, R.H. A note on the theory of space-charge limited currents, 1=1121
- Riabikov, S.V. Ionization measurement in a Wilson chamber by a photometric method, 1=19074
- Riabukhin, Iu.S. and Breger, A.Kh. A liquid loop as a radiation source, with particular reference to radiation chemistry. II, 1=13878
- Riazuddin. Low-energy p-p scattering phase shifts and dispersion relations, 1=4795
- Ribe, F.L. See Bearden, A.J., 1=8820
- Ribe, F.L. See Little, E.M., 1=10721
- Ribe, F.L. See Mjolsness, R.C., 1=10710
- Ribnikar, S.V. See Bigeleisen, J., 1=16171
- Ribon, P., Coin, A., Michaudon, A. and Nifenecker, H. Study of the characteristics of 54 avp photomultipliers in the light of their use in the detection of radiative-capture
- Ribrag, M. See Genin, R., 1=15906
- Ricamo, R. See Cuzzocrea, P., 1=5925
- Ricard, J. See Brown, M.V., 1=1795
- Ricca, F. See Nasini, A., 1=18493
- Ricci, F.P. See Caglioti, G., 1=20470
- Ricci, F.P. See Cini-Castagnoli, G., 1=10510
- Ricci, R.A., Girgis, R.K. and van Lieshout, R. Disintegration of  $^{86}\text{Ge}$ , 1=1412
- Ricci, R.A., van Lieshout, R. and van den Bold, H.J. Scintillation spectrometry study of the  $^{73}\text{Se}$  isomeric pair, 1=8642
- Ricci, R.A. See Chilosi, G., 1=8657
- Ricci, R.A. See Chilosi, G., 1=13751
- Ricci, R.A. See van Lieshout, R., 1=13641
- Rice, E.A. Concentric bipolar oxygen sensitive microelectrode, 1=12683
- Rice, E.A. and Shinabarger, E.W. Studies on the endolymphatic d.c. potential of the guinea pig's cochlea, 1=11664
- Rice, M.H. Capacitor technique for measuring the velocity of a plane conducting surface, 1=6815
- Rice, P.L. See Pappas, C.F., 1=5596
- Rice, S.A. An acoustic continuum model of molecular friction in simple dense fluids, 1=18390
- Rice, S.A. and Allnatt, A.R. Approximate theory of transport in simple dense fluid mixtures, 1=4329
- Rice, S.A. and Allnatt, A.R. On the kinetic theory of dense fluids. VI. Singlet distribution function for rigid spheres with an attractive potential, 1=10445
- Rice, S.A., Kirkwood, J.G. and Harris, R.A. On the kinetic theory of dense fluids. VIII. Some comments on the formal computation of the non-equilibrium distribution function of a fluid, 1=18391
- Rice, S.A. See Allnatt, A.R., 1=10446
- Rice, S.A. See Zimm, B.H., 1=14138
- Rich, J.A. Resistance heating in the arc cathode spot zone, 1=10687
- Richard, N.A. See Austin, A.E., 1=11224
- Richards, G.L. See Garwood, R.D., 1=15130
- Richards, I.R. See Mawdsley, J., 1=9304
- Richards, J.L. See Lever, R.F., 1=2530
- Richards, L.E. See Strauss, S.W., 1=18388
- Richards, L.M. See Wild, R.L., 1=5107
- Richards, M.S. See Dell, H.A., 1=101
- Richards, R.E. See Freeman, R., 1=154
- Richards, R.E. See Freeman, R., 1=155
- Richards, R.E. See Gasser, R.P.H., 1=156
- Richardson, D.A. See Barker, R.S., 1=6119
- Richardson, D.A. See Barker, R.S., 1=17886
- Richardson, E.G. The transmission of sound through a wake, 1=198
- Richardson, E.G. See Eden, H.F., 1=15873
- Richardson, E.H. See Brodersen, S., 1=7456
- Richardson, J.W. Double- $\pi$  SCF MO calculation of the ground and some excited states of  $\text{N}_2$ , 1=19655
- Richert, R. See Gorodetzky, S., 1=613
- Richert, R. See Gorodetzky, S., 1=1880
- Richert, R. See Gorodetzky, S., 1=16226
- Richert, R. See Gorodetzky, S., 1=16985
- Richert, R. See Gorodetzky, S., 1=17038
- Richman, I. See Wong, E.Y., 1=6209
- Richter, H. and Breitling, G. The structure of monatomic molten metals by a new method of analysis, 1=12863
- Richter, H. and Rukwied, A. Characteristic energy losses of fast electrons during irradiation of amorphous and crystalline As and Ge films, 1=9998
- Richter, J. On the oscillator strengths of multiplets of neutral nitrogen, 1=12252
- Richter, M. Investigations of the generalized albedo problem, 1=2267
- Richter, M. The flux density of thermal neutrons in the vicinity of the edge of a scattering medium, 1=9805
- Richtmyer, R.D. See Lüst, R., 1=10707
- Richards, C.J. Nuclear spectra of  $\text{F}^{20}$ ,  $\text{O}^{17}$ , and  $\text{O}^{16}$  from (d, p), (d,  $\alpha$ ) and (p,  $\alpha$ ) reactions in  $\text{F}^{19}$ , using incident energies of 1.8 MeV, 1=9875
- Ricker, T. See Bross, H., 1=17620
- Rickmenspoel, R. and van Patter, D.M. The decay of  $\text{Br}^{78}$ , 1=8630
- Rideal, E. and Sweett, F. The chemisorption of hydrogen on nickel, 1=1480
- Rideal, G. A soluble model in quantum field theory: the Wentzel model, 1=18259
- Rider, N.E. A system for recording and integrating physical measurements, 1=11890
- Ridge, M.J. See Bright, J.E., 1=7843
- Ridley, B.K. and Watkins, T.B. The possibility of negative resistance effects in semiconductors, 1=14414
- Ridley, B.K. See Caffyn, J.E., 1=3694
- Ridley, B.W. The electron-neutrino angular correlation in beta-decay of helium 6, 1=13711
- Ridley, R.G. and Silver, D.E.P. Mass spectrometer for the isotopic analysis of lithium, 1=3023
- Ridout, M.S. See Johnson, C.E., 1=10135
- Riech, V. See Breuer, G., 1=3448
- Rieck, G.D. and Bruning, H.A.C.M. Thermal diffusion of oxygen and nitrogen in zirconium, 1=14326
- Rieck, J. Flash-tube lighting in scientific cinematography, 1=9495
- Riecke, W.D. Distortion and resolution of diffraction patterns obtained by Le Poole's technique, 1=18928
- Riecke, W.D. The exactness of agreement between selected and diffracting areas in Le Poole's selected-area diffraction technique, 1=18932
- Riedel, E.P. and Spence, R.D. The possible antiferromagnetic symmetry groups of azurite, 1=7772
- Rieder, G. The coercivity of plastically deformed nickel single crystals, 1=2475
- Riederman, N.H. See Banks, E., 1=6350
- Rieger, H. and Seiler, K. Precipitation of copper in silicon, 1=10274
- Riehl, N., Sizmann, R. and Stadler, O.J. Effect of  $\alpha$ -particles on zinc and sulphide phosphors, 1=11409
- Riehl, N. See Blinks, H., 1=17914
- Riekher, R. Spectacle lenses with a refractive power gradient, 1=4435
- Riemann, M. Some problems in the construction of a vacuum spectrograph, 1=2863
- Riemersma, H., Fox, R.E. and Lange, W.J. Photomultiplier
- Rienitz, J. See Lau, E., 1=2850
- Riesenfeld, H. A group of reflecting microscope objectives with different central obstruction ratios, 1=1810
- Riesenfeld, W.B. See Mjolsness, R.C., 1=10710
- Riess, F. See Rose, H.J., 1=5867
- Riessler, W. Crystal dislocations and the growth of etch pits, 1=974
- Riesz, R.P. and Bjorling, C.G. Sample preparation for transmission electron microscopy of germanium, 1=12672
- Rieu, M. A metallic air-admittance valve, 1=2801
- Rigamonti, A. See Bonera, G., 1=6580



- Rigamonti, A. See Bonera, G., 1=12900
- Rigaux, C. Study of the electronic band structure of tellurium by means of transport phenomena, 1=17448
- Rigden, J.D.  $\alpha$  and  $\beta$  bands in sodium chloride, 1=3839
- Rigert, J.A. See Bedo, D.E., 1=1944
- Riggelman, B.M. and Drickamer, H.G. Effect of pressure on the low-energy absorption peak of several phthalocyanines, 1=17889
- Riggs, F.B.Jr. Vacuum sealing of gold wire leads to a differential thermopile, 1=10556
- Riggs, L.A., Ratliff, F. and Keesey, U.T. Appearance of Mach bands with a motionless retinal image, 1=10355
- Righini, B. See Cevolani, M., 1=16445
- Rigney, D.S. See Mostov, P.M., 1=11933
- Rigutti, M. and Russo, D. The spectrum of a quiescent protuberance observed in the solar eclipse of 15 February 1961, 1=15481
- Rigutti, M. See Drago, F., 1=18584
- Rigutti, M. See Noci, G., 1=18096
- Riihimaa, J.J. Voltage-tuned swept-frequency receiver, 1=8021
- Rikitake, T. The effect of the ocean on rapid geomagnetic changes, 1=21099
- Rikmenspoel, R. See van Patter, D.M., 1=19459
- Riley, B. Smooth power control for high current furnaces, 1=16164
- Riley, N. A magneto-hydrodynamic Stokes flow, 1=13164
- Riley, P.J. See Griffiths, G.M., 1=17151
- Riley, W.F. See Durelli, A.J., 1=10458
- Rimai, L. See Statz, H., 1=6419
- Rimet, G. An apparatus for the measurement of magnetization between 2 and 1200°K, 1=16488
- Rimet, G. See Barnier, Y., 1=14695
- Rimet, G. See Barnier, Y., 1=14699
- Rimet, G. See Barnier, Y., 1=20069
- Rimet, G. See Cohen, J., 1=2470
- Rimmer, R. See Barker, R.S., 1=17886
- Rimpault, M. See Gourdin, M., 1=16911
- Rimsky, A. Statistical estimation of the agreement between hypothesis and experiment in the course of determination of an atomic structure. Physical significance. Criterion of the completion of refinement, 1=5095
- Rinaudo, G. See Chiesa, A.M., 1=8501
- Rindler, W. Length contraction paradox, 1=8044
- Rindler, W. and Sciama, D.W. Radiation pressure on a rapidly moving surface, 1=12960
- Rindner, W. and Lavine, J.M. Scribe-plating and -etching, 1=14956
- Rinehart, E.A., Kleen, R.H. and Lin, C.C. Measurement of the widths of microwave spectral lines, 1=5603
- Rinehart, E.A. and Lin, C.C. Sensitive triple modulation method for measuring widths of microwave spectral lines, 1=9692
- Rinehart, J.S. See Auberger, M., 1=1786
- Rinehart, J.S. See Auberger, M., 1=2822
- Riney, J.S., Schmid, G.M. and Hackerman, N. Single pulse method for measurement of electrical double layer parameters, 1=9172
- Riney, T.D. Residual thermoelastic stresses in bonded silicon wafers, 1=5085
- Rinfret, A.P. See Dowell, L.G., 1=6515
- Ring, M.A. and Koski, W.S.  $B^{11}$  quadrupole coupling constants in trimethoxyboroxine and N-trimethylborazole, 1=17348
- Ringeissen, J. See Vacek, K., 1=20010
- Ringh, R. See Andersson, G., 1=13738
- Ringnes, T.S. Secular variations of short-lived sunspots, 1=18078
- Ringo, G.R. See Burgy, M.T., 1=500
- Rink, J.P., Knight, H.T. and Duff, R.E. Shock tube determination of dissociation rates of oxygen, 1=10295
- Rink, J.P. See Knight, H.T., 1=11131
- Rinzivillo, R. See de Carvalho, H.G., 1=8800
- Riou, M. See Bergamaschi, C., 1=16462
- Riou, M. See Garron, J.P., 1=13783
- Riou, M. See Poffé, N., 1=13804
- Ripeanu, S. The variation of the anisotropic coercive force with temperature of heat treatment of nickel laminations, 1=6315
- Ripoche, J. Flash lamps operating by explosion of metal wires, 1=16092
- Ripps, H., Kaplan, I.T. and Siegel, I.M. Effect of contrast on c.f.f. and apparent brightness, 1=12722
- Risbourg, A. See Lebrun, A., 1=10796
- Rishbeth, H. Diffusion of ionization in the sunrise F-layer, 1=20991
- Rishbeth, H. and Setty, C.S.G.K. The F-layer at sunrise, 1=20990
- Rishbeth, H. See Briggs, B.H., 1=20996
- Risken, H. and Meyer, H.J.G. Contribution of lattice scattering between nonequivalent valleys to free-carrier infrared absorption in semiconductors, 1=11282
- Risken, H. See Reik, H.G., 1=1059
- Risken, H. See Reik, H.G., 1=17667
- Risler, J.C. and Hardy, R. Relation between the frequency and the luminous efficiency of the fluorescent tube, 1=2873
- Risley, A.S. See Douthett, D.D., 1=14751
- Rispoli, B. See Beneventano, M., 1=13227
- Rispoli, B. See Diambri, G., 1=5524
- Risser, J.R. See Belote, T.A., 1=7327
- Risser, J.R. See Kashy, E., 1=7324
- Rissmann, S. and Vosahlo, H. Light modulation and image production by means of electro-optical crystals, 1=8223
- Ristau, O. See Schoffa, G., 1=4735
- Riste, T. Critical magnetic scattering of neutrons in magnetite, 1=20117
- Riste, T. and Tenzer, L. A neutron diffraction study of the temperature variation of the spontaneous sublattice magnetization of ferrites and the Néel theory of ferrimagnetism, 1=20121
- Riste, T. and Wanic, A. A neutron diffraction study of spin fluctuations in  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>, 1=20118
- Ritchie, R.H., Cheka, J.S. and Birkhoff, R.D. The spherical condenser as a high transmission particle spectrometer. I. Point source, 1=1919
- Ritchie, R.H. and Eldridge, H.B. Thermal neutron flux depression by absorbing foils, 1=16809
- Ritchie, R.H. See Birkhoff, R.D., 1=18947
- Ritland, G.D. See Pashos, T.J., 1=11054
- Ritschl, R. and Rüseler, A. Infrared absorption of germanium and silicon single crystals, 1=19994
- Ritschl, R. See Poser, C., 1=18599
- Ritson, D.M. See Hill, D.A., 1=4747
- Ritter, Z.W., Pauncz, R. and Appel, K. Approximate analytical wave functions for the  $1s^2ns^2S_{1/2}$  states of Li and Li-like ions, 1=12243
- Ritus, V.I. Transformations of the inhomogeneous Lorentz group and the relativistic kinematics of polarized states, 1=15596
- Ritzi, M. See Emendörfer, D., 1=13893
- Rives, J.E. and Meyer, H. Density of liquid helium-3 between 0.045 and 1.3°K, 1=18690
- Riviere, A.C. and Sweetman, D.R. Dissociation of H<sub>2</sub><sup>+</sup> and He<sup>+</sup> by electric fields, 1=2947
- Rivin, A.N. and Cherpak, V.A. Pressure calibration of measuring microphones by the reciprocity method, 1=16037
- Rivlin, R.S. See Pipkin, A.C., 1=5006
- Rivlin, R.S. See Pipkin, A.C., 1=10662
- Rizvi, S.H. See Qurashi, M.M., 1=18642
- Rizvi, S.H. See Qurashi, M.M., 1=18643
- Roach, F.E. Variations of [OI] 5577 Å emission in the upper atmosphere, 1=21017
- Roach, F.E. and Megill, L.R. Integrated starlight over the sky, 1=2575
- Roach, F.E., Moore, J.G., Bruner, E.C.Jr., Cronin, H. and Silverman, S.M. The height of maximum luminosity in an auroral arc, 1=15310
- Roach, F.E. See King, G.A.M., 1=6631
- Roach, F.E. See O'Brien, B.J., 1=15308
- Roach, K.E. See Levine, M.M., 1=13436
- Roach, W.H. Computational survey of idealized fast breeder reactors, 1=17220
- Roaf, D.J. See Hume-Rothery, W., 1=4061
- Roalsvig, J.P., Gupta, I.C. and Haslam, R.N.H. Photoneutron reactions in C<sup>13</sup> and O<sup>16</sup>, 1=8697
- Rob, L. See Gramenitskii, I.M., 1=10820
- Robbins, A.B. See Hoare, D., 1=9851
- Robbins, C. See Fang, P.H., 1=8972
- Robbins, C.R. and Levin, E.M. Tetragermanates of strontium, lead, and barium of formula type AB<sub>2</sub>O<sub>6</sub>, 1=15096
- Robbins, R.F. See Weitzel, D.H., 1=5312
- Robe, H. Effects of the equatorial asymmetry of the earth on the orbit of an artificial satellite, 1=18216

- Roberge, J.P. and Sailor, V.L. Parameters of the  $\text{Lu}^{176}$  neutron resonance at 0.142 eV, 1=17126  
 Robert, C. Influence of an applied field on the nuclear resonance of  $\text{Fe}^{57}$  in the local field of yttrium iron garnet, 1=7804  
 Robert, C. Nuclear magnetic resonance of  $\text{Fe}^{57}$  in the local field of yttrium iron garnet, 1=7805  
 Robert, C. and Winter, J.M. Study of the nuclear resonance of  $\text{Fe}^{57}$  in the local field of metallic iron, 1=11495  
 Robert, C. See Boutron, F., 1=20263  
 Robert, J. Determination of the half-life of  $\text{Au}^{198}$  by a calorimeter, 1=13687  
 Robert, J. See Poirier, Y., 1=4708  
 Robert, M. See Boutry, G.A., 1=14476  
 Robert, M. See Desvignes, F., 1=14477  
 Roberts, A. Development of the spark chamber: a review, 1=9699  
 Roberts, A. Note on the problem of automatic scanning of spark chamber photographs, 1=10826  
 Roberts, A. A new type of Čerenkov detector for the accurate measurement of particle velocity and direction, 1=16617  
 Roberts, A. See Burleson, G.R., 1=16631  
 Roberts, B.W. Ultrasonic cyclotron resonance in gallium, 1=11186  
 Roberts, B.W. See Gilman, J.J., 1=11501  
 Roberts, D.E. See Mandelkern, L., 1=11605  
 Roberts, D.L. A-C ionization chambers are simple and reliable, 1=12032  
 Roberts, E.A. See Fessler, H., 1=11721  
 Roberts, E.M., Koski, W.S. and Caughey, W.S. Electron spin resonance of some vanadyl porphyrins, 1=4948  
 Roberts, G.C. See Giedd, G.R., 1=16439  
 Roberts, H.R. See Carleton, F.J., 1=20777  
 Roberts, J. Estimation of dynamic modulus and dynamic yield stress for "Perspex", 1=12582  
 Roberts, J.A. Some aspects of type II bursts, 1=2654  
 Roberts, J.A. See Giovanelli, R.G., 1=2655  
 Roberts, J.A. See Harris, D.E., 1=4222  
 Roberts, J.A. See Hatt, B.A., 1=4062  
 Roberts, J.A. See Kundu, M.R., 1=2657  
 Roberts, J.A. See Young, C.W., 1=2656  
 Roberts, J.E. See Bing, G.F., 1=11953  
 Roberts, J.H. See Smith, A.B., 1=13872  
 Roberts, J.H.A. See Starkey, T.V., 1=15792  
 Roberts, K.V. End loss in the linear  $\phi$ -pinch, 1=10720  
 Roberts, K.V. See Ashby, D.E.T.F., 1=16335  
 Roberts, K.V. See Hain, K., 1=2973  
 Roberts, L.D., Walter, F.J., Dabbs, J.W.T., Parker, G.W. and Thomson, J.O. Fission fragments from oriented  $\text{U}^{235}$  and  $\text{U}^{238}$ , 1=8791  
 Roberts, L.D. See Walter, F.J., 1=3089  
 Roberts, M.B. See Foreman, H., 1=19377  
 Roberts, M.W. The interaction of krypton, oxygen and hydrogen with iron films, 1=1482  
 Roberts, M.W. See Thomas, K., 1=4080  
 Roberts, P.H. On Bourret's hypothesis concerning turbulent diffusion, 1=18462  
 Roberts, P.H. and Lowes, F.J. Earth currents of deep internal origin, 1=20803  
 Roberts, P.H. and Tatsumi, T. The decay of magnetohydrodynamic turbulence, 1=7136  
 Roberts, P.H. and Ursell, H.D. Random walk on a sphere and on a Riemannian manifold, 1=2710  
 Roberts, P.H. See Hide, R., 1=5552  
 Roberts, R.W., Burgess, J.H. and Tenney, H.D. Cross relaxation and concentration effects in ruby, 1=3941  
 Roberts, R.W. See Barry, D., 1=11544  
 Roberts, S.J. See Ashby, D.E.T.F., 1=16335  
 Roberts, S.J. See Hain, K., 1=2973  
 Roberts, S.J. See Laing, E.W., 1=9588  
 Roberts, T.R. and Sydorak, S.G. Sound velocity, phase separation, and lambda transitions of  $\text{He}^3$ - $\text{He}^4$  mixtures, 1=256  
 Roberts, V. See Harding, G.N., 1=9574  
 Robertson, A.G. See Haydon, S.C., 1=11908  
 Robertson, C.S. Magnetic bays at Macquarie Island, 1=1586  
 Robertson, H.S. See Hakeem, M.A., 1=288  
 Robertson, I.S. See Finlayson, D.M., 1=1162  
 Robertson, I.S. See Finlayson, D.M., 1=20168  
 Robertson, J.C. and Lynch, J.G. The luminescent decay of various crystals for particles of different ionization density, 1=9009  
 Robertson, W.D. See Freedman, J.F., 1=5283  
 Robertson, W.W. and King, A.D.Jr. Calculation of pressure shifts of optical absorption spectra from solvent data, 1=8125  
 Robertson, W.W. and King, A.D., Jr. Method for distinguishing between over-lapping transitions in electronic absorption spectra with application to azulene, 1=11763  
 Robertson, W.W., King, A.D., Jr. and Weigang, O.E., Jr. Determination of excited-state dipole moments of azulene, 1=12331  
 Robin, J. Influence of pressure on properties of semiconductors, 1=7630  
 Robin, M. See Carré, J.C., 1=13823  
 Robin-Kandare, S. Absorption spectra of selenium and tellurium in the ultraviolet. Interpretation of results with aid of a reduced energy-band scheme, 1=7709  
 Robins, E.J. See Bishop, J., 1=5986  
 Robins, J.L. and Swan, J.B. Characteristic electron energy loss spectra of the transition metals, Ti to Cu, 1=6101  
 Robins, J.L. See Best, P.E., 1=8997  
 Robins, R.G. Growth habit of electrodeposited uranium dioxide single crystals, 1=20431  
 Robinson, B.J. On some disturbances in the E-region, 1=4122  
 Robinson, B.J. See Bülgler, B., 1=6414  
 Robinson, B.L. Collisions of relativistic particles, 1=11708  
 Robinson, D.K. See Pickinger, W.J., 1=19193  
 Robinson, D.K. See Munir, B.A., 1=5756  
 Robinson, D.K. See Pickup, E., 1=19255  
 Robinson, D.K. See Salant, E.O., 1=16848  
 Robinson, D.L. See Frank, G.R., Jr., 1=12650  
 Robinson, D.W. Multiple Coulomb excitations of vibrational nuclei, 1=13645  
 Robinson, D.W. and Whittle, L.S. The loudness of directional sound fields, 1=8202  
 Robinson, D.W. See Eggers, D.F., Jr., 1=17318  
 Robinson, D.W. See Whittle, L.S., 1=9228  
 Robinson, E.L. and Johnson, O.E. New isotope,  $\text{Al}^{30}$ , 1=12168  
 Robinson, E.L., Lucas, B.T. and Johnson, O.E. Decay of  $\text{Na}^{28}$ , 1=7347  
 Robinson, E.L., Rhode, J.I. and Johnson, O.E. Decay of a new isotope,  $\text{S}^{30}$ , 1=7336  
 Robinson, F.N.H. and Franklin, R.N. The transverse electric noise from an electron beam, 1=11971  
 Robinson, G.M. See Skibitzke, H.E., 1=15830  
 Robinson, G.W. Discrete sites in liquids, 1=15842  
 Robinson, G.W. Spectra and energy transfer phenomena in crystalline rare gas solvents, 1=17313  
 Robinson, G.W. See El-Sayed, M.A., 1=12292  
 Robinson, H.G. See Beltran-Lopez, V., 1=11068  
 Robinson, I. Null electromagnetic fields, 1=7126  
 Robinson, R.J. and Brophy, J.J. Fluctuations, neutral transport, and the photoconductive processes in CdS, 1=10057  
 Robinson, R.J. See Hilton, A.R., Jr., 1=6007  
 Robinson, R.L., Eichler, E. and Johnson, N.R. Decay of  $\text{I}^{132}$ , 1=9847  
 Robinson, W.A. See O'Sullivan, W.J., 1=20163  
 Robkin, M.A. and Clark, M., Jr. Integral reactor theory: orthogonality and importance, 1=17215  
 Robley, R. Photometry of the Zodiacal light, 1=4196  
 Robley, R. The dusk and nocturnal emission of the lines 6300-6364 Å of O I in the upper atmosphere, 1=15300  
 Robson, A.E. See Laing, E.W., 1=9600  
 Robson, B.A. Scattering of high-energy polarized deuterons by carbon, 1=5931  
 Robson, B.A. and Robson, D. Spin-orbit effects in the inelastic scattering of 12 MeV neutrons in carbon, 1=2217  
 Robson, B.A. See Bradford, E., 1=11004  
 Robson, D. Spin-orbit effects in the stripping reaction involving polarized particles, 1=2230  
 Robson, D. Polarization in (d,p) reactions, 1=2229  
 Robson, D. See Robson, B.A., 1=2217  
 Robson, J.M. See Clark, M.A., 1=2058  
 Robson, J.M. See Clark, M.A., 1=2062  
 Rocard, J.M. and Paxton, G.W. Relaxation oscillations in a plasma diode, 1=11969  
 Roch, J. Paramagnetic electron resonance and its application to the study of some physicochemical phenomena, 1=20200



- Rocher, Y.A. The effect of non-magnetic impurities of substitution on magnetic couplings in metals: application to electric resistivities, 1=14729
- Rocher, Y.A. and Friedel, J. Phenomenological aspects of some physical properties of plutonium and of  $\beta$ -plutonium-aluminium solid solutions, 1=20622
- Rocherolles, R. Pumping of tubes on a double pumping unit, 1=4395
- Rochester, G.D. The use of the neon flash tube as a detector of ionising particles, 1=7163
- Rochester, G.D. A note on the band spectra of BiF and SbF, 1=19632
- Rochester, G.K. See Fernando, P.C.B., 1=2294
- Rochester, G.K. See Fernando, P.C.B., 1=3388
- Rochester, M.G. Geomagnetic westward drift and irregularities in the earth's rotation, 1=7950
- Rockey, K.S. and Skolnik, W. Measurements on the diffusion length of thermal neutrons in water from 25 to 296°C, 1=16801
- Rockmore, R.M. Inertial moment of large many-fermion systems with repulsive interactions, 1=76
- Rockmore, R.M. Nuclear paramagnetic susceptibility of low-temperature He<sup>3</sup> and the flow properties of superfluid systems of fermions, 1=5392
- Rockmore, R.M. Rigidity of the inertial moment of large interacting many-fermion systems in perturbation theory, 1=15738
- Rodak, M.I. The speed of inversion of Zeeman split levels, 1=10588
- Rodbard, S. and Mohr, R. Device for indirect registration of the calibrated arterial upstroke in man, 1=12704
- Rodbell, D.S. Possibility of exchange magnetostriction yielding negative thermal expansion in solid He<sup>3</sup>, 1=11872
- Rodbell, D.S. See Street, R., 1=1280
- Rodberg, L.S. The interaction radius in direct reactions, 1=3433
- Rodberg, L.S. Calculable model for compound nucleus-direct interaction interference, 1=17069
- Rodberg, L.S. See Day, T.B., 1=10858
- Roddick, R.D. See Edwards, D.K., 1=16053
- Rodenberg, R. Interaction of electrons with lattice vibrations in homopolar crystals: acoustic Bremsstrahlung from an accelerated electron, 1=2374
- Rodenberg, R. Ratio of the differential ( $\epsilon, N$ ) to the total ( $\gamma, N$ ) effective cross-section, 1=8701
- Rodenberg, R. Two-quanta-exchange in the ratio of the total ( $\epsilon, N$ ) to the total ( $\gamma, N$ )-cross-section, 1=19174
- Rodenbusch, H. and Herrmann, G. Method for determination of the half-lives of short-lived gaseous radioisotopes. The half-lives of thoron (Rn<sup>220</sup>) and actinon (Rn<sup>218</sup>), 1=19382
- Roder, O. The formation of crystal lattices in titanates deposited by vacuum evaporation, 1=2526
- Rodewald, H.J. See Shams el Din, A.M., 1=1351
- Rodgers, A.L. See Holmes, J.E.R., 1=16922
- Rodgers, A.L. See Holmes, J.E.R., 1=16945
- Rodichev, A.M. and Ignatchenko, V.A. Dynamics of Barkhausen discontinuities, 1=10146
- Rodichev, A.M. See Polivanov, K.M., 1=10147
- Rodichev, V.I. Twisted space and nonlinear field equations, 1=19109
- Rodin, A.M. and Surenyants, V.V. The coefficient of diffusion of helium in titanium, 1=10011
- Rodionov, K.P. The effect of hydrostatic pressure on the thermal conductivity of insulators, 1=6078
- Rodionov, K.P. See Ekhlakov, A.D., 1=365
- Rodionov, K.P. See Grazhdankina, N.P., 1=17619
- Rodionov, K.P. See Ryabinin, Yu.N., 1=8883
- Rodionov, S.N. An experimental test of the behaviour of charged particles in an adiabatic trap, 1=9591
- Rodionova, L.P. See Protopopov, A.N., 1=743
- Rodot, H. and Weill, M.G. The temperature variation of the thermoelectric properties of Bi<sub>2</sub>Te<sub>3</sub>, Sb<sub>2</sub>Te<sub>3</sub>. Solid solutions, 1=17810
- Rodot, H. See Rodot, M., 1=17753
- Rodot, M. "Ambielectronic" thermomagnetic effects and the mechanism of electronic relaxation in the III-V compounds, 1=14387
- Rodot, M. Scattering mechanisms and effective mass of charge carriers in semiconductors. Application to indium antimonide and mercury telluride, 1=17743
- Rodot, M., Rodot, H. and Triboulet, R. Some properties of HgSe-HgTe solid solutions, 1=17753
- Rodriguez, S. See Ascarelli, G., 1=19856
- Rodriguez Mayques, E., Morales Villasevil, A. and Núñez-Lagos, R. Construction and set up of a  $\alpha$  flow counter, 1=16620
- Roe, B.P. See Pak, W., 1=3375
- Roe, R.J., Smith, K.J.Jr. and Krigbaum, W.R. Equilibrium degrees of crystallization predicted for "single pass" and folded chain crystallite models, 1=20406
- Roederer, J.G., Manzano, J.R. and Santochi, O.R. On the superposition of cosmic ray modulation effects during the July 1959 storms, 1=19309
- Roederer, J.G., Manzano, J.R., Santochi, O.R., Nerurkar, N., Troncoso, O., Palmeira, R.A.R. and Schwachheim, G. Cosmic ray phenomena during the November 1960 solar disturbances, 1=13587
- Roemer, E. Astrometric observations and orbits of comets, 1=18046
- Roesler, H. See Kneser, H.O., 1=180
- Roesmer, J. See Sugihara, T.T., 1=3471
- Roest, R. and Poulis, N.J. The spin-spin relaxation time of diphenyl picryl hydrazyl in weak fields, 1=882
- Roetling, P.G., Ganley, W.P. and Klaiber, G.S. The decay of Pb<sup>212</sup>, 1=2197
- Roev, L.M. Wide absorption bands in the infrared spectra of adsorbed molecules, 1=840
- Roev, L.M. Wide absorption bands on the infrared spectra of adsorbed molecules, 1=6011
- Rogachev, A.A. See Dobrego, V.P., 1=17852
- Rogachev, A.A. See Paritski, L.G., 1=17796
- Rogaczewski, J. See Skaliński, T., 1=13936
- Roganov, V.S. See Evseev, V.S., 1=19499
- Roganov, W.S. See Yeffseyev, W.S., 1=12035
- Roger, R.S. See Thomson, J.H., 1=10394
- Rogers, C.L. and Watson, R.B. Determination of sound absorption coefficients using a pulse technique, 1=1791
- Rogers, E.H., Chamberlain, O., Foote, J.J., Steiner, H.M., Wiegand, C. and Ypsilantis, T. 310 MeV  $\pi^+$ -p polarization and cross-section experiments, 1=16876
- Rogers, E.H. See Booth, N.E., 1=7262
- Rogers, E.H. See Foote, J.H., 1=7279
- Rogers, E.H. See Foote, J.H., 1=7280
- Rogers, E.M. Physics summer Institute in Pakistan, 1=12789
- Rogers, G.F.C. and Mayhew, Y.R. Evaluation of bulk velocity and temperature for turbulent flow in tubes, 1=15799
- Rogers, J. See Manning, G., 1=2163
- Rogers, J.D. and Williams, D. Nitrosyl chloride structure, 1=11133
- Rogers, J.W. See Allen, W.A., 1=5293
- Rogers, K.C. See Brucker, G.J., 1=5402
- Rogers, M.T. See Coulson, C.A., 1=12332
- Rogers, M.T. See Narasimhan, P.T., 1=6047
- Rogerson, J.B. See Osterbrock, D.E., 1=15518
- Rogerson, J.B., Jr. On photospheric faculae, 1=15477
- Rogerson, J.B., Jr. See Gaustad, J.E., 1=15474
- Roginskii, S.Z. See Koshnerev, M.Ya., 1=14357
- Rogozinski, A. See Berthelot, A., 1=19281
- Rohatgi, V.K. Electronic and ionic current at the cathode of a hollow-cathode discharge, 1=11916
- Röhler, R. Measurements of the contrast transmission functions of animal eyes, 1=21152
- Röhler, R. and Buchmann, F. The distribution of spatial frequencies in photographic images, 1=18636
- Röhler, R. and Wittmann, F. The influence on contrast transmission functions of apodization, 1=18567
- Rohmann, W. and Schubert, M. Irreducible errors in the recording of spectra, 1=4457
- Rohrer, H. Pressure and volume effects in superconductivity, 1=258
- Rohrer, H. See Olsen, J.L., 1=5398
- Rohrer, R.H. See Newson, H.W., 1=13652
- Rohrlich, F. The equations of motion of classical charges, 1=7185
- Rohrlich, F. The definition of electromagnetic radiation, 1=19014
- Roig, A. See Lifson, S., 1=9961
- Roinishvili, N.N. Analysis of the distributions of transverse momenta of  $\pi$ -mesons and strange particles, 1=19235
- Roinishvili, N.N. See Andronikashvili, E.L., 1=574
- Roinishvili, N.N. See Manjavidze, Z.Sh., 1=3303

## AUTHOR INDEX

- Roinishvili, V.N. See Mikhailov, V.A., 1=13265
- Roltenberg, Ya.N. Motion of gyroscopic compass under the influence of ordinary forces, 1=5243
- Roitsin, A.B. See Deigen, M.F., 1=20246
- Roitsyn, O.B. See Deihen, M.F., 1=14815
- Roizen, I.I. See Podgoretskii, M.I., 1=3392
- Roizen, S. See Fuchshuber, R., 1=14536
- Rojo, O. and Levinger, J.S. Integrated cross section for a velocity-dependent potential, 1=13526
- Rojo, O. See Razavy, M., 1=8539
- Rokityanskii, V.R. See Klepikov, N.P., 1=19260
- Rokotyan, V.E. See Kadomtsev, B.B., 1=5458
- Rol, P.K., Fluit, J.M. and Kistemaker, J. Sputtering of copper by bombardment with ions of 5-25 keV, 1=8363
- Rol, P.K., Fluit, J.M. and Kistemaker, J. Theoretical aspects of cathode sputtering in the energy range of 5-25 keV, 1=11987
- Roland, G. See Gebbie, H.A., 1=16078
- Rolfe, J., Lipsett, F.R. and King, W.J. Optical absorption and fluorescence of oxygen in alkali halide crystals, 1=11363
- Roll, P.G. See Newman, E., 1=9886
- Rolland, W.W. See Bevington, P.R., 1=2212
- Rollin, B.V. Detection of millimetre and sub-millimetre wave radiation by free carrier absorption in a semi-conductor, 1=12455
- Rollin, B.V. and Rowell, J.M. Hot carriers in germanium, 1=6150
- Rollins, F.R.Jr. Use of graphite whiskers in a study of the atmosphere dependence of graphite friction, 1=12612
- Rollnik, H. Operator gauge transformations in quantum electrodynamics, 1=2010
- Rolph, P.M. See Burcham, W.E., 1=13194
- Romain, J. Differential invariants of a Maxwell field, 1=1697
- Roman, P. Correlation theory of stationary electromagnetic fields. III. The presence of random sources, 1=13155
- Roman, P. On the gauge invariant theory of elementary particle interactions, 1=19112
- Romand, J. and Vodar, B. A vacuum monochromator for far ultraviolet, 1=16082
- Romand, J. See Balloffet, G., 1=16089
- Romand, J. See Fabre, D., 1=12994
- Romanenko, E.V. Distortion of the finite-amplitude [acoustic] waveform on propagation in a relaxing medium, 1=5324
- Romanenko, E.V. Width of a sawtooth wavefront, 1=16020
- Romanenko, E.V. Sawtooth [sound] waves in electrolytes, 1=18517
- Romanet, R. See Braillon, B., 1=9953
- Romanisio, F. See Galotto, C.P., 1=10893
- Romano, G. Classical formula for colour temperature, 1=2635
- Romanov, A.M. Excited levels of Si<sup>10</sup>, 1=16994
- Romanov, V.A. The limited usefulness of the idea of a universal constant of surface recombination in an investigation of the kinetics of photoelectric processes, 1=12460
- Romanov, V.A. See Rashba, E.I., 1=5014
- Romanov, Yu.A. Decay of a plasmon at absolute zero, 1=3648
- Romanov, Yu.A. and Filippov, G.F. The interaction of fast electron beams with longitudinal plasma waves, 1=16353
- Romanov, Yu.F. See Dmitriev, V.N., 1=3475
- Romanov, Yu.F. See Perfilov, N.A., 1=8798
- Romanova, O.V. See Lashko, O.S., 1=12861
- Romanova, T.A. The introduction of hydrogen and deuterium into an emulsion, 1=4750
- Romanova, T.A. Dilution of NIKFI-R emulsions with gelatin, 1=19080
- Romanovskaya, O.S. See Rozhdestvenskaya, M.V., 1=20440
- Romanovskii, M.K. See Antropov, G.M., 1=7061
- Romanovsk'yi, V.O. See Nakhodkin, M.H., 1=13123
- Romanowski, T.A. See Burleson, G.R., 1=16631
- Romanowski, T.A. See Findley, R.W., 1=18342
- Romantseva, A.S. See Varfolomeev, A.A., 1=2139
- Romanyuk, L.I. See Gabovich, M.D., 1=5470
- Romanyuk, L.I. See Gabovich, M.D., 1=11947
- Romanyuk, N.A. and Zheludev, I.S. Slow polarization processes in Rochelle salt examined by means of observations on the domain structure, 1=3805
- Romanyuk, N.A. and Zheludev, I.S. Polarization of Rochelle salt under the action of single square electrical pulses, 1=17836
- Romanyuk, N.A. See Sil'vestrova, I.M., 1=12476
- Romashkin, Yu. See Shestopalov, L.M., 1=3689
- Romashkin, Yu.P. The theory of diffusion in metals undergoing plastic deformation. I. Review of work, 1=3981
- Romashkin, Yu.P. The theory of diffusion in metals undergoing plastic deformation. II. General functional relations, 1=3982
- Romashkin, Yu.P. The theory of diffusion in metals undergoing plastic deformation. III. Possible nature of the phenomenon, 1=3983
- Romashkin, Yu.P. and Shestopalov, L.M. Investigation of diffusion through boundaries arising in the process of creep in copper, 1=3980
- Rombakh, V.P. The absorption edge in oxides of alkaline-earth metals, 1=3836
- Romeis, H. and Royen, P. Relation between X-ray line broadening of aluminium powders and the warm hardness of compacts prepared from them, 1=20644
- Romer, A. Functional dependence: three introductory experiments, 1=12792
- Römer, H. and v. Fragstein, C. Determination of absorption coefficient and refractive index of colloidal gold, 1=9393
- Romer, M. Terrestrial exosphere at heights of 1000-1700 km, 1=20894
- Rommel, G. See Gendreau, G., 1=16460
- Rompe, R. Breakdown in solid dielectrics, 1=14564
- Ron, A. and Kalman, G. Interaction of a test particle with a plasma, 1=5440
- Ron, A. and Kalman, G. Velocity-dependent correlations in the statistical distribution of the electric microfield in a plasma, 1=11926
- Ronchi, L., Russo, V. and Toraldo di Francia, G. Stepped cylindrical antennas for radio astronomy, 1=8020
- Ronchi, V. Critical examination of the fundamentals of optics, 1=1802
- Ronchi, V. Optics, physics and optical physics, 1=2835
- Ronchi, V. Resolving power of calculated and detected images, 1=12978
- Rondet, R. See Berthet, C., 1=12311
- Ronne, B.E. See Ekspong, A.G., 1=5728
- Rook, J.R. Polarisation of protons elastically scattered by Li<sup>7</sup> near the 441 keV resonance, 1=19456
- Rook, J.R. The importance of a two stage decay mode of K<sup>-</sup> mesic atoms, 1=19614
- Rook, J.R. and Goldfarb, L.J.B. The use of polarised deuterons to study the D + D reactions, 1=16914
- Rook, J.R. See Bodmer, A.R., 1=19447
- Roos, C.E. See Betterton, J.O., Jr., 1=9513
- Roosen, J. See de Feiter, L.D., 1=10341
- Root, R.C. See Zimmerman, J.E., 1=10636
- Ropp, G.A., Melton, C.E. and Rudolph, P.S. Mass spectrometric test for an intermediate in a photochemical reaction involving chlorine, 1=7918
- Röppischer, H. See Winkler, H., 1=20015
- Röppischer, H. See Winkler, H., 1=3863
- Roquefort, H. See Engelmann, J.J., 1=8399
- Roques, P.E. Flare activity on YZ Canis Minoris, 1=8003
- Rorschach, H.E., Jr. See Laing, R.A., 1=6592
- Rosa, R.J. Physical principles of magnetohydrodynamic power generation, 1=3052
- Rosanova, A.M. See Neagu, D., 1=10922
- Rosati, S. See Barsella, B., 1=13634
- Rosciszewski, J. Magnetohydrodynamic flow through ducts of variable cross section, 1=9675
- Rose, A. See Lampert, M.A., 1=1036
- Rose, A.J. and Blandin, J. X-ray emission spectrography. I. A bent crystal spectrometer, 1=16471
- Rose, B. See Birds, L., 1=13412
- Rose, B. See Edwards, D.N., 1=2026
- Rose, D.C. A polar cap absorption rocket experiment, 1=20950
- Rose, D.C. and Lapointe, S.M. Asymmetry in the recovery from a very deep Forbush-type decrease in cosmic-ray intensity, 1=3371
- Rose, D.C. See Carmichael, H., 1=3363
- Rose, D.C. See Lapointe, S.M., 1=8529
- Rose, F. See Bowers, R., 1=19837
- Rose, H. See Cooper, W.A., 1=19566
- Rose, H.J., Riess, F. and Trost, W. Ground-state gamma-transitions from states at 10.09 and 10.24 MeV in N<sup>14</sup> and reinvestigation of the 9.17 and 10.43 MeV gamma-ray distributions, 1=5867
- Rose, M.E. and Carovillano, R.L. Coherence effects in resonance fluorescence, 1=8810



- Rose, M.E. and Good, R.H.Jr. Uniqueness of the electron polarization operator, 1=19098
- Rose, M.E. See Felsner, G., 1=636
- Rose, M.E. See Felsner, G., 1=12259
- Rose, M.E. See Mann, R.A., 1=518
- Rose, P.H., Bastide, R.P. and Wittkower, A.B. High current positive hydrogen ion source with mass analysis, 1=9644
- Rose, P.H., Wittkower, A.B., Bastide, R.P. and Gale, A.J. Formation of helium ion beams by the injection of a neutral helium beam into a tandem accelerator, 1=9645
- Rose, W. Fluid-fluid interfaces in steady motion, 1=15824
- Rose, W. See Channapragada, R., 1=15823
- Rose-Innes, A.C. and Serin, B. Superconductivity of superimposed metals, 1=18722
- Rose-Innes, A.C. and Taylor, G.M. Experiments on the angular momentum of a supercurrent and the possibility of a supercurrent gyroscope, 1=5401
- Rose-Innes, A.C. See Hilsum, C., 1=17671
- Röseler, A. See Ritschl, R., 1=19994
- Rosen, A., Coleman, P.J., Jr and Sonett, C.P. Ionizing radiation detected by Pioneer II, 1=7295
- Rosen, A. and Farley, T.A. Characteristics of the Van Allen radiation zones as measured by the scintillation counter on Explorer VI, 1=21070
- Rosen, A. See Farley, T.A., 1=15334
- Rosen, B. New investigations on the  $C_2$  spectrum at 4050 Å, 1=18050
- Rosén, B. See Dyring, E., 1=10947
- Rosen, G. Structure of leptons and mesons, 1=443
- Rosen, J. See LeCroy, W., 1=5520
- Rosen, J.L. See Desjardins, J.S., 1=700
- Rosen, J.S., Whiton, J.C. and Hill, C.W. A mathematical method of analysis for predicting the performance of an anti-Compton gamma ray spectrometer, 1=9741
- Rosen, L. Polarization in the elastic and inelastic scattering of nucleons, 1=8703
- Rosen, L. and Brolley, J.E., Jr. Elastic scattering of polarized 10 MeV protons by  $He^3$ , 1=16920
- Rosen, L., Brolley, J.E., Jr, Gursky, M.L. and Stewart, L. Elastic scattering of 8 MeV polarized protons, 1=17092
- Rosen, L., Brolley, J.E., Jr and Stewart, L. Elastic scattering of polarized 10 MeV protons by complex nuclei, 1=3440
- Rosen, L. See Armstrong, A.H., 1=15335
- Rosen, L. See Barloutaud, R., 1=13527
- Rosen, L. See Gammel, J.L., 1=8521
- Rosen, N. and Tauber, G.E. Wave propagation in a closed expanding universe, 1=4235
- Rosen, N. See Peres, A., 1=5186
- Rosen, P. Generation of the third harmonic by an electromagnetic signal in a plasma, 1=4623
- Rosen, S.P.  $\Delta I = \frac{1}{2}$  rule in  $\Sigma$  decay: a problem of sign, 1=10934
- Rosen, S.P. See Primakoff, H., 1=13710
- Rosenbaum, H.S. Non-basal slip and twin accommodation in zinc crystals, 1=14904
- Rosenbaum, H.S. and Saffren, M.M. Dislocation etch pits on the basal plane of zinc crystals, 1=14288
- Rosenbaum, J.H. See Biot, M.A., 1=2818
- Rosenberg, A.J. and Strauss, A.J. Solid solutions of  $In_2Te_3$  in  $Sb_2Te_3$  and  $Bi_2Te_3$ , 1=20620
- Rosenberg, A.J. See Strauss, A.J., 1=17725
- Rosenberg, B. Photoconduction activation energies in cis-trans isomers of  $\beta$ -carotene, 1=3787
- Rosenberg, B. The effect of oxygen adsorption on photo- and semiconduction of  $\beta$ -carotene, 1=6180
- Rosenberg, B. Photoconduction in a hindered cis-isomer of  $\beta$ -carotene and its relation to a theory of the visual receptor process, 1=8965
- Rosenberg, B. and Camiscoli, J.F. Photo- and semiconduction in crystalline chlorophylls a and b, 1=14513
- Rosenberg, D. See Wehner, G.K., 1=7109
- Rosenberg, H.M. and Sujak, B. On the scattering of phonons by spins at low temperatures. Experimental, 1=3612
- Rosenberg, L. and Spruch, L. Bounds on scattering phase shifts for compound systems, 1=4265
- Rosenberg, L. See O'Malley, T.F., 1=10852
- Rosenberg, L. See Spruch, L., 1=455
- Rosenberg, L. See Spruch, L., 1=2706
- Rosenberg, M. Variation with thickness of the coercive field of thin laminations and of fine magnetic powders, 1=6316
- Rosenberg, W.J. See Fernie, J.D., 1=4184
- Rosenblatt, G.M. and Birchenall, C.E. Vapor pressure of antimony by the torsion-effusion method, 1=13023
- Rosenblum, B. See Michel, R.E., 1=17491
- Rosenbluth, M.N. Long-wavelength beam instability, 1=301
- Rosenbluth, M.N. See Drummond, W.E., 1=11938
- Rosenbluth, M.N. See Gerjuoy, E., 1=2972
- Rosenbluth, M.N. See Krall, N.A., 1=2984
- Rosenbluth, M.N. See Rostoker, N., 1=9546
- Rosendahl, G.R. Contributions to the optics of mirror systems and gratings with oblique incidence. I. Ray tracing formulas for the meridional plane, 1=2842
- Rosenfeld, A.H. See Bastien, P., 1=12104
- Rosenfeld, A.H. See Berge, J.P., 1=10952
- Rosenfeld, A.H. See Humphrey, W.E., 1=12121
- Rosenfeld, A.H. See Maglić, B.C., 1=16840
- Rosenfeld, L. On the isolated and adiabatic susceptibilities, 1=8069
- Rosenfeld, L. Introductory considerations on elementary constituents and their interactions, 1=8429
- Rosenfeld, L. Oriented nuclei, 1=8646
- Rosenfeld, L. Foundations of quantum theory and complementarity, 1=10418
- Rosenfeld, L. Theory of nuclear reactions. II. The foundation of the optical model, 1=17066
- Rosenfeld, L. See Humblet, J., 1=17065
- Rosenfeld, A.R. and Averbach, B.L. Initial stages of plastic deformation in copper and aluminum, 1=3971
- Rosenhauer, K. Measuring the contrast transfer function [CTF] of optical systems, 1=1811
- Rosenstock, H.B. Nature of vibrational modes in ionic crystals, 1=2371
- Rosenstock, H.B. Atomic forces and thermal effects in solids, 1=11159
- Rosenstock, H.B. Infrared absorption by one-dimensional ionic lattices, 1=19992
- Rosenstock, H.M. On the classical approximation in the statistical theory of mass spectra, 1=12323
- Rosenstock, H.M. See Vestal, M.L., 1=20728
- Rosenthal, I.J. See Yemelyanov, A.A., 1=2121
- Rosenthal, I.L. See Nikishov, A.I., 1=3268
- Rosenthal, L.A. Thermal response of bridgewires used in electroexplosive devices, 1=13061
- Rosenzweig, N. and Porter, C.E. "Repulsion of energy levels" in complex atomic spectra, 1=800
- Rosenzweig, N. and Porter, C.E. Dispersion of gyromagnetic ratios in complex spectra, 1=11083
- Roshchyna, H.P. and Ischenko, E.D. Investigation of the ultrasonic velocity in, and compressibility of, certain non-aqueous solutions of electrolytes, 1=11759
- Roshesku, T.  $\gamma$ -energy release by thermal neutrons from the products of  $U^{235}$  fission in the case of the periodic operation of a nuclear reactor, 1=19572
- Roshko, A. On flow duration in low-pressure shock tubes, 1=165
- Rosi, F.D. and Abrahams, M.S. Porosity in plastically deformed single crystals, 1=20386
- Rosi, F.D., Hockings, E.F. and Lindenblad, N.E. Semiconducting materials for thermoelectric power generation, 1=8967
- Rosin, G.S. See Zaborov, V.I., 1=18540
- Rosin, S. Optical system for large telescopes, 1=4445
- Rösler, U. and Elbinger, G. Free and forced growth orientation during the growth of ferrite single crystals, 1=1374
- Rösler, U. See Elbinger, G., 1=6494
- Rosman, H. and Braier, A. An upper limit of electrical and magnetic induction in media with electromagnetic heredity [memory], 1=354
- Röss, D. See Kulenkampff, H., 1=9745
- Ross, D.B. See Belrose, J.S., 1=16589
- Ross, D.S. See Joss, E.J., 1=5117
- Röss, E. and Moser, E. The temperature dependence of the initial permeability of high permeability manganese-zinc ferrites, 1=14741
- Ross, G.S. and Dixon, H.D. Automatic precise recording of temperature, 1=1844
- Ross, J. and Mazur, P. Some deductions from a formal statistical mechanical theory of chemical kinetics, 1=11616
- Ross, J.W. See Abernethy, L.L., 1=6499
- Ross, M. and Shaw, G.  $\Lambda$  II resonance and possible determination of the KYN parities, 1=9770

- Ross, M. and Steele, A. Monolayer adsorption of helium on argon, 1=20681
- Ross, M. and Steele, A. Multilayer adsorption of helium on argon, 1=20682
- Ross, M. See Steele, W. A., 1=20680
- Ross, M. A. S. See Salgueiro, L., 1=9845
- Ross, M. H. and Shaw, G. L. Multichannel effective range theory, 1=12055
- Ross, R. A. The effect of an explosion in a compressible fluid under gravity, 1=18380
- Ross, V. F. See Bray, P. J., 1=12568
- Ross, W. J. The determination of ionospheric electron content from satellite Doppler measurements. I. Method of analysis, 1=15258
- Ross, W. J. The determination of ionospheric electron content with satellite Doppler measurements. II. Experimental results, 1=15259
- Rossel, J. See Chollet, L., 1=949
- Rosselet, P. See Piron, C., 1=5716
- Rosser, W. G. V. Velocity of light emitted by a moving source, 1=11697
- Rossetti, C. See De Alfaro, V., 1=5676
- Rossetti, C. See De Alfaro, V., 1=12130
- Rossi, A. See Ullman, J. D., 1=7223
- Rossi, B. M.I.T. air shower program, 1=3281
- Rossi, B. Results and prospects of scientific research in space, 1=18213
- Rossi, B. See Bridge, H. S., 1=15583
- Rossi, B. See Giacconi, R., 1=8
- Rossi, B. See Linsley, J., 1=10944
- Rossi, B. B. See Clark, G. W., 1=7297
- Rossi, C. and Bianchi, E. Diffusion of small molecules, 1=10509
- Rossini, T. See Colli, L., 1=561
- Rossol, F. C. Subsidiary resonance in the coincidence region in yttrium iron garnet, 1=2493
- Rossow, V. J. On flow through direct-current electro-magnetic pumps, 1=5572
- Rossteutscher, W. See Schubert, K., 1=6528
- Rostoker, N. Fluctuations of a plasma. I, 1=18900
- Rostoker, N. and Kolb, A. C. Fission of a hot plasma, 1=18827
- Rostoker, N. and Rosenbluth, M. N. Fokker-Planck equation for a plasma with a constant magnetic field, 1=9546
- Rostovskii, V. S. Electric monopole transitions in the theory of non-axial nuclei, 1=3416
- Rostovskii, V. S. Relative probabilities of  $\alpha$ -decay to rotational levels of non-axial even-even nuclei, 1=19384
- Rostovsky, V. S. See Davydov, A. S., 1=16973
- Rostovtsev, N. M. and Epifanov, G. I. The influence of the mechanical properties of a solid on the rate of ultrasonic machining, 1=9241
- Rostovtsev, N. M. and Epifanov, G. I. The influence of the mechanical properties of a solid on the rate of ultrasonic machining, 1=10558
- Rüsz, E. See Kornetzki, M., 1=7764
- Rüsz, E. See Kornetzki, M., 1=7767
- Rota, A. See Cappellani, F., 1=17015
- Rotenberg, A. See Lüst, R., 1=10707
- Rotenberg, B. A. See Adrianova, I. I., 1=18530
- Rotenberg, M. See Brueckner, K. A., 1=589
- Rotenberg, M. See Frieman, E., 1=5563
- Roth, E. See Bigeleisen, J., 1=10628
- Roth, K. W. See Ellyett, C., 1=18064
- Roth, S. J. Investigation of cathode uniformity and transit time spread of multiplier phototubes, 1=2994
- Roth, W. Shock tube study of vibrational relaxation in the  $A^2\Sigma^+$  state of NO, 1=5997
- Roth, W. Dependence of vibrational relaxation time on the vibrational quantum number. Experimental verification for no ( $A^2\Sigma^+$ ) behind shock waves, 1=12274
- Roth, W. Comments on "Luminosity behind shock waves in xenon", 1=15938
- Roth, W. L. See Street, R., 1=1280
- Rothberg, G. M. Binding energies of alkali halide molecules, 1=11088
- Rothberg, M. See Weingarten, I. R., 1=5020
- Rothe, E. W. See Neynaber, R. H., 1=11079
- Rothe, E. W. See Neynaber, R. H., 1=17279
- Rothe, O. See Pfeifer, H., 1=2928
- Rothem, T., Metzger, F. R. and Swann, C. P. Lifetimes of the 668 keV and 961 keV excited states in  $\text{Cu}^{63}$ , 1=5876
- Rothenstein, B. and Hrianca, J. The transfer of energy from a longitudinal a.c. magnetic field to a torsion pendulum with a ferromagnetic suspension, 1=18980
- Rothenstein, B. and Hrianca, J. Stress induced amplitude dependence of internal friction in Fe-Ni alloys, 1=20312
- Rothenstein, W. Collision probabilities and resonance integrals for lattices, 1=13879
- Rothenstein, W. Some Monte Carlo and analytical results for resonance capture in lattices, 1=17203
- Rothenstein, W. and Chernick, J. Resonance capture of neutrons in non-heavy absorbers, 1=16806
- Rothstein, B. Experimental investigation of the distribution law of ferromagnetic domains based on the criterion of coercivity, 1=10150
- Rothhardt, L. On dynamic equations of state for liquids with special reference to very viscous materials, 1=9383
- Rothhardt, L. The influence of the cathode region boundary on the voltage and current density of a glow discharge, 1=18803
- Rothleitner, J. See Krüger, L., 1=17302
- Rothman, H. Probing the positive column of a low-current discharge in neon, 1=4581
- Rothwell, E. Oxide resistor furnace for high-temperature operation, 1=6983
- Rothwell, P. and McIlwain, C. Satellite observations of solar cosmic rays, 1=3305
- Rotsey, W. B. See Young, A. G., 1=20354
- Rott, L. A. See Krichevskii, I. R., 1=12811
- Rott, N. On the viscous core of a line vortex. I, 1=1729
- Rott, N. On the viscous core of a line vortex. II, 1=1730
- Rotter, I. See Bernhard, 1=9707
- Rouard, P. See Bousquet, P., 1=14569
- Roubínek, F. On the effect of nitrogen on the exo-electron emission of germanium, 1=16358
- Rough, F. See Smith, C. A., 1=5953
- Rough, F. A., Hare, A. W., Price, R. B. and Alfant, S. Irradiation of uranium monocarbide, 1=13905
- Rougoor, G. W. and Oort, J. H. Neutral hydrogen in the central part of the galactic system, 1=18014
- Rouhaninejad, H. See Michel, L., 1=7287
- Rouleau, W. T. See Minkler, W. S., 1=18650
- Rountree, J. C. Deviation from equilibrium and abundances in solar and stellar photospheres. IV. The case of ionized titanium, 1=15451
- Rourke, F. M., Sheffield, J. C. and White, F. A. Crystal "doping" by ion bombardment, 1=11196
- Rourke, F. M. See White, F. A., 1=9920
- Rourke, G. F. Small-scale polar-cap absorption and related geomagnetic effect, 1=20942
- Rouse, A. G. Momentum experiment for the laboratory, 1=12834
- Rouse, C. A. Ionization equilibrium equation of state, 1=16253
- Rouskov [Ruskov], T. and Betev, B. On "delayed" pulses in halogen counters, 1=386
- Rousseau, M. See Dumont, R., 1=12751
- Rousselot, M. M. See Le Montagner, S., 1=11337
- Roussel, A. See Baglin, C., 1=9764
- Rout, V. M. See Jones, W. M., 1=13849
- Roux, D. See Cottier, J. M., 1=13447
- Roux, D. See Denis, P., 1=17132
- Roux, G. See Blanc, A., 1=7332
- Roux, J. Long-period decay of the photoconductivity and the photodielectric effect in zinc oxide, 1=11327
- Roux, M. See Takeda, S., 1=13093
- Roux, M. See Takeda, S., 1=15932
- Rovinskii, B. M. and Rybakova, L. M. The time-dependence of resistance to deformation in active tension, 1=1337
- Rovinskii, B. M. and Rybakova, L. M. The effect of preliminary thermal cycling and plastic deformation of strength and time-to-rupture characteristics on metals, 1=1338
- Rovinskii, B. M. See Plavnik, G. M., 1=2550
- Rowan, D. and Stevenson, W. A three-channel low-background counting unit, 1=19054
- Rowe, P. C. See Greenlees, G. W., 1=8774
- Rowell, J. M. See Rollin, B. V., 1=6150
- Rowell, R. L. See Gucker, F. T., 1=11844
- Rowen, J. H., Eggers, F. G. and Strauss, W. Generation of microwave electromagnetic radiation in magnetic materials, 1=5577
- Rowland, W. R. See Spangenberg, W. G., 1=10481
- Rowlands, G. Solid angle calculations, 1=15387



- Rowlands, G. A numerical study of the fast neutron spectrum in homogeneous media, 1=19211
- Rowlands, G. Flux adjoints for slowing down problem in infinite media, 1=19562
- Rowlands, J.R. See Lin, W.C., 1=14797
- Rowley, J.J. Phase shift studies in ferrite-dielectric loaded coaxial lines at 2200 Mc/s, 1=5589
- Rowlinson, J.S. A test of the Lennard-Jones potential for nitrogen and methane, 1=15847
- Rowlinson, J.S. The rate of molecular collisions in gases composed of "soft" molecules, 1=18467
- Rowson, B. See Allen, L.R., 1=1662
- Roy, A.K. Estimation of the critical viscous sub-layer in shock wave boundary layer interaction, 1=10533
- Roy, A.K. Estimation of the characteristic velocity for the propagation of the disturbance up-stream in shock wave boundary layer interaction problems, 1=15935
- Roy, B., Sandell, P.K. and Choudhury, A.K. Investigations into the low energy gamma ray background and its variations, 1=13679
- Roy, J.C. On the production of  $\text{Be}^7$ ,  $\text{Mg}^{28}$ , and  $\text{Ni}^{56}$  in the slow neutron fission of  $\text{U}^{235}$ , 1=3472
- Roy, J.C. and Hawton, J.J. The  $\text{B}^{10}(\alpha, n)\text{N}^{13}$  and  $\text{B}^{10}(t, 2n)\text{C}^{11}$  reactions in a nuclear reactor, 1=19529
- Roy, J.K. Singlet-triplet absorption in halogen substituted toluenes, 1=14053
- Roy, J.K. See Sirkar, S.C., 1=14054
- Roy, K.K. See Sen Gupta, R.L., 1=5745
- Roy, P.K. K-meson-nucleon scattering and relativistic dispersion relations, 1=3235
- Roy, R. and Cohen, H.M. Effects of high pressure on glass: A possible piezometer for the 100-kilobar region, 1=12658
- Roy, R.R. See Mohanty, R.C., 1=16763
- Roy, S.B. See Sirkar, S.C., 1=18417
- Roy, S.R. A relativistic analogue of a simple Newtonian result. II, 1=15624
- Royce, B.S.H. and Smoluchowski, R. Effect of plastic deformation on the low-temperature ionic conductivity of potassium chloride, 1=8929
- Royen, P. See Romeis, H., 1=20644
- Roys, P.A. See East, L.V., 1=7009
- Roys, P.A. See East, L.V., 1=15698
- Rozanova, A.M. See Nyagu, D.V., 1=19261
- Roze, L. The flexure of the horizontal axis of a transit instrument, 1=9
- Rozelberg, I.L. See Novikov, I.I., 1=9108
- Rozenberg, G.D. See Charnyi, I.A., 1=11774
- Rozenberg, G.V. Absorption spectroscopy of dispersed materials, 1=2858
- Rozenberg, G.V. See Kondrat'ev, K.Ya., 1=2563
- Rozenberg, L.D. and Éknadisyants, O.K. Kinetics of ultrasonic fog formation, 1=6578
- Rozenberg, L.D. and Sirot'yuk, M.G. Radiation of sound in a liquid with cavitation present, 1=18509
- Rozenberg, L.D. See Bechuk, A.S., 1=10489
- Rozenberg, L.D. See Naugol'nykh, K.A., 1=4403
- Rozenberg, N.Yu. See Avet'ikov, V.G., 1=3800
- Rozenberg, V.M. Measurement of the size and degree of misorientation of subgrains formed during creep on the surface and in the interior of a test piece, 1=1323
- Rozenberg, V.M. Slow deformation of single crystals of an iron-nickel solid solution at elevated temperatures, 1=10212
- Rozenberg, V.M. See Gorelik, S.S., 1=10007
- Rozendal, D.B. See Hsiao, C.C., 1=14909
- Rozenshtein, L.D. and Vartanyan, A.T. Investigation of surface recombination in layers of organic dyes by photoconductivity, 1=3783
- Rozenshtein, L.D. See Vartanyan, A.T., 1=14388
- Rozenstein, S. An anti-coincidence circuit for randomly delayed pulses, 1=1874
- Rozental, I.L. See Gerasimova, N.M., 1=16923
- Rozental, I.L. See Maksimenko, V.M., 1=3150
- Rozentsveig, L.N. and Azbel, M.Ya. Obtaining a polarized hydrogen target, 1=671
- Rozhanskii, V.N. The question of formation conditions and development of cracks in crystals, 1=1344
- Rozhanskii, V.N. and Indenbom, V.L. Accumulations of dislocations in crystals containing impurities, 1=11200
- Rozhanskii, V.N. and Indenbom, V.L. Accumulations of dislocations in crystals containing impurities, 1=12381
- Rozhdestvenskaya, M.V. The question of investigating single crystals in the system  $\text{MgO}-\text{MnO}-\text{Fe}_2\text{O}_3$ , synthesized by the Verneuil method, 1=20441
- Rozhdestvenskaya, M.V., Romanovskaya, O.S. and Yur'eva, E.K. Synthesis and some properties of single crystal  $\text{MgAl}$  ferrites, 1=20440
- Rozhentseva, S.A. See Naer, V.A., 1=11903
- Rozhentseva, S.A. See Naer, V.A., 1=12467
- Rozhin, F.V. See Ivanov-Shits, K.M., 1=2817
- Rozin, L.A. An approximate method for the integration of equations of a nonstationary laminar boundary layer in an incompressible fluid, 1=2771
- Rozis-Saulgeot, A.M. The influence of resolving power on the determination of the continuous background in a stellar spectrum, 1=15503
- Rozis-Saulgeot, A.M. The influence of resolving power on the determination of a stellar spectrophotometric gradient, 1=15504
- Rozman, I.M. and Kilin, S.F. Luminescence of plastic scintillators, 1=2462
- Rózsa, P. See Jánosy, L., 1=13253
- Rozwadowski, M. See Bauer, R., 1=18623
- Rozwadowski, M. See Łozykowski, H., 1=1189
- Ruan, J. See Mizobuchi, A., 1=11014
- Ruan, J. See Yamabe, S., 1=12191
- Rubalcava, H.E. See Carroll, P.K., 1=2315
- Rubanov, A.S. and Stepanov, B.I. The entropy of the distribution of dynamical variables, 1=18327
- Rubbia, C. See Conversi, M., 1=7260
- Rubbia, C. See Conversi, M., 1=7261
- Rubbia, C. See Conversi, M., 1=7395
- Rubbia, C. See Conversi, M., 1=8474
- Rubchinskii, S.M. See Zel'dovich, M.P., 1=4689
- Rubenstein, C. Lubrication of polymers, 1=12610
- Rubenstein, H. and Pollack, I. Descent of the median: reply to Gerstman and Bricker, 1=9216
- Rubenstein, H. See Brown, C.R., 1=4147
- Rubin, L.G. See Zdanuk, E.J., 1=16438
- Rubin, R.J. Statistical dynamics of simple cubic lattices. Model for the study of Brownian motion. II, 1=6786
- Rubin, T. See White, D., 1=1766
- Rubin, V.C. Structure and evolution of the galactic system, 1=8010
- Rubin, V.C. See Kiess, C.C., 1=4904
- Rubinow, S.I. Scattering from a penetrable sphere at short wavelengths, 1=16113
- Rubinow, S.I. and Keller, J.B. Shift of the shadow boundary and scattering cross section of an opaque object, 1=6949
- Rubinowicz, A. Rearranged and two-parameter eigenvalue problems, which can be solved with the help of the polynomial method, 1=4259
- Rubinowicz, A. Phase changes at the focal point, 1=16058
- Rubins, R.S. See Bleaney, B., 1=3928
- Rubinshtein, E.N. and Fistul', V.I. Panoramic delayless analyser for multi-component gas mixtures (PGA-1), 1=20780
- Rubinshtein, L.I. Forced convection [of heat] in a plane layer in [a system of] axial symmetry, 1=4494
- Rubinshtein, L.I. On a contact heat convection problem, 1=4495
- Rubinshtein, L.I. On a contact heat convection problem, 1=10619
- Rubinstein, H. See Fuller, H.W., 1=6326
- Rubinstein, H. See Spain, R.J., 1=6327
- Rubinstein, M. See Cabezas, A., 1=2159
- Rubinstein, R. See Dowell, J.D., 1=5724
- Rubinstein, R. See Hutchinson, G.W., 1=1881
- Rubinstein, R. See Martelli, G., 1=16770
- Rublev, S.V. The approximate solution of the transfer equation for a plane gray photosphere taking account of the blanketing effect, 1=18000
- Rubtsov, V.I. See Baradzev, L.T., 1=3291
- Rubtsov, V.K. See Erofeev, V.I., 1=4231
- Ruby, S.L. and Shirane, G. Magnetic anomaly in  $\text{FeTiO}_3-\alpha\text{Fe}_2\text{O}_3$  system by Mössbauer effect, 1=11455
- Ruby, S.L. See Flinn, P.A., 1=14687
- Ruch, E. The theory of  $\pi$ -electron systems, 1=19646
- Ruch, F. A microspectrograph for absorption measurements in ultraviolet light, 1=18598
- Ruckenstein, E. On the transport of heat or of matter in the turbulent region, 1=1836

## AUTHOR INDEX

- Ruckenstein, E. Vaporization of a thin film of liquid in high vacuum, 1=5377
- Ruckenstein, E. Influence of the transfer of heat upon the transfer of mass in the case of the rectification of binary mixtures, 1=10448
- Ruckenstein, E. Transport equations for average values of temperature or concentration, 1=15747
- Ruckenstein, E. Correction to the subject matter of a previous note ["Influence of the transfer of heat upon the transfer of mass in the case of the rectification of binary mixtures"], 1=18316
- Ruckenstein, E. Equations for the average values of temperatures and concentrations, 1=18353
- Ruckenstein, E. The mechanism of turbulent mass transfer near a fluid interface, 1=18371
- Ruckenstein, E., Shorr, V. and Suciu, G. Heat transfer between a liquid-fluidized bed and the container wall, 1=251
- Ruckenstein, E. See Friedländer, E., 1=488
- Rudakov, L.I. Magnetic trap with rotating stoppers (mirrors), 1=4620
- Rudakov, L.I. and Sagdeev, R.Z. High-frequency heating of a plasma, 1=7058
- Rudakov, L.I. and Sagdeev, R.Z. A quasi-hydrodynamic description of a rarefied plasma in a magnetic field, 1=7062
- Rudakov, L.I. and Sagdeev, R.Z. On the instability of an inhomogeneous rarefied plasma in a strong magnetic field, 1=16328
- Rudakov, S.N. See Lyamshev, L.M., 1=18508
- Rudd, De F.P. and Widom, B. Critical solution phenomenon in two-component liquid systems. The system water-ethylene glycol mon-isobutyl ether, 1=2754
- Rudenko, N.S. See Grigor'ev, V.N., 1=18438
- Rudenok, M.I. See Berlaga, R.Ya., 1=10284
- Rudenok, M.I. See Berlaga, R.Ya., 1=11607
- Ruderfer, M. Relativity: blessing or blindfold? 1=4246
- Ruderman, M.A. See Werthamer, N.R., 1=10878
- Rudham, R. See Barr, L.W., 1=14323
- Rüdiger, O. and Winkelmann, A. Thermal conductivity in the tungsten carbide-cobalt system, 1=925
- Rudik, A.P. Nature of the amplitude singularities in quantum field theory, 1=19148
- Rudik, A.P. See Geshkenbein, B.V., 1=4846
- Rudik, A.P. See Kolkunov, V.A., 1=2089
- Rudik, A.P. See Okun', L.B., 1=3226
- Rudik, A.P. See Patashinskii, A.Z., 1=13345
- Rudin, H., Striebel, H.R., Baumgartner, E., Brown, L. and Huber, P. A source of polarized deuterons and determination of the polarization by means of the (d,T) reaction, 1=7288
- Rudisill, J.E. See Doyle, W.D., 1=14723
- Rudkin, R.L. See Gibbons, M.G., 1=9187
- Rudkjøbing, M. On the possible existence of a polarisation effect connected with the center-limb effect in the solar spectrum, 1=22
- Rudkjøbing, M. Gaunt factors for free-free transitions in hydrogen, 1=19582
- Rudman, P.S. An X-ray diffraction method for the determination of composition distribution in inhomogeneous binary solid solutions, 1=20618
- Rudman, P.S. See Erez, G., 1=20592
- Rudman, P.S. See Fisher, B., 1=11225
- Rudnick, I. See Zemanek, J., Jr., 1=16002
- Rudnick, P. Likelihood detection of small signals in stationary noise, 1=2721
- Rudoi, Yu.G. See Klepikov, N.P., 1=19260
- Rudolph, H.D. See Dreizler, H., 1=3539
- Rudolph, H.D. See Dreizler, H., 1=9691
- Rudolph, P.S. See Ropp, G.A., 1=7918
- Rudomanov, P.G. See Brainina, Z.Z., 1=15149
- Rudstam, G. On the range of spallation products, 1=7379
- Rudstam, G. and Pappas, A.C. Mass and charge distribution in high-energy induced fission, 1=5946
- Rudstam, G., Svanheden, Å. and Pappas, A.C. New delayed-neutron precursors, 1=5854
- Rudstam, G. See Andersson, G., 1=2202
- Rudstam, G. See Pappas, A.C., 1=4882
- Rueda, F. and Dekeyser, W. Charge effects during inhomogeneous deformation of rocksalt, 1=7629
- Rueda, F. and Dekeyser, W. Charged dislocations in ionic crystals, 1=14275
- Ruedenberg, K. Quantum mechanics of mobile electrons in conjugated bond systems. I. General analysis in the tight-binding formulation, 1=9940
- Ruedenberg, K. Quantum mechanics of mobile electrons in conjugated bond systems. II. Augmented tight-binding formulation, 1=9941
- Ruedenberg, K. Quantum mechanics of mobile electrons in conjugated bond systems. III. Topological matrix as generatrix of bond orders, 1=9942
- Ruedenberg, K. Quantum mechanics of mobile electrons in conjugated bond systems. IV. Integral formulas, 1=9943
- Ruedenberg, K. Quantum mechanics of mobile electrons in conjugated bond systems. VI. Theoretical evaluation of energy contributions, 1=9945
- Ruedenberg, K. and Layton, E.M., Jr. Quantum mechanics of mobile electrons in conjugated bond systems. V. Empirical determination of integrals between carbon atomic orbitals from experimental data on benzene, 1=9944
- Ruedl, E., Delavignette, P. and Amelinckx, S. Evidence for focusing collisions in irradiated platinum, 1=11246
- Ruei, K.H. See Barut, A.O., 1=3133
- Ruei, K.H. See Barut, A.O., 1=4772
- Ruei, K.H. See Barut, A.O., 1=7218
- Ruelle, D. Connection between Wightman functions and Green functions in p-space, 1=12040
- Rühl, K.H. See Emschermann, H.H., 1=11720
- Ruhla, C. See Garron, J.P., 1=13783
- Ruijgrok, T.W. See Falk, H., 1=20151
- Ruijgrok, T.W. See Henley, E.M., 1=8557
- Ruimonte, F.G. See Smith, P., 1=6517
- Ruiz Gonzalvo, J.M. See González Ibeas, J., 1=5242
- Ruka, R. See Weissbart, J., 1=9361
- Rukman, G.I. See Braginskii, V.B., 1=55
- Rukman, G.I. See Braginskii, V.B., 1=18245
- Rukwied, A. See Richter, H., 1=9998
- Rule, E., Suellentrop, F.J. and Perls, T.A. Capacitive accelerometers with optimum frequency-response characteristics, 1=2813
- Rule, E. See Chalupnik, J.D., 1=12950
- Rule, R. See Chalupnik, J.D., 1=4417
- Rulli, J.E. See Aronson, S., 1=17641
- Rumanova, I.M. Symmetries of the weighted electron-density projections for crystals falling in the groups of lowest symmetry, 1=4034
- Rumanova, I.M. Formulae for modulated electron density projections for plane oblique-angled and rectangular black-white groups having a centre of symmetry (antisymmetry), 1=15063
- Rumanova, I.M. and Belov, N.V. False symmetry of lawsonite, 1=11570
- Rumanova, I.M. and Nikolaeva, T.V. Crystal structure of orthite, 1=15101
- Rumanova, I.M. and Znamenskaya, M.N. The crystal structure of anapaite, 1=15105
- Rumer, Yu.B. Negative and limiting temperatures, 1=4518
- Rumi, G.C. The D<sub>1</sub>, D<sub>2</sub> layers and the absorption of radio waves, 1=15272
- Rumsey, J.C.V. Interpretation of ultrasonic echo amplitude, 1=1793
- Rumsey, N.J. A "sky lens" for an auroral spectrograph, 1=6633
- Rumsh, M.A., Lukirskii, A.P. and Shchemelev, V.N. The photoelectric effect in metallic cathodes in the wavelength range 1.39 to 13.3 Å, 1=4634
- Rumsh, M.A., Lukirskii, A.P. and Shchemelev, V.N. The photoelectric effect in metallic cathodes in the wavelength range 1.39 to 13.3 Å, 1=10730
- Rumsh, M.A. See Lukirskii, A.P., 1=3029
- Rumsh, M.A. See Lukirskii, A.P., 1=13109
- Rumsh, M.A. See Lukirskii, L.P., 1=2980
- Rumyantsev, B.N. A contribution to the theory of Cauchy-Poisson waves at sloping banks, 1=4314
- Rumyantsev, B.N. A contribution to the theory of Cauchy-Poisson waves at sloping banks, 1=10487
- Rumyantseva, V.P. See Barmin, V.V., 1=19273
- Runciman, W.A. See Crozier, M.H., 1=17891
- Runciman, W.A. See Jones, G.D., 1=3846
- Runciman, W.A. See Lys, J.E.A., 1=2455
- Rund, H. Dynamics of particles with internal "spin", 1=440
- Rundle, H.N. Ionization of a static interplanetary gas and expected emission lines from this gas, 1=5129
- Rundle, H.N. See Blackwell, D.E., 1=1553



- Runyan, W.R. See Allen, C.C., 1=10651
- Ruoff, A.L. See Butcher, B.M., 1=14894
- Ruoff, A.L. See Cornish, R.E., 1=10365
- Ruoff, A.L. See Li, Che-Yu, 1=14209
- Rupaal, A.S. See Prescott, J.R., 1=7169
- Rupert, G.N. See Pretzel, F.E., 1=7697
- Ruppel, H.M. See Breit, G., 1=1118
- Ruppel, H.M. See Breit, G., 1=4807
- Ruppel, H.M. See Breit, G., 1=7217
- Ruppel, H.M. See Breit, G., 1=19181
- Ruppel, H.M. See Huli, M.H., 1=8461
- Ruppel, W. Spectroscopy of trapping centres in insulators by means of majority carrier injection, 1=7587
- Rupprecht, A. See Forsen, S., 1=7161
- Rupprecht, A. See Forslind, E., 1=13909
- Rupprecht, G. Cross-sections of midgap surface states in silicon by pulsed field effect experiment, 1=1067
- Rupprecht, G., Bell, R.O. and Silverman, B.D. Nonlinearity and microwave losses in cubic strontium-titanate, 1=11342
- Rupprecht, H. Interpretation of the anisotropy of the resistance change of n-conducting InSb, 1=14471
- Rusakov, V.A. See Neagu, D., 1=10922
- Rusakov, V.A. See Nyagu, D.V., 1=19261
- Rusanov, V.D., Patrushev, B.I., Kovan, L.A., Garkusha, V.I. and Frank-Kamenetskii, D.A. Investigation of magnetoacoustic resonance in a plasma with aid of double electric probes, 1=18858
- Rusanov, V.D. See Akhmatov, A.P., 1=4628
- Rusanov, V.D. See Borodin, A.V., 1=18886
- Rusanov, V.D. See Patrushev, B.I., 1=18905
- Rusbridge, M.G., Jones, H.W., Lees, D.J., Saunders, P.A.H. and Witalis, E.A. Regular oscillations in a toroidal discharge, 1=9633
- Rusbridge, M.G. See Lees, D.J., 1=9011
- Rush, J.J., Taylor, T.I. and Havens, W.W. Jr. Proton motions in ammonium halides by slow neutron cross-section measurements, 1=2308
- Rushbrooke, G.S. and Hutchinson, P. On the internal consistency of the hyperchain approximation in the theory of classical fluids, 1=12868
- Rushbrooke, G.S. and Morgan, D.J. On the magnetically dilute Heisenberg and Ising ferromagnetics, 1=14681
- Rushbrooke, G.S. See Elliott, R.J., 1=1200
- Rushbrooke, J.G. and Radojčić, D. Search for resonance in  $\pi - \pi$  interaction in  $\pi - N$  scattering at 0.96 BeV, 1=3221
- Rushing, C.C. See Pretzel, F.E., 1=7697
- Rushing, C.C. See Pretzel, F.E., 1=17578
- Rushton, E. Dielectric properties of ammonium dihydrogen phosphate at very high frequencies, 1=17823
- Rushton, W.A.H. The eye, the brain and Land's two-colour projections, 1=9235
- Rusinov, L.A. See Tolstoi, N.A., 1=20016
- Rusinov, L.I., Andreev, Yu.N., Golenetskii, S.V., Kislov, M.I. and Filimonov, Yu.I. Alpha decay of the  $\text{Be}^{210m}$  isomer, 1=17013
- Rusinov, L.I., Aptekar, R.L., Gvozdev, V.S., Sakharov, S.L. and Khazov, Yu.L. The level scheme of  $\text{Eu}^{153}$ , 1=13733
- Rusinov, L.I., Borovikov, A.V., Gvozdev, V.S., Porsev, G.D., Sakharov, S.L. and Khazov, Yu.L. The decay scheme of  $\text{Dy}^{168}$ , 1=17059
- Rusinov, L.I. and Varshalovich, D.A. Electromagnetic transitions in isomeric nuclei, 1=633
- Rusinov, L.I. See Lobashov, V.M., 1=13727
- Rusjan, B. Analytical treatment of simple unsteady-state heat problems, 1=2898
- Rus'kin, V.I. and Chernavskii, D.S. Application of the pole method for analysis of the experimental data on  $\pi - p$  interactions, 1=19249
- Rus'kin, V.I. See Usik, P.A., 1=16868
- Ruskol, E.L. and Safronov, V.S. Origin of rapidly rotating asteroids, 1=18043
- Ruskov, T. and Zhelazkov, I. The effect of a uniform magnetic field on the working of Geiger-Müller counters, 1=387
- Russek, A. Effect of target gas temperature on the scattering cross section, 1=471
- Russek, A. See Bulman, J.B., 1=7024
- Russell, B. See Wilson, D.V., 1=3988
- Russell, D.C. and Schofield, F.H. A theory of the filament temperature distribution of the tungsten vacuum-lamp with special reference to optical pyrometry, 1=8233
- Russell, D.R. See Paddy, J.F., 1=6847
- Russell, E.R. See De Maine, P.A.D., 1=18348
- Russell, F.M. A proposal for increasing the beam output from a synchrocyclotron, 1=9659
- Russell, F.M. Non-synchronous acceleration of ions in cyclotrons, 1=16456
- Russell, F.M. See Lawson, J.D., 1=9664
- Russell, H.G. See Hilton, H.H., 1=15762
- Russell, J.A. Molecular nitrogen in the spectra of two Perseid meteors, 1=4195
- Russell, J.J. See Lindenbaum, S.J., 1=16789
- Russell, J.L. Jr. Relative worth of control materials, 1=11053
- Russell, J.L. Jr. See Pashos, T.J., 1=11054
- Russell, L.E., Harrison, J.D.L. and Brett, N.H. Perovskite-type compounds based on plutonium, 1=15097
- Russell, R.D. See Kollar, F., 1=10648
- Russo, D. See Rigutti, M., 1=15481
- Russo, V. See Ronchi, L., 1=8020
- Rustad, B.M. See Gould, F.T., 1=16812
- Rustad, B.M. See Safford, G.J., 1=709
- Rustad, B.M. See Wajima, J.T., 1=8465
- Rustgi, M.L. Note on the two-nucleon stripping process, 1=9881
- Rustgi, M.L. Isotope shift in axially asymmetric nuclei, 1=13648
- Rustgi, M.L. Alpha-deuteron model of the  $\text{Li}^6$  nucleus and the  $\text{Be}^6(\text{Li}^6, \alpha)\text{B}^{11}$  reaction, 1=17156
- Rustgi, M.L., Zernik, W., Breit, G. and Andrews, D.J. Cross section and polarization in the photodisintegration of the deuteron, 1=553
- Rustgi, O.P., Nodvik, J.S. and Weissler, G.L. Optical constants of germanium in the region 0-27 eV, 1=8978
- Rustgi, O.P., Walker, W.C. and Weissler, G.L. Optical properties of Sb, Te, and Ti films in the vacuum ultraviolet, 1=19940
- Ruta-Wala, K. See Murasik, A., 1=20119
- Rutgers, A.J. Spiral structure of the galaxy, 1=1656
- Ruthberg, S. Telescope for measurement of optic angle of mica, 1=10584
- Rutherford, R. See Hirschfelder, J.O., 1=10527
- Rutherglen, J.G. Asymmetry in scattering of 90-140 MeV polarized protons from nuclear emulsion material, 1=687
- Rutherglen, J.G. and Paterson, J.M. Accuracy of track location in spark chambers. I, 1=9702
- Rutherglen, J.G. and Paterson, J.M. Accuracy of track location in spark chambers. II, 1=9703
- Rutherglen, J.G. and Walker, J.K. The photoproduction of charged pions from deuterium, 1=3208
- Rutherglen, J.G. and Walker, J.K. A scintillation counter system for the detection of positive and negative pions, 1=5772
- Rutkevich, B.H. See Glasov, O.A., 1=5486
- Rutkevich, B.H. See Glasov, O.A., 1=11958
- Rutkevitch, N.Ya. See Bolotin, L.I., 1=8705
- Rutscher, A. See Pfau, S., 1=4577
- Rutschmann, J. See Page, H.J., 1=7964
- Ruuge, E.K. See Teplov, I.B., 1=19468
- Ryabchikov, L.N. and Tikhinskii, G.F. A mass-spectrometric study of sublimation of beryllium chloride, 1=5378
- Ryabikov, S.V. See Grigorov, N.L., 1=5801
- Ryabinin, M.N. The longitudinal magnetoresistance of semiconductors of the n-germanium type in the quantum limit, 1=12416
- Ryabinin, M.N. The longitudinal magnetoresistance of semiconductors of thin n-germanium type in the quantum limit, 1=17616
- Ryabinin, Yu.N., Rodionov, K.P. and Alekseev, E.S. Determination of some physical properties of heavily compressed metals, 1=8883
- Ryabinin, Yu.N., Vereshchagin, L.F., Balashov, D.B. and Livshits, L.D. Apparatus for the mechanical investigation of metals under pressures up to 30 000 kg/cm<sup>2</sup>, 1=6685
- Ryabinin, Yu.N. See Livshits, L.D., 1=10226
- Ryabinin, Yu.N. See Vereshchagin, L.F., 1=5090
- Ryáenov, E.V. Constructions of the exact solutions of the equations of one-dimensional gas dynamics in the presence of discontinuities, 1=6882
- Ryan, D. See Ball, M., 1=6365
- Ryazanov, M.I. Change of probability of fast meson decay caused by Coulomb scattering in dense media, 1=3199
- Ryason, P.R. See Doty, W.R., 1=6915
- Ryazanov, E.V. See Korobeinikov, V.P., 1=15912
- Ryazanov, O.M. The conditions and methods of resolving two light sources of greatly differing intensity, 1=12967

- Ryazantsev, Yu.S. See Novikov, S.S., 1=1854  
 Ryazantsev, Yu.S. See Novikov, S.S., 1=18664  
 Rybakov, B.V., Sidorov, V.A. and Vlasov, N.A. Breakup of deuterons on H, D, He<sup>3</sup> and He<sup>4</sup>, 1=5791  
 Rybakov, B.V. See Kurashov, A.A., 1=514  
 Rybakov, B.V. See Vlasov, N.A., 1=4798  
 Rybakova, G.I., Naugol'nikov, B.I. and Morozov, V.P. Partial frequencies of pyramidal hydrides and deuterides of C<sub>3v</sub> symmetry, 1=2321  
 Rybakova, I.M. and Ermol'chik, S.Z. Development of porosity in copper during cyclic heat treatment, 1=14911  
 Rybakova, L.M. See Rovinskii, B.M., 1=1337  
 Rybakova, L.M. See Rovinskii, B.M., 1=1338  
 Rybalko, B.F. See Rybalko, F.P., 1=10213  
 Rybalko, F.P. Micro- and macroplasticity and failure of polycrystals, 1=12591  
 Rybalko, F.P., Bainov, M.A. and Katanov, L.M. Preparation of undeformed single crystals of a predetermined shape and with a specified degree of surface purity, 1=10231  
 Rybalko, F.P., Nesterov, A.F. and Rybalko, B.F. Distribution of non-homogeneities of plastic deformation. IV. Oriented work-hardening and its dependence on the deformation temperature, 1=10213  
 Rybalko, V.S. See Danilov, V.I., 1=344  
 Rybin, I.A. See Rezanov, A.I., 1=10117  
 Rybin, S.N. See Mescherov, R.A., 1=16455  
 Rybucki, K. See Bartke, J., 1=13550  
 Rydberg, J. See Forsén, S., 1=392  
 Ryde, H. and Sujkowski, Z. Determination of the relative intensities of the gamma rays from the decay of Ta<sup>182</sup> by the external conversion method, 1=19421  
 Ryde, H., Thieberger, P. and Alväger, T. Two-photon de-excitation of the  $0^+$  level in Zr<sup>90</sup>, 1=13732  
 Ryde, H. See Alväger, T., 1=5853  
 Rýkalín, V.I. See Vasilevskii, I.M., 1=19195  
 Ryle, M. Radio astronomy and cosmology, 1=15523  
 Ryle, M. The problem of confusion in surveys of sources, 1=18134  
 Ryle, M. and Clarke, R.W. An examination of the steady-state model in the light of some recent observations of radio sources, 1=10368  
 Ryle, M. See Scott, P.F., 1=12784  
 Ryle, M. See Scott, P.F., 1=15564  
 Ryndin, R.M. See Bilen'kii, S.M., 1=19175  
 Ryndin, R.M. See Jacobsohn, B.A., 1=3231  
 Ryndin, R.M. See Jacobsohn, B.A., 1=8565  
 Ryndych, N.A. See Golýk, O.Z., 1=12871  
 Rynn, N. and D'Angelo, N. Device for generating a low temperature, highly ionized cesium plasma, 1=2981  
 Rynn, N. See D'Angelo, N., 1=4600  
 Rynn, N. See D'Angelo, N., 1=16322  
 Ryskin, A.I. See Tolstoi, N.A., 1=20017  
 Rytel, M. On a method of evaluation of the anharmonicity of polyatomic molecules, 1=13988  
 Ryten, J. See Plebanski, J., 1=15595  
 Rýtov, S.M. See Gringauz, K.I., 1=6644  
 Rýtov, S.M. See Gringauz, K.I., 1=10338  
 Rýtova, N.S. See Galkin, G.N., 1=2409  
 Rýtova, N.S. See Galkin, G.N., 1=6152  
 Rytz, A. Absolute determination of the energy of important naturally-occurring alpha-particles, 1=12164  
 Rytz, A., Staub, H., Winkler, H. and Zych, W. Recent precision determinations of resonance, threshold and natural  $\alpha$ -particle energies, 1=19461  
 Ryu, N. Multiple Rayleigh scattering, 1=16111  
 Ryu, N. See Sanada, J., 1=8457  
 Ryukhin, Ya.A. See Vartanov, N.A., 1=19398  
 Ryuzhov, O.S. Flows in the region of the transition surface in a laval nozzle, 1=6839  
 Ryvkin, S.M. The true lifetime and possible mechanism of inelastic scattering of current carriers in semiconductors, 1=1031  
 Ryvkin, S.M. The true lifetime and the possible mechanism of inelastic scattering of carriers in semiconductors, 1=6140  
 Rývkin, S.M. and Khansevarov, R.Yu. The spectrum of infrared quenching of photoconductivity in CdS-CdSe solid solutions, 1=6177  
 Rývkin, S.M., Khansevarov, R.Yu. and Yaroshetskii, I.D. Investigation of the impurity photoconductivity of germanium irradiated with gamma rays, 1=19905  
 Rývkin, S.M., Konopleva, R.F., Mastova, L.V., Matveev, O.A., Strokan, N.B., Tarkhin, D.V. and Khozov, G.V. Low-inertia germanium photodiodes, 1=6166  
 Rývkin, S.M., Paritskii, L.G., Khansevarov, R.Yu. and Yaroshetskii, I.D. Investigation of the kinetics of impurity photoconductivity as a method of determining the parameters of local levels, 1=12456  
 Rývkin, S.M. and Yaroshetskii, I.D. The effect of trapping levels on the relaxation of non-equilibrium photoconductivity in germanium irradiated with  $\gamma$ -rays, 1=7670  
 Rývkin, S.M. See Arkad'eva, E.N., 1=19904  
 Rývkin, S.M. See Berkovskii, F.M., 1=12450  
 Rývkin, S.M. See Dobrego, V.P., 1=17852  
 Rývkin, S.M. See Grinberg, A.A., 1=10063  
 Rývkin, S.M. See Grinberg, A.A., 1=19912  
 Rývkin, S.M. See Mashovets, T.V., 1=6148  
 Rývkin, S.M. See Paritskii, L.G., 1=17796  
 Rývkin, S.M. See Paritskii, L.G., 1=19896  
 Rývkin, S.M. See Vitovskii, N.A., 1=14259  
 Ryzhenko, B.N. See Pashinkin, A.S., 1=4006  
 Ryzhkov, D.L. See Kogarko, S.M., 1=18665  
 Ryzhov, O.S. Gas flow through a laval tube, 1=12908  
 Rýzhov, O.S. and Khristianovich, S.A. Nonlinear reflection of weak shock waves, 1=8155  
 Rýzhov, O.S. See Zaidel', R.M., 1=16138  
 Rzeszot, T. Angular distribution of neutrons scattered from an experimental channel of a reactor, 1=19569  
 Rzewuski, J. Geometrical interpretation of conservation laws in the spinor space, 1=442  
 Rzewuski, J. One-particle Green's function in the spinor space, 1=18263  
 Rzewuski, J. Two-particle Green's function in the spinor space, 1=18264  
 Rzewuski, J. See Mozrzyk, J., 1=18265  
 Rzhakov, A.V. The applicability of the stationary photoconductivity method for studying the dependence of the rate of surface recombination on the surface potential, 1=1032  
 Rzhakov, A.V., Novototskii, Vlasov, Yu.F., Neizvestnyi, I.G., Pokrovskaya, S.V. and Galkina, T.I. The nature of the surface recombination centres in germanium, 1=14437  
 Rzhakov, A.V., Pavlov, N.M. and Selezneva, M.A. The temperature dependence of the parameters of the surface recombination centres in germanium, 1=14438  
 Rzhakov, A.V. and Plotnikov, A.F. The surface levels on germanium derived from photoconductivity data in the infrared spectral region, 1=17496  
 Saada, G. The production of point defects by work-hardening in a face-centred-cubic metal, 1=17523  
 Saada, G. Interaction of dislocations, cold-working and production of point in f.c.c. metals, 1=17527  
 Saada, G. Hardening due to the recombination of dislocations, 1=19771  
 Saakyan, G.S. See Ambartsumyan, V.A., 1=19154  
 Saavedra, I. See Power, E.A., 1=453  
 Saba, W.G. and Wallace, W.E. Heat capacities of DyCo<sub>5</sub> in relationship to its magnetic anomaly, third law entropies and related thermochemical data, 1=11160  
 Sabau, M. See Purica, I., 1=7413  
 Sabin, G.A. See Bobber, R.J., 1=6927  
 Sabine, T.M., Pryor, A.W. and Hickman, B.S. Scattering of long wave-length neutrons by irradiated beryllium oxide, 1=19823  
 Sabinina, E.S. Cauchy's problem for the equation with many spatial variables, for non-stationary filtration of a gas, 1=10452  
 Sabol, A.P. See Wood, G.P., 1=10715  
 Saburi, O. Properties of semiconductive barium titanates, 1=1070  
 Saburi, O. Piezoresistivity in semiconductive barium titanates, 1=10085  
 Saburi, T. See Nanno, S., 1=11211  
 Saburi, Y. See Iijima, S., 1=19018  
 Saburi, Y. See Uyeda, H., 1=18027  
 Sacerdote, G.G. Loudness and loudness level, 1=7962  
 Sacerdote, G.G. See Ferrero, M.A., 1=18541  
 Sacerdoti, G. See Marenesi, R., 1=8290  
 Šácha, J. See Burget, J., 1=20192



- Sachenkov, A.V. The linearization of equations of the plane problem in the theory of ideally plastic media, 1=20332
- Šachl, V. Dispersion relations for photoproduction of  $\pi^0$ -mesons on deuterons, 1=18845
- Sachs, A.M. See Feher, G., 1=2074
- Sachs, M. Rotational properties of paramagnetic resonance spectra of non-cubic crystals, 1=20196
- Sachs, R.G. and Sakita, B. Existence of the  $\omega^0$  particle, 1=8488
- Sachs, R.G. See Jacob, R., 1=2024
- Sack, R.A. Pressure-dependent partition functions, 1=67
- Sack, R.A., Maradudin, A.A. and Weiss, G.H. Extension of the range of validity of Thirring's expansion for the specific heat of crystals, 1=17411
- Sacton, J. Hyperfragment production in  $K^-$ -meson absorptions at rest in nuclear emulsions. Non-mesic decays, 1=606
- Sacton, J. See Bricman, C., 1=17101
- Sacton, J. See Davis, D.H., 1=19498
- Sacton, J. See Jones, B.D., 1=19502
- Sadeh, D. "Breaks" in the activation curve of the  $P^{31}(\gamma, n)P^{30}$  reaction, 1=11001
- Sadler, M.S. See Swoboda, T.J., 1=6272
- Sadoline, M.P. See Houziaux, L., 1=13917
- Sadovskii, V.D., Bogacheva, G.N., Smirnov, L.V., Sorokin, I.P. and Kompaneitsev, N.A. An investigation of recrystallization in titanium, 1=10227
- Sadovskii, V.D. See Belenkova, M.M., 1=10214
- Sadowski, H. See Zajac, A., 1=12996
- Sadron, C. See Leray, J., 1=9488
- Sadykhov, F.S. See Kerimov, B.K., 1=16743
- Sadykova, A.I. See Vanyukov, M.P., 1=5428
- Sadykova, A.I. See Vanyukov, M.P., 1=10681
- Saenger, R.A. See Lomask, M.R., 1=9457
- Saevskii, F.V. See Klepikov, N.P., 1=19260
- Safarov, V.I. See Gross, E.F., 1=3842
- Safford, G.J., Havens, W.W., Jr and Rustad, B.M. A precise determination of the total cross section of uranium-235 from 0.000818 eV to 0.0818 eV, 1=709
- Saffren, M.M. See Rosenbaum, H.S., 1=14288
- Safina, I.N. See Zamyatin, Iu.S., 1=19482
- Safronov, V.S. On the gravitational instability in flattened systems with axial symmetry and non-uniform rotation, 1=15598
- Safronov, V.S. See Ruskol, E.L., 1=18043
- Saga, S. and Ogawa, T. Electric field below cloud, 1=15229
- Sagalyn, P.L., Paskin, A. and Harrison, R.J. Contribution of strain to nuclear quadrupole interactions in dilute alloys of copper, 1=17389
- Sagan, C. The planet Venus, 1=5136
- Sagan, C. See Chamberlain, J.W., 1=6628
- Saganenko, A.A. See Viktorova, E.N., 1=3866
- Sagar, A. and Miller, R.C. Study of band structure of inter-metallic compounds by pressure experiments, 1=17735
- Sagdeev, R.Z. Containment of a plasma by the pressure of a standing electromagnetic wave, 1=10708
- Sagdeev, R.Z. See Rudakov, L.I., 1=7058
- Sagdeev, R.Z. See Rudakov, L.I., 1=7062
- Sagdeev, R.Z. See Rudakov, L.I., 1=16328
- Sagdeev, R.Z. See Vedenov, A.A., 1=7063
- Sagdeev, R.Z. See Vedenov, A.A., 1=18899
- Sage, M.L. Internal rotation of cis 2,3-epoxybutane from the microwave spectrum, 1=11091
- Sage, M.L. Microwave Faraday effect in weakly magnetic gases, 1=15966
- Sagomanyan, A.Ya. Penetration of a sharpened axially-symmetrical body into soils, 1=5081
- Sagomanyan, A.Ya. Penetration of a sharpened axially-symmetrical body into soils, 1=7824
- Sah, C.T. Electronic processes and excess currents in gold-doped narrow silicon junctions, 1=12454
- Saha, N.K. and Gupta, J.B. The  $\gamma:\beta$  branching ratio in the decay scheme of  $K^0$ , 1=13734
- Saha, N.K. and Pancholi, S.C. A simple type of fast coincidence circuit of millimicrosecond resolution, 1=16224
- Saha, N.K. See Pancholi, S.C., 1=16223
- Saha, N.K. See Pancholi, S.C., 1=16386
- Saha, N.K. See Pancholi, S.C., 1=17052
- Saheki, B. See Hisatake, K., 1=8730
- Sahini, M. See Balea, E., 1=569
- Saiedy, F. Solar intensity and limb darkening between 8.6 and 13  $\mu$ , 1=12749
- Saiki, K. See Kushida, T., 1=14836
- Sailor, V.L. See Möller, H.B., 1=10895
- Sailor, V.L. See Möller, H.B., 1=17123
- Sailor, V.L. See Roberge, J.P., 1=17126
- Saini, G. See Nasini, A., 1=18493
- Saini, G.L. Singular hypersurfaces of order one in relativistic magneto-fluid-dynamics, 1=13163
- Saint-James, D. See Cribier, D., 1=9970
- Saint James, D. See Herpin, A., 1=13431
- Saint-James, D. See Odier, S., 1=20054
- St John, R.M. and Fowler, R.G. New process of excitation transfer in helium, 1=9915
- Saito, H. See Asada, T., 1=7609
- Saito, H. See Takahashi, M., 1=2480
- Saito, K. See Nozaki, T., 1=6581
- Saito, M. See Kikuchi, M., 1=3974
- Saitô, N. On the theory of condensation, 1=10429
- Saitô, N. On the theory of adiabatic and isolated susceptibilities, 1=12813
- Saitô, N. See Hill, T.L., 1=8067
- Saito, K. See Nozaki, T., 1=6581
- Saito, S. and Watanabe, S. Normalized representation of noise-band masking and its application to the prediction of speech intelligibility, 1=12716
- Saito, T. The perturbation method due to the small change in the shape of the boundary, 1=12730
- Saitô, T., Kawai, Y., Maruya, K. and Maki, M. Diffusion of some alloying elements in liquid iron, 1=1738
- Saito, T. and Oshida, L. The W.K.B. method for the differential equations of the fourth order, 1=4
- Saji, Y. Energy spectrum and angular distributions on neutrons from the reaction  $Be^9(p, n)B^9$  at 8 to 14 MeV of proton energies, 1=8728
- Saji, Y. See Furukawa, M., 1=12195
- Saji, Y. See Hisatake, K., 1=8730
- Saji, Y. See Kikuchi, S., 1=7113
- Sakai, M. Optimum conditions for double focusing beta-ray spectrometers, 1=5497
- Sakai, M. Spin order in the doublet at the second excited level in even-even medium nuclei, 1=12151
- Sakai, M., Ikegami, H. and Yamazaki, T. Short-lived activity of  $Ag^{108}$ , 1=12181
- Sakai, M., Ikegami, H. and Yamazaki, T. Sector-type double-focusing beta-ray spectrometer, 1=19176
- Sakai, M. See Yamazaki, T., 1=8610
- Sakai, M. See Yamazaki, T., 1=8620
- Sakai, S. See Tezuka, S., 1=12524
- Sakakibara, T. See Nakai, T., 1=1026
- Sakamoto, M. See Komura, S., 1=20078
- Sakamoto, M. See Yamazaki, M., 1=9958
- Sakamoto, Y. On the high energy protons inelastically scattered from  $C^{12}$  and  $O^{16}$ , 1=3442
- Sakamoto, Y. On the polarization of high energy nucleons elastically scattered from light nuclei, 1=4861
- Sakamoto, Y. On the inelastically scattered proton at high energy, 1=4864
- Sakamoto, Y. Note on the polarizations of nucleons scattered from light nuclei, 1=9850
- Sakamoto, Y. On the nucleon-nucleon scattering phase shifts and the high energy nucleons elastically scattered from light nuclei, 1=10885
- Sakamoto, Y. On the inelastically scattered proton and the dipole  $\gamma$ -absorption, 1=11005
- Sakamoto, Y. On the charge exchange collision in nucleon-deuteron, 1=12131
- Sakamoto, Y. Inelastic scattering of high-energy protons and levels of nuclei, 1=13639
- Sakamoto, Y. and Takemiya, T. A note on the polarizations for  $p-He^3$  and  $p-T^3$  scattering, 1=3184
- Sakamoto, Y. and Takemiya, T. Polarization of proton scattered from  $Li^6$ ,  $Be^9$ , and  $B^{11}$ , 1=3443
- Sakamoto, Y. See Takahasi, U., 1=14147
- Sakamoto, Y. See Takahasi, U., 1=14252
- Sakamoto, Y. See Takemiya, T., 1=13779
- Sakamoto, Y. See Takemiya, T., 1=13793
- Sakashita, S. and Hayashi, C. Internal structure and evolution of very massive stars, 1=39
- Sakashita, S. See Ōno, Y., 1=2780
- Sakashita, S. See Ōno, Y., 1=10774
- Sakata, K. Thermoelectric behaviours of rutile, 1=19917

- Sakata, S. See Maki, Z., 1=3120
- Sakharov, S.L. See Rusinov, L.I., 1=13733
- Sakharov, S.L. See Rusinov, L.I., 1=17059
- Sakharov, V.N. See Leipunskii, O.L., 1=4117
- Sakita, B. See Oneda, S., 1=3238
- Sakita, B. See Sachs, R.G., 1=8488
- Sakudo, T. Study of solid-solution single crystals containing  $\text{BaTiO}_3$ , 1=17843
- Sakudo, T. See Collings, E.W., 1=20213
- Sakuma, K. See Kihara, T., 1=8319
- Sakuma, T. Pion-pion interaction and pion production in pion-nucleon collision, 1=3213
- Sakuma, T. and Furui, S. On the test of global symmetry, 1=3233
- Sakuma, T. See Fujii, K., 1=16682
- Sakuma, T. See Furui, S., 1=10911
- Sakuma, T. See Itô, D., 1=5666
- Sakuma, T. See Itô, D., 1=10842
- Sakurada, I. and Ise, N. Viscosity of dilute solutions of poly-electrolytes, 1=108
- Sakurai, J.J. Theory of strong interactions, 1=3126
- Sakurai, J.J. Very preliminary evidence for even  $K\pi$  parity from associated photoproduction, 1=13498
- Sakurai, J.J. See Nambu, Y., 1=8509
- Sakurai, K. The cosmic ray equator and the geomagnetism, 1=563
- Sakurai, K. Motion of low-energy solar cosmic ray particles in the earth's magnetic field, 1=13594
- Sakurai, K. A direct determination of the crystal structure of ethylenediammonium sulphate, 1=15112
- Sakurai, K. On the relativistic electrons in the solar atmosphere, 1=15445
- Sakurai, K. and Maeda, H. A relation between solar radio emission and low-energy solar cosmic rays, 1=18168
- Sakurai, T. Variable depth echelette gratings, 1=1829
- Sakurai, T. Two-dimensional flow of an ideal gas with small electric conductivity past a thin profile, 1=7134
- Sakurai, T. Correction to the paper "Two-dimensional flow of an ideal gas with small electric conductivity past a thin profile", 1=16540
- Sakvarelidze, L.G. See Orlov, L.G., 1=20702
- Saladin, J.X. See Dagley, P., 1=8715
- Saladin, J.X. See Dagley, P., 1=8729
- Salam, A. Are there some new fundamental particles 1=7223
- Salam, A. Some speculations on the new resonances, 1=16683
- Salam, A. and Ward, J.C.  $\Delta I = \frac{1}{2}$  rule, 1=3125
- Salam, A. and Ward, J.C. On a gauge theory of elementary interactions, 1=5656
- Salam, A. and Ward, J.C. Vector field associated with the unitary theory of the Sakata model, 1=12047
- Salam, A. and Ward, J.C. On the symplectic symmetry, 1=13346
- Salam, A. See Feldman, G., 1=547
- Salam, A. See Komar, A., 1=4776
- Salam, A. See Matthews, P.T., 1=12049
- Salam, A. See Matthews, P.T., 1=13329
- Salam, A. See Matthews, P.T., 1=19134
- Salanave, L.E. The optical spectrum of lightning, 1=20865
- Salandin, A. See Quareni, G., 1=13518
- Salandin, G.A. See Caforio, A., 1=5780
- Salandin, G.A. See Maloy, J.O., 1=8483
- Salant, E.O., Pickup, E., Robinson, D.K. and Munir, B.A. Pion-pion interactions and pion production branching ratios at the third resonance, 1=16848
- Salant, E.O. See Fickinger, W.J., 1=19193
- Salant, E.O. See Munir, B.A., 1=5756
- Salant, E.O. See Pickup, E., 1=19255
- Salatskii, V.I. See Govorov, A.M., 1=19292
- Salatskii, V.I. See Li Ga En [Li Ka Yen], 1=555
- Sălceanu, C. The velocity of sound in aluminium and copper bars, 1=16026
- Sălceanu, C. Surface tension of electrolytic solutions, 1=18384
- Sălceanu, C. and Zăgănescu, M. On the definition of an attenuation coefficient for a non-periodic pulse of sound, 1=2821
- Sălceanu, C. and Zăgănescu, M. Variation of the velocity of sound with temperature in bars of steel, 1=16027
- Salcedo, F.S. See Bills, K.W.Jr., 1=18400
- Salecker, H. Testing quantum electrodynamics by means of Compton scattering and pair annihilation, 1=423
- Salecker, H.  $\pi$ -meson-electron scattering and the [electromagnetic] structure of the  $\pi$ -meson, 1=2077
- Salecker, H. The form-factor of the pion and the structure of nucleons, 1=16837
- Salem, L. The calculation of dispersion forces, 1=14129
- Salem, L. The forces between polyatomic molecules. II. Short-range repulsive forces, 1=19677
- Salem, L. See Longuet-Higgins, H.C., 1=14132
- Salem, L. See Murrell, J.N., 1=9934
- Salem, S.I. See Hanson, H.P., 1=14619
- Salem, T.M. See Mikhail, H., 1=17929
- Salesse, M. Metallurgy and atomic energy — difficulties and results achieved, 1=3479
- Salesse, M. See Aslanian, J., 1=18693
- Saletan, E.J. Contraction of Lie groups, 1=4176
- Salgueiro, L., Ferreira, J.G., Park, J.J.H. and Ross, M.A.S. Fluorescence and other yields of the  $L_{II}$  shell in Pu, 1=9845
- Salin, P. See Gourdin, M., 1=7275
- Salin, R. See Dapraz, J., 1=13795
- Salin, R. See Depraz, J., 1=13814
- Salinger, G.L. and Wheatley, J.C. Magnetic susceptibility of materials commonly used in the construction of cryogenic apparatus, 1=11869
- Salinger, G.L. See Anderson, A.C., 1=8276
- Salinger, G.L. See Anderson, A.C., 1=11871
- Salinger, G.L. See Anderson, A.C., 1=16141
- Salisbury, J.W. The origin of lunar domes, 1=11673
- Salkind, A.J. See Scatturin, V., 1=20537
- Sal'kov, E.A. and Fedorus, G.A. An investigation of the Lux-ampere characteristics of CdS single crystals, 1=7669
- Sal'kov, E.A. See Marchenko, A.I., 1=19899
- Sal'kov, Ye.A., Fedorus, H.A. and Sheinkman, M.K. Role of contacts in the phenomena of the photoexcitation and infrared quenching of photoconductivity in CdS single crystals, 1=19902
- Salkovits, E. See Ketskemety, I., 1=8128
- Sall, A.O. Effect of superposition of the absorption spectra of the component being determined and an interfering component in absorption spectral analysis, 1=20788
- Salli, I.V. Ovens for thermal treatment [of metals and alloys] in vacuum, 1=13017
- Sallo, J.S. and Olsen, K.H. Studies of a high-coercivity electrodeposit having a lamellar structure, 1=6286
- Salmi, E.W. See Ranken, W.A., 1=1912
- Salmon, A.J. The reactor as a source of radiation, 1=13897
- Salmon, G.L. The elastic scattering of 96 MeV neutrons by nuclei, 1=697
- Salmon, G.L. See Clegg, A.B., 1=19473
- Salmon, J. Study of return to equilibrium of a particle in a plasma, (Fokker-Planck equation), 1=8321
- Salmon, J. See Moreau, E., 1=8079
- Salmon, K. See Gadsden, M., 1=21025
- Salmona, A. Calculation of the elastic scattering of a slow electron by a neutral sodium atom in the ground state, 1=7444
- Salmona, A. and Seaton, M.J. Electron collisions with Na atoms, 1=8824
- Salomonovich, A.E. See Kuz'min, A.D., 1=18206
- Salomonovich, A.E. See Molchanov, A.P., 1=2650
- Salpeter, E.E. Electron density fluctuations in a plasma, 1=292
- Salpeter, E.E. Matter at high densities, 1=4818
- Salpeter, E.E. Plasma density fluctuations in a magnetic field, 1=9547
- Salpeter, E.E. Effect of the magnetic field in ionospheric backscatter, 1=20920
- Salpeter, E.E. See Cox, J.P., 1=8001
- Salsburg, Z.W. See Squire, D.R., 1=11751
- Saltanov, N.V. and Tkach, V.S. Magnetohydrodynamic waves with finite amplitudes, 1=1969
- Saltykov, L.S. See Nemets, O.F., 1=4866
- Salukvadze, R.G. See Nyagu, D.V., 1=19201
- Salvadori, L. Stability of motion of charged particles in Biot-Savart field, 1=5501
- Salvadori, P. See Cortellessa, G., 1=13409
- Salvini, G. See Querzoli, R., 1=5726
- S. I. z. F. and Meyerand, R.G., Jr. Quasi-thermalization of a plasma beam, 1=5502
- Salz, F., Meyerand, R.G., Lary, E.C. and Walch, A.P. Electrostatic potential gradients in a Penning discharge, 1=13088



- Salzberg, C.D. Infrared transmittance of strontium titanate from room temperature to  $-180^{\circ}\text{C}$ , 1=14571
- Salzman, F. and Salzman, G. High-energy nucleon-nucleon collisions, 1=4792
- Salzman, G. See Salzman, F., 1=4792
- Samaun. See Kemeny, L.G., 1=5951
- Sambongi, T. and Mitul, T. Magnetic annealing effect in cobalt, 1=20082
- Sambur, I.H. See Lyashenko, V.I., 1=14436
- Samelson, H. Vapor phase growth and properties of zinc sulfide single crystals, 1=2524
- Samelson, H. and Brophy, V.A. The synthesis and crystallography of structurally pure cubic and hexagonal single crystals of  $\text{ZnS}$ , 1=6500
- Samelson, H. See Birman, J.L., 1=10090
- Samelson, H. See Lempicki, A., 1=2867
- Samios, N.P. Dynamics of internally converted electron-positron pairs, 1=491
- Samogyi, A. See Sandor, T., 1=3335
- Samoilov, B.N. See Sklyarevskii, V.V., 1=20053
- Samoilov, I.M. and Sokolov, A.A. Azimuthal instabilities of circulating currents, 1=348
- Samoilov, P.S. A universal beta'spectrometer with double focusing to an angle of  $\pi/2$ , 1=5496
- Samoilova, A.Ya. and Postnikov, V.S. The recovery of internal friction of aluminium, silver and platinum after the removal of the load, 1=7815
- Samoilova, I.K. Investigation of minimum perceptible difference intervals between two tones, 1=4145
- Samoilovich, A.G. and Iskra, V.D. The effect of crystal anisotropy on thermal vibrations of atoms in germanium and silicon, 1=14166
- Samoilovich, A.G. and Klinger, M.I. The effect of anisotropy of a  $\text{Bi}_2\text{Te}_3$  monocrystal on the scattering of electrons by acoustic phonons, 1=7534
- Samoilovich, A.G., Klinger, M.I. and Korenblit, L.L. A new derivation of the non-equilibrium distribution function for semiconductors, 1=7533
- Samoilovich, A.G., Korenblit, I.Ya. and Dakhovskii, I.V. The anisotropic scattering of electrons by ionized impurities, 1=17703
- Samoilovich, A.G., Korenblit, I.Ya. and Dakhovskii, I.V. The anisotropic scattering of electrons by ionized impurities, 1=19858
- Samoilovich, A.H. and Kondratenko, V.M. Theory of atomic semiconductors. I. Derivation of the Hamiltonian of an atomic semiconductor in a polar crystal model, 1=11284
- Samoilovich, D.M. See Barkov, L.M., 1=7180
- Samoilovich, D.M. See Barkov, L.M., 1=10821
- Samokhvalov, A.A. and Fakidov, I.G. Thermomagnetic Nernst-Ettingshausen effects in magnetite, 1=2476
- Samokhvalov, A.A., Fakidov, I.G. and Kopytov, E.I. The anomalous behaviour of v.h.f. permittivity of antiferromagnetic semiconductors at the Néel temperature, 1=5036
- Samosyuk, G.P. See Murin, A.N., 1=14294
- Samosyuk, G.P. See Murin, A.N., 1=14314
- Sample, J.T. See Neilson, G.C., 1=8587
- Sampson, D.F. See Pace, J.H., 1=1265
- Sampson, D.F. See Pace, J.H., 1=6422
- Sampson, D.H. Radiation relaxation times at high temperatures, 1=15753
- Sampson, M.B. See Martin, H.J., 1=2240
- Sampson, M.B. See Preston, R.L., 1=4877
- Sams, J.R.Jr., Constabaris, G. and Halsey, G.D.Jr. Second virial coefficients of neon, argon, krypton and xenon with a graphitized carbon black, 1=20684
- Samson, S. The crystal structure of the intermetallic compound  $\text{ZrZn}_{22}$ , 1=20546
- Samsonov, G.V. and Verkhoglyadova, T.S. Physical properties of titanium nitride in the homogeneous region, 1=14870
- Samsonov, G.V. and Verkhoglyadova, T.S. Physical properties of titanium nitride in the homogeneous region, 1=20353
- Samsonov, G.V. See L'vov, S.N., 1=3707
- Samsonov, G.V. See Neshpor, V.S., 1=3709
- Samsonov, G.V. See Neshpor, V.S., 1=3716
- Samsonov, G.V. See Neshpor, V.S., 1=5004
- Samsonov, G.V. See Paderno, Yu.B., 1=5005
- Samsonov, G.V. See Vainshtein, E.E., 1=2449
- Samsonov, H.V., Neshpor, V.S. and Paderno, Yu.B. Thermionic [electron] emission properties of metal-like compounds, 1=13103
- Samsonov, H.V. and Stryel'nikova, N.S. The thermo-electromotive force of some metallic borides and carbides in contact with copper, 1=12465
- Samuel, C. The problem of automatic starting of nuclear power reactors, 1=2260
- Samuel, J. See Gorodetzky, S., 1=13844
- Samuel, J. See Gorodetzky, S., 1=17143
- Samueli, J. and Sarazin, A. Measuring the lifetimes of excited states by time-amplitude conversion, 1=16227
- Samueli, J. See Sarazin, A., 1=5410
- Sanada, J., Nisimura, K., Suwa, S., Hayashi, I., Fukunaga, K., Ryu, N. and Seki, M. Measurement of the polarization in proton-helium elastic scattering, 1=8457
- Sanada, J. See Kikuchi, S., 1=7113
- Sanada, J. See Kikuchi, S., 1=8516
- Sanamian, V.A. and Tovmasian, H.M. Increase of the sensitivity and directivity of radio interferometers, 1=18140
- Sanatani, S. See Meetz, K., 1=17224
- Sanborn, R.H. Infrared spectra and structure of the isomers of  $\text{N}_2\text{F}_2$ , 1=3541
- Sanborn, R.H. Comments on "On the Structure of the Isomers of  $\text{N}_2\text{F}_2$ ", 1=12327
- Sanchez del Rio, C. See Galindo, A., 1=12045
- Sandage, A. The ability of the 200-inch telescope to discriminate between selected world models, 1=5127
- Sanders, P.G.H. and Woodgate, G.K. Hyperfine structure in the ground state of the stable isotopes of europium, 1=803
- Sanders, P.G.H. See Pichanick, F.M., 1=804
- Sandell, P.K. See Roy, B., 1=13679
- Sandenaw, T.A. Heat capacity, thermal expansion and electrical resistivity of an 8 a/o aluminium-plutonium ( $\delta$ -phase stabilized) alloy below  $300^{\circ}\text{K}$ , 1=17412
- Sanders, A.E. See Millman, G.H., 1=15555
- Sanders, A.E. See Millman, G.H., 1=20923
- Sanders, A.P., Chin, C.W., Sharpe, K.W., Reeves, R.J. and Baylin, G.J. Right-angle scatter for X-ray beams of 0.14 mm to 2.5 mm copper h.v.l., 1=1954
- Sanders, C.L. See Jones, O.C., 1=2836
- Sanders, J.B. Spectroscopic calculation of energy levels of some tin isotopes, 1=5843
- Sanders, J.E. See Ingram, G., 1=766
- Sanders, R.M. Stable-oscillation conditions for the magnetic-film parametron, 1=4696
- Sanders, R.N. See Helmholtz, L., 1=20207
- Sanders, S. See Motley, R., 1=9620
- Sanders, T.M., Jr. See Pontinen, R.E., 1=1267
- Sanderson, E.A. Excitation of the giant dipole resonance by inelastic proton scattering on carbon, 1=13785
- Sanderson, J.J. See Edwards, S.F., 1=4599
- Sandford, B.P. Enhancement of night-sky molecular nitrogen emission in polar cap absorption events, 1=10329
- Sandford, B.P. The behaviour of night-sky 6300, 5577 and 3914 Å emissions at Scott Base, Antarctica, 1=21033
- Sandford, B.P. Aurora and airglow from colour film observations, 1=21036
- Sandhu, H.S. See Mohanty, R.C., 1=16763
- Sandler, S.R. and Loshak, S. Effect of solvent and solute structure on scintillator pulse heights. II. Correlation of pulse heights for aromatic liquid organic scintillators with Hammett substituent constants, 1=5281
- Sandler, S.R. and Loshak, S. Effect of solvent and solute structure on scintillator pulse heights. I. Correlation of pulse heights for ring substituted styrene plastic scintillators with Hammett substituent constants, 1=6236
- Sandmeier, H.A. Non-linear kinetics and stability studies on analog computer, 1=7414
- Sandomirskii, V.B. See Kogan, Sh.M., 1=317
- Sandor, A. See Cohen, J., 1=12660
- Sandor, T., Samogyi, A. and Telbisz, F. Atmospheric coefficients and solar daily variation of the cosmic radiation measured 18 m underground, 1=3335
- Sandor, T., Somogyi, A. and Telbisz, F. Semi-cubical G.M. counter telescope system for underground registration of the meson intensity of the cosmic radiation, 1=13537
- Sandor, T. See Gemesy, T., 1=3286
- Sands, M. See Barna, A., 1=1875
- Sandström, A.E. Some geophysical aspects of cosmic rays, 1=3360

## AUTHOR INDEX

- Sandström, A.E., Dyring, E. and Lindgren, S. The daily variation of the cosmic ray nucleonic component at Murchison Bay and Uppsala, 1=3373
- Sandström, A.E. See Friskopp, K.G., 1=4230
- Sandström, A.E. See Pomerantz, M.A., 1=13577
- Sandström, R. Investigations of the structure of the bremsstrahlung-isochromats of W, Mo and Ta, 1=6216
- Sanduleak, N. Hypersensitization gains in the near infrared, 1=18631
- Săndulescu, A. and Iosifescu, M. On favoured alpha transitions, 1=13695
- Săndulescu, A. See Brânduş, I., 1=587
- Săndulescu, A. See Micu, M., 1=5851
- Sandulova, H.V. and Tan Pu-shan. [T'ang P'u-shang]. Effect of silver on the energy spectrum of copper oxide, 1=19876
- Sandweiss, J. See Baltay, C., 1=16906
- Sandweiss, J. See Smith, G.A., 1=3222
- Sandweiss, J. See Smith, G.A., 1=13415
- Sandweiss, J. See Stonehill, D., 1=12102
- Sanford, E.R., Ehrlich, A.C. and Pugh, E.M. Conduction electrons in pseudonickel alloys from Hall data, 1=14363
- Sanford, J. See Stonehill, D., 1=12102
- Sanford, J.R. See Baltay, C., 1=16906
- Sänger, R. On the structure of ice-forming nuclei, 1=1372
- Sänger, R. See Carreras-Patxot, R., 1=4109
- Saniewwaka, T. See Bartke, J., 1=3262
- Sanina, A.A. See Sanina, T.A., 1=4573
- Sanina, T.A., Sanina, A.A. and Fedorenkova, N.R. The firing of gas discharge devices, 1=4573
- Sanjeevaiah, B. See Davis, D.H., 1=5782
- Sanjeevaiah, B. See Davis, D.H., 1=19498
- Sanjeevaiah, B. See Evans, D., 1=19267
- Sanjeevaiah, B. See Jones, B.D., 1=8500
- Sanjeevaiah, B. See Jones, B.D., 1=9772
- Sanjeevaiah, B. See Jones, B.D., 1=19502
- Sankaranarayanan, A. See Mathews, P.M., 1=16670
- Sankaranarayanan, S. Centre-limb variation of solar excitation temperature as derived from Ti I lines, 1=15472
- Sanker, R. The van der Waals interaction of particles, 1=2354
- Sanna, R. See Boato, G., 1=15211
- Sanna, R. See Palmieri, G., 1=16093
- Sannikov, D.G. See Perekalina, T.M., 1=29902
- Sannikov, S.S. High-energy electron scattering processes, 1=13395
- Sannikov, S.S. Theory of scattering of high energy photons by photons, 1=16733
- Sanochkin, Yu.V. Thermal ionization and electrical conductivity in mixtures of gases, 1=5421
- Sanochkin, Yu.V. Thermal ionization and electrical conductivity in mixtures of gases, 1=11913
- Santangelo, M. See Ciccarello, I.S., 1=14106
- Santholzer, V. Results of three-year systematic measurement of nuclear fall-out, 1=13678
- Santini, M. A method for the measurement of long spin-lattice relaxation times, 1=16607
- Santirocco, R.A. Energy fluxes from the cyclotron radiation model of v.l.f. radio emission, 1=4116
- Santirocco, R.A. See Heirtzler, J.R., 1=1593
- Santochi, O.R. See Roederer, J.G., 1=13587
- Santochi, O.R. See Roederer, J.G., 1=19309
- Santon, L. and Vernier, P. Micromanometer and Pitot tube intended for the exploration of the velocity profile in a flow of water with natural convection between two vertical parallel plates, 1=18383
- Santos-Ocampo, A.G. and Conway, D.C. L/K-capture ratio and  $E_I/E_{\nu}$  for  $\text{Ar}^{37}$ , 1=647
- Santouil, A. See Bacquet, G., 1=9641
- Santry, D.C. See Butler, J.P., 1=7393
- Sanyal, G.S. and Mitra, G.B. Microwave analogue for X-ray diffraction. II. Size of the scatterers, 1=19031
- Sanyal, G.S. See Mitra, G.B., 1=9129
- Sapaly, J. Optical response of a photoelastic varnish, 1=15765
- Saperstein, A.M. Nucleon-nucleus scattering and the choice between sets of nucleon-nucleon phase shifts, 1=17090
- Sapet, J.C., Daneyrolle, C. and Massignon, D. Use of circulation by thermosyphon for the study of vapour flow through porous material, 1=18443
- Saporetti, F. See Bassi, P., 1=13243
- Sapozhnikov, R.A. Spectral distribution of radiant energy, 1=2905
- Sapp, R.C. See Culvahouse, J.W., 1=6260
- Sapp, R.C. See Levi, M.W., 1=3586
- Sarabhai, V., Duggal, S.P., Rao, U.R., Razdan, H. and Sastry, T.S.G. Anisotropy and the origin of the solar daily variation of cosmic ray intensity, 1=3351
- Sarabhai, V. and Satyaprakash. Variations of intensity and anisotropy of cosmic rays measured at the geomagnetic equator, 1=13578
- Sarabhai, V. See Rao, U.R., 1=13571
- Sarabhai, V. See Rao, U.R., 1=13572
- Sarabhai, V. See Rao, U.R., 1=13573
- Saraceno, A.J. and Coggeshall, N.D. Effect of dissolved oxygen on the spin-lattice relaxation time of free radicals in petroleum oils, 1=3571
- Saraf, B., Jambunathan, R. and Gunye, M.R. Directional correlation of gamma transitions in promethium-147, 1=17041
- Saraf, B. See Gunye, M.R., 1=17040
- Saraf, B. See Jambunathan, R., 1=655
- Saraph, H.E. Application of the Schwinger variational method to zero-energy electron-hydrogen scattering, 1=8823
- Sarazin, A., Samuelli, J., Ducros, G. and Rimbault, P. Lengthening circuit for rapid pulses, 1=5410
- Sarazin, A. See Samuelli, J., 1=16227
- Sarbei, O.H. Effect of an adsorbed BaO film on the photoelectric properties of Cs<sub>3</sub>Bi photocathodes, 1=13111
- Sarbei, O.H. Depth of photoelectron escape from Ge, 1=13114
- Sarbei, O.H. See Borzyak, P.H., 1=13115
- Sarbei, O.H. See Borzyak, P.H., 1=13116
- Sard, R.D., Crowe, K.M. and Kruger, H. Search for neutrinoless conversion of muon into electron, 1=2072
- Sardaryan, R.A. See Davydov, A.S., 1=19358
- Sargent, C. See Bertozzi, W., 1=8689
- Sari, C. See Montalenti, G., 1=11437
- Sarkar, S. Circular polarization of bremsstrahlung emitted by a longitudinally polarized electron in Weizsacker-Williams method, 1=16744
- Sarker, A.Q. See Ali, M.I., 1=556
- Sarkisvan, L.A. See Danilov, V.I., 1=344
- Sarles, L.R. See Wieder, L., 1=6245
- Sarma, G. Scattering of slow neutrons by liquid hydrogen, 1=15841
- Sarma, M.B.K. Selective pressure broadening of Si and F spectral lines, 1=9911
- Sarojini, V. Study of the dielectric behaviour of liquid mixtures. I. n-octyl alcohol-diethylene glycol and n-propyl alcohol-glycerol mixtures, 1=1751
- Sarojini, V. Study of dielectric behaviour of liquid mixtures. II. Ethyl alcohol- $\alpha$ -bromonaphthalene and ethyl alcohol-o-cresol, 1=1752
- Sarojini, V. Dielectric behaviour of a tertiary liquid mixture of ethyl alcohol, o-cresol and  $\alpha$ -bromonaphthalene, 1=2766
- Sarrak, V.I. Brittle fracture of metals, 1=3998
- Sarrouy, J.L. See Bernas, R., 1=5984
- Sarrouy, J.L. See Bernas, R., 1=17294
- Sartor, J.D. Calculations of cloud electrification based on a general charge-separation mechanism, 1=20836
- Saruis, A.M. See Baglin, C., 1=9764
- Sarver, J.F. and Hummel, F.A. The preparation of fluorescent germania, 1=9005
- Sarwinski, R.J. See Anderson, A.C., 1=18691
- Sarycheva, L.I. See Babayan, C.P., 1=3271
- Sasagawa, T. See Takahashi, M., 1=2480
- Sasagawa, T. See Takahashi, M., 1=20103
- Sasakawa, T. Photodisintegration of the alpha-particle, 1=559
- Sasakawa, T. Possible explanation of the energy gap in the excitation spectra of nuclei, 1=610
- Sasakawa, T. High energy scattering of nucleons from nuclei, 1=682
- Sasakawa, T. Meson theoretical potential and nuclear properties, 1=3377
- Sasakawa, T. The new viewpoint of the high energy elastic scattering of nucleons from nuclei, 1=3437
- Sasakawa, T. Nuclear model suggested by the many-body problem in one dimension, 1=8540
- Sasakawa, T. High energy scattering of nucleon from nuclei. A proposed model and its experimental verification, 1=9848
- Sasakawa, T. A note on exchange reaction, 1=13788



- Sasakawa, T. Moving effect of nucleon to meson field, 1=16706  
 Sasakawa, T. See Takemiya, T., 1=13779  
 Sasaki, K. See Horie, H., 1=12145  
 Sasaki, M., Kawai, T., Hirai, A., Hashi, T. and Odajima, A. A study of sorbed water on cellulose by pulsed NMR technique, 1=11602  
 Sasaki, M. See Hashi, T., 1=1877  
 Sasaki, M. See Kawai, T., 1=14830  
 Sasaki, M. See Nakai, S., 1=12824  
 Sasaki, S. On the generalized quantum electrodynamics, 1=424  
 Sasaki, S. Characters of the electromagnetic and strong mesonic interactions, 1=425  
 Sasaki, T. See Ishiguro, K., 1=11831  
 Sasaki, T. See Miya, K., 1=6621  
 Sasaki, W. and de Bruyn Ouboter, R. Electrical properties of impurity conducting n-type germanium, 1=17700  
 Sasaki, W. and Yamanouchi, C. On the anomalous magneto-resistance effect in N-InSb, 1=2412  
 Sasaki, W. See Shibuya, M., 1=10039  
 Sasaki, Y. See Furuoya, T., 1=11207  
 Sasaki, Y. See Ishii, Z., 1=11197  
 Sasakura, Y. See Ichikawa, Y. H., 1=16319  
 Sasano, T. See Mizushima, T., 1=18646  
 Sasanuma, M. See Hiida, K., 1=16757  
 Sass, R. L. See Corliss, L. M., 1=9042  
 Sastre, C. A. The measurement of reactivity, 1=17247  
 Sastri, M. L. N. and Nagarajan, A. S. Spectroscopic methods of measurement of high temperatures, 1=16160  
 Sastry, C. V. and Gill, P. S. Diurnal variation of cosmic ray neutron intensity, 1=13574  
 Sastry, K. S. R., Petry, R. F. and Wilkinson, R. G. Beta-gamma directional correlation in  $\text{Eu}^{154}$ , 1=10987  
 Sastry, P. V. See Bahadur, K., 1=7893  
 Sastry, P. V. See Bahadur, K., 1=20665  
 Sastry, T. S. G. See Sarabhai, V., 1=3351  
 Sasvári, K. On the determination of ionic radii, 1=889  
 Sasvári, K. On the construction of the lattice of ionic crystals from the viewpoint of close packing. II.  $\text{AX}_4$ , 1=1385  
 Sata, T. See Yoshikawa, H., 1=20380  
 Satchler, G. R. Spin-orbit coupling for spin-1 particles, 1=592  
 Satchler, G. R. Direct nuclear reactions with polarized targets, 1=19429  
 Satchler, G. R. See Buck, B., 1=8673  
 Satchler, G. R. See Clegg, A. B., 1=19445  
 Satchler, G. R. See Halbert, E. C., 1=19430  
 Satchler, G. R. See Pinkston, W. T., 1=8676  
 Satchler, G. R. See Pinkston, W. T., 1=19424  
 Sato, H. Further investigation on the transition of two-dimensional separated layer at subsonic speeds, 1=162  
 Sato, H. Remarks on the magnetic properties of Au-Mn system, 1=6386  
 Sato, H. The Hall effect in the viscous flow of ionized gas between parallel plates under transverse magnetic field, 1=15964  
 Sato, H. Remarks on the magnetic properties of Au-Mn system, 1=20065  
 Sato, H. See Hattori, M., 1=11278  
 Sato, K. See Kimura, M., 1=5909  
 Sato, K. See Kimura, M., 1=12194  
 Sato, K. See Mutsuro, N., 1=2206  
 Sato, K. See Mutsuro, N., 1=12189  
 Satō, M. and Mitui, T. Changes of coercivities by heat treatment and cold-rolling in Cu-Co alloy, 1=2472  
 Sato, M. and Mitui, T. Influence of preparation and quenching on the magnetic properties of precipitates in Cu-Co alloys, 1=10149  
 Sato, M. See Ishida, S., 1=2118  
 Sato, S. Second quantization and Lorentz invariance, 1=3113  
 Sato, S. See Itoh, J., 1=1978  
 Sato, S. See Nakamura, S., 1=19115  
 Sato, T. See Nagao, S., 1=9622  
 Sato, T. See Noguchi, S., 1=12417  
 Sato, T. See Noguchi, S., 1=14532  
 Sato, T. See Sugawara, S., 1=172  
 Satō, T. See Sugita, K., 1=151  
 Sato, Y. Normal mode interpretation of the sound propagation in whispering galleries, 1=9463  
 Sato, Y. See Nakanishi, F., 1=1313  
 Satoh, M. See Itoh, J., 1=20267  
 Satoh, T. A simple model of aqueous solution of strong electrolyte, 1=15862  
 Satoh, T. and Hayashi, K. Study of aqueous solution of strong electrolyte—re-examination of molecular refraction, 1=11761  
 Satomi, K. Oxygen positional parameters of tetragonal  $\text{Mn}_2\text{O}_3$ , 1=12639  
 Satula, V. D. On the causality of nonlocal field theory, 1=5627  
 Satyanarayana, B. S. Contact ferroelectric effect applied to plastic flow, 1=17837  
 Satyanarayana, R. See Venkateswarlu, P., 1=6617  
 Satyanarayana Murty, J. See Ramachandra Rao, B., 1=9485  
 Satyaprakash, See Sarabhai, V., 1=13578  
 Satz, H. G. See Blatt, F. J., 1=3710  
 Saucier, H. and Dupuy, C. Experimental evidence of electric charges in ionic crystals along slip planes, 1=7827  
 Saudinos, J., Beurtey, R., Catillon, P., Chaminade, R., Crut, M., Faraggi, H., Papineau, A. and Thirion, J. Study of the inelastic scattering of 44 MeV  $\alpha$ -particles by calcium 40, 1=7402  
 Saudinos, J., Beurtey, R., Catillon, P., Chaminade, R., Crut, M., Faraggi, H., Papineau, A. and Thirion, J. Multipole collective excitation in several odd nuclei from inelastic scattering of  $\alpha$ -particles, 1=7403  
 Saudinos, J., Beurtey, R., Catillon, P., Chaminade, R., Crut, M., Faraggi, H., Papineau, A. and Thirion, J. Reactions with emission of helium 3 caused by 43 MeV  $\alpha$ -particles bombarding isotopes of iron, nickel and copper, 1=13858  
 Saudinos, J. See Beurtey, R., 1=9883  
 Saudinos, J. See Beurtey, R., 1=13853  
 Sauer, J. A. See Stein, M. N., 1=17822  
 Sauer, M. C. Jr. and Dorfman, L. M. Molecular detachment processes in the vacuum u.v. photolysis of gaseous hydrocarbons. I. Ethylene. II. Butane, 1=12681  
 Sauerbrey, G. See Boersch, H., 1=16427  
 Sauerbrey, G. See Horn, G., 1=5406  
 Saulnier, A. On the direct observation, with the help of the electron microscope, of phenomena accompanying the return to equilibrium of an Al-1.2% Si solid solution, during consecutive tempering treatments, 1=4069  
 Saulnier, A. Structural study of beryllium by electron microscopy and electron diffraction of thin sections, 1=20521  
 Saumagne, P., Lascombe, J. and Devaure, J. Comparison of the infrared spectra of the molecules  $\text{H}_2\text{S}$  and HDS in solution, 1=18413  
 Saunders, A. See Morgan, P. G., 1=5252  
 Saunders, D. W. See Raumann, G., 1=10275  
 Saunders, G. See Blackman, L. C., 1=17535  
 Saunders, I. C. B. See Ashwin, B. S., 1=107  
 Saunders, J. B. Suggested arrangement of mirrors to form multiple reference angles, 1=10472  
 Saunders, J. H. and Green, J. J. High-power characteristics of low-magnetization garnets, 1=6399  
 Saunders, N. H. and Tebble, R. S. Magnetothermal effects in silicon-iron alloys, 1=1220  
 Saunders, P. A. H. See Jones, H. W., 1=279  
 Saunders, P. A. H. See Rusbridge, M. G., 1=9633  
 Saunier, N. See Coste, M., 1=19532  
 Saunier, N. See Lemeille, C., 1=13863  
 Saupe, A. Temperature dependence and magnitudes of deformation constants in strained liquids, 1=1737  
 Saupe, A. The flexional elasticity of the nematic phase of azoxyanisole, 1=14847  
 Saur, W. D. See Farber, W. A., 1=9502  
 Sauras, E. See Aguilar, M., 1=21127  
 Sauras, E. See Aguilar, M., 1=21128  
 Sauter, D. H. See Evans, T., 1=9106  
 Sauteron, X. See Baglin, C., 1=9764  
 Sautter, D. Noise in semiconductors, 1=6135  
 Sauzade, M. Transistor current stabilizers for medium power electromagnets (1-10 kW), 1=16210  
 Sauzade, M. Study of saturation and measurement of relaxation times for ferrimagnetic resonance in yttrium garnet, 1=20184  
 Sauzade, M. See Hervé, J., 1=12554  
 Savadatti, M. I. See Tawde, N. R., 1=14010  
 Savage, A. See Miller, R. C., 1=8976  
 Savage, S. D. See Gray, T. J., 1=2549  
 Savchenko, N. A. See Lisnyk, A. H., 1=14354  
 Savchenko, O. V. See Akimov, Yu. K., 1=1985

- Savchenko, O.V. See Akimov, Yu.K., 1=13410  
 Savchenko, O.V. See Akimov, Yu.K., 1=19287  
 Savel'ev, V.Ya. and Noskov, Yu.O. On the theory of corona discharge in nuclear radiation counters, 1=10804  
 Savel'eva, A.I. See Grigorov, N.L., 1=3265  
 Savel'eva, T.I. See Ado, Yu.M., 1=4680  
 Savelli, M. The granularity of photographic films uniformly exposed. Theoretical and experimental study, 1=246  
 Savelli, M., Teboul, M. and Uny, C. An attempt to interpret the scintillation effects in thin polycrystalline films, 1=11406  
 Savelli, M. See Pick, R., 1=8931  
 Savenko, I.A., Shavrin, P.I., Nesterov, V.E. and Pisarenko, N.F. The cosmic-ray equator, as determined by the second Soviet satellite, 1=19318  
 Savenko, I.A. See Vernov, S.N., 1=21067  
 Savenkov, A.L. See Danilov, V.I., 1=344  
 Savenkova, M.V. See Osetinskii, G.M., 1=9357  
 Savichev, V.V. See Patrushev, B.I., 1=18905  
 Savin, A.G. See Antuf'ev, V.V., 1=12659  
 Savin, I.A. See Belyakov, A.N., 1=10815  
 Savintsev, N.A. See Berzina, I.G., 1=19819  
 Savitskii, A.V. The effect of mechanical stresses and deformation on self-diffusion, 1=10012  
 Savitskii, A.V. See Betekhtin, V.I., 1=12599  
 Savitskii, E.M. See Gladyshevskii, E.I., 1=15088  
 Savitskii, F.S. See Burmakina, O.P., 1=12608  
 Savoia, M. See Fano, G., 1=19339  
 Savornin, F. A contribution to the study of the electrical and thermoelectrical properties of thin films of cobalt, 1=14366  
 Savornin, F. See Savornin, J., 1=11258  
 Savornin, J., Donnadieu, A. and Savornin, F. On the subject of the influence of temperature on the resistivity of thin films of silver, 1=11258  
 Savvinykh, S.K. The thermodynamics of ideal crystals, 1=6068  
 Sawa, Z. Proton angular distributions from d + D reaction for deuteron energies 0.5-0.9 MeV, 1=8518  
 Sawada, K. and Fukuda, N. On the stability of the Hartree-Fock solution in many-body problem, 1=15731  
 Sawada, K. and Soda, T. Self-consistent pair interaction for many-fermion system, 1=11711  
 Sawada, K. and Vasudevan, R. Simplified model of liquid helium, 1=16187  
 Sawada, M., Tsutsumi, K., Shiraiwa, T., Ishimura, T. and Obashi, M. Some contributions to the X-ray spectroscopy of solid state. I. X-ray emission spectra. II. The fine structure of X-ray absorption spectra various substances. III. The theory of the fine structure of the X-ray absorption spectrum, 1=11386  
 Sawada, S. Single pion production process in pion-nucleon collision and the Sakata model, 1=10913  
 Sawada, S., Ueda, T. and Yonezawa, M. The single pion production process in  $\pi^-p$  collision at 1 BeV and the Sakata model, 1=13474  
 Sawada, S., Ueda, T. and Yonezawa, M. The  $\tau^+$ -decay and the boson isobar with  $I = 2$  of the Sakata model, 1=16885  
 Sawada, S. and Yonezawa, M. Mass levels of baryons and mesons, 1=3146  
 Sawada, S. and Yoshida, I. Some remarks on the phenomenological theory of ferroelectricity, 1=14550  
 Sawada, S. See Ikeda, M., 1=10846  
 Sawada, S. See Nomura, S., 1=14552  
 Sawada, S. See Yoshida, I., 1=9991  
 Sawada, T. Electric polarisability of nucleon, 1=13405  
 Sawada, T. See Kawarabayashi, K., 1=3218  
 Sawamura, I. See Kinoshita, K., 1=11441  
 Sawamura, M. See Ueda, T., 1=10887  
 Sawatzky, A. Hydrogen in zircaloy-2: its distribution and heat of transport, 1=20581  
 Sawicki, J. Notes on the theory of vibrational states of systems of fermions, 1=5693  
 Sawicki, J. The Green's function method and superconductivity of systems of fermions, 1=11874  
 Sawicki, J. Possible corrections to nuclear magnetic moments due to pairing forces in nuclei. I, 1=16969  
 Sawicki, J. and Moszkowski, S.A. Imaginary part of the optical model potential in nuclear matter, 1=5813  
 Sawicki, J. See Dąbrowski, J., 1=5814  
 Sawkill, J. and Meredith, J.E. The etching of sub-structures in beryllium, 1=4018  
 Sawyer, G.A. See Bearden, A.J., 1=8820  
 Sawyer, J.S. Numerical calculation of the displacements of a stratified airstream crossing a ridge of small height, 1=18450  
 Sawyer, R.A. See Jones, H.W., 1=10683  
 Saxena, A.N. Neutron-proton pairing interaction, 1=2154  
 Saxena, R.P. Two-pion annihilation of a  $N-\bar{N}$  pair, 1=5720  
 Saxena, R.P. See Mitra, A.N., 1=2081  
 Saxena, S.C. Self-diffusion of  $^4\text{He}$  and quantum corrections, 1=6894  
 Saxena, S.C. and Dave, S.M. Thermal diffusion of binary gas mixtures, 1=15947  
 Saxena, S.C., Kelley, J.G. and Watson, W.W. Temperature dependence of the thermal diffusion factor for helium, neon, and argon, 1=15948  
 Saxena, S.C. and Mason, E.A. Diffusion coefficients of gases from the rate of approach to the steady state in thermal diffusion, 1=173  
 Saxena, S.C. and Mason, E.A. Thermal diffusion and the approach to the steady state in gases. II, 1=174  
 Saxena, S.C. and Pardeshi, P.A. Various approximations for the isotopic thermal diffusion factor. I. Application to helium isotopes, 1=12918  
 Saxena, S.C. See Joshi, K.M., 1=8145  
 Saxena, S.C. See Weissman, S., 1=6895  
 Saxl, I. The quantum theory of multipole radiation in a dielectric, 1=15692  
 Saxon, D.S. The parameters of the optical model potential and their physical interpretation, 1=8543  
 Saxon, D.S. See Melkanoff, M.A., 1=19448  
 Saxon, G. See Crowley-Milling, M.C., 1=18952  
 Saxton, J.H. See Kline, D.E., 1=4434  
 Sayasov, Yu.S. and Ivanov, G.K. Theory of molecular dissociation induced by neutrons. I. Diatomic molecules, 1=17366  
 Sayasov, Yu.S. and Mel'nikov, V.K. Theory of the capture of particle into the synchronous regime of acceleration taking into account the nonconservation of the equations of motion, 1=4673  
 Sayers, J. See Dickinson, P.H.G., 1=277  
 Sayres, A.R., Jones, K.W. and Wu, C.S. Interaction of neutrons with  $\text{He}^3$ , 1=9779  
 Scala, S.M. and Vidale, G.L. Vaporization processes in the hypersonic laminar boundary layer, 1=16173  
 Scanlan, J. and Dunn, J.R. Automatic apparatus for measurement of the rate of absorption or evolution of gas, 1=1468  
 Scanlan, J. See Dunn, J.R., 1=2505  
 Scanlon, J.H. See Milford, S.N., 1=814  
 Scanlon, J.P. See Bowen, P.H., 1=5922  
 Scaramuzzi, F. See Careri, G., 1=5390  
 Scarborough, W.M. See Wilcox, D.E., 1=13150  
 Scarf, F.L. Wave propagation in a moving plasma, 1=3066  
 Scarfone, L.M. Renormalization in a combined Lee-Machida field theory, 1=5657  
 Scargle, J.D. See Frost, A.A., 1=14070  
 Scarsi, L. See Linsley, J., 1=10944  
 Scatturin, V., Bellon, P.L. and Salkind, A.J. The structure of silver oxide determined by means of neutron diffraction, 1=20537  
 Schaad, L.J. See Coulson, C.A., 1=11108  
 Schaaffs, W. The relation between the Guldberg law and the temperature variation of the velocity of sound in liquids, 1=8115  
 Schaaffs, W. and Kalweit, C. Phase comparison interferometer for the measurement of sound velocity changes of less than 1 mm/s, 1=16039  
 Schaber, A. See Fritzsche, L., 1=15178  
 Schächter, L. See Nachman, M., 1=5739  
 Schade, W.J. See Kaplan, J., 1=1525  
 Schaefer, T. See Buckingham, A.D., 1=8140  
 Schaefer, T. See Pople, J.A., 1=14094  
 Schaeffer, O.A. and Fisher, D.E. Exposure ages for iron meteorites, 1=9263  
 Schaeffer, O.A., Thompson, S.O. and Lark, N.L. Chlorine-36 radioactivity in rain, 1=13681  
 Schaeffer, O.A. See Stoerner, R.W., 1=15436  
 Schaer, J. On the possibility of a Finslerian unified theory of electromagnetism and gravitation, 1=15656  
 Schaerf, C. See Hand, L., 1=7267  
 Schaffert, R.M. See McCurry, R.E., 1=1023  
 Schalge, R. Use of grids in testing objectives, 1=2841



- Schambra, P.E., Rauth, A.M. and Northcliffe, L.C. Energy loss measurements for heavy ions in mylar and polyethylene, 1-338
- Schamp, H.W., Jr and Maisch, W.G. Microcell for infrared studies on pure liquids at high pressures, 1-6955
- Schaner, B.E. See Aronson, S., 1-17641
- Schannen, O.F.Z. See Druyvesteyn, M.J., 1-1335
- Schapink, F.W. See Wolters, H.B.M., 1-10201
- Scharbert, T., Berényi, D. and Máthé, G. Further gamma-spectroscopic inquiry into the decay scheme of  $\text{Fe}^{59}$ , 1-13753
- Scharbert, T. See Máthé, G., 1-8654
- Schardt, A.W. Half-life of  $\text{B}^{12}$ ,  $\text{Na}^{24m}$ , and  $\text{As}^{76m}$ , 1-9825
- Schardt, A.W. and Goodman, A. Short-lived isomers of  $\text{Ge}^{71}$ ,  $\text{As}^{74}$ ,  $\text{Br}^{78}$ , and  $\text{Tc}$ , 1-10995
- Scharf, B. Loudness summation under masking, 1-7960
- Scharf, K. Photovoltaic effect produced in silicon solar cells by X- and gamma rays, 1-1095
- Scharff, M. See Bøggild, J.K., 1-5778
- Scharff, M. See Lindhard, J., 1-16441
- Scharff-Goldhaber, G. and McKeown, M. Activities observed in iridium after neutron bombardment. Remarks on a paper by H.H. Hennies and A. Flammersfeld, 1-12171
- Scharfstein, L.R. and Eisenbrown, C.M. Potential-time curves obtained during the stress cracking of metals, 1-1485
- Scharmann, A. See Grasser, R., 1-11395
- Scharmann, A. See Hanle, W., 1-8344
- Schatz, G. See Klein, W., 1-10069
- Schatz, P.N., Maeda, S., Hollenberg, J.L. and Dows, D.A. Reflection spectra and absolute infrared intensities in pure liquids: benzene, chloroform, bromoform, carbon disulfide, and carbon tetrachloride, 1-4343
- Schatzman, E. On the stability of a periodic force-free field with neutral lines, 1-5564
- Schatzman, E. New rate of rotation of the Earth, measured in July 1959, 1-15218
- Schatzman, E. Models of sunspots and protuberances on spot edges, 1-15457
- Schatzman, E. On the period of radial pulsation of white dwarfs, 1-15497
- Schatzman, E. Plasmas in astrophysics, 1-15726
- Schatzman, E. Stellar evolution with mass loss, 1-18107
- Schatzman, E. Nuclear reactions important in astrophysics, 1-18116
- Schauer, A. See Kranz, J., 1-1224
- Schauer, A. See Kranz, J., 1-19956
- Schawlow, A.L. and Devlin, G.E. Simultaneous optical maser action in two ruby satellite lines, 1-6246
- Schawlow, A.L., Piskis, A.H. and Sugano, S. Strain-induced effects on the degenerate spectral line of chromium in  $\text{MgO}$  crystals, 1-9007
- Schawlow, A.L. See Burgiel, J.C., 1-7807
- Schawlow, A.L. See Kleinman, D.A., 1-1886
- Schawlow, A.L. See Sugano, S., 1-1180
- Schechter, R.S. and Wissler, E.H. Heat transfer to Bingham plastics in laminar flow through circular tubes with internal heat generation, 1-247
- Schechter, L. See Glasgow, D.W., 1-10811
- Schechter, L. See Glasgow, D.W., 1-13729
- Scheenberger, M. See Cvijanovich, G., 1-16778
- Scheenberger, R. See Cvijanovich, G., 1-16778
- Scheer, J.J. Some preliminary experiments concerning the influence of band bending on photoelectric emission, 1-13113
- Scheer, M. See Harigel, G., 1-10819
- Scheer, M. See Harigel, G., 1-10879
- Scheffler, H. Scattering of radio waves in the solar corona and centre-limb variations of the quiet sun metre wavelength radiation, 1-1661
- Scheibe, P. See Lerfeld, G., 1-3070
- Scheibling, F. See Gorodetzky, S., 1-7360
- Scheibling, F. See Gorodetzky, S., 1-13736
- Scheibling, F. See Gorodetzky, S., 1-17062
- Scheibling, G. See Leray, J., 1-2893
- Scheibling, G. See Leray, J., 1-9488
- Scheidegger, A.E. On the statistical properties of some transport equations, 1-18317
- Scheidegger, A.E. Dynamic similarity of instabilities of displacement fronts in porous media, 1-18354
- Scheidegger, A.E. and Johnson, E.F. The statistical behavior of instabilities in displacement processes in porous media, 1-4304
- Scheidlinger, Z. See Aharoni, A., 1-14749
- Schein, M. See Aizu, H., 1-3316
- Schein, M. See Aizu, H., 1-3317
- Schein, M. See Barkow, A.G., 1-7238
- Schein, M. See Haskin, D.M., 1-571
- Schein, M. See Haskin, D.M., 1-3322
- Schein, M. See Lohrmann, E., 1-7240
- Schein, M. See Teucher, M.W., 1-3256
- Schell, J.F. Classification of four-dimensional Riemannian spaces, 1-4178
- Schell, W.R. See Fairhall, A.W., 1-7614
- Schellbach, G. See Freitag, W., 1-8194
- Schenck, H.Jr. A useful thermodynamic diagram, 1-15028
- Schenkel, F.W., Jr. See Linden, B.R., 1-2995
- Scherb, F. See Bridge, H.S., 1-15583
- Scherb, F. See Clark, G.W., 1-7297
- Scherbatskoy, S.A. Stabilized scintillation counter, 1-10812
- Scherer, J.R. and Overend, J. Transferability of Urey-Bradley force constants. V. Bromoethylenes, 1-2313
- Scherer, J.R. See Overend, J., 1-828
- Scherer, J.R. See Overend, J., 1-5990
- Scherer, M. See Bermond, J., 1-13251
- Scherer, M. See Patry, J.P., 1-1989
- Scherrer, P. See Leisi, H.J., 1-9832
- Scheuer, P.A.G. See Archer, S., 1-18155
- Schey, H.M. See Lippmann, B.A., 1-3520
- Schieber, M. and Kalman, Z.H. Unit cell dimensions of yttrium iron garnets containing neodymium, praseodymium and lanthanum ions, 1-20567
- Schieber, M. See Aharoni, A., 1-11452
- Schieber, M. See Aharoni, A., 1-14749
- Schierholz, H. See Groth, W.E., 1-6575
- Schieve, W.C. and Pomerantz, M.A. Temperature dependence of electron-bombardment-induced conductivity in  $\text{MgO}$ . II, 1-7627
- Schiff, D. and Ziering, S. Many-fold moment method, 1-13886
- Schiff, M., Hildebrand, R.H. and Giese, C. Stars produced by  $\pi^-$  capture in a hydrogen bubble chamber containing dissolved helium, 1-7271
- Schiff, M. See Senitzky, B., 1-12250
- Schiffer, J.P. Strength functions and gross structure, 1-8611
- Schild, A. Equivalence principle and red-shift measurements, 1-1693
- Schild, A. On gravitational radiation reaction forces, 1-15650
- Schild, A. See Pirani, F.A.E., 1-18250
- Schill, W.J. See Barnett, C.F., 1-16349
- Schilling, G.F. and Whitney, C.A. Derivation and analysis of atmospheric density from observations of satellite 1953 epsilon, 1-6602
- Schilling, J. and Zöllner, H. Measurement of the contrast reduction factor and comparison with the geometrical correction, 1-4443
- Schilling, J. and Zöllner, H. Results of the measurement of contrast transmission factors compared with the geometrical-optical correction, 1-18570
- Schiltz, J. The visible spectrum of the molecule  $\text{AuCa}$ , 1-9931
- Schiltz, J. Visible spectrum of  $\text{AuBa}$ , 1-19637
- Schiller, P. See Seeger, P., 1-3659
- Schiller, S. See von Ardenne, M., 1-1913
- Schilz, W. See Meyer, E., 1-8192
- Schindler, H. See Frie, W., 1-13071
- Schindler, M.J. Shear-compensated hysteresigraph for thin magnetic films, 1-11998
- Schinkel, C.J. See Bosman, A.J., 1-6118
- Schinkel, C.J. See Bosman, A.J., 1-6546
- Schippa, G. See Andresciani, V., 1-9124
- Schirber, J.E. and Swenson, C.A. Superconductivity of  $\alpha$ - and  $\beta$ -mercury, 1-11880
- Schirdewahm, J., Klemm, A. and Waldmann, L. Thermal diffusion in  $\text{D}_2$ -HT and other hydrogen mixtures, 1-13976
- Schirmer, H. On the theory of bremsstrahlung in hydrogen plasmas including the Gaunt-factor, 1-9569
- Schjetne, K.G. See Sigmond, R.S., 1-13232
- Schläfer, R., Hillmann, E. and Neuroth, N. Device for determining the position of the absorption edge, 1-18594
- Schlag, A. Energy transported by water-hammer, 1-15807

- Schlegel, R. Radiation pressure on a rapidly moving surface, 1=12962
- Schlein, P. See Block, M.M., 1=13500
- Schlein, P. See Leitner, J., 1=16901
- Schlein, P.E. and Slater, W.E. Identification of heavy hypernuclei from  $K^-$  capture by primary star analysis, 1=16976
- Schlein, P.E. See Ammar, R.G., 1=607
- Schlein, P.E. See Ammar, R.G., 1=5832
- Schlemm, H. Schlieren optical investigation on large-amplitude airborne sound waves in tubes, 1=8153
- Schleuning, H.W. See Banks, E., 1=6350
- Schley, U. See Hahn, D., 1=8212
- Schley, U. See Tingwaldt, C., 1=18667
- Schleyer, P. von R. See Kunts, I.D. Jr., 1=19669
- Schlich, R. See Eschenbrenner, S., 1=1582
- Schlier, C. See Berkling, K., 1=13969
- Schlier, C. See Kessler, G., 1=409
- Schlobohm, J.C. See Leadabrand, R.L., 1=15556
- Schlömann, E. Ferromagnetic relaxation caused by interaction with thermally excited magnons, 1=3909
- Schlömann, E. and Joseph, R.I. Instability of magnetostatic modes in a microwave magnetic field applied parallel to the D.C. field, 1=6401
- Schlömann, E. and Joseph, R.I. Instability of spin waves and magnetostatic modes in a microwave magnetic field applied parallel to the d.c. field, 1=11446
- Schlömann, E. See Green, J.J., 1=6402
- Schlömann, E. See Joseph, R.I., 1=11445
- Schloss, F. Inherent limitations of accelerometers for high-frequency vibration measurements, 1=10469
- Schlosser, E.G. On the semiconducting behaviour of nickel oxide, 1=17755
- Schlosser, H. and Drougard, M.E. Surface layers on barium titanate single crystals above the Curie point, 1=10076
- Schluderberg, D.C., Whitelaw, R.L. and Carlson, R.W. Gaseous suspensions — a new reactor coolant, 1=17232
- Schlumbohm, H. Consideration of the detachment of electrons from negative ions by the measurement of ionization and attachment coefficients  $\alpha$  and  $\eta$ , 1=18771
- Schlüter, A. See Hain, K., 1=5484
- Schluter, R.A. See Hill, D.A., 1=4747
- Schmalberger, D.C. On the location of beta Cephei stars in the theoretical Hertzsprung-Russell diagram, 1=2627
- Schmeckenbecher, A. See Matcovich, T., 1=6322
- Schmeising, H.N. See Lykos, P.G., 1=11057
- Schmelovsky, K.H. The electron density distribution derived from whistler data and Faraday-fading observations, 1=1550
- Schmelzer, G. See Kneller, E., 1=2474
- Schmerling, E.R. Effects of vertical diffusion of electrons near the magnetic equator, 1=1531
- Schmerling, E.R. Height and thickness parameters for region F of the ionosphere, 1=1541
- Schmid, A. Dissociation and charge exchange of hydrogen and deuterium molecular ions by passing through hydrogen, 1=4564
- Schmid, E.W. and Wildermuth, K. Phase shift calculations on  $\alpha$ - $\alpha$  scattering, 1=13532
- Schmid, G.M. See Riney, J.S., 1=9172
- Schmid, H. Contribution to the ferro-antiferro-magnetic exchange phenomena and the magnetic properties of B8-type antimonides of chromium, iron, cobalt and nickel, 1=6271
- Schmid, J. Cinematographic investigation of single-bubble cavitation, 1=134
- Schmid, L.C. and Stinson, W.P. Calibration of lutetium for measurements of effective neutron temperatures, 1=16816
- Schmid, L.C. See Stinson, W.P., 1=17233
- Schmidt, C.T. Cesium iodide as a gamma ray spectrometer, 1=2031
- Schmidt, F.H. Turbulent diffusion of industrial contamination in the atmosphere, 1=20876
- Schmidt, F.H. See Hopkins, J.C., 1=3415
- Schmidt, F.J. See Bühler, H., 1=17228
- Schmidt, G. Plasma motion across magnetic fields, 1=303
- Schmidt, G. Self-consistent field theory of plasma betatrons, 1=9601
- Schmidt, G. The piezoelectricity and electrostriction of Rochelle salt, 1=10078
- Schmidt, G. Answer to the comments by H.P. Furth, 1=13085
- Schmidt, G. and Kutschabsky, L. Oscillation modes of cylindrical disks of barium titanate ceramic, 1=8173
- Schmidt, G. and Reichel, W. Studies of the [light] intensity distribution in images of point objects and gratings of different spacings, 1=4436
- Schmidt, G. See Seemann, H.J., 1=20787
- Schmidt, G.K. Lattice-parameter determination from broad diffraction lines, 1=2532
- Schmidt, G.K. X-ray investigation of lattice distortions giving shifted and broadened reflections, by application of Fourier-series methods, 1=10252
- Schmidt, H.H. Half-crystal energy constants, 1=8872
- Schmidt, H.H. and Jura, G. Surface energy and configuration of inert gas crystals. I, 1=7519
- Schmidt, H.H. and Jura, G. The grain boundary energy and configuration of inert gas crystals. II, 1=7520
- Schmidt, J. Quantative measurements on discharges in solid insulators in an inhomogeneous field, 1=17849
- Schmidt, J.J. Investigation of an infinitely large, unmoderated, homogeneous, critical reactor assembly, 1=17186
- Schmidt, K.H. Construction and application of an electrolytic wedge-tank, 1=8356
- Schmidt, M. Galactic structure at optical and radio wave-lengths, 1=18130
- Schmidt, P.H. See Galt, J.K., 1=9996
- Schmidt, P.F., Huber, F. and Schwarz, R.F. Ion size effect and mechanism of electrolytic rectification, 1=18749
- Schmidt, P.W. and Hight, R.Jr. Slit height corrections in small angle X-ray scattering, 1=20472
- Schmidt, P.W. See Hight, R.Jr., 1=6579
- Schmidt, V.A., Edelman, S., Smith, E.R. and Jones, E. Optical calibration of vibration pickups at small amplitudes, 1=9454
- Schmidt, W. See Klopfer, A., 1=7924
- Schmidt, W. See Klopfer, A., 1=16436
- Schmidt, W. See Klopfer, A., 1=18490
- Schmidt, W. See Kossel, D., 1=14499
- Schmidt-Ott, W.D., Hoffmann, K.W., Krause, I.Y. and Flammersfeld, A. Decay of  $W^{183}$ , 1=7359
- Schmidt-Rohr, U. See Jahr, R., 1=3455
- Schmidt-Tiedemann, K.J. Symmetry properties of warm electron effects in cubic semiconductors, 1=14411
- Schmidt-Tiedemann, K.J. Stress optical constants of germanium, 1=17869
- Schmidt-Tiedemann, K.J. Optical double refraction caused by free carriers in semiconductors, 1=19952
- Schmidtke, H.H. See Bingel, W.A., 1=11105
- Schmillen, A. On the fluorescence of pyrene in solid hydrocarbons, 1=10127
- Schmillen, A. and v. Foerster, G. Hyperfine structure of the naphthalene triplet state, 1=14799
- Schmitt, A.P. See Mulot, P., 1=5955
- Schmitt, A.P. See Mulot, P., 1=13907
- Schmitt, H.J. Ceramic capacitors as sound probes in liquids, 1=16041
- Schmitt, H.J. Diffraction of electromagnetic waves by sound waves, 1=16564
- Schmitt, H.J. and Tai Tsun Wu. Electromagnetic reflection from sound waves, 1=369
- Schmitt, H.W. Determination of the energy of antimony-beryllium photoneutrons, 1=2066
- Schmitt, H.W. and Cook, C.W. Absolute neutron absorption cross-sections for Sb-Be photoneutrons, 1=2223
- Schmitt, H.W. and Halperin, J.  $Al^{27}(n,\gamma)Na^{24}$  cross section as a function of neutron energy, 1=2220
- Schmitt, K.H. Investigations on suspended particles in diffusing water vapour, 1=11784
- Schmitt, K.H. and Waldmann, L. Investigations on suspended particles in diffusing gases, 1=15949
- Schmitt, R. and Cier, P. Method of investigation during the formation of the latent image by a simultaneous exposure to red light, 1=2896
- Schmitt, R.A. See van Lint, V.A.J., 1=4858
- Schmitt, R.G. See Paris, J.P., 1=10126
- Schmitt, R.W. See Harrison, W.A., 1=6087
- Schmitz, G. and Niesters, H. Breakdown in hydrogen in the low (p.d.) range, 1=18813
- Schmitz, N. See Anderson, J.A., 1=7273
- Schmitz, N. See Anderson, J.A., 1=16867
- Schmitz, N. See Wolf, S.E., 1=16890
- Schmouchkovitch, A. See Dachert, F., 1=7116
- Schmouker, J. See Barjon, R., 1=725
- Schmouker, J. See Barjon, R., 1=13856



- Schmunk, R.E., Randolph, P.D. and Brugger, R.M. Total cross sections of Ti, V, Y, Ta, and W, 1=13827
- Schmunk, R.E. and Smith, C.S. Elastic constants of copper-nickel alloys, 1=1289
- Schmunk, R.E. See Randolph, P.D., 1=15945
- Schmuntzsch, M. See Fröhlich, F., 1=2861
- Schmutzer, E. Four-dimensional canonical formulation of particle mechanics in special relativity, 1=9314
- Schmutzer, E. General investigation of the relation in curved space between invariance and conservation, in classical field theory, 1=18242
- Schnabel, B. The diffraction theory of aberrations, 1=1826
- Schneider, E.E. Study of solids by paramagnetic resonance, 1=10177
- Schneider, E.E. See Molyneux, L., 1=15390
- Schneider, F. Measurement of the saturation magnetization of ferrites by ferromagnetic resonance, 1=1240
- Schneider, H. See Faissner, H., 1=2249
- Schneider, J. and Räuber, A. Paramagnetic resonance of donors in zinc oxide, 1=20240
- Schneider, J. See Bauer, J., 1=18747
- Schneider, J. See Hofmann, F.W., 1=8234
- Schneider, R. and Mailänder, M. Mechanical spectrograph shutter for exposure times up to  $1\mu$  sec, 1=9478
- Schneider, R., Maisenhälder, F. and Kling, M. A recording and amplifying receiver for short-time spectrography, 1=18597
- Schneider, W. Contributions to the decay of  $\text{Eu}^{153}$ , 1=638
- Schneider, W.G. See Bree, A., 1=10062
- Schneider, W.G. See Bryant, F.J., 1=2422
- Schneider, W.G. See Buckingham, A.D., 1=8140
- Schneider, W.G. See Spiesecke, H., 1=12314
- Schneider, W.G. See Spiesecke, H., 1=12315
- Schneidmesser, B. See Berman, R., 1=1005
- Schnell, G. See Hendus, H., 1=4074
- Schnepp, O. The absorption spectra of magnesium and manganese atoms in solid rare gas matrices, 1=17269
- Schneps, J. and Kang, Y.W. Frequency of the decay mode  $\Sigma^+ \rightarrow p + \gamma$ , 1=8511
- Schneps, J. Baldo Ceolin, M., 1=551
- Schnitzer, H.J. See Goebel, C.J., 1=10905
- Schnitzer, H.J. and Sudarshan, E.C.G. Quantum mechanical systems with indefinite metric. II, 1=13277
- Schnupp, P. See Meyer, E., 1=8190
- Schnuriger, J.C. Production of magnetic fields used for strong focusing by means of ion-free coils, 1=18941
- Schober, H. On the present state of physiological optics, 1=2579
- Schock, A. Optimization of emission-limited thermionic generators, 1=11967
- Schoeck, G. See Conrad, H., 1=3986
- Schoeck, G. See Conrad, H., 1=20352
- Schoeler, H. Distortion in photogrammetry, 1=4488
- Schoemaker, D. and Boesman, E. Paramagnetic resonance of the  $\text{NO}_2$  molecule in alkali halides doped with nitrates, 1=10181
- Schoemaker, D. See Boesman, E., 1=10180
- Schoen, L.J. and Broida, H.P. Effect of structure on the spectra emitted by solid nitrogen during electron bombardment, 1=6221
- Schoen, L.J. See Harmony, M.D., 1=17319
- Schoen, R. See Gendreau, G., 1=16460
- Schoening, F.R.L. See Flanders, P.J., 1=6542
- Schoepf, H.G. See Papapetrou, A., 1=4239
- Schoffa, G. and Ristau, O. A sensitive superheterodyne spectrometer for electron spin resonance at 9300 Mc/s, 1=4735
- Schofield, D. See Dickens, P.G., 1=12280
- Schofield, F.H. See Russell, D.C., 1=8233
- Schofield, T.H. and Bacon, A.E. A study of the recrystallization and grain growth of cold rolled and annealed titanium-10% molybdenum alloy, 1=20610
- Scholes, W.E. Sound propagation in the atmosphere, 1=1522
- Scholten, P.C. and Mysels, K.J. Random walk theory of electrodiffusion, 1=20729
- Scholz, A. Movement of defect centres in crystals with partial consideration of electrostatic interaction, 1=3681
- Scholz, A. Absorption and photochemistry of  $\text{AgCl}$  crystals containing divalent cations and anions, 1=5046
- Scholz, A. and Stasiw, O. On the absorption by irradiated silver halide crystals doped with chalcogen ions, 1=19969
- Schomaker, V. See Verdier, P.H., 1=4737
- Schön, M. The kinetics of photoconductive and phosphorescent processes, 1=3867
- Schön, M. Remarks about models for reaction kinetics, 1=6080
- Schön, M. The magnitude of the "reaction kinetics" parameter, 1=6223
- Schön, M. Experimental methods for the determination of parameters and concentrations, 1=6243
- Schönheit, E. Mass-spectrometric investigation of the photoionization of hydrogen, 1=1889
- Schönhofer, A. On the theory of excitons, 1=17469
- Schonland, D. See Gibson, J.F., 1=873
- Schooley, A.H. Double, triple, and higher-order dimples in the profiles of wind-generated water waves in the capillary-gravity transition region, 1=15810
- Schooley, J.F. See Johnson, C.E., 1=616
- Schooley, J.F. See Johnson, C.E., 1=623
- Schooley, J.F. See Shirley, D.A., 1=3587
- Schools, R.S. Recording and reproduction of NRZI modified nonreturn to zero signals, 1=7123
- Schoonmaker, R.C. See Rao, V.S., 1=2358
- Schopper, H.F. See Littauer, R.M., 1=13394
- Schopper, H.F. See Olson, D.N., 1=7232
- Schorck, G. See Read, F.H., 1=5934
- Schörfling, P.O. X-ray flash spectra of Fe, Ni and Cu, 1=19589
- Schotland, R.M. Experimental results relating to the coalescence of water drops with water surfaces, 1=11745
- Schottky, G. On the interpretation of quenching experiments on gold, 1=961
- Schottky, W. The problem of rational lattice defect classification, 1=2387
- Schottky, W. [Ed]. Semiconductor problems. IV, 1=2403
- Schouten, A. See Aten, J.B.T., 1=11835
- Schrader, C. See Benveniste, J., 1=12840
- Schrader, C.D. See Benveniste, J., 1=2070
- Schrader, C.D. See Benveniste, J., 1=2221
- Schrader, C.D. See Bloom, S.D., 1=3080
- Schrader, G.F. M-H loop tracer for circumferential fields, 1=7115
- Schram, K. Quantum statistical derivation of the macroscopic Maxwell equations, 1=8372
- Schrank, G. See Carver, T.R., 1=11075
- Schreiner, R.N. See Baltrukonis, J.H., 1=1777
- Schreiner, R.N. See Baltrukonis, J.H., 1=18505
- Schreiner, W.N. See Kelly, W.H., 1=14745
- Schreurs, J.W.H. and Fraenkel, G.K. Anomalous relaxation of hyperfine components in electron spin resonance, II, 1=6041
- Schrieffer, J.R. Recent advances in the theory of superconductivity, 1=5394
- Schrieffer, J.R. See Bardasis, A., 1=4530
- Schrieffer, J.R. See Bardasis, A., 1=13037
- Schrieffer, J.R. See Pines, D., 1=19847
- Schröder, E. Calculation of temperature and mechanical stress in [reactor] shielding, 1=777
- Schröder, J. A simple method of determining the thermal conductivity of solids, 1=6972
- Schröder, K. Effect of magnetic clusters on the specific heat of Ni-Cu and Fe-V alloys, 1=7536
- Schröder, K. and Cheng, C.H. Correlation of low-temperature caloric and magnetic effects in TiFe, 1=1198
- Schröder, R. See Engel, J.R., 1=3482
- Schröder, U. See Diehl, H., 1=4922
- Schröder, U. See Flugge, S., 1=4959
- Schroder, W. See Kleber, W., 1=1084
- Schroeder, A.C. Waveguides and the receptor mechanism in color vision, 1=12726
- Schroeder, D.J. and Mack, J.E. Isotope shift in the arc spectrum of nickel, 1=5974
- Schroeder, G.F. See Wood, C., 1=6172
- Schroeder, J.B. Thermal conductivity in two-phase alloys, 1=14188
- Schroeder, M.R. Improved quasi-stereophony and "colorless" artificial reverberation, 1=11816
- Schroeder, R. See Lippincott, E.R., 1=9956
- Schroer, B. See Araki, H., 1=5632
- Schröter, E.H. See Mattig, W., 1=15471
- Schröter, E.H. See Mattig, W., 1=18077
- Schubert, G. See Turcotte, D.L., 1=11939
- Schubert, G.U. See Bimschas, G., 1=10735
- Schubert, K., Anantharaman, T.R., Ata, H.O.K., Meissner, H.G., Potzschke, M., Rossteutscher, W. and Stolz, E. Some structural results on metallic phases, VI, 1=6528

- Schubert, K., Bhan, S., Burkhardt, W., Gohle, R., Meissner, H.G., Pötschke, M. and Stolz, E. Some structural data on metallic phases. V, 1=5099
- Schubert, M. Measurement of the depolarization factor of Raman lines, 1=4455
- Schubert, M. Influence of maximum optical path difference and of noise in interferometric spectroscopy, 1=18603
- Schubert, M. See Böttcher, H., 1=1827
- Schubert, M. See Rohmann, W., 1=4457
- Schuch, A.F. and Mills, R.L. New allotropic form of  $\text{He}^3$ , 1=13039
- Schuch, A.F. See Mills, R.L., 1=8279
- Schuchhardt, G. Ion movements in an omegatron, 1=16437
- Schuele, W.J. and Deetscreek, V.D. Preparation, growth, and study of ultrafine ferrite particles, 1=6355
- Schug, J.C. and Coggeshall, N.D. Note on the statistical theory of mass spectra, 1=17360
- Schug, J.C., Brown, T.H. and Karplus, M. Theory of the spin and charge distribution in aromatic ion radicals; application to the naphthalene negative ion, 1=19660
- Schuhl, C. See Miller, J., 1=12074
- Schuhl, C. See Miller, J., 1=13372
- Schuhl, C. See Miller, J., 1=19177
- Schuhl, C. See Tamas, G., 1=17079
- Schuhl, C.G. See Tamas, G., 1=17080
- Schülle, W., Seeger, A., Ramsteiner, F., Schumacher, D. and King, K. Investigation of atomic defects in copper, silver and gold, by means of electrical resistivity measurements, 1=14249
- Schüler, K. The mechanism of the heterogeneous decomposition of Fe—Cu—Ni permanent magnet alloys, 1=6338
- Schulkin, M. See Marsh, H.W., 1=5333
- Schüller, E. and Amelinckx, S. Electron microscopic observation of dislocations in fluorite, 1=8910
- Schuller, F. and Vodar, B. On a rigid sphere model in the theory of the shift and broadening of spectral lines by collisions. Attracting rigid spheres, 1=2270
- Schuller, F. and Vodar, B. On a rigid-sphere model in the theory of displacement and collision broadening of spectral lines. Attractive and repulsive rigid spheres, 1=4889
- Schulman, A.I. See Egan, J.P., 1=9222
- Schulman, A.I. See Egan, J.P., 1=9223
- Schulman, A.I. See Egan, J.P., 1=12709
- Schulman, J.H., Attix, F.H., West, E.J. and Ginther, R.J. New thermoluminescent dosimeter, 1=1994
- Schulman, J.H. See Birks, J.B., 1=5413
- Schulman, J.H. See Birks, J.B., 1=8293
- Schulman, J.H. See Kirk, R.D., 1=14654
- Schult, R.L. and Capps, R.H.  $\text{K}^-$ -D absorption and  $\text{A}\pi-\Sigma$  resonance, 1=12115
- Schultes, H. See Goebel, K., 1=8732
- Schultz, B.H. On the study of volume recombination of excess charge carriers in semiconductors with the aid of photoconductance, 1=14427
- Schultz, B.H. Recombination at copper and at nickel centres in p-type germanium, 1=14447
- Schultz, D.J. See Dolecek, R.L., 1=6124
- Schultz, G. A method for investigating the quantitative absorption of crystal powders, 1=4452
- Schultz, G. and Treucker, F. Automatic recording of the blackening of photographic plates with the Zeiss rapid photometer, 1=5344
- Schultz, J. See Chambers, R.H., 1=6446
- Schultz, J. See Chambers, R.H., 1=7821
- Schultz, J.W. See Blakemore, J.S., 1=3666
- Schultze, K. See Harigel, G., 1=10819
- Schultze, K. See Harigel, G., 1=10879
- Schulz, A. See Kluge, W., 1=9636
- Schulz, H. See Eckart, F., 1=15180
- Schulz, H.J. See Broser, I., 1=10112
- Schulz, G. and Minkwitz, G. [Light] intensity distribution in space of wedge interference fringes, 1=9483
- Schulz, G.J. Excitation and negative ions in  $\text{H}_2\text{O}$ , 1=2309
- Schulz, G.J. Study of the  $\text{N}_2\text{O}$  molecule using electron beams, 1=8308
- Schulz, K. Group theory treatment of the splitting of crystal levels by the interaction of equivalent lattice particles, 1=14204
- Schulz, K.F. See Matijević, E., 1=11637
- Schulz-Du Bois, E.O. The three level solid state maser, 1=4717
- Schulze, K.J. See Brüche, E., 1=10286
- Schulze, R. Man and radiation, 1=1598
- Schumacher, B.W. Gaging gas density with fast charged particles, 1=2724
- Schumacher, C.R. and Bethe, H.A. Usefulness of polarized targets and the polarization transfer tensor in reconstruction of the nucleon-nucleon scattering matrix, 1=4794
- Schumacher, D. See Schülle, W., 1=14249
- Schumacher, W.R. See Cron, B.F., 1=10568
- Schumann, W.O. On the influence of the cross-sectional distribution of electron density on the propagation of electric waves in a longitudinally magnetized plasma in a metallic hollow conductor, 1=9570
- Schupp, A.A., Pidd, R.W. and Crane, H.R. Measurement of the g factor of free, high-energy electrons, 1=1921
- Schupp, L.J. See Speros, D.M., 1=20661
- Schlüppel, W. See Danan, H., 1=20100
- Schlüppel, W. See Malek, Z., 1=3894
- Schlüppel, W. See Malek, Z., 1=3895
- Schürenkämper, A. See Kochendörfer, A., 1=12589
- Schlürer, P. See Paty, L., 1=15972
- Schlürerová, E. Confirmation of the Hertz theory by an indirect method, 1=18334
- Schurin, B. Calculated band intensities for  $\text{CO}_2$  from infrared dispersion data, 1=6012
- Schlüssler, H.J. See Bucka, H., 1=4901
- Schuster, K. Theory of sound propagation in a flow duct, 1=16022
- Schuster, K. and Vosahlo, H. Calculation of the flexural vibrations of square crystal plates, 1=186
- Schütte, D. See Beckey, H.D., 1=1928
- [Eds.] Schütte, K. and Kaiser, H.K. Handbook of astronautics [Handbuch der Astronautik], 1=18211
- Schuyer, J. The anomalous temperature dependence of sound velocity in water, 1=15866
- Schwab, W. See Andrá, W., 1=20088
- Schwachheim, G. The solar daily variation of the cosmic radiation: world-wide neutron monitor observations during the international geophysical year, 1=13568
- Schwachheim, G. See Roederer, J.G., 1=13587
- Schwager, E.A. On the electroluminescence of  $\text{ZnS-ZnO}$  melts, 1=10124
- Schwäger, J.E. Capture-gamma determination of  $\text{V}^{52}$  levels, 1=2173
- Schwäger, J.E. Capture-gamma determination of  $\text{V}^{51}$  levels, 1=2174
- Schwantes, R.C. and van der Ziel, A. Flicker noise in triodes with positive grid, 1=8348
- Schwantes, R.C. and van der Ziel, A. Flicker noise in pentodes. Flicker partition noise, 1=8349
- Schwantes, R.C. and van der Ziel, A. Secondary emission flicker noise, 1=8350
- Schwarz, L. See Hubbard, E.L., 1=10749
- Schwartz, B. See Raymo, C.T., 1=11303
- Schwartz, C. Lamb shift in the helium atom, 1=12242
- Schwartz, C.M. See Doig, J.R.Jr., 1=9126
- Schwartz, C.M. See Young, A.P., 1=1024
- Schwartz, J. Free quantized Lorentzian fields, 1=7186
- Schwartz, M. Proposed method of measuring the spin of the  $\text{K}^0$  meson, 1=10923
- Schwartz, M. Electric dipole approximation and the canonical formalism in electrodynamics, 1=13157
- Schwartz, M. See Eisler, F., 1=16889
- Schwartz, M. See Eisler, F., 1=19271
- Schwartz, R.N. and Townes, C.H. Interstellar and interplanetary communication by optical masers, 1=10367
- Schwarz, H. Temperature coefficient of resistance of thin metal films on ceramic surfaces, 1=8926
- Schwarz, R.F. See Schmidt, P.F., 1=18749
- Schwarz, R.F. See Spratt, J.P., 1=8925
- Schwarz, S. See Kjellman, J., 1=19528
- Schwarzkopf, F. See Krochmann, J., 1=1822
- Schwarzl, D. See Cremer, L., 1=211
- Schwarzschild, A. and Kane, J.V. Lifetime of the 279 keV state of  $\text{Tl}^{203}$ , 1=7358
- Schwarzschild, A. See Bolotin, H.H., 1=16997
- Schwarzschild, A. See Cumming, J.B., 1=611
- Schwarzschild, M. See Bahng, J., 1=15467
- Schwarzschild, M. See Bahng, J., 1=15468
- Schwarzschild, M. See Ledoux, P., 1=2633



- Schwarzschild, M. See Stothers, R.B., 1=4210
- Schwed, P. See Pomerantz, M.A., 1=8525
- Schwedtfezer, C.F. See Funk, E.G., Jr. 1=650
- Schweiter, W.G., Jr. Hyperfine structure and isotope shifts in the 2537 Å line of mercury, 1=9907
- Schweitzer, J. Discussing ultra high vacuum, 1=2792
- Schweitzer, J. See Boulloud, J.P., 1=2799
- Schwendeman, R.H. A note on the high-speed computation of rotational constants and interatomic distances from structural parameters, 1=7455
- Schwerdtfezer, P. A tetrode ionization gauge, 1=18487
- Schwinger, J. The special canonical group, 1=4257
- Schwinger, J. On the bound states of a given potential, 1=5201
- Schwinger, J. Brownian motion of a quantum oscillator, 1=6787
- Schwink, C. An electron optical method for the measurement of magnetization of ferromagnetic samples, 1=9666
- Schwink, C. The problem of the coercive force of homogeneous metals, 1=20080
- Schwink, C. and Murrmann, H. Development of an electron optical method of making magnetic measurements. II. Theoretical considerations, 1=10759
- Schwink, C. See Murrmann, H., 1=10758
- Schwink, C. See Obermair, G., 1=1955
- Schwob, J.L. and Balloffet, G. Time resolved emission of lines from several ions produced by a condensed vacuum spark, 1=17262
- Schwuttke, G.H. Investigations of crystal perfection in semiconductor crystals, 1=3652
- Schwuttke, G.H. Study of copper precipitation behavior in silicon single crystals, 1=4987
- Sciama, D.W. On the interpretation of the Einstein-Schrödinger unified field theory, 1=10415
- Sciama, D.W. The three laws of cosmology, 1=15406
- Sciama, D.W. Observation and cosmology, 1=15407
- Sciama, D.W. Recurrent radiation in general relativity, 1=15651
- Sciama, D.W. The physical bases on unified field theory, 1=15658
- Sciama, D.W. See Rindler, W., 1=12960
- Sciuti, S. See Giannini, M., 1=2186
- Sciuti, S. See Giannini, M., 1=17039
- Sclar, N. See McPherson, P.M., 1=10589
- Scoles, G. See Boato, G., 1=8262
- Scott, A.B. See Coker, E.H., 1=12497
- Scott, B. See Blatt, F.J., 1=1116
- Scott, B.F. See Raily, J.W., 1=18381
- Scott, B.J. and Driscoll, W.J. Radiometric chemistry for automatic process control, 1=20768
- Scott, B.L. and Moszkowski, S.A. The tensor interaction and nuclear matter, 1=13612
- Scott, D. See Grunberg, L., 1=6564
- Scott, D. See Hersil, J., 1=3368
- Scott, D.R. and Becker, R.S. Comprehensive investigation of the electronic spectroscopy and theoretical treatments of ferrocene and nickelocene, 1=12290
- Scott, D.W. and McCullough, J.P. Vibrational assignment and force constants of  $S_8$  from a normal coordinate treatment, 1=13985
- Scott, D.W. See Clark, G.W., 1=7297
- Scott, E.L. See Neyman, J., 1=6723
- Scott, F.R. and Voorhies, H.G. Plasma injection into a vacuum magnetic field, 1=7081
- Scott, G.D. Packing of spheres, 1=6553
- Scott, G.D. See Srivastava, G.N., 1=7883
- Scott, G.G. Gyromagnetic ratios of manganese alloys, 1=1233
- Scott, G.G. Gyromagnetic ratio of nickel ferrite, 1=11461
- Scott, G.G. and Meyer, A.J.P. Gyromagnetic ratio of pyrrhotite, 1=11462
- Scott, G.J. and Babb, S.E., Jr. Multiple lead high pressure plug, 1=12728
- Scott, H.D. The application of distorted wave Born approximation calculations to the analysis of some (d,p) angular distributions, 1=19522
- Scott, H.D. See Dalton, A.W., 1=9878
- Scott, H.D. See Dalton, A.W., 1=13851
- Scott, H.D. See Dalton, A.W., 1=17145
- Scott, H.D. See Parry, G., 1=5796
- Scott, H.D. See Parry, G., 1=9885
- Scott, I.G. A method for gauge factor determination, 1=10467
- Scott, P.F. and Ryle, M. The number-flux density relation for radio sources away from the galactic plane, 1=15564
- Scott, P.F., Ryle, M. and Hewish, A. First results of radio star observations using the method of aperture synthesis, 1=12784
- Scott, P.M. and Stacey, F.D. Stress effects on thermoremanent magnetization, 1=21108
- Scott, R.E. New complex phase in the copper-gold system, 1=1407
- Scott, R.L. Thermodynamic functions for mixing at "constant volume", 1=15859
- Scott, T.A. See Brooker, H.R., 1=13622
- Scott, T.A. See Dutcher, C.H., Jr., 1=10800
- Scott, W.R. and Crangle, J. Miniature cryostat for measurements on ferromagnetics between 1.6 and 300°K, 1=18685
- Scoville, J.J. See Gunst, S.B., 1=17191
- Scrase, F.J. Electric currents associated with geomagnetic disturbances in the auroral zone, 1=21052
- Scrimger, J.A. Signal amplitude and phase fluctuations induced by surface waves in ducted sound propagation, 1=4336
- Scrimger, J.A. Observations of the stability of a normal mode sound field in an intermediate scale model, 1=16015
- Scrocco, E. and Tomasi, J. Atomic orbitals with angularly dependent  $Z_{\text{eff}}$  to be used in molecular orbitals calculations, 1=19649
- Seaborg, G.T. The transuranium elements, 1=8628
- Seager, S.L. See Giddings, J.C., 1=12919
- Searcy, A.W. See Davis, S.G., 1=4514
- Searl, J.W., Smith, R.C. and Wyard, S.J. Calculations of line shape for E.S.R. absorption in polycrystalline substances, 1=11470
- Sears, F.W. International Conference on Physics Education, 1=4228
- Sears, F.W. Jerrold Reinach Zacharias: oersted medalist for 1960, 1=8033
- Sears, G.W., DeVries, R.C. and Huffine, C. Twist in alumina whiskers, 1=11549
- Sears, G.W. See DeVries, R.C., 1=5091
- Sears, G.W. See Morelock, C.R., 1=6501
- Sears, R.L. An evolutionary sequence of solar models with revised nuclear reaction rates, 1=18070
- Sears, W.R. Some remarks about flow past bodies, 1=5546
- Seaton, M.J. Planetary nebulae, 1=1657
- Seaton, M.J. Strong coupling in optically allowed atomic transitions produced by electron impact, 1=3506
- Seaton, M.J. The evaluation of partial wave integrals in the Born approximation, 1=3507
- Seaton, M.J. See Burke, V.M., 1=3509
- Seaton, M.J. See Hummer, D.G., 1=11077
- Seaton, M.J. See Lawson, J., 1=3508
- Seaton, M.J. See Salmona, A., 1=8824
- Seay, G.E. and Selly, L.B., Jr. Initiation of a low-density P.E.T.N. pressing by a plane shock wave, 1=11621
- Seay, G.E., Seely, L.B., Jr. and Fowler, R.G. Production of high ion densities in helium by means of high explosives, 1=18764
- Seay, G.E. See Reynolds, C.E., 1=11778
- Sehaoun, W. See Garnier, M., 1=17081
- Šebek, S. See Bürger, A., 1=19857
- Sebestyen, A. See Domokos, G., 1=523
- Secco, E.A. Erratum: diffusion and exchange of Zn in crystalline ZnS, 1=8914
- Secco, E.A. Exchange of zinc in polycrystalline zinc oxide, 1=9166
- Secco, E.A. Diffusion of Zn in ZnO, 1=14320
- Secker, P.E. and Guile, A.E. A theory of cold-cathode arc movement in a magnetic field, 1=18808
- Secker, P.E. See Lewis, T.J., 1=2954
- Secrest, D. and Hirschfelder, J.O. Slowly reacting gas mixture in a heat conductivity cell, 1=6567
- Secrest, D.H. and Hirschfelder, J.O. On a many-dimensional B.W.K. approximation, 1=9326
- Sederholm, C.H. See Crapo, L.M., 1=879
- Sederholm, C.H. See Petrakis, L., 1=17354
- Sederholm, C.H. See Petrakis, L., 1=17355
- Šedivý, J. See Ebert, M., 1=20566
- Sedlák, J. See Pernegr, J., 1=13553
- Sedmak-Furlan, M. See Brautti, G., 1=9758
- Sedov, N.N. See Spivak, G.V., 1=327
- Sed'kh, B.N. See Klimin, A.I., 1=316

- Seebold, R.E. Green flash, 1=9185
- Seegall, M.I. Acoustic radiation pressure bearing, 1=6926
- Seeger, A. and Bross, H. Electron theoretical investigations of defects in metals. IX. The electrical resistance of edge dislocations, 1=968
- Seeger, A. and Buck, O. The experimental determination of higher-order elastic constants, 1=2501
- Seeger, A., Kronmüller, H., Mader, S. and Träuble, H. Work-hardening of hexagonal close-packed crystals and in the easy glide region of face-centred cubic crystals, 1=12598
- Seeger, A., Schiller, P. and Kronmüller, H. Observation of interstitial atoms in F.C.C. metals, 1=3659
- Seeger, A. See Haasen, P., 1=3735
- Seeger, A. See Kronmüller, H., 1=20079
- Seeger, A. See Mann, E., 1=19766
- Seeger, A. See Pfeleiderer, H., 1=6810
- Seeger, A. See Schülle, W., 1=14249
- Seeger, D. See Pawlek, F., 1=6284
- Seeger, K. Hot electrons in germanium, 1=17681
- Seeger, K. See Klein, W., 1=10069
- Seeger, P.A. Semiempirical atomic mass law, 1=9804
- Seeger, P.A. See Bardin, R.K., 1=645
- Seeger, R.J. On nature study in physics teaching, 1=12790
- Seeley, J.S. See Houghton, J.T., 1=18079
- Seeley, J.S. See Houghton, J.T., 1=20818
- Seely, L.B.Jr. See Seay, G.E., 1=18764
- Seeman, N. See Glasser, R.G., 1=9771
- Seeman, N. See Glasser, R.G., 1=10902
- Seemann, H.J., Schmidt, G. and Stavenow, F. Investigations in quantitative X-ray fluorescence analysis, 1=20787
- Segal, E. See Bauminger, R., 1=9037
- Segal, I.E. Quantization of nonlinear systems, 1=4758
- Segal', R.B. See Bronshtein, I.M., 1=4639
- Segal', R.B. See Bronshtein, I.M., 1=13127
- Segall, B. Calculated shape of the Fermi surface of copper, 1=14214
- Segall, B. See Aven, M., 1=17763
- Segawa, W. Measures of finite strain and stress-strain relations, 1=9088
- Segawa, W. Maxwell's formula for three-dimensional and large deformation, 1=9093
- Segawa, W. Some remarks on hydrostatic pressure and Maxwell model, 1=12586
- Segawa, W. Rheological equations of generalized Maxwell model and Voigt model in three-dimensional, non-linear deformation, 1=12587
- Segel, L.A. Application of conformal mapping to viscous flow between moving circular cylinders, 1=2732
- Segel, R.E., Daughtry, J.W. and Olness, J.W. 9.17 MeV state in  $N^{14}$ , 1=10971
- Segel, R.E., Olness, J.W. and Sprenkel, E.L. Delayed alpha particles from  $N^{16}$ , 1=9826
- Segel, R.E., Olness, J.W. and Sprenkel, E.L. Parity conservation in nuclear reactions: search for  $\alpha$  decay of the 8.88 MeV state  $INO^{16}$ , 1=12166
- Segel, R.E. See Clegg, A.B., 1=19473
- Segel, R.E. See Hanna, S.S., 1=13762
- Segel, R.E. See Miller, G.L., 1=13639
- Segel, R.E. See Sprenkel, E.L., 1=16980
- Segmüller, A. Annealing behavior and temperature dependence of the magnetic properties of thin permalloy films, 1=6320
- Segmüller, A. Temperature dependence of the magnetic properties of thin permalloy films, 1=10162
- Segre, M. Cooperative phenomena, 1=15705
- Séguier, J. See Kunisz, M.D., 1=17267
- Seguinot, J. See Bizard, G., 1=15396
- Seguinot, J. See Patry, J.P., 1=1989
- Sehgal, M.L. See Hans, H.S., 1=3453
- Seibel, G., Martinelli, P. and Franco, H. Spectrometry of X-radiation excited by a radioactive source emitting  $\beta$ -rays, 1=20785
- Seidel, G. See Hass, W.P.A., 1=8137
- Seidel, H. A method of analysing the previous magnetic history of a ferromagnetic specimen using the Preisach diagram, 1=10139
- Seiden, J. Ferromagnetism of a disordered magnetic lattice at low temperature, 1=2468
- Seiden, J. Theory of the ferromagnetism of nickel, 1=3890
- Seiden, J. The theory of the ferromagnetism of nickel-copper alloys, 1=7740
- Seiden, J. The theory of the electrical resistance anomalies of the rare earth metals, 1=10023
- Seiden, J. The Curie temperature of an imperfect Ising lattice, 1=12510
- Seiden, P.E. The relation of transition parameters for linear processes to measurable parameters in ferrimagnetic resonance, 1=20188
- Seiden, P.E. See Grunberg, J.G., 1=21160
- Seidl, M. Bunching phenomena during electron injection into the betatron. I. Experiments, 1=16452
- Seidl, R. On the problem of exo-electron emission, 1=16357
- Seifert, G. The effect of lattice defects in silver bromide on the bromine nuclear resonance, 1=3947
- Seifert, G. See Ebert, L., 1=3948
- Seigel, A.E. See Ho, L.T., 1=11785
- Seigel, A.E. See Ho, L.T., 1=11789
- Seiger, A. See Mader, S., 1=2511
- Seidov, Yu. M. See Abakarov, Dzh.I., 1=6247
- Seiler, H. Electron yield in the case of lithium-ion bombardment of image converter surfaces, 1=8345
- Seiler, K. See Rieger, H., 1=10274
- Seitz, R.N. See Reitz, J.R., 1=19710
- Seiwatz, R. See Green, M., 1=20686
- Seiwert, R. The luminescence mechanism of crystal phosphors of ZnS type, 1=6232
- Seiwert, R. See Hoffmann, K., 1=4469
- Seiwert, R. See Hoffmann, K., 1=4908
- Seiwert, R. See Tausendfreund, W., 1=18611
- Seizer, E. See Eschenbrenner, S., 1=1582
- Sekera, Z. and Dave, J.V. Diffuse transmission of solar ultraviolet radiation in the presence of ozone, 1=2564
- Sekerzh-Zen'kovich, Ya.I. A contribution to the theory of free finite oscillations of the surface separating two unbounded liquids of different densities subject to gravity, 1=4315
- Sekerzh-Zen'kovich, Ya.I. Theory of the Borda nozzle for gases, 1=1763
- Sekerzh-Zen'kovich, Ya.I. A contribution to the theory of free finite oscillations of the surface separating two unbounded liquids of different densities subject to gravity, 1=10491
- Sekerzh-Zen'kovich, Ya.I. See Sretenskii, L.N., 1=5260
- Seki, M. See Sanada, J., 1=8457
- Seki, M. See Sonoda, M., 1=11984
- Sekido, Y., Yoshida, S., Kamiya, Y., Ueno, H. and Muryama, T. Observation of the point source of cosmic rays, 1=2141
- Sekiguchi, N. On the strong coupling between the mantle and the core of the earth, 1=20799
- Sekiguti, T. Glass transformation of amorphous selenium, 1=20637
- Sekine, K. Canonical and non-canonical method of quantisation in the Lee model, 1=5634
- Sekiyama, H. See Kamimura, H., 1=10127
- Sekizawa, H. A note on the electron diffusion and the wall relaxation in ferrites, 1=20126
- Sekula, S.T. See Blewitt, T.H., 1=7608
- Selberg, H.L. Detonation in a tube with an open space between charge and tube wall, 1=9414
- Selberg, H.L. Normal and supernormal detonation velocity, 1=9415
- Selberg, H.L. Gas flow and distribution of pressure in a detonating sphere in simultaneous initiation across the entire surface, 1=11622
- Selby, S.M. See Hodgman, C.D., 1=8032
- Selektor, Ya.M. See Ainutdinov, M.S., 1=10818
- Seleznev, V.P. See Bodner, V.A., 1=15585
- Seleznev, V.P. See Bodner, V.A., 1=18231
- Selezneva, M.A. See Rzhano, A.V., 1=14438
- Seliger, H.H. Liquid scintillation counting of  $\alpha$ -particles and energy resolution of the liquid scintillator for  $\alpha$ - and  $\beta$ -particles, 1=13214
- Seliger, H.H. See Bay, Z., 1=18760
- Seliger, K. See Hess, H., 1=18786
- Seliger, K. See Morgenroth, H., 1=18785
- Seliger, K. See Morgenroth, H., 1=18787
- Selinov, I.P., Grits, Iu.A., Khulelidze, D.E., Baroni, E.E., Bloidze, Iu.A., D'Omin, A.G. and Kuschakevich, Iu.P. New antimony isotopes, 1=17010
- Selinov, I.P. See Vartanov, N.A., 1=19398
- Selisskii, Ya.P. Electrical resistivity of cold-worked and heat-treated alloy  $Fe_3Al$ , 1=1018



- Selisskii, Ya.P. On the stability of the structural condition resulting from ordering of work-hardened alloy Fe<sub>3</sub>Al, 1=1433
- Selisskii, Ya.P. Electrical resistance anomalies produced by low-temperature annealing of cold-rolled Fe<sub>3</sub>Al alloy, 1=6126
- Selisskii, Ya.P. Ordering at low-temperature annealing of quenched Fe<sub>3</sub>Al alloy, 1=6534
- Selitskaya, S.I. See Lerinman, R.M., 1=1416
- Selivanenko, A.S. The scattering of free excitons on lattice defects in molecular crystals, 1=17470
- Selivanenko, A.S. See Popov, Yu.M., 1=3853
- Selivanenko, N.E. See Malov, N.N., 1=2673
- Sella, C., Chaperot, D. and Trillat, J.J. Comparative study of the fine structure of different types of artificial cellulose fibres, 1=20652
- Selleri, F. Role of the peripheral interaction in proton-proton collisions, 1=5723
- Selleri, F. See Ferrari, E., 1=19253
- Sellschop, J.P.F. and Mingay, D.W. Stripping reactions of low Q-value, 1=8760
- Selly, L.B.Jr. See Seay, G.E., 1=11621
- Selme, P. The use of a semi-incoherent illumination for observation of amorphous objects in the electron microscope, 1=7097
- Selters, W. See Ward, W.D., 1=9225
- Seltz, R. and Magnac-Valette, D. Excitation curves and cross-sections of the reactions Li(t,n) from 100 to 300 keV, 1=2242
- Seltz, R. See Bilwes, R., 1=2182
- Seltz, R. See Bilwes, R., 1=13701
- Selwood, P.W. See Abeledo, C.R., 1=6307
- Selwood, P.W. See Dietz, R.E., 1=11432
- Selwood, P.W. See Hollis, D.P., 1=12551
- Selyakhina, V.P. See Brainina, Z.Z., 1=15149
- Selzer, E. See Blamont, J.E., 1=20879
- Semaroo, S. See Baldassarre, F., 1=16862
- Semashko, N.N. See Bogdanov, G.F., 1=9614
- Semel, M. Simultaneous observations of magnetic and velocity fields in a large group of sunspots, 1=2614
- Semel, M. See Michard, R., 1=15476
- Semendyaev, K.A. See Zaidel, R.M., 1=5115
- Semenenko, E.E. See Lazarev, B.G., 1=15179
- Semenescu, G. Processes which take place when beams of hydrogen ions or atoms pass through gases, 1=16255
- Semenkovich, S.A., Kolomoets, L.A. and Kolomoets, N.V. The crystallization of Bi, Te and Bi<sub>2</sub>Te<sub>3</sub> by means of the Peltier effect, 1=20438
- Semennikov, Yu.B. Certain aspects of the operation of an electron-acoustic image converter, 1=16038
- Semenov, S.S. See Logunov, V.N., 1=4682
- Semenova, E.I. See Avvakumov, V.I., 1=18433
- Semenova, E.I. See Garif'yanov, N.S., 1=18434
- Semenova, N.V. The anomaly in the electrical resistance of the alloy Ni<sub>3</sub>Cr, 1=7612
- Semerchan, A.A. See Vereshchagin, L.F., 1=5001
- Semerchan, A.A. See Vereshchagin, L.F., 1=11251
- Semerchan, A.A. See Vereshchagin, L.F., 1=14356
- Semerchan, A.A. See Vereshchagin, L.F., 1=17604
- Semiletov, S.A. Electron diffraction investigation of the structure of thin films of indium selenide In<sub>2</sub>Se<sub>3</sub>, 1=12662
- Semiletov, S.A. Crystal structure of the high-temperature form of In<sub>2</sub>Se<sub>3</sub>, 1=15085
- Semiletov, S.A. and Man, L.I. Electron diffraction study of the structure of thin films of some compounds of type Al<sub>2</sub>B<sub>3</sub> and their alloys, 1=11594
- Semin, G.K. See Fedin, E.I., 1=3072
- Sen, B. Note on the uniqueness of solution of problems connected with thin plates bent by normal pressures, 1=92
- Sen, B. Direct method of solving some two-dimensional problems of elasticity, 1=15756
- Sen, D. See Hariharan, P., 1=1824
- Sen, D. See Hariharan, P., 1=4474
- Sen, D. See Hariharan, P., 1=5339
- Sen, D. See Hariharan, P., 1=5351
- Sen, D. See Hariharan, P., 1=8235
- Sen, D. See Hariharan, P., 1=16103
- Sen, D. See Hariharan, P., 1=18606
- Sen, D.K. A simple derivation of the geodesic equations of motion from the matter tensor in general relativity using the  $\delta$ -function, 1=15643
- Sen, H.K. and Wyller, A.A. On the generalization of the Appleton-Hartree magnetoionic formulas, 1=16583
- Sen, J.K. See Deb, S., 1=4181
- Sen, K.K. On the estimate of the asymptotic value of optical thickness of a spherically symmetric stellar atmosphere in the non-conservation case in the second approximation, 1=6717
- Sen, K.K. A note on the problem of introducing sphericity correction to conservative scattering stellar atmosphere model, 1=12770
- Sen, N.R. On the question of "simplicity" of linear field laws, 1=18241
- Sen Sik Minn, Offret, S. and Vodar, B. Disturbances caused by mercury in the study of the adsorption of gas by very thin films of platinum, 1=17612
- Sen Sik Minn, Offret, S. and Vodar, B. Adsorption of gas and the
- Sen, P. Field metrics. II. A correction, 1=7183
- Sen, P. Field metrics. III. Field charges, 1=19092
- Sen, S.N. and Ghosh, A.K. Equivalent pressure concept in crossed electric and magnetic field in electrodeless discharge, 1=18812
- Sen Gupta, A.K. See Mukherjee, P.N., 1=5860
- Sen Gupta, M.K. See De, M., 1=4439
- Sen Gupta, P. Reformulation of non-static cosmological models, 1=17998
- Sen Gupta, R.L., Ghosh, S., Acharya, A., Biswas, M.M. and Roy, K.K. Scattering of  $\mu$ -mesons, 1=5745
- Sena, L.A. See Ivanchenko, V.A., 1=4653
- Senba, K. See Ouchi, T., 1=13308
- Senchenkov, A.P. and Kuznetsov, F.M. A measurement of the neutron spectrum in the thermal column of the power-station reactor, 1=771
- Senda, K. See Kimura, M., 1=1757
- Senda, K. See Shimizu, T., 1=2499
- Senderoff, S. Wilmshurst, J.K., 1=15885
- Sene, R. See Heyman, M., 1=13806
- Senemaud, C. See Bonnelle, C., 1=13946
- Senent, F., Villar, E., Font, R., Miralles, L., García, A. and Catalá, J. On an index of identification of 100 micron tracks in nuclear photographic emulsions, 1=411
- Senent, F. See Catalá, J., 1=17138
- Senent, F. See Catalá, J., 1=19542
- Senent, F. See Catalá, J., 1=19554
- Sengers, J.V. and Cohen, E.G.D. Statistical mechanical derivation of the generalized Boltzmann equation for a fluid consisting of rigid spherical molecules, 1=8060
- Sengupta, S. Coulomb energies of mirror nuclei, 1=5810
- Senior, T.B.A. Scalar diffraction by a prolate spheroid, at low frequencies, 1=371
- Senior, T.B.A. A note on Hansen's vector wave functions, 1=4172
- Senior, T.B.A. Impedance boundary conditions for imperfectly conducting surfaces, 1=16559
- Senior, T.B.A. Impedance boundary conditions for statistically rough surfaces, 1=16560
- Senior, T.B.A. See Hiatt, R.E., 1=7150
- Senitzky, B., Newstein, M., Solimene, N. and Schiff, M. Population enhancement in mercury-krypton gaseous discharges, 1=12250
- Senitzky, I.R. Onset of correlation in initially uncorrelated system, 1=885
- Senitzky, I.R. Induced and spontaneous emission in a coherent field. IV, 1=12015
- Senitzky, I.R. Dissipation in quantum mechanics. The harmonic oscillator, 1=18277
- Senko, M.E. Order-disorder model theory for the ferroelectric effects in the dihydrogen phosphates, 1=5039
- Sens, J.C. See Charpak, G., 1=5742
- Sentpeteri, I. See Zimani, I., 1=15519
- Sentyurina, L.V. See Vasil'chenko, L.S., 1=3032
- Septier, A. Constant gradient iron-less quadrupolar lenses, 1=1916
- Septier, A. Magnetic quadrupole lenses without iron. Producing a constant gradient induction distribution, 1=8360
- Septier, A. A practical calculation on the defocalizing influence of space charge applied to the case of relativistic electron beams, 1=16402

## AUTHOR INDEX

- Septier, A. Calculation of the spherical aberration of quadrupole electrostatic lenses, 1=16412
- Septier, A. and van Acker, J. Correction of the spherical aberration of electrostatic quadrupole lenses functioning astigmatically, 1=3014
- Septier, A. See Grivet, P., 1=1926
- Septier, A. See Grivet, P., 1=1927
- Sera, T. Ya. and Serdyuk, V. V. A new band in the absorption spectrum of polycrystalline cadmium sulphide layers, 1=3837
- Seraphim, D. P. and Marcus, P. M. First and second order stress effects on superconducting transitions in Ta and Sn, 1=11885
- Seraphim, D. P., Novick, D. T. and Budnick, J. I. The effects of imperfections on the superconducting critical temperature of tantalum, 1=16200
- Serbinov, A. N. Investigation of the focusing properties of an ion extraction system in a high-frequency ion source, 1=4656
- Serdobolskii, V. I. Dispersion formulae for overlapping levels, 1=4852
- Serdobolskii, V. I. Dispersion formulae which take into account the optical interaction, 1=17068
- Serdobolskii, V. I. Dispersion formulas in the theory of nuclear reactions, 1=3431
- Serdyuk, V. V. The question of infrared quenching of photoconductivity in single crystals of CdS, 1=14504
- Serdyuk, V. V. See Sera, T. Ya., 1=3837
- Serebrennikov, Yu. I. See Perfilov, N. A., 1=17106
- Serebryakov, V. V. See Ginzburg, I. F., 1=19122
- Sergeant, R. L. and Harris, J. D. Supra-aural cushions in audiometry, 1=10344
- Sergeev, B. V. See Kuo Ch'i-Ti., 1=13773
- Sergeev, S. I. See Burshtein, R. Kh., 1=17684
- Sergeeva, K. Y. See Troitskaya, V. A., 1=20800
- Sergeeva, V. D. and Terminasov, Yu. S. X-ray diffraction study of the structural distortions of steel during wear, 1=15187
- Sergeeva, V. M. See Petrusevich, V. A., 1=11169
- Sergeeva, V. M. See Petrusevich, V. A., 1=11366
- Sergeeva, V. M. See Zaslavskii, A. I., 1=2381
- Sergeeva, V. M. See Zaslavskii, A. I., 1=4065
- Sergeeva, V. M. See Zhuze, V. P., 1=2415
- Sergiescu, V. The thermal conductivity of molecular crystals with internal rotation, 1=924
- Sergiescu, V. A statistical justification of the cyclic condition in the zone theory of crystals, 1=937
- Series, G. W. See Dodd, J. N., 1=17275
- Series, G. W. See Fox, W. N., 1=11064
- Series, G. W. See Kibble, B. P., 1=12246
- Serin, B. See Rose-Innes, A. C., 1=18722
- Seris, G. and Vernotte, P. Liquid nitrogen feeding of a mass spectrograph trap, 1=5314
- Serkov, V. V. Concerning the paper by D. D. Voeikov on "Method of improving the stability of the Hall effect probes", 1=18971
- Serkowski, K. Determination of differential limb darkening of eclipsing binaries from multicolor photometric observations. I, 1=18102
- Serotta, N. See Miller, G. E., 1=4316
- Serra, A. See Beneventano, M., 1=13227
- Serra, A. See Diambrini, G., 1=5524
- Serre, J. The electronic structures of NO<sub>2</sub>, and its plane dimer N<sub>2</sub>O<sub>4</sub>, 1=19645
- Serres, A. Thermomagnetic study of the system CoO-NiO, 1=20045
- Serson, H. V. and Blevins, B. C. Observations of auroral ionization during the period November 11-16, 1960, 1=10332
- Servajean, R. Contribution to the study of the kinematics of the material in sunspots and granules, 1=15466
- Servant, R. The low-temperature variation of hyperfine structure in the paramagnetic resonance of gamma-irradiated glycine, 1=11484
- Servant, R. Dielectric anisotropy of blocks of paper at hyperfrequencies, 1=14540
- Servent, J. M. Goupil, J., 1=2257
- Servoz-Gavin, M. See Bonnet, M., 1=13149
- Servranckx, R. See Thomas, E., 1=4383
- Seshadri, S. R. High-frequency diffraction of plane waves by an infinite slit. I, 1=240
- Seshadri, S. R. High-frequency diffraction of plane waves by an infinite slit. II, 1=241
- Seshadri, S. R. Scattering by a narrow unidirectionally conducting infinite strip, 1=372
- Seshadri, S. R. A note on the back-scattering by an infinite strip, 1=16570
- Seshadri, S. R. A note on the back-scattering of a circular disk, 1=16571
- Seshadri, S. R. Diffraction of a plane wave by a unidirectionally conducting half-plane, 1=16572
- Seshadri, T. N. and Jain, S. P. A constant ice-point junction for thermocouples in continuous use for long periods, 1=8258
- Seshagiri Rao, M. G. and Ramachandra Rao, B. Ultrasonic velocity in aqueous solutions of some electrolytes, 1=15871
- Sesonske, A. See George, R. E., 1=751
- Sessler, A. M. See Glassgold, A. E., 1=5235
- Sessler, A. M. See Laslett, L. J., 1=8366
- Sessler, A. M. See Neil, V. K., 1=8364
- Sessler, G. Sound absorption and dispersion in gaseous N<sub>2</sub>O<sub>4</sub>(NO<sub>2</sub>), 1=4376
- Sessler, G. Sound propagation in gaseous hydrogen, 1=8158
- Sessler, G. Sound propagation in partially dissociating gaseous N<sub>2</sub>O<sub>4</sub>, 1=8159
- Šesták, B. and Libovický, S. The formation of dislocations by a spark discharge, 1=17529
- Šesták, B. and Libovický, S. Dislocations in crystals of iron-silicon alloys indented by a ball, 1=20363
- Seth, K. K. On the spin dependence of neutron strength functions, 1=8558
- Seth, K. K. See Bilpuch, E. G., 1=13654
- Seth, K. K. See Wilenzick, R. M., 1=3449
- Sethna, D. N., Johnson, A. A., Proud, K. J. and Sheinin, S. S. The tensile properties of heavily deformed molybdenum after neutron irradiation, 1=20377
- Setser, D. W., Rabinovitch, B. S. and Spittler, E. G. Primary processes in Hg(<sup>3</sup>P<sub>1</sub>) photosensitized reaction of cyclopropanes, 1=20754
- Sette, D. See Bertolotti, M., 1=12437
- Setty, C. S. G. K. See Rishbeth, H., 1=20990
- Setty, P. S. V. Dependence of silent discharges on external pressure, 1=4579
- Setty, P. S. V. Optimum conditions to observe the new light effect, 1=8318
- Sevast'yanov, B. K. Magnetic properties of thin superconducting tin and indium films, 1=16202
- Sevchenko, A. N., Gurinovich, G. P. and Solov'ev, K. N. Some characteristics of the polarization of the fluorescence of porphyrins, 1=5053
- Sevchenko, A. N. See Volod'ko, L. V., 1=4344
- Sevchenko, A. N. See Volod'ko, L. V., 1=10514
- Severin, H. The analogy of acoustic and electromagnetic boundary-value problems, 1=200
- Severin, H. and Körper, K. Diffraction of electromagnetic wave at rectangular apertures in flat metal screens, 1=7148
- Severne, G. Magneto-resistance in superfluid liquid helium, 1=18694
- Severnýi, A. B. On the appearance of cosmic rays in the "pinch effect" in solar flares, 1=26
- Severnýi, A. B. Generation of flares by varying magnetic fields on the sun, 1=18092
- Severnýi, A. B. and Shabanskii, V. P. The generation of cosmic rays in flares, 1=18089
- Sevier, K., Jr. See De Croës, M., 1=630
- Sevier, K., Jr. See Parke, W., 1=629
- Sevruk, I. G. Nonstationary thermal convection in a spherical layer, 1=6974
- Sevruk, I. G. Laminar convection over a linear heat source, 1=6976
- Sewall, S. T. See Swets, J. A., 1=21122
- Seward, F. D., Hatcher, C. R. and Fultz, S. C. Measurement of the annihilation-in-flight cross section at 0° for 8.5 MeV positrons, 1=2043
- Sewell, G. L. Electric conduction in antiferromagnetics, 1=3732
- Sewell, G. L. Diamagnetism of many-fermion systems, 1=4531
- Sewerynski, M. See Isaev, P. S., 1=5768
- Sewerynski, M. V. See Isaev, P. S., 1=16875
- Sexena, S. C. Thermal diffusion factor for hydrogen and water mixtures, 1=12870
- Sexl, R. The splitting of the energy levels in a crystal and the calculation of the binding energy, 1=926
- Sexl, R. Theory of multiple scattering, 1=19029
- Sexl, R. See Baumann, K., 1=15678
- Seybolt, A. U. See Ainslie, N. G., 1=3690
- Seyer, W. F. See Nobe, K., 1=6571



- Seykora, E.J. Magnetic mirror confinement of exploding wire plasma, 1=18870
- Seyler, R.G. and Blanchard, C.H. Classical self-consistent nuclear model, 1=18957
- Seymour, E.F.W. See Flynn, C.P., 1=1410
- Seymour, E.F.W. See Flynn, C.P., 1=4357
- Seymour, E.F.W. See Flynn, C.P., 1=10190
- Seymour, P.W. Estimation of the maximum temperature in a radially constricted gas discharge between electrodes, 1=8332
- Seymour, P.W. The influence of thermoelectric effects on the maximum temperature in a radially constricted gas discharge between electrodes, 1=18781
- Seymour, P.W. A stability criterion for a radially constricted gas discharge between electrodes, 1=18782
- Seymour, R. See Woolsey, G.A., 1=18796
- Sezerlënd, G. Sutherland, G.B.B.M. New trends in infrared spectroscopy, 1=2856
- Shabalin, E.P. See Kozhushner, M.A., 1=19159
- Shabanskii, V.P. Structure of the transition layer between a plasma and a magnetic field, 1=18833
- Shabanskii, V.P. See Severnyi, A.B., 1=18089
- Shafer, R.E. See Jupiter, C.P., 1=2044
- Shaffer, G.V. See Kuzmin, A.I., 1=20877
- Shaffer, J.D. Low frequency underwater sound velocity meter, 1=2831
- Shaffer, P.T.B. Compact apparatus for high temperature modulus of rupture measurement, 1=11499
- Shaffer, W.H. See De Loach, B.C., Jr., 1=7529
- Shaffer, W.H. See Waggoner, J.H.Jr., 1=13990
- Shaffer, Y.G. See Kuzmin, A.I., 1=20877
- Shafie, I.S. See Arafa, A.A., 1=6184
- Shafranovskii, I.I. An extended study of crystal forms and the crystal morphology of twins, 1=14949
- Shafronov, V.D. On the stability of a plasma column in the presence of a longitudinal magnetic field and a conducting casing, 1=9581
- Shafronov, V.D. See Bragonsky, S.I., 1=9577
- Shafronov, V.D. See Braginsky, S.I., 1=9578
- Shafronov, V.D. See Braginsky, S.I., 1=9577
- Shafroth, S.M. Experiments with 2 MeV lithium ions, 1=13861
- Shafroth, S.M. See Ballini, R., 1=513
- Shafroth, S.M. See Barloutaud, R., 1=13527
- Shah, G.Z. and Thaker, B.M. Total cross sections for the nuclear scattering of 765 MeV nucleons, 1=683
- Shah, G.Z. and Thaker, B.M. Absorption cross-sections for the nuclear scattering of high energy nucleons, 1=17091
- Shah, K.B. See Vaidya, P.C., 1=10412
- Shah, S.K. See Pandya, S.P., 1=9796
- Shahani, M.G. A simple method of absolute beta counting by scintillation technique, 1=5845
- Shahin, N. See Bruin, F., 1=16484
- Shain, C.A. Absorption of 19.7 Mc/s radiation in H II regions, 1=18185
- Shain, C.A. Observations of extragalactic radio emission, 1=18193
- Shakeshaft, J.R. See Archer, S., 1=18135
- Shakeshaft, J.R. See Baldwin, J.E., 1=18194
- Shakeshaft, J.R. See Pauliny-Toth, I.I.K., 1=10398
- Shakh-Budagov, A.L. See Bredov, M.M., 1=17771
- Shakhidzhanov, S.S. See Vystavkin, A.N., 1=4646
- Shakhov, K.P. See Lyubimov, M.L., 1=9429
- Shakhov, V.V. See Burtsev, V.A., 1=5478
- Shakhov, V.V. See Burtsev, V.A., 1=9604
- Shakhovskoi, G.P. See Boksha, S.S., 1=6686
- Shakhparonov, M.I. Rayleigh scattering of light and orientational ordering of molecules, 1=11747
- Shakhparonov, M.I. See Lanshina, L.V., 1=4341
- Shakhulashvili, O.A. See Dzhaneldze, L.P., 1=19282
- Shalagina, E.V. See Kobzev, V.A., 1=19196
- Shalamov, Ya.Ya. and Shebanov, V.A. Production of  $\pi^0$ -mesons in collisions between 2.8 BeV/c  $\pi$ -mesons and protons, 1=19237
- Shalamov, Ya.Ya., Shebanov, V.A. and Grashin, A.F. Production of  $Y^0$  ( $\Lambda$ ,  $\Sigma$ ,  $\eta$ ) and  $K^0$ -particles on light nuclei by 2.8 BeV/c  $\pi$ -mesons, 1=19270
- Shalamov, Ya.Ya. See Barmin, V.V., 1=19273
- Shalamov, Ya.Ya. See Bayukov, Yu.D., 1=19257
- Shalamov, Ya.Ya. See Blinov, G.A., 1=3098
- Shalimova, K.V., Travina, T.S. and Golik, L.L. Optical absorption of polycrystalline layers of CdS, 1=14588
- Shalimova, K.V., Travina, T.S. and Golik, L.L. Optical absorption of polycrystalline layers of CdS, 1=17882
- Shalimova, K.V., Travina, T.S. and Rezvii, R.R. The photo-conductivity of polycrystalline layers of cadmium sulphide, 1=17793
- Shal'nev, K.K. Resistance of polymer plastics to erosion by cavitation, 1=20394
- Shaltiel, D. and Low, W. Anisotropic broadening of linewidth in the paramagnetic resonance spectra of magnetically dilute crystals, 1=20212
- Shalyt, S.S. See Parfen'ev, P.V., 1=3773
- Shalyt, S.S. See Parfen'ev, R.V., 1=17623
- Shamfarov, Ya.L. A highly-sensitive paramagnetic [superheterodyne] microwave spectrometer for 9000 Mc/s, 1=5604
- Shamov, V.P. See Perfilov, N.A., 1=3468
- Shamovskii, L.M., Dunina, A.A. and Gosteva, M.I. The energy of thermal dissociation of F-centres in KCl, 1=994
- Shamro, Z.A. Some features of the piezoelectric effect in barium titanate, 1=2433
- Shamro, Z.A. Some features of the piezoelectric effect in barium titanate, 1=8197
- Shams el Din, A.M. and Rodewald, H.J. The indentation hardness of diamonds, 1=1351
- Shanda, J. See Lendvai, É., 1=20032
- Shandor, T., Shomogi, A. and Telbisz, F. The energy spectrum of  $\mu$ -mesons in extensive air showers, 1=16941
- Shanefield, D. Simple improved thermostat system, 1=5368
- Shang Yi Ch'en, Atwood, M.R. and Warnock, T.H. Collision induced satellite bands of In and Tl lines in the presence of rare gases, 1=19591
- Shang Yi Ch'en and Wilson, R.A., Jr. The position dependence of collision induced satellites of alkali lines on the nature of the alkali, 1=9910
- Shanks, H.R. See Ellerbeck, L.D., 1=11259
- Shapiro, A.M. See Kopp, J.K., 1=10907
- Shapiro, B.S. and Potapova, N.I. The electron distribution with height during the disturbances in July 1959, 1=20911
- Shapiro, C.S. Prompt critical assembly gamma ray sources, 1=17241
- Shapiro, F.L. See Aksenov, S.I., 1=13633
- Shapiro, F.L. See Bergman, A.A., 1=19491
- Shapiro, F.L. See Popov, Yu.P., 1=19489
- Shapiro, G. See Devons, S., 1=517
- Shapiro, G. See Hutchinson, D.P., 1=16833
- Shapiro, I. See Lehmann, W.J., 1=6013
- Shapiro, I. See Lehmann, W.J., 1=6014
- Shapiro, I.I. and Jones, H.M. Perturbations of the orbit of the Echo balloon, 1=50
- Shapiro, I.I. and Jones, H.M. Loss of mass in echo satellite, 1=5178
- Shapiro, I.I. and Jones, H.M. Lifetimes of orbiting dipoles, 1=18221
- Shapiro, I.R., Stolarik, J.D. and Heppner, J.P. Authors' reply to the preceding discussion, 1=1577
- Shapiro, I.R. See Cain, J.C., 1=20899
- Shapiro, I.S. Weak interactions in the theory of elementary particles with finite space, 1=5663
- Shapiro, I.S. and Blokhintsev, L.D. Capture of  $\mu^-$ -mesons by the  $O^{16}$  nucleus, 1=19500
- Shapiro, J. Statistical weights in multiple particle production, 1=13368
- Shapiro, M.M. See Hildebrand, B., 1=3320
- Shapiro, M.M. See O'Dell, F.W., 1=3321
- Shapiro, M.M. See Snow, G.A., 1=12092
- Shapiro, S. See Nicol, J., 1=1860
- Shapiro, S. See Smith, P.H., 1=11886
- Shapiro, R. See Ward, F., 1=15359
- Shapley, A.H. and Trotter, D. Summary of outstanding solar events in July 1959, 1=18083
- Shapochkin, V.A. See Vereshchagin, L.F., 1=9098
- Shapoval, E.A. The upper critical field of superconducting alloys, 1=18710
- Shapovalov, I.M. and Radchenko, I.V. X-ray investigation of copper acetate solutions in water, 1=11748
- Shapovalov, I.M. See Radchenko, I.V., 1=15840

## AUTHOR INDEX

- Shapovalov, L.A. Effect of irregular heating on the stability of a compressed bar [of rectangular cross-section], 1=1312
- Sharan, B. Evaluation of vibration spectrum and heat capacities of tungsten and molybdenum by De Launay's electron gas model, 1=19701
- Sharan, B. and Singh, S.P. Lattice frequencies and specific heats of germanium and silicon, 1=17399
- Sharan, B. See Dayal, B., 1=8880
- Sharan, B. See Dayal, B., 1=14232
- Sharikadze, D.V. A non-steady problem of magneto-hydrodynamics, 1=13161
- Sharikadze, D.V. A non-steady problem of magnetohydrodynamics, 1=16522
- Sharikadze, D.V. Motion of a medium with finite conductivity in the presence of a uniform magnetic field, 1=18993
- Sharikadze, D.V. See Dzhorbenadze, N.P., 1=5538
- Sharkey, W.P. See O'Connor, T.C., 1=12689
- Sharma, A. See Ghosh, S.N., 1=21032
- Sharma, B.D. Stresses due to a nucleus of thermo-elastic strain (i) in an infinite elastic solid with spherical cavity and (ii) in a solid elastic sphere, 1=95
- Sharma, B.D. Interferometric studies of deformation bands in metal crystals, 1=1361
- Sharma, B.L. Investigations of the decay-scheme of  $Rh^{101}$ , 1=667
- Sharma, B.L. Beta decay of  $Tm^{171}$ , 1=9831
- Sharma, H.D. See Jatar, D.P., 1=4580
- Sharma, M.N. See Pradhan, B.P., 1=17825
- Sharma, R.P. See Ambiyee, K.S.Y., 1=17021
- Sharma, S.K. Flow of a visco-elastic liquid near a stagnation point, 1=115
- Sharma, S.K. Propagation of sound waves in visco-elastic compressible fluids, 1=12941
- Sharman, R.V. and White, D. Initial vibrations of a supported beam, 1=15997
- Sharn, C.F. High-energy radiation damage to fluorescent organic solids, 1=3697
- Sharonov, V.V. A lithological interpretation of the photometric and colorimetric studies of Mars, 1=18040
- Sharov, B.V. See Batenin, I.V., 1=3698
- Sharp, G.R. See Molyneux, L., 1=15390
- Sharpe, J. Progress in photomultiplier tubes, scintillation instruments and image intensifiers, 1=3079
- Sharpe, K.W. See Sanders, A.P., 1=1954
- Sharpless, R.A., Clark, K.C. and Young, R.A. Improved Wrede
- Sharpton, F.A. See Hughes, R.H., 1=5975
- Sharpton, F.A. See Hughes, R.H., 1=9909
- Sharvin, Yu.V. and Gantmakher, V.F. Dependence of the depth of penetration of the magnetic field in a superconductor on the magnetic field strength, 1=18708
- Shaskol'skaya, M.P. and Blistanov, A.A. The decoration of defects in silver chloride crystals, 1=3677
- Shaskol'skaya, M.P., Van Yan'-ven' [Wang Yen-wên] and Gu Shchu-chzhao', 1=11215
- Shaskol'skaya, M.P., Van Yan'-ven' [Wang Yen-wên] and Gu Shchu-chzhao'. The formation of dislocations on electrical breakdown in ionic crystals, 1=12391
- Shaskol'skaya, M.P. See Vekilov, Yu.Kh., 1=14856
- Shatilov, A.V. Scattering of light by dielectric ellipsoids of size comparable with wavelength. II. Dependence of the scattering function on the dimensions, shapes and orientations of the ellipsoids. The scattering coefficient, 1=2888
- Shats, M.M. See Starik, I.E., 1=18
- Shatvalov, L.Ya. See Vasil'ev, S.S., 1=17032
- Shaver, H.N. See Spogen, L.R., 1=1603
- Shavrin, P.I. See Savenko, I.A., 1=19318
- Shavrin, P.I. See Vernov, S.N., 1=21067
- Shavtvalov, L.Ya. See Vasil'ev, S.S., 1=19403
- Shaw, B.J. See Jaswon, M.A., 1=9079
- Shaw, B.L. See Chatt, J., 1=869
- Shaw, D. Photosensitivity and speed of response in cadmium sulphide, 1=11324
- Shaw, D.F. See Arnold, M., 1=558
- Shaw, D.J. and Dunell, B.A. Fine structure in the proton magnetic resonance spectrum of 6-6 nylon, 1=20265
- Shaw, G. See Ross, M., 1=9770
- Shaw, G.L. See Ross, M.H., 1=12055
- Shaw, H.J. See Auld, B.A., 1=5588
- Shaw, J.E. Geomagnetic and current control of E-region absorption, 1=6619
- Shaw, J.E. A theory of the origin and geomagnetic control of two types of high latitude E., 1=6620
- Shaw, J.E. Outline of a theory of magnetic separation of auroral particles and the origin of the  $S_n$  field, 1=6636
- Shaw, P.F.D. See Lisle, J.C., 1=653
- Shaw, R.W., Mapother, D.E. and Hopkins, D.C. Isotope effect in superconducting lead, 1=1858
- Shaylor, H.R. and Whitaker, P.D. Acceleration of deuterons in a synchrotron, 1=9658
- Shaylor, H.R. See Doran, G.A., 1=1945
- Shchedrin, B.M. See Simonov, V.I., 1=20516
- Shchedrin, N.I. See Osovets, S.M., 1=7039
- Shchedrin, N.I. See Osovets, S.M., 1=7060
- Shchegolev, G.T. See Suetin, P.E., 1=15921
- Shchegolev, I.F. See Karimov, Yu.S., 1=14093
- Shchegolev, V.A. See Lomanov, M.F., 1=12037
- Shchegoleva, T.V. See Lerinman, R.M., 1=1416
- Shchegolyev, I.F. See Karimov, Yu.S., 1=20268
- Shchemelev, V.N. See Rumsh, M.A., 1=4634
- Shchemelev, V.N. See Rumsh, M.A., 1=10730
- Shchepëtkin, A.A. See Bogoslovskii, V.N., 1=12640
- Shchepetrov, R.V. See Troitskaya, V.A., 1=20800
- Shcherbakov, G.I. See Varich, N.I., 1=10266
- Shcherbakov, G.P. See Sokol'skaya, L.L., 1=11962
- Shcherbakov, Yu.A. See Kozodaev, M.S., 1=19073
- Shcherbakov, Yu.A. See Kozodaev, M.S., 1=19296
- Shcherbina, V.A. Causality condition and non-local Lagrangian in quantum electrodynamics, 1=13280
- Shcherbina, V.A. Causality condition and non-local Lagrangian in quantum electrodynamics, 1=16648
- Shcherbinin, O.N. See Anoshkin, V.A., 1=4616
- Shchipanov, V.A. See Grazhdankina, N.P., 1=17619
- Shchukin, E.D. A possible mechanism of formation of slip-lines in the absence of localized sources of dislocations, 1=7581
- Shchukin, E.D. A possible mechanism of formation of slip-lines in the absence of localized sources of dislocations, 1=10002
- Shchukin, E.D., Kochanova, L.A. and Likhtman, V.I. Certain characteristics of the brittle fracture metal crystals, 1=6471
- Shchukin, E.D., Pertsov, N.V. and Goryunov, Yu.V. The variation of mechanical properties, structure, and electrical conductivity of single crystals under the influence of a strong adsorption-active medium, 1=14910
- Shchukin, E.D. See Kochanova, L.A., 1=6478
- Shearin, P.E. and Hoover, R.L. Measurement of low-energy beta-ray spectra using a high-pressure proportional counter, 1=19389
- Shearin, P.E. See Chaplin, R.L., 1=17505
- Shebanov, V.A. See Barmin, V.V., 1=19273
- Shebanov, V.A. See Bayukov, Yu.D., 1=19257
- Shebanov, V.A. See Blinov, G.A., 1=3098
- Shebanov, V.A. See Krestnikov, Yu.A., 1=16869
- Shebanov, V.A. See Shalamov, Ya.Ya., 1=19237
- Shebanov, V.A. See Shalamov, Ya.Ya., 1=19270
- Sheer, R.E., Jr. See Nagamatsu, H.T., 1=11935
- Sheffield, J.C. See Rourke, F.M., 1=11196
- Sheffield, J.C. See White, F.A., 1=9920
- Sheffield, J.C. See White, F.A., 1=18923
- Shefov, N.N. On the nature of helium emission  $\lambda$  10830 Å in aurorae, 1=15315
- Shefov, N.N. See Krassovsky, V.I., 1=21022
- Sheftal', N.N. See Kokorish, E.Yu., 1=4026
- Sheftal', N.N. See Kurov, G.A., 1=14435
- Sheftal', N.N. See Stepanov, I.V., 1=11536
- Sheftal', I.T., Kurlina, E.V. and Tekster-Proskuryakova, G.N. The electrical properties and structure of complex oxide semiconductors. III. The system  $CuO-CoO-NiO-O_2$ , 1=19884
- Sheftal', I.T., Zaslavskii, A.I., Kurlina, E.V. and Tekster-Proskuryakova, G.N. The electrical properties and structures of complex oxide semiconductors. II. The systems  $MnO-CoO-NiO-O_2$  and  $MnO-CuO-NiO-O_2$ , 1=19883
- Sheinin, S.S. See Sethna, D.N., 1=20377
- Sheinkman, M.K. See Holýnna, H.I., 1=14511
- Sheinkman, M.K. See Pisarenko, Zh.G., 1=12392
- Sheinkman, M.K. See Pisarenko, Zh.G., 1=14286
- Sheinkman, M.K. See Salkov, Ye.A., 1=19902



- Sheka, V.I. See Rashba, E.I., 1=17441  
 Sheka, V.I. See Rashba, E.I., 1=19842  
 Shekhmamet'ev, R.I. Low temperature luminescence and absorption in crystals of  $\text{BiI}_3$ , 1=10111  
 Shekhmamet'ev, R.I. Low temperature luminescence and absorption in crystals of  $\text{BiI}_3$ , 1=11394  
 Shekhmamet'ev, R.I. See Gross, E.F., 1=17906  
 Shekhter, V.M. Symmetry properties of strong interactions, 1=19127  
 Shekhter, V.M. See Ansel'm, A.A., 1=19111  
 Shekhter, V.M. See Azimov, Ya.I., 1=19173  
 Shekun, L.Ya. See Vinokurov, V.M., 1=20205  
 Sheldon, B.E. See Reynolds, W.N., 1=14348  
 Sheldon, J.A. See Billmeyer, F.W., 1=9237  
 Sheleg, A.U. See Sirot, N.N., 1=5016  
 Shel'ne, R.K. Core reconstitution in heavy deformed nuclei, 1=12141  
 Shel'ne, R.K. and Wildermuth, K. Experimental evidence for cluster structures in light- and medium-weight nuclei, 1=3378  
 Shel'kh, A.I. See Zhuze, V.P., 1=2415  
 Shelyubskii, V.E. and Vaisfel'd, N.M. An electron-microscopic investigation of the structure of sodium borosilicate glass, 1=20716  
 Shelyubskii, V.I. and Gusarov, V.V. A high-temperature silit furnace, 1=4508  
 Shemyakin, E.I. A method of integration of nonstationary linear boundary-value problems concerning the propagation of disturbances in non-ideally elastic media, 1=6923  
 Shen, K.Y. See Caianiello, E.R., 1=13341  
 Shen, K.Y. See Griem, H.R., 1=8809  
 Shen, S.P. See Milford, S.N., 1=9251  
 Shenderovich, A.M. See Grishaev, I.A., 1=16625  
 Shenker, H. Low-field breakdown, non-ohmic conductivity, and photoconductivity of CdS at low temperatures, 1=19874  
 Shenstone, A.G. The second spectrum of silicon, 1=13948  
 Shepelev, A.G. See Pervakov, V.A., 1=9091  
 Shepherd, F.D. See Yang, A.C., 1=9116  
 Shepherd, G.G. A Fabry-Perot spectrometer for auroral and airglow observations, 1=1551  
 Shepherd, L.T. and Skarsgard, H.M. Radio-frequency breakdown controlled by drift of electrons in an inhomogeneous magnetic field, 1=18809  
 Sher, R.  $\gamma$  -  $\gamma$  coincidence method for measuring resonance escape probability in  $\text{U}^{238}$  lattices, 1=17248  
 Sher, R. and Leroy, J. The value of  $\nu$  for fission spectrum induced and spontaneous fission of  $^{235}\text{U}$ , 1=17172  
 Shercliff, J.A. Some generalizations in one-dimensional magneto-gas dynamics, 1=5571  
 Shercliff, J.A. One-dimensional magnetogas dynamics in oblique fields, 1=13166  
 Shereshevskii, A.M. See Pavlenko, V.A., 1=4664  
 Sheret, M.A. and Thomas, G.M. Auroral observations at Halley Bay, Antarctica, during 1959, 1=10333  
 Sheridan, J., Cox, A.P., Tyler, J.K., Thomas, L.F. and Turner, A.C. Recent studies of the structure of some simple molecules by microwave spectroscopy, 1=12284  
 Sheridan, K.V. See Wild, J.P., 1=2651  
 Sherman, A. Viscous magnetohydrodynamic boundary layer, 1=7128  
 Sherman, A. The effect of nonuniform magnetic fields on internal flows of conducting fluids, 1=16507  
 Sherman, A.E. See Coengsen, F.H., 1=5407  
 Sherman, C. and Yos, J.M. Scaling laws for electric arcs subject to forced convection, 1=9534  
 Shermegor, T.D. A contribution to the theory of relaxation phenomena in solid bodies, 1=7818  
 Sherr, P.E. Some airborne refractive-index measurements at 150 mb, 1=20867  
 Sherr, R. See Bayman, B.F., 1=19462  
 Sherr, R. See Daehnick, W., 1=10813  
 Sherrick, C.E. Jr. and Mangabeira-Albernaz, P.L. Auditory threshold shifts produced by simultaneously pulsed contralateral stimuli, 1=15376  
 Sherrill, M.D. and Edwards, H.H. Superconducting tunneling on bulk niobium, 1=9514  
 Shersby-Harvie, R.B.R.-. On Schmidt's virial theorem for plasmas, 1=9544  
 Sherwin, C.W. Regarding the observation of the Lorentz contraction on a pulsed radar system, 1=2685  
 Sherwin, J. See Curtis, G.C., 1=12002  
 Sherwood, J.W.C. Transient sound propagation in a layered liquid medium, 1=1785  
 Sherwood, R.C. See Geller, S., 1=12542  
 Sherwood, R.C. See Matthias, B.T., 1=3882  
 Sherwood, R.C. See Matthias, B.T., 1=12526  
 Sherwood, R.C. See Nesbitt, E.A., 1=6382  
 Shestakov, I.B. See Bredov, M.M., 1=17771  
 Shestopalov, L.M. and Romashkin, Yu. Diffusion of silver in plastically deformed copper, 1=3689  
 Shestopalov, L.M. See Belogurov, B.V., 1=7535  
 Shestopalov, L.M. See Romashkin, Yu.P., 1=3980  
 Shestopalov, V.P., Slyusarskii, V.A. and Yatsuk, K.P. Investigations of helix — anisotropic dielectric and helix — ribbed structure slow-wave systems. II, 1=4723  
 Shestopalov, V.P., Yatsuk, K.P. and Bugai, I.D. Allowance for the periodic properties of spirals when measuring dielectric constants of materials by the spiral waveguide method, 1=285  
 Shestopalov, V.P. See Bulgakov, B.M., 1=4724  
 Shestopalov, V.P. See Kalm'kova, S.S., 1=5585  
 Shestoporov, V.Ya. See Babetski, S.Yu., 1=19314  
 Shestoporov, V.Ya. See Grigorov, N.L., 1=3265  
 Shevchenko, O.P. See Teplov, I.B., 1=19468  
 Shevchenko, V.G. See Balashov, V.V., 1=19442  
 Shevchenko, V.G. See Neudachin, V.G., 1=8686  
 Shevchin, A.D. See Antsilevich, M.G., 1=6651  
 Shewell, J.R. Uniqueness of the orbital angular momentum operators, 1=15693  
 Shewmon, P. The thermal diffusion of carbon in  $\alpha$  and  $\gamma$  iron, 1=3682  
 Shibaike, T. See Komatsubara, K., 1=14485  
 Shibaoka, Y. See Tamada, K., 1=15825  
 Shibata, A. Distribution coefficient of zinc in gallium arsenide, 1=15143  
 Shibata, A. On the secondary tunnelling phenomena in a p-n junction of gallium arsenide, 1=17774  
 Shibata, C. Electron emission current from oxide coated cathode subject to high electric field, 1=9635  
 Shibata, C. On the electron emission from oxide coated cathode subject to strong electric field, 1=13100  
 Shibata, H. On the nuclear interaction of mu-mesons, 1=13463  
 Shibata, H. and Watanabe, S. Analysis of the variation of  $f_0E$  and index of solar activity, 1=15292  
 Shibata, H. See Higashi, S., 1=3294  
 Shibata, N. On a solution of the paraxial ray equation in an axially symmetrical electrostatic field, 1=9640  
 Shibata, T. Transformation of the electromagnetic null field under the new Lorentz subgroup, and the momentum energy of photon radiated from moving particle, 1=426  
 Shibata, T. and Ikeda, M. On representations of the new fundamental group of transformations in special relativity, 1=12798  
 Shibuya, I. X-ray studies of the ferroelectric phase transition in  $\text{NaNO}_3$ , 1=14557  
 Shibuya, I. and Mitsui, T. The ferroelectric phase transition in (glycine),  $\text{H}_2\text{SO}_4$  and critical X-ray scattering, 1=14556  
 Shibuya, I. See Hoshino, S., 1=20560  
 Shibuya, M. and Sasaki, W. Intervalley scattering of hot electrons, 1=10039  
 Shichijo, Y. and Miyadai, T. Magnetic properties and ferrimagnetic resonance in polycrystalline  $3\text{Y}_2\text{O}_3 \cdot (5-x)\text{Fe}_2\text{O}_3 \cdot x\text{In}_2\text{O}_3$ , 1=20143  
 Shichijo, Y., Miyadai, T. and Takata, H. Ferrimagnetic resonance in polycrystalline europium-iron garnet ( $\text{Eu}_3\text{Fe}_5\text{O}_{12}$ ), 1=12555  
 Shichijo, Y., Tsuya, N. and Suzuki, K. Initial permeability characteristics of vanadium-doped manganese-zinc ferrites, 1=6371  
 Shichijo, Y. See Miyadai, T., 1=1255  
 Shichijo, Y. See Miyadai, T., 1=20186  
 Shida, S. See Kuri, Z., 1=6056  
 Shida, S. See Ueda, H., 1=20230  
 Shield, R.T. See Eason, G., 1=6459  
 Shifrin, K.S. and Raskin, V.F. The sensitivity of poly-dispersive indicatrices to the form of distribution curves, 1=16116  
 Shigin, V.A. Anisotropy of fragments  $I_0^\circ/I_{90}^\circ$  in the fission of  $\text{U}^{235}$  by neutrons with energies of 100-1000 keV, 1=19544

- Shigin, V.A. See Gorlov, G.V., 1=17171
- Shikazono, N. See Komura, S., 1=19686
- Shikazono, N. See Takekoshi, H., 1=17060
- Shiklosh, T. See Pu Fu-Cho, 1=1205
- Shiklosh, T. See Tablikov, S.V., 1=2469
- Shilkov, K.S. See Korobochko, Yu.S., 1=4684
- Shimada, A. See Toyoda, K., 1=12670
- Shimakawa, S. Propagation of ultrasonics in triethylamine-water mixture, 1=12878
- Shimamoto, Y. Internal symmetries of strong baryon-meson interactions, 1=7201
- Shimanouchi, T. and Suzuki, I. Force constants of chloro- and bromomethanes, 1=7453
- Shimanouchi, T. and Tasumi, M. Dichroism of 603  $\text{cm}^{-1}$  band of polyvinyl chloride, 1=7712
- Shimanouchi, T., Tsuboi, M. and Miyazawa, T. Optically active lattice vibrations as treated by the GF-matrix method, 1=19700
- Shimanskaya, N.S. Determination of the half-lives of radioactive isotopes with the help of a double static calorimeter, 1=4836
- Shimans'kiy, Yu.I. See Golik, O.Z., 1=12879
- Shimaoka, K. Electron diffraction study of ice, 1=7866
- Shimashek, E. Relation between depth of penetration of a magnetic field and temperature in superconducting lead, 1=16198
- Shimashek, E. The critical magnetic field of thin lead films, 1=18716
- Shimazaki, T. Non-seasonal variation in the E layer ionization, 1=15277
- Shimazaki, T. The occurrence of the spread-F and the geomagnetic field, 1=21013
- Shimazu, H. On the non-local boundary condition in quantum field theory, 1=3106
- Shimchak, M.M. See Evseev, V.S., 1=19499
- Shimizu, H. and Fujiwara, S. Nuclear relaxation processes of a non-equivalent two-spin system, 1=8855
- Shimizu, H., Fujiwara, S. and Morino, Y. Molecular structure of diphenylethers, 1=12325
- Shimizu, H. See Arata, Y., 1=20254
- Shimizu, M. On the stability of an electron gas at low density, 1=7566
- Shimizu, M. Ferromagnetism of an electron gas, 1=8900
- Shimizu, M. The photoionization of  $\text{H}_2$  and the spatial correlation between electrons, 1=11907
- Shimizu, M. On the possibility of ferromagnetism for an electron gas, 1=12369
- Shimizu, M. Paramagnetic susceptibility of an electron gas in alkali metals, 1=12519
- Shimizu, M. Effects of s-d exchange interaction and temperature-independent paramagnetism on susceptibilities of nickel, palladium and platinum, 1=14674
- Shimizu, M. and Takahashi, T. Magnetic susceptibilities of non-ferromagnetic transition metals, 1=12520
- Shimizu, M. and Takahashi, T. Magnetic susceptibilities of Cr and Cr-Fe alloy, 1=17935
- Shimizu, S. See Hyodo, T., 1=13373
- Shimizu, T. The electron-coupled nuclear spin interactions in ionic crystals by the overlap model, 1=14817
- Shimizu, T. and Takuma, H. Microwave spectrum of cis-1,2-dichloroethylene, 1=8834
- Shimizu, T., Matsuoka, S., Hattori, S. and Senda, K. Nuclear spin-spin coupling between protons in vinyl derivatives, 1=2499
- Shimizu, T. and Shimoda, K. "Non-adiabatic" behavior in a low frequency beam-type maser, 1=13175
- Shimizu, T. See Shimoda, K., 1=13187
- Shimoda, K. Three-level maser detector for ultramicrowaves, 1=366
- Shimoda, K. Characteristics of an ammonia beam maser, 1=19017
- Shimoda, K. and Kondo, K. Magnetic hyperfine structure of the 3, 2 line of ammonia, 1=14020
- Shimoda, K., Takuma, H. and Shimizu, T. Beam-type masers for radiofrequency spectroscopy, 1=13187
- Shimoda, K. See Kondo, K., 1=7464
- Shimoda, K. See Oka, T., 1=12285
- Shimoda, K. See Shimizu, T., 1=13175
- Shimoda, K. See Yajima, T., 1=12026
- Shimodaira, H. and Takahashi, Y. Identities between strong and weak interactions, 1=5661
- Shimodaira, H. See Judge, D., 1=4752
- Shimodaya, I., Tamagaki, R. and Tanaka, H. Interaction between alpha particles, 1=16917
- Shimoda, H. See Ezawa, H., 1=3170
- Shimoda, H. See Ezawa, H., 1=13481
- Shimoji, M. The energy of order in alloys, 1=20588
- Shimomura, K. See Gutowsky, H.S., 1=8138
- Shimoda, H. On the turbulence and hydromagnetic turbulence in astrophysics, 1=15514
- Shimozuru, D. Elasticity of rocks and some related geophysical problems, 1=1501
- Shimpuku, T. General theory and numerical tables of Clebsch-Gordan coefficients, 1=13269
- Shinabarger, E.W. See Rice, E.A., 1=11664
- Shinnaka, Y. X-ray study on the molecular rotation in cubic ammonium nitrate, 1=1401
- Shinohara, K. See Kashiwabara, H., 1=14344
- Shinohara, K. See Matsugashita, T., 1=19673
- Shinohara, S. The shielding of a fixed charge in a metal, 1=19825
- Shinohara, S. Donor states and deformation around impurity atoms in semiconductors, 1=19845
- Shinozaki, S.S. Specific heat of yttrium iron garnet from 1°50
- Shiojiri, M. See Chikawa, J., 1=15081
- Shionoya, S., Kallmann, H.P. and Kramer, B. Behavior of excited electrons and holes in zinc sulfide phosphors, 1=5054
- Shiozaki, T. See Hiida, K., 1=3177
- Shiozaki, T. See Hiida, K., 1=3179
- Shiozawa, L.R. See Zare, R., 1=7867
- Shipley, E.F. Dependence of successive judgments in detection tasks: correctness of the response, 1=12718
- Shirafuji, J. and Inuishi, Y. Pulse photoconduction and carrier life-time in CdS single crystals, 1=11322
- Shirafuji, J. and Inuishi, Y. Effect of vacancies on pulse photoconductions in CdS single crystals, 1=14509
- Shirai, H. See Abe, H., 1=14790
- Shirai, S., Fukuda, Y. and Nomura, M. Structure of thin layers of some F.C.C. metals deposited on oriented Ag, Pd and Ni films, 1=20671
- Shirai, T., Matsuura, N., Nishikawa, M. and Takizawa, M.  $\gamma$ -ray decomposition of solid ammonium nitrate, 1=20764
- Shiraiwa, T. The theory of the fine structure of the X-ray absorption spectrum. II, 1=7720
- Shiraiwa, T. See Sawada, M., 1=11386
- Shirakawa, Y. On the demagnetizing factor of cylindrical rods, 1=18972
- Shirane, G. See Harrison, D.E., 1=20561
- Shirane, G. See Pickart, S.J., 1=2467
- Shirane, G. See Ruby, S.L., 1=11455
- Shire, E.S. Classical electricity and magnetism, 1=1864
- Shiren, N.S. and Tucker, E.B. Selection rule for the interaction of microwave ultrasonics with spins, 1=6071
- Shiren, N.S. Phonon-photon double-quantum transitions as a detector of microwave ultrasonics, 1=6072
- Shirkov, D.V. See Efremov, A.V., 1=5679
- Shirkov, D.V. See Efremov, A.V., 1=19252
- Shirkov, D.V. See Efremov, A.V., 1=19256
- Shirley, D.A. Interpretation of the isomeric chemical shifts in  $\text{Au}^{197}$ , 1=17391
- Shirley, D.A., Kaplan, M. and Axel, P. Recoil-free resonant absorption in  $\text{Au}^{197}$ , 1=11147
- Shirley, D.A., Schooley, J.F. and Rasmussen, J.O. Gamma-ray anisotropies from oriented  $\text{Pm}^{144}$ , 1=3587
- Shirley, D.A. See Haag, J.N., 1=2162
- Shirley, D.A. See Johnson, C.E., 1=616
- Shirley, D.A. See Johnson, C.E., 1=623
- Shirley, D.A. See Kaplan, M., 1=7518
- Shirley, D.A. See Lovejoy, C.A., 1=10959
- Shirley, D.A. See Navarro, Q.O., 1=10958
- Shirley, D.A. See Stapleton, H.J., 1=20223
- Shirley, D.A. See Westenbarger, G.A., 1=12147
- Shirokov, M.I. A general relativistic theory of reactions, 1=3432
- Shirokov, M.I. Relativistic general theory of reactions of the  $a + b \rightarrow c + d + e + \dots$  type, 1=19126



- Shirokov, M.I. Space and charge parities of a proton-antiproton system and its pion annihilation, 1=19190
- Shirokov, M.I. and Okonov, E.O. Space and charge parity of a proton-anti-proton system and its two-meson annihilation, 1=496
- Shirokov, V.I. See Kudryashov, P.I., 1=2761
- Shirokovskii, V.P. See Sokolov, A.V., 1=8871
- Shirokovskii, V.P. See Tsidil'kovskii, I.M., 1=1044
- Shiryaeva, O.I. See Shur, Ya.S., 1=20178
- Shishkin, L.A. See Bulgakov, B.M., 1=4724
- Shishkin, Yu.G. and Sokol'slaya, I.L. The work function and the surface properties of the copper-barium system, 1=13097
- Shishkin, Yu.G. and Sokol'skaya, I.L. The work function of the gold-barium system and methods of its stabilization, 1=15174
- Shishokin, V.P. and Nikerov, A.E. The effect of temperature and duration of loading on the relationship between hardness and composition of dilute solid solutions, 1=14923
- Shively, F.T. See Martin, H.J., 1=8514
- Shivrin, O.N. Effect of extinction on the intensity of the back reflection in X-ray diagrams of cold-deformed metals, 1=4086
- Shivrin, O.N. Applicability of correction formulae for primary and secondary extinction, 1=20478
- Shivrin, O.N. and Gerasimova, L.M. Structural defects causing variation of the intensity of X-ray diffraction patterns, 1=15186
- Shiyanovskaya, I.E. See Frantsevich, I.N., 1=1334
- Shizume, T. See Kihara, T., 1=8319
- Shkarofsky, I.P. Values of the transport coefficients in a plasma for any degree of ionization based on a Maxwellian distribution, 1=18821
- Shkarofsky, I.P. See Bachynski, M.P., 1=16313
- Shkilev, A.V. See Stekol'nikov, I.S., 1=5429
- Shkilev, A.V. See Stekol'nikov, I.S., 1=10682
- Shklovskii, I.S. The nature of supernovae, 1=10204
- Shklovsky, I.S. Achievements in radioastronomy and radio-astronomical theory of the origin of cosmic rays, 1=3330
- Shklovsky, I.S. On hydrogen emission in the night glow, 1=6630
- Shklovsky, I.S. See Krassovsky, V.I., 1=3311
- Shklovsky, I.S. See Pickelner, S.B., 1=30
- Shklyarevskii, G.M. Nucleon correlations and photonuclear reactions. II. ( $\gamma, p$ ) and ( $\gamma, n$ ) reactions in the nonresonance region ( $E\gamma \approx 30$  MeV), 1=17078
- Shklyarevskii, G.M. Theory of photonuclear reaction on light nuclei with emission of deuterons, 1=19438
- Shklyarevskii, I.N. The magnitude and sign of the phase difference  $\Delta = \delta_p - \delta_s$ , 1=16119
- Shkuropat, P.I. Investigation of the performance of controlled spark gaps in air, 1=282
- Shkuropat, P.I. Investigation of the performance of controlled spark gaps in air, 1=4572
- Shkurskii, B.I. See Ershov, A.G., 1=5517
- Shlyamin, E.A. See Petrzhak, K.A., 1=5948
- Shlyapnikov, R.S. See Barkov, L.M., 1=10817
- Shlyapochnikov, V.A. and Slovetskii, V.I. The use of pressed disks of KCl in ultraviolet spectrophotometry, 1=18593
- Shmatov, V.T. Thermodynamic theory of relaxation processes in systems with supplementary parameters, 1=5209
- Shmatov, V.T. Internal friction and the absorption of sound in systems with additional internal parameters, 1=7814
- Shmatov, V.T. A theory [relating] internal friction in substitutional solid solutions to relaxation of the short-range order, 1=9086
- Shmelev, I.I. Model study of the field of a pulse radiator in the first effective shadow zone of an underwater sound channel, 1=18515
- Shmoys, J. Proposed diagnostic method for cylindrical plasmas, 1=8320
- Shmoys, J. and Mishkin, E. On the linear behaviour of large-amplitude magnetohydrodynamic waves, 1=359
- Shmushkevich, I.M. See Malkov, E.I., 1=17154
- Shmushkevich, I.M. See Nikitin, Yu.P., 1=19478
- Shmushkevich, I.M. See Pomeranchuk, I.Ya., 1=5883
- Shneerson, G.A. On the calculation of the propagation of an alternating current on the surface of a body of revolution in the presence of a strong skin effect, 1=9523
- Shneerson, G.A. On the calculation of the propagation of an alternating current on the surface of a body of revolution in the presence of a strong skin effect, 1=11896
- Shneider, A.D. and Gavrishchak, I.V. Structure and properties of the HgTe-CdTe system, 1=3708
- Shneider, Yu.G. See Břkov, N.S., 1=18506
- Shoaf, M.L. See Colby, L.J., Jr., 1=3474
- Shockley, W. Field-enhanced donor diffusion in degenerate semiconductor layers, 1=14422
- Shockley, W. and Queisser, H.J. Detailed balance limit of efficiency of p-n junction solar cells, 1=6170
- Shockley, W. See Quiesser, H.J., 1=11228
- Shoda, K. Plane polarization of 8.5 MeV bremsstrahlung, 1=13386
- Shoda, K., Kobayashi, K., Sina, S., Abe, K. and Kimura, M. Fine structures of photoprotons from  $Si^{28}$ , 1=17082
- Shoda, K. See Chiba, R., 1=13531
- Shoda, K. See Kimura, M., 1=5909
- Shoda, K. See Morinaga, H., 1=7345
- Shoda, K. See Kimura, M., 1=12194
- Shoenberg, D. The de Haas-van Alphen effect, 1=17455
- Shogenji, K. See Yamada, E., 1=17617
- Shohno, N. Collective representation of the many-particle system interacting through arbitrary two-body potential, 1=11714
- Shoji, M., Tauchi, S., Mitsuishi, T. and Tomono, M. Observation of dislocations in germanium single crystal, 1=17542
- Shombert, D.J. See Olshefski, P.J., 1=7642
- Shomlo, S. See Tar'yan, I., 1=11326
- Shomogi, A. See Shandor, T., 1=16941
- Shono, K. See Tokunaga, M., 1=17773
- Shoolery, J.N. Some new structural and analytical applications of high-resolution N.M.R., 1=13193
- Shore, B.W., Wall, N.S. and Irvine, J.W., Jr. Interactions of 7.5 MeV protons with copper and vanadium, 1=11013
- Shore, F.J. See Möller, H.B., 1=10895
- Shore, F.J. See Möller, H.B., 1=17123
- Shorr, V. See Ruckenstein, E., 1=251
- Shortess, G.K. and Krauskopf, J. Role of involuntary eye movements in stereoscopic acuity, 1=9233
- Shorthill, R.W., Borough, H.C. and Conley, J.M. Enhanced lunar thermal radiation during a lunar eclipse, 1=10377
- Shorygin, P.P. and Krushinskii, L.L. A theory of the Raman scattering of light, 1=4479
- Shorygin, P.P. See Krushinskii, L.L., 1=9949
- Shorygin, P.P. See Krushinskii, L.L., 1=11114
- Shotov, A.P. The dependence of electric breakdown of p-n junctions on the crystallographic direction, 1=6167
- Shotov, A.P. See Vul, B.M., 1=10053
- Shotov, A.P. See Vul, B.M., 1=11313
- Shovlo, S.T. See Ezhik, I.I., 1=4997
- Shpagin, I.V. See Amonenko, V.M., 1=12593
- Shpetnyi, A.I. See Valter, A.K., 1=19536
- Shpigel', I.S. See Moroz, E.M., 1=5457
- Shpigel', I.S. See Moroz, E.M., 1=11943
- Shpinel', V.S. See Bădescu, A., 1=13694
- Shpinel', V.S. See Delyagin, N.N., 1=2164
- Shpol'skii, E.V. A century of spectrum analysis, 1=2857
- Shpol'skii, E.V. Line fluorescence spectra of organic compounds and their applications, 1=3860
- Shpunt, A.A. See Geguzin, Ya.E., 1=4024
- Shrauner, J.E. See Nambu, Y., 1=19283
- Shreekanthan, B.V. See Murthy, G.T., 1=3327
- Shreider, E.Ya. See Zaidel', A.N., 1=5479
- Shreider, E.Ya. See Zaidel', A.N., 1=9606
- Shreider, E.Ya. See Zaidel', A.N., 1=10699
- Shreider, E.Ya. See Zaidel', A.N., 1=11952
- Shrestha, C.B. See Raghavacharyulu, I.V.V., 1=13997
- Shteinshleiger, V.B. and Mizezhnikov, G.S. Measurement of the group velocity in the retarding system of a maser, 1=16555
- Shtol'ts, E.V. See Shur, Ya.S., 1=3903
- Shtrikman, S. and Wohlfarth, E.P. Coherent and incoherent magnetization processes in powders, 1=6311
- Shtrikman, S. See Doyle, W.D., 1=14723
- Shturkin, D.A. See Drozhzhina, V.I., 1=16479
- Shuba, Yu.A. See Tyutikov, A.M., 1=13108
- Shubin, Yu.V. See Garber, R.I., 1=12602
- Shubin, Yu.V. See Garber, R.I., 1=14913
- Shubnikov, A.V. Time reversal as an operation of anti-symmetry, 1=11691

- Shubnikov, A.V. Determination of the sign of enantiomorphism of piezoelectric textures, 1=17858
- Shubnyi, Yu.K. See Akkerman, A.F., 1=16974
- Shukhtin, A.M. See Egorov, V.S., 1=4576
- Shukla, P.G. See Biswas, S., 1=3318
- Shukla, R.C. See Varshni, Y.P., 1=864
- Shukla, R.C. See Varshni, Y.P., 1=3531
- Shukla, R.C. See Varshni, Y.P., 1=8830
- Shukla, R.C. See Varshni, Y.P., 1=12272
- Shuleikin, V.V. and Sigachev, N.I. A new test of the hypothesis of the nature of the magnetic declination, 1=21085
- Shulepov, V.I. See Funke, V.F., 1=9144
- Shuler, K.E. and Zwanzig, R. Quantum-mechanical calculation of harmonic oscillator transition probabilities in a one-dimensional impulsive collision, 1=3496
- Shull, D.S., Jr. Improved magnetic properties of high-purity iron-cobalt alloys containing 27-43% cobalt, 1=6289
- Shull, H. See Allen, T.L., 1=19647
- Shul'man, A.R., Kapitsa, M.L., Nemchenok, R.L. and Zelenetskaya, E.V. Photoelectric emission in the tungsten-barium oxide and tungsten-barium systems, 1=13106
- Shulman, L.A. and Deinkov, N.Yu. Model of a quantum harmonic oscillator with friction in dispersion theory, 1=13910
- Shul'man, L.A. Electron spin resonance in  $F^-$ -centres, 1=20222
- Shulman, R.G. Nuclear magnetic resonance and magnetic ordering in  $NiF_2$ , 1=1282
- Shulman, R.G. Nuclear magnetic resonance in  $NiF_2$  domain walls, 1=6435
- Shulman, R.G. and Sugano, S. Calculation of the crystal field splitting, 1=20252
- Shulman, R.G. and Wyluda, B.J. Nuclear magnetic resonance in  $CuF_2 \cdot 2H_2O$  single crystals, 1=20255
- Shul'tz, P. [Szulc, P.] The automatic power level variation and the automatic compensation of the reactivity changes in the WWR-S reactor, 1=17243
- Shumaker, J.B., Jr. Arc source for high temperature gas studies, 1=2872
- Shumaker, J.B., Jr. See Wiese, W.L., 1=12251
- Shumaker, J.B., Jr. See Yokley, C.R., 1=2924
- Shuman, B. See Hutchinson, R., 1=21086
- Shur, M.Ya. See Zverev, L.P., 1=943
- Shur, Ya.S. and Abel's, V.R. Study of magnetization processes in crystals of silicon-iron, 1=6296
- Shur, Ya.S. and Glazer, A.A. Thermomagnetic treatment and ordering processes. III. Study of the effect of thermomagnetic treatment on the electrical resistivity of superlattice-forming soft magnetic alloys, 1=6533
- Shur, Ya.S. and Shiryayeva, O.I. Ferromagnetic resonance in silicon-iron crystals and its relation to domain structure, 1=20178
- Shur, Ya.S., Shtol'ts, E.V. and Kandaurova, G.S. Magnetic properties of magneto-anisotropic specimens composed of ferromagnetic powders. IV. Variation with temperature of the magnetic properties of MnBi alloy powder specimens, 1=3903
- Shur, Ya.S. and Startseva, I.E. Temperature hysteresis of the domain in silicon iron crystals, 1=3902
- Shur, Ya.S. and Startseva, I.E. Change of magnetic structure of residually magnetized silicon-iron crystals when demagnetized by alternating fields, 1=6295
- Shur, Ya.S. and Zaikova, V.A. Effect of elastic stresses on the magnetic structure of silicon iron crystals, 1=3905
- Shur, Ya.S. See Glazer, A.A., 1=1219
- Shur, Ya.S. See Kandaurova, G.S., 1=7750
- Shur, Ya.S. See Luzhinskaya, M.G., 1=9032
- Shur, Ya.S. See Zaikova, V.A., 1=5066
- Shur, Y.S. See Sokolov, A.D., 1=2487
- Shurakov, S.S. The temperature and time dependences of the strength of hardened steel, 1=14908
- Shuravlev, N.N. See Kuz'min, R.N., 1=4049
- Shure, K. See Anderson, D.C., 1=17237
- Shurshakov, A.N. See Funke, V.F., 1=9144
- Shustin, O.A., Velichkina, T.S. Baranskii, K.N. and Yakovlev, I.A. Sound absorption in Rochelle salt close to its lower Curie point, 1=19704
- Shustrov, B.N. A new design of pulse magnetic mass spectrometer with high resolving power, 1=4665
- Shute, G.G. See McKenna, V.R., 1=10970
- Shute, G.G. See McKenna, V.R., 1=19453
- Shuter, W.L.H. See Davies, R.D., 1=31
- Shutilov, V.A. See Mikhailov, I.G., 1=4337
- Shuvalov, L.A. The asymmetry of pulsed polarization reversal in triglycine sulfate for different intervals between pulses of opposite polarity, 1=3803
- Shuvalov, L.A. Pulsed polarization reversal in crystals of deuterated triglycine sulphate, 1=3804
- Shvangiradze, R.R. and Dzhmagidze, Sh.Z. Study of the infrared spectra of isotopic oxides of nitrogen, 1=19636
- Shvangiradze, R.R. See Oganezov, K.A., 1=19633
- Shvangiradze, R.R. See Tsomaya, K.P., 1=6513
- Shvarte, I.A. See Orlov, A.N., 1=15116
- Shvarts, K.K. See Lushchik, Ch.B., 1=2452
- Shvarts, K.K. See Lushchik, Ch.B., 1=17909
- Shvedov, V.P., Blinov, V.A., Gedeonov, L.I. and Ankudinov, E.P. Radioactive fallout in the Leningrad region, 1=3400
- Shvets, I.T. See Pol'skii, N.I., 1=7129
- Shvets, I.T. See Pol'skii, N.I., 1=10771
- Shvets, O.M. See Dubovoi, L.V., 1=16351
- Shvist, P. Luminescence centres in copper bromide, 1=2454
- Shymans'ka, O.T. Investigation of the critical state of matter by Teopler's method. I. Experimental procedure, 1=13020
- Shymans'ka, O.T. See Hol'k, O.Z., 1=13021
- Shyutte, N.M. See Perel'man, S.M., 1=9742
- Sibley, W.L. See Vestine, E.H., 1=6648
- Sicard, F. Pulse analysis in the statistical region, 1=401
- Sicard, L., Eyraud, L., Elston, J. and Eyraud, C. Influence of the variation of thermal conductivity with temperature on the propagation of heat in a periodic manner, 1=8252
- Sicard, L. See Petit, J.L., 1=8504
- Šícha, M. See Bakule, R., 1=16287
- Šícha, M. See Pekárek, L., 1=16285
- Sichirollo, A. See Evans, D., 1=19267
- Sichirollo, A.E. See Baldassarre, F., 1=16862
- Sichirollo, A.E. See Jones, B.D., 1=8500
- Sicilio, F. See Wilkins, B., 1=10288
- Siddall, G. Vacuum deposition of dielectric films for capacitors, 1=6562
- Siddall, G. and Smith, G. A thin film resistor for measuring strain, 1=6441
- Siddiqi, A. See Collings, E.W., 1=5069
- Siddiqui, M.H. See Husain, A., 1=13475
- Sideriades, L. On a singular solution for the triode relaxation oscillator, 1=365
- Sidles, P.H. See Ellerbeck, L.D., 1=11259
- Sidorenko, R.A. and Tsarevskii, B.V. The effect of sulphur on the surface properties and structure of nickel-carbon alloys, 1=5265
- Sidorov, N.K. The Raman scattering function, 1=2891
- Sidorov, V.A. See Kondrashev, L.F., 1=3194
- Sidorov, V.A. See Kurashov, A.A., 1=514
- Sidorov, V.A. See Lassen, N.O., 1=730
- Sidorov, V.A. See Rybakov, B.V., 1=5791
- Sidorov, V.A. See Vlasov, N.A., 1=4798
- Sidorov, V.M. See Batusov, Yu.A., 1=2083
- Sidorov, V.M. See Batusov, Yu.A., 1=16849
- Sidran, M. Electron spin resonance spectra of riboflavin and its complexes, 1=9211
- Sidyakin, V.G. See Kalabukhov, N.P., 1=1108
- Siebert, M. On the drift velocity of charged particles in a magnetic dipole field, 1=1957
- Siedentopf, H. The [rival] claims of some image storage methods in astronomical measuring techniques, 1=5124
- Siegbahn, K. See Karlsson, E., 1=2041
- Siegbahn, K. See Ohlin, P., 1=749
- Siegbahn, K. See Petersson, B.G., 1=3421
- Siegel, A. Expansion of the linear Boltzmann operator, 1=18285
- Siegel, I.M. See Rippes, H., 1=12722
- Siegel, K.M. See Olte, A., 1=5145
- Siegel, R. See Sparrow, E.M., 1=18649
- Siegel, R.I. See Maier, E., 1=9871
- Siegel, S., Flournov, J.M. and Baum, L.H. Irradiation yields of radicals in gamma-irradiated ice at 4.2° and 77°K, 1=8861
- Siebert, A.J.F. Partition functions as averages of functionals of Gaussian random functions, 1=5204
- Sierins, J.V. See Bogle, G.S., 1=9694
- Sierins, J.V. See Burgess, V.R., 1=9694
- Sierro, J. E.S.R. detection of the hydrolysis of solid  $CaF_2$ , 1=11478



- Sierro, J. and Lacroix, R. Resonance of the  $Gd^{3+}$  ion in fluorite with charge compensation, 1=14796
- Sieskind, M. See Grun, J.B., 1=14590
- Sievers, A.J., III. and Tinkham, M. Far-infrared exchange resonance in ytterbium iron garnet, 1=14612
- Sievers, A.J. III See Keffer, F., 1=6413
- Sigachev, N.I. See Shuleikin, V.V., 1=21085
- Sigal, M.A. See Deryugin, I.A., 1=10074
- Sigal, M.A. See Deryugin, I.A., 1=12470
- Sigmond, R.S. and Schjetne, K.G. A simple low background photon coincidence detector for tritium liquid scintillation counting, 1=13232
- Signell, P. and Yoder, R. Invalidity of the Raphael analysis for moderate energy nn scattering, 1=9752
- Signell, P.S. Quantitative evidence of one-pion exchange effects in p-p scattering, 1=2056
- Signer, P. and Nier, A.O. The distribution of cosmic-ray-produced rare gases in iron meteorites, 1=15435
- Signer, P. See Geiss, J., 1=12744
- Sigov, Yu.S. Electrostatic effects during motion of attenuated plasma in inhomogeneous magnetic field, 1=18845
- Siina, S. See Shoda, K., 1=17082
- Siivola, A. See Nurmi, M., 1=13714
- Sikkeland, T., Larsh, A.E. and Gordon, G.E. Fission of uranium-238 with carbon ions, 1=13870
- Sikkeland, T. See Ghiorso, A., 1=13700
- Sikkema, C.P. Levels in  $^{19}N$  from scattering of fast neutrons  $^{19}N$ , 1=8625
- Sikkema, C.P. and van Wageningen, R. Single particle levels in  $N^{16}$  from scattering of fast neutrons by  $N^{16}$ , 1=8590
- Siklós, T. See Pu Fu-Cho, 1=1205
- Siklós, T. See Shiklosh, T., 1=2469
- Sikorski, S. Bulk photoelectric magnetic effect in a non-homogeneous semiconductor, 1=14519
- Sikorski, S. See Majewski, Z., 1=1042
- Sil, N.C. See Dutta, S.K., 1=13697
- Silad'i, M. See Yavor, S.Ya., 1=4647
- Silber, L.M. See Banks, E., 1=6350
- Silberberg, R. See Goldhaber, S., 1=4797
- Silberg, P.A. On the question of ball lightning, 1=4111
- Silbert, M. See Tesone, S., 1=18581
- Silbert, M.G. and Jarmie, N. Nuclear energy levels of  $F^{19}$ ,  $F^{21}$ ,  $Ne^{22}$ , and  $Ne^{24}$ , 1=10967
- Silbert, M.G., Jarmie, N. and Smith, D.B. Nuclear energy levels of  $N^{16}$ , 1=12154
- Silbert, M.G. See Jarmie, N., 1=8583
- Silbert, M.G. See Jarmie, N., 1=10955
- Silbert, M.G. See Jarmie, N., 1=13865
- Silbiger, A. Radiation from circular pistons of elliptical profile, 1=18512
- Silbiger, A. See DiMaggio, F.L., 1=2806
- Silcock, J.M. A study of elongation and ageing in Al-4% Cu and Al-4% Cu-0.05% In crystals, 1=3969
- Silcox, J. See Gaunt, P., 1=20603
- Silcox, J. See Kroupa, F., 1=19777
- Sil'd, O.I. See Rebane, K.K., 1=2453
- Silence, N. See Fletcher, P.C., 1=9049
- Silenok, H.A. See Berezin, A.K., 1=19038
- Silin, I.N. See Amaglobeli, N.S., 1=19246
- Silin, I.N. See Kazarinov, Yu.M., 1=19248
- Silin, I.N. See Lyu Yu'an', 1=18355
- Silin, V.P. A kinetic equation for rapidly varying processes, 1=4593
- Silin, V.P. The initial problem for a longitudinal field in a degenerate electron gas, 1=7563
- Silin, V.P. The high frequency dielectric permeability of a plasma, 1=18844
- Silin, V.P. Electromagnetic properties of a relativistic plasma. II, 1=18852
- Silin, V.P. Contribution to the theory of electromagnetic fluctuations in a plasma, 1=18907
- Silin, V.P. The collision integral for charged particles, 1=19157
- Silin, V.P. See Klimontovich, Yu.L., 1=2063
- Silin, V.P. See Klimontovich, Yu.L., 1=18853
- Silk, E.C.H. and Barnes, R.S. The observation of dislocations in mica, 1=19784
- Sillitto, R.M. See Galloway, R.B., 1=7322
- Silsbee, H.B. See Gordon, J.E., 1=9508
- Silsbee, R.H. Electron spin resonance in neutron-irradiated quartz, 1=11482
- Silsbee, R.H. See Moran, P.R., 1=14330
- Silva, R.J. See Chetham-Strode, A., 1=3254
- Silver, A.H. See Parsons, J.L., 1=11569
- Silver, D.E.P. See Ridley, R.G., 1=3023
- Silver, M. See Moore, W., 1=2424
- Silverberg, L. Nuclear model calculations on  $Tl^{208}$ , 1=19332
- Silverberg, L. On the change of the single-particle energies due to a variation of the pair distribution in nuclei of type single closed shell + 1, 1=19336
- Silverman, A. See Querzoli, R., 1=5726
- Silverman, B.D. See Rupprecht, G., 1=11342
- Silverman, J. See Garland, C.W., 1=6075
- Silverman, J.N., Platas, O. and Matsen, F.A. X-ray scattering factors of two-electron ions from radially and angularly correlated wave functions, 1=17286
- Silverman, L.E. and Grossweiner, L.I. Bleaching and recovery of F centers in KCl, 1=3693
- Silverman, S.M. and Casaverde, M. Behavior of the 6300 OI line at Huancayo, 1=21029
- Silverman, S.M. See Roach, F.E., 1=15310
- Silverstone, C.E. See Davidge, R.W., 1=6483
- Silvester, N.R. and Burge, R.E. Theoretical limiting thicknesses for single scattering in electron microscopy, 1=4090
- Silvestri, M. Heavy-water moderated reactors cooled by light steam-water mixtures, 1=7418
- Silvestri, V.J. The dissociation pressure of CdSb, 1=1470
- Silvestri, V.J. See Silvey, G.A., 1=14462
- Silvestrini, G.V. See Bertanza, L., 1=5765
- Silvestrini, G.V. See Bertanza, L., 1=7265
- Silvestrini, G.V. See Bertanza, L., 1=19075
- Silvestrino, V. See Bartke, J., 1=8515
- Sil'vestrov, L.V. See Bannik, B.P., 1=19451
- Sil'vestrova, I.M. and Romanyuk, N.A. The effects of ultraviolet light on ferroelectric triglycine sulphate, 1=12476
- Silvey, G.A., Lyons, V.J. and Silvestri, V.J. The preparation and properties of some II-V semiconducting compounds, 1=14462
- Silvidi, A.A. and McGrath, J.W. Proton magnetic resonance study of barium bromate monohydrate, 1=3931
- Silvidi, A.A. and Marn, D. Diffusion cloud chamber with a vacuum jacket, 1=3095
- Silvidi, A.A. See McGrath, J.W., 1=4055
- Sim, A.C. Macroscopic physics of surface recombination in semiconductors, 1=6143
- Sim, A.C. The kinetics of moving phase boundaries in ferromagnetic, ferroelectric and superconducting materials, 1=7875
- Šimák, V. See Pernegr, J., 1=3264
- Šimák, V. See Pernegr, J., 1=16925
- Simasaki, T. and Niu, K. On a method of successive approximations applied to the axisymmetric flows of an incompressible perfect fluid, 1=118
- Simashkevich, A.V., Kot, M.V. and Panasyuk, L.M. The influence of contact materials on the cathode conductivity of cadmium sulphide and selenide, 1=17722
- Simba, O.P. See Singh, B.N., 1=379
- Simba, R. and Zakín, J.L. Compression of flexible chain molecules in solution, 1=2753
- Simerská, M. The temperature dependence of the Debye temperature  $\Theta$  of silver by X-ray diffraction measurements, 1=19722
- Simerská, M. See Syneček, V., 1=7862
- Simic, J. See Corge, C., 1=13828
- Simic, J. See Julien, H., 1=16999
- Simionescu, K. See Komsha, G., 1=1773
- Simizu, K. See Nishiyama, Z., 1=12394
- Simmons, C.A. Influence of the Hall effect upon the transverse magnetoresistance in indium antimonide, 1=14468
- Simmons, F.B. Post-tetanic potentiation in the middle-ear-muscle acoustic reflex, 1=1616
- Simmons, J.E. and Perkins, R.B. Liquid helium scintillation counter as a neutron polarimeter, 1=19216
- Simmons, J.G. and Maissel, L.I. Multiple cathode sputtering system, 1=10746
- Simmons, L.M. See Levinger, J.S., 1=19204
- Simmons, R.O. See Balluffi, R.W., 1=2388
- Simmons, W.W. and Slichter, C.P. Nuclear quadrupole absorption in indium metal, 1=5077
- Simmons, W.W. See O'Sullivan, W.J., 1=20163
- Simms, P. See Wu, C.S., 1=603

## AUTHOR INDEX

- Simms, P.C. Fast coincidence system based on a transistorized time-to-amplitude converter, 1=13057
- Simms, P.C., Benczer-Koller, N. and Wu, C.S. New application of delayed coincidence techniques for measuring lifetimes of excited nuclear states —  $\text{Ca}^{42}$  and  $\text{Sc}^{47}$ , 1=3406
- Simon, A. Exact relativistic Fokker-Planck coefficients for a plasma, 1=7076
- Simon, A. Critical current for burn-out in an OGRA-type device, 1=9613
- Simon, A. Exact relativistic Fokker-Planck coefficients for plasma and radiation. III, 1=10703
- Simon, F. Production of a particle track emulsion in the presence of an excess of  $\text{Ag}^+$  ions, 1=1999
- Simon, G. The influence of Bloch wall motions on the damping of ultrasonic waves in ferromagnetic metals, 1=6294
- Simon, M. and Bellemans, A. On the excess thermodynamic properties of  $^3\text{He}$ - $^4\text{He}$  and  $\text{H}_2$ -D, liquid mixtures, 1=10505
- Simon, P. Some remarks on type IV, 1=18159
- Simon, P. Eclipse of the Crab Nebula, 1=18176
- Simon, P. See Avignon, Y., 1=6736
- Simon, P. See Boischot, A., 1=2845
- Simon, P. See Boischot, A., 1=15539
- Simon, R., Bate, R.T. and Lougher, E.H. Measurement of thermal conductivity by utilization of the Peltier effect. II. Correction for wire radiation and determination of specimen radiation emissivity, 1=1838
- Simon, R., Cahn, J.H. and Bell, J.C. Uniformity of electrical current flow in cylindrical semiconductor specimens with cylindrical metallic end caps, 1=4551
- Simon, R.E. and Sproull, R.L. Electron microscope studies of colloids in KCl, 1=2555
- Simon, Z. On the possibility of the appearance of fluorescence in molecules, 1=6033
- Simon, Z. On the non-radiative transitions of  $\beta$ -naphthylamine, 1=6034
- Simon, Z. Theoretical discussion of the photodissociation of aniline molecules, 1=6053
- Simonet, R. See Thouvenin, J., 1=6911
- Simonin, R.F. Surface tension of water, 1=15818
- Simonin-Haudécœur, C. See Tsai-Chü., 1=13456
- Simonoff, G. See Boussières, G., 1=2215
- Simonoff, G. See Lefort, M., 1=13802
- Simonoff, G. See Lefort, M., 1=13871
- Simonoff, G.N. See Lefort, M., 1=12200
- Simonov, V.I. Determination of the phases of structure amplitudes from a modified minimalization function, 1=7863
- Simonov, V.I. Baotite — a mineral with  $[\text{Si}_4\text{O}_{12}]$  metasilicate rings, 1=15102
- Simonov, V.I. and Shchedrin, B.M. The Fourier integral of the minimum function and the signs of structural amplitudes, 1=20516
- Simonov, Yu.A. Relation between the equations for partial amplitudes and for spectral functions, 1=16723
- Simonov, Yu.A. and Ter-Martirosyan, K.A. Equations for the spectral functions of charged pions, 1=16872
- Simonov, Yu.A. and Ter-Martirosyan, K.A. Semi-analytical solution of equations of the Chew-Mandelstam type, 1=19124
- Simons, L. On vibrational levels in even-even nuclei, 1=9810
- Simons, L. On the parity of the 441 keV  $\text{Li}^7(p,\gamma)\text{Be}^8$  resonance, 1=9860
- Simons, L. Interference between the 930 keV and 980 keV levels in the 6.8 MeV gamma ray yield from the reaction  $\text{Be}^9(p,\gamma)\text{B}^{10}$ , 1=9857
- Simons, L., Brenner, M., Kild, L., Nystén, K.E. and Spring, E. Angular correlations of gamma-gamma cascades in  $\text{Pb}^{208}$ , 1=17061
- Simons, S. The interaction of longitudinally polarised vibrations in an isotropic dielectric, 1=905
- Simons, S. Resistance anisotropy at low temperatures, 1=923
- Simons, S. The Boltzmann equation for a bounded medium. I. General theory, 1=8061
- Simons, S. The Hall effect in monovalent metals at low temperatures, 1=17624
- Simons, S. and Higgins, P.J. An extension of Boltzmann's H-theorem, 1=74
- Simonsohn, G. Diffraction experiments in multiple-beam interferometry, 1=5355
- Simonsohn, G. Multiple-beam interference as a waveguide problem, 1=5356
- Simonsohn, G. Application of a diffraction effect of multiple-beam interferometry to determining the spherical aberration of an objective, 1=18572
- Simonsohn, G. See Heinz, W., 1=18582
- Simova, P. and Skorchev, B. Raman spectra of chloroform and methyl alcohol in gaseous state, 1=7473
- Simpson, F.B. See Simpson, O.D., 1=13829
- Simpson, J.A. and Marton, L. Improved electron filter lens, 1=10740
- Simpson, J.A. See Fan, C.Y., 1=21077
- Simpson, J.A. See Fowler, H.A., 1=11548
- Simpson, J.A. See Hess, W.N., 1=21076
- Simpson, O.D. and Moore, M.S. Multilevel analysis of the total neutron cross section of  $\text{Pu}^{241}$  below 12 eV, 1=11027
- Simpson, O.D., Moore, M.S. and Simpson, F.B. Total neutron cross sections of  $\text{U}^{233}$  and  $\text{U}^{235}$  from 0.02 to 0.08 eV, 1=13829
- Simpson, P.G. and Lipscomb, W.N. Refinement of the  $\text{B}_2\text{H}_6$  structure and test for solid solutions, 1=20550
- Simpson, P.G. See Wang, F.E., 1=20549
- Simpson, R.E. See Bradley, G.E., 1=12173
- Simpson, R.E. See Pipkin, F.M., 1=19390
- Sims, A.L. An instrument to sharpen microtome knives, 1=10360
- Sims, A.L. Instrument for cutting animal tissues into small pieces ( $< 3 \text{ mm}^3$ ) with preservation of viable cells, 1=15368
- Sims, G.A. See Davies, J.A., 1=7106
- Sinaev, A.N. See Baiukov, Yu.D., 1=19167
- Sinaev, A.N. See Baiukov, Yu.D., 1=19168
- Sinanoglu, O. Relation of perturbation theory to variation method, 1=6782
- Sinanoglu, O. Variation-perturbation method for excited states, 1=7422
- Sinanoglu, O. Perturbation theory of many-electron atoms and molecules, 1=7423
- Sinanoglu, O. Theory of electron correlation in atoms and molecules, 1=13912
- Sinanoglu, O. Many-electron theory of atoms and molecules, 1=18301
- Sinanoglu, O. and Mortensen, E.M. Core polarization in  $\text{Li}_2$ , 1=8847
- Sinclair, D. See Brown, J.L., 1=8515
- Sinclair, R.N. and Brockhouse, B.N. Dispersion relation for spin waves in a f.c.c. cobalt alloy, 1=1228
- Sinclair, W.K. See Dewey, W.C., 1=15366
- Sinel'nikov, K.D. See Nazarov, N.I., 1=5487
- Sinel'nikov, K.D. See Nazarov, N.I., 1=11959
- Sinel'nikov, K.D. See Volkob, Ya.F., 1=5456
- Sinel'nikov, K.D. See Volkob, Ya.F., 1=11551
- Sines, G. Filamentary crystals grown from the solid metal, 1=9118
- Singer, J.R. Electronic analog of the human recognition system, 1=4158
- Singer, J.R. and Wang, S. General analysis of optical, infrared and microwave maser oscillator emission, 1=8388
- Singer, J.R. See Wang, S., 1=10790
- Singer, L.S. and Kommandeur, J. Electron spin resonance in complexes of aromatic hydrocarbons with iodine, 1=3938
- Singer, L.S., Smith, W.H. and Wagoner, G. Microwave cavity for high temperature electron spin resonance measurements, 1=12023
- Singer, S.F. Latitude and altitude distribution of geomagnetically trapped protons, 1=1570
- Singer, S.F. Use of an artificial satellite to test the clock "paradox" and general relativity, 1=2692
- Singer, S.F. The nature and origin of the earth's radiation belts. Their relation to upper atmosphere densities and their geophysical effects, 1=3310
- Singer, S.F. Properties of the upper atmosphere and their relation to the radiation belts of the earth, 1=6645
- Singer, S.F. Structure of the earth's exosphere, 1=15320
- Singer, S.F. See Maeda, K., 1=16933
- Singer, S.F. See Maeda, K., 1=20959
- Singer, S.F. See Öpik, E.J., 1=2602
- Singer, S.F. See Öpik, E.J., 1=7980
- Singer, S.F. See Öpik, E.J., 1=15421
- Singh, A.D. and Pathria, R.K. On the problem of unsaturated helium films, 1=10635
- Singh, A.D. See Pathria, R.K., 1=15737



- Singh, B.N. and Simba, O.P. The variation of the rate of fading with frequency, 1=379
- Singh, B.P. Gamma-gamma angular correlations in  $Rh^{103}$ , 1=4851
- Singh, G. and Ghatak, A.K. Determination of thermal neutron absorption cross-section in boron using spherical transmission method, 1=13440
- Singh, I.J. and Chopra, K.P. Growth of hydromagnetic shock waves, 1=13169
- Singh, I.J. and Chopra, K.P. Thermodynamic properties of fluid flow across a magnetic field, 1=16524
- Singh, I.J. See Chopra, K.P., 1=1971
- Singh, J.N. Fine structure of the K X-ray absorption edge of germanium, 1=12501
- Singh, K. Equation of state, 1=10504
- Singh, K.K. Energy levels of a bounded linear harmonic oscillator by the method of boundary perturbation, 1=65
- Singh, K.K. Energy levels of the bounded isotropic harmonic oscillator and the bounded hydrogen atom by the method of boundary perturbation, 1=18278
- Singh, K.P. and Pandey, S.N. Riemannian fourfolds of class one and gravitation, 1=15597
- Singh, K.P. and Pandey, S.N. A freely falling observer in a relativistic gravitational field, 1=15605
- Singh, N.L. and Jain, D.C. Relative intensities in the triplet system of the CO bands, 1=11095
- Singh, R.G. See Hariharan, P., 1=18619
- Singh, R.N. See Khastgir, S.R., 1=16591
- Singh, S. See Dieke, G.H., 1=12493
- Singh, S.P. See Dayal, B., 1=3592
- Singh, S.P. See Sharan, B., 1=17399
- Singh, V. and Udagarkar, B.M. Theory of  $\pi$ -N scattering in the strip approximation to the Mandelstam representation, 1=12107
- Singh, V. See Duggal, V.P., 1=19215
- Singleton, D.G. Spread-F and the lattice variation of occurrence of whistlers, 1=7941
- Singleton, D.G. The geomorphology of spread F, 1=15294
- Singleton, D.G. Scintillations and the latitude distribution of ionospheric irregularities, 1=20909
- Singleton, D.G., Lynch, G.J.E. and Thomas, J.A. Field-aligned ionospheric irregularities and the scintillation of satellite radio transmissions, 1=5601
- Singleton, W.R., Caspar, A. and Flory, W.S.Jr. A cobalt machine for semi-acute irradiation of growing plants, 1=15369
- Singru, R.M. See Jha, S., 1=5868
- Singwi, K.S. See Rahman, A., 1=6853
- Sinha, A.P.B. See Irani, K.S., 1=20556
- Sinha, D.B. and Jalaluddin, A.K. On the superheat of liquids, 1=15850
- Sinha, K.P. Theory of indirect exchange interaction in spinel-like systems, 1=14744
- Sinha, K.P. and Koide, S. A model for superexchange interaction in magnetic compounds with zincblende structure, 1=7741
- Sinha, P.P. and Beck, P.A. Polygonization in bent zinc crystals, 1=11216
- Sinha, S.K. See Ghosh, S.K., 1=12906
- Sinha, S.K. See Ghosh, S.K., 1=20261
- Sinitsyn, B.I. See Kukhtevich, V.I., 1=7385
- Sinitsyn, M.V. See Zel'dovich, Ya.B., 1=16065
- Sinitsyn, M.V. See Zel'dovich, Ya.B., 1=18577
- Sinnott, K.M. Microwave spectrum of acetyl chloride, 1=6005
- Sinnott, K.M. See Eby, R.K., 1=12563
- Sinyakov, E.V. and Avramenko, V.P. Electrical properties of some mixed ferrites in alternating electric fields, 1=10081
- Sinyakov, E.V. and Avramenko, V.P. Electrical properties of some mixed ferrites in alternating electric fields, 1=11329
- Sinyakov, E.V. and Solok, A.M. Relaxation polarization of the system  $SrTiO_{3-n}MnO$  ( $n = 1, 2, 3$ ), 1=14539
- Siokos, T.C. Quantum potentials (of electromagnetic and nuclear fields), 1=13360
- Siokos, T.C. The nuclear binding energy of the light elements and the saturation of nuclear forces, 1=15361
- Siol, M. The theory of the liquid state, 1=18393
- Siota, Y. Periodic potential in ionic crystals, 1=17390
- Šipek, L. Experimental investigation of the profile of a betatron magnet, 1=347
- Šips, L. See Alaga, G., 1=13722
- Siratori, K. and Iida, S. Magnetic properties of  $Mn_{1-x}Cr_xO$ , 1=11431
- Siratori, K. and Iida, S. Anomalous temperature dependence of lattice constant of  $CrO_2$ , 1=15079
- Siratori, K., Tasaki, A. and Iida, S. On the mechanism of reversible appearance of residual magnetization at low temperature transitions in  $\alpha-Fe_2O_3$ , 1=17957
- Siratori, K. See Tasaki, A., 1=14686
- Sirdechmukh, D.B. See Deshpande, V.T., 1=19723
- Sirdeshmukh, D.B. See Deshpande, V.T., 1=19724
- Sirenko, A.F. See Pines, B.Ya., 1=3992
- Sirenko, A.F. See Pines, B.Ya., 1=6461
- Sirenko, A.F. See Pines, B.Ya., 1=9095
- Sirgo, H.V. See Lever, R.F., 1=2530
- Sirlin, A. See Behrends, R.E., 1=534
- Sirling, A. See Behrends, R.E., 1=435
- Sirkar, S.C. Infrared absorption spectra of diamonds of different types, 1=8992
- Sirkar, S.C. and Roy, J.K. On the singlet  $\rightarrow$  triplet absorption in aromatic compounds in gaseous state, 1=14054
- Sirkar, S.C., Roy, S.B. and Ghosh, D.K. Wing of the Rayleigh line recorded with a self-recording grating spectrophotometer, 1=18417
- Sirota, N.N. and Gololobov, E.M. Atomic scattering factors and the distribution of electronic density in gallium antimonide, 1=11560
- Sirota, N.N. and Olekhovich, N.M. The distribution of electron density in indium arsenide, 1=7865
- Sirota, N.N. and Olekhovich, N.M. Electron density distribution in gallium arsenide, 1=12638
- Sirota, N.N. and Olekhovich, N.M. Distribution of the density of electrons in the 3d-shell, which determine the ferromagnetism of nickel, cobalt and iron, 1=20116
- Sirota, N.N. and Sheleg, A.U. The electron density distribution in germanium, 1=5016
- Sirota, N.N. and Tonoyan, A.A. Development of dislocations and some forms of etch figures in silicon single crystals, 1=3675
- Sirotnin, Yu.I. Group tensor spaces, 1=4007
- Sirotnin, Yu.I. Anisotropic tensors, 1=6490
- Sirotnin, Yu.I. Plotting tensors of a given symmetry, 1=20401
- Sirotnina, E.P. and Syrovatskii, S.I. The structure of low-intensity shock waves in magnetohydrodynamics, 1=4712
- Sirotyuk, M.G. Balance of energy in a concentrator designed to supply ultrasound of high intensity, 1=4404
- Sirotyuk, M.G. See Rozenberg, L.D., 1=18509
- Siry, J.W. Satellite orbits and atmospheric densities at altitudes up to 750 km obtained from the vanguard orbit determination program, 1=6750
- Sistiaga, J.M. and Hernández, J. The martensitic transformation of aluminium bronzes of hypoeutectoid composition, 1=6530
- Sitenko, A.G. Interaction of deuterons with nuclei, 1=3457
- Sitenko, A.G. and Gur'ev, V.N. Inelastic scattering of high-energy electrons by nuclei, 1=17085
- Sitenko, A.G. See Akhiezer, A.I., 1=18906
- Sitharama Rao, D.N. See Duncan, J.F., 1=14502
- Sitnik, G.F. A blackbody model operable at high temperature, 1=18659
- Sitnikov, K. The existence of oscillatory motions in the three-body problem, 1=6812
- Sitnikov, K.P. Investigation of paramagnetic relaxation in magnetically dilute systems, 1=3929
- Sitte, K. Cosmic radiation problems in astronautics, 1=4813
- Sitte, K. A phenomenological model for high-energy interactions. I. Multiplicities and cross sections, 1=4814
- Sittig, E. Application of cell models to the determination of relaxation times in Kneser liquids, 1=1742
- Sittig, E. Vibrational relaxation in gaseous and liquid chlorine, 1=8161
- Sittig, E. See Böhme, H., 1=8174
- Sittkus, A. See Griesser, O., 1=20874
- Sittkus, A. See Lotz, W., 1=568
- Sittkus, A. See Lotz, W., 1=2116
- Sivochub, V.A. See Pines, B.Ya., 1=20358
- Six, J. See Baglin, C., 1=9764
- Six, N.F., Jr. See Carr, T.D., 1=11685
- Sixsmith, H. Electromagnetic bearing, 1=21158
- Sizemore, K.S. See Jones, E., 1=18500
- Sizmann, R. See Blinks, H., 1=17914
- Sizmann, R. See Riehl, N., 1=11409

- Sizon, I.V. See Govorov, A.M., 1-555  
 Sizov, I.V. See Govorov, A.M., 1-19292  
 Sjöblom, R.K. See Smith, A.B., 1-13872  
 Sjögren, B. Cyclotron instrumentation for nuclear reaction studies by magnetic analysis, 1-1943  
 Sjögren, B. Combination of magnetic analyzers in nuclear reaction experiments, 1-1995  
 Sjögren, G. See Lehnert, B., 1-5554  
 Sjögren, G. See Lehnert, B., 1-9678  
 Sjölander, A. See Rahman, A., 1-6853  
 Sjöstrand, B. See Westermarck, T., 1-13745  
 Sjöstrand, N.G. Definition of the diffusion constant in one-group theory, 1-502  
 Sjöstrand, N.G. See Johansson, E., 1-13448  
 Skachkov, S.V. See Goryachev, Yu.M., 1-5511  
 Skachkov, Yu.F. See Demidov, B.A., 1-18790  
 Skakun, N.A. See Val'ter, A.K., 1-13420  
 Skalinski, T. Influence of temperature on the pressure broadening of the mercury resonance line, 1-807  
 Skaliński, T., Rogaczewski, J. and Kapuścińska, M.I. Influence of temperature on the broadening of the mercury resonance line by Xenon, 1-13936  
 Skanavi, G.I. See Gubkin, A., 1-6199  
 Skanavi, G.I. See Gubkin, A.N., 1-12474  
 Skanavi, G.I. See Kashtanova, A.M., 1-14538  
 Skanavi, G.I. See Vodop'yanov, L.K., 1-12475  
 Skanavi, G.N. Relaxation time and distribution function of quasi-dipoles in ionic crystals with defect structures, 1-1127  
 Skanawi, G.I. Relaxation polarization in dielectrics and the internal field in crystals and polycrystalline materials, 1-14520  
 Skarikadze, D.V. Motion of a medium with finite conductivity in the presence of a uniform magnetic field, 1-16523  
 Skarsgard, H.M. See Reynolds, P., 1-9661  
 Skarsgard, H.M. See Shepherd, L.T., 1-18809  
 Skarsgard, L.D. and Johns, H.E. Spectral flux density of scattered and primary radiation generated at 250 kV, 1-15362  
 Skarsgard, L.D., Johns, H.E. and Green, L.E.S. Iterative response correction for a scintillation spectrometer, 1-7173  
 Skarsvåg, K. See Allaby, J.V., 1-5725  
 Skarzhinski, V.D. See Mur, V.D., 1-4762  
 Skarzhinskii, V.D. See Mur, V.D., 1-16653  
 Skatulla, W. See Hinz, W., 1-11538  
 Skeel, W.L. See Ramaswamy, M.K., 1-2198  
 Skeel, W.L. See Ramaswamy, M.K., 1-8608  
 Skewis, J.D. See Mysels, K.J., 1-15828  
 Skibitzke, H.E., Chapman, H.T., Robinson, G.M. and McCullough, R.A. Radio-tracer techniques for the study of flow in saturated porous materials, 1-15830  
 Skidan, V.V. See Zaidel', A.N., 1-5479  
 Skidan, V.V. See Zaidel', A.N., 1-9605  
 Skilbreid, O. See Elbek, B., 1-689  
 Skilbreid, O. See Hansen, O., 1-13787  
 Skilbreid, O. See Jensen, B.S., 1-2190  
 Skilbreid, O. See Jørgensen, M., 1-8622  
 Skilbreid, O. See Toth, K.S., 1-2200  
 Skinner, B.G. On the validity of two conjectures relating to resonance collisions, 1-16261  
 Skinner, B.G. See Kingston, A.E., 1-9917  
 Skinner, G.T. Molecular beam for the study of high-temperature-gas collision processes, 1-11787  
 Skinner, N.J. See Lyon, A.J., 1-1538  
 Skinner, N.J. See Lyon, A.J., 1-4127  
 Skinner, N.J. See Lyon, A.J., 1-21010  
 Skinner, T.J. Ergodic theorem in the solution of the scalar wave equation with statistical boundary conditions, 1-16047  
 Skinner, T.J. Incoherent source with an arbitrarily narrow power spectrum, 1-18555  
 Skinner, T.J. See Parrent, G.B.Jr., 1-5358  
 Skirda, N.V. See Zhdanov, A.P., 1-3260  
 Skirda, N.V. See Zhdanov, A.P., 1-19186  
 Skjeggstad, O. See Ammar, R.G., 1-607  
 Sklyarevskii, V.V., Samoilov, B.N. and Stepanov, E.P. The temperature dependence of the magnitude of the hyperfine splitting of  $Dy^{161}$  levels in paramagnetic dysprosium oxide, 1-20053  
 Sklyarevskii, V.V., Stepanov, E.P. and Obinyakov, B.A. Soft  $\gamma$ -ray spectra excited by thermal-neutron capture in  $Cu^{63}$ ,  $Cu^{65}$ ,  $Ag^{107}$ ,  $Ag^{109}$  and  $In^{115}$ , 1-3427  
 Skobelev, N.K. See Druin, V.A., 1-19540  
 Skoblik, I.P. See Zolototrubov, I.M., 1-4598  
 Skobov, V.G. Quantum theory of sound absorption by metals in a magnetic field, 1-19705  
 Skoff, G. See Lonati, R.D., 1-7227  
 Skolnik, W. See Rockey, K.S., 1-16801  
 Skopenko, A.I. See Glinchuk, K.D., 1-5019  
 Skorchev, B. See Simova, P., 1-7473  
 Skoryupin, V.A. See Zavoiskii, E.K., 1-19047  
 Skotnikov, V.V. See Glukhikh, V.A., 1-4617  
 Skotnikov, V.V. See Glukhikh, V.A., 1-9258  
 Skripkin, V.A. A point explosion in an incompressible ideal liquid in the general theory of relativity, 1-4254  
 Skripkin, V.A. A class of self-similar [patterns of] motion of an ultrarelativistic gas, 1-6875  
 Skripkin, V.A. A point explosion in an incompressible ideal liquid in the general theory of relativity, 1-10479  
 Skripkin, V.A. A class of self-similar [Patterns of] motion of an ultrarelativistic gas, 1-10528  
 Skripkin, V.A. A correct solution of the equations of motion in uniform relativistic hydrodynamics with a discontinuity of the transformation of the rest mass of matter, 1-15788  
 Skripov, F.I. See Van I-tsyu [Wang I-ch'iu], 1-6874  
 Skripov, F.I. See Van I-Tsyu., 1-10523  
 Skřivánek, J. See Lehar, F., 1-9865  
 Skrotskii, G.V. and Izyumova, T.G. On the theory of the optical Faraday effect in ferrimagnetic single crystals of garnet in a radiofrequency field, 1-1145  
 Skrotskii, G.V. and Kurbatov, L.V. The effect of long-range magnetic order fluctuations on the temperature dependence of line-widths in ferromagnetic resonance absorption, 1-6390  
 Skrotskii, G.V. See Izyumova, T.G., 1-14816  
 Skrots'kii, H.V. and Taluts, H.H. Extension of Fresnel's formula to the case of absorbing uniaxial crystals, 1-16120  
 Skrzypczak, E. See Bogdanowicz, J., 1-12122  
 Skubenko, A.F. See Lyashenko, V.I., 1-19898  
 Skudrzyk, E.J. Remarks on the work "M. Hecke, Sound radiation from plates with point excitation" in *Acustica* 9 (1959) 376, 1-9440  
 Skudrzyk, E.J., Kautz, B.R. and Greene, D.C. Vibration of, and bending-wave propagation in plates, 1-2805  
 Skuridin, G.A. See Vakhnin, V.M., 1-4699  
 Skuridin, G.A. See Vakhnin, V.M., 1-10339  
 Skurnik, E.Z., Elbek, B. and Olesen, M.C. Inelastic scattering from  $Th^{232}$  and  $U^{238}$ , 1-5908  
 Skurnik, E.Z. See Bernstein, E.M., 1-2208  
 Skvortsov, U.V. See Komel'kov, V.S., 1-7037  
 Skvortsov, Yu.V., Komel'kov, V.S. and Kuznetsov, N.M. Broadening of the spark channel in liquids, 1-5430  
 Skvortsov, Yu.V. See Vasil'ev, V.I., 1-2975  
 Skwierz, A. See Kowski, A., 1-18620  
 Skyrme, D.M. See Arnold, M., 1-558  
 Skyrme, T.H.R. A non-linear field theory, 1-13349  
 Skyrme, T.H.R. Particle states of a quantized meson field, 1-13350  
 Slabospitskii, R.P. See Fogel', Ya.M., 1-4652  
 Slack, C. See Eisner, H.S., 1-11631  
 Slack, G.A. Thermal conductivity of  $CaF_2$ ,  $MnF_2$ ,  $CoF_2$ , and  $ZnF_2$  crystals, 1-8889  
 Sladek, R.J. Quadratic deviations from ohm's law in n-type InSb, 1-1075  
 Sladek, R.J. Magnetoresistance of high purity InSb in the quantum limit, 1-7621  
 Sladek, R.J. and Keyes, R.W. Galvanomagnetic effects in n-Ge in the impurity conduction range, 1-7640  
 Slagg, N. and Marcus, R.A. Photochemical studies in flash photolysis. II. photolysis of acetone with filtered light, 1-6574  
 Slater, C.H. See Davies, R.D., 1-31  
 Slater, N.B. Cubic potential surfaces in the transition-state theory of unimolecular reactions, 1-12320  
 Slater, N.B. See Cyvin, S.J., 1-824  
 Slater, W. See Stubbs, T.F., 1-16896  
 Slater, W.E. See Ammar, R.G., 1-5832  
 Slater, W.E. See Schlein, P.E., 1-16976  
 Slihts, H. See Hjalmar, E., 1-5933  
 Slattery, R.E. and Clay, W.G. Width of the turbulent trail behind a hypervelocity sphere, 1-15923  
 Slaughter, G.G. See Block, R.C., 1-17131



- Šlaus, I., Tomaš, P. and Stipčić, N. Angular distribution of the  $V^{51}(n, d)Ti^{48}$  ground state deuterons, 1=5928
- Šlaus, I. See Cindro, N., 1=2225
- Šlaus, I. See Ilakovac, K., 1=7290
- Slavatinsky, S.A. and Chernavsky, D.S. Peripheral collisions, 1=3269
- Slavatinsky, S.A. See Birger, N.G., 1=3267
- Slavatinsky, S.A. See Grigorov, N.L., 1=5801
- Slavatinsky, S.A. See Nikishov, A.I., 1=3268
- Slavin, W., Mooney, R.W. and Palumbo, D.T. Energy-recording spectrofluorimeter, 1=2865
- Slawsky, Z.I. See Ho, L.T., 1=11785
- Slawsky, Z.I. See Ho, L.T., 1=11789
- Sledzik, J. Some remarks on collective description of electron interactions. The partition function, 1=12368
- Śledzik, J. Collective oscillations in an electron gas of metallic density. The correlation energy. I, 1=14250
- Śledzik, J. Collective oscillations in an electron gas of metallic density. The correlation energy. II, 1=14231
- Slee, O.B. Radio scintillations of satellite 1958 $\alpha$ , 1=1666
- Slee, O.B. See Mills, B.Y., 1=8029
- Sleeswyk, A.W. Blue - brittle armco ingot iron, 1=1308
- Slepian, J. The magneto-ionic expander isotope separator, 1=7448
- Slepian, J. Comment on "Review of high-temperature rotating-plasma experiments", 1=9563
- Slepian, J. The ionic centrifuge and fusion nuclear power, 1=16347
- Slevogt, H. The dependence on position of the Siedel aberrations, 1=18569
- Slevogt, H. Seidel theory of the two-component teleobjective, 1=18573
- Slevogt, H. See Sonnefeld, C.A., 1=18237
- Slichter, C.P. and Holton, W.C. Adiabatic demagnetization in a rotating reference system, 1=9060
- Slichter, C.P. See Simmons, W.W., 1=5077
- Slichter, W.P. Molecular motion in disordered regions of solid polyethylene, 1=20640
- Slie, W.M. and Litovitz, T.A. Effect of alcohol impurity on ultrasonic vibrational relaxation in liquid  $CS_2$ , 1=15867
- Śliepcevič, C.M. See Churchill, S.W., 1=11638
- Slifkin, L. See Childs, C.B., 1=3679
- Sliker, T.R. See Holcomb, D.F., 1=14822
- Sligh, F. See Lowrie, R., 10465
- Sliv, L.A., Sogomonova, G.A. and Kharitonov, Yu.I. Pairing forces and pair correlations in the nuclei  $Tl^{206}$  and  $Bi^{210}$ , 1=19326
- Sliv, L.A. See Guman, V.N., 1=13597
- Śliwiński, A. Influence of density fluctuations on ultrasonic waves in a binary liquid mixture near its critical solution point, 1=18401
- Sloan, G.J. See Chesnut, D.B., 1=12319
- Sloan, W.A. See Jeppersen, M.A., 1=17972
- Sloanaker, R.M. and Boland, J.W. Observations of Jupiter at a wave length of 10 cm, 1=5168
- Slodgian, G. See Castaing, R., 1=3020
- Slonczewski, J.C. Anisotropy and magnetostriction in magnetic oxides, 1=6334
- Slonczewski, J.C. Origin of magnetoelastic effects in cobalt-iron ferrite, 1=9030
- Slonczewski, J.C. Theory of magnetostriction in cobalt-manganese ferrite, 1=9031
- Slonim, I.Ya. Determination of particle size from scattering of light. Nomograms for determination of size of rod-shaped particles, 1=2892
- Slonimskii, G.L. The deformation law for highly elastic polymers, 1=20342
- Sloope, B.W. and Tiller, C.O. Formation conditions and structure of thin epitaxial silver films on rocksalt, 1=10243
- Slovacek, R.E. See Stone, R.S., 1=510
- Slovetskii, V.I. See Shlyapochnikov, V.A., 1=18593
- Slřivánek, J. See Lehar, F., 1=13651
- Slutsker, A.I. and Marikhin, V.A. Certain problems in the theory of the scattering of electromagnetic radiation by submicroscopic nonspherical particles, 1=16580
- Slutskin, A.A. See Lifshits, I.M., 1=18990
- Sluyters, T.J.M., de Haas, E. and Kistemaker, J. Charge exchange, ionization and electron loss cross-sections in the energy range 5 to 24 keV. I, 1=275
- Sluyters, T.J.M. and Kistemaker, J. Excitation mechanism of  $Ar^+$  ions in He, Ne, Ar, Kr and Xe. II, 1=276
- Slyozov, V.V. See Lifshitz, I.M., 1=20619
- Slyusar, B.F. See Gertsriken, S.D., 1=958
- Slyusar, B.F. See Gertsriken, S.D., 1=7575
- Slyusar, B.P. See Hertsriken, S.D., 1=11191
- Slyusar, B.P. See Hertsriken, S.D., 1=11192
- Slyusarskii, V.A. See Shestopalov, V.P., 1=4723
- Smagin, A.G. Methods of reducing the energy dissipated in the surface layers of quartz, 1=15172
- Smakula, A. and Kalnajs, J. A new determination of Avogadro's number from lattice constant and density of single crystals, 1=1677
- Smakula, A. See Avakian, P., 1=992
- Small, A.M.Jr. and Campbell, R.A. Pitch shifts of periodic stimuli with changes in sound level, 1=15371
- Small, A.M., Jr. and Campbell, R.A. Masking of pulsed tones by bands of noise, 1=21121
- Small, A.M., Jr. and Minifie, F.D. Effect of matching time on perstimulatory adaptation, 1=12711
- Small, R.W.H. and Travers, S. Design for a three-circle X-ray goniometer, 1=6509
- Small, S.H. See Hvinden, T., 1=9823
- Smaller, B. See McMillan, J.A., 1=14795
- Smallman, R.E. See Westmacott, K.H., 1=966
- Smallman, R.E. See Westmacott, K.H., 1=17511
- Smars, E. See Alfvén, H., 1=1905
- Smår, E.A. and Johansson, R.B. Toroidal high-pressure discharge experiment, 1=11945
- Smart, J.S. The behavior of magnetic systems with dilution, 1=20061
- Smart, J.S. Magnetic short range order and specific heat in ferromagnets and antiferromagnets, 1=20095
- Smartt, R.E. The production of high quality optical surfaces on calcite, 1=10229
- Smartt, R.N. See Steel, W.H., 1=15401
- Smay, T.A. See Daughton, J.M., 1=7120
- Smazhevskaya, E.G. See Fedulov, S.A., 1=20575
- Smelov, V.V. An approximate method of homogenizing a heterogeneous reactor, 1=19563
- Smets, H.B. A general property of boundedness for the power of some stable and unstable nuclear reactors, 1=762
- Smets, H.B. Non-linear stability of nuclear reactors, 1=8802
- Smets, H.B. Stability in the large of heterogeneous power reactors, 1=19556
- Smiddy, M. and Chalmers, J.A. Measurements of space charge in the lower atmosphere using double field mills, 1=15234
- Smidt, J. Absolute determination of the number of free electrons using an electron paramagnetic resonance spectrometer, 1=16596
- Smirnitskii, V.A. See Vaisenberg, A.O., 1=16819
- Smirnitskii, V.A. See Vaisenberg, A.O., 1=19223
- Smirnitsky, V.A. See Waisenberg, A.O., 1=5748
- Smirnov, A.A. and Tikhonova, E.A. The theory of X-ray scattering in ordering alloys with a distorted crystal lattice, 1=20492
- Smirnov, A.A. See Danilenko, V.M., 1=2359
- Smirnov, A.A. See Nosar', A.I., 1=6122
- Smirnov, B.I. A yield plateau in iron after deformation ageing, 1=6455
- Smirnov, B.I. See Muravtsov, L.P., 1=17547
- Smirnov, B.I. See Nadgorný, E.M., 1=10277
- Smirnov, G.E. and Tonakanov, O.S. Fluctuations in hydroacoustic pulse signals on reflection from a water surface on which waves are present, 1=18523
- Smirnov, I.A. See Devyatkov, E.D., 1=14189
- Smirnov, I.A. See Devyatkov, E.D., 1=19729
- Smirnov, I.A. See Devyatkov, E.D., 1=19916
- Smirnov, I.A. See Petrusevich, V.A., 1=11169
- Smirnov, I.A. See Zaslavskii, A.I., 1=2381
- Smirnov, I.S. See Devyatkov, E.D., 1=17432
- Smirnov, K.A. See Lukirskii, L.P., 1=2990
- Smirnov, L.A. See Lukirskii, A.P., 1=3029
- Smirnov, L.V. See Sadovskii, V.D., 1=10227
- Smirnov, N.S. See Kuzmin, A.I., 1=20877
- Smirnov, V.A. See Zhuravlev, N.N., 1=4044
- Smirnov, V.B. See Anton'eva, N.M., 1=13750
- Smirnov, V.I. See Klyavin, O.V., 1=15057
- Smirnov, Yu.F. Talmi transformations for particles with different masses, 1=19138
- Smirnov, Yu.F. and Chlebowska, D. Reduced widths for nucleon clusters in shell model, 1=13607

- Smirnova, N.N. See Nasledov, D.N., 1-3777
- Smirnova, R.I. See Markovskii, L.Ya., 1-17913
- Šmirnov, K. Preparation of single crystals of  $Zn_x Cd_{1-x}$  Sb by interruption of free crystallization of the melt, 1-20433
- Šmirnov, K. and Štourač, L. Influence of oxygen content on electric and thermoelectric properties of ternary system  $Bi_{1-x}Ti_xSe_3$ , 1-17603
- Smit, D.C. See Geertsma, J., 1-7925
- Smith, A. See Ch'en Shang-Yi, 1-809
- Smith, A.B., Sjöblom, R.K. and Roberts, J.H. Prompt fission neutron spectrum of  $Pu^{241}$ , 1-13872
- Smith, A.C. See Blair, J., 1-14473
- Smith, A.E. See Montgomery, D.J., 1-4549
- Smith, A.G. Radio spectrum of Jupiter, 1-18172
- Smith, A.G. See Carr, T.D., 1-1658
- Smith, A.G. See Carr, T.D., 1-11685
- Smith, A.M. and Steigert, F.E. Neutron groups from  $K(\alpha, n)Sc$ , 1-8778
- Smith, A.M. See Dunning, J.R., 1-2107
- Smith, A.M. See Newman, E., 1-8404
- Smith, A.W. and Watanabe, A. Ferrimagnetic resonance in a single-crystal disk of yttrium iron garnet, 1-6405
- Smith, A.W. and Williams, G.W. Strain in crystals of yttrium iron garnet, 1-14865
- Smith, B.H. See Hernandez, H.P., 1-18956
- Smith, B.L. Refractive index of solid krypton and [density of] solid argon, 1-19948
- Smith, B.L. See Eatwell, A.J., 1-9982
- Smith, C.A. and Rough, F. Properties of uranium monocarbide, 1-5953
- Smith, C.S. See Eros, S., 1-29296
- Smith, C.S. See Jaffe, H., 1-6444
- Smith, C.S. See Jovanovic, S., 1-5078
- Smith, C.S. See Schmunk, R.E., 1-1289
- Smith, D.A. and Lambert, R.F. Effects of dynamical nonlinearity on extremal statistics, 1-1778
- Smith, D.B. See Jarmie, N., 1-13865
- Smith, D.B. See Silbert, M.G., 1-12154
- Smith, D.K. Bibliography on molecular and crystal structure models, 1-15021
- Smith, D.O. Anisotropy in nickel-iron films, 1-6317
- Smith, D.O. See Weiss, G.P., 1-7755
- Smith, D.R. See Camp, D.C., 1-10981
- Smith, D.R. See Hamilton, J.H., 1-10984
- Smith, D.S. Pressure differences in a direct-current capillary discharge, 1-16279
- Smith, E. Regular pile-up of dislocations in  $\alpha$ -iron, 1-4984
- Smith, E. and Stagg, M.S. Production and mobility of point defects in titanium and zirconium, 1-12380
- Smith, E.R. See Schmidt, V.A., 1-9454
- Smith, F. Demagnetization of ferromagnetic particles, 1-6304
- Smith, F.A. and Tempest, W. Low-frequency sound propagation in gases, 1-18521
- Smith, F.G. The possibility of observing features of galactic radio emission from a satellite-borne radio telescope, 1-15530
- Smith, F.G. Spectrum of galactic radio emission, 1-13192
- Smith, F.G. See Bennett, A.S., 1-12783
- Smith, F.G. See Costain, C.H., 1-12782
- Smith, F.L. See Murgai, M.P., 1-4096
- Smith, F.P. See Dale, B., 1-10067
- Smith, F.T. Capacitive energy and the ionization of aromatic hydrocarbons, 1-5424
- Smith, G. See Siddall, G., 1-6441
- Smith, G.A., Courant, H., Fowler, E., Kraybill, H., Sandweiss, J. and Taft, H.  $\pi^+$ -proton scattering cross-sections by Chew-Low extrapolation, 1-3222
- Smith, G.A., Courant, H., Fowler, E.C., Kraybill, H., Sandweiss, J. and Taft, H. Elastic scattering and single meson production in proton-proton collisions at 2.85 BeV, 1-15415
- Smith, G.C. See Ashby, M.F., 1-4986
- Smith, G.C. See Brittain, C.P., 1-20713
- Smith, G.D. The monitoring of radioactive effluents, 1-7313
- Smith, G.E. The anomalous skin effect, 1-17595
- Smith, G.E. See Everett, G., 1-12469
- Smith, G.G. and Bagley, F.D. Convenient reactor for studying reaction kinetics of high boiling liquids in the gas phase, 1-10293
- Smith, G.G. See Hardy, J.Jr., 1-13822
- Smith, G.M. and Muschlitz, E.E. Jr. Scattering of metastable helium atoms in helium, neon and argon, 1-3521
- Smith, G.P. and Boston, C.R.  $n \rightarrow \pi^*$  electronic transition in pure alkali nitrate melts, 1-6861
- Smith, G.W. The calculation of second moments of nuclear magnetic resonance lines for large molecules. Adamantane molecule, 1-17352
- Smith, H.A. See Hunt, P.P., 1-13977
- Smith, H.G. See Peterson, S.W., 1-4046
- Smith, I.E. Cryogenic rocket propellants, 1-18222
- Smith, J.E.K. and Klem, L. Vowel recognition using a multiple discriminant function, 1-6666
- Smith, J.F. and Christian, J.L. Thermodynamics of formation of copper-magnesium and nickel-magnesium compounds from vapor pressure measurements, 1-1437
- Smith, J.F. See Meyerhoff, R.W., 1-10245
- Smith, J.K. See McGlynn, S.P., 1-11104
- Smith, J.R. See Spencer, R.R., 1-16814
- Smith, J.R.W. See Herbst, L.J., 1-9517
- Smith, J.W. The characteristics of persistent sporadic meteor echoes, 1-8027
- Smith, K. Partial wave theory of positron-hydrogen atom collisions, 1-17283
- Smith, K. and Burke, P.G. Effect of virtual excitations on the elastic scattering of electrons and positrons by atomic hydrogen, 1-11080
- Smith, K., Miller, W.F. and Mumford, A.J.P. The elastic and inelastic scattering of electrons and positrons from the S-states of atomic hydrogen, 1-815
- Smith, K. See Dejon, B., 1-2087
- Smith, K.F. and Spalding, I.J. The atomic g values of some rare-earth atoms, 1-19585
- Smith, K.F. See Fernando, P.C.B., 1-2294
- Smith, K.F. See Fernando, P.C.B., 1-3388
- Smith, K.F. See Title, R.S., 1-2288
- Smith, K.J.Jr. See Roe, R.J., 1-20406
- Smith, L. and Osterberg, H. Diffraction images of circular self-radiant disks, 1-4438
- Smith, L. See Hubbard, E.L., 1-10749
- Smith, L.C. See Urizar, M.J., 1-4099
- Smith, L.W. See Bareyre, P., 1-13418
- Smith, L.W. See Osterberg, H., 1-10578
- Smith, L.W. See Osterberg, H., 1-12968
- Smith, M.J.A. See Ingram, D.J.E., 1-14798
- Smith, M.W. See Tack, D.H., 1-8147
- Smith, O.K. Computation of coordinates from Brouwer's solution of the artificial satellite problem, 1-15573
- Smith, P., Berger, M.A. and Ruimonte, F.G. X-ray investigation of the formation of refractory alumina, 1-6517
- Smith, P.A. See Naismith, R., 1-20974
- Smith, P.B. and Kuperus, J. Spin and parity assignments to the  $E_p = 504$  keV and  $E_p = 506$  keV resonance levels in  $^{27}Al(p, \gamma)^{28}Si$ , 1-17096
- Smith, P.B. See Braams, C.M., 1-5506
- Smith, P.B. See Kuperus, J., 1-7371
- Smith, P.B. See Smulders, P.J.M., 1-5507
- Smith, P.B. See Smulders, P.J.M., 1-8772
- Smith, P.F. An experimental and theoretical investigation of the magnetic field produced by ridged pole-pieces, 1-9651
- Smith, P.G. See Kimmitt, M.F., 1-15944
- Smith, P.H., Shapiro, S., Miles, J.L. and Nicol, J. Superconducting characteristics of super-imposed metal films, 1-11886
- Smith, P.H. See Nicol, J., 1-1860
- Smith, P.L. See Gebbie, H.A., 1-6160
- Smith, P.W., Jr. Calculations of random fatigue of hard-spring resonators, 1-9437
- Smith, P.W., Jr. Density of peaks in random response of hard-spring resonators, 1-9438
- Smith, P.W.Jr., Malme, C.I. and Gogos, C.M. Nonlinear response of a simple clamped panel, 1-18501
- Smith, R. and Bowles, J.S. The crystallography of the cubic to orthorhombic transformation in the alloy AuCu, 1-2540
- Smith, R.A. Physics of semiconductors, 1-1027
- Smith, R.A. Amplification through stimulated emission tie maser, 1-7145
- Smith, R.A. A uniqueness theorem concerning gravity, 1-18244
- Smith, R.C. and Wyard, S.J. Glass formation in solutions of hydrogen peroxide-water and deuterium peroxide-heavy water, 1-6551



- Smith, R.C. and Wyard, S.J. Spatial distribution of free radicals as studied by electron spin resonance, 1=17363
- Smith, R.C. See Bilpuch, E.G., 1=13654
- Smith, R.C. See Searl, J.W., 1=11470
- Smith, R.C. See Wyard, S.J., 1=9950
- Smith, R.L. Guiding of whistlers in a homogeneous medium, 1=20858
- Smith, R.L. and Carpenter, D.L. Extension of noise whistler analysis, 1=20855
- Smith, R.L. and Helliwell, R.A. Electron densities to 5 earth radii deduced from nose whistlers, 1=15321
- Smith, R.L. See Easterday, H.T., 1=2199
- Smith, R.P. and Mortensen, E.M. Calculation of depolarization ratios, anisotropies, and average dimensions of n-alkanes, 1=12329
- Smith, S. See Forward, R.L., 1=8040
- Smith, S.D. and Hardy, J.R. Activation of single phonon infrared lattice absorption in neutron irradiated diamond, 1=6211
- Smith, S.D. See Hardy, J.R., 1=19995
- Smith, S.R. See Gordon, A.S., 1=7916
- Smith, T. See Finlayson, D.M., 1=1162
- Smith, T. See Finlayson, D.M., 1=29168
- Smith, W.A. See Cooper, R., 1=2435
- Smith, W.E. Average forces in electromagnetic systems, 1=8370
- Smith, W.G. Low-energy conversion electrons of  $\text{Ag}^{100}$  and  $\text{Rh}^{106}$ ,  $\text{Pd}^{106}$  levels, 1=8652
- Smith, W.G. Decay of  $\text{In}^{110\text{m}}$ , 1=17055
- Smith, W.H. See Singer, L.S., 1=12023
- Smith, W.I.B. Improved focussing near the cyclotron source, 1=18958
- Smith, W.T.Jr. See Datz, S., 1=6061
- Smither, R.K. Capture-gamma-ray spectrum of  $\text{Cd}^{113}(\text{n}, \gamma)\text{Cd}^{114}$  and the associated energy levels in  $\text{Cd}^{114}$ , 1=17119
- Smither, R.K. See Hamermesh, B., 1=12153
- Smither, R.K. See Hamermesh, B., 1=12182
- Smits, F.M. Diffusion in homopolar semiconductors, 1=3739
- Smits, J. See Van Itterbeek, A., 1=7777
- Smits, J. See Van Itterbeek, A., 1=14769
- Smolders, C.A. Contact angles; wetting and de-wetting of mercury. II. Theory of wetting, 1=15820
- Smolders, C.A. and Duyvis, E.M. Contact angles; wetting and de-wetting of mercury. I. A critical examination of surface tension measurement by the sessile drop method, 1=15819
- Smolenskii, G.A., Chzhan Tszun, [Chang Tsung] and Stankevich, A.K. The effect of the diffusion of electrons on the radiofrequency dispersion of the magnetic permeability of ferrites with the garnet type of structure, 1=20125
- Smolenskii, G.A., Isupov, V.A., Agranovskaya, A.I. and Krainik, N.N. New ferroelectrics with complex composition. IV, 1=14560
- Smolenskii, G.A., Isupov, V.A., Agranovskaya, A.I. and Popov, S.N. Ferroelectrics with diffuse phase transitions, 1=6195
- Smolenskii, G.A., Krainik, N.N. and Agranovskaya, A.I. Antiferroelectric properties of solid solutions based on  $\text{Pb Mg}_{1-x}\text{W}_x\text{O}_3$ , 1=12478
- Smolin, M.D. and Frantsevich, I.N. Investigation of the temperature dependence of electrical transport in alloys based on refractory metals, 1=4552
- Smolin, M.D. and Frantsevich, I.N. Investigation of the temperature dependence of electrical transport in alloys based on refractory metals, 1=11222
- Smolin, M.D. See Kalinovich, D.F., 1=7596
- Smolin, R.P. See Kirenski, L.V., 1=10148
- Smolinski, A. The influence of the method of demagnetization on the permeability in soft magnetic materials, 1=6283
- Smolkin, G.E. See Akhmatov, A.P., 1=4628
- Smoluchowski, R. See Howard, R.E., 1=8922
- Smoluchowski, R. See Mitchell, P.V., 1=996
- Smoluchowski, R. See Royce, B.S.H., 1=8929
- Smolyanin, N.P. See Filip'ev, V.S., 1=15099
- Smolyankin, V.T. See Belonogov, A.V., 1=3097
- Smolyankin, V.T. See Kolganov, V.Z., 1=3096
- Smolyanskii, R.E. Utilization of an indium-germanium alloy diode as a temperature transducer, 1=5367
- Smolyanskii, S.A. See Kirzhnits, D.A., 1=19089
- Smolyankina, T.G. See Goryachev, Yu.M., 1=5511
- Smorodin, Yu.A. See Antonov, R.A., 1=3284
- Smorodin, Yu.A. See Baradzey, L.T., 1=3291
- Smorodin, Yu.A. See Birger, N.G., 1=3267
- Smorodin, Yu.A. See Nikol'skii, S.I., 1=5806
- Smorodinskii, Ya. The present state of the theory of beta decay, 1=3409
- Smorodinskii, Ya. See Pontekorvo, B., 1=19172
- Smorodinskii, Ya.A. Beta decay and the weak interactions, 1=3132
- Smorodinskii, Ya.A. and Khu Shi-ké [Hu Shih-ko]. Radiative correction in  $\pi$ -meson decays, 1=19230
- Smorodinskii, Ya.A. See Zel'dovich, Ya.B., 1=18007
- Smotrich, H., Jones, K.W., McDermott, L.C. and Benenson, R.E. Elastic scattering of alpha particles by  $\text{N}^{15}$ , 1=7404
- Smotryaev, V.A. See Trostin, I.S., 1=19291
- Smrž, P. and Ulehla, I. Electrodynamical corrections to magnetic moment of electron, 1=13392
- Smulders, P.J.M. and Smith, P.B. The Utrecht 850 kV cascade generator. II. The beam integrator and galvanometer, 1=5507
- Smulders, P.J.M., Smith, P.B. and Endt, P.M. Isobaric spin selection rules and demonstrated in the  $\text{Mg}^{24}(\alpha, \gamma)\text{Si}^{28}$  reaction, 1=8772
- Smulkowski, O. See Amsel, G., 1=1991
- Smulkowski, O. See Amsel, G., 1=3086
- Smulkowski, O. See Amsel, G., 1=5615
- Smushkov, I.V. Determination of the coefficients of diffusion in alloys, 1=17549
- Smushkov, I.V. and Karakulin, I.E. X-ray investigation of nickel-chromium alloys, 1=10267
- Smushkov, I.V. See Pines, B.Ya., 1=17591
- Smushkov, I.V. See Pines, B.Ya., 1=12402
- Smy, P.R. See Pain, H.J., 1=1970
- Smyrnov, A.A. and Týkhonova, E.A. The theory of X-ray and thermal neutron scattering by multicomponent [unordered] substitutional alloys, 1=15060
- Smyth, C.N. [Ed.]. Medical electronics. Second international conference, Paris, 24-27 June, 1959, 1=11655
- Smyth, C.P. The structure and relaxation of dielectrics, 1=1125
- Smyth, C.P. See Illinger, K.H., 1=11754
- Smyth, C.P. See Illinger, K.H., 1=12275
- Smyth, C.P. See Illinger, K.H., 1=12276
- Smythe, W.R. Flow around a sphere in a circular tube, 1=10485
- Snell, P.A. See Linden, B.R., 1=2995
- Snider, C.S. See Beehler, R.E., 1=1725
- Snider, J.L. See Posner, M., 1=16968
- Snider, R.F. and Curtiss, C.F. Kinetic theory of moderately dense gases: Rigid sphere limit, 1=171
- Snitko, O.V. See Primachenko, V.E., 1=12439
- Snitzer, E. Proposed fiber cavities for optical masers, 1=2852
- Snitzer, E. Cylindrical dielectric waveguide modes, 1=8224
- Snitzer, E. and Osterberg, H. Observed dielectric waveguide modes in the visible spectrum, 1=8225
- Snow, G.A. and Shapiro, M.M. Mesons and hyperons, 1=12092
- Snow, G.A. See Day, T.B., 1=10858
- Snow, G.A. See Glasser, R.G., 1=9771
- Snow, G.A. See Sucher, J., 1=548
- Snow, G.A. See Sucher, J., 1=8426
- Snowden, D.P. and Portis, A.M. Electrical structure of PbS films, 1=1080
- Snowden, K.U. Effect of air pressure on the fatigue of lead and aluminium, 1=6482
- Snowden, K.U. The distribution of deformation in lead fatigued in vacuo, 1=7825
- Snowdon, J.C. Response of nonlinear shock mountings to transient foundation displacements, 1=15958
- Snowdon, J.C. Reduction of the response to vibration of structures possessing finite mechanical impedance, 1=18495
- Snowdon, S.C. Theory of multipole radiation, 1=16546
- Snowsill, W.L. See Cross, P.A.E., 1=1623
- Snowsill, W.L. See Crosse, P.A.E., 1=17246
- Snyder, L.C. Helium atom wave functions from Slater orbitals of nonintegral principal quantum number, 1=2278
- Snyder, L.C. and Parr, R.G. Problems in perturbation theory calculation of diamagnetic susceptibility and nuclear magnetic shielding in molecules. Illustration with the hydrogen atom, 1=5957
- Snyder, L.C. and Parr, R.G. Extraordinary basic functions in valence theory, 1=8850
- Snyder, R.G. See Kumamoto, J., 1=15037
- Snyder, W.E. See Stanley, C.W., 1=6843
- Soa, E.A. Systematic investigations of an electrostatic immersion objective, 1=8357
- Sobajima, S. See Tadokoro, H., 1=12279

## AUTHOR INDEX

- Sobel, A. Synchronous detector using the 7360 beam-deflection tube, 1=16609
- Sobelman, I.I. See Rautian, S.G., 1=798
- Sobel'man, I.I. See Rautian, S.G., 1=14017
- Sobel'man, I.I. See Rautian, S.G., 1=19024
- Sobel'man, I.I. See Vainshtein, L.A., 1=3517
- Sobhanadri, J. Calculations on ionic character and hybridization from dipole moments for  $\text{AsF}_3$  and  $\text{AsCl}_3$ , 1=871
- Sobhanadri, J. Dipole moment and relaxation time of certain tri-substituted benzenes, 1=14116
- Sobhanadri, J. Dipole moments and ionic character for  $\text{PCl}_3$ ,  $\text{PF}_3$ , and  $\text{NF}_3$ , 1=14119
- Sobhanadri, J. Dielectric relaxation and dipole-dipole interaction, 1=15897
- Sobiczewski, A. See Dabrowski, J., 1=9795
- Sobiczewski, A. See Dabrowski, J., 1=17089
- Sobiniakov, V.A. See Babayan, C.P., 1=3271
- Sobinyakov, V.A. See Grigorov, N.L., 1=3265
- Sobolev, N.D. Effect of non-uniformity of the state of stress in processes leading to slow fracture, 1=14912
- Sobolev, N.N. and Cheremisinov, V.P. Vibrational spectrum of crystalline arsenic oxide and structure of its molecules, 1=2326
- Sobolev, N.N. See Markin, E.P., 1=11379
- Sobolev, R.I. See Ioffe, M.S., 1=18872
- Sobolev, R.I. See Ioffe, M.S., 1=18873
- Sobolev, V.V. Diffusion of radiation in a medium with a specularly reflecting boundary, 1=5237
- Sobolev, V.V. Diffusion of radiation in a medium with a specularly reflecting boundary, 1=10451
- Sobolev, V.V. The theory of stellar evolution, 1=18106
- Sobolev, V.V. See Gross, E.F., 1=9004
- Soboleva, M.S. See Ariya, S.M., 1=19684
- Soboleva, N.S. See Gelfreich, G.B., 1=6733
- Sobotovich, E.V. See Starik, I.E., 1=18
- Sobouti, Y. The relationship between unique geomagnetic and auroral events, 1=21048
- Sochnov, A.Ya. Magnetic system with an inhomogeneous field for the experimental investigation of electron tubes, 1=4642
- Soda, T. See Sawada, K., 1=11711
- Soden, R.R. Effects of rare-earth substitutions on the fluorescence of terbium hexa-antipyrine tri-iodide, 1=11401
- Soden, R.R. See Van Uitert, L.G., 1=3854
- Sodha, M.S. Estimation of inelastic collision cross section from electron mobility measurements, 1=5419
- Sodha, M.S., Stewart, C.E. and Tooper, R.F. Determination of velocity distribution of bremsstrahlung from observed spectral distribution of bremsstrahlung, 1=3163
- Sodnom, N. See Li Ga En [Li Ka Yen], 1=555
- Soergel, V. See Freiberg, E., 1=5819
- Soergel-Fabricsius, C. The origin of coriolis and centrifugal forces in stationary spaces, 1=9320
- Soergel-Fabricsius, C. See Hönl, H., 1=15654
- Soffer, B.H. Studies of the optical and infrared absorption spectra of rutile single crystals, 1=14602
- Softky, S.D. Ratio of atomic stopping power of graphite and diamond for 1.1 MeV protons, 1=12349
- Sogomonova, G.A. See Guman, V.N., 1=13597
- Sogomonova, G.A. See Sliv, L.A., 1=19326
- Sohm, J.C. Ionization by impact of the impurities in silicon, 1=19862
- Soifer, L.M. and Startsev, V.I. Some phenomena observed on deforming single crystals of antimony, 1=972
- Soifer, L.M. and Startsev, V.I. The movement of dislocations in crystals of antimony, 1=17540
- Soifer, L.M. See Bengus, V.Z., 1=3668
- Soifer, L.M. See Lavrent'ev, F.F., 1=12617
- Soifer, L.M. See Startsev, V.I., 1=14285
- Sokolik, H. Interpretation of isobaric multiplets in terms of the space-time reflection group, 1=16663
- Sokolov, A.A. and Kolesnikova, M.M. Scattering of transversely polarized fermions, 1=5687
- Sokolov, A.A. See Samoilov, I.M., 1=348
- Sokolov, A.D. and Shur, Y.S. Connection between the magnetic properties and sensitivity of magnetostrictive nickel-zinc ferrite pickups, 1=2487
- Sokolov, A.D. See Matveev, V.V., 1=1901
- Sokolov, A.N. See Konorov, P.P., 1=3770
- Sokolov, A.P. See Belonogov, A.V., 1=3097
- Sokolov, A.V. and Shirokovskii, V.P. Group theoretical methods in the quantum physics of solids (spatial symmetry), 1=8871
- Sokolov, I.A. See Kogan, A.V., 1=14155
- Sokolov, L.S. See Brill'O.D., 1=11021
- Sokolov, L.S. See Brill'O.D., 1=12207
- Sokolov, L.S. See Vorobjev, A.A., 1=342
- Sokolov, M.V. See Nemets, O.F., 1=4866
- Sokolov, M.V. See Nyemets, O.F., 1=12033
- Sokolov, N.I. See Kondrashev, L.F., 1=3194
- Sokolov, N.I. See Mironov, E.S., 1=5512
- Sokolov, S.N. and Erastov, L.N. Lecture experiment on the determination of the specific heat of a gas at constant pressure, 1=2911
- Sokolov, S.N. and Erastov, L.N. Demonstration of a chain reaction on a model, 1=3470
- Sokolov, S.N. See Amaglobeli, N.S., 1=19246
- Sokolov, S.N. See Kazarinov, Yu.M., 1=19248
- Sokolov, S.P. See Vernov, S.N., 1=3280
- Sokolov, V.A. and Tolstoi, N.A. Luminescence of thallium chloride, 1=3856
- Sokolov, V.A. See Tolstoi, N.A., 1=20016
- Sokolov, V.I. See Belov, K.P., 1=20181
- Sokolova, L.V. See Zaidel', A.N., 1=5479
- Sokolova, L.V. See Zaidel', A.N., 1=5480
- Sokolova, L.V. See Zaidel', A.N., 1=9605
- Sokolova, L.V. See Zaidel', A.N., 1=9606
- Sokolovskaya, A.I. The temperature dependence of the Raman lines in gaseous and liquid phases, 1=9395
- Sokolovskii, V.V. See Vladimirovskii, V.V., 1=7406
- Sokolov, A.A. The behaviour of the spin of Dirac particles in collision processes, 1=16658
- Sokol'skaya, A.V. and El'piner, I.E. Fixation of molecular nitrogen under the action of ultrasonic waves with the formation of biologically significant substances, 1=20759
- Sokol'skaya, I.L. Adsorption, migration and evaporation of cadmium on tungsten, 1=20693
- Sokol'skaya, I.L. and Shcherbakov, G.P. Determination of the effect of a strong field on electron emitters -- crystals of cadmium sulphide, 1=11962
- Sokol'skaya, I.L. See Klimin, A.I., 1=316
- Sokol'skaya, I.L. See Shishkin, Yu.G., 1=13097
- Sokol'skaya, I.L. See Shishkin, Yu.G., 1=15174
- Sokol'skaya, I.L. See Zubenko, Yu.V., 1=16361
- Solbrig, A.W.Jr. Doppler effect in neutron absorption resonances, 1=5919
- Soldatov, V.P. See Kosevich, V.M., 1=19794
- Solet, I.S. Internal "disappearing filament" for maintaining constant temperature in a vacuum, 1=11856
- Solimene, N. See Senitzky, B., 1=12250
- Soller, T. See Gordon, J.E., 1=17424
- Sollertinskaya, E.S. See Lainer, D.I., 1=1375
- Solnitz, F.T. See Berge, J.P., 1=8408
- Söln, J. A one-dimensional soluble model of quantum field theory with external field, 1=5630
- Solok, A.M. See Sinyakov, E.V., 1=14539
- Soloman, A.I. The new particles and the baryon mass spectrum, 1=16907
- Solomon, A.I. Mass differences in second order perturbation theory, 1=467
- Solomon, I.  $T_2$  measurements using the spin-echo technique, 1=1756
- Solomon, I. Measurement, by means of the Mössbauer effect, of local fields in various compounds of iron, 1=6248
- Solomon, J. See Barish, B.C., 1=8486
- Solonitzin, Yu. See Terenin, A., 1=4082
- Soloshenko, I.I. See Garber, R.I., 1=12592
- Soloukhin, R.I. The bubble mechanism of shock triggered combustion in liquids, 1=4500
- Soloukhin, R.I. The bubble mechanism of shock-triggered combustion in liquids, 1=10621
- Solov'ev, B.G. The  $\beta$ -decay of highly deformed nuclei, 1=17017
- Solov'ev, K.N. See Sevchenko, A.N., 1=5053
- Solov'ev, L.D. Photoproduction of pions on pions, 1=16850
- Solov'ev, L.D., Byalkovski, G. [Bialkowski] and Yurevich, A. [Jurewicz]. Equations for photoproduction of pions on nucleons with effects due to a pion-pion interaction taken into account, 1=19233
- Solov'ev, L.S. See Burshtein, E.L., 1=18991
- Solov'ev, L.S. See Morozov, A.I., 1=18835



- Solov'ev, M.I. See Van Gan-Chan, 1=16902  
 Solov'ev, M.I. See Van Gan-Chan, 1=19284  
 Solov'ev, S.N. See Venetsev, Yu.N., 1=15018  
 Solov'ev, S.P., Venetsev, Yu.N. and Zhdanov, G.S. A method for calculating internal fields in complex dipole structures, 1=14150  
 Solov'ev, S.P. See Zhdanov, G.S., 1=14151  
 Solov'ev, V.G. Conservation of combined parity as a fundamental symmetry law of nature, 1=3104  
 Solov'ev, V.G. Superfluid model of the nucleus, 1=4823  
 Solov'ev, V.G. Basic properties of the superfluid model of the nucleus, 1=13614  
 Solov'ev, V.G. An investigation of the properties of trans-uranium elements based on the superfluid model of the nucleus, 1=16953  
 Solov'ev, V.G. See Lyu Yuian', 1=19359  
 Solov'eva, Z.I. See Perfilov, N.A., 1=5944  
 Solov'eva, Z.I. See Perfilov, N.A., 1=5945  
 Solov'eva, Z.I. See Perfilov, N.A., 1=8798  
 Solov'eva, Z.I. See Perfilov, N.A., 1=11042  
 Soloviev, K.I. See Vernov, S.N., 1=3280  
 Soloviev, M.I. See Van Gan-Chan, 1=2099  
 Soloviev, M.V. See Baradzey, L.T., 1=3291  
 Solovieva, V.I. See Kulikov, G.V., 1=3283  
 Solovieva, V.I. See Vernov, S.N., 1=3280  
 Solovieva, V.I. See Vernov, S.N., 1=3287  
 Soloviev, A.V. Absorption and luminescence of impurities in organic compound crystals at 20°K. III. Naphthacene spectra in crystals of certain parapoliphenyls, 1=14648  
 Soloviev, A.V. See Pr'ykhoto'ko, A.F., 1=11374  
 Soloviev, A.V. See Pr'ykhoto'ko, A.F., 1=11375  
 Solov'ova, V.I. See Vernov, S.N., 1=16942  
 Soluyan, S.I. and Khokhlov, R.V. Theory of simple finite amplitude magnetohydrodynamic waves in a dissipative medium, 1=19009  
 Solymar, L. Stability of a plasma sheet in time periodic magnetic fields, 1=5445  
 Sôma, S. and Takeuchi, Y. A new type of thermal conductivity gas detector. I, 1=6971  
 Somasundaram, K.M. See Suryanarayana, C.V., 1=6871  
 Somayajulu, G.R. Dissociation energies of diatomic molecules, 1=9957  
 Somenkov, V.A. See Kagan, A.S., 1=12629  
 Somenkov, V.A. See Kagan, A.S., 1=15139  
 Somerville, A. See Green, F.L., 1=13381  
 Somerville, W.B. The importance of conservation conditions in distorted wave calculations, 1=19603  
 Somin, B.Kh. See Latsh, V.V., 1=6487  
 Sominskii, M.S. See Kikoin, I.K., 1=6759  
 Sommer, A.H. Spectrally selective (solar blind) u.v. photomultipliers with fluoride windows, 1=10733  
 Sommer, A.H. and Spicer, W.E. Bismuth-silver-oxygen-cesium photocathode, 1=10731  
 Sommerhalder, H. Free energy of 180° [domain] walls and surfaces in the body-centred cubic dipole lattice, 1=1131  
 Sommerhalder, R. and Thomas, H. Sign reversal of the magnetic field in the Meissner effect. I. Specular surface scattering of electrons, 1=8283  
 Sommerhalder, R. and Thomas, H. Sign reversal of the magnetic field in the Meissner effect. II. Diffuse surface scattering of electrons, 1=9510  
 Sommermeyer, K. and Opitz, H. The dosimetry of  $\beta$ -rays in radiation protection, 1=4838  
 Sommers, H.S., Jr. Degenerate germanium. II. Band gap and carrier recombination, 1=17699  
 Sommers, H.S., Jr. See Cardona, M., 1=8982  
 Somogyi, A. See Gemesy, T., 1=3286  
 Somogyi, A. See Sandor, T., 1=13537  
 Somogyi, G. See Medveczky, L., 1=16633  
 Somon, J.P. See Rebut, P.H., 1=18851  
 Somorjai, G.A. Surface energy effect on diffusion-controlled particle growth, 1=11582  
 Sona, P.G. Photoproduction of  $\pi^0$  in the Coulomb field of the electron, 1=16843  
 Sona, P.G. See Colli, L., 1=13826  
 Sondaevskii, V.P. See Vitovskii, N.A., 1=14259  
 Sondheimer, E.H. See Das, T.P., 1=5061  
 Sondheimer, E.H. See Jones, M.C., 1=17487  
 Sone, T. The rheological behavior and thixotropy of a fatty plastic body, 1=14889  
 Sone, T., Fukushima, M. and Fukada, E. On the stripe pattern during rolling of viscous materials, 1=12844  
 Sone, Y. See Ogawa, A., 1=16508  
 Sonett, C.P. See Coleman, P.J., Jr., 1=9252  
 Sonett, C.P. See Coleman, P.J., Jr., 1=18019  
 Sonett, C.P. See Rosen, A., 1=7295  
 Sonin, A.S. and Gladkii, V.V. Relation between thickness and dielectric parameters for plates of triglycine sulphate, 1=11339  
 Sonnenblick, E. See Frisch, H.L., 1=17385  
 Sonoda, M., Katase, A., Seki, M. and Wakuta, Y. Ion optics in long, multistage accelerator tubes, 1=11984  
 Sonoike, S. and Akimoto, K. Luminescence of doped silver chloride crystals, 1=14635  
 Soo, J. P., Zhdanov, G.B. and Tretjakova, M.I. Angular distributions of secondary particles at nuclear interaction with heavy nuclei of emulsions, 1=3263  
 Sood, B.S. Multipolarity and character of 961 keV resonance and 840 keV fluorescence radiation in  $^{152}\text{Sm}$ , 1=669  
 Sood, B.S. See Hamilton, W.D., 1=17072  
 Sood, P.C. and Moszkowski, S.A. Energy of a low density neutron gas, 1=4803  
 Soodak, H. See Fleishman, M.R., 1=13887  
 Soohoo, R.F. General spin-wave dispersion relations, 1=1199  
 Soohoo, R.F. Excitation and boundary effects in spin-wave resonance, 1=6397  
 Sorensen, N.R. See Leslie, C.B., 1=5326  
 Sorensen, R.A. Pairing plus quadrupole force model for odd-mass single closed-shell nuclei, 1=13603  
 Sorlin, A. Variation as a function of pressure of the lifetime of the free minority carriers in germanium, 1=1041  
 Sorokin, A.A. See Bădescu, A., 1=13694  
 Sorokin, I.P. See Sadovskii, V.D., 1=10227  
 Sorokin, O.M. Photoelectric emission from mercury telluride, 1=319  
 Sorokin, P.P. and Stevenson, M.J. Stimulated infrared emission from trivalent uranium, 1=3873  
 Sorokin, P.P. and Stevenson, M.J. Solid state optical maser using divalent samarium in calcium fluoride, 1=19965  
 Sorokin, P.V., Popov, A.I., Storizhko, V.E. and Taranov, A.Ya. Inelastic scattering of protons by  $\text{Ne}^{20}$  nuclei, 1=19457  
 Sorokina, L.A. See Konorova, E.A., 1=19897  
 Sorokina, M.F. See Nemnonov, S.A., 1=14616  
 Soroko, L.M. See Akimov, Yu.K., 1=1985  
 Soroko, L.M. See Akimov, Yu.K., 1=13410  
 Soroko, L.M. See Akimov, Yu.K., 1=19287  
 Soroko, L.M. See Marish, K.S., 1=16851  
 Soshea, R.W. and Dekker, A.J. Fine structure of secondary emission vs angle of incidence of the primary beam on titanium single crystals, 1=4640  
 Soshnikov, V.N. Influence of the rotational structure of molecular bands on light absorption by layers of finite thickness, 1=19631  
 Sosin, A. Point-defect migration and binding in metals, 1=8903  
 Sosin, A. and Neely, H.H. Cryostat for irradiating at 4.2°K, 1=13030  
 Soskin, M.S. Determination of the instrument function of diffraction grating instruments, 1=11842  
 Sosnowski, J. See O'Connor, D.A., 1=20498  
 Sosnowski, R., Wilhelm, Z. and Wojtkowska, J. Relative measurements on the longitudinal polarization of beta rays from  $\text{Na}^{24}$ ,  $\text{Mn}^{56}$ ,  $\text{Sb}^{122}$ ,  $\text{Ho}^{166}$  and  $\text{Au}^{198}$ , 1=17026  
 Sosnowski, R., Wilhelm, Z. and Wojtkowska, J. Relative measurements on the longitudinal polarization of beta rays from  $\text{Na}^{24}$ ,  $\text{Mn}^{56}$ ,  $\text{Sb}^{122}$ ,  $\text{Ho}^{166}$ , and  $\text{Au}^{198}$ , 1=19396  
 Sosnowski, R. See Chojnacki, S., 1=2195  
 Sosnowskii, J. See O'Connor, D.A., 1=10897  
 Sotskov, B.S. See Vasil'chenko, L.S., 1=3032  
 Soudek, I. The influence of temperature on the dependence of the spectral composition of luminescence on the intensity of excitation, 1=20003  
 Souffrin, P. Schwarzschild's criterion, 1=9247  
 Souffrin, P. Model of the stellar convective zone, 1=15509  
 Souillat, J.C. See Déjardin, G., 1=9006  
 Soule, D.E. See Poquet, E., 1=6254  
 Souhier, R. See Blanc, D., 1=15243  
 Souriau, J.M. Algebraic classification of elementary particles and interactions, 1=2023  
 Souriau, J.M. See Halbwachs, F., 1=13311  
 Southgate, P.D. Internal friction in germanium and silicon. I. Electron and impurity relaxation, 1=1303

- Southgate, P.D. Internal friction in germanium and silicon.  
II. Oxygen movement and dislocation damping, 1=1304
- Soutif, M. See Ayant, Y., 1=10787
- Soutif, M. See Buisson, R., 1=9683
- Sovers, O. and Kauzmann, W. d-hybridization of the  $\pi$  bond in the  $2p\pi$  state of  $H_2^+$ , 1=12298
- Sowa, E.S. See Dickerman, C.E., 1=12234
- Sowerby, L. See Poots, G., 1=8375
- Sowter, C.V. See Chapman, C.J.S., 1=8633
- Sozin, Yu.I. Construction of pole figures of "textured" metals by an electron diffraction method, 1=15114
- Špaček, L. The internal friction of longitudinal oscillations in ferromagnetic materials, 1=17966
- Špaček, L. The internal friction of torsional oscillations in ferromagnetic materials, 1=17967
- Spagnolo, F. See Kallmann, H., 1=12464
- Spain, R.J. and Rubinstein, H. Thin-film switching in the hard direction by wall motion, 1=6327
- Spalding, D.B. A standard formulation of the steady convective mass-transfer problem, 1=18318
- Spalding, D.B. See Adler, J., 1=16156
- Spalding, I.J. See Fernando, P.C.B., 1=2294
- Spalding, I.J. See Smith, K.F., 1=19585
- Spanberger, L.R. See Cronmeyer, D.C., 1=12883
- Spangenberg, W.G. and Rowland, W.R. Convective circulation in water induced by evaporative cooling, 1=10481
- Spar, J. See Feely, H.W., 1=6597
- Sparks, C.J. See Borie, B., 1=20663
- Sparks, M., Loudon, R. and Kittel, C. Ferromagnetic relaxation.  
I. Theory of the relaxation of the uniform precession and the degenerate spectrum in insulators at low temperatures, 1=7761
- Sparks, M. See Jarrett, H.S., 1=6375
- Sparks, M. See Pincus, P., 1=17970
- Sparks, R.E. and Hoelscher, H.E. Method for measuring time-average concentration in a turbulent wake of electrolyte, 1=6835
- Sparling, G. See Walker, L.A., 1=13675
- Sparnaaij, M.J. Gas adsorption and surface charge density of germanium surfaces, 1=1457
- Sparnaay, M.J. and van Ruler, J. The adsorption of oxygen gas on germanium and surface conductivity, 1=8943
- Sparnaay, M.J.S. See Black, W., 1=20397
- Sparrow, E.M. and Siegel, R. Application of variational methods to the thermal entrance region of ducts, 1=18649
- Sparrow, E.M. See Usiskin, C.M., 1=16148
- Spartakov, A.A. See Tolstoi, N.A., 1=20016
- Speakman, J.C. Summarized proceedings of a conference on X-ray analysis - Glasgow, April 1961, 1=15020
- Spear, W.E. The hole mobility in selenium, 1=1083
- Spear, W.E. See Lanyon, H.P.D., 1=11309
- Spearman, T.D. See Hamilton, J., 1=7274
- Spearman, T.D. See Hamilton, J., 1=12101
- Spector, H.N. Mapping of the Fermi surface by a combination of geometric resonance and tilt effect, 1=8896
- Spector, N. See Racah, G., 1=806
- Spedding, F.H. See Alstad, J.K., 1=5003
- Spedding, F.H. See Green, R.W., 1=7774
- Spedding, F.H. See Jennings, L.D., 1=3605
- Spedding, F.H. See Jennings, L.D., 1=11163
- Spedding, F.H. See Trulson, O.C., 1=14143
- Speeth, S.D. Seismometer sounds, 1=11644
- Speeth, S.D. and Mathews, M.V. Sequential effects in the signal-detection situation, 1=12712
- Speidel, R. Rendering phase objects visible in a microscope by means of interference filters, 1=230
- Speidel, R. See Mollenstedt, G., 1=21161
- Speiser, D. L.Euler, the principle of relativity and the fundamentals of classical mechanics, 1=15594
- Spenadel, L. Burning rate measurement of solid propellants, 1=10622
- Spence, D.A. Unsteady shock propagation in a relaxing gas, 1=18454
- Spence, H.R. and Luhrs, H.N. Peak criterion in random versus sine vibration testing, 1=8171
- Spence, H.R. and Luhrs, H.N. Structural fatigue under combined sinusoidal and random vibration, 1=12585
- Spence, H.R. See Morrow, C.T., 1=2812
- Spence, R.D. and Murty, C.R.K. Nuclear resonance studies of antiferromagnetic  $LiCuCl_2 \cdot 2H_2O$ , 1=20165
- Spence, R.D. See Hervé, J., 1=14829
- Spence, R.D. See Riedel, E.P., 1=7772
- Spencer, A.J.M. The dynamic plane deformation of an ideal plastic-rigid solid, 1=14873
- Spencer, A.J.M. Perturbation methods in plasticity. I. Plane strain of non-homogeneous plastic solids, 1=20339
- Spencer, C.J.D. and Welford, W.T. Apertometer for microscope objectives, 1=11833
- Spencer, C.L. See Kundu, M.R., 1=2657
- Spencer, C.L. See Young, C.W., 1=2656
- Spencer, C.W. See Che-Yu Li, 1=14209
- Spencer, D.E. and Montgomery, L.L. Cylindrical aperture lamps, 1=10582
- Spencer, E.G., LeCraw, R.C. and Linares, R.C., Jr. Low-temperature ferromagnetic relaxation in yttrium iron garnet, 1=14777
- Spencer, E.G. See LeCraw, R.C., 1=14171
- Spencer, L.V. Energy dissipation by fast electrons, 1=330
- Spencer, R.R., Phillips, G.C. and Young, T.E. Energy levels of  $Be^0$  and  $B^0$ , 1=3396
- Spencer, R.R. and Smith, J.R. Competitive extinction in neutron monochromating crystals, 1=16814
- Speros, D.M. and Schupp, L.J. Surface phenomena during the interaction between  $MgO(s)$  and various gases at elevated temperatures, 1=20661
- Speth, A.I. See Pai, S.I., 1=16543
- Spialter, L. and Futrell, J.H. Examination of  $\gamma$ -irradiated benzene for optical activity, 1=1007
- Spicer, B.M. See Baglin, J.E.E., 1=5890
- Spicer, B.M. See Baglin, J.E.E., 1=5891
- Spicer, B.M. See Thies, H.H., 1=676
- Spicer, W.E. Photoemission and related properties of the alkali-antimonides, 1=1907
- Spicer, W.E. See Sommer, A.H., 1=10731
- Spiegel, E.A. The convective instability of a radiating fluid layer, 1=2632
- Spiegel, E.A. See Ledoux, P., 1=2633
- Spiesecke, H. and Schneider, W.G. Effect of electronegativity and magnetic anisotropy of substituents on  $C^{13}$  and  $H^1$  chemical shifts in  $CH_3X$  and  $CH_2CH_2X$  compounds, 1=12314
- Spiesecke, H. and Schneider, W.G. Substituent effects on the  $C^{13}$  and  $H^1$  chemical shifts in monosubstituted benzenes, 1=12315
- Spighele, M.  $\beta$ - $\gamma$  angular correlation at resonance and types of  $\beta$ -interaction, 1=13724
- Spighele, M. Beta-gamma angular correlation in resonance, in  $Kr^{88}$  and  $As^{76}$ , 1=17037
- Spighele, M. See Bussière de Nercy, A., 1=13632
- Spikes, R.H. and Pennington, G.A. Discharge coefficient of small submerged orifices, 1=124
- Spindel, W. See Stern, M.J., 1=7900
- Spinedi, P. and Crudeli, M. Apparatus for the electrochemical cutting of metal single crystals, 1=15019
- Spinedi, P. and Crudeli, M. On some decoration effects obtained at the cleavage surfaces of zinc monocrystals grown by vacuum evaporation, 1=15173
- Spinks, J.W.T. See Kroh, J., 1=7498
- Spinks, J.W.T. See Kroh, J., 1=11474
- Spinks, J.W.T. See Kroh, J., 1=12307
- Spinks, J.W.T. See Kroh, J., 1=15907
- Spinner, S. Temperature dependence of elastic constants of some cermet specimens, 1=10202
- Spřich, M. See Friedländer, E.M., 1=5758
- Spřich, M. See Friedländer, E.M., 1=12087
- Spřich, M. See Marcu, M., 1=5799
- Spiro, I.J. Eye location for a wide-field large-exitpupil optical system, 1=2849
- Spitsyn, V.I., Komissarova, L.N. and Men'kov, A.A. The preparation and some properties of metallic scandium, 1=20427
- Spitsyn, V.I., Zemlyanova, L.I., Mikhailenko, I.E., Gromov, V.V. and Zimakov, I.E. Electron-microscopic investigation of the effect of the radioactive emission of solids on their surface structure, 1=20656
- Spittler, E.G. See Setser, D.W., 1=20754
- Spitzer, L.Jr. Problems in magneto-fluid dynamics, 1=5545
- Spitzer, M. Optical resonance and selective reflection with cadmium and zinc vapours, 1=802
- Spitzer, R. On neutral spin-O particles with imaginary parity, 1=5642
- Spitzer, W.G. and Kleinman, D.A. Infrared lattice bands of quartz, 1=3845



- Spitzer, W.G. and Tanenbaum, M. Interference method for measuring the thickness of epitaxially grown films, 1=11591
- Spitzer, W.G., Trumbore, F.A. and Logan, R.A. Properties of heavily doped n-type germanium, 1=14441
- Spitzer, W.G., Wernick, J.H. and Wolfe, R. Electrical and optical properties of CdSnAs<sub>2</sub>, 1=8952
- Spivak, G.V., Pryamkova, I.A. and Sedov, N.N. On the formation of electron-optical contrast in the observation of "field spots" in emitting surfaces, 1=327
- Spivak, P.E. and Mikaelian, L.A. Longitudinal polarization of beta-electrons, 1=2040
- Spivak, P.E. and Mikaelian, L.A. Longitudinal polarization of  $\beta$ -electrons, 1=3414
- Spivak, P.E., Mikaelyan, L.A., Kutikov, I.E. and Apalin, V.F. Asymmetry in double Mott scattering and the value of longitudinal polarization of  $\beta$ -electrons, 1=4791
- Spivak, P.E., Mikaelyan, L.A., Kutikov, I.Ye. and Apalin, V.F. Asymmetry in double Mott scattering and absolute values of beta-electron longitudinal polarization, 1=5900
- Spogen, L.R., Shaver, H.N., Baker, D.E. and Blom, B.V. Speech processing by the selective amplitude sampling system, 1=1603
- Sprague, G. Physical behavior of photographic grains, 1=18628
- Spratt, J.P., Schwarz, R.F., and Kane, W.M. Hote electrons in metal films: injection and collection, 1=8925
- Spreadborough, J. Stacking faults in iron-manganese and cobalt-nickel, 1=17545
- Spreiter, J.R. and Briggs, B.R. Theory of electrostatic fields in the ionosphere at polar and middle geomagnetic latitudes, 1=20971
- Spreiter, J.R. and Briggs, B.R. Theory of electrostatic fields in the ionosphere at equatorial latitudes, 1=20972
- Sprengel, E.L., Olness, J.W. and Segel, R.E. Identification of doublet states at 5.16 MeV in B<sup>10</sup>, 1=16980
- Sprengel, E.L. See Segel, R.E., 1=9826
- Sprengel, E.L. See Segel, R.E., 1=12166
- Spring, E. See Simons, L., 1=17061
- Spring, K.H. Generation of electricity without the use of rotating machinery, 1=11894
- Springe, W. Heat transfer in a cooled tube in an electric arc plasma, 1=18842
- Springer, B.G. See Drummond, J.E., 1=9557
- Springer, T. The spatial dependence of neutron temperature in moderators, 1=3192
- Springer, T. and Wiedemann, W. Study of the scattering cross-section in ice for very slow neutrons at 4°K, 1=19708
- Springer, T. See Matthes, W., 1=7416
- Sproson, W.N. Some aspects of optical lens performance. II. The design of lens hoods, 1=16055
- Sproull, R.L. See Simon, R.E., 1=2555
- Sproull, W.T. Viscosity of dusty gases, 1=15914
- Sproull, W.T. See Hoffmann, B., 1=12799
- Spruch, G.M. See Kallmann, H., 1=12464
- Spruch, L., O'Malley, T.F. and Rosenberg, L. Modification of effective range theory in the presence of a long-range potential, 1=455
- Spruch, L. and Rosenberg, L. Bounds on low-energy scattering parameters, 1=2706
- Spruch, L. See O'Malley, T.F., 1=10852
- Spruch, L. See Rosenberg, L., 1=4265
- Sprung, D.W.L. Relativistic formula for the spin correlation coefficient  $C_{\text{SP}}$ , 1=2050
- Sprung, D.W.L. and Willis, J.B. The spin-orbit potential in proton-proton scattering, 1=2055
- Spurr, R.T. Frictional oscillations, 1=5320
- Spurr, R.T. Frictional behaviour of a simple rheological material, 1=12611
- Spyers-Duran, P.A. See Koenig, L.R., 1=12853
- Squire, D.R. and Salsburg, Z.W. Formulation of a cell model using periodic boundary conditions, 1=11751
- Squires, E.J. See Bell, J.S., 1=16961
- Squires, R.E. and Beard, D.B. Physical and orbital behavior of comets, 1=5138
- Średniawa, B. On the breadths of annihilation lines in one- and two-valued [monovalent and divalent] metals, 1=14234
- Średniawa, B. An elementary derivation of the formulae for multipole radiation, 1=16547
- Sreedhara Murthy, N. Intensity aspects as determinant of  $r'_e - r''_e$  in the bands of the lanthanum oxide (LaO) (B → X) system, 1=12330
- Sreekantan, B.V. See Chatterjee, B.K., 1=5805
- Sreekantan, B.V. See Chatterjee, B.K., 1=8528
- Sreeramamurty, K. See Babu Rao, P., 1=9922
- Sreeramamurty, K. See Babu Rao, P., 1=13982
- Sreeramamurty, K. See Doloupil, Z., 1=255
- Sretenskii, L.N. and Sekerzh-Zen'kovich, Ya.I. The Cauchy [and] Poisson problem for waves of finite amplitude, 1=5260
- Srinivasa Rao, M.V. See Chatterjee, B.K., 1=5805
- Srinivasa Rao, M.V. See Chatterjee, B.K., 1=8528
- Srinivasan, D. and Holroyd, L.V. Optical spectrum of the sonoluminescence emitted by cavitated water, 1=4345
- Srinivasan, R. Dispersion of the stress-optic coefficient of lithium fluoride, 1=14576
- Srinivasan, R. See Ramachandran, G.N., 1=9132
- Srinivasan, S.K. Fluctuation problem in electromagnetic cascades, 1=2113
- Srinivasan, S.K. See Ramakrishnan, A., 1=493
- Srinivasan, S.K. See Ramakrishnan, A., 1=526
- Srinivasan, S.K. See Ramakrishnan, A., 1=9787
- Srinivasan, T.M. Lattice and electronic specific heats of zinc and cadmium, 1=3607
- Srinivasan, T.M. See Ramanathan, K.G., 1=3606
- Srivastava, A.C. Circulation preserving motions, 1=9369
- Srivastava, B.N. Determination of potential parameters from thermal diffusion, 1=10432
- Srivastava, B.N. and Barua, A.K. Rotational-translational relaxation time in H<sub>2</sub> calculated from thermal conductivity, 1=9926
- Srivastava, B.N. and Barua, A.K. Thermal conductivity and equilibrium constant of the system N<sub>2</sub>O<sub>4</sub> ⇌ 2NO<sub>2</sub>, 1=10549
- Srivastava, B.N. and Barua, A.K. Effect of relaxation of chemical energy on the thermal conductivity of the system N<sub>2</sub>O<sub>4</sub> ⇌ 2NO<sub>2</sub>, 1=12673
- Srivastava, B.N. and Suri, A.N. Some features of extensive air showers of primary energy  $\geq 10^{14}$  eV, 1=3366
- Srivastava, B.N. See Ghosh, S.N., 1=6914
- Srivastava, B.N. See Suri, A.N., 1=13558
- Srivastava, G.N. and Scott, G.D. Use of helium flush in the vacuum deposition of thin films, 1=7883
- Srivastava, H.N. Relaxation times of some dipolar liquid mixtures at 3 cm, 1=6870
- Srivastava, I.B. Determination of unlike interactions from binary viscosity, 1=14122
- Srivastava, I.B. and Barua, A.K. Intermolecular potentials of H<sub>2</sub> and D<sub>2</sub>, 1=14123
- Srivastava, I.S. Intermolecular potential and properties of argon, 1=14121
- Srivastava, K.S. See Nigam, A.N., 1=3513
- Srivastava, O.N.L. See Bansal, T.D., 1=2740
- Srivastava, P.K. Polarization of  $\bar{p}$  in  $\bar{p}$  scattering, 1=9754
- Srivastava, P.K. and Gupta, U.C. The use of CsI(Tl) crystal for the determination of absolute gamma emission rates, 1=13222
- Srivastava, P.K. See Ammar, R.G., 1=607
- Srivastava, R.C. and Chakraborty, S.C. Determination of the elastic constants of tetragonal (4, 4, 4/m) crystals from the study of diffuse X-ray reflections, 1=14842
- Srivastava, R.C. See Rastogi, R.P., 1=8303
- Srivastava, R.C. See Rastogi, R.P., 1=11624
- Srivastava, R.S. See Khastgir, S.R., 1=20860
- Srivastava, S.N. A new theorem for moment of inertia, 5241
- Srivastava, S.N. See Banerjee, K., 1=9143
- Staas, F.A., Taconis, K.W. and Fokkens, K. Viscosity of liquid <sup>3</sup>He-<sup>4</sup>He mixtures in the helium II region above 1°K, 1=6991
- Stabler, R.C. See Chiu Hong-Yee., 1=8445
- Stacey, F.D. Thermally activated ferromagnetic domain wall motion, 1=1221
- Stacey, F.D. Magnetic anisotropy of dispersed powders, 1=8277
- Stacey, F.D. Theory of the magnetic properties of igneous rocks in alternating fields, 1=21107
- Stacey, F.D., Lovering, J.F. and Parry, L.G. Thermomagnetic properties, natural magnetic moments, and magnetic anisotropies of some chondritic meteorites, 1=18061
- Stacey, F.D. See Scott, P.M., 1=21108
- Stachowiak, H. Equations of potential and temperature for conductors in an external magnetic field, 1=2942
- Stachowiak, H. Equations of potential and temperature for conductors in a magnetic field, 1=16246

- Stachowiak, H. A method of solution of potential and temperature equations for conductors in a magnetic field and the uniqueness problem, 1=16247
- Stadler, O.J. See Riehl, N., 1=11409
- Stafeev, V.I. The linear part of the volt-ampere characteristic of an asymmetrical diode, 1=12451
- Stafeev, V.I. Photoconductivity in a semiconductor diode, produced by a change in lifetime, 1=19892
- Stafeev, V.I. See Alferov, Zh.I., 1=6168
- Stafeev, V.I. See Karakushan, E.I., 1=14481
- Stafford, F.E. See Ackerman, M., 1=3573
- Stafford, G.H. See Banford, A.P., 1=18955
- Stafford, G.H. See Bowen, P.H., 1=5922
- Staflin, T. and Huld, L. Infrared absorption spectrum of photogenerated free carriers in silicon, 1=19989
- Stagg, M.S. See Smith, E., 1=12380
- Stahl, F.A. Preschool physics, 1=12788
- Staicopoulos, D.N. High current electronic potentiostat, 1=4538
- Stair, A.T.Jr. See McPherson, P.M., 1=10589
- Stakhanov, I.P. and Stupochenko, E.V. The structure of Mach's lines in matter subject to relaxation, 1=1762
- Stakhanov, I.P. See Stupochenko, E.V., 1=110
- Stakhovskaya, Z.I. and Tomashevskaya, I.S. Investigation of the elastic [and shear] moduli of metals under hydrostatic pressures up to 4000 kg/cm<sup>2</sup> by static methods, 1=2503
- Stalder, E.W. See Folen, V.J., 1=14369
- Stalinski, B., Coogan, C.K. and Gutowsky, H.S. Proton magnetic resonance studies of structure, diffusion, and resonance shifts in titanium hydride, 1=6437
- Stals, L. See van Gerven, L., 1=19050
- Stamires, D.N. See Freeman, D.C.Jr., 1=14394
- Stamires, D.N. See Szymanski, H.A., 1=1460
- Stamm, G.L. and Langel, R.A. Some spectral irradiance measurements of upwelling natural light off the east coast of the United States, 1=20804
- Stammreich, H. See Person, W.B., 1=14029
- Stan, V. See Maxim, I., 1=3891
- Stanchi, L. See Giannelli, G., 1=5411
- Standil, S., Bukata, R.P. and Chin, F.K. The sudden increase in the photon component of cosmic radiation on May 4, 1960, 1=7300
- Standley, C.L. and Kruh, R.F. On the structure of ferric chloride solutions, 1=6377
- Standley, C.L. See Young Soo Kim, 1=9378
- Standley, K.J. See Nash, W.B., 1=1254
- Stanek, F.W. See Mössbauer, R.L., 1=9815
- Stanevich, A.E. and Yaroslavskii, N.G. Low-frequency infrared absorption spectrum of the hydrogen bond in liquid water and in crystal hydrates, 1=15882
- Stanevich, I.V. See Bochvar, D.A., 1=10434
- Stanford, A.L., Jr. Dielectric resonance in ferroelectric titanates in the microwave region, 1=14562
- Stanford, A.L., Jr. and Thiess, G.H. Method of temperature control in microwave ferroelectric measurements, 1=7661
- Stanford, E.G. and Fearon, J.H. Progress in non-destructive testing. Volume 2, 1=21155
- Stanford, E.G. and Fearon, J.H. [Eds.]. Progress in non-destructive testing, volume 1, 1=9238
- Stanford, E.G. and Fearon, J.H. [Eds.]. Progress in non-destructive testing, volume 2, 1=9239
- Stanford, G.S. Figure of merit for the spectrometric analysis of small samples, 1=10299
- Stanford, R.G. and Fearon, J.H. [Eds.]. Progress in non-destructive testing, volume 1, 1=11667
- Stanghellini, A. Relation between  $\pi$ -N scattering and nucleon structure through  $\pi$  interaction, 1=5765
- Stanghellini, A. See Amati, D., 1=3241
- Stanghellini, A. See Amati, D., 1=19242
- Stanghellini, A. See Bergia, S., 1=8450
- Stanghellini, A. See Bergia, S., 1=16766
- Stanghellini, A. See Bonsignori, F., 1=5759
- Stankevich, A.K. See Smolenskii, G.A., 1=20125
- Stankevich, I.V. See Bochvar, D.A., 1=4272
- Stankowska, J. and Stankowski, J. Investigation of ageing in triglycine sulfate, 1=8930
- Stankowski, J. On the process of domain reorientation in barium titanate single crystals, 1=3801
- Stankowski, J. See Stankowska, J., 1=8930
- Stanley, C.W. and Snyder, W.E. Velocity measurements of water in a closed loop with a cobalt-60 radiation capsule, 1=6843
- Stanley, R.C. Counting statistics in X-ray spectroscopy, 1=16470
- Stannard, C. See Engeler, W., 1=12461
- Stannard, F.R. Investigation into the elastic scattering of  $\Sigma^{\pm}$  hyperons on hydrogen, 1=4812
- Stannett, V. See Chapiro, A., 1=15205
- Stanley, J. and Wert, C. Diffusion in a ferromagnetic alloy, 1=2392
- Stanley, R.R. See Glover, C.A., 1=7680
- Stanyukovich, K.P. Self-similar relativistic solutions for the case of exact symmetry, 1=18439
- Stapleton, H.J., Jeffries, C.D. and Shirley, D.A. Paramagnetic resonance of trivalent Pm<sup>147</sup> in lanthanum ethyl sulfate, 1=20223
- Stapleton, H.J. See Axe, J.D., 1=6420
- Stapp, H.P. See Gatto, R., 1=4810
- Staradubov, Ya.D. See Gindin, I.A., 1=2512
- Starfelt, N. See Bergqvist, I., 1=4870
- Starik, I.E., Sobotovich, E.V., Lovtysus, G.P., Shats, M.M. and Lovtysus, A.V. Lead and its isotopic composition in iron meteorites, 1=18
- Starikov, V.N. See Granovskii, Ya.I., 1=16908
- Starikova, G.V. and Presnyakov, A.A. Change of mechanical properties of nichrome on formation of the k-state, 1=12584
- Stark, D. The field emission of rhodium and iridium, 1=16359
- Stark, D.S. Measurements on the properties of a simple omegatron, 1=7105
- Stark, M. See Barr, N.F., 1=5707
- Starkey, T.V., Hewlett, V.A. and Roberts, J.H.A. Principles governing the viscous flow of suspensoid sols, 1=15792
- Starodubov, Ya.D. See Gindin, I.A., 1=11508
- Starodubov, Ya.D. See Gindin, I.A., 1=12594
- Starodubtsev, S.V., Domoryad, I.A. and Khiznichenko, L.P. Change of mechanical characteristics of amorphous selenium under the action of gamma rays, 1=14849
- Starodubtsev, S.V., Domoryad, I.A. and Khiznichenko, L.P. Change of mechanical characteristics of amorphous selenium under the action of gamma rays, 1=20306
- Starodubtsev, S.V. and Makaryunas, K.V. The direct-interaction mechanism in the reaction Li<sup>6</sup> ( $\alpha$ , d) Be<sup>8</sup>, 1=11036
- Starodubtsev, S.V. See Velyukhov, G.E., 1=3451
- Starr, W.L. and Naff, J.T. Acceleration of metal-derived plasmas, 1=16339
- Startsev, V.I. and Aronova, P.N. Influence of annealing on the structure of the crystal lattice in a slip band of rock salt, 1=1330
- Startsev, V.I., Bengus, V.Z., Lavrent'ev, F.F. and Soifer, L.M. The formation of dislocations in the twinning of calcite, 1=14285
- Startsev, V.I. See Bengus, V.Z., 1=3668
- Startsev, V.I. See Geguzin, Ya.E., 1=4024
- Startsev, V.I. See Lavrent'ev, F.F., 1=12617
- Startsev, V.I. See Soifer, L.M., 1=972
- Startsev, V.I. See Soifer, L.M., 1=17540
- Startseva, I.E. See Shur, Ya.S., 1=3902
- Startseva, I.E. See Shur, Ya.S., 1=6295
- Stasiv, O. Absorption spectra of defects in ionic lattices, 1=1166
- Stasiw, O. and Teltow, J. Remarks on the recombination of Frenkel pairs in the crystal and at dislocations, 1=3658
- Stasiw, O. See Kluge, J., 1=1110
- Stasiw, O. See Koswig, H.D., 1=2397
- Stasiw, O. See Kunze, L., 1=19968
- Stasiw, O. See Scholz, A., 1=19969
- Stasyuk, I.V. See Glauberman, A.E., 1=3733
- Statton, W.O. Rate of recrystallization of polyethylene single crystals, 1=20424
- Statz, H., Rimai, L., Weber, M.J., DeMars, G.A. and Koster, G.F. Chromium ion pair interactions in paramagnetic resonance spectrum of ruby, 1=6419
- Staub, H. See Rytz, A., 1=19461
- Staub, H.H. See Meyer, V., 1=19471
- Stauér, E.V. and Izotov, V.P. Dielectric and optical properties of zinc sulphide materials, 1=11350
- Stauffer, H. Cosmogenic argon and neon in stone meteorites, 1=18060
- Stavenow, F. See Seemann, H.J., 1=20787
- Stavinskii, V.S. See Likhachev, M.F., 1=19265
- Stavinsky, V.S. See Kovalev, V.P., 1=17170
- Stavisskii, Yu.Ya. and Lebedev, S.Ya. Surface ionization of caesium on diffusion through porous tungsten, 1=4569
- Stavisskii, Yu.Ya. See Kononov, V.N., 1=4872



- Stavitskaya, T.S. and Stil'bans, L.S. Scattering of electrons on impurity ions in lead telluride, 1=1081
- Stavitskaya, T.S. and Stil'bans, L.S. Scattering of electrons on impurity ions in lead telluride, 1=6161
- Stavroudis, O.N. and Sutton, L.E. Rapid method for interpolating refractive index measurements, 1=9470
- Stavroudis, O.N. See Sutton, L.E., 1=10577
- Stawikowski, A. See Mianes, P., 1=19
- Stearns, C.A. Effect of aging time after cleavage on the plasticity of MgO single crystals, 1=3973
- Stebbins, R.F. See Gilbody, H.B., 1=2299
- Steckelmacher, W. Testing of vacuum equipment and hermetically sealed components for leak tightness, 1=4393
- Steckelmacher, W., Parisot, J.M., Holland, L. and Putner, T. Apparatus for the controlled deposition of optical film systems, 1=4473
- Steel, C. and Laidler, K.J. High frequency factors in unimolecular reactions, 1=10292
- Steel, C. and Szwarc, M. Methyl affinities determined by photolysis of azomethane, 1=2559
- Steel, W.H., Smartt, R.N. and Giovanelli, R.G. A  $\frac{1}{2}$  a birefringent filter for solar research, 1=15401
- Steele, A. See Ross, M., 1=20681
- Steele, A. See Ross, M., 1=20682
- Steele, D. See Lippincott, E.R., 1=9956
- Steele, D. See Lippincott, E.R., 1=12271
- Steele, D.J. See Collins, K.E., 1=6946
- Steele, R.B. See Crowell, A.D., 1=7887
- Steele, R.L. See Kashy, E., 1=7324
- Steele, W.A. Physical properties of isotopically substituted classical fluids, 1=1735
- Steele, W.A. Vapor pressure of nearly classical liquids, 1=5374
- Steele, W.A. and Ross, M. General theory of monolayer physical adsorption on solids, 1=20680
- Steen, O. See Maltby, P., 1=15548
- Steenbeck, M. Theoretical proof of the "minimum principle" for the voltage of a gas discharge, with certain other deductions, 1=9527
- Steenbeck, M. An outline of a magnetohydrodynamic theory of sunspots, 1=18209
- Steenbeck, M. See Krause, F., 1=18746
- Steer, E.A. See Hill, J.D., 1=16214
- Stefanescu, R. See Purica, I., 1=7413
- Stefănescu, S.S. The magnetic field due to a skew pair of linear currents, 1=5533
- Stefant, R. Detection of terrestrial magnetic field fluctuations in the frequency range 5-50 c/s, 1=4135
- Steffen, R.M. Test of the  $\frac{1}{2}$ -approximation in some first-forbidden  $2^- \rightarrow 2^+ \beta$  transitions, 1=12177
- Steffen, R.M. See Alexander, P., 1=17035
- Steffens, F. See van Isterbeek, A., 1=17933
- Stegherr, A., Wald, F. and Eckerlin, P. A ternary phase in the system Ag-Sb-Te, 1=10269
- Steginsky, B. Dynamics of ionized gases, 1=13066
- Stehling, F.C. and Bartz, K.W. Identification of perinaphthene radical in petroleum product, 1=8135
- Stehn, J.F. Table of radioactive nuclides, 1=11047
- Stehney, A.F. See Perlow, G.J., 1=7362
- Steiger, W.R. and Warwick, J.W. Observations of cosmic radio noise at 18 Mc/s in Hawaii, 1=15280
- Steiger, W.R. See Brode, R.B., 1=16930
- Steigert, F.E. See Dunning, J.R., 1=2107
- Steigert, F.E. See Newman, E., 1=8404
- Steigert, F.E. See Newman, E., 1=9886
- Steigert, F.E. See Smith, A.M., 1=8778
- Steigert, F.E. See Yamamoto, S.S., 1=2231
- Steigmann, G.A. See Goodyear, J., 1=20403
- Steigmeier, E. See Busch, G., 1=7649
- Steigmeier, E. See Busch, G., 1=14475
- Steijn, R.P. On the wear of sapphire, 1=14927
- Stein, D.F. See Hilliard, J.E., 1=14273
- Stein, G. See Anbar, M., 1=6577
- Stein, G. See Jortner, J., 1=11128
- Stein, H.J. The decay of the auditory threshold after the switching-off of white noise, 1=9227
- Stein, M.N., Lautman, R.G., Sauer, J.A. and Woodward, A.E. Dielectric loss in poly-(hexamethylene adipamide) and poly-(hexamethylene sebacamide) at low temperatures, 1=17822
- Stein, P.R. See Young, J.E., 1=13604
- Stein, P.R. See Young, J.E., 1=16916
- Stein, R., Braun, H. and Cuer, P. The asymmetry of the 3 MeV excited state of Be<sup>9</sup>, obtained through Li<sup>8</sup> formed at high energy interactions, 1=13655
- Stein, R.P. and Hurlbut, F.C. Angular distribution of sputtered potassium atoms, 1=11986
- Stein, R.S. Optical properties of oriented polystyrene, 1=10093
- Stein, R.S. See Judge, J.T., 1=20426
- Stein, R.S. See Powers, J., 1=12296
- Stein, R.S. See Rhodes, M.B., 1=20641
- Stein, W. See Ney, E.P., 1=5152
- Steinberg, E.P. See Wright, P.M., 1=10979
- Steinberg, J.L. See Kundu, M.R., 1=45
- Steinberg, J.L. See Pick, M., 1=15525
- Steinberg, M. and Davies, W.O. High-temperature absorption of carbon dioxide at 4.40  $\mu$ , 1=6906
- Steinberg, M. See Hacker, D.S., 1=20743
- Steinberg, P. See Glasser, R.G., 1=9771
- Steinberg, P.H. See Ammar, R.G., 1=5832
- Steinberg, P.H. See Prakash, Y., 1=13636
- Steinberger, I.T. Further experimental evidence on majority carrier injection in CdS crystals, 1=19873
- Steinberger, I.T., Bar, V. and Alexander, E. Electroluminescence of zinc sulfide single crystals, 1=1190
- Steinberger, J.  $\mu$ -meson capture and decay, 1=8473
- Steinberger, J. See Franzini, P., 1=8512
- Steiner, B., Giese, C.F. and Inghram, M.G. Photoionization of alkanes. Dissociation of excited molecular ions, 1=7494
- Steiner, H.M. See Foote, J.H., 1=7279
- Steiner, H.M. See Foote, J.H., 1=7280
- Steiner, H.M. See Rogers, E.H., 1=16876
- Steinmann, W. Experimental verification of radiation of plasma oscillations in thin silver films, 1=7568
- Steinmann, W. Experimental proof of the radiation from plasma oscillations in thin silver layers, 1=10000
- Stekhanov, A.I. and Eliashberg, M.B. Raman spectra of mixed crystals of alkali halides, 1=1172
- Stekhanov, A.I., Gabrichidze, Z.A. and Eliashberg, M.B. The second-order Raman effect at low temperatures, 1=17903
- Stekhanov, A.I. and Klochikhin, A.A. The structure of the vibrational spectrum of the hydrogen bond in certain crystals, 1=2444
- Stekol'nikov, I.S. and Shkilev, A.V. New material on the development of the channel of a long spark, 1=5429
- Stekol'nikov, I.S. and Shkilev, A.V. New material on the development of the channel of a long spark, 1=10682
- Steljes, J.F., Carmichael, H. and McCracken, K.G. Characteristics and fine structure of the large cosmic-ray fluctuations in November 1960, 1=16935
- Steljes, J.F. See Carmichael, H., 1=3363
- Steljes, J.F. See Carmichael, H., 1=19304
- Stel'makh, M.F. See Kogan, A.V., 1=14155
- Stel'makh, S.S. and Tsekhmistrenko, Yu.V. Obtaining an effective Hamiltonian for direct electron-electron interaction in the adiabatic approximation, 1=13326
- Stelson, P.H. Vibrations in spherical and nearly spherical nuclei, 1=8614
- Stelson, P.H. and McGowan, F.K. Coulomb excitation of second  $2^+$  states in even-even medium weight nuclei, 1=609
- Stelson, P.H. See McGowan, F.K., 1=624
- Stelson, P.H. See McGowan, F.K., 1=8725
- Stelson, P.H. See McGowan, F.K., 1=13755
- Stel'tsov, V.N. See Van Shu-fen., 1=19182
- Stember, N.G. See Venetsev, Yu.N., 1=20504
- Stemme, O. See Andrä, W., 1=6276
- Stemple, N.R. See Dunne, T.G., 1=1137
- Stenström, T. See Andersson, G., 1=2202
- Stepanov, A.V. See Chernov, Yu.M., 1=20303
- Stepanov, A.V. See Kazarnovskii, M.V., 1=19707
- Stepanov, A.V. See Nadgornyi, E.M., 1=20371
- Stepanov, A.V. See Podgoretskii, M.I., 1=18437
- Stepanov, B.I. See Borisevich, N.A., 1=2450
- Stepanov, B.I. See Rubanov, A.S., 1=18327
- Stepanov, B.M. Structure of non-relativistic anti-terms, 1=5623
- Stepanov, E.P. See Sklyarevskii, V.V., 1=3427
- Stepanov, E.P. See Sklyarevskii, V.V., 1=20053
- Stepanov, G.V. See Elinson, M.I., 1=17756

- Stepanov, I.V., Vasil'eva, M.A. and Sheftal', N.N. Production of single crystals from the melt in conditions of a sharp temperature drop, 1=11536
- Stepanov, K.M. Magnetosonic waves in a rearefied plasma, 1=13086
- Stepanov, K.N. The motion of a strongly relativistic electron in a linear accelerator under the action of random perturbation, 1=4678
- Stepanov, K.N. and Kitsenko, A.B. Excitation of electromagnetic waves in a magneto-active plasma by a beam of charged particles, 1=16325
- Stepanov, K.N. See Kitsenko, A.B., 1=4601
- Stepanov, K.N. See Kitsenko, A.B., 1=7071
- Stepanov, V.A. See Vereschagin, L.F., 1=5090
- Stepanov, V.G. See Vinokurov, V.M., 1=20205
- Stepanov, V.G. See Vinokurov, V.M., 1=20220
- Stepanova, V.M., Pokrovskii, V.V. and Regel', V.R. Use of the etch method for revealing dislocations in rolled plates of silver chloride, 1=4016
- Stepanova, V.M. and Urusovskaya, A.A. The etch method for revealing dislocations in zinc crystals, 1=14961
- Stepanova, V.M. See Urusovskaya, A.A., 1=14880
- Stephani, H. Focal and extra-focal microscope image formation of a single dimensioned object, 1=8221
- Stephen, M.J. Note on the calculation of saturation effects in magnetic resonance, 1=6043
- Stephen, M.J. Magnetic shielding of a nucleus by free electrons, 1=11144
- Stephens, D.R. and Drickamer, H.G. Effect of pressure on the spectra of five nickel complexes, 1=6206
- Stephens, D.R. and Drickamer, H.G. Effect of pressure on the spectra of certain complexes of  $\text{Cu}^{++}$ ,  $\text{Co}^{+++}$ , and  $\text{Fe}^{++}$ , 1=12490
- Stephens, D.R. and Drickamer, H.G. Effect of pressure on the spectrum of ruby, 1=12491
- Stephens, D.R. and Drickamer, H.G. Effect of pressure on tetrahedral  $\text{Ni}^{++}$  and  $\text{Co}^{++}$  complexes, 1=12492
- Stephens, F.S. See Asaro, F., 1=8660
- Stephens, K.G. See Cooper, P.N., 1=10894
- Stephens, R.E. Magnifications of a telescope, 1=11832
- Stephens, R.W.B. The applications of damping capacity for investigating the structure of solids, 1=10206
- Stephens, R.W.B. See Fukada, E., 1=9080
- Stephens, W. See del Bianco, W., 1=8690
- Stephenson, C.B. Possible M-star members of NGC 6838, 1=5165
- Stephenson, C.B. and Hobbs, R.W. A list of new OB stars near the galactic Nebula M17, 1=6715
- Stephenson, C.B. See Nassau, J.J., 1=8004
- Stephenson, C.V. and Flanagan, C.E. Electrical conduction in polycrystalline lead zirconate-titanate, 1=12423
- Stephenson, G. The gravitational instability of an infinite homogeneous rotating viscous medium in the presence of a magnetic field, 1=15609
- Stepić, R. and Mladenović, M.S. The inclined source in the permanent magnet spectrometer, 1=13533
- Stepić, R. See Marinkov, L., 1=13741
- Stepina, E.I. See Garber, R.I., 1=14264
- Stepina, E.I. See Garber, R.I., 1=14951
- Stepina, N.É. See Latsh, V.V., 1=6487
- Stern, D. Counting rates of wide-aperture cosmic ray counter telescopes, 1=13535
- Stern, D. An optical analog to the motion of magnetically trapped particles, 1=16502
- Stern, D.P. Azimuthal asymmetry in high energy interactions, 1=13560
- Stern, E. Fine-wire ferrite limiter, 1=5587
- Stern, E. and Lurio, A. Dielectric properties of  $\text{BaTiO}_3$  single crystals in the paraelectric state from 1 kc/sec to 2000 Mc/sec., 1=1341
- Stern, E.A. Correlation effects on the electronic specific heat of sodium, 1=913
- Stern, E.A. Effect of interactions on determination of Fermi surfaces, 1=8894
- Stern, E.A. The effect of interactions on determination of Fermi surfaces, 1=17454
- Stern, F. Aspherical 3d electron distribution in body centered cubic metals, 1=12633
- Stern, F. Optical properties of lead-salt and III-V semiconductors, 1=17865
- Stern, M.J., Kauder, L.N. and Spindel, W. Temperature dependence of the isotopic fractionation of nitrogen in the  $\text{No}-\text{NO}_2$  system, 1=7900
- Stern, M.O. and Dacus, E.N. Piezoelectric probe for plasma research, 1=4615
- Sternberg, H.M. See Aziz, A.K., 1=4371
- Sternberk, J. See Brož, J., 1=17975
- Sternberk, J. See Brož, J., 1=20133
- Sterne, T.E. An introduction to celestial mechanics, 1=6691
- Sternglass, E.J. Relativistic electron-pair systems and the structure of neutral mesons, 1=10901
- Sternheimer, R.M. Antishielding of nuclear electric hexadecapole moments, 1=7424
- Sternheimer, R.M. Antishielding of nuclear electric hexadecapole moments, 1=10957
- Sternheimer, R.M. and Lindenbaum, S.J. Extension of the isobaric nucleon model for pion production in pion-nucleon, nucleon-nucleon, and antinucleon-nucleon interactions, 1=10904
- Sternlicht, H. and McConnell, H.M. Paramagnetic excitons in molecular crystals, 1=20194
- Stevens, J.M. Relaxation phenomena in glass, 1=20633
- Stevens, B. Energy transfer in aromatic vapours; the benzene-sensitized fluorescence of anthracene vapour at 2652 Å, 1=6909
- Stevens, B. and Hutton, E. The fluorescence and excitation spectra of anthracene vapour at low pressures, 1=181
- Stevens, B. and McCartin, P.J. Fluorescence self-quenching in aromatic vapours; the role of excited dimers, 1=15862
- Stevens, C.M. See Anders, E., 1=15438
- Stevens, K.N. See Brady, P.T., 1=15373
- Stevens, K.N. See Heinz, J.M., 1=7657
- Stevens, K.W.H. The Hamiltonian formalism of damping in a tuned circuit, 1=7002
- Stevens, K.W.H. See Danielian, A., 1=3918
- Stevens, K.W.H. See Danielian, A., 1=3920
- Stevens, P.J. See Lock, C.M., 1=21096
- Stevens, R. See Victor, W.K., 1=15560
- Stevens, S.S. Procedure for calculating loudness: Mark VI, 1=18535
- Stevens, S.S. See Lane, H.L., 1=4142
- Stevenson, A.F., Heller, W. and Wallach, M.L. Theoretical investigations on the light scattering of colloidal spheres. XI. Determination of size distribution curves from spectra of the scattering ratio or from depolarization spectra, 1=8239
- Stevenson, A.F. See Wallach, M.L., 1=8240
- Stevenson, D.P. The Franck-Condon principle and the ionization and dissociation of hydrogen by electron impact, 1=4554
- Stevenson, F. See Peiffer, H.R., 1=6123
- Stevenson, G.R. and Waddington, C.J. The alpha-particle component of the primary cosmic radiation over Northern England, 1=12133
- Stevenson, J.R. and Hensley, E.B. Thermionic and photoelectric emission from magnesium oxide, 1=2988
- Stevenson, J.R. See Palik, E.D., 1=17490
- Stevenson, M.J. See Sorokin, P.P., 1=3873
- Stevenson, M.J. See Sorokin, P.P., 1=19965
- Stevenson, M.L. See Button, J., 1=5727
- Stevenson, M.L. See Maglič, B.C., 1=13472
- Stevenson, M.L. See Maglič, B.C., 1=16840
- Stevenson, P.C. See Levy, H.B., 1=17167
- Stevenson, R. Measurement of magnetic susceptibility in very high pulsed fields, 1=3035
- Stevenson, R. Typical failures in pulsed magnet coils, 1=7118
- Stevenson, R. Phase transition in ammonium fluoride, 1=7833
- Stevenson, R. Phase transitions in the ammonium halides, 1=9099
- Stevenson, R.W.H. See Baker, J.M., 1=9046
- Stevenson, R.W.H. See Finlayson, D.M., 1=1162
- Stevenson, R.W.H. See Finlayson, D.M., 1=20168
- Stevenson, W. See Rowan, D., 1=19054
- Steward, E.G. and Cook, B.P. A crystallographic survey of carbons, 1=10255
- Steward, E.G., Cook, B.P. and Kellett, E.A. Dependence on temperature of the interlayer spacing in carbons of different graphitic perfection, 1=4041
- Stewart, A.L. An approximate method for the calculation of multipole polarizabilities of atoms, 1=5961
- Stewart, A.L. See Dalgarno, A., 1=805



- Stewart, A.L. See Dalgarno, A., 1=7430
- Stewart, A.T. Fermi surface and positron annihilation in sodium, 1=12367
- Stewart, A.T. and March, R.H. Annihilation of positrons in LiH, 1=7569
- Stewart, A.T. and Pope, N.K. Momentum distributions of photons from positrons annihilating in alkali halides, 1=954
- Stewart, C.E. See Sodha, M.S., 1=3163
- Stewart, D.T. See Caplan, H.S., 1=5409
- Stewart, E.S. See Stewart, J.L., 1=8177
- Stewart, J.L. and Stewart, E.S. Hypersonic resonance of quartz at 3500 Mc, 1=8177
- Stewart, J.L., Westerfield, E.C. and Brandon, M.K. Optimum frequencies for active sonar detection, 1=12954
- Stewart, K.R. Acoustic intensity anomalies: comments on a paper by Pedersen, 1=12938
- Stewart, L. Leakage neutron spectrum from a bare Pu<sup>239</sup> critical assembly, 1=17218
- Stewart, L. See Gammel, J.L., 1=8521
- Stewart, L. See Rosen, L., 1=3440
- Stewart, L. See Rosen, L., 1=17092
- Stewart, W.C. See Lucas, M.S.P., 1=6688
- Stewart, W.E. See Whipple, E.B., 1=11124
- Stewartson, K. Motion of bodies through conducting fluids, 1=5558
- Stewartson, K. See Reuter, G.E.H., 1=12006
- Steyert, W.A. See Anderson, A.C., 1=8276
- Stickler, J.J. See Heller, G.S., 1=6381
- Stiegler, J.O. and Noggle, T.S. Victawet and sodium metaphosphate as parting agents for electron microscope replicas, 1=7896
- Stiegler, J.O. See Noggle, T.S., 1=2003
- Stiening, R. and Deutsch, M. Magnetic moment and hyperfine structure coupling of the first 2+ state in Gg<sup>154</sup>, 1=4826
- Stiening, R. and Deutsch, M. Life time of Sn<sup>116</sup> levels, 1=10978
- Stierlin, U. See Backenstoss, G., 1=8478
- Stierstadt, K. and Papp, M. Aerosols as carriers of natural radio-activity, 1=20770
- Stil'bans, L.S. See Golikova, O.A., 1=19850
- Stil'bans, L.S. See Ioffe, A.F., 1=11904
- Stil'bans, L.S. See Stavitskaya, T.S., 1=1081
- Stil'bans, L.S. See Stavitskaya, T.S., 1=6161
- Stiles, P.J., Burstein, E. and Langenberg, D.N. Observations of De Haas—Van Alphen oscillations in p-type PbTe, 1=12516
- Stiles, P.J., Burstein, E. and Langenberg, D.N. De Haas—van Alphen effect in p-type PbTe and n-type PbS, 1=17930
- Stiles, P.J. See Luttinger, J.M., 1=20044
- Stiles, W.S. See Enoch, J.M., 1=21144
- Stiller, B. See Glasser, R.G., 1=10902
- Stiller, B. See Hildebrand, B., 1=3320
- Stiller, B. See O'Dell, F.W., 1=3321
- Stiller, H.H. See Danner, H.R., 1=11158
- Stillinger, F.H., Jr. Interfacial solutions of the Poisson—Boltzmann equation, 1=20749
- Stillinger, F.H. Jr. and Frisch, H.L. Critique of the cluster theory of critical point density fluctuations, 1=18671
- Stilwell, N.A. and Tabor, D. Elastic recovery of conical indentations, 1=14926
- Stimson, H.F. International practical temperature scale of 1948. Text revision of 1960, 1=18666
- Stinchcombe, R.B. Quantum theory of magnetoresistance. I. Low fields, 1=14382
- Stinson, W.P., Schmid, L.C. and Heineman, R.E. An investigation of effective neutron temperatures, 1=17233
- Stinson, W.P. See Schmid, L.C., 1=16816
- Stipčić, N. See Šlaus, I., 1=5928
- Stirpe, D. See Brock, E.G., 1=12489
- Stitch, M.L. Power output characteristics of a ruby laser, 1=16556
- Štibel, P. Variations in the constants of an oscillating circuit coupled with an ionized gas (H, Ne), 1=5425
- Stix, T.H. Ion cyclotron heating of a plasma, 1=9617
- Stix, T.H. See Hooke, W.M., 1=11900
- Stockendal, R. Isomeric transitions in Pb<sup>208</sup>, 1=5864
- Stockendal, R. Internal and external conversion studies on the decay of Bi<sup>203</sup> and Bi<sup>204</sup>, 1=5871
- Stockendal, R. See Herrlander, C.J., 1=658
- Stockendal, R. See Persson, L., 1=19414
- Stocker, B.J. Cathode sputtering in inert-gas glow discharges, 1=16442
- Stocker, H.J. Current—voltage characteristics of alloyed and diffused p—n junction diodes in InSb, 1=6169
- Stockhausen, R.E. See Osterbrock, D.E., 1=2640
- Stöckmann, F. The effect of the contacts on the current—voltage characteristics of photocurrents, 1=17789
- Stodiek, W., Ellis, R.A., Jr and Gorman, J.G. Loss of charged particles during ionization in stellerator discharges, 1=2979
- Stodołkiewicz, J.S. See Pacholczyk, A.G., 1=1959
- Stodołkiewicz, J.S. See Pacholczyk, A.G., 1=1960
- Stodołkiewicz, J.S. See Pacholczyk, A.G., 1=1961
- Stoelinga, J.H.M. See Gersdorf, R., 1=7759
- Stoerner, R.W., Schaeffer, O.A. and Davis, R., Jr. Meteorites as space probes for testing the spatial constancy of cosmic radiation, 1=15436
- Stoering, J.P. See Catron, H.C., 1=11023
- Stoering, J.P. See Goldberg, M.D., 1=8520
- Stoffregen, W. The east—west drift of auroral forms determined from all-sky camera films, 1=21037
- Stoicheff, B.P. See Suryanarayana Rao, K., 1=844
- Stoker, P.H. On the construction and long-term performance of medium pressure BF<sub>3</sub> proportional counters used for cosmic-ray recording, 1=5607
- Stoker, P.H., Hofmeyr, C. and Bornman, C.H. Knock-on electrons and direct electron pair production by cosmic-ray muons, 1=19178
- Stoker, P.H. See Bertanza, L., 1=5765
- Stokes, H.J. and Hewin, I.D. The effect of ageing on Young's modulus, electrical resistivity, and hardness of 80 : 20 manganese—copper alloy, 1=1297
- Stokes, R.H. (d, p) reaction on heavy elements at low deuteron energies, 1=2234
- Stokes, R.J., Johnston, T.L. and Li, C.H. Further observations of Stroh—cracks in magnesium oxide single crystals, 1=1342
- Stokes, R.J., Johnston, T.L. and Li, C.H. Effect of slip distribution on the fracture behaviour of magnesium oxide single crystals, 1=3996
- Stokes, R.J., Johnston, T.L. and Li, C.H. Mechanical properties of tellurium single crystals, 1=20365
- Stolarik, J.D. See Cain, J.C., 1=20899
- Stolarik, J.D. See Shapiro, I.R., 1=1577
- Stoliarov, G.A. See Berezin, A.A., 1=19547
- Stoliarova, G.S. See Tumanian, V.A., 1=2045
- Stollery, J.L. Stagnation temperature measurements in a hypersonic wind-tunnel using the sodium line reversal method, 1=13015
- Stolov, A.L. The intake of materials in an arc discharge, 1=5436
- Stolov, A.M. See Afrosimov, V.V., 1=9602
- Stolov, A.M. See Burtsev, V.A., 1=5478
- Stolov, A.M. See Burtsev, V.A., 1=9604
- Stolov, A.M. See Glukhikh, V.A., 1=4617
- Stolov, A.M. See Glukhikh, V.A., 1=5477
- Stolov, A.M. See Glukhikh, V.A., 1=9258
- Stolov, A.M. See Glukhikh, V.A., 1=9603
- Stolz, E. See Schubert, K., 1=5098
- Stolz, E. See Schubert, K., 1=6528
- Stolz, G. Jr. See Calcaterra, P., 1=11668
- Stolz, H. On the theory of the electron—phonon interaction in metals, 1=9975
- Stolz, W. See Herforth, L., 1=18419
- Stone, A.P. Nuclear and relativistic effects in atomic spectra, 1=8818
- Stone, B.R.D. See Edwards, J., 1=227
- Stone, P.H. and Gaustad, J.E. The application of a moment method to the solution of non-gray radiative-transfer problems, 1=15750
- Stone, R.S. and Slovacek, R.E. Neutron spectra measurements, 1=510
- Stonehill, A.A. See Artandi, C., 1=399
- Stonehill, D., Baltay, C., Courant, H., Fickinger, W., Fowler, E.C., Kraybill, H., Sandweiss, J., Sanford, J. and Taft, H. Pion—pion interaction in pion production by  $\pi^+$ —p collisions, 1=12102
- Stonehill, D.L. See Baltay, C., 1=16906
- Stoneley, R. The International Geophysical Year, 1=1496
- Stops, D.W. A simple and cheap thermal conductivity apparatus, 1=11849
- Stoquart, J. See Deconninck, G., 1=13810
- Stora, R. See Bros, J., 1=16640
- Stora, R. See Froissart, M., 1=1946

- Storey, R.S. and Oleksiuk, L.W. Low-lying energy levels in Cl-35, 1=9814
- Storey, R.S. See Taagepera, R., 1=17853
- Storizhko, V.E. See Sorokin, P.V., 1=19457
- Stork, D.H. See Helmy, E., 1=9765
- Stork, D.M. See Stubbs, T.F., 1=16896
- Storm, A.R., Jr. See Davies, L.W., 1=2410
- Storm, L. A direct determination of Boltzmann's constant from circuit noise, 1=4232
- Storms, E.K., Krikorian, N.H. and Kempter, C.P. Niobium monocarbide, 1=1397
- Storms, E.K. See Kempter, C.P., 1=6515
- Storms, E.K. See Pretzel, F.E., 1=7697
- Storrs, C.D. and Kiser, R.W. Characteristic parameters of Geiger-Müller counter gases. I. Ethanol-argon mixtures, 1=13196
- Stothers, R.B. and Schwarzschild, M. On the periods of long-period variables in globular clusters, 1=4210
- Stott, P.M. See Irving, E., 1=4138
- Stoudenheimer, R.G. Image intensifiers for nuclear track imaging, 1=7090
- Stoudenheimer, R.G. See Francis, G.W., 1=6237
- Stoughton, R.W., Halperin, J. and Lietzke, M.P. Effective cadmium cutoff energies, 1=507
- Stoughton, R.W. See Johnston, F.J., 1=17130
- Štourač, L. See Šmirous, K., 1=17603
- Stovall, T. See Hintz, N.M., 1=19370
- Stover, C.M. Method of making small pointed thermocouples, 1=13016
- Stowe, A.N. and Hampton, D.B. Speech synthesis with prerecorded syllables and words, 1=9214
- Stradling, R.A. See Baggeley, D.M.S., 1=14237
- Stradling, R.A. See Baggeley, D.M.S., 1=14238
- Straiton, A.W. See Britt, C.O., 1=4380
- Straiton, A.W. See Tolbert, C.W., 1=11683
- Strakhov, L.P. Spectral dependence of the change in the surface potential of CdSe with illumination, 1=17795
- Strakhovskii, G.M. and Kravtsov, N.V. Strong magnetic fields fields, 1=3036
- Strakna, R.E. Investigation of low-temperature ultrasonic absorption in fast-neutron irradiated SiO<sub>2</sub> glass, 1=20634
- Strakna, R.E. See Clark, A.E., 1=11502
- Strand, R. See Block, M.M., 1=13500
- Strand, R. See Pevsner, A., 1=7450
- Strandberg, M.W.P. Crossover transitions, 1=7783
- Strandberg, M.W.P. See Douglass, D.H., Jr., 1=9051
- Strandberg, M.W.P. See Faughnan, B.W., 1=20209
- Strandberg, M.W.P. See Venkates, H.G., 1=16554
- Strasberg, M. Rectified diffusion: comments on a paper of Hsieh and Plesset, 1=10506
- Strasheim, A. and Buijs, K. Infrared absorption of nitrate ions dissolved in solid alkali halides, 1=7714
- Strashkevich, A.M. Quadrupole lenses, the fields of which do not possess antisymmetry, 1=1917
- Strassl, H. See Mezger, P.G., 1=6697
- Stratonovich, R.L. Fluctuation thermodynamics of non-equilibrium processes, 1=18293
- Stratonovich, R.L. Statistics of magnetization in the Ising model, 1=20059
- Strattan, R.D. and Young, F.J. Fields in square Helmholtz coils, 1=16490
- Stratton, R. The theory of dielectric breakdown in solids, 1=7643
- Stratton, T.F. See Bearden, A.J., 1=8820
- Stratton, W.R. See Wimet, T.F., 1=17182
- Straub, W.D. See Klein, C.A., 1=12447
- Straubel, R. Production of magnetic anisotropy in ferrites by thermomechanical treatment, 1=20140
- Straumanis, M.E. Some sources of error in precision determination of lattice parameters, 1=15041
- Straumanis, M.E., Borgeaud, P. and James, W.J. Perfection of the lattice of dislocation-free silicon, studied by the lattice-constant and density method, 1=10258
- Straumanis, M.E. and Cheng, C.H. Lattice constants of hard aluminium wires, 1=20520
- Straumanis, M.E. and Ejima, T. Interstitial atoms in cold worked aluminum, 1=962
- Straumanis, M.E. and Ejima, T. Imperfections, lattice constants and densities of cold-drawn and of recrystallized aluminium wires, 1=963
- Straumann, W. See Grassmann, P., 1=16135
- Strauss, A.J. Electrical properties of n-type GaSb, 1=3767
- Strauss, A.J. and Rosenberg, A.J. Preparation and properties of CdSnAs<sub>2</sub>, 1=17723
- Strauss, A.J. See Gatos, H.C., 1=17519
- Strauss, A.J. See Harman, T.C., 1=17754
- Strauss, A.J. See Rosenberg, A.J., 1=20620
- Strauss, H.L. and Fraenkel, G.K. Carbon-13 hyperfine splitting in the electron spin resonance spectra of semiquinones and cyclooctatetraene, 1=19663
- Strauss, M. On the possible generalizations of Planck's law, 1=10419
- Strauss, M. Quantum theory and philosophy, 1=18257
- Strauss, M. Generalization of Planck's law subject to the possible existence of a third universal constant, 1=18328
- Strauss, M. Contradiction and its removal in the development of physics, 1=18234
- Strauss, S.W. The surface tensions of liquid metals at their melting points, 1=18386
- Strauss, S.W., Richards, L.E. and Brown, B.F. The density of liquid lead and of dilute solutions of nickel in lead, 1=18388
- Strauss, W. See Rowen, J.H., 1=5577
- Streeter, R.F. See Minguzzi, A., 1=5888
- Street, R., Rodbell, D.S. and Roth, W.L. Nuclear magnetic resonance spectrum of Co<sup>60</sup> in metallic cobalt powders, 1=1280
- Streever, R.L. and Carr, H.Y. Nuclear magnetic resonance of Xe<sup>131</sup> in natural xenon, 1=1758
- Streletsii, Y.S. See Potter, H.I., 1=10
- Strelkov, V.S. See Vasil'evskii, V.S., 1=1900
- Strel'nikova, I.A. See Mirgalovskaya, M.S., 1=19865
- Strel'tsov, N.S. See Glukhikh, V.A., 1=5477
- Strel'tsov, N.S. See Glukhikh, V.A., 1=9603
- Strel'tsov, V.N. Some isotopic relations for reactions of the type  $\pi N \pi \pi$ , 1=16860
- Streng, A.G. See Kirshenbaum, A.D., 1=15886
- Stretch, K.L. Neutron "flux", 1=13425
- Strewe, W. Numerical procedure for determining [the temperature] of reactor cooling channels with arbitrary distribution of thermal sources in the fission product element, 1=13901
- Strickland, J.F. See Montague, W.E., 1=15375
- Strickland-Constable, R.F. See Benjamin, L., 1=1371
- Strickler, S.J. and Kasha, M. Solvent effects of the spectra of halide ions, 1=8124
- Strickler, T.D. Variation of the homopolar motor, 1=13158
- Striebel, H.R. See Rudin, H., 1=7288
- Striganov, A.R. See Akhmatov, A.P., 1=4628
- Striganov, A.R. See Nastyukha, A.I., 1=16432
- Strikha, V.I. See Lashkar'ov, V.Ye., 1=14453
- Strizhak, V.I., Bobyr', V.V. and Grona, L.Ya. Angular distribution of elastically scattered 14 MeV neutrons, 1=17094
- Strizhak, V.I., Bobyr', V.V. and Grona, L.Ya. Angular distribution of elastically scattered 14.4 MeV neutrons, 1=19425
- Strizhevs'kii, V.L. A theory of the temperature dependence of the dispersion and [exciton] absorption of light in molecular crystals, 1=19950
- Strizhevskii, V.L. See Lisitsa, M.P., 1=12928
- Strizhevs'kii, V.L. See Lisitsa, M.P., 1=19629
- Strnad, J., Dimic, V. and Kušcer, I. Separation effect in the gas cyclone, 1=15929
- Strnad, J. See Pahor, S., 1=18651
- Stroh, A.N. The deformation of a tilt boundary under applied forces, 1=20328
- Strohal, P., Cindro, N. and Eman, B. Interaction of 14 MeV neutrons with nuclei, 1=19484
- Strohal, P.P. and Caretto, A.A., Jr. Excitation functions of (p, 2 nucleon) reactions, 1=4869
- Strokan, N.B. See Berkovskii, F.M., 1=12450
- Strokan, N.B. See Grinberg, A.A., 1=3776
- Strokan, N.B. See Rývkin, S.M., 1=6166
- Stroke, G.W. Theoretical and experimental study of two aspects of diffraction by gratings: [I] Causes of defects in spectrum line profiles and [II] Electromagnetic theory of light distribution among different orders, 1=18615
- Stroke, G.W. See Harrison, G.R., 1=1828
- Stroke, H.H., Blin-Stoyle, R.J. and Jaccarino, V. Configuration mixing and the effects of distributed nuclear magnetization on hyperfine structure in odd-A nuclei, 1=12152



- Stroke, H.H. and Blin-Stoyle, R.J. Configuration mixing and the effects of distributed nuclear magnetization on hyperfine structure in odd  $n$  nuclei, 1=8547
- Stroke, H.H. and Li, K.K.Y. High-resolution grating monochromator for simultaneous observations of more than one wavelength, 1=8229
- Stroke, H.H. See Christensen, R.L., 1=8566
- Stroke, H.H. See Hull, R.J., 1=8567
- Stroke, H.H. See Hull, R.J., 1=17261
- Strömberg, L.G. See Asplund, I., 1=5863
- Strømme, K.O. See Reeves, L.W., 1=9955
- Strong, H.M. See Bundy, F.P., 1=12621
- Strong, J. The Johns Hopkins University and diffraction gratings, 1=237
- Strong, J. Iridescent  $\text{KClO}_4$  crystals and infrared reflection filters, 1=11352
- Strong, K.A. See Randolph, P.D., 1=15945
- Strong, S.L. Crystal structure distortions in  $\text{MnO}_2$  and  $\text{MnF}_2$  at their antiferromagnetic Curie temperature, 1=20545
- Strongin, M., Zimmerman, G.O. and Fairbank, H.A. Specific heat of liquid  $\text{He}^3$  down to  $0.054^\circ\text{K}$ , 1=8277
- Stronski, S. See Mikulski, J., 1=1439
- Stroth, J.E. See Hopkins, J.C., 1=3415
- Strother, G.K. Note on the possible use of ultrasonic pulse compression by bats, 1=9217
- Strotskite, T.D. See Vizbaraite, Ya.I., 1=4895
- Strotskite, T.D. See Vizbaraite, Ya.I., 1=11061
- Stroud, J.S. Photoionization of  $\text{Ce}^{3+}$  in glass, 1=14349
- Stroud, P.T. Cathodic etching in a Penning cold cathode discharge, 1=6493
- Strub, A.S. Study of ferromagnetic resonance in conducting materials (X-band) measured in silicon-iron monocrystals, 1=9048
- Strube, G. See Bodendstedt, E., 1=8568
- Strube, G. See Bodendstedt, E., 1=19410
- Strugalsky, Z.S. See Vernov, S.N., 1=3280
- Strugalsky, Z.S. See Vernov, S.N., 1=3287
- Strunin, B.M. Non-uniformity of plastic deformation in tension, 1=14872
- Strunz, H. Stranskiite, a new mineral, 1=4058
- Strutinskii, V.M. Angular distribution of fission fragments produced by low-energy neutrons, 1=3476
- Strutinski, V.M. Angular distribution of fission fragments induced by low energy neutrons, 1=8792
- Strutinskii, V.M. Angular correlations in statistical nuclear reactions, 1=19433
- Strutinskii, V.M. Dependence of the angular distribution of fission fragments on the target nuclear spin, 1=19551
- Strutinskii, V.M. Dependence of the angular distribution of fission fragments on the spin of the target nucleus, 1=19552
- Strutt, P.R. Preparation of thin metal foils from ordinary tensile specimens for use in transmission electron microscopy, 1=7897
- Struve, O., Emberson, R.M. and J.W. Findlay. The 140 foot radio telescope of the National Radio Astronomy Observatory, 1=9292
- Stryland, J.C., Crawford, J.E. and Mastoor, M.A. Melting temperatures of krypton, xenon, and methane at pressures up to 3000 atm, 1=919
- Strýel'nikova, N.S. Samsonov, H.V., 1=12465
- Strýzhak, V.I., Tot'skiĭ, I.A. and Bobýr, V.V. Elastic scattering of 2.8 MeV neutrons by heavy nuclei, 1=12201
- Strýzhak, V.I. See Bobýr, V.V., 1=12202
- Strýzhevs'kyi, V.L. Absorption and emission of light by a weakly perturbed system, 1=13913
- Strýzhevs'kyi, V.L. See Pekar, S.I., 1=19951
- Strýzhevskii, V.L. See Verlan, E.M., 1=13987
- Strzalkowski, A. See Cindro, N., 1=711
- Strzalkowski, A. See Cindro, N., 1=8764
- Strzyz, T. See Fryszman, A., 1=16298
- Stuart, G.W. See Gerjuoy, E., 1=270
- Stuart, G.W. See Pearlstein, L.D., 1=16265
- Stuart, H.A. See Jeschke, D., 1=19800
- Stuart, I.M. Capstan equation for strings with rigidity, 1=15768
- Stuart, R. See Marshall, W., 1=14152
- Stuart, W.D. See Hame, T.G., 1=9198
- Stubb, T. The measurement of the Hall effect with the aid of microwaves in germanium specimens changing from  $n$ -type to  $p$ -type with changing temperature, 1=14449
- Stubb, T. The measurement of the Hall effect with the aid of microwaves in germanium specimens changing from  $n$ -type to  $p$ -type with changing temperature, 1=17678
- Stubb, T. and Graeffe, R. A study of the quantum efficiency of X-ray radiation absorbed in a  $p$ - $n$  junction, 1=17879
- Stubbington, C.A. The effect of fatigue deformation on the dispersion of subsequent precipitation in aluminium alloys, 1=15150
- Stubbs, A.R. See Tucker, M.J., 1=4415
- Stubbs, P.H.S. See Blackett, P.M.S., 1=1578
- Stubbs, T.F., Bradner, H., Chinowsky, W., Goldhaber, G., Goldhaber, S., Slater, W., Stork, D.M. and Ticho, H.K.  $\text{K}^+ - p$  interaction at 455 MeV, 1=16896
- Stueckelberg, E.C.G. Quantum theory in real Hilbert space, 1=5195
- Stuetzer, O.M. Ion transport high voltage generators, 1=2940
- Stuetzer, O.M. Apparent viscosity of a charged fluid, 1=15784
- Stühmer, S. Ion-optical imaging with radioactive recoil particles. I, 1=3024
- Stuiver, M. Variations in radiocarbon concentration and sunspot activity, 1=15465
- Stull, V.R. and Plass, G.N. Spectral emissivity of hydrogen chloride from 1000-3400  $\text{cm}^{-1}$ , 1=851
- Stummel, F. Numerical calculation of heterogeneous reactors, 1=13892
- Stumpff, P. Photometry of the continuous spectra of sunspots in the spectral region 4000Å-8600Å, 1=15459
- Stupegia, D.C. The thermal neutron cross-section of the reaction  $^{137}\text{Cs}(n, \gamma)^{138}\text{Cs}$ , 1=17122
- Stupochenko, E.V. and Stakhanov, I.P. Equations of relaxational hydrodynamics, 1=110
- Stupochenko, E.V. See Stakhanov, I.P., 1=1762
- Sturge, M.D. A differential absorption spectrometer for the infra-red, 1=4459
- Sturge, M.D. See Hobden, M.V., 1=19970
- Sturr, J.F. See Boynton, R.M., 1=6671
- Sturrock, P.A. Energy-momentum tensor for plane waves, 1=1783
- Sturrock, P.A. Non-linear effects in electron plasmas, 1=9566
- Sturrock, P.A. Spectral characteristics of type II solar radio bursts, 1=18169
- Sturtevant, B. Diffusion in a slightly ionized gas with application to effusion from a shock tube, 1=11780
- Stusnick, E. See Borst, L.B., 1=19687
- Su, Chau-Hsing. Variational principles in plasma dynamics, 1=18846
- Su Hung-Kuei. See Lavrukhina, A.K., 1=17176
- Su Khun-Gui. See Lavrukhina, A.K., 1=17176
- Subashiev, V.K., Landsman, A.P. and Kukharskii, A.A. Distribution of phosphorus atoms during diffusion in silicon, 1=3687
- Subashiev, V.K. See Berman, L.S., 1=1090
- Subashiev, V.K. See Petrusevich, V.A., 1=11325
- Subashiev, V.K. See Petrusevich, V.A., 1=17801
- Subba Rao, B.N. Effect of window absorption and source backing on  $\beta$ -spectra, 1=13707
- Subba Rao, B.N.  $\beta^+ \rightarrow \gamma$  angular correlation in the decay of  $\text{Na}^{22}$ , 1=13725
- Subba Rao, B.N. Levels in  $\text{Co}^{58}$ , 1=16982
- Subba Rao, B.N. Angular correlation studies of the 358 keV  $\rightarrow$  81 keV cascade in  $\text{Cs}^{133}$ , 1=17054
- Subbarao, B.N. See Ambiyev, K.S.Y., 1=17021
- Subbarao, E.C. Ferroelectricity in mixed bismuth oxides with layer-type structures, 1=7689
- Subbarao, E.C. Ferroelectricity in  $\text{Bi}_4\text{Ti}_3\text{O}_{12}$  and its solid solutions, 1=7692
- Subbotin, B.V. See Denisov, E.V., 1=16938
- Subotić-Nikolić, S. See Gorgé, V., 1=4829
- Subrahmanyam, B. See Krishna Murty, B., 1=20284
- Subrahmanyam, R.V. See Bhargava, B.N., 1=15276
- Subrahmanyam, R.V. See Bhargava, B.N., 1=15284
- Subrahmanyam, S.V. Velocity of ultrasonic waves in aqueous solutions of zinc halides, 1=1740
- Subrahmanyam, S.V. and Bhimasenachar, J. Molar sound velocity in inorganic melts and solutions, 1=15868
- Sucher, J. and Snow, G.A. ( $\Xi^0, \Lambda^0$ ) relative parity and the Dalitz decay of the  $\Xi^0$  hyperon, 1=548
- Sucher, J., Snow, G.A. and Day, T.B. Cusp phenomena in the region of two neighboring thresholds, 1=8426

- Sucher, J. See Bosco, B., 1=8056  
 Sucher, J. See Day, T.B., 1=10858  
 Sucher, J. See Day, T.B., 1=16486  
 Suchet, J.P. Atomic radii, electronegativities and activation energies of compound inorganic semiconductors, 1=17675  
 Suchet, J.P. The role of oxygen in crystals of silicon, 1=17712  
 Suchkov, D.A. See Bayukov, Yu.D., 1=19257  
 Suchkov, V.A. See Pogodin, Yu.Ya., 1=6880  
 Suchow, L. Studies of color centers produced in apatite halophosphates by shortwave ultra-violet radiation, 1=17569  
 Suci, G. See Ruckenstein, E., 1=251  
 Suda, K. and Hitotuyanagi, Z. Stellar models with partially degenerate isothermal cores, 1=6718  
 Šuda, P. and Pačes, J. The influence of plastic deformation on the magnetostriction constant of iron-nickel alloys, 1=20107  
 Šuda, P. See Pačes, J., 1=14727  
 Suda, T. See Anderson, J.C., 1=13557  
 Sudakov, V.V. See Khalatnikov, I.M., 1=7976  
 Sudakov, V.V. See Kolkunov, V.A., 1=2089  
 Sudakov, V.V. See Patashinskii, A.Z., 1=13345  
 Sudarshan, E.C.G. Quantum mechanical systems with indefinite metric. I, 1=13276  
 Sudarshan, E.C.G. Theory of leptons. I, 1=13301  
 Sudarshan, E.C.G. Local fields with terminating expansions, 1=19131  
 Sudarshan, E.C.G., Mathews, P.M. and Rau, J. Stochastic dynamics of quantum-mechanical systems, 1=2699  
 Sudarshan, E.C.G. See Acharya, R., 1=4764  
 Sudarshan, E.C.G. See Johnson, K., 1=7189  
 Sudarshan, E.C.G. See Marshak, R.E., 1=13364  
 Sudarshan, E.C.G. See Schnitzer, H.J., 1=13277  
 Suddaby, A. and Miles, J.R.N. A correction to the Smoluchowski equation in the molecular theory of liquids, 1=10499  
 Suddeth, J.A. See Fowler, H.A., 1=11548  
 Sudo, K. Vapor pressure of lead and germanium sulphides, 1=1849  
 Sudovtsov, A.I. See Lazarev, B.G., 1=15179  
 Suekane, S. See Hiura, J., 1=8552  
 Suekane, S. See Hiura, J., 1=10963  
 Suekane, S. See Hiura, J., 1=19352  
 Suellentrop, F.J. See Chalupnik, J.D., 1=4417  
 Suellentrop, F.J. See Chalupnik, J.D., 1=12950  
 Suellentrop, F.J. See Rule, E., 1=2813  
 Suemune, Y. See Okazaki, A., 1=2536  
 Suemune, Y. See Okazaki, A., 1=12642  
 Suemune, Y. See Okazaki, A., 1=15095  
 Suemune, Y. See Okazaki, A., 1=20559  
 Suétaka, W. See Kozima, K., 1=19674  
 Suetin, P.E., Shchegolev, G.T. and D'yachenko, R.A. Measurement of the transport velocity of a gas by an ion-tracing method, 1=15921  
 Suffczynski, M. Faraday effect for direct magneto-optical transitions in germanium, 1=8980  
 Suffczynski, M. Space group of white tin. III. Double group, 1=15025  
 Suffczynski, M. The group theoretical analysis of  $\alpha$ -uranium, 1=17449  
 Suffczynski, M. See Miasek, M., 1=15023  
 Suffczynski, M. See Miasek, M., 1=15024  
 Suffert, M., Magnac-Valette, D. and Yoccoz, J.  $\gamma$ -rays produced by the bombardment of Be<sup>9</sup> by deuterons of 2 to 5.6 MeV, 1=2236  
 Suffert, M. See Bilwes, R., 1=13701  
 Suffert, M. See Endt, P.M., 1=13799  
 Suffredini, C.S. See van Lint, V.A.J., 1=4858  
 Suga, See Fukui, 1=2125  
 Suga, K., Clark, G. and Escobar, I. Scintillation detector of 4m<sup>2</sup> area and transistorized amplifier with logarithmic response, 1=19060  
 Suga, K. See Fukui, S., 1=15311  
 Sugano, R. and Komatsuzawa, A. Coupling types and strengths of the Y-N-K interactions, 1=3239  
 Sugano, R. See Daiyasu, K., 1=3225  
 Sugano, S. Optical rotatory dispersion of transition-metal complexes, 1=5992  
 Sugano, S. and Peter, M. Effect of configuration mixing and covalency on the energy spectrum of ruby, 1=7549  
 Sugano, S., Schawlow, A.L. and Varsanyi, F. Zeeman effect of the purely cubic field fluorescence line of MgO:Cr<sup>3+</sup> crystals, 1=1180  
 Sugano, S. See Kaiser, W., 1=12505  
 Sugano, S. See Kamimura, H., 1=10128  
 Sugano, S. See Schawlow, A.L., 1=9007  
 Sugano, S. See Shulman, R.G., 1=20252  
 Sukanuma, F. A metastable phase in Sn-Mg alloy film, 1=1453  
 Sukanuma, R. Study on some Tl base alloys, with reference to their electronic structure, 1=11578  
 Sukanuma, R., Yoshida, T. and Fujiki, Y. Anomalous diffusion at the interface of thin bimetallic film of Bi and Sb, 1=14302  
 Sugar, I. Moiré patterns and dislocations in mica, 1=11205  
 Sugawa, C. On the relation between the anomalous refraction and the local Z term, 1=15213  
 Sugawara, M. and Hatta, Y. Measurement of ion sheath thickness using the double probe with fixed potential, 1=280  
 Sugawara, M. and Kanazawa, A. Subtractions in dispersion relations, 1=12060  
 Sugawara, M. See Kanazawa, A., 1=7282  
 Sugawara, M. See Sugiyama, K., 1=12170  
 Sugawara, M. See Tohei, T., 1=17070  
 Sugawara, S., Sato, T. and Minamiyama, T. On the relation between total and partial pressure of gas mixture, 1=172  
 Sugawara, T. Distortion of the octahedral charge distribution in some cobalt complexes, 1=1287  
 Sugawara, T. Proton resonance in the antiferromagnetic state of NiCl<sub>2</sub>·6H<sub>2</sub>O and CoCl<sub>2</sub>·6H<sub>2</sub>O, 1=3951  
 Sugden, T.M. See Curl, R.F. Jr., 1=3536  
 Sugibuchi, K., Matsuura, M. and Hashi, T. Spin echoes of Co<sup>59</sup> in f.c.c. cobalt metal, 1=20258  
 Sugie, A. Shell effects in the optical potential, 1=8544  
 Sugier, H. and Woźnicki, W. The molar refraction of  $\pi$ -electrons of some conjugated molecules, 1=863  
 Sugihara, K. Higher order transitions in double resonance, 1=1275  
 Sugihara, K. A note on the magnetic resonance in metals, 1=14820  
 Sugihara, K. See Asada, T., 1=21115  
 Sugihara, M. On the effect of heat treatment in a magnetic field on magnetic properties of iron-aluminum alloys, 1=11435  
 Sugihara, M. See Aoyagi, K., 1=20072  
 Sugihara, M. See Gomi, Y., 1=10156  
 Sugihara, M. See Tsuboya, I., 1=14689  
 Sugihara, M. See Tsuboya, I., 1=14690  
 Sugihara, M. See Tsuboya, I., 1=20149  
 Sugihara, T.T., Roesmer, J. and Meadows, J.W., Jr. Asymmetric fission of bismuth, 1=3471  
 Sugihara, T.T. See Matsuo, T., 1=9884  
 Sugimoto, D. See Hayashi, C., 1=18119  
 Sugimoto, K. See Wakatsuki, T., 1=9858  
 Sugimoto, M. and Takei, T. Sintering of Ba-Bi ferrite magnet, 1=20113  
 Sugimoto, T. See Chong, P., 1=12899  
 Sugimoto, Y. On the electromagnetic mass differences among the sigma hyperons, 1=12124  
 Sugioka, E. See Ishiguro, M., 1=8918  
 Sugita, K., Satō, T. and Toriyama, Y. Some remarks on the conduction current in insulating liquids, 1=151  
 Sugita, M. The switching circuit logically or functionally equivalent to a system of biochemical reactions, 1=20720  
 Sugiura, M. Some evidence of hydromagnetic waves in the earth's magnetic field, 1=9207  
 Sugiura, M. See Orner, J., 1=20946  
 Sugiura, Y. Magnetic anisotropy of iron-cobalt ferrite measured by ferromagnetic resonance, 1=11465  
 Sugiura, Y. Exchange interaction and cubic crystal field splitting parameter of Fe<sup>3+</sup> in spinel structure, 1=11481  
 Sugiura, Y. See Nakamura, A., 1=14748  
 Sugiyama, A. An extended form of the Weyl-Laue theorem and its application to surface problems, 1=939  
 Sugiyama, A. Theory of formation energy of the external and the internal surface for free electron metals, 1=8873  
 Sugiyama, A. Fermi momentum for free electron metals perturbed by localized imperfections, 1=14216  
 Sugiyama, K., Furusawa, A., Hayashibe, S. and Kimura, M. Level structure of Nd<sup>144</sup>, 1=16988



- Sugiyama, K., Tōhei, T., Sugawara, M., Dazai, T. and Kanda, Y.  
Decay of potassium 44, 1=12170
- Sugiyama, K. See Kobayashi, A., 1=1048
- Sugiyama, S. See Alpern, M., 1=21130
- Sugiyama, T. See Ichimiya, T., 1=11648
- Sugiyama, Y. On the eigenvalues of the one-dimensional Schrödinger equation with periodic potential of saw-toothed or roof-shaped form, 1=15674
- Suhl, H. Restoration of stability in ferromagnetic resonance, 1=7779
- Suhl, H. Effect of periodic adiabatic time variations on interacting systems, 1=11713
- Suhl, H. and Fletcher, R.C. Note on ferromagnetic relaxation equations, 1=2490
- Suhl, H. and Werthamer, N.R. Higher random-phase approximations in the many-body problem, 1=6801
- Suhl, H. See Jaccarino, V., 1=1277
- Suhrmann, R. and Wedler, G. The electronic interchange effect as a first stage of chemical reactions between metals and chemisorbed gases, 1=5110
- Suita, T. See Chong, P., 1=5437
- Suita, T. See Hayakawa, Sh., 1=16345
- Suita, T. See Masuda, K., 1=20228
- Suita, T. See Itoh, N., 1=3793
- Suita, T. See Itoh, N., 1=14337
- Suita, T. See Itoh, N., 1=14338
- Sujak, B. See Mader, J., 1=2590
- Sujak, B. Thermal conductivity changes of  $\text{ZnSO}_4 \cdot 7\text{H}_2\text{O}$  below  $10^\circ\text{K}$ , 1=14192
- Sujak, B. The effect of liquid vapours on the operation of air spark counters. I, 1=19056
- Sujak, B. and Szaynok, A. On the problem of exo-electron emission from powdered single crystals of  $\text{KCl}$ , previously coloured by various methods, 1=18920
- Sujak, B. and Wawrzyniak, J. Photo-stimulated emission of exo-electrons from the surface layer of amphoteric metals reacting with sodium hydroxide or potassium hydroxide, 1=16376
- Sujak, B. See Lewowski, T., 1=16356
- Sujak, B. See Rosenberg, H.M., 1=3612
- Sujkowski, Z. Experimental study of the longitudinal angular distributions of photo-electrons from the inner electron shells of uranium, 1=19600
- Sujkowski, Z. See Persson, L., 1=19415
- Sujkowski, Z. See Ryde, H., 1=19421
- Suk, M. See Belyakov, V.A., 1=19244
- Suk, K. See Kantúrek, J., 1=17877
- Sukhanov, B.I. See Malkiel, G.S., 1=4657
- Sukhanova, O.N. See Grum-Grzhimailo, S.V., 1=3835
- Sukhareva, N.N. See Troitskaya, V.A., 1=20800
- Sukhovarov, V.F. and Kharlova, R.P. Deformation ageing of nickel and the consequent anomalies in the temperature and time dependences of its strength, 1=10216
- Suliaev, R.M. See Kozodaev, M.S., 1=19073
- Sulich, M. See Greiner, J.H., 1=3875
- Sulich, M. See Greiner, J.H., 1=6285
- Sullivan, D.L. See Fuller, H.W., 1=6326
- Sullivan, P.B. See Panson, G.S., 1=821
- Sullivan, P.F. and Papadakis, E.P. Ultrasonic double refraction in worked metals, 1=20627
- Sullivan, R.A.L. See Hargreaves, A., 1=20475
- Sulonen, M.S. Discontinuous mode of dissolution of a  $\beta$  phase precipitate into  $\alpha$  Cu-Cd solid solutions, 1=1427
- Sultan, F.S.A. See Arafat, A.A., 1=6184
- Sulyaev, R.M. See Kozodaev, M.S., 1=19296
- Sumarokov, V.N. See Luk'yanov, S.Yu., 1=18884
- Sumarokov, V.N. See Podgorniy, I.M., 1=9590
- Sumbaev, O.I. Some problems on the theory of crystal diffraction  $\gamma$ -spectrometers, 1=4787
- Sumi, M. Theory of electron oscillations in non-uniform plasmas, 1=7086
- Sumi, M. Non-linear effects on electron-plasma oscillations, 1=8337
- Sumi, M. Plasma oscillations in external fields, 1=18897
- Sumino, K. and Yamamoto, M. Preferential plastic deformation in the surface region of Al and  $\alpha$ -Fe single crystals, 1=14878
- Summers-Gill, R.G. See King, H.J., 1=5820
- Sumner, F.H. See Pritchard, H.O., 1=14066
- Sun, C.R. See Bowen, T., 1=8508
- Sunakawa, S. On the theory of rearrangement collisions, 1=10859
- Sunavala, P.D. Dynamics of the turbulent free jet, 1=1731
- Sund, R.E. and Wiedenbeck, M.L. Level structure of  $\text{Eu}^{153}$ , 1=615
- Sundaram, R. See Krishnan, K.S., 1=1839
- Sundaram, S. Potential energy constants, rotational distortion constants, and thermodynamic properties of stibine, 1=7452
- Sundaram, S. Mean amplitudes of vibrations in pyramidal XY<sub>3</sub>-type molecules (X = N, P, As, Sb; Y = H, D, T), 1=14000
- Sundaram, S. See Thyagarajan, G., 1=6000
- Sundberg, O. See Johansson, A., 1=19474
- Sundström, T. See Ohlin, P., 1=749
- Sunier, J.W. See Berthiers, J., 1=7348
- Sunyar, A.W. and Axel, P. Decay of 16 minute  $\text{Ta}^{182\text{m}}$ , 1=3404
- Sunyar, A.W. See Cumming, J.B., 1=611
- Sunyar, A.W. See Kistner, O.C., 1=10861
- Suprunenko, P.O. The nature of the short-range order of alloys of the Fe-Cr system, 1=11580
- Süptitz, P. See Kluge, J., 1=1110
- Surányi, P. See Bozöki, G., 1=12180
- Surduts, A. The non-selective action of light on the surface potential of semiconductors and especially n-type germanium, 1=3788
- Surduts, A. The dependence of photovoltage on the wavelength of photons absorbed in germanium, 1=3789
- Surenyants, V.V. See Rodin, A.M., 1=10011
- Suri, A.N. and Srivastava, B.N. Sidereal correlation of extensive air showers, 1=13558
- Suri, A.N. See Srivastava, B.N., 1=3366
- Surin, A. Study of the Jordan-Thiry theory in the purely gravitational case in which the matter is uncharged, 1=1695
- Surin, A. On the identities and conservation laws in the Jordan-Thiry theory, 1=2695
- Surovova, V.I. See Fedash, G.M., 1=7679
- Surplice, N.A. Emission of negative ions of oxygen from dispenser cathodes. I. Cathodes of barium oxide in sintered nickel, 1=7103
- Surplice, N.A. Emission of negative ions of oxygen from dispenser cathodes. II. Cathodes of barium aluminate in sintered tungsten, 1=7104
- Suryanarayana, C.V. Internal pressure as the basis of a theory of solutions, 1=15861
- Suryanarayana, C.V. and Somasundaram, K.M. Dielectric behaviour at the miscibility point in methanol-water-benzene system, 1=6871
- Suryanarayana, M. Compressibility vs ionic size of the cation in the aqueous solutions of electrolytes, 1=12874
- Suryanarayana, M. See Krishnamurthi, M., 1=6858
- Suryanarayana, M. See Krishnamurthi, M., 1=6859
- Suryanarayana, M. See Krishnamurthi, M., 1=11760
- Suryanarayana Rao, K., Stoicheff, B.P. and Turner, R. High resolution Raman spectroscopy of gases. XIII. Rotational spectra and structures of the zinc-, cadmium-, and mercury-dimethyl molecules, 1=844
- Sushchinskii, M.M. See Bazhulin, P.A., 1=2859
- Susse, C. Measurement of the elastic constants of LiF and MgO as a function of temperature and pressure, 1=14848
- Susse, C. See Paymal, J., 1=20301
- Susuki, H., Hattori, M. and Ariyama, K. Theory of cyclotron resonance in anisotropic metals, 1=9758
- Sutcliffe, D. See Essen, L., 1=7438
- Suter, T. and Reyes-Suter, P. The K Auger spectrum of Eu, 1=19412
- Suter, T., Reyes-Suter, P. and Gerholm, T.R. Determination of the  $7.0 \times 10^{-8}$ -second half-life of the 134 keV excited state in mercury 197, 1=19369
- Suter, T. See Reyes-Suter, P., 1=19366
- Sutera, S.P. and Wayland, H. Quantitative analysis of two-dimensional flow by means of streaming birefringence, 1=8097
- Sutherland, G.B.B.M. Some comments on the infrared spectra of diamond, silicon, and germanium, 1=1169
- Sutherland, G.B.B.M. See Sezerlënd, G., 1=2856
- Sutherland, H.H. See MacEwan, D.M.C., 1=9133
- Sutherland, K.L. See Head, R.B., 1=1492
- Sutter, G. See Gorodetzky, S., 1=7360
- Sutter, G. See Gorodetzky, S., 1=13736
- Sutter, G. See Gorodetzky, S., 1=17062
- Sutton, G.W. Hall effect in a Lorentz gas, 1=16307
- Sutton, G.W. and Gloersen, P. 2nd symposium on the engineering aspects of magnetohydrodynamics, 1=19002
- Sutton, G.W. See Hurwitz, H., Jr, 1=3051

- Sutton, J. See Townsend, P., 1=16199
- Sutton, L.E. and Stavroudis, O.N. Fitting refractive index data by least squares, 1=10577
- Sutton, L.E. See Stavroudis, O.N., 1=9470
- Sutton, P.M. The dielectric properties of glass, 1=7682
- Sutton, R.M. A reversed loop-the-loop, 1=98
- Sutton, R.M. Experimental self-plotting of trajectories, 1=1718
- Sutula, V.D. Dispersion relations in non-local field
- Suura, H. Note on the radiative correction to electron-electron collision, 1=16758
- Suura, H. See Yennie, D.R., 1=12044
- Suvorov, S. On the roles of experiment and theory in cognition (comment on the article by Max Born), 1=10404
- Suwa, S., Hayashi, I., Nisimura, K. and Fukunaga, K. Elastic scattering of 14 MeV protons by deuterons and by protons, 1=7241
- Suwa, S. See Kikuchi, S., 1=7113
- Suwa, S. See Kikuchi, S., 1=8516
- Suwa, S. See Sanada, J., 1=8457
- Suworoff, N.P. The formation of the planets of the solar system, 1=15418
- Suydam, B.R. See Lüst, R., 1=10707
- Suzor, F. Experimental study of the spectrum of autoionization electrons in radioactive  $\beta$ -decay, 1=8641
- Suzor, F. Determination of the spectra of the autoionization electrons in  $\beta$  radioactivity, 1=17025
- Suzuki, A. See Kikuchi, S., 1=7113
- Suzuki, H. See Iwata, T., 1=12400
- Suzuki, H. See Tubota, H., 1=12444
- Suzuki, I. See Shimanouchi, T., 1=7453
- Suzuki, K. X-ray studies on precipitation of metastable centres in mixed crystals NaCl-CdCl<sub>2</sub>, 1=12624
- Suzuki, K. See Chikazumi, S., 1=7746
- Suzuki, K. See Shichijo, Y., 1=6371
- Suzuki, M. Theoretical and experimental studies on the vortex-tube, 1=163
- Suzuki, R. and Akano, M. The Knight shift in the superconducting state, 1=18711
- Suzuki, S. See Baba, H., 1=17329
- Suzuki, S. See Baba, H., 1=19640
- Suzuki, S. See Takahashi, I., 1=14103
- Suzuki, T. X-ray study on the binding properties of Cu<sub>2</sub>O and Ag<sub>2</sub>O crystals, 1=12347
- Suzuki, T. Electron distribution in Cu<sub>2</sub>O crystal, 1=14219
- Suzuki, T. and Yuhara, J. Counting efficiency of gamma rays in counter tubes, 1=12031
- Suzuki, T., Yuhara, J. and Majima, T. Characteristics of krypton counters, 1=13198
- Suzuki, T. See Husimi, K., 1=12539
- Suzuki, T. See Okada, J., 1=14457
- Suzuki, Y. Molecular statistics of vinyl polymers, 1=4956
- Svanberg, U. See Johansson, A., 1=19474
- Svanberg, U. See Johansson, A., 1=19475
- Svanes, T. See Trumpy, B., 1=9789
- Svanes, T. See Trumpy, B., 1=12135
- Svanes, T. See Trumpy, B., 1=16934
- Svanheden, A. See Rudstam, G., 1=5854
- Svechkarov, I.V. See Verkin, B.I., 1=20048
- Svedberg, J. See Gupta, R.K., 1=13758
- Svedberg, J. See Jung, B., 1=643
- Svelto, O. See Faini, G., 1=7114
- Svelto, V. See Arecchi, F.T., 1=7010
- Svennerstedt, S. See Ohlin, P., 1=749
- Svensson, N.L. A large-range pneumatic extensometer, 1=100
- Svensson, N.L. The variation of the fracture energy of brittle plastics with temperature, 1=9096
- Sverdlov, L.M. Conditions for the appearance of characteristic polarization in the infrared bands of multiatomic molecules, 1=14023
- Sverdlov, L.M. The theory of the intensities of infrared spectra of polyatomic molecules in the zero and first approximation of the generalized valence-optical scheme, 1=14024
- Sveshnikov, B.Ya., Kudryashov, P.I. and Limareva, L.A. Sensitized fluorescence in solutions, 1=2763
- Sveshnikov, B.Ya. and Limareva, L.A. Quenching of sensitized fluorescence in solutions, 1=4350
- Sveshnikov, B.Ya. See Ivanova, T.V., 1=12888
- Sveshnikov, B.Ya. See Ivanova, T.V., 1=15889
- Sveshnikov, B.Ya. See Kudryashov, P.I., 1=9397
- Sveshnikov, B.Ya. See Kudryashov, P.I., 1=2761
- Sveshnikov, B.Ya. See Mokeeva, G.A., 1=14643
- Svetlitsky, E.M. See Krassovsky, V.I., 1=3311
- Svetlov, I.L. See Bokshstein, B.S., 1=7588
- Svetlozobov, I.A. See Varfolomeyev, A.A., 1=3300
- Sviridenko, V.Ya. See Krasin, A.K., 1=770
- Sviridov, V.A. See Belyakov, V.A., 1=19244
- Sviridova, R.K. See Grum-Grzhimailo, S.V., 1=3835
- Svirina, E.P. See Belov, K.P., 1=3719
- Svirina, E.P. See Belov, K.P., 1=17627
- Svistunova, K.I. See Pokrovskii, Ya.E., 1=17709
- Svolopoulos, S.N. Six-color photometry of ten classical Cepheids, 1=35
- Svyatkovskii, V. See Vovchenko, V.G., 1=16855
- Swalen, J.D. and Pierce, L. Remarks on the continued fraction calculation of eigenvalues and eigenvectors, 1=15676
- Swalen, J.D. and Reilly, C.A. N.M.R. spectra of some halogenated propenes, 1=11123
- Swalen, J.D. See Meisenheimer, R.G., 1=11413
- Swalen, J.D. See Reilly, C.A., 1=6045
- Swalen, J.D. See Reilly, C.A., 1=19662
- Swalin, R.A. Concerning the mechanism of diffusion in liquids, 1=15851
- Swalin, R.A. Theoretical calculation of the enthalpies and entropies of diffusion and vacancy formation in semiconductors, 1=19764
- Swalin, R.A. See Ma, C.H., 1=141
- Swamy, N.V.V.J. A simple study of the nuclear self-consistent field problem, 1=13615
- Swamy, N.V.V.J. Coulomb energies and nuclear radii, 1=13627
- Swamy, N.V.V.J., Kembhavi, V.K. and Galgali, D.G. Coulomb energies of closed-shell nuclei from shell-model wave functions, 1=591
- Swan, D.W. Interpretation of ion mobility measurements in argon and helium liquids, 1=139
- Swan, D.W. Photoemission into liquid n-hexane, 1=15903
- Swan, D.W. Electrical breakdown of liquid dielectrics, 1=18423
- Swan, D.W. and Lewis, T.J. The influence of cathode and anode surfaces on the electric strength of liquid argon, 1=18424
- Swan, J.B. See Kistner, O.C., 1=10961
- Swan, J.B. See Robins, J.L., 1=6101
- Swan, P. An improved approximation for scattering problems. II, 1=3135
- Swan, P. Distorted wave expansion for scattering problems, 1=19143
- Swanekamp, F.W. See Monforte, F.R., 1=10237
- Swanekamp, F.W. See Van Uitert, G., 1=11398
- Swann, C.P., Rasmussen, V.K. and Metzger, F.R. Lifetime of the first excited state of N<sup>14</sup>, 1=664
- Swann, C.P. See Rasmussen, V.K., 1=12161
- Swann, C.P. See Rothem, T., 1=5876
- Swann, P.R. See Howie, A., 1=19797
- Swann, W.F.G. Processes involved in electromagnetic acceleration of particles to cosmic-ray energies, 1=2110
- Swann, W.F.G. An analysis of R.A. Lyttleton and H. Bondi's theory of "the physical consequences of a general excess of charge", 1=7974
- Swann, W.F.G. Matter, anti-matter, and gravitation, 1=8038
- Swanson, H.E., Cook, M.I., Evans, E.H. and deGroot, J.H. Standard X-ray diffraction powder patterns. Vol. 10. Data for 40 substances, 1=15067
- Swanson, H.E., Cook, M.I., Isaacs, T. and Evans, E.H. Standard X-ray diffraction powder patterns. Vol. 9. Data for 43 substances, 1=15066
- Swanson, J.A. See Landauer, R., 1=4266
- Swanson, K.M. See Andrew, E.R., 1=3942
- Swanson, M. See Mehl, R.F., 1=17502
- Swanson, M.L. and Friedberg, S.A. The electrical resistivity of Mn,ZnC between 4.2° and 630°K, 1=19829
- Swanson, R.J. and Masek, G.E. Large gas Čerenkov counter, 1=9706
- Swanson, W.P., Gates, D.C., Jenkins, T.L. and Kenney, R.W. Photoproduction of charged mesons from deuterium and the  $\pi^-/\pi^+$  ratio, 1=527
- Swanson, W.P., Gates, D.C., Jenkins, T.L. and Kenney, R.W. Total cross-section for  $\gamma + n \rightarrow \pi^- + p$  near threshold by Chew-Low extrapolation, 1=531
- Swartz, B.A. See Wing, J., 1=12169



- Swartz, D.B. Compact U.H.F. isolator, 1=5590
- Swartz, G.A., Reboul, T.T., Gordon, G.D. and Lorber, H.W. Plasma acceleration in a radio-frequency field gradient, 1=305
- Swartz, J.C. Apparatus for measuring internal friction and modulus changes of metals at low frequencies, 1=7817
- Swartz, J.C. On the interpretation of internal friction experiments on strain ageing of iron, 1=20313
- Swartz, J.C. and Weertman, J. Modification of the Koehler-Granato-Lücke dislocation damping theory, 1=14263
- Swarup, G. See Bracewell, R.N., 1=8016
- Swarup, P. and Garg, S.K. Dispersion of microwaves in oxygen, 1=12930
- Swaving, E.C.J. See Druyvesteyn, M.J., 1=1355
- Sweet, P.A. A survey of stellar magnetic problems and of the mixing of material in stars, 1=12758
- Sweetman, D.R. The lifetime of the He<sup>+</sup> ion, 1=4559
- Sweetman, D.R. See Riviere, A.C., 1=2947
- Sweett, F. See Rideal, E., 1=1480
- Swenson, C.A. See Beecroft, R.I., 1=14938
- Swenson, C.A. See Beecroft, R.I., 1=19728
- Swenson, C.A. See Heltemes, E.C., 1=17423
- Swenson, C.A. See Hinrichs, C.H., 1=11879
- Swenson, C.A. See Schirber, J.E., 1=11880
- Swenson, G.W. Jr. and Lo, Y.T. The university of Illinois radio telescope, 1=8014
- Swenson, G.W., Jr. See Yeh, K.C., 1=20921
- Swenson, W. and Cindro, N. Protons from alpha-induced reactions, 1=11035
- Swerling, P. Estimation of Doppler shifts in noise spectra, 1=6790
- Swets, D.E., Lee, R.W. and Frank, R.C. Diffusion coefficients of helium in fused quartz, 1=3685
- Swets, D.E., Lee, R.W. and Frank, R.C. Comments on Dr. Doremus' letter, 1=11783
- Swets, D.E. See Frank, R.C., 1=17558
- Swets, J.A. and Sewall, S.T. Stimulus versus response uncertainty in recognition, 1=21122
- Swiatkowski, W. See Helfer, H., 1=5755
- Świątkowski, W. See Helfer, H., 1=7269
- Świdorski, J. See Brochocki, A., 1=15055
- Świdorski, J. See Majewski, Z., 1=1042
- Świącki, M. and Szalek, M. K<sup>+</sup>-proton scattering in a case of scalar coupling, 1=13508
- Swierszczewski, S. See Dalton, A.W., 1=9878
- Swierszczewski, S. See Dalton, A.W., 1=17145
- Swierszczewski, S. See Parry, G., 1=5796
- Swierszczewski, S. See Parry, G., 1=9885
- Swift, C.D. See Jopson, R.C., 1=17050
- Swift-Hook, D.T. Transonic flow in a magnetohydrodynamic generator, 1=16544
- Swihart, J.C. Field solution for a thin-film superconducting strip transmission line, 1=4726
- Swindells, B. and Evans, J.C. Measurement of load by elastic devices, 1=6816
- Świt, A. Measurement of the minority-carrier lifetime in silicon, 1=3758
- Swit, A. Radiation converter, 1=17781
- Swoboda, T.J., Arthur, P.Jr., Cox, N.L., Ingraham, J.N., Opegard, A.L. and Sadler, M.S. Synthesis and properties of ferromagnetic chromium oxides, 1=6272
- Swoboda, T.J. See Cloud, W.H., 1=6374
- Swope, H.H. See Baade, W., 1=12772
- Syan' Din-Chan [Hsien Ting-Ch'ang], Khé' Tszó-Syu [Ho Tso-Hsiu] and Tséllner, V. Low energy integral equation for  $\pi$ - $\pi$  scattering, 1=16711
- Syan' Din-chan [Hsien Ting-ch'ang] and Chen' Tsun-mo [Ch'en Ts'ung-mo]. The minimal number of partial waves in reactions involving the formation of several particles, 1=19160
- Syan' Din-chan [Hsien Ding-chang] and Khu Shi-ké [Hu Shih-ké]. On the electromagnetic form-factor of the  $\pi^0$ -meson, 1=19229
- Sychev, Yu.D. Magnetic surface effect due to the action of a pulsating two-component field on the surface of a semi-infinite space, 1=5536
- Sydoriak, S.G. See Mills, R.L., 1=4526
- Sydoriak, S.G. See Roberts, T.R., 1=256
- Sykes, M.F. Some counting theorems in the theory of the Ising model and the excluded volume problem, 1=6263
- Sykes, M.F. and Zucker, I.J. Antiferromagnetic susceptibility of the plane triangular Ising lattice, 1=14755
- Sykes, M.F. See Domb, C., 1=6264
- Sykes, M.F. See Domb, C., 1=7512
- Sykes, M.F. See Hiley, B.J., 1=8868
- Sykes, W.G. See Vonnegut, B., 1=20845
- Sylenok, H.A. See Fainberh, Ya.B., 1=19037
- Szmelter, J. A method of sequence of networks in problems of elasticity, 1=11727
- Symmons, H.F. See Bogle, G.S., 1=9694
- Symons, M.C.R. See Griffiths, T.R., 1=137
- Synakh, V.S. Exact solution of the basic cascade theory equations, 1=13565
- Syneček, V. A method of the intensity distribution measurement of the small-angle scattering of X-rays eliminating the influence of the imperfect collimation, 1=20461
- Syneček, V. and Šimerská, M. Rapid graphical determination of the radial intensity distribution of the small-angle scattering of X-rays from the measured data, 1=7862
- Syneček, V. and Žák, L. The crystal structure of kettnerite, CaBi [of CO], 1=9139
- Synge, J.L. On certain identities connected with the Einstein tensor, 1=4251
- Synge, J.L. Optical observations in general relativity, 1=8045
- Synge, J.L. Some properties of a world-function, 1=9310
- Synge, J.L. How to pass to an exact solution of Einstein's vacuum field equations, starting from a linear approximation, 1=9318
- Synge, J.L. See Das, A., 1=15604
- Syono, Y. See Nagata, T., 1=15344
- Syozii, I. and Naya, S. Spontaneous magnetization, a generalized square lattice, 1=3885
- Syozii, I. and Naya, S. Symmetrical properties of two-dimensional Ising lattices, 1=11419
- Sýrgii, A.S. and Granovskii, V.L. The rate of deionization of rarefied helium in a magnetic field. I, 1=11912
- Sýrgii, A.S. and Granovskii, V.L. On the theory of de-ionization of rarefied gas in a magnetic field, 1=13069
- Sýrgii, A.S. and Granovskii, V.L. Deionization rate of rarefied helium in a magnetic field. II, 1=18775
- Syrnev, L.N. Production of a photosensitive surface on a PbS monocrystal and a study of the mechanism of its photoelectric effect, 1=7673
- Sýrnev, L.N. Slow surface conditions on PbS monocrystals, 1=14480
- Sýrovatskii, S.I. The spectrum of galactic and solar cosmic-rays, 1=19317
- Syrovatskii, S.I. See Sirotina, E.P., 1=4712
- Syrovatsky, S.I. See Korchak, A.A., 1=2144
- Sýsuev, Yu.A. See Apaev, B.A., 1=6456
- Sýtenko, A.G. and Tartakovskii, V.K. Diffraction scattering of deuterons, 1=13836
- Sytenko, O.H. The theory of nuclear reactions involving complex particles, 1=10998
- Sýtenko, O.H. and Berezhnoi, Yu.A. The diffraction interaction of fast deuterons with nonspherical nuclei, 1=13835
- Sýtenko, O.H. and Kharchenko, V.F. Inelastic scattering of neutrons and protons by nuclei, 1=13780
- Sytenko, O.H. See Akhiyev, O.I., 1=10997
- Sýtenko, T.N. Effect of an [external] electric field on the Hall effect [and conductivity] in Ge at various temperatures, 1=14451
- Sýtenko, T.N. and Koshel', O.N. Effect of the state of the surface on the Hall effect and the magnetoresistance of germanium, 1=17686
- Sýtenko, T.N. See Lyashenko, V.I., 1=11296
- Syuan-min, L. See Egorov, L.B., 1=19226
- Syue Shi-in' See Boltaks, B.I., 1=3688
- Syui Yui-chen. See Likhachev, M.F., 1=19265
- Syutkina, V.I. and Yakovleva, E.S. The effect of composition of magnesium-aluminium solid solutions of  $\alpha$ -type on slip lines, 1=11515
- Syzuki, H. See Oda, N., 1=13120
- Szabó, F. See Pál, L., 1=13875
- Szabó, J. Magnetohydrodynamic waves in waveguides, 1=1968
- Szabó, J. Magnetohydrodynamic vibrations in a cylindrical cavity, 1=9679
- Szabó, J. and Abonyi, I. Magnetohydrodynamic waves in Szabó, J. See Hargitai, C., 1=10781
- Szabó, P. On the effect of total reflection on the optimum dimensions of collimators for neutron crystal spectrometers and diffractometers, 1=511

## AUTHOR INDEX

- Szabo, P. See Gordon, J., 1=16614  
 Szabo, Z. See Ádám, A., 1=508  
 Szalay, L. See Gáti, L., 1=8130  
 Szalek, M. See Świecki, M., 1=13508  
 Szamosi, G. A covariant formulation of quantum mechanics. I, 1=15668  
 Szaniawski, A. See Cloupeau, M., 1=2784  
 Szántó, I.S. The characterisation of lattice distortion spectra with deformation indices, 1=11556  
 Szaynok, A. See Sujak, B., 1=18920  
 Szász, L. Calculation of the correlation energy of atomic electrons, 1=794  
 Szász, L. On the evaluation of integrals occurring in the theory of the correlated electronic wave functions, 1=17256  
 Sze, S.M. and Wei, L.Y. Diffusion of zinc and tin in indium antimonide, 1=14308  
 Szegehő, L. See Ádám, A., 1=508  
 Szelcz, G. See Monteith, J.L., 1=15219  
 Szlagowski, F. The action of a concentrated moment on a half-plane disc, 1=88  
 Szlagowski, F. A semi-infinite plate under the action of internal load, 1=89  
 Szlagowski, F. The problem of a plate strip under external load, 1=90  
 Szépfalusi, P. See Ladányi, K., 1=18307  
 Szigeti, B. The infrared spectra of crystals, 1=1167  
 Szigeti, B. On impurity effects in the infra-red and at ultra-high radio frequencies in solids, 1=10098  
 Szigeti, B. The magnitude of the anharmonic contribution to the static dielectric constant, 1=14534  
 Szigeti, B. Torsional vibrations of long-chain hydrocarbons, 1=19627  
 Szigeti, B. Torsional absorption spectra of long-chain substances in the solid state, 1=19628  
 Szilágyi, M. Measurement of the injection efficiency of the emitter point contact on germanium in the presence of a drift field, 1=1089  
 Szilvasi, A.J.D., Geiger, K.W. and Dixon, W.R. Study of neutrons from a Po-F( $\alpha, n$ ) source, 1=17152  
 Szmyt, U. and Wezesińska, A. Effect of the activator concentration on the depth of electron traps in ZnS, 1=14661  
 Szondy, T. A simple approximation to the exchange integral of quantum chemistry, 1=6027  
 Sztainkoler, M. See Filipczak, W., 1=759  
 Szulc, P. See Shul'tz, P., 1=17243  
 Szulkin, P. Matrix form of the equations of propagation in an anisotropic medium with a constant magnetic field, 1=4730  
 Szulkin, P. Solution of boundary value problems of electromagnetic fields by integral equations, 1=12014  
 Szulkin, P. On the theory of the open resonator, 1=16558  
 Szulkin, P. On the interference of pulse signals with reflexion from a plane, 1=16563  
 Szulkin, P. On a system of two arbitrarily-coupled dipoles excited by a plane wave, 1=19035  
 Szwarc, H. See Bensasson, R., 1=14107  
 Szwarc, M. See Steel, C., 1=2559  
 Szymańska, W. See Ginter, J., 1=14530  
 Szymanski, B. See Bemski, G., 1=19836  
 Szymanski, B. See Bemski, G., 1=20231  
 Szymanski, H. See Primak, W., 1=7606  
 Szymanski, H.A., Stamiros, D.N. and Lynch, G.R. Infrared spectra of water sorbed on synthetic zeolites, 1=1460  
 Szymanski, J.  $K^+p$  scattering and  $K^+ + p \rightarrow Y^+ + \pi$  reactions, 1=2098  
 Szymański, J. See Chlebowska, D., 1=2166  
 Szymański, J. See Deloff, A., 1=605  
 Szymanski, J. See Krzywicki, A., 1=5646  
 Szymański, Z. Equilibrium deformations of nuclei in the transuranic region, 1=19347  
 Szymański, Z. See Bès, D.R., 1=19346  
 Szymczak, M. See Yeffseyev, W.S., 1=12035  
 Szymczyk, S. See Božek, E., 1=13728  
 Szymczyk, S. See Božek, E., 1=16984  
 Taagepera, R., Storey, R.S. and McNeill, K.G. Breakdown strength of caesium iodide, 1=17853  
 Tabata, T., Fukuda, H. and Okano, K. Lower excited states in  $P^{2+}$ , 1=9817  
 Tabata, T. and Okano, K. Gamma-rays from the 7.56 MeV level in  $O^{18}$ , 1=12155  
 Tabata, T. See Okano, K., 1=8588  
 Tabata, T. See Okano, K., 1=12159  
 Tabellini, G.L. See Brini, D., 1=5119  
 Tabellini, G.L. See Brini, D., 1=13538  
 Tablikov, S.V. and Shiklosh, T. [Siklós]. Quantum theory of uniaxial anisotropic ferromagnetic crystals, 1=2469  
 Tabony, R.H. See Bilpuch, E.G., 1=13654  
 Tabor, D. See Greenwood, J.A., 1=14929  
 Tabor, D. See McLaren, K.G., 1=4004  
 Tabor, D. See Mulhearn, T.O., 1=20389  
 Tabor, D. See Stilwell, N.A., 1=14926  
 Taborko, N.I. See Orlov, I.N., 1=12981  
 Tachibana, F., Fukui, S. and Mitsumura, H. Heat transfer in an annulus with an inner rotating cylinder, 1=249  
 Tachikawa, K. See Kikuchi, M., 1=1093  
 Tachikawa, K. See Kikuchi, M., 1=8949  
 Tachiki, M. Origin of the magnetic anisotropy energy of cobalt ferrite, 1=3913  
 Tachoire, H. See Calvet, E., 1=2910  
 Tack, D.H., Smith, M.W. and Lambert, R.F. Wall pressure correlations in turbulent airflow, 1=8147  
 Taconis, K.W. See de Bruyn Ouboter, R., 1=8272  
 Taconis, K.W. See Soloupil, Z., 1=255  
 Taconis, K.W. See Staas, F.A., 1=6991  
 Taconis, K.W. See van den Meijdenberg, C.J.N., 1=8274  
 Taconis, K.W. See van den Meijdenberg, C.J.N., 1=8278  
 Tacussel, J., Mathieu, J. and Ailloud, M. Multi-stage amplifier for a hot-wire anemometer, 1=15931  
 Taczanowski, A. See Frackowiak, M., 1=16366  
 Tadić, D. Induced pseudoscalar interaction in  $0^- \rightarrow 0^+$  beta transitions, 1=13719  
 Tadic, D. See Alaga, G., 1=13722  
 Tadokoro, H. Normal vibrations of the polymer molecules of helical configuration. II. A simple method of factoring of the secular equation, 1=17380  
 Tadokoro, H., Kobayashi, A., Kawaguchi, Y., Sobajima, S., Murahashi, S. and Matsui, Y. Normal vibrations and Raman spectrum of polyoxymethylene, 1=12279  
 Tadros, S. See El Bedewi, F.A., 1=2171  
 Taffara, L. See Budini, P., 1=5423  
 Taffara, L. See Budini, P., 1=8441  
 Taft, E.A. and Philipp, H.R. Optical constants of silver, 1=3815  
 Taft, H. See Smith, G.A., 1=3222  
 Taft, H. See Smith, G.A., 1=13415  
 Taft, H. See Stonehill, D., 1=12102  
 Taft, H.D. See Baltay, C., 1=16906  
 Taft, H.D. See Berge, J.P., 1=8408  
 Tagaya, M. See Nenno, S., 1=11211  
 Taglang, P. and Fournier, The transformations of the alloy Mn Sn Cu, 1=15132  
 Tagliabue, F. and Goldemberg, J. Angular distributions of fast photoneutrons, 1=5889  
 Taguchi, I. See Oda, T., 1=20491  
 Taguchi, I. See Watanabe, T., 1=20464  
 Tagviashvili, A.V. See Dzhibuti, R.I., 1=16918  
 Tai Tsun Wu. Theory of the dipole antenna and the two-wire transmission line, 1=10793  
 Tai Tsun Wu. Domains of definition for Feynman integrals over real Feynman parameters, 1=10827  
 Tai Tsun Wu. Properties of normal thresholds in perturbation theory, 1=10854  
 Tai Tsun Wu. See Grossmann, A., 1=15696  
 Tai Tsun Wu. See Schmitt, H.J., 1=369  
 Taimuty, S.I. and Deaver, B.S., Jr. Transmission current monitor for high energy electron beams, 1=16400  
 Takabayasi, T. Theory of relativistic rotators and elementary particles. I, 1=3122  
 Takabayasi, T. Internal degress of freedom and elementary particles. I, 1=13310  
 Takabayasi, T. See Bohm, D., 1=2696  
 Takabayasi, T. See Hillion, P., 1=8043  
 Takač, S.M. See Raišić, N.M., 1=13903  
 Takács, L. Stochastic processes. Problems and solutions, 1=4180  
 Takada, K. See Ikeda, K., 1=8537  
 Takada, K. See Ikeda, K., 1=10952  
 Takagi, M., Kitamura, N. and Morimoto, S. Density vs. exposure curves of a photographic emulsion for 20~200keV electrons, 1=13252



- Takagi, S. and Fujimoto, F. Measurement of the intensity in electron diffraction by a CdS single crystal, 1=11606
- Takagi, S. See Cowley, J.M., 1=20484
- Takagi, S. See Hayakawa, S., 1=3329
- Takagi, S. See Marumori, T., 1=13609
- Takagi, S. See Yajima, N., 1=10883
- Takagi, T. See Fukuda, K., 1=20221
- Takahashi, A. See Ishida, K., 1=3212
- Takahashi, H. First flight collision probability in lattice systems, 1=17227
- Takahashi, H. Correlation between solar activity and sudden movements in geomagnetic disturbances, 1=21103
- Takahashi, I., Hashi, T., Yamano, M., Yamamoto, M., Suzuki, S. and Makita, T. Maser oscillation on 6—8 line of  $N^{15}H_3$ , 1=14103
- Takahashi, K., Kuroyanagi, T., Yuta, H., Kotajima, K., Nagatani, K. and Morinaga, H. Some new activities produced by fast neutron bombardments, 1=17113
- Takahashi, K. and Morinaga, H. New nucleide actinium-231, 1=637
- Takahashi, K. See Ishii, C., 1=9836
- Takahashi, K. See Morinaga, H., 1=2189
- Takahashi, M. and Kono, T. Magnetic annealing of Co and Co—Ni alloys, 1=12533
- Takahashi, M., Watanabe, D., Kono, T. and Ogawa, S. Induced magnetic anisotropy of evaporated Ni—Fe films, 1=11438
- Takahashi, M., Watanabe, D., Sasagawa, T., Kono, T. and Ogawa, S. Magnetic anisotropy of evaporated films. I. Iron films formed in magnetic field, 1=20103
- Takahashi, M., Watanabe, D., Sasagawa, T., Saito, H. and Ogawa, S. Magnetic anisotropy of evaporated films formed in magnetic field, 1=2480
- Takahashi, N. See Takeda, M., 1=8761
- Takahashi, S. Intensity distribution of the radiation diffracted by the variable depth echelette gratings, 1=1830
- Takahashi, S. Infrared polarizers of the reflection type, 1=4481
- Takahashi, S. See Hibi, T., 1=1465
- Takahashi, T. Carbon dioxide in the atmosphere and in Atlantic Ocean water, 1=15223
- Takahashi, T. See Hashizume, A., 1=12179
- Takahashi, T. See Shimizu, M., 1=12520
- Takahashi, T. See Shimizu, M., 1=17935
- Takahashi, Y. Invariance and the S-matrix. II, 1=451
- Takahashi, Y. The structure of the nucleon core by the Hartree approximation, 1=16765
- Takahashi, Y. Dielectric  $\alpha$ -,  $\beta$ - and  $\gamma$ -dispersions in the thermosetting phenolic resins, 1=17824
- Takahashi, Y. The polarization of deuteron, 1=19503
- Takahashi, Y. Dielectric  $\alpha$ - and  $\beta$ -dispersions in polyvinyl butyral (PVB), 1=19921
- Takahashi, Y. See Judge, D., 1=4752
- Takahashi, Y. See Shimodaira, H., 1=5661
- Takahashi, H. A note on the theory of barium titanate, 1=19928
- Takahashi, H., Nakamura, T. and Ishibashi, Y. Shape of nucleus domain anchored to a screw dislocation in ferroelectric crystal, 1=8912
- Takahashi, U. and Sakamoto, Y. Table of Hund's cubic basic potential  $\Psi(q/24)$ , with explanatory notes on Hund's method of calculating Madelung's coefficient, 1=14147
- Takahashi, U. and Sakamoto, Y. Electrostatic energy of vacancies' ordering in crystals of the murdochite type,  $A_2BO_4$ , 1=14252
- Takaisi, T. Wall-effect upon two-dimensional Stokes flow of an electrically conducting liquid in a uniform magnetic field, 1=10773
- Takaki, R., Perkins, M. and Tuzzolino, A. A gold-silicon surface-barrier proton range telescope, 1=3361
- Takakura, T. Microwave bursts of solar radio emission, 1=8741
- Takakura, T. Synchrotron radiation from intermediate energy electrons and solar radio outbursts at microwave frequencies, 1=15552
- Takakura, T. Synchrotron radiation from intermediate energy electrons in helical orbits and solar radio bursts at microwave frequencies, 1=15553
- Takakura, T. and Kai, K. Spectra of solar radio type IV bursts, 1=15544
- Takakura, T. See Nagasawa, S., 1=15478
- Takamatsu, K. See Nakamura, T., 1=674
- Takamatsu, K. See Nakamura, T., 1=2028
- Takamatsu, K. See Ogata, H., 1=11006
- Takamatsu, K. See Ogata, H., 1=11012
- Takamatsu, K. See Yasumi, S., 1=12188
- Takami, Y. See Doke, T., 1=12036
- Takamura, Y. and Tamagaki, R. Two-nucleon spin-orbit forces and the doublet splitting in low energy  $n-\alpha$  scattering, 1=16795
- Takano, F. Excitation spectrum in many-boson systems, 1=10447
- Takano, F. See Asami, M., 1=8281
- Takano, N. The reaction  $Mg^{25}(d,p)Mg^{26}$  in the energy range of deuterons from 1.5 MeV to 3.0 MeV, 1=13848
- Takano, N. See Ishimatsu, T., 1=13843
- Takano, N. See Morita, S., 1=8766
- Takano, N. See Morita, S., 1=12213
- Takano, N. See Oda, Y., 1=8724
- Takano, Y. Rolling deformation and recrystallization in aluminium single crystal plates, 1=14881
- Takao, Y. See Ohnuki, Y., 1=3130
- Takasaki, H. Photoelectric measurement of polarized light by means of an A.D.P. polarization modulator. I. Photoelectric polarimeter, 1=10605
- Takasaki, H. Photoelectric measurement of polarized light by means of an A.D.P. polarization modulator. II. Photoelectric elliptic polarimeter, 1=10606
- Takashima, Y. See Fairhall, A.W., 1=7914
- Takata, H. See Kuroda, C., 1=7770
- Takata, H. See Miyadai, T., 1=20186
- Takata, H. See Shichijō, Y., 1=12555
- Takayama, K. See Ichimiya, T., 1=1535
- Takayama, K. See Ichimiya, T., 1=11648
- Takayanagi, K. Rotational transitions in hydrogen and deuterium, 1=2314
- Takayanagi, K. and Kaneko, S. Vibrational transition in molecular collision. IV. Another short table of functions useful for calculating the vibrational transition probability. (PT I), 1=14002
- Takayanagi, K. and Nishimura, S. Cooling of the interstellar clouds in region of neutral hydrogen, 1=6693
- Takayanagi, S. See Teramoto, I., 1=6492
- Takayanagi, S. See Teramoto, I., 1=19867
- Takeda, G. and Kato, M. Global symmetry and the conservation of isobaric spin and in non-leptonic hyperon decays, 1=19269
- Takeda, G. See Itabashi, K., 1=10880
- Takeda, M. Elastic and inelastic scattering of 11.2 MeV deuterons, 1=8763
- Takeda, M., Kato, S., Hu, C. and Takahashi, N. Polarization of protons from the  $B^{10}(d,p)B^{11}(gnd)$  and  $Ca^{40}(d,p)Ca^{41}(gnd)$  reactions, 1=8761
- Takeda, M. See Oda, Y., 1=8724
- Takeda, M. See Osada, J., 1=10866
- Takeda, S. and Roux, M. A method for measuring high electron densities in plasmas, 1=15093
- Takeda, S. and Roux, M. Microwave study of non-ionizing shock waves, 1=15932
- Takeda, Y. See Asada, T., 1=21113
- Takei, T. See Sugimoto, M., 1=20113
- Takekoshi, E. Multipolarity of  $\gamma$ -ray absorption in  $U^{238}(\gamma, f)$  reaction produced by  $F(p, \alpha\gamma)\gamma$  rays, 1=12229
- Takekoshi, H. NaI(Tl) summing Compton spectrometer, 1=2032
- Takekoshi, H., Shikazono, N. and Tseng, P. Weak gamma rays in the decay of  $La^{140}$ , 1=17060
- Takekoshi, H. See Komura, S., 1=19686
- Takemiya, T. and Sakamoto, Y. On high energy charge exchange collision, 1=13793
- Takemiya, T., Sasakawa, T. and Sakamoto, Y. High energy elastic scattering of nucleon from nuclei. Analyses of experimental data, 1=13779
- Takemiya, T. See Sakamoto, Y., 1=3184
- Takemiya, T. See Sakamoto, Y., 1=3443
- Takemoto, S. Ferromagnetic resonance in Ni—Cd ferrite system at microwave frequencies, 1=3923
- Takemoto, S. Temperature dependence of the line width of ferromagnetic resonance in polycrystalline nickel cadmium ferrite, 1=14775
- Takemoto, S. See Homma, S., 1=17918
- Takemoto, S. See Morita, S., 1=8766
- Takemoto, S. See Morita, S., 1=12213
- Takeno, H. On plane wave solutions of field equations in general relativity, 1=18246
- Takeno, S. Energy spectrum of lattices with defects. I. General theory, 1=11154

- Takeno, S. See Teramoto, E., 1-11150  
 Takeshita, H. See Yamaguchi, S., 1-9743  
 Taketani, M. and Katayama, Y. On a unified description of elementary particles, 1-9722  
 Taketani, M. and Machida, S. On the method of the theory of nuclear forces, 1-10863  
 Taketani, M. See Katayama, Y., 1-3167  
 Taketani, M. See Otsuki, S., 1-12067  
 Takeuchi, H. Torsional oscillations of the earth, 1-9179  
 Takeuchi, H. See Miyazaki, Y., 1-5108  
 Takeuchi, M. See Nishioka, A., 1-1135  
 Takeuchi, N. See Ishiguro, M., 1-8918  
 Takeuchi, N. See Ishiguro, M., 1-11243  
 Takeuchi, S., Honma, T. and Ikeda, S. Charts for determination of crystal orientation by surface traces in cubic crystals, 1-1360  
 Takeuchi, S. See Kikuchi, S., 1-7113  
 Takeuchi, T. Velocity of slowly moving dislocation, 1-19774  
 Takeuchi, Y. See Sôma, S., 1-6971  
 Takeuti, Y. On the electronic structure of exciton, 1-946  
 Takeya, Y. and Okumoto, T. A method for obtaining the atmospheric temperature and wind velocity from sound propagation in the rocket sounding, 1-10315  
 Takeyama, H. See Furukane, U., 1-14233  
 Takeyama, M., Hamamura, S. and Oda, T. Microwave investigation of plasma in shock tube, 1-289  
 Takeyama, M., Nakau, T., Yamasaki, S. and Isa, T. Moving striation in microwave discharge plasma, 1-18839  
 Takeyama, N. Viscous forces and Brownian motion, 1-18288  
 Takibaev, Zh. S., Botvin, V. A. and Chasnikov, I. Ya. Analysis of some inelastic p-n interactions at an energy of 9 BeV, 1-2052  
 Takimoto, N. On the screening of magnetic interaction by degenerate free electrons, 1-11184  
 Takimoto, N. Dynamical theory of ultrasonic attenuation in metals, 1-12355  
 Takibaev, Zh. S. See Kobzev, V. A., 1-19196  
 Takizawa, E. I. On the thermoelastic waves in liquids, 1-8112  
 Takizawa, E. I. On the solution of Schrödinger equation with periodic potential in the three dimensional finite space, 1-15685  
 Takizawa, M. See Shirai, T., 1-20764  
 Tako, T. See Ishiguro, K., 1-5576  
 Takuma, H. Magnetic hyperfine structure in the rotational spectrum of  $\text{H}_2\text{CO}$ , 1-12281  
 Takuma, H. See Shimizu, T., 1-8834  
 Takuma, K. See Shimoda, K., 1-13187  
 Talalaeva, E. V. The temperature dependence of magneto-resistance of manganese ferrites, 1-11264  
 Talalaeva, E. V. The temperature dependence of magneto-resistance of manganese ferrites, 1-12415  
 Talalaeva, E. V. See Belov, K. P., 1-12414  
 Talbot, J. H. and Kempis, E. B. Finely ground quartz: evidence against a "disturbed" layer, 1-6557  
 Talbot, J. H., Jr., Lemon, E. H. and Olsen, R. G. The conceptual design of a power-limiting system for a sodium cooled atomic power plant, 1-2262  
 Talham, R. J. See Jacobson, M. J., 1-8198  
 Talizin, K. M. See Flerov, N. N., 1-19488  
 Talizin, V. M. See Flerov, N. N., 1-17168  
 Talley, C. P. Preparation of single-crystal boron, 1-14989  
 Tallone, L. See Baldassarre, F., 1-16862  
 Talmi, I. See Peshkin, M., 1-8373  
 Tal'roze, V. L. See Balabanov, E. I., 1-3728  
 Tal'roze, V. L. See Frankevich, E. L., 1-17642  
 Taluts, G. G. On the theory of weak excitation of the electron system in a solid body, 1-11182  
 Taluts, G. G. See Petrov, A. N., 1-7558  
 Taluts, H. H. See Skrots'kiy, H. V., 1-16120  
 Talwar, H. S. See Raju, P. K., 1-8383  
 Talwar, S. P. See Tandon, J. N., 1-18877  
 Tamada, K. and Shibaoka, Y. On the pendent drop. I, 1-15825  
 Tamagaki, R. See Hamada, T., 1-3172  
 Tamagaki, R. See Otsuki, S., 1-12067  
 Tamagaki, R. See Shimodaya, I., 1-16917  
 Tamagaki, R. See Takamura, Y., 1-16795  
 Tamai, T. and Matsui, E. Emission spectra of potassium bromide-thallium phosphors, 1-17911  
 Tamai, Y. Friction of metals in reciprocating sliding, 1-11523  
 Tamanov, E. A. See Flerov, N. N., 1-19545  
 Tamarkin, P. See Crain, C. M., 1-15271  
 Tamarkin, P. See Field, E. C., 1-19045  
 Tamas, G., Miller, J., Schuhl, C. and Tzara, C. Nuclear absorption of photons by  $\text{C}^{12}$  and  $\text{Al}^{27}$ , 1-17079  
 Tamas, G., Miller, J., Schuhl, C. G. and Tzara, C. Nuclear absorption of photons by  $\text{C}^{12}$  and  $\text{Al}^{27}$ , 1-17080  
 Tamas, G. See Miller, J., 1-12074  
 Tamas, G. See Miller, J., 1-13372  
 Tamaschke, O. Mathematical foundations of the quantum-mechanical electron theory in an infinite crystal lattice, 1-14195  
 Tamassi-Lentel, I. See Izmailov, N. A., 1-18397  
 Tamassy-Lentel, I. Investigation of the excited states of the  $\text{H}_2$ -molecule by means of the united atom model, 1-835  
 Tamassy-Lentel, I. See Izmailov, N. A., 1-18397  
 Tambovtsev, D. A. See Tikhomirova, N. A., 1-29326  
 Tamburini, T. and Thiessen, G. On the existence of a new polarization-effect in stellar spectral-lines, 1-18121  
 Tamburino, L. A. See Newman, E. T., 1-15664  
 Tamers, M. A. and Delibrias, G. The total cross-section for production of carbon 14 from oxygen 16 by high-energy protons, 1-19476  
 Tamm, K. and Weis, O. Investigations on periodic waves, of exponential and complex near-fields, in bounded solids, 1-194  
 Tamm, K. See Meyer, E., 1-8191  
 Tamm, K. See Meyer, E., 1-8192  
 Tamm, K. See Meyer, E., 1-16012  
 Tamor, S. An extended adiabatic invariant, 1-9341  
 Tamura, H. See Mizushima, T., 1-18646  
 Tamura, I. See Mura, T., 1-3963  
 Tamura, N. Electron spin resonance in  $[\gamma]$  irradiated polytetrafluoroethylene: decomposition of the complex spectrum, 1-12562  
 Tamura, T. and Terasawa, T. Single particle versus collective excitation in the direct interactions, 1-19465  
 Tamura, T. and Udagawa, T. Vibrations of spherical nuclei, 1-16958  
 Tan Pu-shan. See Sandulova, H. V., 1-19876  
 Tan Syao-Vei. See Vishnyakov, V. V., 1-13201  
 Tanabe, H. and Tohmatsu, T. Observations of day airglow  
 Tanabe, Y. See Fujisaki, H., 1-10232  
 Tanabe, Y. See Matsumura, T., 1-11537  
 Tanaevsky, O. Measurements of  $\text{NO}_2$  in the atmosphere, 1-20809  
 Tanahashi. See Fukui, I., 1-2125  
 Tanahashi, G. See Fukui, S., 1-19311  
 Tanaka. See Fukui, I., 1-2125  
 Tanaka, H. Radio-observations of the sun at microwave frequencies, 1-18160  
 Tanaka, H. and Kakinuma, T. Polarization of bursts of solar radio emission at microwave frequencies, 1-6732  
 Tanaka, H. See Hayakawa, S., 1-18006  
 Tanaka, H. See Hiura, J., 1-19352  
 Tanaka, H. See Marumori, T., 1-13609  
 Tanaka, H. See Nagasawa, S., 1-15478  
 Tanaka, H. See Shimodaya, I., 1-16917  
 Tanaka, I., Carrington, T. and Broida, H. P. Photon dissociation of water: initial nonequilibrium populations of rotational states of  $\text{OH} (^2\Sigma^+)$ , 1-12321  
 Tanaka, J. Electronic absorption spectra of molecular crystals, 1-1155  
 Tanaka, K. Magnetic moments of the  $\Lambda$  and  $\Sigma$  hyperons, 1-7286  
 Tanaka, K. Neutral scalar  $\sigma$ -meson and the mass difference between muon and electron, 1-13305  
 Tanaka, K. Friction and deformation of polymers, 1-20344  
 Tanaka, K. See Chikawa, J., 1-15081  
 Tanaka, K. See Hashimoto, H., 1-9111  
 Tanaka, K. See Kanazawa, A., 1-7282  
 Tanaka, S. Theory of matter with super light velocity, 1-10828  
 Tanaka, S. Reactions of nickel with alpha-particles, 1-12221  
 Tanaka, S., Furukawa, M., Iwata, S., Yagi, M., Amano, H. and Mikumo, T. Reactions of iron-54 with alpha-particles, 1-12219  
 Tanaka, S., Furukawa, M., Iwata, S., Yagi, M., Amano, H. and Mikumo, T. Excitation functions for alpha-particle reactions on  $\text{Fe}^{56}$  and  $\text{Fe}^{57}$ , 1-12220  
 Tanaka, S., Furukawa, M., Mikumo, T., Iwata, S., Yagi, M. and Amano, H. Reactions of argon-40 with alpha-particles, 1-8776



- Tanaka, S., Furukawa, M., Mikumo, T., Iwata, S., Yagi, M. and Amano, H. Excitation functions for alpha-induced reactions on manganese-55, 1=8779
- Tanaka, S., Furukawa, M., Yagi, M., Iwata, S. and Amano, H. Alpha excitation functions of iron-54, 1=2241
- Tanaka, S. See Furukawa, M., 1=12195
- Tanaka, S. See Furukawa, M., 1=13859
- Tanaka, S. See Ichimura, H., 1=11411
- Tanaka, S. See Ichimura, H., 1=12370
- Tanaka, S. See Nozaki, T., 1=6581
- Tanaka, S. See Tanaka, T., 1=10084
- Tanaka, S. See Tsukada, K., 1=12203
- Tanaka, T. Dielectric relaxation in high polymers, 1=7684
- Tanaka, T. Infrared absorption of electrons through piezoelectric scattering, 1=14606
- Tanaka, T. Infrared absorption of free carriers in ionic crystals, 1=14607
- Tanaka, T. and Ishida, Y. Dielectric relaxation in high polymers. II. Vinylic high polymers, 1=8970
- Tanaka, T. and Kawamura, H. Piezoelectric effect in a rectifying contact of a semiconductor, 1=1092
- Tanaka, T. and Tanaka, S. Measurement of piezoelectric constants of a CdS crystal, 1=10084
- Tanaka, T. See Toyoda, K., 1=12670
- Tanaka, T. See Toyoda, K., 1=14554
- Tanaka, T. See Waku, S., 1=11336
- Tanaka, T. See Waku, S., 1=14558
- Tanaka, T. See Waku, S., 1=17838
- Tanaka, Y. A study on high-energy nuclear-active particles in extensive air showers, 1=13556
- Tanaka, Y. and Jursa, A.S. Combining of the rare gas continua, 1=1770
- Tanaka, Y. and Jursa, A.S. A new method for producing the auroral afterglow of nitrogen and its spectrum, 1=17310
- Tanaka, Y., Jursa, A.S., LeBlanc, F.J. and Inn, E.C.Y. Spectroscopic study of the afterglows of  $N_2$  and  $(N_2 + O_2)$  in the vacuum region, 1=6021
- Tanaka, Y., Namioka, T. and Jursa, A.S. New emission bands of  $N_2^+$ ,  $^2\Pi_g - A^2\Pi_u$ , 1=17320
- Tanaka, Y. See El-Sayed, M.F.A., 1=7478
- Tanaka, Y. See Fukui, S., 1=15311
- Tanaka, Y. See Huffman, R.E., 1=12248
- Tanaka, Y. See Jursa, A.S., 1=6586
- Tananko, I.A. See Palatnik, L.S., 1=7832
- Tanasescu, T. Pulse shape in scintillation counters, 1=8402
- Tanatarov, L.V. See Kosevich, A.M., 1=12407
- Tanatarov, L.V. See Lifshits, I.M., 1=19816
- Tancrell, R.H. Impulse selection for core logic, 1=7122
- Tandberg-Hanssen, E. An investigation of the temperature conditions in prominences with a special study of the excitation of helium, 1=15482
- Tandon, J.N. Oscillations of rotating cosmical bodies in the presence of magnetic field, 1=7975
- Tandon, J.N. Origin of cosmic rays, 1=9781
- Tandon, J.N. Interpenetration of two ionized gas clouds, 1=13079
- Tandon, J.N. Cosmic ray increases during the sunspot minimum of 1953, 1=13588
- Tandon, J.N. and Talwar, S.P. Stability of the hard-core liquid model of the pinch, 1=18877
- Taneda, Y. See Yamashita, T., 1=8909
- Tanenbaum, B.S. Dispersion relations in a stationary plasma, 1=16350
- Tanenbaum, M. and Mills, A.D. Preparation of uniform resistivity n-type silicon by nuclear transmutation, 1=6156
- Tanenbaum, M. See Spitzer, W.G., 1=11591
- Tang, C.L. A possible explanation of the long duration radar echoes of ionized [meteor] trails in the upper atmosphere, 1=18175
- Tang, C.L. High-frequency diffraction by a sphere, 1=19025
- Tang, C.L. and Meixner, J. Relativistic theory of the propagation of plane electromagnetic waves, 1=3056
- T'ang Hsiao-Wei. See Vishnyakov, V.V., 1=13201
- T'ang P'u-shang. See Sandulova, H.V., 1=19876
- Tang Syao-Wei. See Dunaitzev, A.F., 1=5773
- Tang, Y.C., Wildermuth, K. and Pearlstein, L.D. Cluster model calculation on the energy levels of the lithium isotopes, 1=10968
- Tang, Y.C. See Khanna, F.C., 1=16986
- Tang, Y.C. See Wildermuth, K., 1=5555
- Tangherlini, F.R. On the distribution of energy in the Schwarzschild field, 1=62
- Tangherlini, F.R. Nonclassical structure of the energy-momentum tensor of a point mass source for the Schwarzschild field, 1=5193
- Tangherlini, F.R. On the energy-momentum tensor of the gravitational field, 1=8041
- Tanguy, J.C. See Leveque, P., 1=13664
- Tani, K. Theory of resistance minimum in dilute paramagnetic alloys, 1=12411
- Tani, S. Structure of the S-matrix in the presence of a bound state, 1=452
- Tani, S. Effect of lattice-electron interaction on the Landau diamagnetism, 1=3878
- Tani, S. Synthetic approach and canonical variables in a nonlocal field theory, 1=4757
- Tani, S. Products of principal value singularities used in the formal theory of scattering, 1=4775
- Tani, S. See Kanazawa, A., 1=19205
- Taniguchi, H. See Kjellberg, A., 1=9891
- Taniguchi, I. Dipole moment of polar polymers in relation to their configuration, 1=3580
- Taniguchi, S. See Yamamoto, M., 1=17951
- Taniguchi, S. See Yamamoto, M., 1=20108
- Tanisaki, S. Observation of a peculiar type of domain structure of triclinic tungsten trioxide, 1=977
- Tanisaki, S. On the phase transition of tungsten trioxide below room temperature, 1=9100
- Tanisaki, S. Crystal structure of monoclinic tungsten trioxide at room temperature, 1=9136
- Tanisaki, S. Microdomain structure in paraelectric phase of  $\text{NaNO}_2$ , 1=14953
- Tannenbaum, E. Detailed analysis of thin phosphorus-diffused layers in p-type silicon, 1=7643
- Tannenwald, L.M. See Gartenhaus, S., 1=16337
- Tannenwald, P.E. and Weber, R. Exchange integral in cobalt from spin-wave resonance, 1=2491
- Tanner, C.B., Businger, J.A. and Kuhn, P.M. The economical net radiometer, 1=15221
- Tanner, L.E. On the temperature dependence of flow stress in quenched aluminium crystals, 1=6452
- Tanner, N.W. and Hanna, S.S. Angular correlation in  $\text{Be}^*(p, \gamma) \text{B}^{10}$  and the states of  $\text{B}^{10}$  at 7.56 and 5.16 MeV, 1=5838
- Tanner, W.P., Jr. Application of the theory of signal detectability to amplitude discrimination, 1=12720
- Tansley, K., Copenhaver, R.M. and Gunkel, R.D. Some observations on the off-effect of the Mammalian cone electroretinogram, 1=4156
- Tanuma, S. Semiconducting properties of Bi-Sb alloys, 1=1072
- Tanuma, S. See Mase, S., 1=1013
- Tanuma, S. See Mase, S., 1=3722
- Tao, K. and Hirao, K. Vertical distribution of radio refractive index in the medium height of atmosphere, 1=15267
- Tao, L.N. On theorems of minimum energy dissipation in magnetohydrodynamics, 1=16518
- Taranov, A.Ya. See Sorokin, P.V., 1=19457
- Tarantin, N.I. See Karnaukhov, V.A., 1=19379
- Tarasov, L.V. The experimental determination of the spectrum of thermal vibrations in crystals with arbitrary symmetry using incoherent one-phonon scattering of cold neutrons, 1=17397
- Tardif, L. See Leger, E.G., 1=2727
- Tareev, B.M. and Lerner, M.M. A theory of the unidirectional conduction in aluminium oxide films, 1=5730
- Targ, R. and Levine, L.P. Backward-wave microwave oscillations in a system composed of an electron beam and a hydrogen gas plasma, 1=8387
- Targonski, G. See Martin, A., 1=13343
- Tarină, E. See Bally, D., 1=7254
- Taris, F. See Guizonnier, R., 1=18421
- Tarján, I. See Turchányi, G., 1=10242
- Tarjanne, P. Two-body potentials and excited states of nuclei. I.  $J = 0 - 2$  energy level splittings, 1=13637
- Tarjanne, P. Two-body potentials and excited states of nuclei. II, 1=13638
- Tarkhin, D.V. See Rývkin, S.M., 1=6166
- Tarkhova, T.N. See Belov, N.V., 1=6507
- Tarrago, X. See Boussieres, G., 1=2215
- Tarrago, X. See Lefort, M., 1=12200
- Tarrago, X. See Lefort, M., 1=13802
- Tarrago, X. See Lefort, M., 1=13871
- Tarrant, J.R. See Chetham-Strode, A., 1=3254

- Tarski, J. See Cook, L.F., Jr. 1=2019
- Tartaglione, E. Diffraction of X-rays by some liquid mixtures, 1=5267
- Tartakovskii, B.D. See Maslov, V.P., 1=15999
- Tartakovskii, B.D. See Naumkina, N.I., 1=2804
- Tartakovskii, V.K. See Sytenko, A.G., 1=13836
- Tar'yan, I., Uoska, R. and Shomlo, S. Effect of previous heat-treatment on the photoconductivity of an X-rayed NaCl crystal, 1=11326
- Tasaki, A. and Iida, S. Some experimental studies on the parasitic ferromagnetism of  $\alpha\text{Fe}_2\text{O}_3$ , 1=20110
- Tasaki, A., Siratori, K. and Iida, S. The influence of oxidation and reduction on the parasitic ferromagnetism of  $\alpha\text{Fe}_2\text{O}_3$ , 1=14686
- Tasaki, A. See Siratori, K., 1=17957
- Tasköprülü, N.Ş., Barlow, A.J. and Lamb, J. Ultrasonic and visco-elastic relaxation in a lubricating oil, 1=5277
- Tasköprülü, N.Ş. See Ener, C., 1=18408
- Tassie, L.J. Inelastic electron scattering and nuclear compressibility, 1=5824
- Tassie, L.J. See Barker, F.C., 1=8559
- Tassie, L.J. See Peshkin, M., 1=8373
- Tasumi, M. See Shimanouchi, T., 1=7712
- Tatalashvili, N.G. See Manjavidze, Z.Sh., 1=3303
- Tatarinova, L.I. See Mil'ner, A.S., 1=10027
- Tatarinova, L.I. See Vitovskii, B.V., 1=18632
- Tatarskii, V.I. See Golitsyn, G.S., 1=15243
- Tatarskii, V.I. See Kallistratova, M.A., 1=20875
- Tate, C. See Laskar, W., 1=9739
- Tatel, H.E. See Burke, B.F., 1=18011
- Tatel, H.E. See Erickson, W.C., 1=18012
- Tatevskii, V.M. See Kuz'yakov, Yu.Ya., 1=2329
- Tatevskii, V.M. See Mal'tsev, A.A., 1=4938
- Tati, T. Abandonment of the assumption of the displacement invariance and replacement of the assumption of field by the assumption of particle, 1=10829
- Tatsumi, T. Energy spectra in magneto-fluid dynamical turbulence, 1=5553
- Tatsumi, T. See Roberts, P.H., 1=7136
- Tatsumoto, E., Kuwahara, K. and Goto, M. Magnetoresistance effect in the magnetization reversal of permalloy films, 1=14722
- Tatsumoto, E., Kuwahara, K. and Kimura, H. Anisotropy of resistivity in iron and dilute silicon-iron, 1=14362
- Tatsumoto, E., Kuwahara, K., Kimura, H. and Okamoto, T. Temperature dependence of the magnetostriction constants of dilute aluminium iron, 1=14726
- Tatsumoto, E. and Okamoto, T. Extraordinary Hall effect in silicon-iron single crystals, 1=3720
- Tatsumoto, E. and Okamoto, T. Effective field in the ordinary Hall effect in ferromagnetics, 1=3721
- Tatsumoto, E. See Kimura, H., 1=14701
- Tatsuzaki, I. See Bray, P.J., 1=12568
- Tatu, V. Schuler spectral lamps for hyperfine structures, 1=16087
- Tatu, V. See Agirbiceanu, I., 1=5296
- Tatu, V. See Agirbiceanu, I.I., 1=13689
- Tatu, V. See Agarbichanu, I.I., 1=19342
- Tatum, J.B. Oscillator strengths of neutral and ionized titanium from a vortex-stabilized arc, 1=11072
- Tauber, G.E. and Weinberg, J.W. Internal state of a gravitating gas, 1=8039
- Tauber, G.E. See Rosen, N., 1=4235
- Tauber, H. Latitudinal effect in the transfer of radiocarbon from stratosphere to troposphere, 1=7932
- Tauc, J. and Abraham, A. Electric breakdown of p-n junctions in silicon, 1=17772
- Tauchl, S. See Shoji, M., 1=17542
- Taurel, L. and Fontaine, G. Study of temperature variations of the intensity of light scattered by a single crystal of sodium chlorate, 1=11389
- Tausend, A. See Gobrecht, A., 1=2439
- Tausend, A. See Gobrecht, H., 1=17752
- Tausendfreund, W. and Seiwert, R. Phase analyser with a progressive ultrasonic wave, 1=18611
- Tausner, M.J. See Charap, J.M., 1=445
- Tavendale, A.J. Short dead-time corona-streamer counter for neutrons, 1=19217
- Tavernier, J. and Godefroy, L. High frequency galvanomagnetic effects. III, 1=17646
- Tavernier, J. See Godefroy, L., 1=8932
- Tavernier, J. See Godefroy, L., 1=17645
- Tavger, B.A. Ultimate magnetic symmetry of physical systems, 1=14946
- Tavkhelidze, A.N. See Arbuzov, B.A., 1=16639
- Tavkhelidze, A.N. See Arbuzov, B.A., 1=19083
- Tavkhelidze, A.N. See Logunov, A.A., 1=3124
- Tavkhelidze, A.N. See Logunov, A.A., 1=9727
- Tawde, N.R. and Chandratreya, P.V. Experimental study of transition probabilities in astral radicals:  $\text{LaO}(\text{B} \rightarrow \text{X})$  system, 1=14060
- Tawde, N.R., Jyoti, B.G. and Savadatti, M.I. Intensity measurements in molecular bands, 1=14010
- Tawde, N.R. and Murthy, N.S. Electronic transition moment variation and vibrational temperature, 1=13989
- Tawde, N.R. and Murthy, N.S. Electronic transition moment variation in  $(\text{B}^1\Sigma \rightarrow \text{X}^1\Sigma)$  bands of  $\text{BeO}$ , 1=14059
- Tawde, N.R. and Walvekar, A.P. Estimation of  $(\Delta E_e)$  of an electronic band system - a new method, 1=14057
- Taylor, R.J. Stability of twisted magnetic fields in a fluid of finite conductivity, 1=5565
- Taylor, R.J. Necessary and sufficient conditions for the hydromagnetic Rayleigh-Taylor stability of a cylindrical plasma, 1=18887
- Taylor, A. A versatile 19 cm diameter low temperature Debye-Scherrer camera, 1=1388
- Taylor, A. Low temperature internal friction peaks in single crystals of NaCl and LiF, 1=14857
- Taylor, A.E. and Wood, E. Proton scattering from light elements at 142 MeV, 1=13781
- Taylor, A.E. See Bird, L., 1=19198
- Taylor, A.E. See Birds, L., 1=13412
- Taylor, A.M. The Annual Exhibition of the Institute of Physics and the Physical Society - London 1961, 1=6755
- Taylor, B.N. See Burstein, E., 1=5400
- Taylor, C.A. See Harburn, G., 1=20517
- Taylor, C.A. See Hughes, W., 1=20457
- Taylor, C.J. See Catron, H.C., 1=11023
- Taylor, C.J. See Hernandez, H.P., 1=18956
- Taylor, C.R. See Zollweg, R.J., 1=10732
- Taylor, E.H. See Datz, S., 1=4958
- Taylor, E.H. See Datz, S., 1=6061
- Taylor, E.H. See Datz, S., 1=19680
- Taylor, F.H. See Haydon, D.A., 1=8104
- Taylor, G. Formation of thin flat sheets of water, 1=114
- Taylor, G.M. See Rose-Innes, A.C., 1=5401
- Taylor, G.N. The total electron content of the ionosphere during the magnetic disturbance of November 12-13 1960, 1=10322
- Taylor, G.N. See Evans, J.V., 1=15260
- Taylor, G.N. See Thomson, J.H., 1=10394
- Taylor, G.O. See Forstat, H., 1=12356
- Taylor, G.O. See Forstat, H., 1=14179
- Taylor, H.A. See Mei Cho Chen, 1=7905
- Taylor, H.A., Jr and Brinton, H.C. Atmospheric ion composition measured above Wallops Island, Virginia, 1=20892
- Taylor, H.S. Effect of many-body collisions on the rate of thermonuclear reactions, 1=3478
- Taylor, H.S. See Balescu, R., 1=2962
- Taylor, H.W. and McPherson, R. On the automatic control of scintillation spectrometers, 1=1878
- Taylor, H.W. and McPherson, R. Directional correlation of the 769-609 keV gamma-ray cascade in  $\text{Po}^{214}$ , 1=19420
- Taylor, H.W. and Whyte, G.N. Student experiment on the attenuation of gamma radiation, 1=5704
- Taylor, I.J. See Barros, F. de S., 1=8785
- Taylor, I.J. See Barros, F. de S., 1=9887
- Taylor, I.J. See Jaffe, A.A., 1=731
- Taylor, J.B. Diffusion of plasma across a magnetic field, 1=7077
- Taylor, J.B. Diffusion of plasma ions across a magnetic field, 1=11931
- Taylor, J.B. See Heyding, R.D., 1=4695
- Taylor, J.C. See Eden, R.J., 1=7213
- Taylor, J.C. See Eden, R.J., 1=16696
- Taylor, J.C. See Landshoff, P.V., 1=7212
- Taylor, J.G. A remark on the proof of dispersion relations in quantum field theory, 1=15688
- Taylor, J.G. Pion-pion interaction and high energy p+d collisions, 1=16857
- Taylor, J.G. See Gunson, J., 1=450



- Taylor, J.G.V. See *Campion, P.J.*, 1=13235  
 Taylor, J.G.V. See *Campion, P.J.*, 1=19071  
 Taylor, J.G.V. See *Geiger, K.W.*, 1=10982  
 Taylor, K.J. See *Boyce, I.S.*, 1=13220  
 Taylor, L.S. Reflection of electromagnetic waves at electron density ramps, 1=16331  
 Taylor, L.S. See *Theimer, O.*, 1=8326  
 Taylor, M.A. Intermetallic phases in the aluminium-manganese binary system, 1=1438  
 Taylor, M.A. See *Burger, J.P.*, 1=7735  
 Taylor, M.H. See *Curtiss, C.F.*, 1=11619  
 Taylor, M.H. See *Hirschfelder, J.O.*, 1=10527  
 Taylor, M.H. See *Konowalow, D.D.*, 1=6899  
 Taylor, M.T. See *Mackinnon, L.*, 1=19742  
 Taylor, P.F. and *Wood, C.* Thermoelectric properties of Ag<sub>2</sub>Te, 1=3798  
 Taylor, R. Calculation of resonant frequencies of re-entrant cylindrical electromagnetic cavities, 1=9685  
 Taylor, R.B. Photoprotons from Cs and I, 1=2204  
 Taylor, R.B. See *Carver, J.H.*, 1=877  
 Taylor, R.C. See *Conn, J.B.*, 1=6186  
 Taylor, R.D. See *Craig, P.P.*, 1=19693  
 Taylor, R.D. See *Dash, J.G.*, 1=8877  
 Taylor, R.D. See *Frauenfelder, H.*, 1=8569  
 Taylor, R.D. See *Nagle, D.E.*, 1=1210  
 Taylor, R.E. See *Thomas, L.*, 1=20979  
 Taylor, R.W. See *Jeffress, L.A.*, 1=9220  
 Taylor, T.I. See *Gould, F.T.*, 1=16812  
 Taylor, T.I. See *Rush, J.J.*, 1=2308  
 Taylor, T.T. Magnetic polarizability of a short right circular conducting cylinder, 1=5528  
 Tchao, Y.H. The double resonance of a free radical in different directing fields, 1=12312  
 Tchao, You-Hing. Study of the dynamic polarization of protons in powdered diphenyl picryl hydrazyl by saturation of the electronic resonance in weak fields, 1=10196  
 Tcherednichenko, V. Terrestrial and cometary manifestations of corpuscular solar energy, 1=2610  
 Tchernogorova, W.A. See *Yeffseyev, W.S.*, 1=12035  
 Tchirko, V.I. See *Pasetchnik, M.V.*, 1=8707  
 Tchirko, V.I. See *Val'ter, A.K.*, 1=8706  
 Teale, R.W. and *Hight, M.J.* Ferrimagnetic resonance in single crystals of cobalt-substituted manganese ferrite, 1=6403  
 Teale, R.W., *Pearson, R.F.* and *Hight, M.J.* Ferrimagnetic resonance and torque measurements on ytterbium-substituted yttrium iron garnet, 1=6404  
 Teale, R.W. See *Pearson, R.F.*, 1=3925  
 Teaney, D.T., *Klein, M.P.* and *Portis, A.M.* Microwave superheterodyne induction spectrometer, 1=10803  
 Tebble, R.S. See *Craik, D.J.*, 1=14706  
 Tebble, R.S. See *Kojima, H.*, 1=14679  
 Tebble, R.S. See *Saunders, N.H.*, 1=1220  
 Teboul, M. See *Fortini, A.*, 1=17654  
 Teboul, M. See *Fortini, A.*, 1=17655  
 Teboul, M. See *Savelli, M.*, 1=11406  
 Tech, J.L. See *Martin, W.C.*, 1=8812  
 Teeka Rao, G. Superposability in magnetohydrodynamics, 1=16512  
 Teepe, W. See *Franz, G.*, 1=11722  
 Teer, D.G. See *Midgeley, J.W.*, 1=11528  
 Teffet, W.E. See *Wachtman, J.B., Jr.*, 1=10204  
 Teicher, M. See *Haskin, D.M.*, 1=3322  
 Teichman, J. Betatron oscillations in an accelerator with a general field. II, 1=16450  
 Teichmann, J. A remark on betatron oscillations in an accelerator with a generalized field, 1=16451  
 Teichman, J. and *Klíma, R.* The damping of particle oscillations in a general field with periodic structure. I, 1=18959  
 Teichmann, T. Slowing down of neutrons, 1=13442  
 Teifel', V.G. Spectropolarimetry of some regions of the lunar surface, 1=18028  
 Teiger, J. Number of K<sup>+</sup> mesons produced in "Saturn", 1=12119  
 Teillac, J. See *Bergamaschi, C.*, 1=16462  
 Teillac, J. See *Poffé, N.*, 1=13804  
 Teitler, S. and *Palik, E.D.* Voigt effect in semiconductors, 1=3819  
 Teitler, S., *Palik, E.D.* and *Wallis, R.F.* Free-carrier Voigt effect in semiconductors, 1=12481  
 Teitler, S. and *Wallis, R.F.* Note on semiconductor statistics, 1=7631  
 Teitler, S. See *Palik, E.D.*, 1=7572  
 Teitler, S. See *Palik, E.D.*, 1=17741  
 Tekster-Proskuryakova, G.N. See *Sheftel', I.T.*, 1=19883  
 Tekster-Proskuryakova, G.N. See *Sheftel', I.T.*, 1=19884  
 Telbisz, F. See *Sandor, T.*, 1=3335  
 Telbisz, F. See *Sandor, T.*, 1=13537  
 Telbisz, F. See *Shandor, T.*, 1=16941  
 Telegdi, V.L. On the spin-dependence of the interaction responsible for muon capture, 1=19497  
 Telegdi, V.L. See *Burgy, M.T.*, 1=500  
 Telegdi, V.L. See *Charpak, G.*, 1=5742  
 Telegdi, V.L. See *Lanthrop, J.L.*, 1=17300  
 Telegdi, V.L. See *Winston, R.*, 1=17289  
 Tel'kovskii, V.G. See *Ioffe, M.S.*, 1=18872  
 Tel'kovskii, V.G. See *Ioffe, M.S.*, 1=18873  
 Tel'kovskii, V.G. See *Molchanov, V.A.*, 1=10745  
 Tel'kovskii, V.G. See *Molchanov, V.A.*, 1=11585  
 Tel'kovskii, V.G. See *Molchanov, V.A.*, 1=17590  
 Tellez-Plasencia, H. Empirical formula for interpolating the production of  $\delta$ -rays by electrons, 1=16825  
 Tel'nov, A.V. See *Barkov, L.M.*, 1=10817  
 Teloy, E. See *Jaeckel, R.*, 1=15984  
 Teltow, J. See *Stasiw, O.*, 1=3658  
 Temkin, A. Absolute definition of phase shift in the elastic scattering of a particle from compound systems, 1=7420  
 Temkin, A. Polarization and the triplet electron-hydrogen scattering length, 1=9918  
 Temkin, A. and *Lamkin, J.C.* Application of the method of polarized orbitals to the scattering of electrons from hydrogen, 1=2298  
 Temperley, H.N.V. Improvements in the lattice model of a liquid, 1=9380  
 Temperley, H.N.V. See *Fisher, M.E.*, 1=8058  
 Tempest, W. See *Holmes, R.*, 1=8160  
 Tempest, W. See *Smith, F.A.*, 1=18521  
 Templeton, D.H. See *Dodge, R.P.*, 1=11574  
 Templeton, D.H. See *Haag, J.N.*, 1=2162  
 Templeton, D.H. See *Johnson, Q.C.*, 1=9965  
 Templeton, I.M. See *MacDonald, D.K.C.*, 1=1114  
 Templeton, I.M. See *MacDonald, D.K.C.*, 1=3796  
 Templeton, I.M. See *Pearson, W.B.*, 1=17815  
 Ten Seldam, C.A. See *Michels, A.*, 1=808  
 Tenaglia, L. See *Costa, G.*, 1=538  
 Tendo, Y. See *Hashizume, A.*, 1=12179  
 Têng Ko Sêng, See *Pines, B.Ya.*, 1=9084  
 Têng Ko Sêng, See *Pines, B.Ya.*, 1=9085  
 Tenisheva, T.F. See *Lazarev, A.N.*, 1=14610  
 Tenisheva, T.F. See *Lazarev, A.N.*, 1=20551  
 Tenner, A.G.C., *Jongejans, B.* and *Witteveld, H.* An instrument facilitating the measurement of small-angle scattering in nuclear emulsion, 1=5621  
 Tenner, V.J. and *West, R.G.* New, thermally variable bead resistor, 1=14494  
 Tenney, F. See *Bernstein, W.*, 1=312  
 Tenney, F.H. See *Hooké, W.M.*, 1=11960  
 Tenney, H.D. See *Roberts, R.W.*, 1=3941  
 ten Seldam, C.A. See *Michels, A.*, 1=5294  
 ten seldam, C.A. See *Michels, A.*, 1=6897  
 Penzer, L. See *Riste, T.*, 1=20121  
 Teodorescu, I. and *Glodeanu, A.* Effects of fast neutron irradiation on the structure and magnetic properties of Ni thin films, 1=19822  
 Teodorescu, I. and *Valeriu, A.* Stabilization of the accelerating potential in a cyclotron, 1=16454  
 Teodorescu, I. See *Grigorescu, L.*, 1=15126  
 Teodorescu, I. See *Lăbușca, E.*, 1=3914  
 Teodorescu, I. See *Toma, E.*, 1=1455  
 Teodorescu, P.P. On the plane problem of thermoelasticity, 1=14862  
 Tepas, D.I. See *Armington, J.C.*, 1=11665  
 Tepley, L.R. Sferics from intracloud lightning strokes, 1=15237  
 Tepley, L.R. Observations of hydromagnetic emissions, 1=20924  
 Teplov, I.B., *Shevchenko, O.P.* and *Ruuge, É.K.* Angular distributions of  $\alpha$ -particles from the F<sup>19</sup>(p,  $\alpha$ )O<sup>18</sup> reaction, 1=19468  
 Teplova, Ya.A. See *Dmitrijev, I.S.*, 1=9358  
 Teplova, Ya.A. See *Nikolaev, V.S.*, 1=18779

## AUTHOR INDEX

- Teplova, Ya.A. See Nikolaev, V.S., 1=18940
- Teramoto, E. Lattice vibration and random walk problems, 1=11149
- Teramoto, E. and Takeno, S. Time dependent problems of the localized lattice vibration, 1=11150
- Teramoto, I. and Takayanagi, S. Dislocation etch pits on bismuth telluride crystals, 1=6492
- Teramoto, I. and Takayanagi, S. Relations between the electronic properties and the chemical bonding of  $Sb_{1-x}Bi_xTe_{1-y}Se_y$  system, 1=19867
- Terandy, J. See Freedman, M.S., 1=13399
- Teranishi, T. Magnetic anisotropy of chalcopyrite, 1=11458
- Teranishi, T. Magnetic and electric properties of chalcopyrite, 1=19872
- Teranishi, T. See Ohnishi, H., 1=12378
- Terao, K. Ignition of n-hexane-air mixtures in shock waves, 1=9171
- Terao, K. Self-ignition of hydrocarbon-air mixtures in shock waves, 1=12916
- Terao, K. Fluctuations of the ignition point of a combustible mixture in the self-ignition by shock waves, 1=16155
- Terao, N. A new form of nickel nitride:  $Ni_3N$ , 1=7869
- Terasawa, T. Spin-orbit splitting and tensor force. I., 1=3385
- Terasawa, T. See Arima, A., 1=3386
- Terasawa, T. See Tamura, T., 1=19465
- Terashima, Y. Solar modulation of primary cosmic rays, 1=3362
- Terashima, Y. See Hayakawa, S., 1=3329
- Terekhov, B.A. See Hrishayev, I.A., 1=12931
- Terenin, A., Putzeiko, E. and Akimov, I. Energy transfer in systems of connected organic molecules, 1=6060
- Terenin, A. and Solonitzin, Yu. Action of light on the gas adsorption by solids, 1=4082
- Terenin, A.N. See Ermolaev, V.L., 1=3576
- Terenin, A.N. See Vilesov, F.I., 1=5491
- Terenin, A.N. See Vilesov, F.I., 1=16263
- Terenin, A.N. See Vilesov, F.I., 1=18763
- Terent'ev, I.A. See Kuni, F.M., 1=19153
- Terent'ev, M.V.  $\mu^-$  meson decay from the K orbit, 1=16830
- Terent'ev, M.V. See Berestetskii, V.B., 1=13406
- Terent'ev, M.V. See Gribov, V.N., 1=13339
- Terentiuk, F. See Wilson, B.G., 1=9785
- Tereshchenko, A.I. See Kovtun, N.M., 1=212
- ter Haar, D. On the density matrices used in Hartree-Fock calculations, 1=8071
- ter Haar, D. The Tomonaga method and some of its applications, 1=9629
- ter Haar, D. Theory and applications of the density matrix, 1=15718
- ter Haar, D. See Kenworthy, D.J., 1=11883
- Terhune, R.W., Lambe, J., Kikuchi, C. and Baker, J. Hyperfine spectrum of chromium 53 in  $Al_2O_3$ , 1=11490
- Terhune, R.W. and Peters, C.W. Rapid-scan spectroscopy with a Fabry-Perot interferometer, 1=8228
- Terhune, R.W. See Lambe, J., 1=9067
- Terlefskii, P.Yu. The principle of causality and the second law of thermodynamics, 1=5208
- Terletskii, Ya.P. On the statistical theory of non-linear fields, 1=1705
- Terletskii, Ya.P. On the statistical theory of non-linear fields, 1=4271
- Terletskii, Ya.P. See Vzh'e Zh.-P., 1=18295
- Terletsky, J.P. The principle of causality and the second law of thermodynamics, 1=8088
- Terletsky, J.P. Statistical theory of non-linear fields, 1=15667
- Terletsky, Y.P. Possible acceleration of charges by the electro-magnetic field of the magnetic dipole of the Earth, 1=7947
- Ter-Martirosyan, K. On a symmetrical scheme of integral equations for spectral functions, 1=12052
- Ter-Martirosyan, K. Equations for spectral functions in the simplest cases, 1=12053
- Ter-Martirosyan, K.A. Equations for the Mandelstam spectral representation functions, 1=3110
- Ter-Martirosyan, K.A. See Gribov, V.N., 1=13339
- Ter-Martirosyan, K.A. See Simonov, Yu.A., 1=16872
- Ter-Martirosyan, K.A. See Simonov, Yu.A., 1=19124
- Ter-Mikaelyan, M.L. Emission of fast particles in a heterogeneous medium, 1=8414
- Ter-Mikaelyan, M.L. and Gazazyan, A.D. Resonance effects of radiation in a laminar medium, 1=16748
- Terminasov, Yu.S. See Sergeeva, V.D., 1=15187
- Terpugova, A.F. Calculation of the energy levels and wavefunctions of disubstituted benzene molecules using the "metallic model", 1=2342
- Terrell, J. Radiation pressure on a relativistically moving mirror, 1=12961
- Terrien, J. On monochromatic radiations for a new definition of the unit of length, 1=1722
- Terrien, J. Heterochromatic photometry, 1=4427
- Terrien, J. Optical methods for the measurement of the height of a mercury column in a manometer: a new interference manometer, 1=5249
- Terrien, J. See Engelhard, E., 1=16085
- Terrier, C. See Bizette, H., 1=10174
- Terrill, R.M. Laminar boundary-layer flow near separation with and without suction, 1=8096
- Tertian, L. See Pepin, P., 1=11576
- Terwilliger, K.M. See Meyer, D.I., 1=9701
- Terzi, N. See Casanova, G., 1=6067
- Terzi, N. See Fieschi, R., 1=9385
- Teshabaev, K.T. See Azimov, S.A., 1=16936
- Tesner, P.A. Dispersed carbon formation in acetylene self-combustion, 1=11636
- Tesone, S. and Silbert, M. Elementary determination of the unit of information in optics, 1=18581
- Testardi, L.R. Calculations of the thermoelectric parameters and the maximum figure of merit for acoustical scattering, 1=14522
- Tetsch, H. See Eckart, F., 1=17799
- Teucher, M.W., Lohrmann, E., Haskin, D.M. and Schein, M. A nuclear interaction of a proton of about  $10^{15}$  eV producing an electron-photon cascade of  $2.4 \times 10^{13}$  eV, 1=3256
- Teucher, M.W. See Barkow, A.G., 1=7238
- Teucher, M.W. See Haskin, D.M., 1=571
- Teucher, M.W. See Lohrmann, E., 1=7240
- Deutsch, H., Apostolescu, S. and Timis, P. Spectrum of thermal neutrons from the experimental reactor of the Institute of Atomic Physics of the Roumanian [R.P.R.] Academy, 1=5954
- Teutonico, L.J. On the measurement of  $c_{13}$  in rhombohedral crystals, 1=6443
- Teutonico, L.J. Dynamical behavior of dislocations in anisotropic media, 1=17526
- Deutsch, H., Apostolescu, S. and Timis, P. The thermal neutron spectrum in the WWR-S reactor, Bucurest, 1=3481
- Tezuka, S., Sakai, S. and Nakagawa, Y. Ferromagnetism of Mn-Zn alloy, 1=12524
- Thaddeus, P. and Krisher, L.C. A beam maser spectrometer, 1=16594
- Thaker, B.M. See Shah, G.Z., 1=683
- Thaker, B.M. See Shah, G.Z., 1=17091
- Thakore, S.R. See Kane, R.P., 1=16949
- Thankappan, V.K. and Waghmare, Y.R. Energy levels of  $Zr^{90}$ , 1=625
- Thankappan, V.K., Waghmare, Y.R. and Pandya, S.P. Nuclear interactions in the  $P_{1/2}-G_{9/2}$  configurations, 1=17001
- Thapar, C.L. See Duggal, V.P., 1=19215
- Tharmalingam, K. and Lidiard, A.B. Mobility of vacancy pairs in ionic crystals, 1=19765
- Tharmalingam, K. See Lidiard, A.B., 1=2391
- Thaxter, J.B. and McGowan, J., III. 100-200 kMc water calorimeter, 1=12016
- Thaxter, J.B. See Heller, G.S., 1=6381
- Thayer, G.D. A formula for radio ray refraction in an exponential atmosphere, 1=5597
- Thayer, G.D. See Bean, B.R., 1=20870
- Thedeen, T. Electrodifussion treated as a random walk problem, 1=18324
- Theile, R. Special storage tubes for use in astronomy, 1=5125
- Theimer, O. and Taylor, L.S. The dependence of the plasma conductivity on frequency and collision time, 1=8328
- Theisen, J.F. and Gossard, E.E. Free-balloon borne meteorological refractometer, 1=6594
- Thekaekara, M.P. See Wilson, C.M., 1=4905
- Thellung, A. See Chester, G.V., 1=8890
- Thellung, A. See Enz, C.P., 1=5197
- Thenard, J. See Amram, Y., 1=2931
- Theobald, J.G. and Uebersfeld, J. High frequency modulation in electron magnetic resonance, 1=13191



- Théobald, J.G. and Uebersfeld, J. Experiment with a transient excitation of electronic magnetic resonance at ordinary temperatures, 1=14785
- Théobald, J.G. and Uebersfeld, J. High frequency modulation in electron spin resonance, 1=16598
- Théobald, J.G. and Uebersfeld, J. Magnetic resonance — a spectrometer for paramagnetic resonance with variable high frequency modulation, 1=16599
- Theriault, J.P. See Zwerdling, S., 1=17900
- Thetford, A. See Klemperer, O., 1=7102
- Theuerer, H.C. Epitaxial silicon films by the hydrogen reduction of  $\text{SiCl}_4$ , 1=15013
- Thewlis, J. Neutron radiography, 1=10287
- Theys, M.H. Integral transport theory of thermal utilization factor in infinite slab geometry, 1=13881
- Thieberger, P. See Bergström, I., 1=5855
- Thieberger, P. See Ryde, H., 1=13732
- Thiel, H. See Mühling, W., 1=10254
- Thiele, E. and Wilson, D.J. Anharmonicity in unimolecular reactions, 1=20724
- Thielheim, K.O. Calculation of fast-neutron multiplication in thick fuel elements, 1=780
- Thies, H.H. Resolution of bremsstrahlung experiments, 1=8442
- Thies, H.H. and Spicer, B.M. The photodisintegration of rare earth elements, 1=676
- Theis, W.R. Relations for the electromagnetic self-masses of particles, 1=468
- Thiess, G.H. See Stanford, A.L., Jr., 1=7691
- Thiessen, G. See Tamburini, T., 1=18121
- Thiessen, G.J. See Embleton, T.F.W., 1=10565
- Thirion, J. See Beurtey, R., 1=9883
- Thirion, J. See Beurtey, R., 1=13853
- Thirion, J. See Beurtey, R., 1=16786
- Thirion, J. See Saudinos, J., 1=7402
- Thirion, J. See Saudinos, J., 1=7403
- Thirion, J. See Saudinos, J., 1=13858
- Thirring, W. See Baumann, K., 1=447
- Thirring, W. See Baumann, K., 1=5747
- Thirunamachandran, T. See Claxton, T.A., 1=19639
- Thiry, F. See Étienne, J., 1=17978
- Thiry, H. A microdensitometer of high resolving power and its application to the measurement of the contrast of periodic patterns, 1=232
- Thiry, H. Measurement of the contrast transmission of microscopic objectives under service conditions, 1=16067
- Thodos, G. See Hamrin, C.E.Jr., 1=13024
- Thom, A. and Apelt, C.J. Field computations in engineering and physics, 1=9245
- Thomaes, G. and van Isterbeek, J. Application of the principle of corresponding states to the viscosity and diffusion of pure liquids and mixtures, 1=138
- Thomas, C. See Guizonnier, R., 1=149
- Thomas, D.G. Excitons and band splitting produced by uniaxial stress in CdTe, 1=17724
- Thomas, D.G. The exciton spectrum of zinc oxide, 1=19982
- Thomas, D.G. and Hopfield, J.J. Direct observation of exciton motion in CdS, 1=3636
- Thomas, D.G. and Hopfield, J.J. A magneto-stark effect and exciton motion in CdS, 1=17881
- Thomas, D.G. See Dietz, R.E., 1=17477
- Thomas, D.G. See Hopfield, J.J., 1=7559
- Thomas, E., Servranckx, R. and Leyniers, R. On the choice of units of pressure and of flow in vacuum technique, 1=4383
- Thomas, G. and Whelan, M.J. Observation of precipitation in thin foils of aluminium + 4% copper alloy, 1=20601
- Thomas, G. See Frank, G.R.Jr., 1=12650
- Thomas, G. See Huffstutler, M.C., Jr., 1=4091
- Thomas, G.E. See Bollinger, L.M., 1=13223
- Thomas, G.M. Auroral results from Halley Bay [Antarctica] during the International Geophysical Year, 1=2572
- Thomas, G.M. See Sheret, M.A., 1=10333
- Thomas, H. Magnetic properties of thin ferromagnetic films, 1=1229
- Thomas, H. See Dietze, H.D., 1=20093
- Thomas, H. See Methfessel, S., 1=6330
- Thomas, H. See Methfessel, S., 1=14721
- Thomas, H. See Sommerhalder, R., 1=8283
- Thomas, H. See Sommerhalder, R., 1=9510
- Thomas, J.A. Trans-equatorial backscatter observations of magnetically controlled ionization, 1=20926
- Thomas, J.A. See Singleton, D.G., 1=5601
- Thomas, J.E., Jr. See Albers, W.A., Jr., 1=1049
- Thomas, J.E., Jr. See Frank, R.C., 1=7597
- Thomas, J.E.Jr. See Noble, V.E., 1=14440
- Thomas, J.E., Jr. See Poplawsky, R.P., 1=2529
- Thomas, K. and Hale, K.F. The direct observation of metallic surfaces in the electron microscope, 1=1464
- Thomas, K. and Roberts, M.W. Direct observation in the electron microscope of oxide layers on aluminum, 1=4080
- Thomas, K.A. See Hindmarsh, W.R., 1=11066
- Thomas, L. Year-to-year changes in the winter anomaly in ionospheric absorption, 1=20904
- Thomas, L. and Taylor, R.E. Sporadic-E phenomena associated with the high altitude nuclear explosions over Johnston Island, 1=20979
- Thomas, L.F. See Sheridan, J., 1=12284
- Thomas, M.A. See Olafson, R.A., 1=6018
- Thomas, P.H. and Bowes, P.C. Some aspects of the self-heating and ignition of solid cellulosic materials, 1=7906
- Thomas, R.N. and Zirker, J.B. Departures from the Saha equation for ionized helium. I. Condition of detailed balance in the resonance lines, 1=5968
- Thomas, R.N. See Jefferies, J.T., 1=5154
- Thomas, R.N. See Pecker, C., 1=15486
- Thomas, T.D. See Gibson, W.M., 1=12231
- Thomas, T.S.E. Screening effect of a circular disk, 1=364
- Thomas, T.Y. and Edstrom, C.R. Pressure shocks in viscous heat-conducting gases, 1=10535
- Thomas, W.J. The adsorption of hydrogen at graphite, 1=4084
- Thomas, W.R. See Howe, L.M., 1=20379
- Thompson, A.R. Spectral observations of solar radio bursts. I. Receiving equipment, 1=5167
- Thompson, A.R. The correlation of solar radio bursts with magnetic activity and cosmic rays, 1=6730
- Thompson, A.R. and Maxwell, A. Solar radio bursts and cosmic rays, 1=6743
- Thompson, A.R. See Maxwell, A., 1=6641
- Thompson, D.D. See Brown, R.J.S., 1=8142
- Thompson, D.O. See Alers, G.A., 1=3955
- Thompson, I.M.G. See King, R.J., 1=6818
- Thompson, J.B. The ion balance of the oxygen d.c. glow discharge, 1=16288
- Thompson, J.B. Electron energy distributions in plasmas. IV. Oxygen and nitrogen, 1=16317
- Thompson, J.C. and Younglove, B.A. Thermal conductivity of silicon at low temperatures, 1=19863
- Thompson, J.E. See Burnett, T.B., 1=18751
- Thompson, L.C. A method for the measurement of gamma-ray spectra in omnidirectional gamma-ray fields, 1=19166
- Thompson, L.G.D. An improved bronze pendulum apparatus for relative gravity determinations, 1=1500
- Thompson, M.N. See Baglin, J.E.E., 1=5890
- Thompson, M.N. See Baglin, J.E.E., 1=5891
- Thompson, M.W. The ejection of atoms from gold crystals during proton irradiation, 1=1006
- Thompson, M.W. See Hall, M.J., 1=15011
- Thompson, M.W. See Nelson, R.S., 1=14157
- Thompson, P.O. and Gales, R.S. Temporary threshold shifts from tones and noise bands of equivalent rms sound-pressure level, 1=21123
- Thompson, P.O., Webster, J.C. and Gales, R.S. Liveness effects on the intelligibility of noise-masked speech, 1=7956
- Thompson, S.G. See Asaro, F., 1=8660
- Thompson, S.G. See Muga, M.L., 1=747
- Thompson, S.O. See Schaeffer, O.A., 1=13681
- Thompson, T.J. Power reactors and reactor safety, 1=5950
- Thompson, W. The physical adsorption of hydrogen on polyethylene and teflon, 1=9163
- Thompson, W.B. The dynamics of high temperature plasmas, 1=16330
- Thompson, W.B. and Hubbard, J. Long range forces and the diffusion coefficients of a plasma, 1=5446
- Thomsen, J.S. Operational formulation of the second law of thermodynamics, 1=5383
- Thomsen, J.S. See Bearden, J.A., 1=787
- Thomson, A.A. See Ogilvie, G.J., 1=17591
- Thomson, D.M. The solar diurnal variation of cosmic rays during 1958 and 1959, at Makerere, Hermanus and Herstmonceux, 1=12139
- Thomson, J.H., Ponsonby, J.E.B., Taylor, G.N. and Roger, R.S. A new determination of the solar parallax by means of radar echoes from Venus, 1=10394

- Thomson, J.O. See Careri, G., 1=5390  
 Thomson, J.O. See Roberts, L.D., 1=8791  
 Thonemann, P.C. See Dolder, K.T., 1=18765  
 Thorley, N. See Harrison, R.D., 1=509  
 Thormann, E. See Breuer, G., 1=3448  
 Thorn, R.J. See Cater, E.D., 1=11862  
 Thorn, R.J. See Cater, E.D., 1=11863  
 Thorndike, A.M. See Louttit, R.I., 1=12127  
 Thorndike, E.H., Lefrançois, J. and Wilson, R. Measurement of the rotation parameter R in proton-proton scattering at 140 MeV, 1=498  
 Thorne, S.W. Temperature-control system for use with a spectrophotometer, 1=233  
 Thorness, R.B. and Nier, A.O. All-metal valve for ultra-high vacuum use, 1=10558  
 Thorness, R.B. See Ney, E.P., 1=2589  
 Thornton, B.S. Motion of molecules in very thin films between sliding surfaces, 1=1354  
 Thornton, E. Xenon-krypton, xenon-argon, xenon-neon and xenon-helium viscosity and thermal conductivity of binary gas mixtures, 1=159  
 Thornton, E. Viscosity and thermal conductivity of binary gas mixtures: krypton-argon, krypton-neon, and krypton-helium, 1=10526  
 Thornton, E. See Gabriel, A.H., 1=5476  
 Thornton, G. and Blumberg, B. A.N.P. H.T.R.E.'S fulfill test goals, 1=11055  
 Thornton, P.H. See Feder, R., 1=19828  
 Thornton, W.A. Electroluminescence maintenance, 1=1187  
 Thornton, W.A. Direct current electroluminescence at low voltages, 1=7730  
 Thornton, W.A. Thin-film elucidation of the electroluminescence process, 1=12508  
 Thornton, W.A. Electroluminescence in zinc sulfide as due to minority carrier injection, 1=14659  
 Thornton, W.A. Effects of phosphor powder dispersion in electroluminescent lamps, 1=17926  
 Thorp, J.S. See Pace, J.H., 1=1265  
 Thorp, J.S. See Pace, J.H., 1=6422  
 Thorsen, A.C. Magnetic studies on single-crystal chrome potassium alum below 1° Kelvin, 1=1196  
 Thorsen, A.C. and Berlincourt, T.G. De Haas-Van Alphen effect in potassium, 1=12515  
 Thorsen, A.C. and Berlincourt, T.G. De Haas-van Alphen effect in rhenium, niobium and tantalum, 1=17931  
 Thorson, I.M. and Katz, L. Fine structure in the  $^{13}\text{C}(\gamma, n)^{14}\text{C}$  activation curve, 1=3435  
 Thorson, W.R. Inelastic scattering of atoms. I. Intermultiplet transitions, 1=8826  
 Thosar, B.V. See Ambive, K.S.Y., 1=656  
 Thosar, B.V. See Joshi, M.C., 1=641  
 Thosar, B.V. See Joshi, M.C., 1=8665  
 Thouless, D.J. Stability conditions and nuclear rotations in the Hartree-Fock theory, 1=3379  
 Thouless, D.J. Vibrational states of nuclei in the random phase approximation, 1=3393  
 Thouless, D.J. and Tilley, D.R. Collective modes in the theory of superconductivity, 1=10643  
 Thouless, D.J. and Valatin, J.G. Rotating self-consistent fields and rotational states of nuclei, 1=2157  
 Thouless, D.J. See Brown, G.E., 1=4830  
 Thouless, D.J. See Brown, G.E., 1=8560  
 Thouvenin, J. and Simonet, R. Electrical conductivities of the constituents of air under the action of a shock wave, 1=6911  
 Thresher, J.J. See Bowen, P.H., 1=5922  
 Thring, M.W. See Bosanquet, C.H., 1=18378  
 Thrower, E.N. Technique for measuring the elastic properties of bitumens, tars and soils under dynamic loading, 1=3956  
 Thrower, P.A. See Reynolds, W.N., 1=14348  
 Thrush, B.A. See Clyne, M.A.A., 1=20730  
 Thrush, B.A. See Mann, D.E., 1=2317  
 Thrush, B.A. See Mann, D.E., 1=4932  
 Thuillier, J.M. Contribution to the study of chemisorption of oxygen on zinc oxide, 1=20741  
 Thulin, A. An absolute determination of g, at the Pavillon de Breteuil, by the method of the fall of a graduated scale, 1=1498  
 Thun, J. See Petersson, B.G., 1=3421  
 Thun, J.E. See Grabowski, Z., 1=9841  
 Thun, J.E. See Pettersson, B.G., 1=2185  
 Thun, J.E. See Pettersson, B.G., 1=9839  
 Thun, J.E. See Pettersson, B.G., 1=9840  
 Thunga, R. See Radha, T.K., 1=476  
 Thunga, R. See Ramakrishnan, A., 1=16651  
 Thureau, P. See Laniepece, E., 1=8924  
 Thurlow, W.R. and Elfner, L.F. Localization effects with steady thermal noise in one ear and pulsed thermal noise in the other, 1=21124  
 Thurmann-Moe, T. See Grønvald, F., 1=19717  
 Thurmond, C.D. See Fuller, C.S., 1=14446  
 Thurmond, C.D. See Fuller, C.S., 1=17697  
 Thurmond, C.D. See Kaiser, W., 1=3662  
 Thurn, H. See Hendus, H., 1=4074  
 Thurston, G.B. Measurement of the acoustic impedance of a viscoelastic fluid in a circular tube, 1=11758  
 Thurston, R.N. See Pfann, W.G., 1=14495  
 Thwaites, T.T. Spin dependence of high energy proton scattering, 1=4863  
 Thyagarajan, G., Sundaram, S. and Cleveland, F.F. Harmonic wave numbers, rotational distortion constants, and thermodynamic properties for partially deuterated and tritiated molecules of the type  $\text{XYZ}_2$  (X = N, P, or As; Y, Z = H, D, or T), 1=6000  
 Tiapkin, A.A. See Baiukov, Yu.D., 1=19167  
 Tiapkin, A.A. See Baiukov, Yu.D., 1=19168  
 Tibell, G. See Culligan, G., 1=8477  
 Tibell, G. See Johansson, A., 1=3444  
 Tiberio, U. On the values of the dielectric permittivity and the magnetic permeability in vacuo according to the Einstein-Schwarzschild transformation, 1=10765  
 Tiberio, U. On the electromagnetic characteristics of space in nuclear and atomic fields, 1=10766  
 Tichelaar, G.W., Coleman, R.V. and Lazarus, D. Effect of pressure on the mobility of interstitial oxygen and nitrogen in vanadium, 1=2396  
 Ticho, H.K. See Alston, M., 1=3240  
 Ticho, H.K. See Alston, M., 1=8502  
 Ticho, H.K. See Alston, M.H., 1=12126  
 Ticho, H.K. See Fowler, W.B., 1=5788  
 Ticho, H.K. See Stubbs, T.F., 1=16896  
 Tichý, J. See Kolmer, F., 1=16023  
 Tichý, J. See Kolmer, F., 1=16043  
 Tickner, A.W. The decomposition of methane in the negative glow, 1=2952  
 Tidman, D.A. Comments on "Radiation by plasma oscillations", 1=16354  
 Tidman, D.A. Effect of coulomb scattering on two-stream instabilities in a plasma, 1=18849  
 Tidman, D.A. and Weiss, G.H. Radio emission by plasma oscillations in nonuniform plasmas, 1=10725  
 Tidman, D.A. and Weiss, G.H. Radiation by a large-amplitude plasma oscillation, 1=10726  
 Tidwell, E.D., Plyler, E.K. and Benedict, W.S. Vibration-rotation bands of  $\text{N}_2\text{O}$ , 1=832  
 Tidwell, E.D. See Plyler, E.K., 1=16075  
 Tidwell, E.D. See Wiggins, T.A., 1=17316  
 Tiedeken, R. Methods for the exact calculation of the light transmission of film projection systems, 1=8218  
 Tiedeken, R. See Görlich, P. Eds., 1=9464  
 Tiedeken, R. [Ed.]. See Görlich, P. [Ed.], 1=224  
 Tiedeken, R. See Maenz, H., 1=8247  
 Tiedema, T.J., De Jong, B.C. and Burgers, W.G. Influence of grain-size on the rate of absorption of hydrogen by palladium, 1=1461  
 Tiedema, T.J. See van der Toorn, L.J., 1=1428  
 Tiemann, J.J. Automatic conductivity plotting machine, 1=16207  
 Tiemeyer, J.C. A stabilizing system for 700 kV cascade generator, 1=5508  
 Tiers, G.V.D. Fluorine n.s.r. spectroscopy. II. A "distant" carbon-13 isotope effect, 1=12316  
 Tiersten, M. Acoustic-mode scattering of holes, 1=11275  
 Tietge, J. A systematic study of  $\pi^-$ -mesic decaying hypernuclei produced by  $K^-$ -mesons, 1=3390  
 Tietz, T. Effective range theory, 1=444  
 Tietz, T. An exact method for finding the phase shifts of the Dirac's equations for non-singular potential, 1=458  
 Tietz, T. On the eigenvalues and eigenfunctions of the Schrödinger equation for the Thomas-Fermi potential, 1=790



- Tietz, T. Phase shifts of high-energy Dirac and Klein-Gordon particles, 1=2016
- Tietz, T. Bremsstrahlung spectrum from the scattering of non-relativistic electrons by a screened Coulomb field, 1=4789
- Tietz, T. The scattering of electrons from the latter potential of the atom, 1=4911
- Tietz, T. Scattering of electron beams from neutral atoms for various Thomas-Fermi potentials, 1=4912
- Tietz, T. The Fermi-Amaldi theory of the polarizability and susceptibility of free atoms and ions, 1=4914
- Tietz, T. Ground-state phase shift in the statistical theory of the atom, 1=5962
- Tietz, T. Mott polarization in scattering of electrons from Thomas-Fermi and Hartree atoms, 1=5978
- Tietz, T. The effect of electron shells on the asymmetry effect of scattered atoms, 1=7445
- Tietz, T. Interaction energy in the Amaldi-Fermi theory for a pair of simple negative ions of the same kind with filled electronic shells, 1=11087
- Tietz, T. Calculation of the exchange energy of two similar, singly negatively charged ions with inert gas electron structure in the Fermi-Amaldi model, 1=12261
- Tietz, T. Some practical remarks concerning the calculation of the phase shifts of the Yukawa potential, 1=13595
- Tietz, T. Analytical formula for continuous absorption coefficient of the hydrogen negative ion, 1=17270
- Tietz, T. Asymptotic phase shifts and differential cross-sections for the scattering of electrons by atoms with a latter potential, 1=17281
- Tietz, T. Paramagnetic susceptibility of conduction electrons calculated by the aid of analytical formulas for the theory of the formation of electron groups in the periodic system of elements, 1=17436
- Tietz, T. See Titts, T., 1=15577
- Tietz, T. See Titts, T., 1=19605
- Tift, W.G. Multicolor photoelectric photometry of bright galaxies. I, 1=18128
- Tikhinskii, G.F. See Amonenko, V.M., 1=12593
- Tikhinskii, G.F. See Ivanov, V.E., 1=12654
- Tikhinskii, G.F. See Ryabchikov, L.N., 1=5378
- Tikhomiroff, N. See Calvet, E., 1=16166
- Tikhomirov, V.G. See Lebedev, B.P., 1=4094
- Tikhomirova, N.A., Zalesskii, A.V., and Tambovtsev, D.A. Use of  $\pi$  gauges in measuring the compressibility of a solid at high hydrostatic pressures, 1=20326
- Tikhonov, A.N., Lipskaya, N.V., Deniskin, N.A., Nikiforova, N.N. and Lomakina, Z.D. Electromagnetic probing of deep earth strata, 1=20798
- Tikhonov, L.V. Concerning the study of fine structure of crystals from the intensities of the diffraction lines, 1=11558
- Tikhonova, E.A. See Smirnov, A.A., 1=20492
- Tiller, A.W. See McHugh, J.P., 1=20584
- Tiller, C.O. See Sloope, B.W., 1=10243
- Tiller, W.A. See Bolling, G.F., 1=1368
- Tiller, W.A. See Cosgrove, G.J., 1=8969
- Tiller, W.A. See Eisner, R.L., 1=14991
- Tilles, D. See Fireman, E.L., 1=12754
- Tilley, D.R. See Thouless, D.J., 1=10643
- Tillieu, J. See Baudet, J., 1=7451
- Tillieu, J. See Baudet, J., 1=19657
- Tillieu, J. See Dupont-Bourdelet, F., 1=14072
- Tillieu, J. See Dupont-Bourdelet, F., 1=15673
- Tillieu, J. See Guy, J., 1=7483
- Tilly, G.P. Dislocation etch pits in polished lead telluride, 1=19791
- Timerov, R.Kh. Effect of unresolved structures on the line width in electronic paramagnetic resonance, 1=20199
- Timis, P. See Teutsch, H., 1=3481
- Timiş, P. See Teutsch, H., 1=5954
- Timiş, P. See Totia, H., 1=2068
- Timofeev, A.N. See Klotsman, S.M., 1=6113
- Timofeev, V.B. See Gorban', I.S., 1=3830
- Timofeev, V.G. See Gorban', I.S., 1=3838
- Timofeeva, G.M. See Gelfreich, G.B., 1=6733
- Timofeeva, T.V. See Protopopov, Kh.V., 1=4348
- Timofeeva, V.A. Some distinguishing features of crystal growth in ferrites having the garnet structure, 1=11539
- Timofeeva, V.A. See Belov, K.P., 1=14776
- Timofeeva, V.A. See Gliki, N.V., 1=4020
- Timofeeva, V.A. See Gliki, N.V., 1=14973
- Timofeyev, G.A. See Volkonskaya, T.G., 1=3299
- Timoshevskii, G.F. See Vanetsian, R.A., 1=17095
- Timrot, D.L. and Borisoglebskii, V.P. Density of liquid oxygen on the saturation curve, 1=4327
- Tims, D.W. A recording flowmeter using a radioactive float, 1=2323
- Tims, D.W. A recording flowmeter using a radioactive float, 1=5263
- Timushev, G.F. A magnetic analyser for the study of nuclear reactions, 1=3093
- Tinaut, D. and Villena, L. Experimental proof of calculations of multiple [optical] thin film systems, 1=16086
- Tinaut, D. See Montilla, J., 1=3820
- Ting Ta-ts'ao. See Din Da-tsao., 1=19284
- Ting Ta-Ts'ao. See Van Gan-Chan, 1=16902
- Tingwaldt, C. and Schley, U. Optical method for the direct determination of the true temperature of glowing metals, 1=18667
- Tinkham, M. Low-lying spectrum of rare-earth iron garnets, 1=14611
- Tinkham, M. See Ohlmann, R.C., 1=11469
- Tinkham, M. See Morris, D.E., 1=13041
- Tinkham, M. See Sievers, A.J., 1=14612
- Tinkman, M. See Keffer, F., 1=6413
- Tinlot, J. See England, A.C., 1=16781
- Tint, G.S. and Damiano, V.V. Technique for the cinephoto-micrographic study of etching phenomena, 1=7844
- Tint, G.S. See Damiano, V.V., 1=19772
- Tintă, F. Distributed amplifier for pulses in the millimicrosecond region, 1=5581
- Tintă, F. See Martalogu, N., 1=5412
- Tinturier, D. A simple hodoscopic recorder, 1=13205
- Tiomno, J., Videira, A.L.L. and Zagury, N. Possible existence of a new  $K'$  meson, 1=5775
- Tippins, H.H. See Moser, F., 1=4029
- Tirmizi, S.M.A. See Berman, R., 1=1005
- Tirskii, G.A. An exact solution of the energy equation in a particular case of the motion of a viscous incompressible fluid, 1=6832
- Tiruvenganna Rao, P. See Lakshman, S.V.J., 1=14051
- Tishchenko, B.I. See Inopin, Ye.V., 1=13777
- Tishchenko, G.B. See Pashinkin, A.S., 1=4006
- Tischler, O. See Wood, C., 1=6172
- Tissen, K.P. See Kalashnikov, S.G., 1=1033
- Tisza, L. The thermodynamics of phase equilibrium, 1=8269
- Titchmarsh, E.C. On the completeness problem for the eigenfunction formulae of relativistic quantum mechanics, 1=15689
- Titeica, S. Theoretical considerations on the  $\pi \rightarrow \mu$  decay, 1=5750
- Titheridge, J.E. A new method for the analysis of ionospheric  $h'(f)$  records, 1=20931
- Titheridge, T. The analysis of night-time  $h'(f)$  records, 1=15269
- Title, R.S. and Smith, K.F. The hyperfine structure of  $^{209}\text{Bi}$ , 1=2288
- Titman, J.M. The heat capacities of some copper-manganese alloys, 1=8879
- Titov, R.A. See Pastrnyak, I., 1=12457
- Titova, A.G. See Gurevich, A.G., 1=12537
- Titova, A.G. See Gurevich, A.G., 1=14734
- Titts, T. [Tietz, T.]. Electron polarizability and diamagnetic susceptibility of neutral atoms in the Thomas-Fermi model, 1=19577
- Titts, T. [Tietz, T.]. Electron scattering in the Thomas-Fermi model, 1=19605
- Tiuri, M. Investigations on the periodicity of radio reflections from aurorae, 1=1557
- Tjin A Djie, H.R.E., de Heer, F.J. and Koerts, L.A.C. Small scattering chamber for large angular region, 1=19072
- Tjin A Djie, H.R.E. See Gugelot, P.C., 1=8752
- Tkachuk, A.M. and Tolstoi, N.A. Luminescence of ethanalamine compounds of platinum, 1=3855
- Tkachuk, A.M. See Tolstoi, N.A., 1=20017
- Tkalich, V.S. Waves of finite amplitude in a multicomponent medium, 1=3049
- Tkalich, V.S. See Saltanov, N.V., 1=1969
- Tobias, I., Fallon, R.J. and Vanderslice, J.T. Potential energy curves for CO, 1=2333
- Tobias, I. and Kauzmann, W. Faraday effect in molecules, 1=12297

## AUTHOR INDEX

- Tobias, I. and Vanderslice, J.T. Potential energy curves for the  $X^1\Sigma^+$  and  $B^1\Sigma^+$  states of hydrogen, 1=19621
- Tobias, I. See Fallon, R.J., 1=3529
- Tobin, J.M. A theory of diffusion of impurities in pure silver, 1=14316
- Tobisawa, S. Temperature dependence of magnetic susceptibilities of  $KClO_4$ ,  $KBrO_3$ , and  $KIO_3$ , 1=14676
- Tobocman, W. See Bilhorn, D.E., 1=8743
- Tochilin, E. and Alves, R.V. Neutron flux measurements from 100 keV to 4 MeV with a modified long counter, 1=5736
- Toda, M. See Kotera, T., 1=70
- Todd, C.D. Measurement of tunnel diode negative resistance, 1=7661
- Todorov, I.T. See Logunov, A.A., 1=3124
- Todorov, I.T. See Logunov, A.A., 1=9727
- Tôhei, T. Decay of  $Cl^{136m}$ , 1=8653
- Tôhei, T., Sugawara, M., Mori, S. and Kimura, M. Nuclear elastic scattering of photons near the particle threshold energy. I., 1=17070
- Tohei, T. See Kimura, M., 1=5909
- Tôhei, T. See Kimura, M., 1=12194
- Tohei, T. See Sugiyama, K., 1=12170
- Tohmatsu, T. and Nagata, T. On earth storms. VI. Energy and flux of corpuscular streams impinging the earth's atmosphere, 1=15356
- Tohmatsu, T. See Tanabe, H., 1=4129
- Toitot, M. Magnetic study of the coating of tungsten carbide grains with a thin cobalt skin, 1=6555
- Tokarev, V.V. See Grodzovskii, G.L., 1=15602
- Tokita, Y. Vibration of a plate and sound radiation generated by an impulsive force, 1=15990
- Tokuda, N. See Miyahara, S., 1=20553
- Tokunaga, M. and Shono, K. Forward characteristics of silicon p-n junctions, 1=17773
- Tokuoka, Z. Spinor field and its transformations, 1=13287
- Tolansky, S. Diamond. II, 1=888
- Tolansky, S. Comparative optical and interferometric studies on synthetic diamonds, 1=14954
- Tolansky, S. A notable growth spiral on synthetic diamond, 1=20416
- Tolansky, S. See Joshi, M.S., 1=14566
- Tolansky, S. See Pandeya, D.C., 1=11531
- Tolbert, C.W. and Straiton, A.W. Solar emission at millimeter wave lengths, 1=11683
- Tolbert, C.W. See Britt, C.O., 1=4380
- Tolbert, C.W. See Clardy, D.E., 1=12687
- Tolchenov, Yu.M. and Chaikovskii, V.G. A gas-discharge gamma-radiation detector with a logarithmic sensitivity, 1=13377
- Tolk, N.H. and Brugger, R.M. Calculated shapes for neutron bursts produced by phased chopper velocity selectors, 1=5737
- Tolkachov, B.V. See Baradzey, L.T., 1=3291
- Toll, J. See Kallen, G., 1=5196
- Toll, J.S. See Licht, A.L., 1=16643
- Tollenaar, D. A bar viscometer with conical annulus, 1=2728
- Toller, M. See Conversi, M., 1=7260
- Toller, M. See Conversi, M., 1=7261
- Toller, M. See Conversi, M., 1=7395
- Toller, M. See Conversi, M., 1=8474
- Tollestrup, A.V. See Myers, H., 1=2102
- Tolmachev, G.M. See Protopopov, A.N., 1=743
- Tolmachev, V.V. The relation of the statistical variational principle to the method of partial summation of diagrams in thermodynamic perturbation theory in the modified formulation of the problem of a non-ideal Bose-Einstein system, 1=5226
- Tolmachev, V.V. Construction of asymptotic expansions for weak interaction from a formal thermodynamic perturbation theory with a modified formulation of the problem of a non-ideal Bose-Einstein system, 1=5227
- Tolmachev, V.V. Temperature-dependent elementary excitations in a non-ideal Bose-Einstein system, 1=5228
- Tolmachev, V.V. The relation of the statistical variational principle to the method of partial summation of diagrams in thermodynamic perturbation theory in the modified formulation of the problem of a non-ideal Bose-Einstein system, 1=10437
- Tolmachev, V.V. Construction of asymptotic expansions for weak interaction from a formal thermodynamic perturbation theory with a modified formulation of the problem of a non-ideal Bose-Einstein system, 1=10438
- Tolmachev, V.V. Temperature-dependent elementary excitations in a non-ideal Bose-Einstein system, 1=10439
- Tolman, E.M. Diffusion reactions in the aging of 4-79 molybdenum permalloy, 1=6543
- Tolmazina, M.A. See Tsvirko, Yu.A., 1=16118
- Tolmie, R.W. Dual detectors key to radioisotope identifier, 1=2177
- Tolok, V.T. See Nazarov, N.I., 1=5487
- Tolok, V.T. See Nazarov, N.I., 1=11559
- Tolok, V.T. See Volkob, Ya.F., 1=5456
- Tolok, V.T. See Volkob, Ya.F., 1=11651
- Tolok, V.T. See Zolotrubov, I.M., 1=4598
- Tolokonnikov, L.A. Equations of nonlinear elasticity theory in the displacements, 1=3966
- Tolpadi, S. See Dayal, B., 1=917
- Tolpýgo, K.B. Optical, elastic and piezoelectric properties of ionic covalent crystals with the ZnS type lattice, 1=899
- Tolpygo, K.B. Application of the theory of vibrations of a crystal lattice with deformable ions to the consideration of the physical properties of binary cubic crystals, 1=2370
- Tolpýgo, K.B. Long-range forces and the dynamical equations for homopolar crystals of the diamond type, 1=19698
- Tolpýgo, K.B. and Tomasevich, O.F. Wave-functions and energy of a conduction band electron in a NaCl crystal, 1=7552
- Tolpýgo, K.B. and Tomasevich, O.F. Wave-functions and energy of a conduction band electron in a NaCl crystals. II, 1=7553
- Tolpýgo, K.B. See Demidenko, Z.A., 1=3741
- Tolpýgo, K.B. See Demidenko, Z.A., 1=19699
- Tolpýgo, K.B. See Genkina, S.M., 1=948
- Tolpygo, K.B. See Gribnikov, Z.S., 1=17769
- Tolpýgo, K.B. See Kucher, T.I., 1=931
- Tolpýgo, K.B. See Kucher, T.E., 1=4979
- Tolpýho, K.B. Forces of ionic interaction and equations of ionic lattice vibrations found by means of a many-electron model of ionic states and an adiabatic approximation, 1=14168
- Tolpýho, K.B. See Demidenko, O.A., 1=12353
- Tolstikov, V.A. See Kononov, V.N., 1=4872
- Tolstoi, N.A. Ninth Conference on Luminescence (crystal phosphors), 1=3849
- Tolstoi, N.A., Anufriev, A.A., Deineka, P.G., Rusinov, L.A., Sokolov, V.A. and Spartakov, A.A. Flashlike rise of luminescence. II. ZnS-Co and ZnS-Ag, Co phosphors, 1=20016
- Tolstoi, N.A. and Lyu Shun-fu [Liu Shun-fu]. Relaxation spectrum of kyanite, 1=6233
- Tolstoi, N.A., Tkachuk, A.M. and Ryskin, A.I. Flashlike rise of luminescence. III. Effect of the intensity of the exciting and de-exciting light, 1=20017
- Tolstoi, N.A. See Sokolov, V.A., 1=3856
- Tolstoi, N.A. See Tkachuk, A.M., 1=3855
- Tolstov, E.D. See Belyakov, V.A., 1=19244
- Tolstov, K.D. On the mechanism of interaction of fast protons with nuclei, 1=17104
- Tolstov, K.D. See Barashenkov, V.S., 1=3441
- Tolstov, K.D. See Glagolev, V.V., 1=8453
- Toma, E., Teodorescu, I. and Hollos, G. Optical and electron diffraction study of gold-tin alloys deposited by simultaneous evaporation, 1=1455
- Toma, E. See Ciobanu, G., 1=16115
- Toma, E. See Grigorovici, D., 1=18618
- Toman, K. Change in primary extinction during decomposition of supersaturated solid solution. II. Al-Co 4% alloy-formation of G.P. zones, 1=7872
- Toman, K. Minimum range to artificial earth satellites, 1=9299
- Toman, K. Influence of temperature on integrated intensity of (200) reflection of pure Al, 1=14194
- Toman, K. On the structure of ZnSb, 1=15076
- Toman, K. Change in primary extinction during decomposition of supersaturated solid solution. III. 4% Al-Cu alloy, precipitation of phase  $Al_3Cu$ , 1=15147
- Tomaš, P. Production of thin films by thermal evaporation, 1=184
- Tomaš, P. See Cindro, N., 1=2225
- Tomaš, P. See Colli, L., 1=13826
- Tomaš, P. See Ilakovac, K., 1=7290
- Tomaš, P. See Šlaus, I., 1=5928



- Tomasch, W.J. Specific heats of delta-phase Zr-H and Zr-D, 1=11164
- Tomasek, M. and Koutecky, J. Theory of Tamm surface states in approximation higher than tight-binding approximation, 1=7546
- Tomasek, M. See Koutecky, J., 1=941
- Tomasevich, O.F. See Tolpýgo, K.B., 1=7552
- Tomasevich, O.F. See Tolpýgo, K.B., 1=7553
- Tomasevych, O.F. See Ostroukhov, A.A., 1=14581
- Tomashchik, A.K. See Brandt, N.B., 1=21167
- Tomashevskaya, I.S. See Stakhovskaya, Z.I., 1=2503
- Tomashevskii, E.E. See Zhurkov, S.N., 1=12600
- Tomashov, N.D. See Deryagin, O.G., 1=7657
- Tomasi, J. See Scrocco, E., 1=19649
- Tomasini, A. Superfluidity and perturbation expansion in a large Fermi system, 1=12822
- Tomasini, A. See Fano, G., 1=5689
- Tomasini, A. See Fano, G., 1=19339
- Tomasini, G. See Beltrametti, E.G., 1=5916
- Tomasini, G. See Beltrametti, E.G., 1=5917
- Tombouliau, D.H. and Bedo, D.E. Valence band emission spectra of iron, cobalt, and nickel, 1=1173
- Tombouliau, D.H. See Bedo, D.E., 1=1944
- Tombouliau, D.H. See Bedo, D.E., 1=4687
- Tombrello, T.A. and Phillips, G.C. A two-body cluster model of the nucleus, 1=585
- Tombrello, T.A. and Phillips, G.C. Cluster nature of  $Li^7$  and  $Be^9$ , 1=7312
- Tombrello, T.A. See Mani, G.S., 1=3450
- Tombrello, T.A. See Phillips, G.C., 1=584
- Tombrello, T.A. See Phillips, G.C., 1=19427
- Tomchuk, P.M. The influence of electric field on the temperature of electrons, on electrical conduction, and thermoelectric emission in semiconductors. II. The study of plasma oscillations and short-range interactions, 1=14420
- Tomchuk, P.M. A variational method of determining electrical conductivity from a calculation of the Coulomb interaction of the carriers, 1=17660
- Tomchuk, P.M. See Dykman, I.M., 1=14419
- Tomchuk, P.M. See Dykman, I.M., 1=14421
- Tomie, Y. See Komura, Y., 1=11561
- Tomiki, T. Thermal stability of the R, N and M centres and the oscillator strength of the M band of KCl crystal, 1=999
- Tomiki, T. A quantitative study of the M centre in KCl, 1=1000
- Tomiki, T. Photo- and thermochemical reactions in potassium chloride crystals — a quantitative study of the M centre, 1=8916
- Tomiki, T. See Kobayashi, K., 1=10105
- Tomiki, T. See Kobayashi, K., 1=12622
- Tomiki, T. See Kobayashi, K., 1=14582
- Tomilovskii, G.E. See Klassen-Neklyudova, M.V., 1=14891
- Tomishima, Y. See Umeda, K., 1=13915
- Tomita, S. Effects of the special heat-treatment on permalloys, 1=15119
- Tomita, T. Crystal structure of silicon carbide of 174 layers, 1=7866
- Tomita, T. A diffuse reflexion from a silicon carbide crystals, 1=15074
- Tomita, T. The reflection anomalies due to the phase relations between the crystal domains, 1=15189
- Tomita, Y. On the interpretation of the Fraunhofer line  $NaD_1$ , 1=15446
- Tomizuka, C.T. See Darby, J.B., Jr., 1=7598
- Tomkins, F.S. See Blaise, J., 1=16965
- Tomkins, F.S. See Klinkenberg, P.F.A., 1=5971
- Tomlinson, H. See Cahn, R.W., 1=1414
- Tomlinson, R.H. See Bayly, J.G., 1=17178
- Tomlinson, R.H. See Bidinosti, D.R., 1=7405
- Tomlinson, R.H. See Farrar, H., 1=7334
- Tomnovec, F.M. See Ferguson, J.M., 1=15757
- Tomono, M. Characteristics of germanium p-n junction with irregular structure, 1=8964
- Tomono, M. Direct viewing of imperfections in germanium p-n junction, 1=12453
- Tomono, M. Regrowth of germanium single crystal from indium melt, 1=14969
- Tomono, M. Regrowth of germanium from molten indium or lead, 1=14970
- Tomono, M. See Shoji, M., 1=17542
- Tomono, Y. See Nagasawa, H., 1=20272
- Tomozawa, Y. See Menotti, P., 1=5699
- Tomozai, C. Theories of the radiometric effect, I, 1=5365
- Tompkins, F.C. See Bennett, M.J., 1=1481
- Tompkins, F.C. See Jacobs, P.W.M., 1=2558
- Tomura, M. Interpretation of exciton induced luminescence in KI:Ti, 1=11404
- Tomura, M. and Kaifu, Y. Luminescence of localized excitons and exciton induced luminescence in alkali halides, 1=1175
- Tomura, M. and Kaifu, Y. Luminescences from KBr/KI single crystals, 1=7721
- Tomura, M. and Kaifu, Y. Exciton-induced luminescence in KI/Ti, 1=10120
- Tonakanov, O.S. See Smirnov, G.E., 1=18523
- Tonapetyan, S.G. See Valter, A.K., 1=19536
- Tonapetyan, S.G. See Vatsset, P.I., 1=15537
- Toner, W.T. See Aguilar, J., 1=12216
- Tonin, M. On some compound models for the strong interactions, 1=433
- Tonin, M. See Amati, D., 1=19242
- Tonin, M. See Bertocchi, L., 1=5674
- Tonnelat, M. The representation of the matter field and electromagnetic field in a purely geometric theory, 1=4255
- Tonnelat, M.A. The recent experiments on the red-shift as a proof of general relativity, 1=15627
- Tonolini, F. See Mangialajo, M., 1=10748
- Tonolini, F. See Marazzan, G.M., 1=13821
- Tonoyan, A.A. See Sirota, N.N., 1=3675
- Toohig, T. See Pevsner, A., 1=7450
- Tooper, R.F. See Sodha, M.S., 1=3163
- Topa, J. See Dabek, W., 1=16815
- Toponogov, V.A. See Pokrovskii, V.L., 1=18703
- Toporek, M. Liquid scintillation counting of  $C^{14}$  plasma proteins using a standard quenching curve, 1=17004
- Toppel, B.J. A note concerning the purely proton moderated spectrum, 1=17159
- Toraldo di Francia, G. Spherical lenses for infrared and microwaves, 1=18566
- Toraldo di Francia, G. and Zoli, M.T. New concentric systems of two glasses, 1=16059
- Toraldo di Francia, G. See Ronchi, L., 1=8020
- Torbin, N.M. Partial breakdown and emission of radiation by NaCl crystals in strong electric fields, 1=12479
- Toresson, Y.G. Spectrum and term system of doubly ionized silicon, Si III, 1=13949
- Toresson, Y.G. Vacuum ultraviolet spectrum of the neutral sulphur atom, SI, 1=13950
- Toriyama, Y. See Sugita, K., 1=151
- Torizuka, K. and Wada, M. A large cosmic-ray meter and cosmic-ray short period fluctuations, 1=19299
- Torizuka, Y., Kojima, Y. and Okamura, T. Ferromagnetic resonance absorption in ferrites, 1=6388
- Torpy, J.W. See Lefever, R.A., 1=10235
- Törring, T. The  $\epsilon$ -type doublets of isotopic HCN molecules, 1=9930
- Torrisi, S. See Fracastoro, M.G., 1=18081
- Toschek, P. See Berkling, K., 1=13969
- Toschi, R. See Marenesi, R., 1=8290
- Toselli, F. See Galotto, C.P., 1=10893
- Toshyan, R.T. See Marutyan, N.A., 1=19185
- Tosi, M. See Frank, F.C., 1=20425
- Tosi-Torelli, R. See Brautti, G., 1=9758
- Tosima, S. Inelastic scattering of thermal neutrons by paramagnetic ions, 1=12523
- Totaro, C. Magnetohydrodynamic waves in a viscous fluid, 1=7138
- Toth, K.S. Neutron transfer to excited states in  $N^{15}$  in the reaction  $N^{14}(N^{14}, N^{15})N^{15}$ , 1=3464
- Toth, K.S. Angular distribution and ranges of  $N^{13}$  particles from  $N^{14}$  on  $N^{14}$ , 1=11040
- Toth, K.S. and Nielsen, O.B.  $Dy^{165}$  and  $Dy^{167}$  decay schemes, 1=3426
- Toth, K.S., Nielsen, O.B. and Skilbreid, O. Decay scheme of  $Tb^{159}$ , 1=2200
- Toth, K.S. See Newman, E., 1=19531
- Toth, R.S., Kilkson, R. and Trivich, D. Electrical conductivity of single-crystal cuprous oxide at high temperatures, 1=7646
- Toth, T. See Grigoriu, A., 1=5513
- Țoția, H., Timiș, P. and Lazarovici, C. Neutron time-of-flight spectrometer, 1=2068
- Țoția, H. See Nachman, M., 1=5739

- Tots'kyi, Y.A. Angular distribution of 2.8 MeV neutrons elastically scattered by Fe, Cu, Zn, Cd, Sn and Sb nuclei, 1=11025
- Tots'kyi, I.A. See Bobyr, V.V., 1=12202
- Tot'skiy, I.A. See Strýzhak, V.I., 1=12201
- Toupin, R.A. and Bernstein, B. Sound waves in deformed perfectly elastic materials. Acoustoelectric effect, 1=4408
- Tourin, R.H. Spectral emissivities of hot CO<sub>2</sub>-H<sub>2</sub>O mixtures in the 2.7  $\mu$  region, 1=11097
- Tourin, R.H. Measurements of infrared spectral emissivities of hot carbon dioxide in the 4.3  $\mu$  region, 1=4379
- Tourin, R.H. Some spectral emissivities of water vapor in the 2.7  $\mu$  region, 1=15960
- Tourin, R.H., Henry, P.M. and Liang, E.T. Infrared spectra of nitrogen, argon, and helium plasmas, 1=11070
- Tournarie, M. Rigorous dynamic theory of the coherent propagation of electrons through an absorbing crystalline plate, 1=14242
- Tournarie, M. Some difficulties in the dynamical theory of electrons. A formalism which attempts to avoid them, 1=17497
- Tournarie, M. See Bergé, P., 1=20460
- Tournarie, M. See Perio, P., 1=12646
- Tourov, E. Conditions for the existence of a feeble ferromagnetism in antiferromagnetics, 1=20154
- Touschek, B. The theory of the neutrino, 1=8444
- Touschek, B. See Bernardini, C., 1=9653
- Tousey, R. Solar spectroscopy in the far ultraviolet, 1=6707
- Tousey, R. Solar research from rockets, 1=15442
- Tousey, R. See Angel, D.W., 1=16070
- Tousey, R. See Malitson, H.H., 1=2612
- Tousset, J. The radiation of mesothorium I (Ra<sup>226</sup>), 1=13717
- Toutonghi, J.P. See Masek, G.E., 1=17088
- Tovchigrechko, S.S. The pulse-phasing device of the electro-mechanical frequency divider of a master oscillator for quartz clocks, 1=105
- Tovmasian, H.M. See Sanamian, V.A., 1=18140
- Towe, G.C. See Caughlan, G.R., 1=15590
- Towle, J.H. and Macefield, B.E.F. A study of the reactions <sup>12</sup>C(<sup>3</sup>He, n)<sup>14</sup>O and <sup>10</sup>(<sup>3</sup>He, n)<sup>13</sup>Ne, 1=5940
- Towle, J.H. and Macefield, B.E.F. The threshold of the <sup>12</sup>C(<sup>3</sup>He, n)<sup>14</sup>O reaction, 1=13857
- Towle, J.H. See Batchelor, R., 1=5734
- Towle, J.H. See Macefield, B.E.F., 1=619
- Towle, J.H. See Macefield, B.E.F., 1=9874
- Townes, C.H. Sensitivity of microwave spectrometers using maser techniques, 1=1980
- Townes, C.H. See Schwartz, R.N., 1=10367
- Townsend, J.R. See Muss, D.R., 1=3695
- Townsend, J.T. See Hoihtink, G.J., 1=4940
- Townsend, P. and Sutton, J. A study of superconducting niobium by electron tunnelling, 1=16199
- Toxen, A.M. Lattice thermal conductivity of germanium-silicon alloy single crystals at low temperatures, 1=7543
- Toxen, A.M. Size effects in thin superconducting indium films, 1=10641
- Toxen, A.M. Use of thin films for the study of stress effects on the superconducting transition of indium, 1=18715
- Toyada, Y. See Kameda, T., 1=2126
- Toyama, M. See Morino, Y., 1=9076
- Toyama, M. See Morino, Y., 1=20279
- Toyoda, H. Dislocations in ferroelectric glycine sulphate single crystals, 1=17543
- Toyoda, H., Niizeki, N. and Waku, S. Optical and structural anomalies in potassium ferrocyanide trihydrate crystals, 1=11351
- Toyoda, H. See Waku, S., 1=1136
- Toyoda, K., Kawabata, A. and Tanaka, T. Effects of gamma-ray irradiation on Rochelle salt, 1=14554
- Toyoda, K., Shimada, A. and Tanaka, T. Diffuse scattering of X-rays by gamma-ray irradiated Rochelle salt, 1=12670
- Toyoda, T. See Nakamura, H., 1=5643
- Toyoda, Y. See Kameda, T., 1=12137
- Toyozawa, Y. On the dynamical behavior of an exciton, 1=947
- Toyozawa, Y. A proposed model for the explanation of the Urbach rule, 1=1150
- Toyozawa, Y. The role of electron-phonon interaction in the impurity conduction of semiconductors, 1=3743
- Toyozawa, Y. The spatial and time-fluctuation of Coulomb energy in the low concentration impurity conduction, 1=3744
- Toyozawa, Y. Self-trapping of an electron by the acoustical mode of lattice vibration. I, 1=17410
- Tradowsky, K. See Horn, G., 1=5406
- Trageser, D.A. Engineering methods for electron-beam processing, 1=339
- Trail, C.C. See Monahan, J.E., 1=8464
- Trail, C.C. See Monahan, J.E., 1=12183
- Trainor, A. and Bartlett, B.E. A possible mechanism of crystal growth from the melt and its application to the problem of anomalous segregation at crystal facets, 1=10234
- Trainor, L.E.H. Some considerations on the structure of nuclear matter, 1=8541
- Trakhtenberg, I.Sh. See Klotzman, S.M., 1=6113
- Tramer, A. See Mathieu, J.P., 1=906
- Tran Nguyen Truong. Analysis of the anomaly in double meson production in p + d collisions and the s-wave pion-pion interaction, 1=8489
- Tran Thanh Van, J. See Gourdin, M., 1=5789
- Trapeznikov, A.A. Elasticity relaxometer for measurements of highly elastic deformations, strength and relaxation of colloidal systems, 1=12579
- Trapeznikov, V.A. Rotating X-ray tube for vacuum spectrograph, 1=1952
- Trapeznikova, Z.A. See Dubinin, V.G., 1=3857
- Trapeznikova, Z.A. See Dubinin, V.G., 1=3858
- Trapnell, B.M.W. See Brennan, D., 1=1459
- Traub, A.C. and Balinkin, I. Proximity factor in the Judd color difference formula, 1=10356
- Träuble, H. See Seeger, A., 1=12598
- Traul, C.C. See Raboy, S., 1=19061
- Travers, S. See Small, R.W.H., 1=6509
- Travina, T.S. See Shalimova, K.V., 1=14588
- Travina, T.S. See Shalimova, K.V., 1=17793
- Travina, T.S. See Shalimova, K.V., 1=17882
- Travis, D.N. See Barrow, R.F., 1=14006
- Travis, J.R. See Campbell, A.W., 1=7910
- Travis, J.R. See Campbell, A.W., 1=7911
- Trawinski, S. See Baczynski, A., 1=9398
- Treacy, P.B. See Gregory, A.G., 1=5935
- Treado, P.A. and Chagnon, P.R. Neutron capture gamma-ray spectra of the nickel isotopes, 1=4871
- Treder, H. The general form of the propagation law of gravitational shock-fronts, 1=1683
- Treder, H. See Papapetrou, A., 1=2686
- Tredgold, R.H. See Barnes, J.F., 1=1022
- Tredgold, R.H. See Branwood, A., 1=1071
- Tredgold, R.H. See Rhys-Roberts, C., 1=1121
- Trees, R.E. Low even configurations in the first spectrum of thorium (Th I), 1=5977
- Trees, R.E. "Repulsion of energy levels" in complex atomic spectra, 1=12237
- Trees, R.E. and Jørgensen, C.K. Parameters  $\alpha$  and  $\beta$  in the spectra of the iron group, 1=12249
- Treffitz, E. See Malik, F.B., 1=18767
- Treffitz, E. See Malik, F.B., 1=19604
- Trefilov, V.I. See Gridnev, V.N., 1=7874
- Trefilov, V.I. See Hridnyev, V.N., 1=12644
- Trehan, P.N. See van Patter, D.M., 1=19459
- Trehan, S.K. The pinch effect, 1=311
- Trehan, S.K. See Bernstein, I.B., 1=18894
- Trehan, Y.N. and Goswami, A. Double twinning and crystal orientation, 1=1376
- Treibus, E.B. See Petrov, T.G., 1=4027
- Trefilov, V.I. See Butylenko, O.K., 1=14985
- Trefilov, V.I. See Gridnev, V.N., 1=4064
- Treiman, S.B. See Blankenbecler, R., 1=10855
- Treiman, S.B. See Landshoff, P.V., 1=8431
- Treloar, L.R.G. See Wilson, N., 1=6450
- Tremblay, R. Microwave phase-shifter with dielectric prisms, 1=13188
- Tremblay, R. See Boivin, A., 1=13185
- Trembley, J. See Bartke, J., 1=8513
- Trendelenburg, E.A. See Huber, W.K., 1=2793
- Trent, G.H. See Wild, J.P., 1=2651
- Trent, H.M. See Auslander, L., 1=12732
- Treskina, M.N. See Melik-Gaikazyan, I.Ya., 1=4983
- Treskina, M.N. See Melik-Gaikazyan, I.Ya., 1=14332
- Tretjakova, M.I. See Soo, J.P., 1=3263
- Tretner, W. An electrostatic mass spectroscopy, 1=18943
- Treucker, F. See Schultz, G., 1=5344
- Treves, D. Limitations of the magneto-optic Kerr technique in the study of microscopic magnetic domain structures, 1=6299



- Treves, D. See Fowler, C.A., Jr. 1=2478  
 Treves, D. See Fowler, C.A., Jr., 1=6303  
 Trew, V.C.G. and Husain, S.F.A. Additivity relationships in polar diamagnetic salts. I. Alkali and ammonium salts, 1=20047  
 Triboulet, R. See Rodot, M., 1=17753  
 Tribus, M. Information theory as the basis for thermostatics and thermodynamics, 1=15707  
 Trillat, J.J. See Pepin, P., 1=11576  
 Trillat, J.J. See Sella, C., 1=20652  
 Trilling, G.H. See Brown, J.L., 1=8515  
 Trimmer, J.D. See Arunasalam, V., 1=8327  
 Tripathi, B.B. See Dayal, B., 1=6076  
 Tripp, R.D. See Bareyre, P., 1=13418  
 Tripp, R.D. See Berge, J.P., 1=10932  
 Trischka, J.W. See Moran, T.L., 1=5996  
 Tritton, D.J. Variation of Young's modulus of fused quartz fibre with diameter, 1=1298  
 Trivich, D. See Toth, R.S., 1=7646  
 Trivelpiece, A.W., Ignatius, A. and Holscher, P.C. Backward waves in longitudinally magnetized ferrite rods, 1=3065  
 Trnka, J. and Lébl, M. The X-ray luminescence of the crystal NaCl:Fe, 1=20011  
 Trnka, J. See Bohun, A., 1=4998  
 Trnka, J. See Bohun, A., 1=17584  
 Trodden, W.G. See Jenkins, R.O., 1=18481  
 Troesch, B.A. See Morrow, C.T., 1=2812  
 Trofimenko, A.P. and Fedorus, G.A. Investigation of the decay time of the photocurrent in CdS monocrystals at various temperatures and illuminations, 1=19901  
 Trofimenko, A.P. and Fedorus, H.A. Effect of annealing and of certain impurities on the dark resistance and photosensitivity of single crystal CdS, 1=12459  
 Trofimenko, A.P. and Fedorus, H.A. Investigation of a thermally-excited current in CdS monocrystals, 1=14463  
 Tröim, J. See Frihagen, J., 1=1543  
 Tröim, J. See Frihagen, J., 1=20928  
 Tröim, J. See Harang, L., 1=6614  
 Tröim, J. See Harang, L., 1=9206  
 Troitskaya, V.A. Pulsation of the earth's electromagnetic field with periods of 1 to 15 seconds and their connection with phenomena in the high atmosphere, 1=15346  
 Troitskaya, V.A., Bolshakova, O.V., Melnikova, M.V., Sergeeva, K.Y., Sukhareva, N.N. and Shchepetov, R.V. Main characteristics of pulsations of the earth's electromagnetic field in July 1959, 1=20800  
 Troitskii, V.S. The mean free path of molecules in a molecular beam, 1=17384  
 Trojan, O.A.D. See McNeill, K.G., 1=17007  
 Trolliet, G. See Dreyfus, B., 1=9977  
 Trolliet, G. See Dreyfus, B., 1=19712  
 Troncoso, O. See Roederer, J.G., 1=13587  
 Troost, A. On the theory of strip rolling, 1=6458  
 Troost, A. Calculation of deflection in combined elastic-plastic bending, 1=10459  
 Tropper, H. The effect of dissolved gases on the electrical conduction and breakdown of insulating oil, 1=4354  
 Trorey, A.W. System for oscillographic recording of selected pulses from a series of randomly arriving impulses, 1=2929  
 Troshchenko, V.T. On the problem of internal friction in a material, 1=2506  
 Trosnikov, I.V. Temperature effects in the plasma oscillations of a high density Fermi gas, 1=2715  
 Trossi, L. See Colombino, P., 1=5715  
 Trost, W. See Rose, H.J., 1=5867  
 Trostin, I.S., Smotryaev, V.A. and Levintov, I.I. Neutron polarization in the T(d, n) He<sup>4</sup> reaction, 1=19291  
 Trostin, I.S. See Levintov, I.I., 1=19521  
 Trotin, J. See Dufour, J., 1=525  
 Trott, B.B. Automatic correction of counting losses in a Geiger-Müller counter used with periodically varying radiation, 1=388  
 Trott, B.B. Simple amplifier and pulse-height analyser for an X-ray scintillation counter, 1=4542  
 Trott, N.G. See Burton, L.K., 1=13204  
 Trotter, D. See Shapley, A.H., 1=18083  
 Troubetzkoy, E. and Goldstein, H. Gamma-rays from thermal neutron capture, 1=11044  
 Troubetzkoy, E.S. Statistical theory of gamma-ray spectra following nuclear reactions, 1=7364  
 Troup, G.J. The optimum line width for a reflection cavity maser, 1=3054  
 Troup, G.J. Occurrence of Cr<sup>3+</sup> in kyanite, 1=11477  
 Trubnikov, B.A. On the angular distribution of cyclotron radiation from a hot plasma, 1=4607  
 Trubnikov, B.A. Electromagnetic waves in a relativistic plasma in a magnetic field, 1=7054  
 Trubnikov, B.A. and Bazhanova, A.E. Magnetic radiation from a plasma layer, 1=7056  
 True, W.W. Shell model theory of Pb<sup>208</sup>, 1=9797  
 True, W.W. and Warburton, E.K. On the 5.16 MeV and 7.56 MeV states of B<sup>10</sup>, 1=5837  
 Truell, R. Influence of deformation and temperature on the cobalt gamma irradiation of sodium chloride. Evidence for electrical interaction between dislocations and point defects, 1=11247  
 Truell, R. See Nine, H.D., 1=11157  
 Truell, R. See Waterman, P.C., 1=10571  
 Trueman, T.L. Energy level shifts in atomic states of strongly-interacting particles, 1=13978  
 Truesdell, C. Outline of the history of flexible or elastic bodies to 1788, 1=1775  
 Trujillo, S.M. See Neynaber, R.H., 1=11079  
 Trujillo, S.M. See Neynaber, R.H., 1=17279  
 Trulio, J.G. and Brush, S.G. Correction to the Debye-Huckel theory, 1=4275  
 Trulio, J. See Harris, G.M., 1=9558  
 Trulson, O.C., Hudson, D.E. and Spedding, F.H. Cohesive energies of europium, gadolinium, holmium, and erbium, 1=14143  
 Trumbore, F.A., Freeland, P.E. and Logan, R.A. Distribution coefficient of antimony in silicon from solvent evaporation experiments, 1=14456  
 Trumbore, F.A. See Logan, R.A., 1=3757  
 Trumbore, F.A. See Spitzer, W.G., 1=14441  
 Trümper, J. Parallel plate counters with electronically controlled triggering for the determination of particle trajectories, 1=13266  
 Trumpold, H. Possible applications of optical interference in the technical aspects of surface measurement, 1=9360  
 Trumpy, B. and Svanes, T. Measurements of cosmic radiation following the solar flare of May 4, 1960, 1=9789  
 Trumpy, B. and Svanes, T. Intensity increase of different components of cosmic radiation prior to the magnetic storm of May 11, 1959, 1=12135  
 Trumpy, B. and Svanes, T. Solar-produced cosmic rays following the solar flares of November 12 and 16, 1950, 1=16934  
 Truneczek, V. Transformation of the torch discharge into high frequency corona, 1=18791  
 Truong, T. See Lomon, E., 1=12111  
 Truskowski, W. On the proper measurement of deformation in the tensile testing of plastic metals. and alloys, 1=20327  
 Trykozko, R. Electrical properties of various compositions of sintered ZnO-CuO, 1=3774  
 Tsadikova, G.R. See Kobzev, V.A., 1=19196  
 Tsadkina, R.B. See Bashuk, R.P., 1=14996  
 Tsai, M. See Vratny, F., 1=1163  
 Tsai, Y.S. Radiative corrections to electron-proton scattering, 1=9748  
 Tsai-Chü. and Simonin-Haudecoeur, C. Direct electronic decay of three  $\pi^0$  'S emitted from an antineutron annihilation star, 1=13456  
 Tsang, T. Approximate binding energies of inner electrons in atoms by the WKB method, 1=793  
 Tsang, T. An approximate solution of Fick's diffusion equation, 1=11716  
 Tsao, C.H. See Blue, M.H., 1=8456  
 Tsarenkov, B.V. See Burdukov, Yu.M., 1=12452  
 Tsarenkov, B.V. See Nasledov, D.N., 1=3777  
 Tsarev, V.A. See Nelipa, N.F., 1=19231  
 Tsarevskii, B.V. See Sidorenko, R.A., 1=5265  
 Tschoegl, N.W. Equation of motion of the torsion pendulum and the complex modulus, 1=12837  
 Tschoegl, N.W. Compressional and Young's moduli in monolayers, 1=12855  
 Tschopp, P.A. An analogue method for dealing with magnetic fields in nonlinear anisotropic media, 1=9021  
 Tschudi, C.S. and Cohan, N.V. Valence bond treatment on the B state of the hydrogen molecule, 1=4945  
 Tsedilin, S.A. and Tsetlin, V.M. A siren for the acoustic coagulation of aerosols, 1=16034

## AUTHOR INDEX

- Tsekhmistrenko, Ya.V. See Krush, I.I., 1=12823  
 Tsekhmistrenko, Yu.V. A unified theory of nuclear reactions, 1=8669  
 Tsekhmistrenko, Yu.V. The theory of superfluidity of a Fermi system with isotopic spin, 1=40436  
 Tsekhmistrenko, Yu.V. Proton distribution in non-spherical nuclei, 1=10953  
 Tsekhmistrenko, Yu.V. Application of the variational method to the study of the stripping reaction, 1=12186  
 Tsekhmistrenko, Yu.V.  $\pi$ -meson pair production by  $\gamma$ -quanta on nucleons in a strong coupling theory, 1=13473  
 Tsekhmistrenko, Yu.V. See Stel'makh, S.S., 1=13326  
 Tsekavava, B.E. The dispersion of light in the exciton absorption region in cubic crystals, 1=14572  
 Tsellner, V. See Syan' Din-Chan, 1=16711  
 Tsellner, V. See Vol'f, Yu., 1=19264  
 Tseng, P. See Takekoshi, H., 1=17060  
 Tseng, P.K. See Komura, S., 1=19686  
 Tserevitinov, S.S. See Vasil'ev, V.I., 1=2975  
 Tsertsvadze, A.A. One mechanism of electron excitation for a model of F-centre and exciton molecular orbits, 1=10016  
 Tsertsvadze, A.A. One mechanism of electron excitation for a model of f-centre and exciton molecular orbits, 1=11235  
 Tsertsvadze, A.A. The energy of exciton absorption in the  $\alpha$ -band region of alkali-halide crystals, 1=14225  
 Tsetlin, V.M. See Tsedilin, S.A., 1=16034  
 Tsibul'ko, Yu.A. See Barchuk, I.F., 1=12204  
 Tsidil'kovskii, I.M. and Shirokovskii, V.P. Anisotropy of the galvanic- and thermomagnetic phenomena in n-type germanium, 1=1044  
 Tsidil'kovskii, I.M. See Kharus, G.I., 1=5029  
 Tsigler, I.N. See Bashuk, R.P., 1=20324  
 Tsikin, A.A. See Kunin, V.Ya., 1=1138  
 Tsikin, A.N. See Koikov, S.N., 1=5040  
 Tsikin, A.N. See Koikov, S.N., 1=17638  
 Tsikin, A.N. See Koikov, S.N., 1=19932  
 Tsikin, A.N. See Kunin, V.Ya., 1=17637  
 Tsiklis, D.S. and Vasil'ev, Yu.N. Surface tension at the interface between two gaseous phases at high pressures, 1=4317  
 Tsinober, A. See Branover, G., 1=7137  
 Tsintsabadze, A.I. See Manjavidze, Z.Sh., 1=3303  
 Tsintsadze, N.L. Motion of charged particles and charged disks through an electron-ion beam, 1=4658  
 Tsintsadze, N.L. and Pataraja, A.D. Cherenkov generation of hydromagnetic and magnetoacoustic waves in a rarefied anisotropic plasma, 1=4606  
 Tsiovkin, Yu.N. See Volkenshtein, N.V., 1=1019  
 Tsipin, S.G. See Kukhtevich, V.I., 1=7385  
 Tsipis, C. See Boldt, E., 1=7172  
 Tsomaya, K.P. and Shvangiradze, R.R. An effect observed on pulverization of crystalline boron, 1=6513  
 Tsuboi, M. See Shimanouchi, T., 1=19700  
 Tsubokawa, I. The magnetic properties of single crystals of chromium selenide, 1=12512  
 Tsubokawa, I. On the magnetic properties of a CrBr<sub>3</sub> single crystal, 1=12521  
 Tsubokawa, I. Magnetic anisotropy of chromium antimonide and its manganese substitutes, 1=12549  
 Tsubokawa, I. The magnetic properties of NiBr<sub>2</sub>, 1=20169  
 Tsubokawa, I. and Chiba, S. On the magnetic property of iron telluride, 1=1248  
 Tsubokawa, I. See Miyadai, T., 1=1255  
 Tsuboya, I. On the new magnetic phase in manganese-aluminium-copper system, 1=20064  
 Tsuboya, I. and Sugihara, M. On the ferromagnetism in manganese-aluminium-iron system, 1=14689  
 Tsuboya, I. and Sugihara, M. On the new magnetic phase in manganese-aluminium-copper system, 1=14690  
 Tsuboya, I. and Sugihara, M. The new magnetic phase in manganese-aluminium-nickel system, 1=20149  
 Tsuchida, T. See Fujii, K., 1=16682  
 Tsuchiya, A. See Nagasawa, S., 1=15478  
 Tsuda, H. See Nishida, M., 1=15516  
 Tsui, J.B.Y. See Wang, F.F.Y., 1=14780  
 Tsuji, H. See Nishida, M., 1=15516  
 Tsuji, M. Localized electron model and thermoelectric power, 1=2428  
 Tsujimura, A. See Kôji, Y., 1=11464  
 Tsujimura, A. See Kôji, Y., 1=17949  
 Tsujimura, A. See Kôji, Y., 1=20256  
 Tsujimura, A. See Kôji, Y., 1=20257  
 Tsujiuchi, J. Improvement of aberrant images by means of spatial frequency filtering. II. Improvement of an image whose [spatial] spectrum includes a negative value, 1=5338  
 Tsujiuchi, J. See Marquet, M., 1=16131  
 Tsukada, K. and Fuse, T. Total cross sections of carbon, oxygen, fluorine and thorium for fast neutrons, 1=12208  
 Tsukada, K., Tanaka, S. and Maruyama, M. Inelastic scattering of neutrons by the time-of-flight method, 1=12203  
 Tsukerman, V.A. See Ziuzin, V.P., 1=4685  
 Tsukernik, V.M. See Kaganov, M.I., 1=11456  
 Tsukizoe, T. On the mechanism of friction between metal surfaces, 1=10224  
 Tsukkerman, I.I. See Markovich, M.G., 1=1918  
 Tsulaya, T.S. See Kucherov, R.Ya., 1=18524  
 Tsuneto, T. Ultrasonic attenuation in superconductors, 1=1862  
 Tsushima, I. See Yasaki, T., 1=3225  
 Tsushima, K., Asanuma, M. and Miyahara, S. Time decrease of permeability in silicon-iron, 1=2481  
 Tsutsumi, K. See Sawada, M., 1=11386  
 Tsuya, N. See Shichijo, Y., 1=6371  
 Tsuzuku, T. Graphitization stress in polycrystalline carbon as an origin of dislocations, 1=11202  
 Tsuzuki, T. Surface free energy of a dilute gas, 1=12818  
 Tsuzuki, T. Quantum statistics of surface effect, 1=12820  
 Tsuzuki, Y. See Malhotra, P.K., 1=5800  
 Tsuzuku, T. Cavity growth by vacancy condensation and transformation to dislocation loop in the graphite structure, 1=14251  
 Tsvirko, Yu.A. The effect of constant electric and magnetic fields on the optical properties of uniaxial crystals where excitons arise, 1=14567  
 Tsvirko, Yu.A. and Tolmazina, M.A. The boundary conditions for electromagnetic waves at the surfaces of optically active crystals, 1=16118  
 Tsybina, N.V. See Grigor'ev, A.M., 1=5248  
 Tsyganov, E.M. See Nikitin, V.A., 1=16777  
 Tsymburs'ka, A.T. [Intrinsic] semiconductor magnetoresistance effect in the case of weak fields, 1=11286  
 Tsyntsadze, N.L. See Polovin, R.V., 1=13083  
 Tsypin, M.I. See Lainer, D.I., 1=12661  
 Tsytovich, V.N. Some problems in relativistic gas dynamics of charged particles, 1=18469  
 Tszyan Pi-Khuan Chiang P'i-Huang. Measurement of the resistivity and Hall's constant of high resistance semiconductors, 1=9518  
 Tterlikkis, L. and Jenkins, A.W., Jr. Magnetization of nickel single crystals, 1=10145  
 Tuan, S.F. The excited hyperon and pion-hyperon resonances, 1=8507  
 Tuan, S.F. See Franklin, J., 1=13522  
 Tuan, S.F. See King, R.C., 1=10928  
 Tubae, V.M. See Pivovarov, L.I., 1=16266  
 Tubis, A. and Uretsky, J.L. Interpretation of the Berkeley anomaly in high-energy P-D collisions, 1=497  
 Tubis, A. See Feshbach, H., 1=12086  
 Tubota, H., Suzuki, H. and Hirakawa, K. On the mechanism of the electrical conduction in CdSe, 1=12444  
 Tuček, J. A contribution to research into interaction between  $\pi$ -mesons and atomic nuclei, 1=17157  
 Tuchscheerer, T. Applicability of sodium salicylate layers as luminescent converters in the near and far u.v., 1=20013  
 Tuchscheerer, T. and Müller, W. Observations on the choice of light sources for the vacuum ultraviolet, 1=4468  
 Tucker, C.W., Jr. and Norton, F.J. On the location and motion of rare gas atoms in metals, 1=17551  
 Tucker, C.W., Jr. See Norton, F.J., 1=19570  
 Tucker, E.B. Attenuation of longitudinal ultrasonic vibrations by spin-phonon coupling in ruby, 1=6073  
 Tucker, E.B. Amplification of 9.3 kMc/sec ultrasonic pulses by maser action in ruby, 1=11821  
 Tucker, E.B. See Shiren, N.S., 1=6071  
 Tucker, M.J. and Stubbs, A.R. Narrow-beam echo-ranger for fishery and geological investigations, 1=4415  
 Tucker, T.J. Behavior of exploding gold wires, 1=16300  
 Tuft, O.N. and Ewald, A.W. Magnetoresistance of oriented gray tin single crystals, 1=8960  
 Tufts, C. See Weinreich, O., 1=11297  
 Tukish, E.I. See Chudakov, A.E., 1=3282



- Tukish, E.I. See Denisov, E.V., 1=16938
- Tukish, E.I. See Kalachyov, B.V., 1=2131
- Tukish, E.I. See Nikolsky, S.I., 1=3289
- Tukker, J.C. and Janssen, J.H. Misleading accelerometers, 1=11733
- Tuler, F.R. See Birnbaum, H.K., 1=14260
- Tulinov, U.F. See Charahchyan, A.N., 1=19305
- Tulinov, V.F. See Charakhch'yan, A.N., 1=19302
- Tulinova, N.I. See Lobanov, Yu.N., 1=5521
- Tulinova, N.I. See Lobanov, Yu.N., 1=11993
- Tulinova, Z.I. See Antonov, R.A., 1=3284
- Tulub, A.V. Recoil effect for the two particle interaction in nonrelativistic quantum field theory, 1=16685
- Tulub, T.P. and Bobovich, Ya.S. The effect of the refractive index of a substance on the temperature dependence of the Raman band intensities, 1=11385
- Tulub, T.P. See Bobovich, Ya.S., 1=5052
- Tulupov, V.I. See Vernov, S.N., 1=3293
- Tumanian, V.A., Stoliarova, G.S. and Mishakova, A.P. Direct production of electrons-positron pairs by high-energy electrons, 1=2045
- Tumul'kan, A. and Damburg, N. Bremsstrahlung of strontium enamel, 1=16742
- Tung Tsang. Transient state heat transfer and diffusion problems, 1=4491
- Tunitskaya, V.F. See Levshin, V.L., 1=2457
- Tunitskii, L.N. See Kuz'yakov, Yu.Ya., 1=2329
- Tunstall, D.P. See Andrew, E.R., 1=12565
- Tuominen, J. On the latitude drift of [short-lived] sunspot groups, 1=1642
- Turbadar, T. Oblique reflectance and transmittance measurements on aluminium films, 1=6204
- Turchányi, G. and Tarján, I. Sodium chloride whiskers, 1=10242
- Turchinets, W. See Carver, J.H., 1=677
- Turchinets, W.E. See Coote, G.E., 1=5892
- Turcotte, D.L. and Schubert, G. Interaction of low-frequency electromagnetic waves with a plasma, 1=11939
- Turek, L. See Massalski, J., 1=1213b
- Turi, L. See Kisdi-Koszó, É., 1=16466
- Turi, L. See Kisdi-Koszó, É., 1=18964
- Turi, L. See Pál, L., 1=13875
- Turiano, A. See Fracastoro, M.G., 1=18081
- Turk, E.H. See Heath, R.L., 1=10974
- Turk, M. See Anatol'kovič, B., 1=16915
- Turkevich, A. See Cowan, G.A., 1=8799
- Turkiewicz, J. See Ratynski, W., 1=2218
- Turkiewicz, J. See Ratynski, W., 1=2218
- Turkot, F. See Anderson, R.L., 1=10925
- Turnbull, D. and Cohen, M.H. Free-volume model of the amorphous phase: glass transition, 1=4073
- Turnbull, D. and Cormia, R.L. Kinetics of crystal nucleation in some normal alkane liquids, 1=5272
- Turnbull, D. See Ainslie, N.G., 1=3691
- Turnbull, D. See Cohen, M.H., 1=6550
- Turnbull, J.C. See Collins, R.H., 1=18478
- Turnbull, R.C. Reinterpretation of the reaction kinetics of nickel ferrite, 1=7902
- Turner, A.C. See Sheridan, J., 1=12284
- Turner, E.B. See Fowler, R.G., 1=6890
- Turner, D.A. See Gjone, E., 1=15365
- Turner, D.R. Saturation currents in n-type silicon and germanium electrodes in chemical etching solutions, 1=10055
- Turner, H.E. See Hay, D.R., 1=10548
- Turner, J.J. The use of complex wiggle-beat patterns for the estimation of small splittings in N.M.R. spectra, 1=14099
- Turner, L.A. Simplification of Carathéodory's treatment of thermodynamics, 1=1853
- Turner, L.A. Comments on Buchdahl's treatment of thermodynamics, 1=1855
- Turner, L.A. Zeroth law of thermodynamics, 1=2915
- Turner, R. See Kuhn, H.G., 1=19594
- Turner, R. See Suryanarayana Rao, K., 1=844
- Turner, R.E. The quasi-classical approximation for neutron scattering, 1=8462
- Turner, R.E. and Rapp, D. Effect of an attractive potential on the classical theory of vibrational energy exchange, 1=17375
- Turner, T.E. See Vali, V., 1=3050
- Turner, W.J., Fischler, A.S. and Reese, W.E. Physical properties of several II-V semiconductors, 1=2416
- Turner, W.J., Fischler, A.S. and Reese, W.E. Electrical and optical properties of the II-V compounds, 1=17670
- Turner, W.R. Microbubble persistence in fresh water, 1=12856
- Turov, E.A. and Irkhin, Yu.P. On the phenomenological theory of electrical conductivity of ferrites and antiferromagnetic materials, 1=1012
- Turov, E.A. and Mitsek, A.I. The temperature dependence of magnetostriction, 1=3908
- Turov, E.A. See Abel'skii, Sh.Sh., 1=6121
- Turov, Ye.A. See Hiterman, M.Sh., 1=14197
- Turrell, G.C. Attempt at a theoretical interpretation of spectral perturbations of HCl-A gaseous mixtures, 1=3532
- Turski, A. Analysis of the stability of an electromagnetic field in rectangular waveguides with discontinuities with due consideration of wall conductivity, 1=3063
- Turusova, A.V. See Broder, D.L., 1=19213
- Tutov, A.G. See Zaslavskii, A.I., 1=5100
- Tutov, A.G. See Zaslavskii, A.I., 1=10262
- Tutovan, V. and Bursuc, I.D. The Procopiu effect in the case of thin films of iron obtained electrolytically, 1=20097
- Tutter, M. See Lisitano, G., 1=19023
- Tuttle, T.R., Jr. See Anderson, M.E., 1=878
- Tuttle, T.R., Jr. See Anderson, M.E., 1=880
- Tutumi, M. See Hikata, A., 1=1324
- Tuvdendorzh, D. See Dzhaneldidze, L.P., 1=19282
- Tuve, M.A. See Burke, B.F., 1=18011
- Tuzhilkin, Yu.I. See Gershman, S.G., 1=4409
- Tuzzolino, A. See Takaki, R., 1=3361
- Tverskaya, L.V. The influence of elastic-relaxational stresses on the crystallization of a very viscous liquid, 1=11535
- Tverskaya, L.V. The influence of elastic-relaxational stresses on the crystallization of a very viscous liquid, 1=14962
- Tveten, L.H. Ionospheric motions observed with high frequency backscatter sounders, 1=6622
- Tveten, L.H. Long-distance one-hop  $F_1$  propagation through the auroral zone, 1=21063
- Twiddy, N.D. Electron energy distributions in plasmas. III. The cathode regions in helium, neon and argon, 1=16316
- Twiddy, N.D. See Boyd, R.L.F., 1=16315
- Twidell, J.W. See Hayes, W., 1=20203
- Twomey, S. On the deduction of the vertical distribution of ozone by ultraviolet spectral measurements from a
- Twose, W.D. See Mott, N.F., 1=17651
- Tyablikov, S.V. On the theory of ferromagnetic resonance. II, 1=2489
- Tyablikov, S.V. On the theory of ferromagnetic resonance II, 1=6392
- Tyablikov, S.V. and Pu Fu-cho. Higher approximations in the theory of ferromagnetic resonance, 1=7778
- Tyablikov, S.V. See Potapkov, N.A., 1=3874
- Tyablikov, S.V. See Pu Fu-Cho, 1=1205
- Tyapkin, A.A. See Vasilevskii, I.M., 1=2057
- Tyapkin, A.A. See Vishnyakov, V.V., 1=13201
- Tyapkin, Yu.D. See Bagaryatskii, Yu.A., 1=15122
- Tyapkin, Yu.D. See Bagaryatskii, Yu.A., 1=15133
- Tyapkina, N.D. See Kurova, I.A., 1=3751
- Tyapunina, N.A. See Predvoditelev, A.A., 1=3667
- Tyapunina, N.A. See Vekilov, Yu.Kh., 1=14856
- Tyapunina, N.A. See Yurasova, V.E., 1=4017
- Tyas, J.P.I. See Molozzi, A.R., 1=15570
- Tye, R.P. See Powell, R.W., 1=17607
- Tykhonova, E.A. See Sm'yrnov, A.A., 1=15060
- Tykhonova, O.O. See Kr'yvoglaz, M.O., 1=15054
- Tykhonova, O.O. See Kr'yvoglaz, M.O., 1=20574
- Tykhonova, O.O. See Kr'yvoglaz, M.A., 1=20616
- Tykva, J. and Khol, F. Apparatus for the integral movement of the specimen during X-ray micro-analysis of a material, 1=5106
- Tyler, J.E. Measurement of the scattering properties of hydrosols, 1=16114
- Tyler, J.E. See Isaacs, J.D., 1=1631
- Tyler, J.K. See Sheridan, J., 1=12284
- Tylkina, M.A. See Gladyshevskii, E.I., 1=15088
- Tyrrell, H.J.V. Some problems associated with the definition of the heat of transfer for binary liquid systems, 1=15856
- Tyshchenko, B.I. See Vysots'kyi, H.L., 1=12973
- Tyutekin, V.V. Flexural vibrations of a circular centrally-loaded elastic plate, 1=4396

## AUTHOR INDEX

- Tyutikov, A.M. The influence of mechanical strain on the secondary electron emission from beryllium oxide, 1=7001
- Tyutikov, A.M. The influence of mechanical strain on the secondary electron emission from beryllium oxide, 1=10736
- Tyutikov, A.M. and Shuba, Yu.A. Measurement of weak photocurrents in studies of photoelectric emission, 1=13108
- Tyutyunnikova, E.V. See Voitsekhovskaya, I.A., 1=2430
- Tzara, C. Scattering of photons by atoms and nuclei in crystals, 1=17395
- Tzara, C. See Miller, J., 1=12074
- Tzara, C. See Miller, J., 1=13372
- Tzara, C. See Miller, J., 1=19177
- Tzara, C. See Tamas, G., 1=17079
- Tzara, C. See Tamas, G., 1=17080
- Tzoar, N. and Klein, A. Absorption of electromagnetic radiation by an electron gas, 1=19750
- Tzou, K.H. A model for leptons. The electron-muon and neutrino fields, 1=4783
- Tzou, K.H. A model for leptons. Electromagnetic and weak interactions, 1=4784
- Tzou, K.H. Intrinsic symmetry properties compared with inversion groups in particle theory, and the relation between spin and statistics, 1=13299
- Tzou, K.H. A theory for leptons, 1=13300
- Tzou, K.H. Transformation groups and proper states in neutrino theory, 1=16749
- Tzou, K.H. On C and P invariance of a fermion, 1=18309
- Tzou, K.H. Regular normalization of spin- $\frac{1}{2}$  plane waves under inversion operations, 1=19101
- Tzu, H.Y. See Efremov, A.V., 1=5679
- Tzu Hung-yuan. See Chzhu Khun-yuan', 1=19252
- Uaingard, V. Comments on the paper by Aleksandrov, Berkin, Lifshits and Stepanova, 1=12620
- Ubbelohde, A.R. See Blackman, L.C.F., 1=1014
- Ubbelohde, A.R. See Blackman, L.C.F., 1=1015
- Ubbelohde, A.R. See Blackman, L.C.F., 1=1016
- Ubbelohde, A.R. See Blackman, L.C.F., 1=16163
- Ubbelohde, A.R. See Blackman, L.C., 1=17525
- Ubbelohde, A.R. See Buckle, E.R., 1=8266
- Ubbelohde, A.R. See Buckle, E.R., 1=16177
- Ubbelohde, A.R. See Cleaver, B., 1=16175
- Ubbelohde, A.R. See Hudson, G.H., 1=19675
- Ubbelohde, A.R. See McCoubrey, J.C., 1=19676
- Ubbelohde, A.R. See McLaughlin, E., 1=15844
- Überall, H. Shell model calculations of the hyperfine effect in  $\mu$ -meson capture, 1=3528
- Überall, H. Neutron absorption by control rods of varying transparency, 1=13888
- Uchaikina, R.F. See Chechernikov, V.I., 1=10172
- Uchida, E., Kondoh, H., Nakazumi, Y. and Nagamiya, T. Magnetic anisotropy measurement of MnO single crystal, 1=9045
- Uchida, I. Infrared radiation from silicon grown junction, 1=1094
- Uchida, J. On the evolution of massive stars, 1=9279
- Uchida, J. On the evolution of massive stars, 1=18109
- Uchida, T. See Ohkura, H., 1=17572
- Uchida, Y. On the exciters of type II and type III solar radio bursts, 1=15554
- Uchida, Y. See Fukuda, D., 1=10102
- Uchida, Y. See Fukuda, K., 1=10104
- Uchida, Y. See Fukuda, K., 1=20221
- Uchida, Y. See Kato, R., 1=14591
- Uchida, Y. See Kato, R., 1=19980
- Uchiyama, S. See Lin, T.H., 1=14875
- Uchiyama, Y. Influence of interelectronic collision on Hall-mobility in non-polar semiconductor, 1=14415
- Uchytlová, A. See Eckstein, J., 1=9120
- Udagawa, T. See Tamura, T., 1=16958
- Udal'tsov, V.A. See Kuz'min, A.D., 1=15567
- Udgaonkar, B.M. See Singh, V., 1=12107
- Uebersfeld, J. See Jung, P., 1=19048
- Uebersfeld, J. See Lomaglio, G., 1=20210
- Uebersfeld, J. See Motchane, J.L., 1=153
- Uebersfeld, J. See Motchane, J.L., 1=1272
- Uebersfeld, J. See Motchane, J.L., 1=779
- Uebersfeld, J. See Motchane, J.L., 1=7813
- Uebersfeld, J. See Motchane, J.L., 1=16972
- Uebersfeld, J. See Theobald, J.G., 1=13191
- Uebersfeld, J. See Theobald, J.G., 1=14785
- Uebersfeld, J. See Theobald, J.G., 1=16598
- Uebersfeld, J. See Theobald, J.G., 1=16599
- Ueda, A. On the structure of extensive air showers. II, 1=10942
- Ueda, A. and McCusker, C.B.A. Characteristics of high-energy nuclear interactions at and above  $10^{14}$  eV, 1=13561
- Ueda, A. See Fukuda, H., 1=3297
- Ueda, H. Resistivity striations in germanium single crystals, 1=12379
- Ueda, H., Kuri, Z. and Shida, S. Electron spin resonance studies of gamma-irradiated single crystals of sucrose, 1=20230
- Ueda, H. See Kuri, Z., 1=6056
- Ueda, I. The crystal structure of chloranil and bromanil, 1=15111
- Ueda, S. The pair correlation function of an imperfect electron gas in high densities, 1=17482
- Ueda, T. and Sawamura, M. The electric polarizability of the neutron, 1=10887
- Ueda, T. See Kusmoto, H., 1=12317
- Ueda, T. See Sawada, S., 1=13474
- Ueda, T. See Sawada, S., 1=16885
- Ueda, Y. See Ishida, K., 1=3212
- Uehara, M. The hyperon and nucleon interactions. I. Potentials, 1=9769
- Uehara, Y. The quantitative interpretation of luminescent properties of Cu-activated calcium orthophosphate, 1=9000
- Uehara, Y., Kobuke, Y., Masuda, I. and Kushida, T. Lead- and manganese-activated calcium cadmium silicate phosphors, 1=6226
- Uei, I. See Okuda, S., 1=18337
- Ueno, H. See Sekido, Y., 1=2141
- Ueno, S. The probabilistic method for problems of radiative transfer. X. Diffuse reflection and transmission in a finite inhomogeneous atmosphere, 1=2719
- Ueno, S. On the principle of invariance in a semi-infinite inhomogeneous atmosphere, 1=10454
- Ueno, S. The S- and T-functions of S.Chandrasekhar, 1=15515
- Ueno, S. On the diffusion matrix of radiative transfer, 1=18326
- Ueno, Y. See Nariai, H., 1=2592
- Ueno, Y. See Nariai, H., 1=10413
- Ueno, Y. See Nariai, H., 1=10414
- Ueta, M. Survey of experiments on the exciton, 1=945
- Ueta, M. and Hirai, M. Exciton-induced photoconductivity of U centres in KCl crystals, 1=10019
- Ueta, M., Hirai, M. and Ikezawa, M. Interaction of exciton with electron trapping centers in alkali halide crystals. III. Exciton induced photoconductivity of U center, 1=14340
- Ueta, M., Hirai, M. and Watanabe, H. Interaction of exciton with electron trapping centers in alkali halide crystals. II. Quantum yield for the U $\rightarrow$ F conversion and its dependence on U-center concentration, 1=8917
- Ueta, M. See Hirai, M., 1=17574
- Uflyand, Ya.S. Some cases of non-stationary flow of a conducting fluid in an annular tube, 1=4702
- Uflyand, Ya.S. Steady flow of an electrically conducting liquid in a rectangular channel in the presence of a transverse magnetic field, 1=4705
- Uflyand, Ya.S. Hartmann's problem for a circular tube, 1=4706
- Ugai, Ya.A. See Kapshukov, I.I., 1=11387
- Ugarov, V.A. See Gershman, B.N., 1=12694
- Ugrin-Sparac, D. Design of large permanent magnets with rotationally symmetrical poles, 1=18978
- Uhlenbeck, G.E. Successive approximation methods in classical statistical mechanics, 1=5203
- Uhlenbusch, J. and Fischer, E. Hydromagnetic flow in the circular-cylindrical tube, 1=18996
- Uhler, J. See Brown, F., 1=10991
- Uhler, J. See Forsling, W., 1=19386
- Uhler, U. and Åkerlind, L. Rotational analysis of the blue-green and orange systems of yttrium oxide, 1=19634
- Uhlhorn, U. On statistical mechanics of non-equilibrium phenomena, 1=9330
- Uhlhorn, U. Macroscopic observables and generalized canonical ensembles, 1=9331
- Uhlhorn, U. On the foundations of the linear theory of irreversible processes. I, 1=9332



- Uhlhorn, U. On the foundations of the linear theory of irreversible processes. II, 1=9333
- Uhlhorn, U. Statistical mechanical approach to non-equilibrium thermodynamics, 1=9334
- Uhlhorn, U. Onsager's reciprocal relations for non-linear systems, 1=9335
- Uhlmann, A. Localization of energy in general relativity, 1=8046
- Uhlmann, A. Spectral integral for the representation of the space-time translation groups in relativistic quantum theory, 1=11704
- Uhlmann, A. A class of dynamical quantities, 1=18249
- Uhr, L. and Vossler, C. Recognition of speech by a computer program that was written to simulate a model for human visual pattern perception, 1=15377
- Uhrig, R.E. Material buckling measurements in a subcritical assembly, 1=779
- Ui, H. See Honda, T., 1=13838
- Ui, H. See Honda, T., 1=13839
- Ulbrich, C.W. Exact electric analogy to the vorticity hypothesis, 1=15008
- Úlehla, I. Meson scattering on nucleons. I, 1=13485
- Ulehla, I. See Smrž, P., 1=13392
- Ullah, R. See Chaudhri, R.M., 1=389
- Ullman, F.G. Electroluminescence of gallium phosphide crystals, 1=10122
- Ullman, F.G. and Dropkin, J.J. Infrared enhancement and quenching of photoconduction in single crystals of ZnS:Cu, 1=6182
- Ullman, J.D., Frauenfelder, H., Lipkin, H.J. and Rossi, A. Determination of electron and positron helicity with Möller and Bhabha scattering, 1=7229
- Ullman, R. and Muzyka, A. Intrinsic viscosity of stiff chains, 1=10476
- Ulmanis, U. Angular distribution of reflected gamma-radiation, 1=2027
- Ulmanis, U. See Dubinskaya, N., 1=3155
- Ulmanis, U. See Dubinskaya, N., 1=5701
- Ulmer, H.E. See Johns, I.B., 1=20398
- Ulmer, K. On the determination of Planck's constant from the short-wavelength limit of the X-ray spectrum, 1=14623
- Ulrich, P.B. See dePackh, D.C., 1=5494
- Ulwick, J.C. See Pfister, W., 1=20962
- Ulyanov, K.N. See Biberman, L.M., 1=19598
- Uman, M.A. Comparison of two theoretical approaches to electron behaviour in A-CO<sub>2</sub>, A-N<sub>2</sub>, A-H<sub>2</sub>, and A-CO gas mixtures, 1=11911
- Uman, M.A. and Warfield, G. Theoretical study of the electron drift velocity in binary gas mixtures with applications to A-CO<sub>2</sub> and A-N<sub>2</sub> mixtures, 1=177
- Umanskii, M.M., Zubenko, V.V. and Zolina, Z.K. The question of the precision measurements of lattice parameters. (determination of the tungsten parameter), 1=11554
- Umanskii, M.M. See Zevin, L.S., 1=20469
- Umanskii, Ya. See Kagan, A.S., 1=12629
- Umanskii, Ya.S. See Kagan, A.S., 1=15139
- Umanskii, Ya.S. See Kalikhman, V.L., 1=15117
- Umebayashi, H. See Wada, Y., 1=12578
- Umeda, J. Electrical properties of Sb-doped n-type SnSe, 1=17761
- Umeda, K., Tomishima, Y. and Kawabata, C. The inverse solution of the TFD equation, 1=13915
- Umemura, I. The effect of  $\pi^2$  term in the S-wave  $\pi$ -N scattering, 1=9762
- Umetskii, V.N. See Gelfreich, G.B., 1=6733
- Umezawa, H. and Kamefuchi, S. Equivalence theorems and renormalization problem in vector field theory (the Yang-Mills field with non-vanishing masses), 1=5633
- Umezawa, H. and Visconti, A. A new majorana field theory, 1=5625
- Umezawa, H. See Calaniello, E.R., 1=12808
- Umezawa, H. See Ohnuki, Y., 1=3130
- Umezawa, H. See Visconti, A., 1=9717
- Umezawa, M. Competition between the pairing force and the spin-orbit force in V<sup>51</sup>, 1=5812
- Umezawa, M. Pairings in the shell model. II, 1=13602
- Umezawa, M. Pairings in the shell model, III, 1=19333
- Umreiko, D.S. See Volod'ko, L.V., 1=4344
- Umreiko, D.S. See Volod'ko, L.V., 1=10514
- Unangst, D. The magnetic domain structure of thin monocrystalline layers of iron, 1=7754
- Underwood, E.E. Strength, stability, and the equicohesive point, 1=20375
- Ungar, E.E. Transmission of plate flexural waves through reinforcing beams; dynamic stress concentrations, 1=8176
- Unger, H.J. See Blau, E.J., 1=7715
- Unger, K. A reaction-kinetic evaluation process for glow curves, without limiting assumptions about the spectrum due to traps, and its application to CdS and ZnS, 1=6244
- Unno, W. A theory for non-grey atmospheres. II, 1=15513
- Unno, W., Kato, S. and Makita, M. Convective instability in polytropic atmospheres. I, 1=15510
- Unno, W. and Yamashita, Y. A theory for non-grey atmospheres, 1=15512
- Unno, W. See Kato, S., 1=15511
- Unruh, H., Jr and Milford, F.J. Spin-wave contribution to specific heat and magnetization in canted spin arrays, 1=12509
- Unruh, H.G. See Muser, H.E., 1=10079
- Unruh, W. See Culvahouse, J.W., 1=6260
- Unseren, E. and Wiig, E.O. Excitation functions of the (p,2p6n) and (p,3p5n) reactions for 60, 100, 150 and 240 MeV protons on enriched zirconium-90, 1=9864
- Unsöld, A. The heating of the chromosphere through the dissipation energy of turbulent flow, 1=18101
- Unterleitner, F. See Brock, E.G., 1=12489
- Uny, C. See Savelli, M., 1=11406
- Unz, H. The magneto-ionic theory for drifting plasma, 1=5599
- Unz, H. On the uniqueness theorem for electromagnetic fields, 1=8374
- Unz, H. On the evaluation of the group refractive index in case of no collisions, 1=16586
- Unz, H. The effect of small values of  $Z = v/\omega$  on the complex refractive index in the magneto-ionic theory, 1=20906
- Unz, H. A solution of the integral equation  $h'(f) = \int \mu'(f; f_0) dz(f_0)$ , 1=20932
- Unz, H. On vertical drift velocities of the F2-layer, 1=21000
- Uo, K. The confinement of plasma by the heliotron magnetic field, 1=16334
- Uoska, R. See Tar'yan, I., 1=11326
- Uotila, U.A. Investigations on the gravity field and shape of the earth, 1=1499
- Upgren, A.R., Jr. A list of relatively cool stars in the vicinity of the north galactic pole, 1=1652
- Uphoff, H.L. and Healy, J.H. Semiconducting properties of inorganic amorphous materials, 1=7644
- Urazkov, É.I. See Granovskii, V.L., 1=295
- Urban, P. Bremsstrahlung in the second Born approximation, 1=478
- Urban, P. and Zingl, H. Scattering of fast electrons, 1=13393
- Urbanec, J., Kajfosz, J. and Kopecký, J. The radiative capture of a neutron by Sc, Fe, Cu, Mo, Cd and La nuclei, 1=7392
- Urbanec, J., Kajfosz, J. and Kopecký, J. Double cascade transitions of gamma rays from radiative capture on Co<sup>59</sup>, 1=17121
- Urbanik, K. See Ingarden, R.S., 1=15393
- Urbanowski, W. Small deformations superposed on finite deformations of a curvilinearly orthotropic body, 1=96
- Uretsky, J.L. s-wave pion-nucleon scattering, 1=12106
- Uretsky, J.L. and Palfrey, T.R., Jr., Photoproduction and detection of the two-meson bound state, 1=5757
- Uretsky, J.L. See Tubis, A., 1=497
- Urey, H.C. On possible parent substances for the C<sub>2</sub> molecules observed in the Alphonsus crater, 1=11674
- Uria, C. See Escobar, V.I., 1=7306
- Urin, M.G. Effect of superfluidity of heavy nuclei on single-particle electromagnetic transitions and  $\beta$ -decay, 1=4845
- Urin, M.G. See Zaretskii, D.F., 1=19360
- Urizar, M.J., James, E., Jr. and Smith, L.C. Detonation velocity of pressed T.N.T., 1=4099
- Urlau, R.R., Logie, H.J. and Nabarro, F.R.N. Energy levels in the forbidden gap of insulating diamonds, 1=14210
- Urmey, C.W., Jr. See Weiss, H.G., 1=9376
- Urosević, V.V. See Bek-Uzarov, D.N., 1=13723
- Urosovskaya, A.A. See Klassen-Neklyudova, M.V., 1=14874
- Ursell, F. The transmission of surface waves under surface obstacles, 1=15812
- Ursell, H.D. See Roberts, P.H., 1=2710
- Ursu, I. The variation in the viscosity of certain mixtures of gases and oxygen under the influence of a magnetic field, 1=158

- Ursu, I. Paramagnetic effects due to the viscous flow of mixtures of gas and oxygen, in a magnetic field, and their use in the analysis of gases, 1=5297
- Ursu, I. See Mercea, V., 1=1760
- Ursu, I. See Mercea, V., 1=4364
- Ursu, I. See Mercea, V., 1=6572
- Ursul, D.A. See Dekhtyar, I.Ya., 1=15128
- Ursul, D.A. See Lisnyk, A.H., 1=14354
- Urushadze, G.I. Relaxation of the magnetic moment in an antiferromagnetic dielectric, 1=3926
- Urushadze, G.I. See Bar'yakhtar, V.G., 1=3884
- Urusovskaya, A.A. and Stepanova, V.M. Plastic deformation of Zn monocrystals under conditions preventing basal slip. II. Dislocation distribution in specimens, the direction of compression of which lies in the basal plane, 1=14880
- Urusovskaya, A.A. See Stepanova, V.M., 1=14961
- Urusovskaya, A.A. See Regel', V.R., 1=17539
- Uryu, N. On the paramagnetic susceptibility of  $\text{Sm}^{+2}$  ion, 1=12518
- Usachev, Yu.D. "Scalar" form of the Dirac equation and calculation of the matrix elements for reactions with polarized Dirac particles, 1=16673
- Usagin, S.I. See Erofeev, V.I., 1=4231
- Usami, S. See Funatogawa, Z., 1=2484
- Ushatski, V.N. See Protopenov, A.N., 1=743
- Usik, P.A. and Rus'kin, V.I. Peripheral  $\pi$ - $\pi$  interactions between high-energy nucleons, 1=16868
- Usik, P.A. See Lazareva, T.P., 1=3259
- Usiskin, C.M. and Sparrow, E.M. Thermal radiation between parallel plates separated by an absorbing-emitting non-isothermal gas, 1=16148
- Usner, A. See Grundl, J., 1=17219
- Usova, I.N. The accuracy of absolute measurements of the intensity of a beam of [high-energy] photons from a synchrotron target by means of ionization chambers, 1=5708
- Usova, I.N. Application of sector ionization chambers to the absolute measurement of the intensity of high-energy gamma-radiation, 1=13378
- Ustinova, G.K. Investigation of threshold anomalies in the cross-sections for Compton scattering and photoproduction of  $\pi^0$ -mesons, 1=16853
- Ust'yanov, V.I. See Konozenko, I.D., 1=19903
- Ustyugov, P.A. See Belenkova, M.M., 1=10214
- Usui, T. Excitations in a high density electron gas. I. 1=3641
- Usui, T. See Fujita, E., 1=3642
- Utevkii, L.M. See Orlov, L.G., 1=19785
- Utevkii, L.M. See Orlov, L.G., 1=20702
- Utlaut, W.F. See Gallet, R.M., 1=20898
- Utterback, N.G. and Miller, G.H. Fast molecular nitrogen beam, 1=17383
- Utyanskaya, E.Z. See Byistrov, V.F., 1=11127
- Uvarov, V.A. See Grigor'ev, B.A., 1=12969
- Uvarov, V.A. See Grigor'ev, B.A., 1=18564
- Uyeda, H., Saburi, Y. and Iwasaki, H. Effect of the solar activity on the earth's rotation, 1=18027
- Uyeda, R. See Kamiya, Y., 1=12387
- Uyeda, R. See Kamiya, Y., 1=15045
- Uyeda, R. See Kamiya, Y., 1=20429
- Vacek, K. A note on the decay kinetics of luminescence of AgCl single crystals, 1=3864
- Vacek, K. Luminescence decay in AgCl crystals, 1=14634
- Vacek, K. Remark on the process of luminescence in AgCl single crystals, 1=20009
- Vacek, K. and Ringeissen, J. Luminescence of pure and doped crystals of AgCl at low temperatures, 1=20010
- Vachaspati. Invariance of wave equations of massless particles of spin half. I. Four component equation, 1=13314
- Vachaspati. Invariance of wave equations of massless particles of spin half. II. Two component equation, 1=13315
- Vachaspati. Maxwell equations in the form of two-component equations, 1=16500
- Vachaspati. On the impossibility of non-linear transformations of scalar massless wave equation, 1=18271
- Vachaspati and Ball, L.M. Definition of uniform acceleration and its conformal invariance, 1=15623
- Vachaspati, and Jauhari, M. Possible transformations of real massless scalar wave equation of second order, 1=13313
- Vaciago, A., Cabrini, A. and Mariani, C. The molecular structure of bis (N,N-diethyldithiocarbamate)-nickel (II), 1=17372
- Vaciago, A., Gramaccioli, C. and Pullia, A. Crystal and molecular structure of bis (N,N-Diethyldithiocarbamate)-Copper (II), 1=20568
- Vager, Z. See Goldring, G., 1=13790
- Vagner, S.D. See Vavilin, E.I., 1=5431
- Vagner-Dewulf, G., Vincent-Geisse, J. and Nguyen Tan Tai. Transmission and dispersion of certain glasses in the infrared, 1=18579
- Vaidanich, V.I. See Dudkin, L.D., 1=3769
- Vaidyanathan, V.S. See Bearman, R.J., 1=4328
- Vaidya, P.C. Unified gravitational and electromagnetic waves, 1=11701
- Vaidya, P.C. and Pandya, I.M. Axially symmetric fields of pure radiation in the general theory of relativity, 1=15652
- Vaidya, P.C. and Shah, K.B. A relativistic model for a shell of flowing radiation in a homogeneous universe, 1=10412
- Vail, C.R. See Lucas, M.S.P., 1=6688
- Vaillant, J. The discontinuities of the curvature tensor in the Einstein-Schrodinger theory, 1=15622
- Vainshtein, B.K. Antisymmetry of transformation of Fourier forms, 1=4035
- Vainshtein, B.K. Symmetry of chain molecules, 1=14137
- Vainshtein, E.E., Kotlyar, B.I. and Ovrutskaya, R.M. Investigation of the fine structure of the X-ray K-absorption edges of manganese in MnTe in the range of temperatures of the antiferro-magnetic transformation, 1=6218
- Vainshtein, E.E., Zhurakovskii, E.A., Neshpor, V.S. and Samsonov, G.V. Fine structure in the X-ray absorption K-spectra and the Hall effect in the silicides of vanadium, 1=2449
- Vainshtein, L.A. Current waves in a thin cylindrical conductor. III. Variational method and its application to the theory of ideal conductors and of conductors with impedance, 1=5583
- Vainshtein, L.A. Current waves in a thin cylindrical conductor. III. Variational method and its application to the theory of ideal conductors and of conductors with impedance, 1=11897
- Vainshtein, L.A. Current waves in a thin cylindrical conductor. IV. Aerial input impedance and the accuracy of formulae, 1=5584
- Vainshtein, L.A. Current waves in a thin cylindrical conductor. IV. Aerial input impedance and the accuracy of formulae, 1=11898
- Vainshtein, L.A. and Sobel'man, I.I. Deduction of the radial equations for collisions between electrons and atoms, 1=3517
- Vaisenberg, A.O. Determination of the hyperfine splitting energy of the  $1s$  muonium state, 1=19616
- Vaisenberg, A.O., Kolganova, E.D. and Minervina, Z.V. Angular distribution of  $\mu$ -mesons in  $\pi$ - $\mu$  decay, 1=19228
- Vaisenberg, A.O., Kolganova, E.D. and Smirnitkii, V.A. The study of the asymmetry in the decay of negative muons in a nuclear emulsion, 1=19223
- Vaisenberg, A.O., Smirnitkii, V.A. and Kolganova, E.D. Investigation of the spectrum and asymmetry of electrons from the  $\pi$ - $\mu$ -e decay in nuclear emulsion, 1=16839
- Vaisenberg, O.A. New experimental data on  $\pi$ - and  $\mu$ -meson decays, 1=3204
- Vaisfel'd, N.M. See Shelyubskii, V.E., 1=20716
- Vakhnin, V.M. and Skuridin, G.A. On a possible mechanism for the capture of charged particles in a magnetic field, 1=4699
- Vakhnin, V.M. and Skuridin, G.A. On a possible mechanism for the capture of charged particles in a magnetic field, 1=10339
- Vakhovskaya, M.R. See Kreimer, G.S., 1=6468
- Vaks, V.G. The asymptotic form of the vertex part in electrodynamics, 1=19095
- Vaks, V.G. Branching of the electron and photon Green's functions, 1=19096
- Vaks, V.G. Electrodynamics of a zero mass spinor particle, 1=19106
- Vaks, V.G. and Larkin, A.I. The particle mass in the one-dimensional model with four-fermion coupling, 1=19107



- Vakulov, P.V. See Vernov, S.N., 1=4815  
 Vakulov, P.V. See Vernov, S.N., 1=5797  
 Vakulov, P.V. See Vernov, S.N., 1=10939  
 Valatin, J.G. Generalized Hartree-Fock method, 1=8070  
 Valatin, J.G. See Chan Hong-Mo., 1=5217  
 Valatin, J.G. See Mottelson, B.R., 1=2158  
 Valatin, J.G. See Thouless, D.J., 1=2157  
 Valdman, H. Preparation and study of high-efficiency silicon solar batteries, 1=7663  
 Valdré, U. See Cevolani, M., 1=16445  
 Valentin, P. Comparison of two methods of measuring the electrical conductivity of ionized air in a shock tube, 1=6910  
 Valentin, P. Convection with chemical reaction, 1=15190  
 Valentin, P. Electrical conductivity of air ionized by shock waves, 1=16276  
 Valentini, G. On a Schrödinger equation for a radiating electron, 1=11707  
 Valeriu, A. The maximum admissible radial decrease of the magnetic field in the cyclotron, 1=345  
 Valeriu, A. See Teodescu, I., 1=16454  
 Vali, V. and Turner, T.E. Attenuation of a moving magnetic field in a shock tube, 1=3050  
 Valiev, K.A. Magnetic resonance in ionic crystals of nuclei of iron group element atoms, 1=3946  
 Valiev, K.A. and Zariyov, M.M. On the theory of spin-lattice relaxation in liquid solutions of electrolytes, 1=18435  
 Valin, J. See Koch, L., 1=3253  
 Valin, J. See Koch, L., 1=5614  
 Valin, J. See Koch, L., 1=8946  
 Valk, H.S. See Malenka, B.J., 1=7215  
 Valk, H.S. See Malenka, B.J., 1=7278  
 Valladas, G. See Brisson, J.C., 1=5770  
 Valladas, G. See Falk-Vairant, P., 1=16865  
 Vallauri, M.E. See Boato, G., 1=8262  
 Vallauri, M.E. See Boato, G., 1=15211  
 Valli, K. See Ask, L., 1=18064  
 Val'ter, A.K., Klyucharev, A.P. and Skakun, N.A. Proton polarimeters with reduced sensitivity to neutron and gamma backgrounds, 1=13420  
 Valter, A.K., Vatsset, P.I., Kolesnikov, L.Ya., Tonapetyan, S.G., Chernyavskii, K.K. and Shpetnyi, A.I. Neutron yield for the reaction between tritons and fluorine and aluminium nuclei, 1=19536  
 Val'ter, A.K., Zaliubovskii, I.I., Kliutcharev, A.P., Pasetchnik, M.V., Pucherov, N.N. and Tchirko, V.I. Elastic scattering of 6.8 MeV protons against isotopes of chromium, nickel and copper, 1=8706  
 Val'ter, A.K., Zalyubovs'kij, I.I., Klucharyev, O.P. and Lutzýk, V.P. Energy levels of  $Zn^{65}$ , 1=13663  
 Val'ter, A.K., Zalyubovs'kij, I.I., Klyucharyev, O.P., Pasichnyk, M.V., Pucherov, M.M. and Chýrko, V.I. Elastic scattering of 6.8 MeV protons on chromium, nickel and copper nuclei, 1=19455  
 Val'ter, A.K., Zalyubovs'kij, I.I., Krývets' G.E. and Lutzýk, V.P. Isomeric states of odd-odd nuclei from the point of view of a collective model, 1=13649  
 Val'ter, K., Zalyubovs'kij, I.I. and Lutzýk, V.P. Collective model description of ground states of medium nuclei, 1=13616  
 Valuev, B.N. Coulomb excitation of  $\Lambda$ -particles, 1=19275  
 Valuev, B.N. and Geshkenbein, B.V. On the determination of the relative parity of  $\Sigma^0$  and  $\Lambda$  particles from the reaction  $\Sigma^0 \rightarrow \Lambda + e^+ + e^-$ , 1=19280  
 Van Bao-Kun'. See Arsen'eva-Geil', A.N., 1=13107  
 Van Bao-Kun'. See Arsen'eva-Geil', A.H., 1=16380  
 Van Gan-chan [Wang Kang-ch'ang], Van Tsu-tsen [Wang Ts'u-tseng], Veksler, V.I., Vrana, I., Din Da-tsao [Ting Ta-ts'ao], Ivanov, V.G., Kim Khi in, Kladnitskaya, E.N., Kuznetsov, A.A., Nguyen Dinh Ty, Nikitin, A.V., Solov'iev, M.I., Khofmoki', T. and Chen Lin-yan' [Ch'eng Ling-yen]. Parity non-conservation in strong interactions involving strange particles, 1=2099  
 Van Gan-chan [Wang Kang-Ch'ang], Van Tsu-tsen [Wang Ts'u-tseng], Veksler, V.I., Vrana, I., Din Da-Tsao [Ting Ta-Ts'ao], Ivanov, V.G., Kladnitskaya, E.N., Kuznetsov, A.A., Nguyen Dinh Ty [Nyugen Dinh Tu], Nikitin, A.V., Solov'ev, M.I. and Chen Lin-Yan' [Ch'eng Ling-Yen]. Production of  $\Lambda^0(\Sigma^0)$  hyperons and  $K^0$  mesons in  $\pi p$  interactions at  $6.8 \pm 0.6$  BeV/c, 1=16902  
 Van Gan-chan [Wang Kang-ch'ang] Van Tsu-tsen [Wang Ts'u-tseng], Viryasov, N.M., Din Da-tsao [Ting Ta-ts'ao], Kim Khi in., Kladnitskaya, E.N., Kuznetsov, A.A., Mikhail, A., Nguyen Dinh Tu., Nikitin, A.V. and Solov'ev, M.I. Production of  $\Xi^-$  hyperons by 7 and 8 BeV/c  $\pi^-$  mesons, 1=19284  
 Van I-tsyu [Wang I-ch'iu]. Chemical shifts of the nuclear magnetic resonance signals of fluorine in ionic crystals, 1=7798  
 Van I-tsyu [Wang I-ch'iu]. Chemical shifts of the nuclear magnetic resonance signals for fluorine in ionic crystals, 1=10191  
 Van I-tsyu [Wang I-ch'iu] and Skripov, F.I. The concentration dependence of the magnetic screening of the  $F^{19}$  nucleus in the systems  $KHF_2-H_2O$  and  $KHF_2-KF-H_2O$ , 1=6874  
 Van I-tsyu [Wang I-ch'iu] and Skripov, F.I. The concentration dependence of the magnetic screening of the  $F^{19}$  nucleus in the systems  $KHF_2-H_2O$  and  $KHF_2-KF_2-H_2O$ , 1=10523  
 Van Shu-fen [Wang Shu-fen], Vishki, T., Gramenitskii, I.M., Grishin, V.G., Dalkhazhav, N., Lebedev, R.M., Nomoflov, A.A., Podgoretskii, M.I. and Stel'tsov, V.N. Inelastic interactions between 9 BeV protons and nucleons, 1=19182  
 Van Shu-Fen. See Barashenkov, V.S., 1=3441  
 Van Shu-fen. See Belyakov, V.A., 1=19244  
 Van Tsu-tsen. See Van Gan-chan., 1=2099  
 Van Tsu-Tszen. See Van Gan-Chan., 1=16902  
 Van Tsu-tsen. See Van Gan-chan., 1=19284  
 Van Yan'-ven. See Shaskol'skaya, M.P., 1=11215  
 Van Yan'-ven'. See Shaskol'skaya, M.P., 1=12391  
 Van Yué-chzhu [Wang Yüeh-chu]. On the problem of narrowing hyperfine lines in the vapours of alkali elements, 1=17263  
 Van Yun-yui [Wang Yung-Yü], Kuznetsov, V.V., Kuznetsova, M.Ya., Mekhedov, V.N. and Khalkin, V.A. Investigation of secondary capture of lithium nuclei by lead, 1=3461  
 Van Yun-yui. See Grigor'ev, E.P., 1=10975  
 Van Zhun [Wang Jung], Fisher, Ya [Fischer, J.], Chulli, I. [Ciulli, I.] and Chulli, S. [Ciulli, S.]. Photoproduction of neutrino-antineutrino pairs on electrons, 1=16751  
 van Abkoude, E.R. See Bleichrodt, J.F., 1=20873  
 van Acker, J. See Septier, A., 1=3014  
 Van Allen, J.A. The geomagnetically trapped corpuscular radiation, 1=7945  
 Van Allen, J.A. Corpuscular radiations in space, 1=21080  
 Van Allen, J.A. See O'Brien, B.J., 1=15308  
 Van Arkel, A.E. See Cossee, P., 1=20056  
 Van Atta, C.M. See Hubbard, E.L., 1=10749  
 van Beek, A.M.K. and André, G.O. The polarization of protons  $Be^{10}$  and  $Li^{10}$  for 1.63 MeV deuterons, 1=8765  
 Van Biesbroeck, G. Comet observations, 1=5139  
 Van Biesbroeck, G. Orbit of comet 1948 I (bester), 1=18051  
 Van Biesbroeck, G. A search for stars of low luminosity, 1=18104  
 Van Bladel, C. See Dattilo, J.A., 1=1974  
 Van Bladel, J. Fields excited by beam currents in circular accelerators, 1=5510  
 Van Bladel, J. Magnetostatic fields at an iron-air boundary, 1=16489  
 Van Bladel, J. See Cristal, E.G., 1=13137  
 Van Bladel, J. See Edwards, T.W., 1=16233  
 van Bommel, A.J. See Braun, P.B., 1=7859  
 van Bueren, H.G. The flow stress of germanium crystals, 1=14896  
 Van Buskirk, L.F. and Hendrix, C.E. The zone plate as a radio-frequency focusing element, 1=16575  
 Van Cakenberghe, J. See Jung, P., 1=19048  
 van Camp, K., Dorikens, M. and Dorikens-Vanpraet, L. Discrimination between  $\alpha$ -tracks and  $\gamma$ -background in Ilford nuclear emulsions, 1=9710  
 Vance, H.G. See Gjone, E., 1=15365  
 Vancour, R.P. See Pfister, W., 1=20862  
 van Daal, H.J., Greebe, C.A.A.J., Knippenberg, W.F. and Vink, H.J. Investigations on silicon carbide, 1=17716  
 van Dael, W. See van Iiterbeek, A., 1=140  
 Van Dael, W. See Van Iiterbeek, A., 1=8117  
 Vandakurov, Yu.V. The stability of a thin ring-shaped plasma conductor in a magnetic field. II, 1=4614  
 van Damme, K.J. See Bülgel, B., 1=9065  
 Van de Graaff, R.J. Tandem electrostatic accelerators, 1=5509

- van de Hulst, H.C. Concluding lecture. [Part III — Galactic and extragalactic sources], 1=18210
- van de Hulst, H.C. See Volders, L., 1=18123
- Vandekerckhove, E. Combined Schmidt telescopes, 1=2587
- Vandenbelt, J.M. Holmium filter for checking the wavelength scale of recording spectrophotometers, 1=10591
- van den Berg, G.J. See Franken, B., 1=7622
- van den Berg, G.J. See Knook, B., 1=7615
- van den Bergh, S. The clustering of galaxies, 1=10392
- van den Bergh, S. An analysis of the radial velocities of galaxies in the virgo cluster, 1=12773
- van den Bergh, S. The luminosity function of star formation, 1=15520
- van den Beukel, A. Stored energy measurements on copper and nickel cold worked at liquid nitrogen temperature, 1=14906
- van den Bold, H.J. See Ricci, R.A., 1=8642
- Vandenbosch, R., Huizenga, J.R., Miller, W.F. and Keberle, E.M. Monte Carlo calculation of neutron evaporation; excitation energy dependence of nuclear level density, 1=16960
- Vandenbosch, R. See Haskin, L., 1=10973
- van den Broek, J. and Gorter, C.J. The antiferromagnetic susceptibility at moderate fields, 1=7771
- van den Broek, J., van der Marel, L.C. and Gorter, C.J. Paramagnetic relaxation in crystals of copper potassium chloride and chromium potassium alum at liquid helium temperatures, 1=14793
- van den Meijdenberg, C.J.N., Taconis, K.W. and de Bruyn Ouboter, R. The entropy of helium II under pressure from measurement on the fountain effect, 1=8278
- van den Meijdenberg, C.J.N., Taconis, K.W. and Le Pair, C. The influence of  $^3\text{He}$  on film flow, 1=8274
- van den Meijdenberg, C.J.N. See Matsuda, H., 1=8273
- van der Borgh, R. On the relation between luminosity distance and Doppler shift in relativistic cosmology, 1=4187
- Van der Borgh, R. The K-correction and "Stebbins-Whitford" correction in relativistic cosmology, 1=12738
- Van der Borgh, R. Counts of extragalactic radio sources, 1=18202
- van der Does de Bye, J.A.W. Signal-to-noise ratio of a p-n junction radiation counter, 1=16619
- Vanderhaeghe, G. See Cvijanovich, G., 1=16778
- van der Hoek, J.A., Lupinski, J.H. and Oosterhoff, L.J. Semiconductivity in organic molecular complexes, 1=17718
- van der Kaa, J.M. See Duchesne, J., 1=6129
- van der Kaa, J.M. See Van de Vorst, A., 1=9952
- van der Leeden, P. See Poulis, J.A., 1=14677
- van der Linden, J. and Mazur, P. On the canonical distribution in quantum statistical mechanics, 1=11709
- van der Lugt, W. and Poulis, N.J. Proton magnetic resonance in azurite  $[\text{Cu}_2(\text{CO}_3)_2(\text{OH})_2]$ , 1=1285
- van der Lugt, W. and Poulis, N.J. Magnetic phase transitions of cobalt chloride, 1=7733
- van der Lugt, W. and Poulis, N.J. The splitting of the nuclear magnetic resonance lines in vivianite, 1=20269
- van der Maesen, F. See Albers, W., 1=17760
- van der Marel, L.C. See van den Broek, J., 1=14793
- van der Pauw, L.J. Determination of resistivity tensor and hall tensor of anisotropic conductors, 1=14353
- van der Paay, H.B. See Dowell, J.D., 1=5724
- van der Raay, H.B. See Martelli, G., 1=16770
- van der Sande, G.A.F. See Loof, H.W., 1=11718
- Vanderslice, J.T. See Fallon, R.J., 1=3529
- Vanderslice, J.T. See Ho, L.T., 1=11785
- Vanderslice, J.T. See Ho, L.T., 1=11789
- Vanderslice, J.T. See Tobias, I., 1=2333
- Vanderslice, J.T. See Tobias, I., 1=19621
- van der Steeg, M.G. See Koch, A.J.J., 1=1235
- van der Toorn, L.J. Precipitation in gold-platinum alloys. II. Influence of the spinodal curve on the rate and the mechanism of the precipitation process, 1=1429
- van der Toorn, L.J. and Tiedema, T.J. Precipitation in gold-platinum alloys. I. Thermodynamics, 1=1428
- van der Valk, F. and de Vries, A.E. The thermal diffusion factor of helium, 1=8156
- Van der Velde, J.C. See Brown, J.L., 1=8515
- Vander Velde, J.C. See van Putten, J.D., 1=3091
- Vander Velde, J.C. See van Putten, J.D., 1=3224
- Vandervoort, P.O. The nonconstancy of the adiabatic invariants, 1=6794
- van der Waal, J. See Francken, J.C., 1=18492
- van der Waals, J.H. See de Groot, M.S., 1=14091
- van der Waerden, B.L. Secular terms and fluctuations in the motions of the sun and the moon, 1=6692
- van der Woude, A. Some new insight into the theory of nuclear fission, 1=19539
- van der Ziel, A. See Schwantes, R.C., 1=8348
- van der Ziel, A. See Schwantes, R.C., 1=8349
- van der Ziel, A. See Schwantes, R.C., 1=8350
- Van de Vorst, A., van der Kaa, J.M., Depireux, J., Duchesne, J. and Bertinchamps, A.J. Application of electron spin resonance to the study of free radicals produced by irradiation of deoxyribonucleic acid, 1=9952
- Van de Walle, R. See Derado, I., 1=5698
- Van de Walle, R.T. and Grosjean, C.C. On the theory of primary specific ionization in helium, 1=8305
- Van De Walle, R.T. See Grosjean, C.C., 1=9898
- van de Wiele, F. See Jacobs, G., 1=8990
- Van Dijk, H. The 1958 scale of temperatures for the liquid helium-4 region, 1=4519
- van Dijk, H., Durieux, M., Clement, J.R. and Logan, J.K. The "1958 He<sup>4</sup> scale of temperatures". II. Tables for the 1958 temperature scale, 1=16183
- van Dijk, J.J.T. See Michels, A., 1=18673
- van Doorn, C.Z. and Haven, Y. Anisotropic colour centres in KCl, 1=19815
- Van Eck, J. and Kistemaker, J. Charge exchange, ionization and electron loss cross-sections of Li ions and atoms of 5 to 22.5 keV in H<sub>2</sub> and He, 1=10675
- van Es, C.W., Gevers, M. and de Ronde, F.C. Waveguide equipment for 2 mm microwaves. I. Components, 1=7152
- van Es, C.W., Gevers, M. and de Ronde, F.C. Waveguide equipment for 2 mm microwaves. II. Measuring set-ups, 1=7153
- Vanetsian, R.A., Klucharev, A.P. and Fedchenko, E.D. 19.6 MeV differential proton elastic scattering cross-sections for some separated isotopes, 1=3445
- Vanetsian, R.A., Klyucharev, A.P., Timoshevskii, G.F. and Fedchenko, E.D. Calculation of the elastic scattering cross-sections for 5.45 MeV protons according to the optical model of the nucleus, 1=17093
- van Eysbergen, H.C. and Groen, J.J. The 2-ml coupler and the high frequency performance of hearing aids, 1=212
- Vangengeim, S.D. See Arkharov, V.I., 1=15115
- van Gerven, L., van Itterbeek, A. and Stals, L. Experimental arrangements for the measurement of paramagnetic relaxation and resonance, and of nuclear magnetic resonance in the Louvain laboratory for low temperatures. III. Nuclear paramagnetic resonance, 1=19050
- Van Gool, W. Fluorescence centres in ZnS, 1=20014
- van Haeringen, W. Infrared phenomena in quantum electrodynamics. I. The physical one-electron states in the infrared region, 1=5636
- van Haeringen, W. Infrared phenomena in quantum electrodynamics. II. Bremsstrahlung and Compton scattering, 1=5637
- Van Heel, A.C.S. Modern alignment devices, 1=18552
- Van Heerden, I.J. and Prowse, D.J. The scattering of alpha particles and deuterons by iodine-127, 1=2239
- van Heijningen, R.J.J. See Knobler, C.M., 1=8109
- van Herk, G. and van Woerkom, A.J.J. Problems in meridian astronomy, 1=5121
- van Houten, S. Thermal conductivity in  $\text{Li}_x\text{Ni}_{(1-x)}\text{O}$ , 1=7542
- Van Houten, S. Semiconduction in  $\text{Li}_x\text{Ni}_{(1-x)}\text{O}$ , 1=17751
- Van Hove, L. Two remarks on the theory of the Fermi gas, 1=5233
- van Hove, L. Lectures on statistical mechanics of non equilibrium phenomena, 1=15719
- van Hove, L. and Verboven, E. The generalized transport equation for an electron, a solution in a simple case, 1=8084
- Vanhuyse, V.J. and Barber, W.C. Photoprotons from carbon, 1=13770
- Vanhuyse, V.J. and Vanpraet, G.J. Nuclear resonant scattering of photons by the 1.01 MeV level of  $\text{Al}^{27}$ , 1=13761
- Vanhuyse, V.J. See Barber, W.C., 1=13771
- Van Itterbeek, A., Forrez, G., Smits, J. and Witters, J. Ferromagnetic resonance in permalloy films, 1=7777
- van Itterbeek, A., Grevendonk, W., van Dael, W. and Forrez, G. Sound velocity measurements in liquid argon under high pressure, 1=140
- van Itterbeek, A., Peelaers, W. and Steffens, F. The magnetic susceptibility of Ag-Mn and Cu-Mn solid solutions between 1.2°K and 368°K, 1=17933



- Van Itterbeek, A., Smits, J., Forrez, G. and Witters, J. Ferromagnetic resonance in an Fe-Ni alloy in the form of thin films, 1=14769
- Van Itterbeek, A., Van Dael, W. and Cops, A. Velocity of ultrasonic waves in liquid normal and para hydrogen, 1=8117
- van Itterbeek, A. and Verbeke, O. Density of liquid nitrogen and argon as a function of pressure and temperature, 1=8107
- van Itterbeek, A. See van Gerven, L., 1=19050
- van Itterbeek, J. See Thomaes, G., 1=138
- van Kampen, N.G. The definition of entropy in non-equilibrium states, 1=69
- van Kampen, N.G. Non-linear thermal fluctuations in a diode, 1=7094
- van Kampen, N.G. A power series expansion of the master equation, 1=7969
- van Kampen, N.G. Exact calculation of the fluctuation spectrum for a nonlinear model system, 1=10654
- van Kampen, N.G. Causality and the Kramers-Kronig relations, 1=15593
- van Kampen, N.G. The Fokker-Planck equation, 1=18320
- van Kampen, N.G. A simplified cluster expansion for the classical real gas, 1=18468
- van Kleef, T.A.M. Structure and Zeeman effect in the spectra of the osmium atom, Os I and Os II. IV-VI, 1=2293
- Van Kleef, T.A.M. and Klinkenberg, P.F.A. Spectral structure of neutral and ionized osmium, 1=8816
- van Kleef, T.A.M. See Klinkenberg, P.F.A., 1=5899
- Van Kleef, T.A.M. See Klinkenberg, P.F.A., 1=19590
- Van Kranendonk, J. See Poll, J.D., 1=2789
- Van Leeuwen, J.M.J. and Reiner, A.S. On the calculation of the t-matrix for potentials with a hard core, 1=8057
- van Leeuwen, J.M.J. See Cohen, E.G.D., 1=9347
- Van Lieshout, R. Remarks on some topics in nuclear spectroscopy, 1=16977
- van Lieshout, R., Ricci, R.A. and Girgis, R.K. Regularities in the branching ratios from the higher excited states of the even-even nuclei, 1=13641
- van Lieshout, R. See Ricci, R.A., 1=3412
- van Lieshout, R. See Ricci, R.A., 1=8642
- Van Lieshout, R. See Ythier, C., 1=2170
- Van Lieshout, R. See Ythier, C., 1=7319
- Van Lieshout, R. See Ythier, C., 1=13642
- Van Lieshout, R. See Ythier, C., 1=13747
- Van Lieshout, R. See Ythier, C., 1=13748
- van Lint, V.A.J., Schmitt, R.A. and Suffredini, C.S. Range of 2 to 60 keV recoil atoms in Cu, Ag, and Au, 1=4858
- van Loef, J.J. Activation cross sections for (n,p) reactions in some medium-weight nuclei with d + d neutrons, 1=8744
- Van Loef, J.J. See Mitrofanov, N., 1=2247
- Van Lohuizen, H.P.Th. See de Feiter, L.D., 1=10341
- van Loon, L.G. See Brisboud, F.A., 1=13562
- van Loon, L.G. See Brisboud, F.A., 1=16844
- van Ments, M. See Camplan, J., 1=13973
- Van Name, F.W., Jr and Koch, J.W. Angular correlation of beta-gamma coincidences in the Compton effect, 1=16728
- van Nooijen, B. See Gerholm, T.R., 1=9837
- van Nooijen, B. See Pettersson, B.G., 1=9838
- van Oers, W.T.H. A differential beam collector, 1=18948
- van Oers, W.T.H. and Brockman, K.W., Jr. Elastic scattering of 24.4 MeV deuterons by protons, 1=3246
- van Oostrum, K.J., Hazewindus, N., Wapstra, A.H., Olness, J.W. and Parker, J.L. The reaction  $^{46}\text{Si}(p,\gamma)^{46}\text{P}$ , 1=12158
- van Ostenburg, D.O. Lattice dynamics of alpha uranium, 1=11145
- van Paassen, H. Hollow cathode discharges in vacuum deposition systems, 1=11803
- Van Patter, D.M. and Jackiw, R.W. The  $\text{Fe}^{56}(\text{n}, \text{n}'\gamma)$  reaction and comparison to theory, 1=8734
- van Patter, D.M., Rikmenspoel, R. and Trehan, P.N. The (p,p' $\gamma$ ) reaction in even isotopes of Zn, Ge and Se, 1=19459
- van Patter, D.M. See Rikmenspoel, R., 1=8630
- Vanpraet, G.J. See Vanhuysse, V.J., 1=13761
- van Putten, J.D. and Vander Velde, J.C. Homogeneous solid state ionization detector, 1=3091
- van Putten, J.D. and Vander Velde, J.C. Homogeneous solid state ionization detector, 1=3224
- Van Putten, J.D. See Brown, J.L., 1=8515
- van Regemorter, H. The excitation by collision of the transition 4s-3d of  $\text{Ca}^+$ , 1=13960
- Van Regemorter, H. Cross-section for excitation of ionized magnesium by electron impacts, 1=13962
- van Rennes, A.B. Signal-flow graphs and stability analysis of nuclear reactors, 1=8803
- van Roggen, A. Satellite lines in paramagnetic resonance spectra, 1=874
- van Roosbroeck, W. Current-carrier transport with space charge in semiconductors, 1=11280
- Van Rossum, L. See Bareyre, P., 1=13418
- Van Rossum, L. See Brisson, J.C., 1=5770
- van Ruler, J. See Sparnaay, M.J., 1=8943
- Van Sabben, D. Ionospheric current systems of ten I.G.Y.-solar flare effects, 1=20905
- van't Veer, F. The determination of gas pressure in sunspots from the wing strength of Fraunhofer lines, 1=15460
- van't Veer, F. Some remarks on the determination of intensity in the wing of a strong absorption line, 1=15502
- van't Veer-Menneret, C. The influence of terms with high quantum numbers on the calculation of partition functions and of the population of [atomic] levels, 1=18115
- Van Uitert, G., Swanekamp, F.W. and Preziosi, S. Single-crystal molybdates for resonance and emission studies, 1=11398
- Van Uitert, L.G. and Egerton, L. Bismuth titanate. A ferroelectric, 1=10075
- Van Uitert, L.G. and Soden, R.R. Emission spectra of trivalent thulium, 1=3854
- Van Uitert, L.G. See Monforte, F.R., 1=10237
- Van Valkenburg, H.E. Note on "sources of sound in piezoelectric crystals", 1=1789
- van Vleck, J.H. Note on the gyromagnetic ratio of  $\text{Co}^{++}$  and on the Jahn-Teller effect in  $\text{Fe}^{++}$ , 1=6389
- Van Vleck, J.H. Primitive theory of ferrimagnetic resonance frequencies in rare-earth iron garnets, 1=11467
- Van Vleck, J.H. See Matthias, B.T., 1=17947
- van Vleck, J.H. See White, J.A., 1=10192
- van Vliet, K.M. See Klaassen, F.M., 1=7633
- Van Vroonhoven, C.E.G.M.M. See Kok, J.A., 1=15898
- van Vucht, J.H.N. Ternary system Th-Ce-Al, 1=15124
- Van Wageningen, R. Elementary derivation of the Minami phase shift ambiguity, 1=13348
- van Wageningen, R. See Sikkema, C.P., 1=8590
- Van Wijk, W.R., Derksen, W.J. and Goedkoop, H., Hzn. On turbulent heat exchange in the air near the ground, 1=1509
- Van Wijngaarden, L. See Peletier, L.A., 1=16541
- van Woerden, H. The distribution of neutral hydrogen in the Orion Region, 1=18010
- van Woerkom, A.J.J. See van Herk, G., 1=5121
- Vanyek, U.M. See Bardocz, A., 1=3511
- Vanyukov, M.P., Mak, A.A. and Sadykova, A.I. Limiting brightness of the spark discharge channel, 1=5428
- Vanyukov, M.P., Mak, A.A. and Sadykova, A.I. Limiting brightness of the spark discharge channel, 1=10681
- Vanyukov, M.P., Muratov, V.R. and Mukhitdinova, I.A. Time-resolved emission spectra of a spark discharge in nitrogen and in air in the wavelength range 5000-10 000 Å, 1=19593
- Vanyukov, M.P. See Balashov, I.F., 1=4456
- VanZandt, T.E. and Bowles, K.L. Use of the incoherent scatter technique to obtain ionospheric temperatures, 1=15263
- Van Zandt, T.E. See Hunt, D.C., 1=20987
- Van Zurk, R. See Duclos, J., 1=18740
- van Zyl, L.L. The first three years of the space age: a summary of satellite launchings, 1=18212
- Varcaccio, G. See Chilosi, G., 1=8657
- Vardya, M.S. Physical atmospheric parameters for late-type stars, 1=2625
- Vardya, M.S. Pressure dissociation, 1=6050
- Varekamp, F.H. See Knaap, H.F.P., 1=6898
- Varela, J.O. See Zemel, J.N., 1=1106
- Varfolomeev, A.A., Gerasimova, R.I., Gurevich, I.I., Makar'ina, L.A., Romantseva, A.S. and Chueva, S.A. Electron-photon showers with energies from  $10^{11}$  to  $10^{18}$  eV in nuclear emulsions, 1=2139
- Varfolomeeva, V.N. See Belyaev, L.M., 1=14632
- Varfolomeyev, A.A. and Svetlozobov, I.A. Monte Carlo calculation of  $10^{11}$  to  $10^{18}$  eV cascades taking into account effect of medium or bremsstrahlung, 1=3300
- Varga, L. (n,  $\alpha$ ) and (n, p) reactions in  $\text{Na}^{23}$ , 1=2226
- Varga, P. See Náray, Z., 1=16091
- Varghese, R. See George, K.A., 1=341
- Varghese, T.G. See George, K.A., 1=341

- Varich, N.I., Belousov, N.N. and Shcherbakov, G.I. The effect of plastic deformation on the structure and properties of an aluminium-magnesium alloy, 1-10266
- Varma, S.S. See Pande, M.C., 1-21030
- Varney, R.N. Statistical mechanics of molecular ions, 1-2353
- Varnum, C.M. See Bouchiat, M.A., 1-1772
- Varsanyi, F. and Dieke, G.H. Infrared absorption spectrum of  $\text{NdCl}_3$ , 1-2447
- Varsanyi, F. See Sugano, S., 1-1180
- Varshalovich, D.A. See Rusinov, L.I., 1-633
- Varshni, Y.P. and Bhargava, R.N. Equations for alpha-disintegration energies, 1-19383
- Varshni, Y.P. and Shukla, R.C. On James' type of wave functions for hydrogen molecular ion, 1-864
- Varshni, Y.P. and Shukla, R.C. On Pauling's theory of alkali halide molecules, 1-3531
- Varshni, Y.P. and Shukla, R.C. Evaluation of  $\omega_{ex}$  from three constant potential energy functions, 1-8830
- Varshni, Y.P. and Shukla, R.C. New potential function for alkali halide molecules, 1-12272
- Varshni, Y.P. See Khare, S.P., 1-7100
- Vartanov, N.A., Ryukhin, Ya.A., Selinov, I.P., Chikhladze, V.L. and Khulelidze, D.E.  $\beta$ - and  $\gamma$ -spectra of  $\text{Te}^{117}$ , 1-19398
- Vartanyan, A.T. and Rozenshtein, L.D. Thermal activation energy of the dark conductivity of organic compounds, 1-14388
- Vartanyan, A.T. See Rozenshtein, L.D., 1-3783
- Vāsarū, G. See Mercea, V., 1-6572
- Vashakidze, I.Sh., Kopaleishvili, T.I. and Chilashvili, G.A. Lifetime of the 3.56 MeV level of  $\text{Li}^8$ , 1-5856
- Vashakidze, I.Sh., Kopaleishvili, T.I. and Chilashvili, G.A. Neutron polarization in the disintegration of  $\text{Be}^9$  nuclei by circularly polarized gamma quanta, 1-17077
- Vashakidze, I.Sh., Kopaleishvili, T.I., Mamasakhilov, V.I. and Chilashvili, G.A. Resonance scattering of  $\gamma$ -rays on the  $\text{Li}^7$  nucleus, 1-3434
- Vashakidze, I.Sh. See Kopaleishvili, T.I., 1-4824
- Vashakidze, I.Sh. See Kopaleishvili, T.I., 1-5818
- Vašiček, A. Formulae for reflection and transmission of light by a thin metal film, 1-2877
- Vašiček, A. The reversibility and reciprocity principles, 1-18601
- Vasil'chenko, L.S., Senturina, L.V. and Sotskov, B.S. The accuracy of Hall elements, 1-3032
- Vasilenko, S.S., Kaganskii, M.G., Kaminskii, D.L. and Koksharova, S.F. Production of monoenergetic positrons in the decay of  $\text{Eu}^{152}$ , 1-19401
- Vasilescu, D. See Déjardin, G., 1-1132
- Vasil'ev, A.M. Paramagnetic resonance fine structure spectrum of a chromium ion in chrome alum, incorporating the calculation of high-order terms, 1-6415
- Vasil'ev, E.F. See Pankratov, N.A., 1-12984
- Vasil'ev, G.F. See Elinson, M.I., 1-13099
- Vasil'ev, S.S., Kokarov, V.V., Koshelyaev, G.V. and Popova, A.M. Production of proton beams of various energies inside the chamber of an intermediate-energy synchrocyclotron, 1-16464
- Vasil'ev, S.S., No Sen Chan [No Hsieng Ch'ang] and Shavtvalov, L.Ya. Investigation of the radiations from  $\text{Zn}^{65}$ , 1-17032
- Vasil'ev, S.S. and Shavtvalov, L.Ya. The  $\beta^+$  spectrum of  $\text{Si}^{27}$ , 1-19403
- Vasil'ev, V.I., Komel'kov, V.S., Skvortsov, Yu.V. and Tserevitinov, S.S. Stable dynamic plasma pinch, 1-2975
- Vasil'ev, Yu.N. See Tsiklis, D.S., 1-4317
- Vasil'ev, Yu.V. See Potemkin, V.V., 1-20124
- Vasil'eva, E.K. See Kel'man, V.M., 1-4666
- Vasil'eva, I.A. and Granovskii, V.L. The influence of a magnetic field on ion diffusion in a stationary plasma in helium, 1-13082
- Vasil'eva, M.A. See Stepanov, I.V., 1-11536
- Vasil'eva, M.Ya. See Zaitsev, A.A., 1-16352
- Vasil'eva, N.N. and Morgenshtern, Z.L. Luminescence of non-activated KI crystals, 1-10116
- Vasilevskaya, D.P. See Danilov, V.I., 1-344
- Vasilevskaya, V.M. and Miselyuk, E.G. The question of revealing dislocations in germanium by etching, 1-11214
- Vasilevskaya, V.M. and Miselyuk, E.G. The question of revealing dislocations in germanium by etching, 1-12390
- Vasilevskii, I.M. and Prokoshkin, Yu.D. The energy distribution of the proton beam from the six-metre synchrocyclotron, 1-9660
- Vasilevskii, I.M., Prokoshkin, Yu.D. and Rykalin, V.I. Search for threshold anomalies in the energy dependence of the total cross-section for the interaction of protons, 1-19195
- Vasilevskii, I.M., Vishnyakov, V.V., Iliisku, E. and Tyapkin, A.A. The spin correlation coefficient in p-p scattering at 310 MeV at  $90^\circ$  c.m., 1-2057
- Vasil'evskii, V.S., Mukhovatov, V.S., Strelkov, V.S. and Yavilinskii, N.A. Toroidal apparatus with strong magnetic field "Tokamak 2", 1-1900
- Vasilu, G. Studies of magnetization of thin wires, 1-6282
- Vaško, A. Fatigue effects in silver-caesium photocathodes due to infra-red radiation, 1-17805
- Vaško, A. and Miler, M. Graphical determination of the optical constants from two transmission values, 1-18578
- Vassamillet, L.F. Stacking fault probability of noble metal-zinc alloys, 1-7586
- Vasseur, P. See Brachet, C., 1-16344
- Vassiliev, A., Nicolas, J. and Hildebrandt, M. The properties of mixed yttrium-holmium garnets, 1-14750
- Vassiliev, A., Nicolas, J. and Hildebrandt, M. On the properties of mixed yttrium dysprosium garnets, 1-20144
- Vassy, A. and Rasool, I. Vertical distribution of atmospheric ozone at different latitudes, 1-1505
- Vassy, A. and Vassy, E. Relative intensities of Na lines in the emission of sodium from rockets, 1-11690
- Vassy, A. See Kiveliovitch, M., 1-20824
- Vassy, E. See Vassy, A., 1-11690
- Vasudevan, R. See Nosanow, L.H., 1-2919
- Vasudevan, R. See Ranganathan, N.R., 1-2038
- Vasudevan, R. See Sawada, K., 1-16187
- Vasvári, B. A classical interaction between the lattice vibrations and the collective oscillations of the electron gas in crystals, 1-7561
- Vasýľevs'ka, V.N. and Mýselyuk, E.G. Segregation and solubility of iron and tin impurities in germanium of crystallization, 1-11583
- Vasyutinskii, B.M. and Kogan, V.S. Interdiffusion of chromium and molybdenum in Ni-rich solid  $\alpha$ -solutions, 1-985
- Vasyutinskii, B.M., Kogan, V.S. and Kartmazov, G.N. On the problem of the constitution diagram of the nickel-chromium system, 1-1436
- Vateva, E. See Borisov, M., 1-7678
- Vatset, P.I., Kolesnikov, L.Ya. and Tonapetyan, S.G. Neutrons from the  $\text{C}^{12}(\text{n}, \text{n})$  reaction, 1-19537
- Vatset, P.I. See Valter, A.K., 1-19536
- Vatul'ov, V.N. Absorption and luminescence of anthracene impurities in 9,10-dihydroanthracene crystals at  $20^\circ\text{K}$ , 1-20020
- Vaughan, A. See Camac, M., 1-4926
- Vaughan, D.E. Four-probe resistivity measurements on small circular specimens, 1-16203
- Vaughan, W.R. See Berry, R.S., 1-12313
- Vaughan-Williams, R.W. and Haas, F.A. An error in the thermal conductivity for a fully ionized gas, 1-5443
- Vaughn, F.J. See Johnson, R.G., 1-19526
- Vauquois, B. A statistical study of the slowly varying component based on observations between 10 000 and 600 Mc/s, 1-2646
- Vauthier, R. and Chantreau, J. Extension of Gans's method to the calculation of electron trajectories in crossed fields, 1-3013
- Vavilin, E.I., Vagner, S.D., Lanenkina, V.K. and Mitrofanova, S.S. Investigation of the positive column of the discharge in a mixture of mercury and neon, 1-5431
- Vavilov, B.T. Angular distribution in multiple processes, 1-7209
- Vavilov, B.T. Angular distribution in multiple processes, 1-12056
- Vavilov, B.T. and Grigor'ev, V.I. A relationship between the matrices of various transitions and multiple processes, 1-3145
- Vavilov, V.S. Radiative recombination in semiconductors, 1-3746
- Vavilov, V.S. and Britsyn, K.I. The effect of a strong electric field on absorption of light by silicon, 1-1153
- Vavilov, V.S. See Britsyn, K.I., 1-19972
- Vavilov, V.S. See Chukichev, M.V., 1-14347
- Vavilov, V.S. See Chukichev, M.V., 1-14443
- Vavilov, V.S. See Chukichev, M.V., 1-17593
- Vavilov, V.S. See Galkin, G.N., 1-2409
- Vavilov, V.S. See Galkin, G.N., 1-6152



- Veas, F. See García-Riquelme, O., 1=13940
- Vedam, K. See Narayanan, P.S., 1=12500
- Vedder, W. and Hornig, D.F. Motion of the ammonium ion in lattices of the NaCl type, 1=19692
- Vedenov, A.A. and Sagdeev, R.Z. Some properties of a plasma with an anisotropic ion velocity distribution in a magnetic field, 1=7063
- Vedenov, A.A., Velikhov, E.P. and Sagdeev, R.Z. Nonlinear oscillations of rarified plasma. I, 1=18899
- Vedernikov, M.V. and Kolomoets, N.V. Thermoelectric properties of solid solutions of chromium, vanadium and titanium with nickel, 1=5034
- Vedernikov, M.V. See Kolomoets, N.V., 1=19914
- Vedrenne, G. See Blanc, D., 1=15242
- Vedrenne, G. See Blanc, D., 1=15243
- Vedula, Yu.S. and Havrilyuk, V.M. Adsorption of barium atoms and barium oxide molecules on tungsten, I, 1=12667
- Vegni, G. See Baldassarre, F., 1=16862
- Vegni, G. See Evans, D., 1=19267
- Vegni, G. See Jones, B.D., 1=8500
- Veillet, P. See Hervé, J., 1=7803
- Veis, M. See Grigor'ev, E.P., 1=10975
- Veis, S. The measurement of the pressures of various gases by means of a Pirani gauge, 1=4388
- Veisburg, Ya. See Lendvai, E., 1=20032
- Vekilov, Yu.Kh. The phenomenon of "photoelasticity" in AgCl, 1=20316
- Vekilov, Yu.Kh., Tyapunina, N.A. and Shaskol'skaya, M.P. Internal friction and dislocation density after preliminary plastic deformation of LiF, 1=14856
- Veklenko, B.A. See Biberman, L.M., 1=2708
- Vekshinsky, S.A., Menshikov, M.I. and Rabinovich, I.S. High-vacuum pumps and units for accelerators, 1=9426
- Veksler, V.I. See Van Gan-Chan., 1=2099
- Veksler, V.I. See Van Gan-Chan., 1=16902
- Velasco, R. Ultraviolet spectrum of the Li<sub>2</sub> molecule, 1=3547
- Velasco, R. See García-Riquelme, O., 1=13940
- Vélez, C. Autocorrelation functions of counting rate in nuclear reactors, 1=758
- Velichkina, T.S. See Shustin, O.A., 1=19704
- Velikhov, E.P. Stability of the vacuum-plasma boundary, 1=18838
- Velikhov, E.P. See Vedenov, A.A., 1=18899
- Vellenga, S.J. Estimating the electric field inside a rectangular tank with boundaries at zero potential, 1=16237
- Veloric, H.S. and Greig, W.J. Evaluation and control of diffused impurity layers in germanium, 1=1096
- Velthorst, N.H. See Hoihtink, G.J., 1=14055
- Velyukhov, G.E., Prokof'ev, A.N. and Starodubtsev, S.V. Neutron capture by F<sup>19</sup>, P<sup>31</sup> and S<sup>32</sup> nuclei, 1=3451
- Venables, H.A. Maxwell's equations and matrix elements in quantum electrodynamics, 1=2011
- Venables, H.A. Representations of the unitary group and wave functions, 1=8053
- Venables, J.A. Deformation twinning in face-centred cubic metals, 1=7835
- Venables, J.D. Electron microscope observation of precipitates on grown-in dislocations in MgO, 1=8911
- Venanzi, L.M. See Chatt, J., 1=869
- Venediktova, R.V. See Protopopov, A.N., 1=743
- Venema, A. The development of the technology of extremely low pressures, 1=18477
- Venema, A. See Jansen, C.G.J., 1=4389
- Vénéroni, M. See Arvieu, R., 1=7318
- Venetskii, V.L. Absorption of light and luminescence of M-centres in the macroscopic approximation, 1=1154
- Venevtsev, Yu.N., Bondarenko, V.S., Zhdanov, G.S., Chkalova, V.V. and Stember, N.G. Anomalous variations in the lattice constants and the dielectric and piezoelectric parameters of (Ba, Pb)TiO<sub>3</sub> solid solutions, 1=20504
- Venevtsev, Yu.N., Zhdanov, G.S., Solov'ev, S.N., Bezus, E.V., Ivanova, V.V., Fedulov, S.A. and Kapyshev, A.G. Crystal chemical studies of substances with perovskite-type structure and special dielectric properties, 1=15018
- Venevtsev, Yu.N. See Fedulov, S.A., 1=20575
- Venevtsev, Yu.N. See Solov'ev, S.P., 1=14150
- Venevtsev, Yu.N. See Zhdanov, G.S., 1=14151
- Venkatakrisnan, P.V. Design of a function generator for atomic scattering factors, 1=15065
- Venkataraman, B. See Das, M.R., 1=9951
- Venkataraman, S. Theory of optical activity of molecules, polymer chains and crystals, 1=9487
- Venkatasubramanian, V.S. Beta-ray backscattering from compounds, 1=5498
- Venkates, H.G. Motion of a viscous liquid past an ellipsoid, 1=2733
- Venkates, H.G. and Strandberg, M.W.P. Design and operation of a molecular oscillator, 1=16554
- Venkatesan, D. See Forbush, S.E., 1=21073
- Venkatesan, K. See Ramakrishnan, A., 1=526
- Venkateswaran, S.V., Moore, J.G. and Krueger, A.J. Determination of the vertical distribution of ozone by satellite photometry, 1=20812
- Venkateswarlu, K. and Balasubramanian, C. Intensity of Raman lines in carboxylic acids, esters and nitriles, 1=14033
- Venkateswarlu, K. and Ramaswamy, K. Intensity studies in Raman effect: effect of conjugation, 1=14032
- Venkateswarlu, K. and Ramaswamy, K. Intensity studies in Raman effect: effect of temperatures. I. (Liquids), 1=15880
- Venkateswarlu, K. and Ramaswamy, K. Intensity studies in Raman effect: effect of temperature. II. (Associative liquids and molten substances), 1=15881
- Venkateswarlu, P. and Khanna, B.N. Emission spectrum of bismuth monochloride. I. The vibrational analysis of the 6170-4220 Å system, 1=14039
- Venkateswarlu, P. and Sathanarayanan, R. Some studies on sporadic E, 1=6617
- Venkateswarlu, P. See Nageswara Rao, B.D., 1=17357
- Vennik, J., Remaut, G. and Dekeyser, W. Observations on charged dislocations in ionic crystals, 1=19778
- Vennik, J. See de Kinder, W., 1=2405
- Vennik, J. See Remaut, G., 1=5043
- Vennik, J. See Remaut, G., 1=14933
- Venning, B.H. and Guttridge, J. Dynamic compression measurements of cushioning materials utilizing an analogue computer, 1=21153
- Venturini, G. See Cevolani, M., 1=16445
- Venugopal, V.R. Variation of the F<sub>2</sub>-layer ionization with solar activity at Kodiakanal on magnetically disturbed and quiet days, 1=15283
- Venugopalan, M. Dependence of the Joshi effect on "ageing" under, or and in the absence of, continuous electrical excitation, 1=281
- Venzke, G. The effect of sound scattering on spherical and cylindrical segments at reverberation chamber walls, 1=8207
- Venzke, G. See Rademacher, H.J., 1=219
- Vepřek, J. Main principles of the design of thermistor thermometers, 1=4503
- Verba, J. and Hawrylak, R. Continuous rotation scattering chamber of new design, 1=13237
- Verba, J. See Fulbright, H.W., 1=19507
- Verbeke, O. See van Isterbeek, A., 1=8107
- Verboven, E. On the residual resistance of binary alloys, 1=5002
- Verboven, E. On the quantum theory of electrical conductivity, 1=8298
- Verboven, E. See van Hove, L., 1=8084
- Verderber, R.R. and Kostyk, B.M. Ni-Fe single-crystal films and their magnetic characteristics, 1=9028
- Verdier, J. See Bonjour, E., 1=2912
- Verdier, P.H., Whipple, E.B. and Schomaker, V. Moment analysis of magnetic resonance signals, 1=4737
- Verdini, L. See Barducci, I., 1=6446
- Verdini, L. See Bordoni, P.G., 1=11504
- Verdini, L. See Bordoni, P.G., 1=14850
- Verdini, L. See Bordoni, P.G., 1=17533
- Verdone-Thullier, J. See Dreyfus, B., 1=10100
- Vereshchagin, I.K. Ageing of ZnS phosphors, 1=14640
- Vereshchagin, L.F., Gladkovskii, V.A. and Oleinik, M.I. An [indentation] instrument for measuring the hardness of metals under very high pressure, 1=20390
- Vereshchagin, L.F., Ryabinin, Yu.N., Preobrazhenskii, A.Ya. and Stepanov, V.A. The growth of metallic single crystals under high hydrostatic pressures, 1=5090
- Vereshchagin, L.F., Semerchan, A.A., Kusin, N.N. and Popova, S.V. The change in electrical resistivity of several metals up to a pressure of 200 000 kg/cm<sup>2</sup>, 1=5001
- Vereshchagin, L.F., Semerchan, A.A., Kusin, N.N. and Popova, S.V. The change in electrical resistivity of several metals up to a pressure of 200 000 kg/cm<sup>2</sup>, 1=11251

- Vereshchagin, L.F., Semerchan, A.A. and Popova, S.V. Investigation of the electrical resistance of cerium, lanthanum and neodymium at pressures up to 250 000 kg/cm<sup>2</sup>, 1=14356
- Vereshchagin, L.F., Semerchan, A.A. and Popova, S.V. Investigation of the electrical resistance of cerium, lanthanum and neodymium at pressures up to 250 000 kg/cm<sup>2</sup>, 1=17604
- Vereshchagin, L.F., Shapochkin, V.A. and Zubova, E.V. The problem of friction and shear under high contact pressures, 1=9098
- Vereshchagin, L.F. and Zubova, E.V. Measurement of displacement force of several materials at pressures up to 100 000 atmospheres, 1=1355
- Vereshchagin, L.F. and Zubova, E.V. Measurements of the electrical resistance of iodine and black phosphorus at pressures up to 200 000 atm, 1=3729
- Vereshchagin, L.F. See Ryabinin, Yu.N., 1=6685
- Vereshchagin, L.F. See Voronov, F.F., 1=3957
- Vereshchagin, L.F. See Voronov, F.F., 1=4418
- Vereshchagin, L.F. See Voronov, F.F., 1=10205
- Veret, C. See Arnulf, A., 1=9189
- Veretennikov, A.I. and Averchenkov, V.Ya. 20-channel time analyser for selecting fast neutrons by their time of flight, 1=4541
- Verganelakis, A. See De Tollis, B., 1=8485
- Vergara, W.C. and Levatic, J.L. A proposed technique for F-layer scatter propagation, 1=4732
- Vergne, R. Directional order produced by tension in a 50-50 Ni-Co alloy, 1=7745
- Vergnes, M. and David-Boyer, R. Use of a pure NaI scintillator as a  $\gamma$ -ray detector in a fast coincidence circuit, 1=9704
- Vergnoux, A.M., Bourguet, J.C. and Fagegaltier, J.L. Dispersion of birefringence of phenacite in the infrared, 1=1144
- Vergunas, F.I. and Malkin, G.M. The photodielectric effect in ZnS:Cu:Co phosphors, 1=1129
- Vergunas, F.I. and Malkin, G.M. The photodielectric effect in ZnS:Cu:Co phosphors, 1=6192
- Vergunas, F.I. and Ramazanov, P.E. The possibility of thermal polarization of electrons in zinc sulphide phosphors, 1=14547
- Verhaar, B.J. A method for the elimination of spurious states in the nuclear harmonic oscillator shell model, 1=5816
- Verhaar, B.J. Transformation brackets for harmonic-oscillator states, 1=10949
- Verheijen, F.J. A simple after-image method demonstrating the involuntary multidirectional eye movements during fixation, 1=21132
- Verhoogen, J. See Fyfe, W.S., 1=1202
- Verkerk, C. See Ballario, C., 1=8407
- Verkhoglyadova, T.S. See Samsonov, G.V., 1=14870
- Verkhoglyadova, T.S. See Samsonov, G.V., 1=20353
- Verkin, B.I., Dmitrenko, I.M. and Svechkarov, I.V. The magnetic properties of beryllium in the temperature range 300° to 4.2°K, 1=20048
- Verlan, E.M., Lysytsya, M.P. and Strzhevskiy, V.L. Isotopic structure of the absorption band  $\nu_1 + \nu_4$  of carbon tetrachloride, 1=13987
- Verlet, L. On the theory of classical fluids, 1=10502
- Verma, G.S. Second dislocation relaxation peak in aluminium at low temperatures, 1=3964
- Verma, G.S. and Joshi, S.K. Origin of hypersonic attenuation in germanium at low temperatures, 1=903
- Verma, G.S. and Joshi, S.K. Nuclear resonance absorption of ultrasound in KI and KBr, 1=3597
- Verma, G.S. See Agrawal, B.K., 1=11190
- Verma, G.S. See Agrawal, B.K., 1=17535
- Verma, G.S. See Kor, S.K., 1=18404
- Verma, P.D. The pulsating viscous flow superposed on the steady laminar motion of incompressible fluid between two co-axial cylinders, 1=15814
- Verma, R.D. New spectrum of CF<sup>+</sup>, 1=17321
- Verma, R.D. and Mulliken, R.S. A  $\Sigma^- - \Pi_r$  spectrum of SiO, 1=9932
- Verma, R.D. and Mulliken, R.S. Rotational structure of the band spectrum of CCl molecule, 1=14005
- Verney, R.N. Mobility of hydrogen ions, 1=2944
- Verniani, F. On meteor ablation in the atmosphere, 1=6626
- Vernier, P. Definition of densitometer spot-profile, callier effect, and photographic granularity, 1=18634
- Vernier, P. Photoelectric emission: effect of surface and volume, 1=18921
- Vernier, P. See Santon, L., 1=18383
- Vernon, A.R. Calculation of the effective resonance integral of U<sup>238</sup>, 1=13830
- Vernotte, P. Concerning the calculation of rapid transport of heat, 1=2900
- Vernotte, P. The interpretation of measurements by the regularity condition, 1=6760
- Vernotte, P. Some possible complications in the phenomena of thermal conduction, 1=9501
- Vernotte, P. See Seris, G., 1=5314
- Vernov, S.N. and Chudakov, A.E. Investigation of radiation in outer space, 1=7946
- Vernov, S.N., Chudakov, A.E., Gorchakov, E.V., Logachev, J.L. and Vakulov, P.V. Study of the cosmic-ray soft component by the 3rd Soviet earth satellite, 1=5797
- Vernov, S.N., Chudakov, A.E., Lebedinsky, A.I. and Ivanenko, I.P. Composition of the earth's corpuscular radiation and possible mechanisms of its origination, 1=3309
- Vernov, S.N., Chudakov, A.E., Vakulov, P.V., Gorchakov, E.V., Logachev, Yu.I. and Nikolaev, A.G. Measurements of radiation during the flight of the third cosmic rocket, 1=4815
- Vernov, S.N., Chudakov, A.E., Vakulov, P.V., Gorchakov, E.V., Logachev, Yu.I. and Nikolaev, A.G. Measurements of radiation during the flight of the third cosmic rocket, 1=10939
- Vernov, S.N., Goryunov, N.N., Dmitriev, V.A., Kulikov, G.U., Nechin, Ya.A. and Khristiansen, G.B. Investigation of high-energy nuclear-active component of extensive air-showers at sea level, 1=3288
- Vernov, S.N., Goryunov, N.N., Dmitriev, V.A., Kulikov, G.V., Nechin, Yu.A., Solovieva, V.I., Strugalsky, Z.S. and Khristiansen, G.B. On the function of lateral distribution of charged particles and of the density of the electron-photon component energy flux in an extensive air shower, 1=3287
- Vernov, S.N., Savenko, I.A., Shavrin, P.I. and Pisarenko, N.F. Discovery of the inner radiation belt at 320 km altitude in the area of the south Atlantic magnetic anomaly, 1=21067
- Vernov, S.N., Solov'ova, V.I., Khrenov, B.A. and Khristiansen, G.B. Fluctuations of the  $\mu$ -meson flux in extensive air showers, 1=16942
- Vernov, S.N., Tulupov, V.I., Khrenov, B.A. and Khristiansen, G.B. Investigation of fluxes of high-energy mu-meson components of extensive air showers, 1=3293
- Vernyi, E.A. and Egorov, V.N. The isotopic effect in the thorium spectrum, 1=4906
- Verö, J.A. See Káldor, M., 1=20609
- Veronis, G. See Malkus, W.V.R., 1=2943
- Verot, J.L. and Forestier, H. Purification of molybdenum through melting by electron bombardment, 1=20628
- Verriest, G. Contribution to the study of the correlation between the anomaly quotient and the extent of colorimetric confusions in congenital anomalous trichromats, 1=21140
- Verriest, G. See François, J., 1=21143
- Verrijp, M.B. See Fast, J.D., 1=14854
- Verschuur, J.T. Temperature dependence and time variation of the initial permeability in manganese-zinc-Fe<sup>2+</sup> ferrites, 1=14740
- Verstelle, J.C., Drewes, G.W.J. and Gorter, C.J. The spin-spin relaxation of DPPH in parallel fields, 1=7793
- Verster, J.L. An apparatus for automatically plotting electron trajectories, 1=11975
- Verstrep, J.W. A study of the semiconducting properties of selenides and tellurides of germanium and tin, 1=1043
- Vértes, P. On the neutral decay products of muons, 1=16827
- Vertsner, V.N. and Vorob'ev, Yu.V. Field chromatic aberrations in an electron microscope, 1=9642
- Vertsner, V.N., Vorob'ev, Yu.V. and Malakhov, L.N. Use of shadow electron-optical methods in studies of p-n junctions, 1=8961
- Vervier, J. Circular polarization of  $\gamma$ -rays following the capture of polarized neutrons, 1=13825
- Vervier, J.F. and Bartholomew, G.A. Energy levels of Fe<sup>57</sup>, 1=8609
- Verweij, W. Probe measurements and determination of electron mobility in the positive column of low-pressure mercury-argon discharges, 1=18794
- Vescan, T.T. Relativistic aspects of the phenomenon of striction (the pinch effect), 1=8331



- Vescan, T.T. Some real possibilities to extend classic and relativistic considerations upon the study of different processes of microcosm and constituting a plausible fundament for various unified field theories (a synthetic view), 1=11702
- Vescan, T.T. A relativistic pinch-effect, 1=18879
- Veselá, M. See Lehar, F., 1=9865
- Veselá, M. See Lehar, F., 1=13651
- Vesely, V. See Bakule, R., 1=16287
- Vestal, M.L. and Rosenstock, H.M. Oscillator models in unimolecular reactions, 1=20728
- Vestine, E.H. Polar, magnetic, auroral, and ionospheric phenomena, 1=6598
- Vestine, E.H. Note on the direction of high auroral arcs, 1=15309
- Vestine, E.H. Geomagnetism in relation to aeronomy, 1=21083
- Vestine, E.H. and Kern, J.W. Reply to some comments by Malville concerning the midnight auroral maximum, 1=21049
- Vestine, E.H. and Sibley, W.L. Lines of force of the geomagnetic field in space, 1=6648
- Vestine, E.H. See Chamberlain, J.W., 1=1560
- Vestine, E.H. See Deirmendjian, D., 1=6627
- Vestine, E.H. See Dessler, A.J., 1=1569
- Vestine, E.H. See Kern, J.W., 1=21047
- Vette, J.I. and Casal, F.G. High-energy X-rays during solar flares, 1=9270
- Vetter, U. See Wachtel, E., 1=20162
- Veyssie-Counillon, M. See Dreyfus, B., 1=10100
- Veze, A. and Klyavin'sh, Ya. The effect of a rotating magnetic field on the turbulent heat transfer in mercury, 1=4711
- Violettes, H. See Depommier, P., 1=16761
- Vicentini, M. See Paoletti, A., 1=2751
- Vickery, R.C. and Muir, H.M. Anomalous thermoelectric properties of gadolinium selenide, 1=10072
- Victor, A.C. and Douglas, T.B. Thermodynamic properties of thorium dioxide from 298 to 1200°K, 1=14182
- Victor, C. Contribution to the study of L spectra excited by electronic bombardment of some heavy elements: intensity ratios and their variation as a function of Z, 1=13951
- Victor, C. See Bergamaschi, C., 1=16462
- Victor, W.K. and Stevens, R. Exploration of Venus by radar, 1=15560
- Vidal, J.M. and Gandía, V. Interferential refractometry of solutions, 1=5278
- Vidal, R. See Carré, J.C., 1=13823
- Vidale, G.L. See Scala, S.M., 1=16173
- Videira, A.L.L. See Tiomno, J., 1=5775
- Videira, F.H.M. and Argent, B.B. The forms of the relative partial molar thermodynamic functions in solid binary and ternary systems, 1=15131
- Vienet, R. See Gendreau, G., 1=16460
- Viezee, W. See Deirmendjian, D., 1=8238
- Vigier, J.P. See Bohm, D., 1=2696
- Vigier, J.P. See Bohm, D., 1=10423
- Vigier, J.P. See Halbwachs, F., 1=15311
- Vigier, J.P. See Hillion, P., 1=461
- Vigier, J.P. See Hillion, P., 1=6781
- Vigier, J.P. See Hillion, P., 1=8043
- Vigier, J.P. See Hillion, P., 1=9715
- Vigier, J.P. See Hillion, P., 1=10848
- Vigier, J.P. See Vitz'e Zh.-P., 1=18295
- Vigier, P. Some experimental results on the diffusion after-effect in nickel-cobalt ferrites, 1=2486
- Vignau, H. and Nassiff, S.J. Yield ratios of the isomeric pair  $Ce^{137m}/^{137}$  formed by  $La^{139}(d,4n)Ce^{137}$  reaction, 1=15847
- Vignerot, L. See Berthelot, A., 1=19281
- Vignerot, L. See Gauvin, H., 1=17105
- Vignerot, M.C. Anomalies of the Faraday effect shown at resonance by various ferrites in the 10 kMc/s band, 1=14587
- Vignes, A. Equilibrium distribution of one component between two liquid phases. Its connection with interfacial phenomena, 1=2741
- Vignes, A. Transfer of matter between two liquid phases. I. Velocity of migration of one component through the interface between two phases, 1=2742
- Vignes, A. Transfer of matter between two liquid phases. II. Diffusion velocity of one component between two semi-infinite phases, 1=2743
- Vignes, A. Transfer of matter between two liquid phases. III. Influence of surface active agents on the transfer velocity, 1=2744
- Vigness, I. Application of electrical methods for the detection of flaws and for the study of metal structure, 1=14920
- Vignos, J.H. and Fairbank, H.A. New solid phase in  $He^4$ , 1=8280
- Vigón, M.A. and Granados, C.E. Measurements on a subcritical assembly of natural uranium and light water, 1=19567
- Vigroux, E. Vertical distribution of atmospheric ozone. Comparison of various methods. E. Infrared method, 1=1504
- Vihinen, S. See Korhonen, U., 1=15071
- Vij, K.K. See Mitra, S.N., 1=4125
- Vik, R.C. See Hamlin, D.A., 1=15327
- Viktorov, I.A. Attenuation of Rayleigh waves on cylindrical surfaces, 1=16003
- Viktorov, I.A. Transmission and reflection of Rayleigh waves by rounded edges of various radii, 1=16004
- Viktorova, E.N., Kochemirovskii, A.S., Krasnitskaya, N.D. and Reznikova, I.I. New examples of pronounced dependence of the fluorescence yield on the position in the luminescence spectrum, 1=12887
- Viktorova, E.N., Zhmyreva, I.A., Kolobkov, V.P. and Saganenko, A.A. Investigation of the duration of phosphorescence in solutions of organic compounds at -196°C, 1=3866
- Vilcek, E. and Wänke, H. Sodium 22 in the meteorite Breitscheid, 1=9260
- Vilcek, E. and Wänke, H. The exposure age of iron meteorites from  $Cl^{36}$  measurements, 1=9266
- Vilesov, F.I., Kurbatov, B.L. and Terenin, A.N. Electron energy distribution during the photoionization of aromatic amines in the gaseous phase, 1=16263
- Vilesov, F.I., Kurbatov, B.L. and Terenin, A.N. Electron energy distribution during the photoionization of aromatic amines in the gaseous phase, 1=18763
- Vilesov, F.I. and Terenin, A.N. Photoelectric emission from solid layers of organic dyes, 1=5491
- Vil'ker, D.S. See Charnyi, I.A., 1=11774
- Villain, J. See Herpin, A., 1=12546
- Villar, E. See Baldassarre, F., 1=16862
- Villar, E. See Catalá, J., 1=17158
- Villar, E. See Catalá, J., 1=19554
- Villar, E. See Senent, F., 1=411
- Villena, L. See Montilla, J., 1=3820
- Villena, L. See Tinaut, D., 1=16096
- Villers, G. and Loriers, J. Some properties of mixed rare-earth garnets with aluminium and chromium substituents, 1=11453
- Villers, G. See Loriers, J., 1=10171
- Villi, C. See Bergia, S., 1=8450
- Vílum, F. See Krupička, S., 1=17976
- Vincent, C.H. Fixed attenuators consisting of a network of identical resistors, 1=10653
- Vincent, D.H. See Hanna, S.S., 1=621
- Vincent, J. and Blet, G. The variation of sensitivity of a selenium photocell in a magnetic field, as a function of temperature, 1=8966
- Vincent-Geisse, J. and Lecomte, J. Refracture index measurement in the infrared, 1=16064
- Vincent-Geisse, J. See Cameo, M., 1=9394
- Vincent-Geisse, J. See Vagner-Dewulf, G., 1=18579
- Vincentini-Missoni, M. See Paoletti, A., 1=8113
- Vinci, F. See Cuzzocrea, P., 1=5925
- Vinciguerra, R. See Gerosa, G., 1=13154
- Vincow, G. and Fraenkel, G.K. Molecular orbital theory and hyperfine splitting in electron spin resonance spectra of semiquinones, 1=7482
- Vincow, G. and Low, W. Paramagnetic resonance spectra of  $f^3$  ions in a cubic site, 1=9055
- Vinduška, M. See Brabec, V., 1=17024
- Vinen, W.F. The detection of single quanta of circulation in liquid helium II, 1=13031
- Vinetskii, V.L. The lowest quantum state of current carriers and colour centres in ionic and atomic crystals, 1=991
- Vinetskii, V.L. Bipolaron states of charge carriers in ionic crystals, 1=19749
- Vinets'kyi, R.M. and Miselyuk, O.H. The temperature dependence of the Hall coefficient at a constant concentration of current carriers, 1=14417

- Vineyard, G.H. Some recent developments in the theory of radiation damage, 1=6120
- Vineyard, G.H. See Abrahamson, A.A., 1=819
- Vingiani, G.B. See Chilos, G., 1=8657
- Vingiani, G.B. See Chilos, G., 1=13751
- Vinh-Dinh Huynh. See Netter, F., 1=9870
- Vinh-Mau, R. Coulomb field effects in bremsstrahlung processes associated with  $\beta$ -decay, 1=10980
- Vinh Mau, R. and Martin, A. Scattering by a given class of non-central forces, 1=8434
- Vinh Mau, R. See Martin, A., 1=8517
- Vink, H. Diffusion in porous media, 1=20649
- Vink, H.J. See Albers, W., 1=17759
- Vink, H.J. See van Daal, H.J., 1=17716
- Vinogradov, N.I. See Anisimov, A.I., 1=293
- Vinogradov, V.S. Influence of disturbance of the periodicity of the crystal lattice by a charge on dielectric loss in the super high frequency region, 1=6190
- Vinogradov, V.S. See Afanas'eva, E.A., 1=14392
- Vinokurov, L.A. and Fok, M.V. Role of the stimulating action of exciting light in the kinetics of luminescence of ZnS:Cu crystalline phosphors, 1=17915
- Vinokurov, V.M. and Zaripov, M.M. The blue colour of apatites, 1=4544
- Vinokurov, V.M. and Zaripov, M.M. The blue colour of apatites, 1=10013
- Vinokurov, V.M. and Zaripov, M.M. The magnetism of tourmaline, 1=17936
- Vinokurov, V.M., Zaripov, M.M. and Stepanov, V.G. Paramagnetic resonance of  $Mn^{2+}$  in dolomite and magnesite, 1=20220
- Vinokurov, V.M., Zaripov, M.M., Stepanov, V.G., Polskii, Yu.E., Chirkin, G.K. and Shekun, L.Ya. Electron spin resonance in natural chrysoberyl [Al, BeO], 1=20205
- Vinternits, P. Scattering matrix for nucleons on spin one target, 1=2049
- Vinti, J.P. Formulae for an accurate intermediary orbit of an artificial satellite, 1=18215
- Vinti, J.P. Theory of an accurate intermediary orbit for satellite astronomy, 1=18218
- Viola, C. See Budini, P., 1=5423
- Viola, C. See Budini, P., 1=8441
- Virmani, Y.P. See Dharmatti, S.S., 1=12902
- Viryasov, N.M. and Pisareva, L.P. The measurement of the ionization of fast particles in the nuclear emulsion R-NIKFI, 1=4751
- Viryasov, N.M. See Van Gan Chan, 1=19284
- Visconti, A. Some properties of the propagators of a scalar field interacting with himself [itself], 1=13362
- Visconti, A. and Umezawa, H. On several properties of the generating function for propagators in quantum electrodynamics, 1=9717
- Visconti, A. See Umezawa, H., 1=5625
- Vishki, T. See Van Shu-fen., 1=19182
- Vishnevskii, M.E. See Avakyan, F.O., 1=19391
- Vishnevsky, V.F. Production of unstable particles in nuclear high-energy interactions and their role in the nuclear cascade process, 1=3272
- Vishnyakov, V.V., Tan Syao-Vei [T'ang Hsiao-Wei] and Tyapkin, A.A. Low-voltage halogen counters (mechanism of discharge), 1=13201
- Vishnyakov, V.V. See Vasilevskii, I.M., 1=2057
- Vishnyakov, Ya.D. and Gorelik, S.S. Stacking faults in cold-deformed nickel and nichrome, 1=6106
- Visotskii, G.L. Angular correlations during inelastic scattering of high-energy nucleons, 1=19446
- Visscher, W.M. See Dash, J.G., 1=8877
- Visser, M.P. See De Haan, Y.M., 1=6514
- Viswamitra, M.A. X-ray camera for study of crystals at low temperatures, 1=1389
- Viswanathan, K.S. The relativistic theory of chemical binding, 1=859
- Viswanathan, R. and Rajagopal, E.S. Ehrenfest relations in crystalline media, 1=19727
- Vitale, B. See Amati, D., 1=2018
- Vitale, B. See Amati, D., 1=3241
- Vitale, B. See Amati, D., 1=5717
- Vitale, B. See Amati, D., 1=5718
- Vitale, B. See De Alfaro, V., 1=13423
- Vitale, B. See De Alfaro, V., 1=13494
- Vitale, S. See Manuzio, G., 1=13764
- Vitásek, E. See Babuška, I., 1=17500
- Vitásek, E. See Babuška, I., 1=17501
- Vithayathil, J. See Gabor, D., 1=9535
- Vitkevich, V.V. The degree of homogeneity of the quiet ionosphere, 1=1528
- Vitkevich, V.V. New data on the solar supercorona, 1=15536
- Vitkevich, V.V. and Gorelova, M.V. Dynamic spectra and principal characteristics of short-lived bursts of solar radio emission, 1=18166
- Vitkevich, V.V. See Alekseev, U.J., 1=15533
- Vitman, F.F., Ioffe, B.S. and Pugachev, G.S. Penetration of a short stress pulse from a rigid into a plastic rod, 1=16001
- Vitman, V.D., Voinova, N.A., Dzheleпов, B.S. and Karan, A.A. The 892.4 keV gamma transition in  $W^{182}$ , 1=17046
- Vitol, I.K. Non-isothermal relaxation of luminescence spectra of X-ray irradiated KCl crystals activated with  $Tl^{+}$ ,  $ln^{+}$ ,  $Ag^{+}$  and  $Cu^{+}$  ions, 1=11408
- Vitovskii, B.V. and Tatarinova, L.I. Phenomena observed on photographic emulsion and glass on contact with quartz, 1=18632
- Vitovskii, N.A., Mashovets, T.V., Rývkin, S.M. and Sondaevskii, V.P. The energy spectrum of defects arising in Ge under the influence of  $\gamma$ -radiation, 1=14259
- Vitrikhovskii, N.I. and Mizetskaya, I.B. Mixed ZnS.CdS mono-crystals and some of their properties, 1=1111
- Vitrikhovskii, N.I. and Muzetskaya, I.B. Influence of growth conditions on some physical properties of mixed single crystals of CdS.CdSe, 1=14963
- Vivargent, M. See von Dardel, G., 1=2053
- Vivargent, M. See von Dardel, G., 1=16863
- Vizbaraite, Ya.I., Chiplis, V.I. and Yutsis, A.P. The selection rules of the electron transition with various types of coupling, 1=3502
- Vizbaraite, Ya.I., Ėringis, K.K. and Yutsis, A.P. The generalized methods of Hartree and Fock, 1=2271
- Vizbaraite, Ya.I., Strotskite, T.D. and Yutsis, A.P. On the generalized Hartree and Fock methods, 1=4895
- Vizbaraite, Ya.I., Strotskite, T.D. and Yutsis, A.P. On the generalized Hartree and Fock methods, 1=11061
- Vizh'e Zh.-P., [Vigier, J.P.] and Terletskii, Ya.P. The physical meaning of negative probabilities, 1=18295
- Vladimirov, Yu.A. See Litvin, F.F., 1=3872
- Vladimirov, V.S. Boundary conditions in the method of spherical harmonics, 1=2718
- Vladimirov, V.S. and Nikitin, V.F. The integral representations of Jost, Lehmann and Dyson, 1=15672
- Vladimirov, V.S. and Nikitin, V.F. The integral representations of Jost, Lehmann and Dyson, 1=18260
- Vladimirskii, V.V. Magnetic mirrors, channels and bottles for cold neutrons, 1=19219
- Vladimirskii, V.V., Panov, A.A., Radkevich, I.A. and Sokolovskii, V.V. The fission cross-sections of  $U^{235}$  and the total effective cross-sections of As, V, Ta, and Bi, 1=7406
- Vladimirsky, K.V. Radiation instability in nuclear magnetic resonance experiments, 1=4740
- Vladymirov, V.V. See Yukhnovskii, I.R., 1=13078
- Vlasenko, N.A. See Shklyarevskii, I.N., 1=16119
- Vlases, G. See Liepmann, H.W., 1=12914
- Vlasov, I.N. See Berdýshev, A.A., 1=5000
- Vlasov, N.A., Kalinin, S.P., Ogloblin, A.A. and Chuev, V.I. The ( $\alpha$ , t) reaction of  $Li^7$ ,  $Be^9$  and  $Na^{23}$ , 1=728
- Vlasov, N.A., Kalinin, S.P., Ogloblin, A.A. and Chuev, V.I. The reaction  $B^{11}$  (d, t)  $B^{10}$ , 1=17142
- Vlasov, N.A., Kalinin, S.P., Ogloblin, A.A. and Chuev, V.I. The reaction (d, t) on zirconium isotopes, 1=17149
- Vlasov, N.A., Kalinin, S.P., Rybakov, B.V. and Sidorov, V.A. The neutron spectrum of the d + p reaction, 1=4798
- Vlasov, N.A. See Artemov, K.P., 1=16913
- Vlasov, N.A. See Brill'O.D., 1=11021
- Vlasov, N.A. See Brill'O.D., 1=12207
- Vlasov, N.A. See Rybakov, B.V., 1=5791
- Vlasov, V.P. and Markin, S.A. The solution of the non-stationary thermal conductivity problem for a rod, on the ends of which are attached masses. Calculation for a differential thermo-battery, 1=2429
- Vlieger, J., Mazur, P. and de Groot, S.R. On the quantum statistical basis of non-equilibrium thermodynamics, 1=8073
- Vlokh, O.G. and Zheludev, I.S. Changes in the optical parameters of crystals caused by electric fields (the linear electrooptical effect), 1=3824
- Vobecký, M. See Brabec, V., 1=13721



- Vobecký, M. See Brabec, V., 1=17029  
 Vobecký, M. See Frána, J., 1=17031  
 Vobecký, M. See Plajner, Z., 1=13737  
 Vodar, B. See Balloffet, G., 1=16089  
 Vodar, B. See Fabre, D., 1=12994  
 Vodar, B. See Romand, J., 1=16082  
 Vodar, B. See Schuller, F., 1=2270  
 Vodar, B. See Schuller, F., 1=4889  
 Vodar, B. See Sen Sik Minn, 1=17612  
 Vodar, B. See Sen Sik Minn, 1=17613  
 Vodeníčarov, H. See Marinov, M., 1=1986  
 Vodicka, V. Steady temperature field in a composite doubly infinite strip, 1=9499  
 Vodička, V. Steady temperature in a three-layered strip, 1=16142  
 Vodička, V. Steady temperature in a composite elliptic cylinder, 1=18638  
 Vodop'yanov, K.A. and Galibina, G.I. Investigation of dielectric losses in solid dielectrics at high frequencies, 1=1123  
 Vodop'yanov, L.K. The nature of dielectric losses in polycrystalline titanates of magnesium and zinc, irradiated in a large integrated beam of slow neutrons, 1=19926  
 Vodop'yanov, L.K. and Skanavi, G.I. The effect of irradiation with slow neutrons on dielectric properties of polycrystalline titanates, 1=12475  
 Voelcker, H. See Fiebig, R., 1=21072  
 Voelker, F. See Hubbard, E.L., 1=10749  
 Voevodskii, V.V. See Blyumenfel'd, L.A., 1=4743  
 Voevodskii, V.V. See Kachanova, Zh.P., 1=5111  
 Vogan, E.L. and Hartz, T.R. Ionospheric absorption on November 12, 1960, 1=20917  
 Vogel', Ya.M. See Kozlov, V.F., 1=18431  
 Vogg, H. See Born, H.J., 1=1476  
 Vogl, J.L. See Hebbard, D.F., 1=4865  
 Vogl, T.P., Hansen, J.R. and Garbuny, M. Photoconductive time constants and related characteristics of p-type gold-doped germanium, 1=2425  
 Vogl, T.P. See Garbuny, M., 1=4635  
 Vogler, G. Calculation and measurement of the internal demagnetization coefficient, 1=9027  
 Vogler, G. Demagnetization of square-loop ferrites, 1=10167  
 Vogler, G. Change of length in a magnetic field of ferromagnetic dispersions, 1=17965  
 Vogler, L.E. See Pappas, C.F., 1=5596  
 Vogt, E. See French, J.B., 1=8580  
 Vogt, E. See French, J.B., 1=8624  
 Vogt, E.W. See Almqvist, E.A., 1=8720  
 Vogt, E.W. See Bromley, D.A. [Eds.], 1=2153  
 Vogt, O. See Busch, G., 1=6253  
 Vogt, R. See Meyer, P., 1=7294  
 Vohra, K.G. and Mishra, U.C. Evaluation of future levels of radioactive fallout, 1=5848  
 Voigt, F. Dispersion of complex permeability of lithium ferrite, 1=20129  
 Voigt, F. The magnetic spectrum of Ni-Zn ferrites with perminvar loops, 1=20139  
 Voigt, J. Temperature and intensity dependence of the photocurrent and luminescence in a reaction-kinetics model for sulphide phosphors, 1=19910  
 Voigt, J. See Böer, K.W., 1=6176  
 Voigtlaender-Tetzner, G. The structure of liquid mercury, 1=18389  
 Voinova, N.A. See Vitman, V.D., 1=17046  
 Voitenko, R.M. and Raskina, E.M. On some properties of semi-conducting polymer materials, 1=7656  
 Voitländer, J. and Protschka, H. Investigation of ferri- and paramagnetic resonance in spinels, 1=20189  
 Voitsekhovskaya, I.A., Golubeva, L.G. and Tyutyunnikova, E.V. Properties of alkali halide crystals. Dielectric losses in KCl:Ba crystals, 1=2430  
 Vojta, G. Calculation of the vibrational sum over states of degenerate anharmonic oscillators by using the Mellin transformation, 1=10433  
 Volarovich, M.P. and Balashov, D.B. The effect of pressures up to 5000 kg/cm<sup>2</sup> on the velocity and absorption of ultrasound in nitrogen, 1=6904  
 Volchok, B.A. Derivation of some equations in the theory of zone refining, 1=15000  
 Völcker, H. Theoretical investigation of strong spherically symmetrical convergent compression shocks in deuterium gas, 1=15937  
 Vold, M.J. The effect of adsorption on the van der Waals interaction of spherical colloidal particles, 1=7922  
 Volders, L. and van de Hulst, H.C. Neutral hydrogen in extragalactic systems, 1=18123  
 Volet, C. Standard unit of pressure in vacuum physics, 1=5298  
 Vol'i, Yu. and Tsellner, V.  $\tau$ -decay and  $\pi$ - $\pi$  coupling, 1=19284  
 Volger, J. Dielectric properties of solids in relation to imperfections, 1=6188  
 Volger, J. Solid-state research at low temperatures. I. Introduction, 1=7510  
 Volger, J. Solid-state research low temperatures. II. Electron conduction in metals and semiconductors, 1=7511  
 Volger, J. Solid-state research at low temperatures. III. Thermal conduction in insulators; paramagnetism; dielectric losses related to chemical lattice imperfections, 1=12359  
 Völkel, A. See Diehl, H., 1=4922  
 Vol'kenshtein, M.V. Problems in the theoretical physics of polymers, 1=3577  
 Vol'kenshtein, M.V., Gotlib, Yu.Ya. and Ptitsyn, O.B. Kinetics of cooperative processes, 1=18299  
 Vol'kenshtein, M.V. and Kruchek, M.P. Calculation of the optical activity of molecules, 1=2344  
 Volkenshtein, N.V. and Galoshina, E.V. The temperature dependence of residual electrical resistance in ordering alloys, 1=12653  
 Volkenshtein, N.V. and Tsiovkin, Yu.N. Investigation of the kinetic curves of electrical resistivity of ordered alloys, 1=1019  
 Volkob, Ya.F., Tolok, V.T. and Sinel'nikov, K.D. Investigation of electrodeless discharge in a magnetic trap with a supplementary azimuthal magnetic field, 1=5456  
 Volkob, Ya.F., Tolok, V.T. and Sinel'nikov, K.D. Investigation of electrodeless discharge in a magnetic trap with a supplementary azimuthal magnetic field, 1=11951  
 Volkonskaya, T.G., Ivanenko, I.P. and Timofeyev, G.A. Development of electron-photon showers of high energy in condensed media, 1=3299  
 Volkonskaya, T.G. See Masevich, A.G., 1=21  
 Volkoff, G.M. A note on some properties of Hamiltonians involving spin matrices for half-integral values of I, 1=19573  
 Volkov, D.V. and Inopin, E.V. Motion of nucleons in an anisotropic oscillator potential with an allowance for spin-orbit interaction, 1=4821  
 Volkov, D.V. and Inopin, E.V. Motion of nucleons in an anisotropic oscillator potential taking the spin-orbital interaction into account, 1=8555  
 Volkov, D.V. and Orayevskiy, V.M. Form factor in the decay  $\pi^0 \rightarrow \gamma + e^+ + e^-$ , 1=13469  
 Volkov, G.A. Energy spectra of electrons at different points in the irradiated medium, 1=14239  
 Volkov, T.F. The stability of a plasma cylinder in a high-frequency magnetic field, 1=4613  
 Volkov, T.F. On stability of a plasma cylinder in an external magnetic field, 1=7046  
 Volkov, T.F. The decay of an arbitrary discontinuity in a continuous medium, 1=7057  
 Volkov, T.F. A stationary plasma density distribution in an electromagnetic field, 1=7067  
 Vol'mir, A.S. See Birkgan, A.Yu., 1=4292  
 Vol'mir, A.S. See Birkgan, A.Yu., 1=10457  
 Volod'ko, L.V., Sevchenko, A.N. and Umreiko, D.S. Interpretation of the electronic and vibration absorption spectra of uranyl nitrates, 1=4344  
 Volod'ko, L.V., Sevchenko, A.N. and Umreiko, D.S. Interpretation of the electronic and vibration absorption spectra of uranyl nitrates, 1=10514  
 Voloshchuk, Ya.V. See Andrievskii, A.I., 1=11595  
 Volovick, G. Influence of the pressure of a neutral gas on the resistance of a nickel wire, 1=7613  
 Volpe, J.J. and Klein, D. An experimental study of the relative U<sup>235</sup> fission activation as a function of energy in slightly enriched uranium-water lattices, 1=17165  
 Vol'pert, E.G. See Bashuk, R.P., 1=20324  
 Volpi, G.G. See Galli, A., 1=9643  
 Volungis, R.J. See Keedy, D.A., 1=7703

- Vonarburt, H. Analysis of double anti-reflection layers, 1=6961
- von Ardenne, M. and Schiller, S. The production of electron beams with higher energy transport, 1=1913
- v. Békésy, G. Pitch sensation and its relation to the periodicity of the stimulus. Hearing and skin vibrations, 1=6663
- v. Békésy, G. Concerning the fundamental component of periodic pulse patterns and modulated vibrations observed on the cochlear model with nerve supply, 1=11657
- von Dardel, G., Frisch, D.H., Mermod, R., Milburn, R.H., Piroué, P.A., Vivargent, M., Weber, G. and Winter, K. Total cross-sections for  $p$ ,  $\bar{p}$ ,  $K^+$  and  $\pi^+$  on hydrogen between 3 and 10 GeV/c. 1=2053
- von Dardel, G., Mermod, R., Piroué, P.A., Vivargent, M., Weber, G. and Winter, K. Total cross-sections for pions on protons in the momentum range 4.5 to 10 GeV/c, 1=16863
- von Ehrenstein, D. Measurement of the hyperfine splitting of the  $^4F_{9/2}$  ground state in the  $Co^{59}$  I spectrum, and determination of the nuclear quadrupole moment of  $Co^{59}$ , 1=7437
- von Engel, A. and Franklin, R.N. Synthesis and properties of an electron-ion plasma, 1=18828
- von Engel, A. and Goodyear, C.C. Fusion cross-section measurements with deuterons of low energy, 1=19555
- v. Foerster, G. Methods of determining radical concentration by electron-spin resonance, 1=14110
- v. Foerster, G. A simple nuclear magnetic resonance device for the measurement of magnetic fields, 1=16475
- v. Foerster, G. See Schmitten, A., 1=14799
- v. Fragstein, C. Remark on the derivation of Kirchhoff's law, 1=18660
- v. Fragstein, C. See Römer, H., 1=9393
- von Frankenberg, C. and Hughes, R.E.  $q$ -dimensional excluded volume in random flight chains, 1=12337
- v. Friesen, S. and Persson, B. An improved instrument for nuclear emulsion track photometry, 1=16638
- von Friesen, S. See Barkas, W.H., 1=13421
- von Haselberg, K. and Krautkrämer, J. An ultrasonic radiator with near-field correction for the testing of materials, 1=204
- von Herrmann, P. See Garabedian, H.L., 1=767
- von Hippel, A. See Fuchs, R., 1=11134
- von Hoerner, S. The time rate of formation of stars, 1=15496
- v. Jan, R. See Mann, E., 1=19766
- v. Keussler, V. and Manogg, P. The emission of polarized light by incandescent metal surfaces, and its spatial intensity distribution, 1=18622
- von Klüber, H. Report on the total eclipse of the sun, 2 October 1959, 1=1650
- von Klüber, H. Photometric investigation of the inner solar corona using an eclipse plate of 1927 June 29, 1=18095
- von Klüber, H. See Jarrett, A.H., 1=9272
- v. Krzywoblocki, M.Z. On the general form of the special theory of relativity, 1=57
- v. Krzywoblocki, M.Z. On the general form of the special theory of relativity. II, 1=5312
- v. Krzywoblocki, M.Z. On the general form of the special theory of relativity. III. On the super-light motion in the general form of the special theory of relativity, 1=15613
- v. Krzywoblocki, M.Z. On the general form of the special theory of relativity. IV, 1=15614
- v. Krzywoblocki, M.Z. On the so-called stagnation conditions and energy (heat) function in diabatic flow, 1=16137
- v. Krzywoblocki, M.Z. See Whittenbury, C.G., 1=72
- v. Ments, M. The sensitivity performance of the eye, in the presence of various limiting mechanisms of different origin, 1=21133
- Vonnegut, B., Maynard, K., Sykes, W.G. and Moore, C.B. Technique for introducing low-density space charge into the atmosphere, 1=20845
- Vonnegut, B., Moore, C.B. and Mallahan, F.J. Adjustable potential-gradient-measuring apparatus for airplane use, 1=20843
- von Roos, O. Plasma theory of electron-phonon interaction in metals, 1=908
- von Roos, O. Electron exchange correction to the phonon dispersion relation in metals, 1=14176
- von Roos, O. and Zmuidzinas, J.S. Effect of electron exchange on the dispersion relation of plasmons, 1=3644
- Vonsovskii, S.V. and Izyumov, Yu.A. Statistical properties of the electron system of ferromagnetic transition metals, 1=14218
- Vonsovskii, S.V. See Ignatchenko, V.A., 1=1232
- v. Weyssenhoff, H. See Groth, W.E., 1=6576
- Vook, R.W. Single-crystal tin films, 1=11592
- Vook, R.W. Forbidden reflections in electron diffraction patterns of evaporated tin films, 1=20532
- Voorhies, H.G. See Scott, F.R., 1=7081
- Voorhoeve, W.H.M. and Dokoupil, Z. The specific heat of  $MnCl_2 \cdot 4H_2O$  between 0.9°K and 4.2°K at three different magnetic fields: 2.84, 7.61 and 10.48 kOe, 1=17417
- Vorob'ev, A.A., Komar, A.P. and Korolev, V.A. The possibility of decrease in the value of ionization fluctuations in gases, 1=18756
- Vorob'ev, A.A., Vorob'ev, G.A. and Mel'nikov, M.A. Propagation of a discharge in single crystals of NaCl and KCl, 1=5427
- Vorob'ev, A.A. See Komar, A.P., 1=18762
- Vorob'ev, G.A. See Vorob'ev, A.A., 1=5427
- Vorob'ev, M.G. See Dmitriev, A.B., 1=10305
- Vorob'ev, N.I. Interdependence of physical properties of polymers, 1=1445
- Vorob'ev, Yu.V. An analysis of methods of aligning magnetic electron microscopes, 1=16416
- Vorob'ev, Yu.V. and Karkhanin, Yu.I. Infrared luminescence of a surface layer of  $Cu_2O$ , 1=14629
- Vorob'ev, Yu.V. See Vertsner, V.N., 1=8961
- Vorob'ev, Yu.V. See Vertsner, V.N., 1=9642
- Vorob'eva, G.A. See Kondilenko, I.L., 1=5480
- Vorobiev, A.A. and Moskalev, V.A. On the study and design of cyclic electronic accelerators at the Tomsk Polytechnic, 1=9652
- Vorobjev, A.A. and Sokolov, L.S. Withdrawal of a beam of accelerated electrons out of the chamber of a cyclical accelerator without the application of a lead-out device, 1=342
- Voronel', A.V. The shape of the critical isotherm near the critical point, 1=18672
- Voronel', A.V. and Giterman, M.Sh. Hydrostatic effect in liquids near the critical point, 1=135
- Voronov, M.G. Interatomic distances and the nature of the Si-O bond in silicates, 1=20565
- Voronov, F.F. and Balashov, D.B. Adiabatic elastic moduli of cobalt-bonded tungsten carbides, 1=1292
- Voronov, F.F., Vereshchagin, L.F. and Goncharova, V.A. Influence of hydrostatic pressure on the elastic properties of cerium, 1=3957
- Voronov, F.F., Vereshchagin, L.F. and Goncharova, V.A. Influence of hydrostatic pressure on the elastic properties of cerium, 1=10205
- Voronov, F.F., Vereshchagin, L.F. and Murav'ev, V.I. Pulsed system for measuring the velocity of ultrasonic waves, 1=4418
- Vorontsov-Vel'yaminov, B.A. Partial gas densities in comet 1942g Whipple, 1=18053
- Vorontsov-Vel'yaminov, B.A. The comparison of galaxy diameters, 1=18129
- Voros, T. See Bardocz, A., 1=3511
- Vosahlo, H. See Rissmann, S., 1=8223
- Vosahlo, H. See Schuster, K., 1=186
- Vosko, S. See Howard, R.E., 1=8922
- Vosko, S.H. Approximate solutions of the Bethe-Salpeter equation, 1=4770
- Vosko, S.H. See Daniel, E., 1=952
- Vosko, S.H. See Giffels, C.A., 1=3588
- Voskoboynikov, S.I. Magnetostriction and magnetization of ternary iron-nickel-cobalt systems of iron-nickel base and iron-cobalt base alloys, 1=7760
- Voslamber, D. See Ecker, G., 1=15735
- Vossler, C. See Uhr, L., 1=15377
- Votinov, M.P. See Antuf'ev, V.V., 1=12659
- Votol, I.K. and Plyavir, I.K. Kinetics of short-lived photoluminescence of some activated alkali-halide crystals, 1=3865
- Votruba, M. See Pernegr, J., 1=16925
- Votruba, M.F. See Hossain, A., 1=19450
- Vovchenko, V.G., Gel'fer, G., Kuznetsov, A.S., Meshcheryakov, M.G. and Svyatkovskii, V. Effect of nucleon binding on the shapes of pion energy spectra, 1=16855



- Vovchenko, V.G. See Helfer, H., 1=7269  
 Vovchenko, V.G. See Helfer, H., 1=5755  
 Vovenko, A.S. See Belyakov, A.N., 1=10815  
 Vozoff, K. Calibration of pulsation detector coils, 1=21088  
 Vrambout, R. and De Greve, L. Measurements on the magnetic anisotropy in evaporated iron films, 1=14719  
 Vrana, I. See Van Gan-Chan, 1=2099  
 Vrana, I. See Van Gan-Chan, 1=16902  
 Vrána, J. See Pernegr, J., 1=13553  
 Vratny, F. Reflectance spectra of terbium oxides in range  $Tb_2O_3$  to  $Tb_4O_7$ , 1=7705  
 Vratny, F., Kokalas, J.J. and Gugliotta, F. Reflectance spectra of the copper-bismuth alloy system, 1=8981  
 Vratny, F., Tsai, M. and Gugliotta, F. Infrared spectrum of praseodymium nitrite, 1=1163  
 Vrkljan, V. The velocity of sound in gaseous mixtures, 1=18471  
 Vrkljan, V.S. On the calculation of sound-velocity in gas mixtures, 1=2787  
 Vu, H. The perturbation of the rotation-vibration bands of some compressed polar diatomic molecules and the blocking of rotation by "orbiting pairs", 1=13992  
 Vul, B.M. Impact ionization and the tunnel effect in semi-conductors, 1=5010  
 Vul, B.M. Capacitive characteristics of p-n junctions, 1=10052  
 Vul, B.M., Shotov, A.P. and Grishechkina, S.P. Temperature dependence of the tunnel current in p-n junctions, 1=10053  
 Vul, B.M., Shotov, A.P. and Grishechkina, S.P. Temperature dependence of the tunnel current in p-n junctions, 1=11313  
 Vul, B.M., Zavaritskaya, E.I. and Keldýsh, L.V. Impurity conduction in germanium at low temperatures, 1=3749  
 Vuorelainen, O. The temperature field produced in the ground by a heated slab laid direct on ground, and the heat flow from slab to ground, 1=1835  
 Vuster, V.A. [Wooster, W.A.] Automatic setting and registration in connection with X-ray diffractometers, 1=12628  
 Vuster, V.A. [Wooster, W.A.] An automatic recording microdensitometer designed for X-ray crystallography, 1=20458  
 Vyal'tsev, V.V. and Khorguani, V.G. A powerful low-frequency acoustic siren, 1=18510  
 Vyas, A. Relaxation times of some disubstituted benzenes, 1=1747  
 Vyrodov, I.P. Concerning the priority of Popov's method for the determination of lattice parameters of polycrystalline substances, 1=12637  
 Výchnevs'kí, V.N. The application of magnesium oxide in spectrophotometry, 1=12992  
 Výchnevs'kí, V.N. Accounting for the reabsorption of impurity luminescence in naphthalene-anthracene crystals, 1=14646  
 Výchnevskí, V.N. See Belikov, B.O., 1=11542  
 Výchnev'skí, V.N. See Borýsov, M.D., 1=12991  
 Výsots'kí, H.L. and Kresnin, A.A. The theory of electron bremsstrahlung at protons, 1=10871  
 Výsots'kí, H.L., Kresnin, A.A. and Tyshchenko, B.I. Focusing properties of an achromatic parallel beam shifting system, 1=12973  
 Vyssotsky, V.A., Gordon, S.B., Frisch, H.L. and Hammersley, J.M. Critical percolation probabilities (bond problem), 1=12346  
 Vyssotsky, V.A. See Frisch, H.L., 1=17385  
 Výtavkin, A.N., Anisimova, Yu. V. and Shakhidzhanov, S.S. The simulation of the trajectories of relativistic electrons in a magnetic undulator, 1=4646  
 Waaben, S. Synchrotron magnet power circuit with a distributed capacitor bank, 1=18728  
 Wache, X. See Henry, G., 1=15146  
 Wachspress, E.L. A numerical technique for solving group diffusion equations, 1=17204  
 Wachtel, A. ZnS:Cu,Si phosphors, 1=10118  
 Wachtel, E. and Vetter, U. Antiferromagnetism in alloys of gold and chromium, 1=20162  
 Wächter, F. On the mechanism of the cathodic part of a glow discharge, 1=18800  
 Wächter, F. See Badareu, E., 1=9531  
 Wachter, P. Excitation of zinc oxide by means of slow electrons, 1=1186  
 Wachtl, Z. See Eckstein, J., 1=9120  
 Wachtman, J.B., Jr., Teffet, W.E., Lam, D.G., Jr. and Apstein, C.S. Exponential temperature dependence of Young's modulus for several oxides, 1=10204  
 Wacławski, B.J. and Müller, E.W. Operation of the field ion microscope with a dynamic gas supply, 1=11983  
 Wada, E. See Okano, K., 1=4342  
 Wada, J.Y. See Knechtli, R.C., 1=8324  
 Wada, M. Atmospheric effects on the intensity of cosmic-ray mesons. I. The barometer effect, 1=16950  
 Wada, M. See Torizuka, K., 1=19299  
 Wada, Y. Distribution of particles in a low density Fermion system with attractive interactions, 1=12826  
 Wada, Y. Mechanical dispersions and transition phenomena in semicrystalline polymers, 1=14851  
 Wada, Y. Low density fermion systems with strong attractions, 1=15733  
 Wada, Y. Nuclear matter at low density with attractive and singular interactions, 1=19340  
 Wada, Y. and Hirose, H. Glass transition phenomena and rheological properties of petroleum asphalt, 1=11589  
 Wada, Y., Hirose, H., Asano, T. and Fukutomi, S. Dynamic mechanical properties of polymers at ultrasonic frequencies in relation to their glass transition phenomena, 1=2502  
 Wada, Y., Hirose, H., Umabayashi, H. and Otomo, M. Volume viscoelasticity of polymers and other highly dissipative materials, 1=12578  
 Wada, Y. See Fukuda, N., 1=15732  
 Wadas, R. Line-width and some magnetic properties of the system  $Ni_{1-x}Cu_xCo_2FeO_4$ , 1=20075  
 Waddell, C.N., Henderson, T.M. and Lewis, P.S. Neutron yields from thin targets bombarded by 32 MeV protons, 1=19460  
 Waddington, C.J. The interaction of very heavy cosmic ray nuclei, 1=3319  
 Waddington, C.J. The study of cosmic ray variations with nuclear emulsions, 1=3341  
 Waddington, C.J. Note on ending particles in nuclear emulsions exposed to the primary cosmic radiation, 1=8528  
 Waddington, C.J. A remark on the detection of events in nuclear emulsions, 1=13260  
 Waddington, C.J. Nuclear emulsions in the I.G.Y., 1=16921  
 Waddington, C.J. Hydrogen nuclei of the primary cosmic radiation, 1=19201  
 Waddington, C.J. See Stevenson, G.R., 1=12133  
 Waddington, T.C. The calculation of the Madelung constant of a "generalized" sodium chloride lattice, 1=14146  
 Wade, G. See Comstock, R.L., 1=6408  
 Wade, G. See Heffner, H., 1=4537  
 Wadsley, A.D. See Andersson, S., 1=20557  
 Wadsworth, N.J. The influence of atmospheric corrosion on the fatigue limit of iron-0.5% carbon, 1=7831  
 Wäffler, H. See Clerc, H.G., 1=7107  
 Wäffler, H. See Kaufmann, W., 1=8634  
 Wäffler, H. See Knitter, H.H., 1=19515  
 Wafik, M. See El-Nadi, M., 1=713  
 Wafik, M. See El-Nadi, M., 1=7397  
 Wageman, W.E. and Guevara, F.A. Fluid flow through a porous channel, 1=120  
 Wagenknecht, F. The magnetic susceptibility of strychnine, 1=20052  
 Waggoner, J.H. Jr. and Shaffer, W.H. Two-fold degenerate simple harmonic oscillator: radial matrix elements of 1 and  $r^{-1}$ , 1=13990  
 Wagh, R.V. Gravitational field of distant rotating masses, 1=12793  
 Waghmare, Y.R. Charge distribution in  $Be^9$ , 1=13626  
 Waghmare, Y.R. and Pandya, S.P. A shell model calculation for scattering of electrons by  $Be^9$ , 1=13776  
 Waghmare, Y.R. See Thankappan, V.K., 1=625  
 Waghmare, Y.R. See Thankappan, V.K., 1=17601  
 Wagner, C.A. See Balser, M., 1=2567  
 Wagner, C.D., Campanile, V.A. and Guinn, V.P. Techniques of chemical research with the electron Van de Graaff, 1=1933  
 Wagner, F.Jr. See Freedman, M.S., 1=13399  
 Wagner, H. See Gengnagel, H., 1=10138  
 Wagner, M. Theory of the F centre. I. Wave-functions and eigenvalues of dynamic electron-lattice coupling, 1=998  
 Wagner, M. On the theory of the F-centre. II. Optical transitions and absorption bands, 1=11237

- Wagner, M. On the theory of the F-centre. III. Atomistic formulation of the Hamiltonian operators and static electron-lattice coupling, 1=14335
- Wagner, M. Spatial distribution of resonance absorption in fuel elements, 1=19558
- Wagner, M. See Boynton, R.M., 1=6675
- Wagner, R. The angular dependence of magnetic field induced anisotropy in an iron-nickel ferrite single crystal, 1=10170
- Wagner, R. Orientation superstructure in Fe-Ni ferrite single crystals, 1=11451
- Wagner, R. See Garber, M., 1=11457
- Wagner, S. See Pott, F.P., 1=13234
- Wagner, W.G. and Birnbaum, G. Theory of quantum oscillators in a multimode cavity, 1=10789
- Wagoner, G. See Singer, L.S., 1=12023
- Wahl, C. See Kunzler, J.E., 1=3037
- Wahl, F. Classical non-linear lattice statics of edge dislocations. II. Calculation, 1=3671
- Wahl, F. See Fues, E., 1=11199
- Wahlin, L. Improvements of the collector system for a laboratory isotope separator, 1=2304
- Wählin, L. Automatic mass number determination for isotope separators and mass spectrometers, 1=17292
- Wahlin, L. See Frahn, W.E., 1=2303
- Wahlström, I. and Forkman, B. Photoprotons from nitrogen, 1=5895
- Wahlström, I. See Forkman, B., 1=7368
- Wahrhaftig, A.L. See Eyring, E.M., 1=3575
- Waibel, E. Variations of the primary  $\alpha$ -rays and the total cosmic radiation, 1=5807
- Waissenberg, A.O. and Smirnitsky, V.A. Conservation of  $\mu^+$ -meson polarization in emulsion with aid of magnetic field, 1=5748
- Wait, J.R. Propagation of electromagnetic waves along a thin plasma sheet, 1=376
- Wait, J.R. The electromagnetic fields of a dipole in the presence of a thin plasma sheet, 1=16550
- Wait, J.R. The electromagnetic fields of a horizontal dipole in the presence of a conducting half-space, 1=18982
- Wait, S.C.Jr. See Craig, D.P., 1=8843
- Waite, T.R. Electromagnetic sources in general relativity theory, 1=11700
- Wajima, J.T., Rustad, B.M. and Melkonian, E. Germanium crystal as a neutron monochromator and the determination of its higher order contaminations, 1=8465
- Wajs, K. The error estimation of linearized nuclear reactor equations, 1=17223
- Wakabayashi, H. Temperature dependence of surface potential in silver chloride single crystals, 1=17827
- Wakabayashi, J. See Wanlass, L.K., 1=7792
- Wakatsuki, T., Hirao, Y., Okada, E. and Miura, I.  $0^+$  second excited state of  $S^{32}$ , 1=8591
- Wakatsuki, T., Hirao, Y., Okada, E. and Miura, I.  $0^+$  second excited state of  $S^{32}$ , 1=13661
- Wakatsuki, T., Hirao, Y., Okada, E., Miura, I., Sugimoto, K. and Mizobuchi, J. Gamma rays from several elements bombarded by 10 and 14 MeV protons, 1=9858
- Wakeshima, H. On the theory of the fracture of liquids, 1=12865
- Wakita, H. Measurement in quantum mechanics, 1=2698
- Wakita, H. Mathematical foundation of the quantum theory of free fields, 1=10420
- Wakita, H. On an extension of the mathematical framework of the quantum theory, 1=15669
- Wakiyama, T. and Chikazumi, S. Magnetostriction and crystal anisotropy of nickel-chromium and nickel-vanadium alloys, 1=12535
- Waks, V.G. and Larkin, A.I. On the application of the methods of superconductivity theory to the problem of the masses of elementary particles, 1=13316
- Waku, S., Hirabayashi, H., Toyoda, H., Iwasaki, H. and Kiriya, R. Ferroelectricity in potassium ferrocyanide trihydrate, 1=1136
- Waku, S., Masuno, K. and Tanaka, T. Ferroelectricity in  $(K, NH_4)$ ,  $(K, Rb)$  and  $(K, Tl)$  ferrocyanide mixed crystals, 1=14558
- Waku, S., Masuno, K. and Tanaka, T. Ferroelectricity in the potassium ferro-cyanide group ferroelectrics substituted by deuterium for hydrogen, 1=17838
- Waku, S., Masuno, K., Tanaka, T. and Iwasaki, H. Ferroelectricity in potassium ferrocyanide trihydrate and its isomorphous substances, 1=11336
- Waku, S. See Toyoda, H., 1=11351
- Wakuta, Y. See Sonoda, M., 1=11984
- Waland, R.L. Flat-fielded Maksutov-Cassegrain optical systems, 1=4446
- Walch, A.P. See Salz, F., 1=13088
- Walczak, T. See Božek, E., 1=13728
- Wald, F. See Stegherr, A., 1=10269
- Wald, G. Participation of rods and cones in visual responses (reply to the comments of C.S. Bridgman), 1=9231
- Wald, M. See Brandon, D.G., 1=19788
- Waldeskog, B. and Mathiesen, O. Photometric charge determination of relativistic heavy primaries in cosmic radiation, 1=564
- Waldeskog, B., Mathiesen, O. and Kristiansson, K. On the charge spectrum of heavy primaries, 1=3325
- Waldeskog, B. See Kristiansson, K., 1=566
- Waldeskog, B. See Kristiansson, K., 1=567
- Waldmann, L. See Schirdewahn, J., 1=13976
- Waldmann, L. See Schmitt, K.H., 1=15949
- Waldmeier, M. The coronal activity of 5 April, 1960, 1=1646
- Waldmeier, M. Results of the 1954 Zürich solar eclipse expedition. VII. Photometry and polar rays, 1=6714
- Waldmeier, M. Development of an anomalous sun-spot group, 1=7985
- Waldmeier, M. Motions in solar prominences. IV. The erupting prominence of 11 April 1959, 1=9275
- Waldmeier, M. New observations of the b-line of prominences, 1=15480
- Waldmeier, M. Results of the Zürich solar eclipse expedition 1954. VIII. Brightness distribution and component resolution, 1=15490
- Waldner, F. See Caforio, A., 1=5780
- Waldorf, D.L. Temperature and composition dependence of the elastic constants of dilute alloys of manganese in copper, 1=9081
- Waldorf, D.L. See Alers, G.A., 1=11884
- Waldram, J.M. Two-mirror system with  $140^\circ$  field, 1=16069
- Walecka, J.D. See de-Shalit, A., 1=588
- Walecka, J.D. See de-Shalit, A., 1=5835
- Waleryś, H. See Frąckowiak, M., 1=6866
- Waleryś, H. See Gutsze, A., 1=15887
- Wales, M. and Wilson, J.N. Theory of coincidence in Coulter particle counters, 1=20769
- Wall, K.C., Fulton, T. and Feldman, G. Scattering matrix approach to the  $\Lambda$ - $\pi$  resonance 1=12123
- Walker, A.D.M. The quasi-longitudinal approximation to the Appleton-Hartree equation, 1=9690
- Walker, B.D. See Wong, C., 1=11010
- Walker, C.T. See Morse, R.W., 1=7554
- Walker, D.M.C. See Cook, G.E., 1=52
- Walker, D.M.C. See Cook, G.E., 1=18220
- Walker, D.M.C. See King-Hele, D.G., 1=20881
- Walker, D.M.C. See King-Hele, D.G., 1=20882
- Walker, E.J. See Lee, D.M., 1=4524
- Walker, J.C. and Harris, D.L. Nuclear spins of thulium-166 and 167, 1=595
- Walker, J.C.G. The thermal budget of the planet Mercury, 1=2603
- Walker, J.K. Some remarks on low energy pion phenomena, 1=16842
- Walker, J.K. See Rutherglen, J.G., 1=3208
- Walker, J.K. See Rutherglen, J.G., 1=5772
- Walker, L.A., Sparling, G. and Mercer, H. A simple method for the differential counting of radioactive iron ( $Fe^{59}$ ) and chromium-51 in mixtures, 1=13675
- Walker, L.R. Magnetic anisotropy of yttrium iron garnet at  $0^\circ K$ , 1=6363
- Walker, L.R., Wertheim, G.K. and Jaccarino, V. Interpretation of the  $Fe^{57}$  isomer shift, 1=6262
- Walker, L.R. See Dillon, J.F.Jr., 1=20185
- Walker, L.R. See LeCraw, R.C., 1=6353
- Walker, M.F. See Lallemand, A., 1=2591
- Walker, P.A. The thermal conductivity and thermoelectric power of bismuth telluride at low temperatures, 1=1115
- Walker, R.E. Measurement of the  $O-O_2$  diffusion coefficient, 1=12920
- Walker, R.E. Chemical reaction and diffusion in a catalytic tubular reactor, 1=17244
- Walker, R.L. See Kilner, J.R., 1=2093
- Walker, T.G. See March, P.V., 1=5894
- Walker, T.G. See Morton, W.T., 1=13774



- Walker, W.C. See Rustgi, O.P., 1=19940  
 Walker, W.D. See Crittenden, R.R., 1=5741  
 Walker, W.D. See Ebel, M.E., 1=8470  
 Walker, W.D. See Erwin, A.R., 1=12103  
 Walker, W.D. See Good, M.L., 1=469  
 Walker, W.D. See Good, M.L., 1=470  
 Walker, W.H. and Green, R.E. The ratio of the resonance integral to the thermal neutron cross section for  $\text{Sm}^{151}$ , 1=17128  
 Walker, W.H. See Green, R.E., 1=19381  
 Walker, W.P. See Catlin, A., 1=1452  
 Walker, W.P. See Catlin, A., 1=4009  
 Walkinshaw, W. See Burren, J.W., 1=9648  
 Wall, F.T., Hiller, L.A., Jr and Mazur, J. Statistical computation of reaction probabilities. II, 1=20725  
 Wall, L.A. See Ingalls, R.B., 1=17340  
 Wall, N.S. See Shore, B.W., 1=11013  
 Wallace, C.S. See Rathgeber, H.D., 1=7292  
 Wallace, J.D., Lewis, D.H. and Khalil, S.A. Korotkoff sounds in humans, 1=12705  
 Wallace, J.D. and McMorrow, E.W. Sonar transducer pulse calibration system, 1=2829  
 Wallace, L. The constants of the  $^2\Pi-^2\Pi$  OH bands, 1=3530  
 Wallace, L. Seasonal variation and interpretation of the OH rotational temperature of the airglow, 1=21021  
 Wallace, L. and Chamberlain, J.W. Excitation of  $\text{O}_2$  atmospheric bands in the aurora, 1=6639  
 Wallace, L. See Mathews, W.G., 1=15313  
 Wallace, R. See Atkinson, J.H., 1=12206  
 Wallace, W.E. See Cherry, L.V., 1=9024  
 Wallace, W.E. See Nassau, K., 1=7877  
 Wallace, W.E. See Nassau, K., 1=9041  
 Wallace, W.E. See Saba, W.G., 1=11160  
 Wallach, M.L., Heller, W. and Stevenson, A.F. Theoretical investigations on the light scattering of colloidal spheres. XII. The determination of size distribution curves from turbidity spectra, 1=8240  
 Wallach, M.L. See Stevenson, A.F., 1=8239  
 Wallart, F. See Delvaule, M.L., 1=18414  
 Wallase, C.S. Comparison between the response of Geiger and scintillation counters to the air shower flux, 1=3302  
 Wallenstein, M.B. and Krauss, M. Interpretation of the appearance potentials of secondary ions, 1=5418  
 Wallerstein, G. On the coronal lines and possible radio emission from repeating novae, 1=18120  
 Walley, C.A. See Hawley, R., 1=10689  
 Wallis, G. See Hachenberg, O., 1=8026  
 Wallis, G. See Jäger, J., 1=7068  
 Wallis, R.F. and Maradudin, A.A. Impurity induced infrared lattice vibration absorption, 1=11378  
 Wallis, R.F. See Gazis, D.C., 1=4400  
 Wallis, R.F. See Maradudin, A.A., 1=11360  
 Wallis, R.F. See Palik, E.D., 1=7572  
 Wallis, R.F. See Palik, E.D., 1=11187  
 Wallis, R.F. See Palik, E.D., 1=17490  
 Wallis, R.F. See Palik, E.D., 1=17741  
 Wallis, R.F. See Teitler, S., 1=7631  
 Wallis, R.F. See Teitler, S., 1=12481  
 Wallor, R. See Hines, R.L., 1=3026  
 Walmsley, S.H. See Craig, D.P., 1=14593  
 Walnut, T.H. See Neff, V.D., 1=19990  
 Walraven, P.L. On the Bezdol-Brucke phenomenon, 1=15382  
 Walsh, D. See Hazard, C., 1=2667  
 Walsh, D. See Hazard, C., 1=18139  
 Walsh, J.F. See Gottlieb, G.E., 1=17757  
 Walsh, J.R. See Craig, D.P., 1=14592  
 Walsh, W.M., Jr. Effects of hydrostatic pressure on the paramagnetic resonance spectra of several iron group ions in cubic crystals, 1=7786  
 Walshaw, C.D. The accuracy of determination of the vertical distribution of atmospheric ozone from emission spectro-photometry in the  $1043\text{ cm}^{-1}$  band at high resolution, 1=1507  
 Walt, M. Elastic and inelastic scattering of neutrons, 1=8733  
 Walt, M. and MacDonald, W.M. Energy spectrum of electrons trapped in geomagnetic field, 1=21071  
 Walt, M. See MacDonald, W.M., 1=21066  
 Walter, F.J., Dabbs, J.W.T. and Roberts, L.D. Semiconductor particle counters at low temperatures, 1=3089  
 Walter, F.J. See Roberts, L.D., 1=8791  
 Walter, G. and Coche, A. Identification of the gamma-rays of the actinium family with a scintillation spectrometer, 1=13746  
 Walter, J.L. and Dunn, C.G. An effect of impurity atoms on the energy relationship of (100) and (110) surfaces in high purity silicon iron, 1=3661  
 Walter, J.L., Hibbard, W.R. and Dunn, C.G. Discussion of paper entitled: "the formation of (110) [001] recrystallization texture in a cold-rolled and annealed (110) [001] crystal of silicon-iron" by Hsun Hu, 1=1424  
 Walter, R.L. See Fossan, D.B., 1=11020  
 Walter, R.L. See Wilson, W.E., 1=19294  
 Walter, W.L. See Dahl, P.F., 1=891  
 Walters, G.K. Application of magnetic resonance techniques to the study of semiconductor surfaces, 1=1257  
 Walters, G.K. and Estle, T.L. Paramagnetic resonance of defects introduced near the surface of solids by mechanical damage, 1=14787  
 Walters, J.R. A "time expander" for precision neutron time-of-flight experimentation, 1=2069  
 Walters, K. Use of idealized relaxation spectra in the interpretation of experimental results concerning polymer solutions, 1=15884  
 Walther, K. The upper limits for the reverberation time of reverberation chambers for acoustic and electromagnetic waves, 1=4420  
 Walther, K. Pulse compression in an acoustic waveguide, 1=6929  
 Waluga, T. See Blicharski, J., 1=9409  
 Waluga, T. See Hennel, J.W., 1=15908  
 Walvekar, A.P. See Tawde, N.R., 1=14057  
 Wampler, D.L. See Dahl, L.F., 1=11573  
 Wanders, G. The analytic properties of scattering amplitudes in sixth-order perturbation theory, 1=5668  
 Wandersleb, E. See Boegehold, H., 1=18236  
 Wang, F.E., Simpson, P.G. and Lipscomb, W.N. Molecular structure of  $\text{B}_2\text{H}_3(\text{CH}_3\text{CN})$ , 1=20549  
 Wang, F.F.Y., Ishii, K. and Tsui, J.B.Y. Ferrimagnetic resonance of single-crystal barium ferrite in the millimeter wave region, 1=14780  
 Wang, H.E. See Kestin, J., 1=6876  
 Wang I-ch'iu. See Van I-tsyu, 1=6874  
 Wang I-ch'iu. See Van I-tsyu, 1=7798  
 Wang I-ch'iu. See Van I-tsyu, 1=10191  
 Wang I-ch'iu. See Van I-tsyu, 1=10523  
 Wang Jung. See Van Zhun, 1=18751  
 Wang Kang-ch'ang. See Van Gan-chan, 1=2099  
 Wang Kang-Ch'ang. See Van Gan-Chan, 1=16902  
 Wang Kang-ch'ang. See Van Gan-chan, 1=19284  
 Wang, K.H. See McIntyre, J.A., 1=8545  
 Wang, M.L. See Dunne, T.G., 1=5038  
 Wang, P. On preferred frequencies for acoustical measurement, 1=18533  
 Wang Pao-K'un. See Arsen'eva-Géil', A.H., 1=16380  
 Wang Pao-K'un. See Arsen'eva-Géil', A.N., 1=13107  
 Wang, S. and Singer, J.R. Paramagnetic maser oscillator analysis, 1=10/90  
 Wang, S. See Singer, J.R., 1=8388  
 Wang Shou-Kuang. See Molchanov, A.P., 1=2650  
 Wang Shu-fen. See Van Shu-fen, 1=19182  
 Wang Shu-fen. See Van Shu-fen, 1=19244  
 Wang, T.C. Influence of fluctuations in the number of molecules on the frequency of a molecular-beam maser oscillator, 1=10791  
 Wang Ts'u-Tseng. See Van Gan-Chan, 1=16902  
 Wang Ts'u-tseeng. See Van tsu-tsen, 1=19284  
 Wang Yeh-ning and Chu Chiang-chung. The behaviour of internal friction associated with the process of martensite-type transformation, 1=1305  
 Wang Yen-wên. See Shaskol'skaya, M.P., 1=11215  
 Wang Yen-wen. See Van Yan'-ven', 1=12391  
 Wang Yung-Yu. See Bonch-Osmolovskaya, N.A., 1=19393  
 Wang Yüeh-chu. See Van Yue-chzhu, 1=17263  
 Wang Yung. See Blokhintsev, D.I., 1=5767  
 Wang Yung-yü. See Grigor'ev, E.P., 1=10975  
 Wang Yung-Yü. See Van Yun-yui, 1=5461  
 Wangermann, G. See Bothe, H.K., 1=20778  
 Wangsness, R.K. Longitudinal ferrimagnetic resonance, 1=2494  
 Wanic, A. See Janik, J.A., 1=5730  
 Wanic, A. See Murasik, A., 1=20119  
 Wanic, A. See Riste, T., 1=20118  
 Wanick, R.W., Fischer, H. and Lee, S.W. Asymmetric collapse accelerators for counter-Helmholtz geometries with internal injection, 1=13095

- Wänke, H. Scandium 45 as reaction product of high energy particles in iron meteorites. II, 1=9261
- Wänke, H. Exposure ages for iron meteorites, 1=9264
- Wänke, H. See Vilček, E., 1=9260
- Wänke, H. See Vilček, E., 1=9266
- Wanke, R. See Maenz, H., 1=8247
- Wanlass, L.K. and Wakabayashi, J. Stimulated spin-echo measurement of cross-relaxation in neutron-irradiated calcite, 1=7792
- Wannier, G.H. The particle concept and solid state physics, 1=887
- Wantsch, H. See Böer, K.W., 1=3785
- Wantuchowski, J. The mechanism of the processes of static tension, creep and relaxation, 1=14892
- Wapstra, A.H. Adjustment of relative nuclidic masses. III.  $A \geq 200$ , 1=19610
- Wapstra, A.H. and Connor, D.W. The persistence of nuclear polarization produced by the capture of polarized thermal neutrons, 1=5923
- Wapstra, A.H. See De Vries, C., 1=5495
- Wapstra, A.H. See Everling, F., 1=12266
- Wapstra, A.H. See König, L.A., 1=19609
- Wapstra, A.H. See van Oostrum, K.J., 1=12158
- Warburton, E.K. and Chase, L.F., Jr. Endothermic deuteron stripping reactions. I. Stripping near threshold, 1=717
- Warburton, E.K. See Chase, L.E., Jr. 1=718
- Warburton, E.K. See Cohen, S.G., 1=2213
- Warburton, E.K. See True, W.W., 1=5837
- Warburton, F.L., James, J.F.P. and Hother-Lushington, S. Ward, A.G. Reactivity life of natural U, 1=2252
- Ward, A.L. and Jones, E. Electrical breakdown in hydrogen at low pressures, 1=7042
- Ward, F. and Shapiro, R. Influence of sunspots on geomagnetic disturbance, 1=15359
- Ward, F.S. Measurement of the dielectric constant of filament nylon in a transverse field, 1=16232
- Ward, F.W., Jr. Atmospheric temperatures and solar activity. I. 100 MB in the Northern Hemisphere auroral zone, 1=15224
- Ward, G.H. New kinetic energy demonstration, 1=15766
- Ward, I.M. The molecular structure and mechanical properties of polyethylene terephthalate fibers, 1=14136
- Ward, I.M. See Farrow, G., 1=1444
- Ward, J.B. and Kauffman, J.W. Low-temperature recovery of resistivity in electron-irradiated gold, 1=11256
- Ward, J.C. See Salam, A., 1=3125
- Ward, J.C. See Salam, A., 1=5656
- Ward, J.C. See Salam, A., 1=12047
- Ward, J.C. See Salam, A., 1=13346
- Ward, M.A. See Irving, E., 1=4138
- Ward, R. and Longo, J. Magnetic phases of the perovskite type, 1=6376
- Ward, R. See Dickson, J.G., 1=15100
- Ward, R. See Longo, J., 1=14694
- Ward, W.D. Noninteraction of temporary threshold shifts, 1=7965
- Ward, W.D. Studies on the aural reflex. I. Contralateral remote masking as an indicator of reflex activity, 1=12713
- Ward, W.D. and Martin, D.W. Psychophysical comparison of just tuning and equal temperament in sequences of individual tones, 1=7958
- Ward, W.D., Selters, W. and Gloger, A. Exploratory studies on temporary threshold shift from impulses, 1=9225
- Ward, W.D. See Martin, D.W., 1=6837
- Wardzynski, W. Dichroism and birefringence of single crystals of cadmium selenide, 1=14574
- Wardzynski, W. See Parsons, R.B., 1=14570
- Ware, A.A. High current gas discharges, 1=7032
- Ware, A.A. Instability waves in magnetically confined plasmas, 1=9621
- Ware, A.A. Theory of the slow pinch discharge. I. Magnetohydrodynamic stability of the discharge core, 1=10709
- Ware, A.A. and Wesson, J.A. The ohmic heating of positive ions in an impure plasma, 1=9596
- Ware, R.M. Cold hearth zone refining, 1=11545
- Ware, R.R. and Wieg, E.O. Excitation functions of the (p,pn) and (p,2p) reactions on  $\text{Ce}^{144}$  at 60-233 MeV, 1=9863
- Warekoi, E.P. See Gatos, H.C., 1=20657
- Warfield, G. The present outlook for controlled thermonuclear fusion, 1=8805
- Warfield, G. See Uman, M.A., 1=177
- Waring, R.C. See Hughes, R.H., 1=7435
- Wark, D.Q. On indirect temperature soundings of the stratosphere from satellites, 1=15225
- Warnecke, R.J., Jr. The use of a mass spectrometer in electronic tube technology, 1=18945
- Warner, B. The clouds of Venus, 1=10379
- Warner, B. The observation of detail on the planet Venus, 1=10380
- Warner, B. Holistic approach to selenology, 1=18036
- Warner, R.E. Statement of the first law of thermodynamics, 1=4515
- Warner, R.E. Measurement of molecular diameters and average velocities, 1=17367
- Warner, R.M. See Barnett, C.F., 1=16349
- Warner, R.M., Jr. Fermi level demonstration, 1=11272
- Warnock, T.H. See Shang Yi Ch'en., 1=19591
- Warren, B.E. X-ray measurement of grain size, 1=2551
- Warren, B.E. X-ray measurement of twin faulting in face-centred cubic metals, 1=6107
- Warren, B.E. Small-angle intensities from double Bragg reflections in cold-worked metals, 1=6565
- Warren, B.E. X-ray measurement of stacking fault widths in f.c.c. metals, 1=17546
- Warren, J.B. See Griffiths, G.M., 1=17151
- Warren, R.W. See McAvoy, B.R., 1=14333
- Warrington, D.H. See Hirsch, P.B., 1=14899
- Warschauer, D.M. See Langer, D., 1=4166
- Warshaw, S.D. See Kuskowski, R.L., 1=10,61
- Warwick, C. and Warwick, J.W. Flare-associated bursts at 18 Mc/s, 1=6728
- Warwick, J.W. Relation of Jupiter's radio emission at long wavelengths to solar activity, 1=1659
- Warwick, J.W. Decay of spin in Sputnik I, 1=5177
- Warwick, J.W. A comment on Jupiter's radio emission at long wavelength in relation to solar activity, 1=20955
- Warwick, J.W. See Ramseyer, H., 1=9277
- Warwick, J.W. See Steiger, W.R., 1=15290
- Warwick, J.W. See Warwick, C., 1=6728
- Wasilik, J.H. See Parker, R.A., 1=1133
- Wasilinski, M. See Fryszman, A., 1=16298
- Wasscher, J.D. See Albers, W., 1=17759
- Wassef, E.G.T. and Aziz, E. Changes in the positions of the invariant colours with the state of adaptation of the eye, 1=6679
- Wassenaar, T. See Michels, A., 1=6879
- Wassermann, G. See Ahlborn, H., 1=15003
- Wasserrab, T. The breakdown voltage of mercury vapour discharge chambers, 1=10690
- Wasson, J.T. Radioactivity produced in Discoverer XVII by November 12, 1960, solar protons, 1=16951
- Wasson, J.T. See Johnson, N.R., 1=8640
- Watabe, M. On the collective energy loss mechanism of electrons passing through solids, 1=6102
- Watabe, M. See Kanazawa, H., 1=68
- Watabe, M. See Kanazawa, H., 1=3645
- Watahina, A., Costa, R.B., Freire, A.M. and Goldenberg, J. Fast photo-neutrons from bismuth, 1=7367
- Watahina, A. See Hossain, A., 1=19450
- Watahina, G. A non local field theory of high energy jet, 1=2117
- Watanabe, A. See Smith, A.W., 1=6405
- Watanabe, D. Study on the ordered alloys of gold-manganese system by electron diffraction. I.  $\text{Au}_3\text{Mn}$ , 1=9146
- Watanabe, D. Study on the ordered alloys of gold-manganese system by electron diffraction. II.  $\text{Au}_3\text{Mn}$ , 1=11577
- Watanabe, D. Study on the ordered alloys of gold-manganese system by electron diffraction. III. Lattice modulation in the ordered  $\text{Au}_3\text{Mn}$ , 1=15145
- Watanabe, D. See Iwasaki, H., 1=11579
- Watanabe, D. See Takahashi, M., 1=2480
- Watanabe, D. See Takahashi, M., 1=11438
- Watanabe, D. See Takahashi, M., 1=20103
- Watanabe, H. Energy loss of electrons passing through a graphite single crystal at different incident angles, 1=3650
- Watanabe, H. Angular distribution of electrons suffering characteristic energy loss in passage through metal films, 1=14240
- Watanabe, H. Magnetic properties of perovskites containing strontium, II. Lanthanum-strontium manganites, 1=14678



- Watanabe, H. Energy analysis of electron diffraction patterns, 1=16421
- Watanabe, H. and Fukase, M. Weak ferromagnetism in  $\beta$ -NaFeO<sub>2</sub>, 1=14691
- Watanabe, H. See Hashimoto, H., 1=4089
- Watanabe, H. See Ito, K., 1=6046
- Watanabe, H. See Koiira, K., 1=7101
- Watanabe, H. See Kohra, K., 1=20715
- Watanabe, H. See Ueta, M., 1=8917
- Watanabe, I. On the quantization of physical space-time operators, 1=10422
- Watanabe, I. On the quantization of physical space-time operators. II, 1=18279
- Watanabe, J. See Yamamoto, M., 1=14922
- Watanabé, J. See Yamamoto, M., 1=20411
- Watanabé, J. See Yamamoto, M., 1=20412
- Watanabé, J. See Yamamoto, M., 1=20444
- Watanabe, K. The analyticity properties of the Bethe-Salpeter amplitude, 1=13352
- Watanabe, K. Mu-meson component of air shower below the ground, 1=13591
- Watanabe, K., Kamei, O. and Ezawa, H. Quantum statistical analogue of Ward's identity, 1=13284
- Watanabe, K. See Higashi, S., 1=3294
- Watanabe, N. Hall effect in n- and p-type germanium at 24 Gc, 1=19852
- Watanabe, N. See Kanai, Y., 1=14379
- Watanabe, N. See Kanai, Y., 1=17747
- Watanabe, S. See Saito, S., 1=12716
- Watanabe, S. See Shibata, H., 1=15292
- Watanabe, T. Cerenkov radiation by the straight line charge in the uniform circular motion, 1=482
- Watanabe, T. A theory of electron impact on some polyatomic molecules, 1=14126
- Watanabe, T. On the additivity rule in the ionization cross section of molecules, 1=14127
- Watanabe, T. The magnetic investigation of Mn<sup>++</sup>, Co<sup>++</sup>, Ni<sup>++</sup> and Cu<sup>++</sup> ammine and anhydrate salts at low temperatures, 1=14765
- Watanabe, T. Alfvén waves in partially ionized gases, 1=19007
- Watanabe, T. Waves in a rarefied ionized gas propagated transverse to an external magnetic field, 1=19008
- Watanabe, T. The magnetic investigation of Cu-butyrate monohydrate and Cu-stearate, 1=20042
- Watanabé, T. and Taguchi, I. A systematic use of CuK $\alpha$  and CuK $\beta$  for collecting intensity data, 1=20464
- Watari, W. See Hamada, T., 1=3172
- Watari, W. See Otsuki, S., 1=12067
- Watase, Y. See Higashi, S., 1=3294
- Waterman, P.C. and Truell, R. Multiple scattering of waves, 1=10571
- Waters, D.G. See Jones, W.M., 1=13849
- Waters, J.H. See Bird, J.R., 1=2935
- Waters, J.R. Parameters of some low-energy neutron resonances in platinum, 1=707
- Waters, J.R. and Bird, J.R. Digital magnetic recording speeds nuclear experiments, 1=15391
- Watkins, C.D. The magnetic storm-time variation of radio star scintillations and auroral radio echoes, 1=4224
- Watkins, C.D. Auroral radio-echoes and magnetic disturbances, 1=21060
- Watkins, C.D. Temporal variations of auroral radio-echo activity in sub-auroral latitudes, 1=21061
- Watkins, G.D. and Corbett, J.W. Defects in irradiated silicon. I. Electron spin resonance of the Si-A center, 1=3656
- Watkins, G.D. See Corbett, J.W., 1=3657
- Watkins, G.D. See Ham, F.S., 1=3934
- Watkins, T.B. The electrical properties of semiconductor surfaces, 1=6138
- Watkins, T.B. See Ridley, B.K., 1=14414
- Watkinson, A. See Goddard, B.R., 1=8022
- Watson, J.C. High-energy alpha particles and tritons from the spontaneous fission of californium-252, 1=748
- Watson, K., Murray, B. and Brown, H. On the possible presence of ice on the moon, 1=18032
- Watson, K., Murray, B.C. and Brown, H. The behavior of volatiles on the lunar surface, 1=18034
- Watson, K.M. Cooperative interactions in a plasma, 1=5442
- Watson, K.M. See Hamlin, D.A., 1=15327
- Watson, K.M. See Kaufman, A.N., 1=10544
- Watson, K.M. See Kaufman, A.N., 1=11793
- Watson, M.B. See Berge, J.P., 1=10932
- Watson, M.D. See Nicholls, R.W., 1=2310
- Watson, P.K. Influence of an electric field upon the heat transfer from a hot wire to an insulating liquid, 1=11850
- Watson, R.B. Addition to the physics building at the University of Texas, 1=54
- Watson, R.B. See Rogers, C.L., 1=1791
- Watson, R.E. The two-configuration approximation for four-electron ions, 1=12240
- Watson, R.E. and Freeman, A.J. On the contribution of the Fermi contact term to the magnetic field at the nucleus, 1=6269
- Watson, R.E. and Freeman, A.J. Exchange polarization and the magnetic interactions of rare earth ions, 1=7524
- Watson, R.E. and Freeman, A.J. Analytic Hartree-Fock wave functions for the 3p-shell atoms, 1=11060
- Watson, R.E. and Freeman, A.J. Origin of effective fields in magnetic materials, 1=14665
- Watson, R.E. and Freeman, A.J. Hartree-Fock atomic scattering factors for the ion transition series, 1=20518
- Watson, R.E. See Freeman, A.J., 1=3629
- Watson, R.E. See Freeman, A.J., 1=9071
- Watson, R.E. See Freeman, A.J., 1=19606
- Watson, R.E. See Freeman, A.J., 1=20057
- Watson, W.H., Jr. Catalytic activity of p and n type germanium, 1=5112
- Watson, W.W. See Saxena, S.C., 1=15948
- Watt, A.D. E.L.F. electric fields from thunderstorms, 1=20864
- Watt, D.E. See Wilson, H.W., 1=13670
- Watt, L.A.K. See Bonstrom, D.B., 1=6281
- Watteau, J.P.H. Experiments with pulsed magnetic cusps, 1=7082
- Watts-Tobin, R.J. The interface between a metal and an electrolytic solution, 1=4104
- Waugh, J.B. See Goulding, F.S., 1=18730
- Waugh, J.B.S. See McKenzie, J.M., 1=3083
- Waugh, J.S. See Blinc, R., 1=20274
- Waugh, J.S. See Castellano, S., 1=4738
- Waugh, J.S. See Johnson, C.S., Jr., 1=17349
- Wawrzyniak, J. See Sujak, B., 1=16376
- Waxler, R.M. See Adams, L.H., 1=15763
- Wayland, H. See Suter, S.P., 1=8097
- Waylonis, J.E. See Hass, G., 1=10087
- Wayman, C.M. Observations on the growth of  $\alpha$ -iron single crystals by halogen reduction, 1=15006
- Wayson, A.R. Guided-string cutter for single, metal crystals, 1=12651
- Weale, R.A. Notes on the photometric significance of the human crystalline lens, 1=15379
- Weale, R.A. Limits of human vision, 1=21131
- Weart, H.W. See Fraser, M.J., 1=5380
- Weast, R.C. See Hodgman, C.D., 1=8032
- Weaver, A.K. Effect of a resisting couple on the rotational motion of a rigid body, 1=15769
- Weaver, C. See Benjamin, P., 1=20676
- Weaver, C.W. Application of Stroh's theory to intercrystalline creep cracking, 1=1341
- Weaver, C.W. Tensile properties of annealed chromium between -196 and +900°C, 1=20373
- Weaver, H.E. See Frey, D.A., 1=3950
- Webb, E.H. See Mohanty, R.C., 1=16763
- Webb, E.L.R. See McKinley, D.W.R., 1=6257
- Webb, L.A. See Alger, R.S., 1=11130
- Webb, M.B. See Harrison, W.A., 1=11180
- Webb, M.S.W., Webb, R.J. and Wildy, P.C. Monitor for the quantitative determination of beryllium in the atmosphere, 1=1494
- Webb, P.P., Williams, R.L. and Jackson, R.W. An encapsulated silicon junction alpha-particle detector, 1=3251
- Webb, P.P. See Jackson, R.W., 1=3252
- Webb, P.P. See Williams, R.L., 1=3087
- Webb, R.H. Steady-state nuclear polarizations via electronic transitions, 1=10186
- Webb, R.H. Dynamic polarization anomalies in organic free radicals, 1=17358
- Webb, R.H. and Griffiths, R.B. Crystal rotator for cryostat, 1=9125
- Webb, R.J. See Webb, M.S.W., 1=1494
- Webb, W. See Nelson, R.R., 1=2747
- Webb, W.H. See Bub, G.J., 1=20751

## AUTHOR INDEX

- Webeler, R. and Bedard, F. Viscosity difference measurements for normal and para liquid hydrogen mixtures, 1=9308
- Weber, A. See Monostori, B., 1=6019
- Weber, G. See von Dardel, G., 1=2053
- Weber, G. See von Dardel, G., 1=16863
- Weber, H. See Boersch, H., 1=10157
- Weber, J. and Zipoy, D. Classification of gravitational radiation, 1=1686
- Weber, J. See Forward, R.L., 1=8040
- Weber, M.J. See Statz, H., 1=6419
- Weber, R. See Tannenwald, P.E., 1=2491
- Weber, R.L. Films for students of physics, 1=5184
- Weber, T.A. See Johnson, W.R., 1=4859
- Webster, D.L. Relativity of moving circuits and magnets, 1=5189
- Webster, J. See Donovan, B., 1=12431
- Webster, J.C. Information in simple multidimensional speech messages, 1=11663
- Webster, J.C. See Klumpp, R.G., 1=6661
- Webster, J.C. See Thompson, P.O., 1=7950
- Wechsler, M.S. See Kernohan, R.H., 1=19821
- Wedler, G. See Suhrmann, R., 1=5110
- Weekley, B. See Wilcock, W.L., 1=3000
- Weeks, J.L., Gordon, S. and Meaburn, G.M.A.C. Irradiated lithium fluoride as an optical filter in the far ultra-violet, 1=19964
- Weeks, R.A. See Nelson, C.M., 1=7708
- Weeks, R.F. Optical measurement of ultrasonic fields, 1=9445
- Weertman, J. See Swartz, J.C., 1=14263
- Wegener, H.A.R. See Carlson, H.A., 1=7888
- Wegener, H.H.F. and Obenshain, F.E. Mössbauer effect for  $\text{Ni}^{41}$  with applied magnetic fields, 1=9807
- Wegener, H.H.F. See Obenshain, F.E., 1=5830
- Weger, M., Hahn, E.L. and Portis, A.M. Transient excitation of nuclei in ferromagnetic metals, 1=6421
- Wegner, H.E.  $dE/dx$  and E semiconductor detector systems for 25 MeV  $\text{He}^+$  and alpha particles, 1=3255
- Wegner, H.E. See Miller, D.W., 1=19505
- Wehlau, A. See Muller, M.W., 1=17953
- Wehmeyer, D.B. See Levine, M.M., 1=13436
- Wehn, R. Measurements on parabolic mirrors, 1=18565
- Wehner, G.K. and Rosenberg, D. Mercury ion beam sputtering of metals at energies 4-15 keV, 1=7109
- Wehner, G.K. See Anderson, G.S., 1=1929
- Wehner, G.K. See Laegreid, N., 1=4669
- Wei, C.T., Cheng, C.H. and Beck, P.A. Nuclear magnetic specific heat in two ferromagnetic iron alloys, 1=8882
- Wei, Chuan-tseng and Cheng, Chin-huan. Specific heat of a body-centered cubic Cr-Fe alloy between 30° and 110°K, 1=17414
- Wei, L.Y. Diffusion of silver, cobalt and iron in germanium, 1=19802
- Wei, L.Y. See Sze, S.M., 1=14308
- Wei, W.F. See Love, W.F., 1=11293
- Weibel, E.S. Dynamic stabilization of a plasma column, 1=302
- Weibel, E.S. and Clark, G.L. Confinement of an electron beam by oscillating electromagnetic fields, 1=9592
- Weibel, E.S. and Jones, I.R. High current step generator, 1=13060
- Weickmann, H.K. See Fenn, R.W., 1=15230
- Weicksel, H. See Lassen, L., 1=2179
- Weidemann, V. Radiative transfer in non-gray atmospheres, 1=15752
- Weidemann, W. On the design of quadrupole focusing systems, 1=18942
- Weidemann, W. See Burgerjon, J.J., 1=18957
- Weidenmüller, H.A. Shell model calculations for mass 12 nuclei, pertinent to a test of the conserved vector current theory, 1=4844
- Weidlich, W. On the axions of quantum field theory, 1=9713
- Weidling, T. See Asplund, I., 1=5863
- Weigang, O.E., Jr and Dahl, A.J. Vibration perturbations in electronically excited monosubstituted benzenes, 1=12278
- Weigang, O.E., Jr. See Robertson, W.W., 1=12331
- Weigold, E. Cross-sections for the interaction of 14.5 MeV neutrons with manganese and cobalt, 1=704
- Weigold, E. See Glover, R.N., 1=9868
- Weiguny, A. See Diehl, H., 1=4922
- Weiguny, A. See Flüge, S., 1=4923
- Weijssenfeld, C.H., Hoogendoorn, A. and Koedam, M. Sputtering of polycrystalline metals by inert gas ions of low energy (100-1000 eV), 1=18950
- Weil, J.A. and Anderson, J.H. Direct field effects in electron paramagnetic resonance hyperfine spectra, 1=20201
- Weil, L. See Aslanian, J., 1=2917
- Weil, L. See Aslanian, J., 1=18693
- Weil, L. See Dreyfus, B., 1=9977
- Weil, L. See Dreyfus, B., 1=19712
- Weil, R. See Escobar, V.I., 1=7305
- Weil, R. See Escobar, V.I., 1=7306
- Weill, A.R. Remarks on the microscopic observation of very faint surface steps, 1=1462
- Weill, G. On the distribution of  $\text{N}_2^+$  ions in the high Antarctic atmosphere, 1=1526
- Weill, G. See Barbier, D., 1=7942
- Weill, J. The trend of reactor control. Unique control by temperature, 1=5454
- Weill, M.G. See Rodot, H., 1=17810
- Weinberg, D.L. Nuclear magnetic resonance intensities in alloys, 1=20260
- Weinberg, D.L. and Bloembergen, N. Nuclear resonance study of electronic magnetism in copper-nickel, 1=20259
- Weinberg, F. See McLaren, E.H., 1=9147
- Weinberg, J.W. See Tauber, G.E., 1=8039
- Weinberg, S. See Bernstein, J., 1=2096
- Weinberg, S. See Feinberg, G., 1=8467
- Weinberg, S. See Feinberg, G., 1=12094
- Weiner, M. and Niculescu, D.Z. Counters with liquid circulation, 1=5617
- Weiner, R.T. See Evans, D.S., 1=20577
- Weingaertner, E., Datta, R.L., Kumar, R. and Mahadevan, E.G. Temperature-float method for isotopic analysis of heavy water within low concentration ranges, 1=4915
- Weingarten, I.R. and Rothberg, M. Radio-frequency carrier and capacitive coupling procedures for resistivity and lifetime measurements on silicon, 1=5020
- Weingarten, I.R. See Olsheski, P.J., 1=7642
- Weinreb, A. Energy transfer and quenching processes in the system cyclohexane-benzene-terphenyl-oxygen, 1=6867
- Weinreb, A. Some effects of temperature and viscosity on fluorescence and energy transfer in solutions, 1=10515
- Weinreich, G. See Franken, P.A., 1=18556
- Weinreich, O., Dermitt, G. and Tufts, C. Germanium films on germanium obtained by thermal evaporation in vacuum, 1=11297
- Weinstein, M.A. On the general theorem in interreflection theory with application to the fluorescent lamp, 1=10581
- Weinstein, R.A. See Wood, G.P., 1=10715
- Weinstock, R. Laws of classical motion: what's F? what's m? what's a? 1=12833
- Weintroub, S. See Hurle, D.T.J., 1=3713
- Weir, C.E. See Lippincott, E.R., 1=1817
- Weir, D.G. A family of exact solutions of one-dimensional anisotropic flow, 1=18373
- Weir, R.A. See Brown, R.R., 1=20958
- Weiss, O. Sound propagation in lossy media with complex. Shear and compression moduli, 1=196
- Weiss, O. See Tamm, K., 1=194
- Weissbeck, R. An investigation of self-targets for the  $\text{D}(d,n)\text{He}^3$
- Weissberg, L.R. and Josephs, R.M. Determination of contributions to the residual resistivity of gallium at 4.2°K, 1=14359
- Weiser, K. Theory of solubility of interstitial impurities in germanium and silicon, 1=17506
- Weiss, A.A. Southern hemisphere meteor shower activity in July and August, 1=16
- Weiss, A.A. Meteor height distributions and the fragmentation hypothesis, 1=17
- Weiss, A.A. The distribution of meteor masses for sporadic meteors and three showers, 1=8028
- Weiss, A.A. See Mainstone, J.S., 1=1633
- Weiss, A.W. Configuration interaction in simple atomic systems, 1=2897
- Weiss, C.F. See Dedek, W., 1=19069
- Weiss, C.F. See Hühle, R., 1=19378
- Weiss, E. An air damped artificial mastoid, 1=1615
- Weiss, G.H. See Mahanty, J., 1=9973
- Weiss, G.H. See Maradudin, A.A., 1=2368
- Weiss, G.H. See Maradudin, A.A., 1=14164
- Weiss, G.H. See Sack, R.A., 1=17411
- Weiss, G.H. See Tidman, D.A., 1=10725



- Weiss, G.H. See Tidman, D.A., 1=10726
- Weiss, G.P. and Smith, D.O. Annealing of oblique-incidence permalloy films, 1=7755
- Weiss, H. Galvanomagnetic properties of InSb, 1=17621
- Weiss, H. See Epp, E.R., 1=10110
- Weiss, H.G. and Urry, C.W., Jr. Liquids pumping apparatus for use in studying fast chemical reactions, 1=9376
- Weiss, I. See Kohout, F., 1=18970
- Weiss, M.T. See Hartwick, T.S., 1=6407
- Weiss, M.T. See Hartwick, T.S., 1=7780
- Weiss, R. Molecular beam electron bombardment detector, 1=7508
- Weiss, R.J. See Freeman, A.J., 1=3639
- Weissbart, J. and Ruka, R. Oxygen gauge, 1=9301
- Weissburg, J. and Greguss, P., Jr. Ultrasonic effect on electroluminescent, 1=10121
- Weiss-Hollerwöger, B. The influence of neutron irradiation on the phase changes in chromium steels, 1=4005
- Weisskopf, V.F. See Lemmer, R.H., 1=13629
- Weissler, G.L. See Rustgi, O.P., 1=8978
- Weissler, G.L. See Rustgi, O.P., 1=19940
- Weissman, S. and Mason, E.A. Note on the viscosity of  $N_2$ - $CO_2$  mixtures, 1=10525
- Weissman, S., Saxena, S.C. and Mason, E.A. Diffusion and thermal diffusion in  $Ne-CO_2$ , 1=6895
- Weissman, S.I. See Eargle, D.H., Jr., 1=10183
- Weissman, S.I. See Hoijtink, G.J., 1=4940
- Weissman, S.I. See Zandstra, P.J., 1=14803
- Weissmann, S., Hirabayashi, M. and Fujita, H. On the mechanical and thermal stability of low-angle boundaries in zinc single crystals, 1=11218
- Weissmann, S. See Garofalo, F., 1=14893
- Weisz, R.S. Square-loop ferrites with temperature-independent properties and improved disturb ratio, 1=11450
- Weiszburg, J. Electroluminescence at low voltage, 1=14657
- Weitsch, W. See Mahl, H., 1=15038
- Weitzel, D.H., Robbins, R.F., Bopp, G.R. and Bjorklund, W.R. Low temperature static seals using elastomers and plastics, 1=5312
- Weitzner, H. Green's function for two-dimensional magneto-hydrodynamic waves. I, 1=16535
- Weitzner, H. Green's function for two-dimensional magneto-hydrodynamic waves. II, 1=16536
- Weitzsch, F. A new formulation ['Ansatz'] for handling problems of gas dynamics involving large departures from thermodynamic equilibrium, 1=11772
- Welch, J.H. Improved microfurnace power supply, 1=16213
- Welch, P.D. and Wimpers, R.S. Two multivariate statistical computer programs and their application to the vowel recognition problem, 1=7953
- Welford, W.T. See Spencer, C.J.D., 1=11833
- Weller, A. Outer and inner mechanism of reactions of excited molecules, 1=6059
- Weller, W. The influence of electronic polarization on excitons in alkali halide crystals, 1=14226
- Wellner, M. Asymptotic condition in the Lorentz gauge, 1=19093
- Wellner, M. and Curtis, R.B. Role of the asymptotic condition in a Lagrangian field theory, 1=16641
- Wells, D.O., Blatt, S.L. and Boekelheide, I.F. Improved performance from scintillation spectrometers, 1=5612
- Wells, E.R. See Barnett, C.F., 1=16349
- Wells, F.H. See Bird, J.R., 1=2935
- Wells, W.H. Quantum formalism adapted to radiation in a coherent field, 1=4291
- Wells, W.H. See Hutchinson, G.W., 1=1881
- Welsh, F.E. See Lippincott, E.R., 1=1817
- Welsh, H.L. See Olafson, R.A., 1=6018
- Welsh, N.C. Spark-hardening of metals, 1=1625
- Welsh, R.E. and Donahue, D.J. Photonuclear studies with monoenergetic gamma rays from thermal neutron capture, 1=2207
- Welton, T.A. See Gordon, M.M., 1=1939
- Wendel, G. Field enhancement in  $ZnS: CdS: Mn$  phosphors, 1=3862
- Wendel, G. See Kloss, H.G., 1=16071
- Wendel, G. See Winkler, H., 1=3863
- Wendling, R. Neel temperatures and thermoremanent magnetizations of the alloys  $Mn_xPd_{100-x}$  ( $34 \leq x \leq 42$ ), 1=17948
- Wendling, R. Heat treatment and thermoremanent magnetization of the antiferromagnetic compound  $Cr_{100}Sb_{94}$ , 1=20161
- Wendling, R. Magnetic properties of the  $\beta_2^{(1)}$  phase of the compound  $Mn_{33}Pd_{67}$ , 1=20167
- Wendt, H.D. and Kleinheinz, P. The  $\beta$ -decay of  $Nd^{147}$ , 1=3413
- Wendt, K. The transmission of room information, 1=2833
- Wenger, F. See Orofino, T.A., 1=12339
- Weniger, S. See Grenat, H., 1=849
- Wenk, G.J. See Elliot, H., 1=3357
- Wentink, T.Jr. Properties of polyvinylidene fluoride. I. Dielectric measurements, 1=11333
- Wentink, T.Jr. and Planet, W.G.Jr. Infrared emission spectra of quartz, 1=8998
- Wentink, T.Jr. and Planet, W.G.Jr. Infrared transmittance and emittance of polytetrafluoroethylene, 1=8999
- Wentorf, R.H.Jr. Synthesis of the cubic form of boron nitride, 1=6498
- Wentorf, R.H.Jr. See Bundy, F.P., 1=12621
- Wentzel, D.G. On the shape of magnetic stars, 1=2631
- Wentzel, D.G. Galactic motions in a large-scale magnetic field, 1=9250
- Wentzel, D.G. Hydromagnetic waves and the trapped radiation. I. Breakdown of the adiabatic invariance, 1=15336
- Wentzel, D.G. Hydromagnetic waves and the trapped radiation. II. Displacements of the mirror points, 1=15337
- Wentzel, G. Thermodynamically equivalent Hamiltonian for some many-body problems, 1=75
- Wentzel, G. On the phase transition of a superconductor, 1=5397
- Wenz, G.M. Some periodic variations in low-frequency acoustic ambient noise levels in the ocean, 1=2832
- Wenzel, K. See Deubner, A., 1=3811
- Wenzel, W.A. See Beall, E.F., 1=13264
- Wenzel, W.A. See Beall, E.F., 1=19277
- Wenzel, W.A. See Cook, V., 1=10867
- Wenzel, W.A. See Cook, V., 1=10927
- Wenzel, W.A. See Cook, V., 1=16895
- Werber, T. See Mikulski, J., 1=1439
- Werbrouck, A.E. See Bowen, T., 1=8508
- Werbrouck, A.E. See McLeod, J., 1=1852
- Wergeland, H. Some remarks on the thermodynamical inequalities, 1=16182
- Werle, J. On some problems of the S-matrix formalism for unstable particles, 1=13291
- Werner, K. Note on the stiffening of gypsum plaster, 1=10225
- Werner, W. The theory of plane waves of finite amplitude in ideal gases with viscosity and heat conductivity, 1=4370
- Wernick, J.H. and Haszko, S.E. Manganese rare earth compounds with the  $MgZn_2$  structure, 1=20542
- Wernick, J.H. and Matthias, B.T. Superconductivity in the In-Sn system, 1=11877
- Wernick, J.H. and Wolfe, R. Semiconducting "compound"  $AgFeTe_2$ , 1=10049
- Wernick, J.H. See Bozorth, R.M., 1=9022
- Wernick, J.H. See Jaccarino, V., 1=1277
- Wernick, J.H. See Kunzler, J.E., 1=5399
- Wernick, J.H. See McHugh, J.P., 1=20584
- Wernick, J.H. See Nesbitt, E.A., 1=6382
- Wernick, J.H. See Spitzer, W.G., 1=8952
- Wernick, J.H. See Wertheim, G.K., 1=11586
- Wernitz, C. Three-body nuclear problem with repulsive core forces, 1=2104
- Wert, C. See Stanley, J., 1=2392
- Werthamer, N.R. and Ruderman, M.A. Nucleon polarizability correction to high-energy electron-nucleon scattering, 1=10878
- Werthamer, N.R. See Suhl, H., 1=6801
- Wertheim, G.K. Hyperfine structure of  $Fe^{57}$  in paramagnetic and antiferromagnetic  $FeF_2$  from the Mössbauer effect, 1=1197
- Wertheim, G.K. Mössbauer effect: applications to magnetism, 1=6249
- Wertheim, G.K. The Mössbauer effect: a tool for science, 1=13630
- Wertheim, G.K. Hyperfine structure of divalent and trivalent  $Fe^{57}$  in cobalt oxide, 1=17945
- Wertheim, G.K. and Wernick, J.H.  $Fe^{57}$  Mössbauer effect in Cu-Ni alloys, 1=11586
- Wertheim, G.K. See Alf, C., 1=9036
- Wertheim, G.K. See Walker, L.R., 1=6262

## AUTHOR INDEX

- Wertz, J.E., Auzins, P., Griffiths, J.H.E. and Orton, J.W. Spin resonance studies of defects in magnesium oxide, 1=3653
- Wertz, J.E. See Orton, J.W., 1=17536
- Wertz, J.E. See Reitz, D.C., 1=7480
- Wertz, J.E. See Reitz, D.C., 1=12306
- Wesley, J.P. Classical interpretation of quantum mechanics, 1=9324
- Wesołowski, J., Jachimowski, M. and Dragon, R. Luminescence in electric fields of "dry" oxide films on aluminium, 1=14658
- Wess, J. The conformal invariance in quantum field theory, 1=5631
- Wesselhöft, E. See Grützmaier, M., 1=208
- Wesselink, A.J. On the correction of dispersion for observational error, 1=2246
- Wesson, J.A. See Ware, A.A., 1=9596
- West, D. See Freeman, J.M., 1=19464
- West, E. See Erwin, A.R., 1=12103
- West, E.J. See Schulman, J.H., 1=1994
- West, F.G. Magnetoresistive measurements on domain rotation in nickel-iron alloy films, 1=1223
- West, F.G. General superparamagnetic behavior of an aligned assembly of uniaxially anisotropic particles, 1=6314
- West, F.G. Magnetoresistive measurements on domain rotation and wall development in Ni-Fe alloy films, 1=6328
- West, H.I., Jr and Johnston, B. Scintillation counter  $\gamma$ -spectra unfolding code for the IBM-650 computer, 1=1988
- West, H.I., Jr, Mann, L.G. and Nagle, R.J. Decay of  $Ta^{177}$  and  $Lu^{177}$  to levels in  $Hf^{177}$ , 1=17027
- West, R. and Glaze, W. Lithium kinetic isotope effect in the reaction of ethyllithium with benzyl chloride, 1=9167
- West, R. See Plessner, K.W., 1=7687
- West, R.G. See Jefferson, C.F., 1=6373
- West, R.G. See Tenner, V.J., 1=14494
- West, T.W. See Dodd, C.X., 1=19961
- Westberg, R.G. See Loeb, L.B., 1=10679
- Westcott, C.H. Effective fission and capture cross-sections for hardened Maxwellian neutron spectra, 1=17173
- Westenbarger, G.A. and Shirley, D.A. Nuclear orientation of  $Nd^{147}$ , 1=12147
- Westendorp, W.F., Bishop, C.M., Hurwitz, H., Jr, Goldman, L.M. and BenDaniel, D.J. Nonthermal ionisation in transient helium-caesium discharges, 1=11920
- Westerfield, E.C. See Stewart, J.L., 1=12954
- Westerhout, G. 75 cm and 22 cm continuum surveys, 1=13196
- Westermarck, T. Detection of free charges from motor-car exhaust gases, 1=13063
- Westermarck, T. Some measurements on energy loss of 2.8 MeV electrons in light elements and chemical compounds, 1=18935
- Westermarck, T., Biesert, N. and Grapengiesser, B. Observations by means of radiation chemical dosimeter liquid systems of irradiation effects in solid sodium chloride and some organic solids, 1=20760
- Westermarck, T., Devell, L. and Ghanem, N.A. On the use of bremsstrahlung for the determination of tritium [beta radioactivity] in aqueous and organic systems, 1=19399
- Westermarck, T. and Grapengiesser, B. Observations of the emission of light on dissolution of irradiated solids in certain liquids, 1=1744
- Westermarck, T. and Grapengiesser, B. Observations of light emitted upon dissolution in luminescent liquids of irradiated NaCl, LiF, KI and some organic solids, 1=18415
- Westermarck, T., Grapengiesser, B., Lindroth, H. and Ghanem, N. Note on the determination of tritium [beta-ray decay] by means of liquid scintillators and D.C.-measurements of photomultiplier currents, 1=19400
- Westermarck, T. and Sjöstrand, B. Identification of gamma emitters formed by neutron activation including tables of radionuclides formed by neutron capture, 1=13745
- Westfall, W.D. Prediction of v.l.f. diurnal phase changes and solar flare effects, 1=19044
- Westgard, J. See Leitner, J., 1=16901
- Westheimer, G. Phase distribution in Young's interference experiment, 1=2878
- Westmacott, K.H., Barnes, R.S., Hull, D. and Smallman, R.E. Vacancy trapping in quenched aluminium alloys, 1=17511
- Westmacott, K.H., Hull, D., Barnes, R.S. and Smallman, R.E. Dislocation sources in quenched aluminium-based alloys, 1=966
- Weston, D.E. Underwater explosions as acoustic sources, 1=1790
- Weston, D.E. Moire fringe analogs in underwater acoustics, 1=8182
- Weston, D.E. Horizontal refraction in a three-dimensional medium of variable stratification, 1=11814
- Weston, L.W. and Lyon, W.S. Neutron capture cross-section of gold at 30 keV and 64 keV, 1=11024
- Weston, L.W. See Newson, H.W., 1=13653
- Weston, V.H. Near-zone back-scattering from large spheres, 1=16567
- Weston, V.H. The pressure pulse produced by a large explosion in the atmosphere, 1=20827
- Weston, V.H. See Clemmow, P.C., 1=19027
- Weston, V.H. See Hiatt, R.E., 1=7150
- Westpfahl, K. See Hönl, H., 1=1891
- Westphal, W. See Kuhl, W., 1=12940
- Westphal, W.B. See Mitsui, T., 1=19930
- Westrik, R. and Kiel, A.M. Some electron microscopic observations on single crystals of polyethylene, 1=10285
- Westrum, E.F., Jr, Carlson, H.G., Grønvold, F. and Kjekshus, A. Low-temperature heat capacities and thermodynamic functions of some palladium and platinum group chalcogenides. II. Dichalcogenides;  $PtS_2$ ,  $PtTe_2$ , and  $PdTe_2$ , 1=19718
- Westrum, E.F., Jr. See Grønvold, F., 1=19717
- Westwood, A.R.C. On the fracture behaviour of magnesium oxide bi-crystals, 1=6474
- Wetch, J.R. See Dieckamp, H.M., 1=15580
- Wetherell, A.M. Recent work on strong interactions at Cern, 1=16784
- Wetherell, A.M. See Ashmore, A., 1=3185
- Wetherell, A.M. See Cocconi, G., 1=7243
- Wetton, R.E. See Lord, P., 1=20283
- Wetzel, L. Wave interaction in plasma inhomogeneities, 1=7069
- Wetzel, L. Electric-field-induced anisotropies in an inhomogeneous plasma, 1=10722
- Wetzstein, H. See Reichardt, J., 1=1813
- Wexler, S. Standard boron solutions for neutron absorption measurements, 1=16808
- Weyerer, H. Concerning the possibility of non-uniform shrinkage of films, 1=9493
- Weyerer, H. Discussion of error in lattice parameter measurements, 1=15042
- Weyl, R. See Fuchs, E., 1=20711
- Weymann, H.D. Electron density distribution in a cylinder, 1=18817
- Wezesińska, A. See Szmyt, U., 1=14661
- Whalen, B. See Kuehner, J.A., 1=8784
- Whalley, E. and Falk, M. Difference of intermolecular potentials of  $CH_3OH$  and  $CH_3OD$ , 1=8837
- Whalley, E. See Falk, M., 1=8836
- Whan, R.E. See Crosby, G.A., 1=6228
- Whapham, A.D. See Makin, M.J., 1=10004
- Wheatley, J.C. See Anderson, A.C., 1=8276
- Wheatley, J.C. See Anderson, A.C., 1=11871
- Wheatley, J.C. See Anderson, A.C., 1=16141
- Wheatley, J.C. See Anderson, A.C., 1=18691
- Wheatley, J.C. See Salinger, G.L., 1=11869
- Wheeler, B.E. See McGee, J.D., 1=16390
- Wheeler, C. See Pearson, S., 1=19807
- Wheeler, D.H. See Freeman, R., 1=154
- Wheeler, G.W. 500 kW pulse modulator for accelerator applications, 1=16446
- Wheeler, G.W. See Hubbard, E.L., 1=10749
- Wheeler, H.A. Radio-wave propagation in the earth's crust, 1=5602
- Wheeler, J.A. Neutrinos, gravitation and geometry, 1=8050
- Wheeler, J.A. Geometrodynamics foundations for theory of motion, 1=9319
- Wheeler, R.G. See Dimmock, J.O., 1=17474
- Whelon, A.D. Radio scattering by tropospheric irregularities, 1=1518
- Whelan, M.J. See Hirsch, P.B., 1=9165
- Whelan, M.J. See Howie, A., 1=20710
- Whelan, M.J. See Kroupa, F., 1=19777
- Whelan, M.J. See Thomas, G., 1=20601
- Whetten, N.R. See Young, J.R., 1=10542
- Whiffen, D.H. See Atherton, N.M., 1=2346
- Whiffen, D.H. See Freeman, R., 1=19665
- Whipple, E.B. Rotational isomerism in 2, 3 dihalopropenes, 1=17369



- Whipple, E.B., Stewart, W.E., Reddy, G.S. and Goldstein, J.H. N.M.R. spectra of vinyl chloride and the chloroethylenes, 1=11124
- Whipple, E.B. See Verdier, P.H., 1=4737
- Whipple, E.C.Jr. An improved technique for obtaining atmospheric ion mobility distributions, 1=15233
- Whipple, F.L. The dust cloud about the earth, 1=6643
- Whipple, F.L. Problems of the cometary nucleus, 1=18048
- Whipple, F.L. See Fremlin, J.H., 1=20816
- Whipple, R.T.P. See Laing, E.W., 1=9588
- Whitaker, P.D. See Shaylor, H.R., 1=9658
- Whitby, H.C. See Hobbs, L.C.W., 1=9649
- White, A.D. and Perry, D.L. Notes on the use of rubber membrane model for plotting electron trajectories, 1=10739
- White, C.T. Catoptric images and the peripheral movement illusion, 1=4154
- White, C.T. See Lichtenstein, M., 1=15380
- White, D., Rubin, T., Camky, P. and Johnston, H.L. The virial coefficients of helium from 20 to 300°K, 1=1766
- White, D. See Katorski, A., 1=12267
- White, D. See Sharman, R.V., 1=15997
- White, D.E. See Phillips, R.L., 1=7156
- White, D.H. See Lande, K., 1=3102
- White, D.J. Models for switching in ferroelectrics, 1=14549
- White, D.R. Optical refractivity of high-temperature gases. III. The hydroxyl radical, 1=2788
- White, D.R. Turbulent structure of gaseous detonation, 1=7908
- White, D.R. See Alpher, R.A., 1=5548
- White, E.A.D. A new technique for the production of synthetic corundum, 1=14999
- White, E.A.D. See Doughty, D.C., 1=14986
- White, F.A., Rourke, F.M., Sheffield, J.C. and Dietz, L.A. An electrostatic-magnetic separator for obtaining isotopes of high purity, 1=9920
- White, F.A., Sheffield, J.C. and Davis, W.D. Semiconductors yield improved electron multiplier, 1=18923
- White, F.A. See Rourke, F.M., 1=11196
- White, G.K. Thermal transport in dilute alloys, 1=920
- White, G.K. Thermal expansion at low temperatures. II. Electronic component in metals, 1=17428
- White, G.K. The anomalous thermal expansion of chromium, 1=19725
- White, J., Porter, N.A. and Long, C.D. Observations on Čerenkov radiation from the night sky, 1=13389
- White, J.A. and van Vleck, J.H. Sign of Knight shift in samarium intermetallic compounds, 1=10192
- White, J.S. See Radcliffe, S.V., 1=21162
- White, M.W. Distribution on time in general physics courses, 1=5183
- White, O.R. A general solution of the statistical equilibrium equations, 1=12254
- White, O.R. See Jefferies, J.T., 1=4206
- White, P. See Hoekstra, J., 1=11802
- White, P.G. See Dahl, O.I., 1=5781
- White, R.B. See Herz, A.J., 1=3307
- White, R.E. See Brown, D., 1=13607
- White, R.H. See Wimet, T.F., 1=17182
- White, R.L. Comment on the saturation magnetization of neodymium yttrium iron garnet, 1=14747
- White, R.L. See Carson, J.W., 1=14806
- White, R.L. See Henderson, J.W., 1=12541
- White, W. See Moore, R.B., 1=8607
- Whitehead, A.B. See Dearnaley, G., 1=17785
- Whitehead, J.D. Formation of the sporadic E layer in the temperature zones, 1=2568
- Whitehead, J.D. Focusing of radio waves reflected from a rough curved ionosphere, 1=8392
- Whitehead, J.D. The formation of the sporadic-E layer in the temperate zones, 1=15275
- Whitehead, J.D. See Heisler, L.H., 1=15289
- Whitehead, J.D. See Heisler, L.H., 1=15290
- Whitehead, M.A. and Jaffe, H.H. Nuclear quadrupole resonance of BrCl, 1=11125
- Whitehead, R. See Gray, B.F., 1=7429
- Whitehead, W.D. See Gugelot, P.C., 1=8752
- Whitehouse, J.E. See Mitchell, E.W.J., 1=19949
- Whitelaw, J.H. Viscosity of steam at supercritical pressures, 1=1759
- Whitelaw, R.L. See Schludenberg, D.C., 1=17232
- Whitfield, G.D. Theory of electron-phonon interactions, 1=2373
- Whitfield, G.R. The spectra of the radio sources, 1=15566
- Whitford, B.G. Reflex klystron as a high speed microwave switch, 1=13176
- Whitham, K. Measurement of the geomagnetic elements, 1=11653
- Whitham, K. and Niblett, E.R. The diurnal problem in aeromagnetic surveying in Canada, 1=7949
- Whiting, J.S.S. See Bagguley, D.M.S., 1=14237
- Whiting, J.S.S. See Bagguley, D.M.S., 1=14238
- Whitlock, W.S. and Bounden, J.E. Negative oxygen ions from a glow discharge source, 1=9532
- Whitmer, R.F. and Barrett, E.B. Nonlinear interaction of an electromagnetic wave with a plasma layer in the presence of a static magnetic field. I. Theory of harmonic generation, 1=3067
- Whitmore, D.H. See Greener, E.H., 1=6163
- Whitmore, D.H. See Greener, E.H., 1=10035
- Whitmore, R.L. See Fidleris, V., 1=15786
- Whitmore, R.W. See Chou, Y.T., 1=2510
- Whitmore, R.W. See Chou, Y.T., 1=14276
- Whitney, C.A. Determination of atmospheric densities from satellite observations, 1=20884
- Whitney, C.A. See Schilling, G.F., 1=6602
- Whitney, W.M. See Chase, C.E., 1=9509
- Whiton, J.C. See Rosen, J.S., 1=9741
- Whitrow, G.J. and Morduch, G.E. General relativity and Lorentz-invariant theories of gravitations, 1=2683
- Whitsett, C.R. Righi-Leduc effect in mercuric selenide, 1=17630
- Whitten, R.C. and Poppoff, I.G. A model of solar-flare-induced ionization in the D region, 1=20968
- Whitten, R.C. See Greuling, E., 1=5858
- Whittenbury, C.G. and v. Krzywoblocki, M.Z. On certain fundamental concepts of classical and quantum kinetic theory of gases, 1=72
- Whittle, J.E. See Diamond, R., 1=20285
- Whittle, L.S. and Robinson, D.W. British normal threshold of hearing, 1=9228
- Whittle, L.S. See Robinson, D.W., 1=8202
- Whitton, J.L. Electropolishing techniques for the preparation of zirconium and zircaloy-2 specimens for transmission electron microscopy, 1=20717
- Whitworth, R.H. and Jeffress, L.A. Time versus intensity in the localization of tones, 1=11661
- Whitworth, R.W. Changes of elastic modulus associated with internal friction in sodium chloride, 1=20307
- Whitworth, R.W. See Davidge, R.W., 1=3678
- Whymark, R.R. Utilization of magnetostrictive materials in generating intense sound, 1=9444
- Whyte, G.N. See Taylor, H.W., 1=5704
- Whyte, D.J. See Monteath, G.D., 1=1663
- Wich, H. See Rassman, G., 1=10137
- Wich, H. See Rassmann, G., 1=6340
- Wichmann, E.H. and Ching-Hung Woo. Integral representation for the non-relativistic Coulomb Green's function, 1=4260
- Wickens, A.J. and Jones, H.E. Computing precise star co-ordinates, 1=12766
- Wickersham, A.F., Jr. Role of end-fire and broadside radiation in refraction, dispersion, and supergain, 1=10602
- Wickersham, P.D. and Ostwald, L.T. Microwaves in new detector measure thermal-neutron flux, 1=13452
- Wickersheim, K.A. Optical and infrared spectra of the ferrites and garnets, 1=6208
- Wickersheim, K.A. Spectroscopic study of the ytterbium-iron exchange interaction in ytterbium iron garnet, 1=8996
- Wickersheim, K.A. and Lefever, R.A. Infrared transmittance of crystalline yttrium oxide and related compounds, 1=14568
- Wickham, D.G. See Ferretti, A., 1=9117
- Wickham, R. Crystal-pulling furnace for gallium arsenide, 1=14994
- Wickramasinghe, N.C. See Hoyle, F., 1=18067
- Widginton, D.W. See Gordon, R.L., 1=18788
- Widing, K.G. See Morton, D.C., 1=5153
- Widom, B. Deviations from thermal equilibrium among reactant molecules, 1=11614
- Widom, B. See De Rudd, F.P., 1=2754
- Wiedemann, W. See Springer, T., 1=19708
- Wiedemann, W.H. See Mössbauer, R.L., 1=9815
- Wiedenbeck, M.L. See Arns, R.G., 1=620
- Wiedenbeck, M.L. See Martin, M.B., 1=5866
- Wiedenbeck, M.L. See Sund, R.E., 1=615

## AUTHOR INDEX

- Wieder, I. and Sarles, L.R. Stimulated optical emission from exchange-coupled ions of  $\text{Cr}^{+++}$  in  $\text{Al}_2\text{O}_3$ , 1=6245
- Wiedersich, H. See Conrad, H., 1=1307
- Wiedersich, H. See Conrad, H., 1=3986
- Wiegand, C. See Rogers, E.H., 1=16876
- Wiegand, C.E. See Foote, J.H., 1=7279
- Wiegand, D.A. Photo-impedance of the  $\text{AgCl}$  electrode system, 1=14521
- Wiegand, D.A. See Mitchell, P.V., 1=996
- Wienecke, B. A general purpose halide leak detector for testing vacuum and overpressure equipment, 1=4392
- Wienecke, R. See Burhorn, F., 1=10700
- Wienecke, R. See Burhorn, F., 1=10701
- Wiener, F.M. Sound propagation over ocean waters in fog, 1=12942
- Wieringa, H. An automatic strain-measuring device, 1=12581
- Wiese, J.R. and Muldower, L. Lattice constants of  $\text{Bi}_2\text{Te}_3$ — $\text{Bi}_2\text{Se}_3$  solid solution alloys, 1=20573
- Wiese, J.R. See Bennett, L.C., 1=8968
- Wiese, W., Berg, H.F. and Griem, H.R. Measurement of the structure of strong shocks in helium-filled T tubes, 1=2782
- Wiese, W.L. and Shumaker, J.B., Jr. Measurement of the transition probability of the O I multiplet at 6157 Å, 1=12251
- Wiesendanger, H.U.D. See Pasternak, R.A., 1=11600
- Wiffen, R.D. See Billings, C.E., 1=7895
- Wigen, P.E. and Cowen, J.A. Paramagnetic resonance absorption in several electron-irradiated molecular crystals, 1=20197
- Wiggins, J.S. See Friedland, S.S., 1=3081
- Wiggins, T.A., Plyler, E.K. and Tidwell, E.D. Infrared spectrum of acetylene, 1=17316
- Wiggins, T.A. See Rank, D.H., 1=842
- Wiggins, T.A. See Rank, D.H., 1=12985
- Wightman, A.S. and Epstein, H. The inhomogeneous wave equation in local relativistic quantum field theory, 1=2021
- Wigner, E.P. New ideas for nuclear reactors, 1=754
- Wigner, E.P. Geometry of light paths between two material bodies, 1=4238
- Wihksne, K. and Newkirk, A.E. Electrical conductivities of  $\alpha$ - and  $\beta$ -phthalocyanine, 1=14393
- Wiig, E.O. See Unseren, E., 1=9864
- Wiig, E.O. See Ware, W.R., 1=9863
- Wijker, W.J. The electrical breakdown in vacuum, 1=16297
- Wijnberg, L. Temperature effect on the scattering coefficients of nonideal gases at constant pressure, 1=15958
- Wijnen, M.H.J. Decomposition of dimethyl carbonate on quartz, 1=12674
- Wikner, E.G. See Burns, G., 1=795
- Wiktor, S. See Budagov, Yu.A., 1=5766
- Wilcock, W.L., Emberson, D.L. and Weekley, B. Work at Imperial College London on image intensifiers with transmitted secondary electron multiplication, 1=3000
- Wilcox, C.F., Jr. The ultraviolet spectrum of triptycene, 1=6023
- Wilcox, D.E., Scarborough, W.M. and Zingery, W.L. Flexure mounted beam balance for long-term magnetic stability measurements, 1=13150
- Wilcox, J.M. Reply to comment on "Review of high-temperature rotating-plasma experiments", 1=9564
- Wilcox, L.R. See Bloembergen, N., 1=1149
- Wilcox, R.E. Universal stage accessory for direct determination of the three principal indices of refraction, 1=7855
- Wilcox, R.E. Use of the spindle stage for determination of principal indices of refraction of crystal fragments, 1=7856
- Wilczynski, J.S. Some properties of photographic image recording, 1=4486
- Wild, J.P. Circular aerial arrays for radio astronomy, 1=18144
- Wild, J.P. Solar radio interferometry, 1=18152
- Wild, J.P. Solar radio spectroscopy, 1=18153
- Wild, J.P., Sheridan, K.V. and Trent, G.H. The transverse motions of the sources of solar radio bursts, 1=2651
- Wild, P.A.T. See Davies, R.D., 1=31
- Wild, R.L. and Brown, F.C. Low-temperature photoconductivity of additively colored KCl, 1=5027
- Wild, R.L., Ogier, W.T., Ricuads, L.M. and Nickel, J.C. Double Bragg X-ray scattering studies of polycrystalline metals, 1=5107
- Wildermuth, K. and Tang, Y.C. Study of nuclear structure from Coulomb energy differences of mirror levels, 1=3395
- Wildermuth, K. See Faissner, H., 1=16955
- Wildermuth, K. See Khanna, F.C., 1=16986
- Wildermuth, K. See Schmid, E.W., 1=13532
- Wildermuth, K. See Sheline, R.K., 1=3378
- Wildermuth, K. See Tang, Y.C., 1=10968
- Wildy, P.C. See Webb, M.S.W., 1=1494
- Wilenzick, R.M., Mitchell, G.E., Seth, K.K. and Lewis, H.W. Measurement and interpretation of neutron total cross-sections of carbon, calcium and lead, 1=3449
- Wilets, L. See Blair, J.S., 1=4848
- Wilets, L. See Henley, E.M., 1=18298
- Wiley, W.C. See Betts, J.F., 1=333
- Wiley, W.C. See Goodrich, G.W., 1=10738
- Wilhelm, J. See Kischel, K.H., 1=11895
- Wilhelmi, Z. Studies on the atomic nucleus structure with reactor "EWA", 1=19483
- Wilhelmi, Z. See Austin, S.M., 1=5912
- Wilhelmi, Z. See Sosnowski, R., 1=17026
- Wilhelmi, Z. See Sosnowski, R., 1=19396
- Wilhelmsson, H. Stationary nonlinear plasma oscillations, 1=4622
- Wilk, M. Organic liquid scintillators, 1=1746
- Wilke, K.T. Needle-like [whisker] growth of titanium nitride crystals, 1=20449
- Wilkening, M.H. and Hand, J.E. Radon flux at the earth-air interface, 1=15246
- Wilkins, M. The refraction correction in lattice parameter measurements with powder specimens, 1=15043
- Wilkerson, T.D. See Eubank, H.P., 1=18848
- Wilkerson, T.D. See Laporte, O., 1=170
- Wilkins, B., Knight, J.A. and Sicilio, F. Technique for determination of molecular weight with a small volume, 1=10288
- Wilkins, J.E., Jr. Comment on a paper on apodization by Gal'pern D.Yu., 1=12971
- Wilkins, K. See Orton, K.F., 1=18737
- Wilkinson, D.H. Open problems [in nuclear structure] . II.  
A. Some structure problems chiefly in the light nuclei.  
B. The nuclear surface. C. Nuclear structure experiments at medium energies. D. Elementary particles in nuclear structure studies, 1=8531
- Wilkinson, D.H. See Alburger, D.E., 1=8619
- Wilkinson, D.H. See Alburger, D.E., 1=8830
- Wilkinson, D.H. See Donovan, P.F., 1=10964
- Wilkinson, D.H. See Donovan, P.F., 1=19387
- Wilkinson, F. See Porter, G., 1=17376
- Wilkinson, J.D. See Dunlap, P.M., 1=12618
- Wilkinson, M.K., Child, H.R., McHargue, C.J., Koehler, W.C. and Wollan, E.O. Neutron diffraction investigations of metallic cerium at low temperatures, 1=9135
- Wilkinson, M.K., Koehler, W.C., Wollan, E.O. and Cable, J.W. Neutron diffraction investigation of magnetic ordering in dysprosium, 1=6347
- Wilkinson, M.K., Wollan, E.O., Child, H.R. and Cable, J.W. Neutron diffraction investigation of magnetic ordering in the trifluorides of 4d-transition elements, 1=1251
- Wilkinson, M.K. See Cable, J.W., 1=6348
- Wilkinson, M.K. See Cable, J.W., 1=20159
- Wilkinson, P.G. Molecular spectra in the vacuum ultraviolet, 1=17323
- Wilkinson, R.G. See Fischbeck, H.J., 1=659
- Wilkinson, R.G. See Sastry, K.S.R., 1=10987
- Wilks, E.M. The relative hardness of the hard directions in diamond, 1=12609
- Wilks, E.M. Steep-sided trigons on diamonds, 1=20408
- Wilks, J. The dependence of internal friction on frequency, 1=1302
- Wilks, J. See Challis, L.J., 1=13034
- Willard, H.B. See Cohn, H.O., 1=7387
- Willard, H.R. Two-hop 18.6 kc/s whistler-mode echoes received at Seattle, 1=20854
- Willax, H.A. Ion-particle imaging with radioactive recoil particles. II, 1=3025
- Willi, A.V. The kinetic solvent isotope effect in acid catalysis reactions with slow proton transfer, 1=15195
- Williams, A.J. III. See Danforth, W.E., 1=11964
- Williams, A.O. See Eby, R.K., 1=16024
- Williams, B.R. See Andrew, E.R., 1=3942
- Williams, C.S. Discussion of the theories of cavity-type sources of radiant energy, 1=8254
- Williams, D. See Elwell, D., 1=6436
- Williams, D. See Rogers, J.D., 1=11133
- Williams, D.E.G. See Kojima, H., 1=14679



- Williams, E.L. Boron diffusion in silicon, 1=14315  
 Williams, E.L. See Moore, W.J., 1=2395  
 Williams, E.M. See Eckman, P.K., 1=16292  
 Williams, F.A. Structure of detonations in dilute sprays, 1=18458  
 Williams, F.E. See Prener, J.S., 1=19767  
 Williams, G.J. See Bowley, A.E., 1=18752  
 Williams, G.W. See Smith, A.W., 1=14865  
 Williams, H.J. See Geller, S., 1=12542  
 Williams, H.J. See Matthias, B.T., 1=3882  
 Williams, H.J. See Matthias, B.T., 1=12526  
 Williams, H.J. See Nesbitt, E.A., 1=6382  
 Williams, J. The sintering of uranium oxides, 1=1446  
 Williams, J.L. See Fitches, H.J.M., 1=12027  
 Williams, J.M. Color measurement of metal surfaces, 1=7706  
 Williams, N. See Cochran, W., 1=17898  
 Williams, N. See Fray, S.J., 1=6212  
 Williams, R. High electric fields in cadmium sulfide: field-effect constriction of current flow and dielectric breakdown, 1=12426  
 Williams, R.J.P. The influence of  $\pi$ -bonding in some transition metal complexes, 1=868  
 Williams, R.L. and Webb, P.P. Transistor form of nuclear particle detector, 1=3087  
 Williams, R.L. See Jackson, R.W., 1=3252  
 Williams, R.L. See Webb, P.P., 1=3251  
 Williams, R.O. A deformation calorimeter, 1=2508  
 Williams, R.V. Spectroscopic observations of "fluctuations" in the Sceptre IV discharge, 1=11954  
 Williams, R.V. See Kaufman, A.S., 1=235  
 Williams, R.W. See Kim, C.Y., 1=8471  
 Williams, R.W. See Masek, G.E., 1=7257  
 Williams, R.W. See Masek, G.E., 1=17088  
 Williams, S.E. See Alderson, J.E., 1=20006  
 Williams, S.E. See Crisp, R.S., 1=1174  
 Williams, S.E. See Crisp, R.S., 1=7439  
 Williams, T. Direct determination of line shapes of rotational spectra from interferometric measurements, 1=1819  
 Williams, T.F. See Dole, M., 1=7920  
 Williams, W.E. Waves on a sloping beach, 1=126  
 Williams, W.E. Refraction and diffraction of pulses, 1=4721  
 Williams, W.E. A class of boundary value problems, 1=15748  
 Williams, W.E. Some solutions for steady linearised magneto-hydrodynamic flows, 1=16510  
 Williams, W.E. Vertex-generated waves outside metallic wedges, 1=16573  
 Williams, W.J. See Murcray, D.G., 1=6590  
 Williams, W.J. See Murcray, D.G., 1=15226  
 Williams, W.L. See Doyle, W.T., 1=11239  
 Williams, W.S. Mondrian precipitation patterns in single crystals of titanium carbide, 1=7842  
 Williams, W.S. See Lowell, C.E., 1=16170  
 Williams, W.S.C. A proposal to decrease the deadtime of the Hutchinson-Scarrot type pulse height, 1=1867  
 Williams, W.S.C. The Coulomb scattering of neutral hyperons and the lifetime of the  $\Sigma^0$ , 1=9773  
 Williamson, C.F. Absolute cross-sections of the reactions  $\text{Na}^{23}(\text{n}, \text{p})\text{Ne}^{23}$  and  $\text{Na}^{23}(\text{n}, \alpha)^{19}\text{F}$ , 1=9889  
 Williamson, G.K. Electron microscope studies of dislocation structures in graphite, 1=971  
 Williamson, G.K. and Baker, C. A comparison of vacancy and interstitial loops in graphite, 1=10001  
 Williamson, M.A. See Catron, H.C., 1=11023  
 Williamson, N.K., Fullerton, C.M. and Billings, D.E. Coronal emission in the vicinity of quiescent prominences, 1=7993  
 Williamson, R.M. See Newson, H.W., 1=2067  
 Williamson, R.M. See Wisseman, W.R., 1=4874  
 Williamson, R.M. See Wisseman, W.R., 1=5907  
 Willis, A.H., Baugnet, J.M. and De Beukelaer, R.C. Stored energy in fuel-bearing graphite, 1=12235  
 Willis, B.T.M. Some theoretical properties of the double-crystal spectrometer used in neutron diffraction, 1=20453  
 Willis, B.T.M. Use of a two-circle device to obtain three-dimensional neutron diffraction data, 1=20471  
 Willis, J.B. See Sprung, D.W.L., 1=2055  
 Willis, M.R. See Eley, D.D., 1=7655  
 Willis, W.J. See Louttit, R.I., 1=12127  
 Willis, W.J. See Luers, D., 1=16883  
 Willmott, J.C. See Baart, E., 1=8576  
 Willmott, J.C. See Green, L.L., 1=12144  
 Willot-Chemel, B. Study of interactions produced in nuclear emulsions by 300 MeV  $\pi$ -mesons, 1=13476  
 Wills, J.G. See Ford, K.W., 1=13979  
 Wills, R.D. See Allan, H.R., 1=577  
 Wilman, H. See Avient, B.W.E., 1=1353  
 Wilman, H. See Dobson, P.S., 1=20700  
 Wilman, H. See Harvey, J., 1=11563  
 Wilman, H. See Harvey, J., 1=20674  
 Wilman, H. See Porgess, P.V.K., 1=1352  
 Wilmhurst, J.K. Vibrational spectra of inorganic molecules. I. Antimony pentachloride, antimony trichloride, zirconium tetrachloride, and ferric chloride, 1=4936  
 Wilmhurst, J.K. and Senderoff, S. Vibrational spectra of inorganic molecules. II. Infrared reflection spectra of liquid lithium, sodium, potassium, and silver nitrates, 1=15885  
 Wilsdorf, H.G.F. See Fourie, J.T., 1=2389  
 Wilsdorf, H.G.F. See Greenfield, I.G., 1=9092  
 Wilshire, B. See Davies, P.W., 1=14979  
 Wilski, H. A new dosimetry method for the Megarad region, 1=4837  
 Wilsky, K. See Hansen, P.G., 1=8655  
 Wilsky, K. See Hansen, P.G., 1=19394  
 Wilson, A.J.C. A note on peak displacements in X-ray diffractometry, 1=20480  
 Wilson, B.G. The cosmic ray observations of December 4, 1957, 1=10945  
 Wilson, B.G., Dionne, J.G.G. and Terentiuk, F. Variations in solar time of extensive air showers, 1=9785  
 Wilson, B.G. See Carmichael, H., 1=3363  
 Wilson, C.B. A phenomenological theory of the characteristic energy losses of fast electrons in metal, 1=6099  
 Wilson, C.M. and Thekaekara, M.P. Ultraviolet spectrum of Ti I, 1=4905  
 Wilson, C.O.Jr. See Lehmann, W.J., 1=6013  
 Wilson, C.O.Jr. See Lehmann, W.J., 1=6014  
 Wilson, D.J., Noble, B. and Lee, B. Pressure dependence of fluorescence spectra, 1=6807  
 Wilson, D.J. See Dohner, A.S., 1=20756  
 Wilson, D.J. See Thiele, E., 1=20724  
 Wilson, D.K. and Feher, G. Electron spin resonance experiments on donors in silicon. III. Investigation of excited states by the application of uniaxial stress and their importance in relaxation processes, 1=20232  
 Wilson, D.V. and Russell, B. The contribution of precipitation to strain ageing in low carbon steels, 1=3988  
 Wilson, E.B.Jr. See Dixon, W.B., 1=11096  
 Wilson, E.J. and Hughes, J.D.H. The preparation of krypton-85-clathrate compounds, 1=13683  
 Wilson, G.L. Effect of a longitudinal static pressure upon a magnetostrictive ferrite, 1=11818  
 Wilson, G.L. and Kendig, P.M. Effect of high-coupling coefficient on the performance of a magnetostrictive transducer used as both a projector and a hydrophone, 1=12951  
 Wilson, H.W., Watt, D.E. and Ramsden, D. A low-background laboratory, 1=13670  
 Wilson, H.W. See McNair, A., 1=12162  
 Wilson, J.H. See Arp, V.D., 1=9513  
 Wilson, J.N. See Wales, M., 1=20769  
 Wilson, M.K. See Hunt, G.R., 1=7472  
 Wilson, N. and Treloar, L.R.G. Rubber models of yarns and cords; the "doubling" of single rods, 1=6450  
 Wilson, P.R. The constant flux problem in non-uniform exponential media, 1=81  
 Wilson, P.R. On solving the equation of radiative transfer for conservative non-uniform media, 1=8087  
 Wilson, R. See Kuckes, A.F., 1=3182  
 Wilson, R. See Kuckes, A.F., 1=13525  
 Wilson, R. See Postma, H., 1=3183  
 Wilson, R. See Thorndike, E.H., 1=498  
 Wilson, R.A., Jr. See Shang Yi Ch'en, 1=9910  
 Wilson, R.G. and Pool, M.L. Radioactive decay of  $\text{Lu}^{171}$  and level schemes for  $\text{Yb}^{171}$  and  $\text{Yb}^{169}$ , 1=649  
 Wilson, R.G. and Pool, M.L. Radioactive decay of  $\text{Tm}^{164}$  and  $\text{Tm}^{163}$ , 1=652  
 Wilson, R.H. See Kouvel, J.S., 1=5065  
 Wilson, R.H. See Kouvel, J.S., 1=6279  
 Wilson, R.J. See Gabriel, A.H., 1=5476

- Wilson, R.L. and Duffey, G.H. Parameterization of orthogonality and normalization conditions for the  $\text{NbF}_7^{-1}$  structure, 1=12299
- Wilson, R.N. and Forsyth, P.J.E. The cooperative movement of dislocations in very pure aluminium foil, 1=10005
- Wilson, R.R., Berkelman, K., Cassels, J.M. and Olson, D.N. Scattering of high-energy electrons by protons, 1=3165
- Wilson, R.R. See Littauer, R.M., 1=13394
- Wilson, R.R. See Olson, D.N., 1=7232
- Wilson, R.W. See Clyne, G., 1=1713
- Wilson, T.R. See Young, F.W.Jr., 1=9107
- Wilson, W.B. See Young, A.P., 1=1024
- Wilson, W.D. Speed of sound in heavy water as a function of temperature and pressure, 1=5329
- Wilson, W.E., Walter, R.L. and Fossan, D.B. Differential cross sections for the  $\text{T}(p,n)\text{He}^3$  reaction, 1=19294
- Wilson, W.E. See Fossan, D.B., 1=11020
- Wimett, T.F., White, R.H., Stratton, W.R. and Wood, D.P. Godiva II — An unmoderated pulse-irradiation reactor, 1=17182
- Wimpress, R.S. See Welch, P.D., 1=7953
- Winand, L. See Morand, M., 1=7361
- Winans, J.G. Convenient equations for projectile motion, 1=11731
- Winckler, J.R. Primary cosmic rays, 1=13547
- Winckler, J.R. and Bhavsar, P.D. Low-energy solar cosmic rays and the geomagnetic storm of May 12, 1959, 1=16927
- Winckler, J.R., Bhavsar, P.D., Masley, A.J. and May, T.C. Delayed propagation of solar cosmic rays on September 3, 1960, 1=10937
- Winckler, J.R., Bhavsar, P.D. and Peterson, L. The time variations of solar cosmic rays during July 1959 at Minneapolis, 1=13585
- Winckler, J.R., Masley, A.J. and May, T.C. The high-energy cosmic-ray flare of May 4, 1960. I. High-altitude ionization and counter measurements, 1=16931
- Winckler, J.R., May, T.C. and Masley, A.J. Observation of a solar bremsstrahlung burst of 1926 U.T., August 11, 1960, 1=18094
- Winckler, J.R. See Arnoldy, R.L., 1=20949
- Winckler, J.R. See Freier, P., 1=2147
- Winckler, J.R. See Freier, P.S., 1=7298
- Winckler, J.R. See Freier, P.S., 1=7299
- Winckler, J.R. See Mantis, H.T., 1=15245
- Winegard, W.C. See Holmes, E.L., 1=15152
- Winegard, W.C. See Jubb, J.T., 1=20629
- Winegard, W.C. See Uaingard, V., 1=12620
- Wing, G.M. See Bellman, R., 1=4285
- Wing, J., Swartz, B.A. and Huizenga, J.R. New hafnium isotope,  $\text{Hf}^{182}$ , 1=12169
- Wingerson, R.C. "Corkscrew" — a device for changing the magnetic moment of charged particles in a magnetic field, 1=10717
- Winkelmann, A. See Rüdiger, O., 1=925
- Winkler, H. The nuclear paramagnetic relaxation times of water adsorbed by aluminium oxide, 1=20239
- Winkler, H. and Röppischer, H. On the intensification of the luminescence by electric fields of zinc cadmium sulphides activated by manganese, 1=20015
- Winkler, H., Röppischer, H. and Wendel, G. Field enhancement in  $\text{ZnS}:\text{CdS}:\text{Mn}$  phosphors under X-ray excitation, 1=3863
- Winkler, H. See Rytz, A., 1=19461
- Winkler, R. See Krebs, K., 1=4902
- Winkler, R. See Krebs, K., 1=4903
- Winkler, R. See Krebs, K., 1=7436
- Winn, M.M. See Doran, G.A., 1=1945
- Winn, M.M. See Rathgeber, H.D., 1=7292
- Winnewisser, M. See Zell, W., 1=3537
- Winocur, J. See Marrus, R., 1=7434
- Winogradoff, N.N. Photoconductivity of CdS-type photoconductors in the vicinity of the absorption edge, 1=5024
- Winogradzki, J. On the calculation of the eight spinors of second rank whose components are invariant under general Lorentz transformations, 1=2700
- Winogradzki, J. Tensor and spinor formalism including parity, 1=13286
- Winsberg, L. and Alexander, J.M. Ranges and range straggling of  $\text{Tb}^{140}$ , At and Po, 1=2244
- Winsberg, L. and Clements, T.P. Direct nucleon-nucleon collisions inside the nucleus according to the impulse approximation, 1=8683
- Winsberg, L. See Alexander, J.M., 1=2245
- Winslow, D.K. See Auld, B.A., 1=5588
- Winstel, G. On the interpretation of the characteristic of the tunnel diode and its temperature dependence, 1=11316
- Winstel, G. and Heywang, W. On the band structure of highly-doped semiconductors, 1=11273
- Winston, R. and Telegdi, V.L. Fast atomic transitions with  $\mu$ -mesonic hyperfine doublets, and observable effects of the spin dependence of muon absorption, 1=17299
- Winston, R. See Lanthrop, J.L., 1=17300
- Winteler, H.R. See Kesselring, P., 1=10797
- Wintenberger, M. Contribution to the study of crystalline imperfections in very pure aluminium, 1=17510
- Winter, E.R.S. Device designed to maintain a constant gas pressure in kinetic systems, 1=15975
- Winter, J.M. Bloch wall excitation. Application to nuclear resonance in a Bloch wall, 1=17958
- Winter, J.M. See Robert, C., 1=11495
- Winter, K. See von Dardel, G., 1=2053
- Winter, K. See von Dardel, G., 1=16863
- Winter, R.G. Evolution of a quasi-stationary state, 1=11706
- Winter, R.G. See Glickstein, S.S., 1=19486
- Winterberg, F. Remark concerning the gravitational interaction of matter and anti-matter, 1=5187
- Winterhalter, D. See Anatolović, B., 1=16915
- Winterhalter, W. See Juric, M., 1=13451
- Wintermute, E.H. See Montgomery, D.J., 1=4549
- Winternitz, P. Elastic scattering of nucleons on a target
- Winterton, G. See Reid, R.J., 1=12138
- Wintle, H.J. The effect of attenuation on the acoustic resonant frequencies of gases in tubes, 1=1787
- Wintle, H.J. The conductivity of polythene under gamma irradiation, 1=17636
- Winzeler, H. See Cvijanovich, G., 1=16778
- Winzeler, H. See Gorgé, V., 1=4829
- Wirt, T.M. See Zingery, W.L., 1=20112
- Wirtz, K. See Blässer, G., 1=17225
- Wise, H. Diffusional transport of atomic hydrogen through molecular hydrogen at elevated temperatures, 1=10541
- Wise, H. and Ablow, C.M. Diffusion and heterogeneous reaction. IV. Effects of gas-phase reaction and convective flow, 1=11615
- Wiskott, D. See Bartke, J., 1=8513
- Wiśniewski, R. See Gołebowski, R., 1=20106
- Wissemann, W.R. and Williamson, R.M. Coulomb excitation of  $\text{Ge}^{74}$  and  $\text{Ge}^{76}$ , 1=4874
- Wissemann, W.R. and Williamson, R.M. Coulomb excitation of  $\text{Se}^{77}$ , 1=5907
- Wissler, E.H. See Schechter, R.S., 1=247
- Witalis, E.A. See Rusbridge, M.G., 1=9633
- Witkowski, A. Electronic spectra of dimers. I. Nature of the coupling, 1=14047
- Witkowski, A. Electronic spectra of dimers. II. Perturbation solutions of the fundamental vibronic equation, 1=14048
- Witkowski, A. Electronic spectra of dimers. III. Intensities, 1=14049
- Witt, G. A note to the paper by G.Witt, "Polarisation of light from noctilucent clouds", 1=1556
- Wittman, W.J. Instrument to measure density profiles behind shock waves, 1=8152
- Wittman, W.J. Vibrational relaxation in carbon dioxide, 1=11090
- Witters, J. See Van Itterbeek, A., 1=7777
- Witters, J. See Van Itterbeek, A., 1=14769
- Witteveld, H. See Tenner, A.G.C., 1=5621
- Witting, J.M. See Carome, E.F., 1=4411
- Witting, J.M. See Carome, E.F., 1=16029
- Witke, J.P. See Dicke, R.H., 1=6779
- Wittkower, A.B. See Rose, P.H., 1=9644
- Wittkower, A.B. See Rose, P.H., 1=9645
- Wittmann, F. See Röhler, R., 1=18567
- Wittry, D.B. See McCaldin, J.O., 1=3752
- Wnuk, M. and Zyczkowski, M. Influence of weakening of a bar on the critical force in the elastic-plastic range, 1=1320
- Woboditsch, W. The characteristics of technical spark-gaps with strongly inhomogeneous fields, 1=16296
- Wobshall, D. Sensitive output indicator for differential transformer displacement determinations, 1=4294
- Woelke, H.U. On the question of the solubility of rare gases in molten salts, 1=4335



- Woermann,D. See Debye,P., 1=1743
- Woessner,D.E. Effects of diffusion in nuclear magnetic resonance spin-echo experiments, 1=10524
- Woessner,D.E. Nuclear transfer effects in nuclear magnetic resonance pulse experiments, 1=10798
- Wohlfarth,E.P. Thermal fluctuation effects in thin magnetic films, 1=7757
- Wohlfarth,E.P. and Cornwell,J.F. The magnetization of nickel at low temperatures, 1=1208
- Wohlfarth,E.P. and Cornwell,J.F. Critical points and ferromagnetism, 1=20066
- Wohlfarth,E.P. See Shtrikman,S., 1=6311
- Wohlleben,D. See Boersch,H., 1=2479
- Wohlleben,D. See Boersch,H., 1=3017
- Wohlleben,D. See Boersch,H., 1=16422
- Woisard,E.L. Pulse method for the measurement of thermal diffusivity of metals, 1=2901
- Wojaczek,K. The positive column of the low pressure argon discharge in the transition region (homogeneous to striated), I, 1=9529
- Wojaczek,K. The temperature dependence of certain processes which are determined by elastic collisions between electrons and atoms, 1=18793
- Wojcicki,S.G. See Alston,M., 1=3240
- Wojcicki,S.G. See Alston,M., 1=8502
- Wojcicki,S.G. See Alston,M.H., 1=12126
- Wojciechowski,J. Preparation of ZnS-type phosphor layers with microcrystalline structure by synthesis on glass plates, 1=3868
- Wojciechowski,K.F. Theory of order of multicomponent non-stoichiometric solid solutions (Zeroth approximation), 1=12647
- Wojtkowska,J. See Sosnowski,R., 1=17026
- Wojtkowska,J. See Sosnowski,R., 1=19396
- Wolcott,N.M. The calculation of Debye characteristic temperatures, 1=4968
- Wolczek,O. See Choinacki,S., 1=2195
- Wold,A. See Arnott,R.J., 1=20554
- Wold,A. See Ferretti,A., 1=7846
- Wold,A. See Ferretti,A., 1=9117
- Wold,A. See Goodenough,J.B., 1=14670
- Wolf,E. Correlation between photons in partially polarized light beams, 1=4482
- Wolf,E. The practical determination of the photogrammetric distortion of ultra-wide-angle objectives for finite conjugates, 1=4489
- Wolf,E. See Mandel,L., 1=10575
- Wolf,E. [Ed.], Progress in optics. Volume I, 1=18544
- Wolf,F. See Fritzsche,L., 1=15178
- Wolf,G. The absolute calibration of decay rates by means of the  $\beta$ - $\gamma$  coincidence method and its use in the measurement of the thermal activation cross-section of the isotopes  $\text{Na}^{23}$ ,  $\text{Sc}^{46}$ ,  $\text{Co}^{60}$  and  $\text{Ta}^{181}$ , 1=10985
- Wolf,H.C. The self fluorescence of the naphthalene crystal at  $4.2^\circ\text{K}$ , 1=10125
- Wolf,H.C. See Gross,H., 1=11241
- Wolf,H.C. See Gschwendtner,K., 1=6231
- Wolf,J. and Zoellner,W. Integral equations for KN scattering, 1=13507
- Wolf,K. See Hendus,H., 1=4074
- Wolf,P. Free oscillations of the magnetization in permalloy films, 1=6323
- Wolf,S. See Eisler,F., 1=19271
- Wolf,S.E., Schmitz,N., Lloyd,L.J., Laskar,W., Crawford,F.S., Jr., Button,J., Anderson,J.A. and Alexander,G. The cusp in  $\Lambda$ -K production at  $\Sigma$ -K threshold, 1=18890
- Wolf,W.P. Ferromagnetic alignment by antiferromagnetic exchange interaction. Note on the magnetic behaviour of neodymium garnet, 1=12543
- Wolf,W.P. Ferrimagnetism, 1=14752
- Wolf,W.P. On the ferrimagnetic resonance of europium iron garnet, 1=20187
- Wolf,W.P. and Bozorth,R.M. Susceptibility of gadolinium iron garnet below the Néel point, 1=14746
- Wolf,W.P. See Ball,M., 1=6365
- Wolf,W.P. See Finn,C.B.P., 1=6423
- Wolf,W.P. See Finn,C.B.P., 1=14808
- Wolf,W.P. See Leask,M.J.M., 1=11412
- Wolf,W.R. Study of the vibrating reed in the production of small droplets and solid particles of uniform size, 1=15826
- Wolfe,B. See Aline,P.G., 1=13617
- Wolfe,J. 20 Mc/s w.w.v. bursts during the last few periods of 1958#2, 1=18226
- Wolfe,J.H. and Hummel,J.P. Photo- $\alpha$  reaction in  $\text{Sb}^{121}$ , 1=11002
- Wolfe,R. See Spitzer,W.G., 1=8952
- Wolfe,R. See Wernick,J.H., 1=10049
- Wolfenstein,L. Model of hyperon decay, 1=3236
- Wolff,G.A. See Pearson,W.B., 1=3736
- Wolff,H.H. Sensitivity error in frequency measurements with the Wien bridge, 1=13050
- Wolff,P.A. Theory of optical radiation from breakdown avalanches in germanium, 1=17694
- Wolff,P.A. Localized moments in metals, 1=17927
- Wolff,P.A. See Bozorth,R.M., 1=9022
- Wolff,P.A. See Chynoweth,A.G., 1=2413
- Wolff,W. and Zehler,V. The design of pole-pieces in relativistic isochron-cyclotron, 1=8368
- Wolfgang,R. See Kaufmann,R., 1=735
- Wolfgang,R. See Kaufmann,R., 1=736
- Wolfsberg,M. See Klein,F.S., 1=10294
- Wolfson,C.J. Newtonian and Galilean reference frames (of the special theory of relativity) defined and compared by elementary mathematics, 1=6770
- Wolfson,J.L. Structure of the line at 2892 gauss cm in the conversion electron spectrum of the active deposit of  $\text{RdTh}$ , 1=9844
- Wolfson,J.L. The K internal conversion coefficient of the 412 keV transition in  $\text{Hg}^{100}$ , 1=10990
- Wolfstirn,K.B. Hole and electron mobilities in doped silicon from radiochemical and conductivity measurements, 1=17711
- Wolicki,E.A. See Holmgren,H.D., 1=19428
- Wolicki,E.A. See Holmgren,H.D., 1=19525
- Woll,E.J.Jr. and Nettel,S.J. Image of the Fermi surface in spin-wave spectra of rare-earth metals, 1=11422
- Wollan,E.O. Magnetic coupling in Pd-Dilute iron group alloys, 1=9018
- Wollan,E.O. See Cable,J.W., 1=6348
- Wollan,E.O. See Cable,J.W., 1=20159
- Wollan,E.O. See Wilkinson,M.K., 1=1251
- Wollan,E.O. See Wilkinson,M.K., 1=6347
- Wollan,E.O. See Wilkinson,M.K., 1=9135
- Wolniewicz,L. See Fiutak,J., 1=19618
- Wolniewicz,L. See Kofos,W., 1=14096
- Wolowski,J. See Zylicz,J., 1=13720
- Wolsky,S.P. and Zdanuk,E.J. Sputtering of silicon with  $\text{A}^{+2}$  ions, 1=1930
- Wolsky,S.P. and Zdanuk,E.J. Investigation of the sputtering of silicon, 1=8361
- Wolsky,S.P. and Zdanuk,E.J. The investigation of residual gases in vacuum systems, 1=18491
- Wolsky,S.P. See Zdanuk,E.J., 1=16438
- Wolter,H. Proof of the possibility of exceeding the information limits postulated by the sampling expansion theorem, 1=2837
- Wolter,H. On basic analogies and principal differences between optical and electronic information, 1=18549
- Wolter,W. See Duthie,J.G., 1=3365
- Wolters,G. See Duimio,F., 1=8495
- Wolters,H.B.M. and Schapink,F.W. Tensile testing machine for whiskers, 1=10201
- Woltjer,L. On the theory of hydromagnetic equilibrium, 1=5566
- Won Choi,Q. and Clark,W.G. Spin-lattice relaxation time of  $\text{F}^{19}$  nuclei in  $\text{Ag}_2\text{F}$ , 1=9063
- Wong,C., Anderson,J.D., Bloom,S.D., McClure,J.W. and Walker,B.D. Angular distribution of the ground-state neutrons from the  $\text{C}^{13}(\text{p},\text{n})\text{N}^{13}$  and  $\text{N}^{16}(\text{p},\text{n})\text{O}^{16}$  reactions, 1=11010
- Wong,C. See Albert,R.D., 1=696
- Wong,C. See Anderson,J.D., 1=16983
- Wong,C. See Goldberg,M.D., 1=8520
- Wong,D.Y. See Ball,J.S., 1=3176
- Wong,D.Y. See Goldberger,M.L., 1=495
- Wong,E.Y. Analysis of the absorption and fluorescence spectrum of  $\text{NdCl}_3$  diluted with  $\text{LaCl}_3$ , 1=10101
- Wong,E.Y. Taylor series expansion of the intermediate coupling energy levels of  $\text{Nd}^{3+}$  and  $\text{Er}^{3+}$ , 1=11370
- Wong,E.Y. and Richman,I. Analysis of the absorption spectrum and Zeeman effect of thulium ethylsulphate, 1=6209
- Wong How-sen. Effects of the pion-pion resonance and the three-pion resonance or bound state on neutral-pion decay, 1=519

## AUTHOR INDEX

- Woo, Ching-Hung. See Wichmann, E.H., 1=4260
- Wood, A.F.B. On the photoelastic examination of vibrating bodies and the photoelastic effect in optically active media, 1=97
- Wood, A.F.B. On the indication of vibration nodes by fine powders, 1=9435
- Wood, C., Harrap, V. and Kane, W.M. Degeneracy in  $\text{Ag}_2\text{Te}$ , 1=3772
- Wood, C., Tischler, O. and Schroeder, G.F. Reduction of misalignment voltage in Hall crystals, 1=6172
- Wood, C. See Gottlieb, G.E., 1=17757
- Wood, C. See Kane, W.M., 1=8957
- Wood, C. See Taylor, P.F., 1=3798
- Wood, C.G. See Cole, H., 1=16473
- Wood, D.L., Geith, C.R., Pan Liang, C.Y. and Dockrill, A.G. Simplified construction of complex crystal models, 1=20508
- Wood, D.L. See Kaiser, W., 1=11397
- Wood, D.L. See Kaiser, W., 1=12505
- Wood, D.L. See Pappalardo, R., 1=2442
- Wood, D.L. See Pappalardo, R., 1=17887
- Wood, D.P. See Wimet, T.F., 1=17182
- Wood, E. See Bird, L., 1=19198
- Wood, E. See Birds, L., 1=13412
- Wood, E. See Taylor, A.E., 1=13781
- Wood, E.A. The unit cell and space group of gallium iron oxide, a piezoelectric ferromagnetic crystal, 1=15092
- Wood, F.B. and McCluskey, G.E.Jr. The eclipsing system V Tucanae, 1=18103
- Wood, G.P., Carter, A.F., Sabol, A.P. and Weinstein, R.A. Experiments in steady state crossed-field acceleration of plasma, 1=10715
- Wood, G.T. See Caspari, M.E., 1=9039
- Wood, J.A. Stony meteorite orbits, 1=12743
- Wood, J.K. See Meyer-Arendt, J.R., 1=7857
- Wood, J.L. See Booker, C.J.L., 1=1124
- Wood, M.B. Slow drift solar radio bursts: harmonic frequency ratios, solar longitude dependence, and frequency drift rates, 1=18164
- Wood, R.F. and Korringa, J. Electronic structure of the F center in  $\text{LiCl}$ , 1=11238
- Wood, W.A. See Bendler, H.A., 1=6476
- Wood, W.W. Existence of detonations for small values of the rate parameter, 1=4097
- Woodbury, H.H. and Ludwig, G.W. Electron spin resonance studies in SiC, 1=20233
- Woodbury, H.H. See Ham, F.S., 1=3934
- Woodbury, H.H. See Ludwig, G.W., 1=20214
- Woodford, J.B., Jr. See Feucht, D.L., 1=16193
- Woodgate, G.K. See Pichanick, F.M., 1=804
- Woodgate, G.K. See Pichanick, F.M.J., 1=13947
- Woodgate, G.K. See Sanders, P.G.H., 1=803
- Wooding, E.R. See Porter, G., 1=12993
- Woodman, M.J. See Powell, R.W., 1=17607
- Woodruff, T.O. and Ehrenreich, H. Absorption of sound in insulators, 1=12354
- Woods, A.D.B. Inelastic scattering of neutrons from rotating liquid helium II, 1=18687
- Woods, A.D.B. See Henshaw, D.G., 1=4525
- Woodside, W. and Messmer, J.H. Thermal conductivity of porous media. I. Unconsolidated sands, 1=20650
- Woodside, W. and Messmer, J.H. Thermal conductivity of porous media. II. Consolidated rocks, 1=20651
- Woodward, A.E. See Stein, M.N., 1=17822
- Woodward, J.G. and Della Torre, E. Particle interaction in magnetic recording tapes, 1=7763
- Woodward, W.M. See Anderson, R.L., 1=10925
- Woolcock, W.S. See Hamilton, J., 1=12101
- Wooler, P.T. Instability of flow between parallel planes with a coplanar magnetic field, 1=3045
- Woolfson, M.M. Bode's law and the solar system, 1=5130
- Woolley, J.C. and Evans, J.A. Temperature variation of optical energy gap for  $\text{GaSb-InSb}$  alloys, 1=19996
- Woolley, J.C. and Gillett, C.M. Electrical properties of  $\text{GaSb-InSb}$  alloys, 1=17732
- Woolley, J.C., Gillett, C.M. and Evans, J.A. Some electrical and optical properties of  $\text{InSb-In}_2\text{Te}_3$  alloys, 1=7652
- Woolley, J.C., Gillett, C.M. and Evans, J.A. Electrical and optical properties of  $\text{GaAs-InAs}$  alloys, 1=10026
- Woolley, J.C. and Keating, P.N. Some electrical and optical properties of  $\text{InAs-In}_2\text{Se}_3$  and  $\text{InSb-In}_2\text{Se}_3$  alloys, 1=19881
- Woolley, J.C. and Pamplin, B.R. Some properties of  $\text{In}_2\text{Te}_3$  and  $\text{Ga}_2\text{Te}_3$ , 1=17744
- Woolley, J.C., Pamplin, B.R. and Evans, J.A. Electrical and optical properties of  $\text{InAs-In}_2\text{Te}_3$  alloys, 1=19880
- Woolley, J.C. and Ray, B. Effects of solid solution of  $\text{Ga}_2\text{Te}_3$  with  $\text{AlIbVI}$  tellurides, 1=7878
- Woolley, J.C. and Ray, B. Effects of solid solution of  $\text{In}_2\text{Te}_3$  with  $\text{AlIbVI}$  tellurides, 1=20621
- Woolley, R. van der R. A survey of observational problems of stellar evolution, 1=12762
- Woolons, D.J. and Gill, A.M.R. A simple speech synthesizer, 1=4141
- Woolsey, G.A., Seymour, R., Emeleus, K.G. and Coulter, J.R.M. Note on the positive column in mixtures of iodine and argon, 1=18796
- Wooster, W.A. See Joel, N., 1=20290
- Wooster, W.A. See Joel, N., 1=20291
- Wooster, W.A. See Vuster, V.A., 1=12628
- Wooster, W.A. See Vuster, V.A., 1=20458
- Wooten, F. Photovoltaic effects in  $\text{Cs}_3\text{Sb}$  films, 1=14512
- Wooten, F.P. See Condas, G.A., 1=7885
- Worlton, D.C. Experimental confirmation of lamb waves at megacycle frequencies, 1=10559
- Wormald, J.R. See Jones, D.P., 1=3223
- Worsham, R.E. See Betterton, J.O., Jr., 1=9513
- Woyk (Chvojková), E. Bifurcation and other irregularities of the ionospheric F2-layer, 1=6623
- Woźnicki, W. Excited states of acetylene, 1=14062
- Woźnicki, W. and Kwiatkowski, S. Estimation of the influence of foreign atoms in the core of conjugated bonds on the spectrum and the charge distribution in the molecule, 1=9936
- Woźnicki, W. See Sugier, H., 1=863
- Wraith, G.C. Functional methods for composite particles, 1=13306
- Wrazej, W.J. Development of etch pits in as-cast 99.9945% aluminium, 1=14958
- Wrenn, G.L. See Chapman, K.R., 1=1924
- Wright, A.E. See Griffiths, D.H., 1=1579
- Wright, C.V. See Barrow, R.F., 1=6003
- Wright, G.B. and Lax, B. Magnetoreflexion experiments in intermetallics, 1=17871
- Wright, G.T. Mechanisms of space-charge-limited current in solids, 1=7628
- Wright, H. See Neufeld, J., 1=16746
- Wright, H.C. See Newman, P.C., 1=15134
- Wright, H.E. See Eggers, D.F., Jr., 1=17318
- Wright, H.N. Measurement of perstimulatory auditory adaptation, 1=1612
- Wright, I.F. See Coote, G.E., 1=5892
- Wright, J.K. Shock tubes, 1=18459
- Wright, J.K., Medford, R.D. and Chambers, B. Equilibrium configuration of the plasma in theta discharges with reversed trapped magnetic fields, 1=18876
- Wright, J.K., Medford, R.D., Herbert, J.D. and Pottinger, R.C. A new "wedge" type instability observed in a "theta" pinch, 1=18878
- Wright, J.K. and Phillips, N.J. The confinement of shock-heated plasmas in mirror magnetic fields, 1=10719
- Wright, J.P. Effect of neutral particles on the transport properties of a plasma in a uniform magnetic field, 1=18822
- Wright, J.P. See Chandrasekhar, S., 1=9311
- Wright, J.W. A test of a procedure for easy estimation of representative monthly electron density profiles for the ionosphere, 1=15255
- Wright, J.W. Comment on models of the ionosphere above  $h_{m3000}F_2$ , 1=15282
- Wright, J.W. See Olesen, J.K., 1=20981
- Wright, K.H.R. See Grunberg, L., 1=6564
- Wright, M.D. Possible identification of atmospheric waves associated with ionospheric storms, 1=20908
- Wright, M.R. See Porter, G., 1=6058
- Wright, P.G. On the discontinuity involved in diffusion across an interface (the  $\Delta$  of fuchs), 1=11632
- Wright, P.M., Steinberg, E.P. and Glendenin, L.E. Half-life of samarium-147, 1=10979



- Wright, R.H. and Daykin, P.N. A spectrometer for the far infrared, 1=6953
- Wright, R.W. See Lyon, A.J., 1=21010
- Wright, R.W.H. See Hutton, R., 1=15216
- Wright, R.W.H. See Lyon, A.J., 1=1538
- Wright, W.D. The Maxwell colour centenary, 1=16124
- Wróbel, Z. See Lewandowski, Z., 1=3100
- Wróblewski, A. See Bogdanowicz, J., 1=12122
- Wrzecionko, J. See Deloff, A., 1=605
- Wrzecionko, J. See Deloff, A., 1=2017
- Wrzecionko, J. See Deloff, A., 1=3209
- Wu, A.Chi-Tai On the analytic properties of the 4-point function in perturbation theory, 1=16642
- Wu, C.-S. The effect of the orientations of electric magnetic fields on the electron mean energy and drift velocity in a partially ionized gas, 1=13067
- Wu, C.S., Lee, Y.K., Benczer-Koller, N. and Simms, P. Frequency distribution of resonance line versus delay time, 1=603
- Wu, C.S. See Sayres, A.R., 1=9779
- Wu, C.S. See Simms, P.C., 1=3406
- Wu, C.S. See Zmuidzinas, J.S., 1=18770
- Wu Tai Tsun. Some nonequilibrium properties of a Bose system of hard spheres at extremely low temperatures, 1=5223
- Wu, T.Y. Electron-hydrogen atom scattering in Born approximation, 1=813
- Wucher, J. See Burger, J.P., 1=6257
- Wuerker, R.F. See Jones, I.R., 1=13171
- Wuerker, R.F. See Josephson, V., 1=1903
- Wuerker, R.F. See Josephson, V., 1=2976
- Wuest, W. Flow probes. I. Pitot tubes, 1=18382
- Wulf, O.R. See Nicholson, S.B., 1=15342
- Wulf, O.R. See Nicholson, S.B., 1=21091
- Wunsch, G. The Heaviside operational calculus on a new basis, 1=4715
- Wurm, K. Structure and development of the gas tails of comets, 1=18045
- Wurm, K.  $C_2$ , CN and  $CO^+$  molecular densities in the atmospheres of bright comets, 1=18056
- Würtlz, G. The effect of mounting errors on distortion and the possibility of compensation, 1=4442
- Wyard, S.J. and Smith, R.C. E.s.r. of irradiated frozen  $H_2O_2-H_2O$  solutions, 1=9950
- Wyard, S.J. See Searl, J.W., 1=11470
- Wyard, S.J. See Smith, R.C., 1=6551
- Wyard, S.J. See Smith, R.C., 1=17363
- Wybourne, B.G. Composition of the electronic states of Nd(IV) and Er(IV), 1=3504
- Wybourne, B.G. Spin-orbit interactions in  $f^n$  electron configurations, 1=11058
- Wybourne, B.G. Electrostatic energy matrices of the  $f^3$  and  $f^8$  configurations, 1=11059
- Wycklendt, D.A. and Kay, R.M. Losses in silicon iron at very low frequencies and high flux densities, 1=6290
- Wycliffe, H. Use of "air-bleed" when measuring pressure in vacuum processes in which condensable vapours are present, 1=5308
- Wyder, P. See Lüthi, B., 1=1008
- Wyld, H.W. See Fried, B.D., 1=9628
- Wyld, H.W.Jr. Formulation of the theory of turbulence in an incompressible fluid, 1=15798
- Wyld, H.W., Jr. See Fried, B.D., 1=7073
- Wylie, R.G. See Caw, W.A., 1=4302
- Wylie, R.G. See Caw, W.A., 1=9367
- Wyller, A.A. See Sen, H.K., 1=16583
- Wyllie, G. Theory of polarization and absorption in dielectrics. An introductory survey, 1=7012
- Wyluda, B.J. See Shulman, R.G., 1=20255
- Wynne, C.G. Flat-field microscope objective, 1=4440
- Wynne, C.G. Thin-lens aberration theory, 1=16057
- Wyon, G., Marchin, J.M. and Lacombe, P. The influence of several factors on the growth of sub-grains in polycrystalline aluminium during thermal cycling, 1=9109
- Wyrick, R.F. See Millman, G.H., 1=20923
- Wyszecki, G.W. See Middleton, W.E.K., 1=4162
- Xuong, N.H. See Button, J., 1=5727
- Yablokov, B.N. See Ado, Yu.M., 1=4680
- Yablokov, B.N. See Fateev, A.P., 1=15141
- Yabushita, S. Tschebyscheff [Chebyshev] polynomial approximation method of the neutron-transport equation, 1=10891
- Yada, B. See Hattori, A., 1=2671
- Yadavalli, S. A note on the relativistic Boltzmann equation and some applications, 1=9343
- Yaegashi, Y. See Morita, S., 1=8766
- Yaegashi, Y. See Morita, S., 1=12213
- Yaek, I.V. See Lushchik, Ch.B., 1=17909
- Yaffe, L. See Drouin, J.R.S., 1=7353
- Yaffe, L. See Kjelberg, A., 1=9881
- Yagi, M. Proton magnetic resonance of solid short-chain monocarboxylic acids. II. Trichloroacetic and monochloroacetic acids, 1=20276
- Yagi, M. and Ishikawa, Y. Proton magnetic resonance in potassium acetate, 1=20275
- Yagi, M. See Tanaka, S., 1=2241
- Yagi, M. See Tanaka, S., 1=8776
- Yagi, M. See Tanaka, S., 1=8779
- Yagi, M. See Tanaka, S., 1=12219
- Yagi, M. See Tanaka, S., 1=12220
- Yagn, Yu.I. See Izotov, I.N., 1=20331
- Yagn, Yu.I. See Litrokhin, N.M., 1=10211
- Yagn, Yu.I. See Mikhailov, N.Ya., 1=6467
- Yagn, Yu.I. See Mikhailov, N.Ya., 1=10221
- Yagn, Yu.I. See Mitrokhin, N.M., 1=5082
- Yagoda, H. Emission of carbon group heavy nuclei from a  $3^+$  solar flare, 1=12134
- Yagudina, F.R. See Adamovich, M.I., 1=17084
- Yagupol'skii, L.M. Bystrov, V.F., 1=11127
- Yahia, J. and Frederikse, H.P.R. Electrical conduction in p-type titanium sesquioxide, 1=11310
- Yajima, N., Takagi, S. and Kobavakawa, K. A possible interpretation of high energy nuclear events, 1=10883
- Yajima, T. Three-level maser action in gas. I. Theory of multiple quantum transition and Doppler effect in three-level gas maser, 1=19019
- Yajima, T. Three-level maser action in gas. II. Experimental study on formic acid, 1=19020
- Yajima, T. and Shimoda, K. The three-level gas meter as a microwave spectrometer, 1=12026
- Yakel, H.L., Jr. See McHargue, C.J., 1=2518
- Yakimenko, I.P. See Bulgakov, B.M., 1=4724
- Yakovlev, V.I. See Denisov, E.V., 1=16938
- Yakovenko, V.M. Transition radiation in a plasma with account of temperature, 1=18836
- Yakovlev, B.M. See Apaev, B.A., 1=15212
- Yakovlev, E.A. and Gerasimov, F.M. An experimental study of the spectral distribution of the intensity of polarized light diffracted by a grating, 1=15000
- Yakovlev, E.I. The excitation of the spin system of a ferromagnetic by a spatially non-uniform electromagnetic field, 1=6267
- Yakovlev, E.N. The calculation of the temperature and field dependences of the magnetization of magnetic-uniaxial ferrites, 1=7765
- Yakovlev, E.N. See Izyumov, Yu.A., 1=11418
- Yakovlev, I.A. See Shustin, O.A., 1=19704
- Yakovlev, L.A. See Merkulov, L.G., 1=17406
- Yakovlev, N.V. The application of mirror-lens objectives for photographing artificial earth satellites, 1=18229
- Yakovlev, R.M. See Zhdanov, A.P., 1=3260
- Yakovlev, R.M. See Zhdanov, A.P., 1=19186
- Yakovlev, V.A. Infrared absorption in N-type silicon, 1=1152
- Yakovlev, V.A. and Kalyush, A.V. Excitation spectrum of an electron and ion system in a homogeneous magnetic field, 1=3594
- Yakovlev, V.F. See Perepechko, I.I., 1=18531
- Yakovlev, Yu.P. See Gorichev, P.A., 1=17177
- Yakovleva, E.S. See Syutkina, V.I., 1=11515
- Yakovleva, G.V. See Protopopov, A.N., 1=743
- Yakubenko, A.E. Plane wave movement of an incompressible conducting liquid with electromagnetic radiation taken into account, 1=16532

- Yakubov, I. T. Franck-Condon factors of the Schumann-Runge band system of the oxygen molecule, 1=3552
- Yakymov, B. V. See Hryshayev, I. O., 1=13126
- Yama-ai, M. See Nagata, T., 1=12534
- Yamabe, S., Kondo, M., Kato, S., Yamazaki, T. and Ruan, J. Polarization of protons scattered from complex nuclei, 1=12191
- Yamabe, S. See Kondo, M., 1=13855
- Yamada, E. and Shogenji, K. A note on the magnetoresistance of PbTe at high magnetic fields, 1=17617
- Yamada, M. Geometrical study of the pair distribution function in the many-body problem, 1=15730
- Yamada, M. and Matumoto, Z. Nuclear ground-state energies, 1=16964
- Yamada, M. See Yuzuri, M., 1=11459
- Yamada, O. Anomalies of the isothermal initial magnetization, 1=1212
- Yamada, O. On the law governing the irreversible changes of magnetization produced by thermal cycling, 1=1218
- Yamada, O. Anomalous "dissymmetric" cycles in the Rayleigh region, 1=20076
- Yamada, O. Anomalous susceptibility in the initial magnetization (curve) of a nickel wire, 1=20077
- Yamada, S. On the electrical and optical properties of p-type cadmium telluride crystals, 1=12445
- Yamada, Y. On the paramagnetic inelastic scattering of neutrons due to ions in the anisotropic crystalline field, 1=9019
- Yamadaya, T. See Miyahara, S., 1=2485
- Yamafuji, K. Dielectric  $\beta$ -relaxations in some linear high polymers, 1=12345
- Yamagata, K. A note on Date's paper "Magneto-plasma Resonance in Semiconductors". I, 1=14407
- Yamagata, K. On the method of measuring Hall coefficient at microwave frequencies, 1=18726
- Yamagata, K. and Fukuroi, T. Measurement of Hall mobility of germanium at a microwave frequency, 1=17702
- Yamagata, K. See Fukuroi, T., 1=1122
- Yamagata, K. See Nishikawa, K., 1=18676
- Yamagata, T. See Bernardini, G., 1=5702
- Yamagata, T. See Fidecaro, M., 1=5518
- Yamagata, T. See Gatti, G., 1=13228
- Yamagata, T. See Gatti, G., 1=16854
- Yamaguchi, H. Angular distributions of protons from the alpha particle bombardment of  $B^{10}$ ,  $N^{14}$ ,  $O^{16}$  and  $Ne^{20}$ , 1=13854
- Yamaguchi, H. See Kikuchi, S., 1=7113
- Yamaguchi, H. See Mikumo, T., 1=8771
- Yamaguchi, H. See Mikumo, T., 1=9882
- Yamaguchi, J. and Hamakawa, Y. Electrical breakdown in germanium p-n junction, 1=6165
- Yamaguchi, J., Horiuchi, S., Matsumura, K. and Ogino, Y. On the determination of diffusion coefficient of boron in silicon, 1=14301
- Yamaguchi, S. On the temperature of an object irradiated with electrons, 1=331
- Yamaguchi, S. On the temperature rise by electron bombardment, 1=332
- Yamaguchi, S. Electronic magnetoanalysis of an iron single crystal, 1=1215
- Yamaguchi, S. Magnetism of a small particle as revealed by an electron beam, 1=10755
- Yamaguchi, S. The resonance type absorption of very thin silver and gold films, 1=12485
- Yamaguchi, S. Magnetic anisotropy of cobalt as revealed by electron diffraction, 1=12528
- Yamaguchi, S. The temperature rise of specimens in electron diffraction, 1=15046
- Yamaguchi, S. Magnetism of the iron particles as revealed by electron diffraction, 1=17964
- Yamaguchi, S. Electron diffraction method for thermomagnetic analysis, 1=18973
- Yamaguchi, S. Thermomagnetic study of metals by electron diffraction, 1=20084
- Yamaguchi, S. The easy magnetization [111] axis of the  $Fe_3O_4$  crystal, 1=20085
- Yamaguchi, S., Takeshita, H. and Otsuka, R. Magnetochemical dosimetry of  $\gamma$ -rays, 1=9743
- Yamaguchi, T. Role of pressed density in the sintering of ferrite, 1=20648
- Yamaguchi, T. See Nagakura, M., 1=6357
- Yamaguchi, Y. Classification of composite bosons in the Sakata model, 1=3118
- Yamaguchi, Y. Interactions induced by high energy neutrinos, 1=3162
- Yamaguchi, Y. See Karplus, R., 1=19187
- Yamaguchi, Y. See Meyer, P., 1=550
- Yamaguchi, Y. See Meyer, P., 1=5784
- Yamaguchi, Y. See Meyer, P., 1=8510
- Yamaji, K. Microscope observations of crystals appearing in the process of cooling aqueous solutions of alcohols, 1=20417
- Yamakami, T. See Kamiyoshi, K., 1=1356
- Yamakami, T. See Kamiyoshi, K., 1=14901
- Yamakami, T. See Kamiyoshi, K., 1=20448
- Yamakawa, H. Concentration dependence of polymer chain configurations in solution, 1=6856
- Yamamoto, H. Bound states in four nucleon coupling, 1=3168
- Yamamoto, H. Field theoretical interpretation of "B-matter". I, 1=10835
- Yamamoto, H. See Hirone, T., 1=14317
- Yamamoto, H. See Nozawa, M., 1=12174
- Yamamoto, K. Macroscopic causality and analyticity of scattering amplitude in quantum field theory, 1=3140
- Yamamoto, K. Form factor and structure of particles, 1=5647
- Yamamoto, K. Macroscopic causality and analyticity of electromagnetic form factor, 1=10833
- Yamamoto, K. Note on the integral representation of commutators, 1=12051
- Yamamoto, K. Integral representation of absorptive part of vertex function, 1=12062
- Yamamoto, K. Causality and local commutativity, 1=13275
- Yamamoto, K. Double dispersion representation of vertex function, 1=13356
- Yamamoto, K. Note on the integral representation of absorptive part of vertex function, 1=16708
- Yamamoto, K. See Kanki, T., 1=10882
- Yamamoto, K. See Konisi, G., 1=10836
- Yamamoto, K. See Konisi, G., 1=12063
- Yamamoto, K. See Nagata, S., 1=121
- Yamamoto, K. See Ogimoto, T., 1=3115
- Yamamoto, M. Spectroscopic investigation of hydrogen plasma produced by an impulsive discharge, 1=290
- Yamamoto, M. The  $\Delta E$  effect in iron-nickel alloys, 1=1299
- Yamamoto, M. Phenomenological theory of non-linear viscoelasticity, 1=7822
- Yamamoto, M. The relationship between the dissolution shape and solution anisotropy in cubic crystals, 1=14982
- Yamamoto, M. The relationship between the growth shape and growth anisotropy in cubic crystals, 1=14983
- Yamamoto, M. On the growth and dissolution shapes of spherical shell crystals and the shapes of etch pits on crystals, 1=14984
- Yamamoto, M. Young's modulus and its variation with magnetization in annealed iron-cobalt alloys, 1=20302
- Yamamoto, M. and Maeda, H. The simultaneity of geomagnetic sudden impulses, 1=15350
- Yamamoto, M. and Taniguchi, S. Weak field behaviour of the  $\Delta E$  effect in ferromagnetic cubic solid solution alloys, 1=20108
- Yamamoto, M., Taniguchi, S. and Aoyagi, K. The additional magnetic anisotropy induced by magnetic anneal in ferromagnetic face-centered cubic solid solutions. I. Dependence of the induced magnetic anisotropy on the temperature and duration of magnetic anneal, on the measuring temperature, and on the alloy composition in face-centered cubic nickel-cobalt alloys, 1=17651
- Yamamoto, M. and Watanabe, J. Fatigue properties of zinc single crystals and polycrystals, 1=14922
- Yamamoto, M. and Watanabe, J. Growing of single crystals of zinc, bismuth, and white tin by the Bridgman method, 1=20444
- Yamamoto, M., Watanabe, J. and Hoshi, K. Light figures and surface structures revealed by chemically etched germanium single crystals, 1=20411
- Yamamoto, M., Watanabe, J., Masumoto, K. and Kawada, T. Light figure phenomena revealed and crystal faces developed by chemical etching in silicon crystal, 1=20412
- Yamamoto, M. See Ichikawa, Y. H., 1=3156
- Yamamoto, M. See Iwata, T., 1=1217
- Yamamoto, M. See Maeda, H., 1=1592



- Yamamoto, M. See Maeda, H., 1-4134  
 Yamamoto, M. See Nakamichi, T., 1-14758  
 Yamamoto, M. See Ohashi, K., 1-3749  
 Yamamoto, M. See Sumino, K., 1-14878  
 Yamamoto, M. See Takahashi, I., 1-14103  
 Yamamoto, S.S. and Steigert, F.E. Comparison of the reactions  $A^{36}(d,p)A^{37}$  and  $A^{36}(d,n)K^{37}$ , 1-2231  
 Yamamoto, S.S. See Luers, D., 1-16883  
 Yamamura, I. See Nomura, Y., 1-9446  
 Yamamuro, N. See Kobayashi, S., 1-9852  
 Yamamuro, N. See Matsuda, K., 1-17095  
 Yamanaka, C. See Chong, P., 1-5437  
 Yamane, M. Ionization in argon mixtures by electrons in an electric field, 1-8306  
 Yamane, M. A study of pulse height distribution of boron trifluoride proportional counters, 1-10806  
 Yamano, M. See Takahashi, I., 1-14103  
 Yamanouchi, C. See Sasaki, W., 1-2412  
 Yamanouchi, H. See Kuriyama, M., 1-14770  
 Yamanouchi, M. See Miwa, M., 1-8699  
 Yamanouchi, T. See Hara, Y., 1-12260  
 Yamasaki, S. See Takeyama, M., 1-18839  
 Yamashita, H. See Ibuki, S., 1-5684  
 Yamashita, H. See Ibuki, S., 1-14507  
 Yamashita, J. Theory of avalanche multiplication in non-polar semiconductors, 1-6133  
 Yamashita, J. Electron-electron interaction in hot electron problems, 1-11283  
 Yamashita, J. Heitler-London approach to electrical conductivity, 1-17662  
 Yamashita, J. Low-temperature electrical breakdown in germanium, 1-17691  
 Yamashita, J. and Kurosawa, T. Heitler-London approach to electrical conductivity and application to d-electron conduction, 1-8933  
 Yamashita, T. and Ohta, T. Measurement of Seebeck effect in plastically bent germanium, 1-17692  
 Yamashita, T. and Taneda, Y. Dislocations in pure foils deformed by bending, 1-8909  
 Yamashita, T. See Kitamura, S., 1-14508  
 Yamashita, Y. and Ichimura, K. Table for the evaluation of the radiation pressure integral K, 1-15755  
 Yamashita, Y. See Unno, W., 1-15512  
 Yamashita, Y. See Yoshimoto, H., 1-18792  
 Yamazaki, H. See Ôno, Y., 1-2780  
 Yamazaki, H. See Ôno, Y., 1-10774  
 Yamazaki, K. On the "new Tamm-Dancoff" approximation treatment of the superconductivity Hamiltonian, 1-5694  
 Yamazaki, K. A new variational method for calculating excited energy levels and its application to the anharmonic oscillator, 1-9811  
 Yamazaki, M. P-wave resonance in pion-pion scattering, 1-13493  
 Yamazaki, M., Sakamoto, M., Hijikata, K. and Lin, C.C. Effect of configuration interactions on the dissociation energy and hyperfine structure constants of the NO molecule, 1-9958  
 Yamazaki, M. See Brion, H., 1-14061  
 Yamazaki, M. See Ito, D., 1-530  
 Yamazaki, T., Ikegami, H. and Sakai, M. A new level scheme for  $Sr^{88}$ , 1-8610  
 Yamazaki, T., Ikegami, H. and Sakai, M. On the first and the second excited states in  $Ge^{74}$ , 1-8620  
 Yamazaki, T. See Kondo, M., 1-13855  
 Yamazaki, T. See Oda, Y., 1-8724  
 Yamazaki, T. See Sakai, M., 1-12181  
 Yamazaki, T. See Sakai, M., 1-19176  
 Yamazaki, T. See Yamabe, S., 1-12191  
 Yamdagni, N.K. See Bhowmik, B., 1-19276  
 Yampol'ski, P.A. See Glagolev, V.L., 1-17133  
 Yampol'skii, P.A. See Glagolev, V.L., 1-19496  
 Yampol'skii, P.A. See Morozov, A.M., 1-19353  
 Yamzin, I.I., Nozik, Yu.Z. and Belov, N.V. Neutron investigation of the cubic phase of  $PbF_3$ , 1-15091  
 Yanagi, T. See Kawakubo, T., 1-17640  
 Yanagi, T. See Nomura, S., 1-14183  
 Yanase, M.M. Optimal measuring apparatus, 1-10407  
 Yanenko, N.N. See Pogodin, Yu.Ya., 1-6880  
 Yang, A.C. and Shepherd, F.D. N- and p- type single crystal bismuth telluride, 1-9116  
 Yang, C.N. Imperfect Bose system, 1-5224  
 Yang, C.N. See Byers, N., 1-13044  
 Yang, C.N. See Lee, T.D., 1-9729  
 Yang, K. and Ree, T. Collision and activated complex theories for bimolecular reactions, 1-12675  
 Yankov, V.V. The stabilization of localized and flying drops of plasma by electromagnetic waves, 1-299  
 Yannas, J.B. and Gonzalez, R.N. A clear instance of rheopectic flow, 1-20340  
 Yanus, R.I. See Drozhzhina, V.I., 1-16479  
 Yarba, V.A. See Batusov, Yu.A., 1-2083  
 Yarba, V.A. See Batusov, Yu.A., 1-16849  
 Yar'ev, I.M. Plane nozzle design, 1-8103  
 Yarin, V.I. See Krassovsky, V.I., 1-21022  
 Yarin, V.I. See Kuzmin, A.I., 1-20877  
 Yariv, A. and Gordon, J.P. Experimental procedure for the determination of the number of paramagnetic centers, 1-12028  
 Yarnold, G.D. Understanding surface tension, 1-129  
 Yaroshetskii, I.D. See Dobrego, V.P., 1-17852  
 Yaroshetskii, I.D. See Ryvkin, S.M., 1-7670  
 Yaroshetskii, I.D. See Ryvkin, S.M., 1-12456  
 Yaroshetskii, I.D. See Ryvkin, S.M., 1-19905  
 Yaroshevich, V.D. Concerning the temperature dependence of the yield-point in Armco-iron, 1-20351  
 Yaroslavskii, N.G. See Stanovich, A.E., 1-15882  
 Yarov-Yarovoi, M.S. The explicit expression for first-order secular perturbations in terms of the orbit elements, 1-18024  
 Yasaki, T., Inoki, M., Machida, M. and Tsushima, I. On the particle 550 Me, 1-3225  
 Yashchin, E.G. See Aleksandrov, A.P., 1-1238  
 Yashin, V.I. See Aleksin, V.F., 1-4602  
 Yashin, V.I. See Aleksin, V.F., 1-18885  
 Yasuhara, M. Flow of a viscous electrically conducting fluid along a circular cylinder or a flat plate with uniform suction, 1-8379  
 Yasuhara, M. and Maeda, H. Geomagnetic crochet of 15 November, 1960, 1-21094  
 Yasukôchi, K., Kanematsu, K. and Ohoyama, T. Ferrimagnetism of  $Mn_3Ge_2$ , 1-12544  
 Yasukôchi, K., Kanematsu, K. and Ohoyama, T. Magnetic properties of intermetallic compounds in iron-germanium system:  $Fe_{1-x}Ge$  and  $FeGe_2$ , 1-14682  
 Yasukôchi, K., Kanematsu, K. and Ohoyama, T. Magnetic properties of intermetallic compounds in manganese-tin system:  $Mn_{1-x}Sn$ ,  $Mn_{1-x}Sn$ , and  $MnSn_2$ , 1-14764  
 Yasukôchi, K., Ohoyama, T. and Kanematsu, K. Antiferromagnetism of  $Mn_{3-x}Ge$ , 1-1249  
 Yasukôchi, K. See Kanematsu, K., 1-14761  
 Yasukôchi, K. See Ohoyama, T., 1-15144  
 Yasumi, S., Yata, M., Takamatsu, K., Masaike, A. and Masuda, Y. Absolute cross section of the reaction  $Cu^{63}(\gamma, n)Cu^{62}$  for lithium gamma rays, 1-12188  
 Yasumi, S. See Nakamura, T., 1-674  
 Yasumi, S. See Nakamura, T., 1-2028  
 Yasuno, M. Effective interaction in nuclear many-body problem, 1-12070  
 Yasuno, M. Effect of the particle-hole pair interactions in nuclear many-body problem, 1-13363  
 Yasuno, M. See Marumori, T., 1-13609  
 Yata, M. See Nakamura, T., 1-674  
 Yata, M. See Yasumi, S., 1-12188  
 Yates, B. and Panter, C.H. Indium resistance thermometers, 1-6982  
 Yates, D.J.C. and Lucchesi, P.J. Infrared spectra of acetylene and acetylene derivatives adsorbed on alumina and silica, 1-11601  
 Yates, E.C. See Heath, R.L., 1-10974  
 Yates, E.L. An aspect of order in the physical world, 1-5086  
 Yates, J.T. See McDowell, R.S., 1-4933  
 Yates, M.J.L. See Eccleshall, D., 1-5841  
 Yatsuk, K.P. See Shestopalov, V.P., 1-265  
 Yatsuk, K.P. See Shestopalov, V.P., 1-4723  
 Yavanovitch, D.D. See Lanthrop, J.L., 1-1700  
 Yavin, A.I. See Burman, R.L., 1-1996  
 Yavinskii, N.A. See Vasil'evskii, V.S., 1-1900  
 Yavor, I.P. See Komar, A.P., 1-3436  
 Yavor, I.P. See Komar, A.P., 1-11000  
 Yavor, I.P. See Kulikov, A.V., 1-13240

- Yavor, S.Ya. and Silad'i, M. Iron-clad magnetic cylindrical lenses with a plane of antisymmetry, 1=4847
- Yazyeva, V.H. See Havrýlyuk, V.M., 1=15183
- Yaz'ykova, S.M. A quantum-mechanical allowance for non-linearity of a molecule, 1=2343
- Yeadon, R.E. See Barker, R.S., 1=6119
- Yearian, M. See Crannell, H., 1=679
- Yearian, M. See Crannell, H., 1=10965
- Yeatman, J.N. See Hunter, R.S., 1=8243
- Yee, H. See Jacob, L., 1=1953
- Yeffseyev, W.S., Komarov, W.J., Kusch, W., Roganov, W.S., Tchernogorova, W.A. and Szymczak, M. Fast-neutron scintillation-layer detector for measurements against  $\gamma$ -ray background, 1=12035
- Yeh, K.C. and Gonzalez, V.H. Note on the geometry of the earth magnetic field useful to Faraday effect experiments, 1=15339
- Yeh, K.C. and Swenson, G.W., Jr. Ionospheric electron content and its variations deduced from satellite observations, 1=20921
- Yekutieli, G. See Alexander, G., 1=5903
- Yekutieli, G. See Alexander, G., 1=13459
- Yekutieli, G. See Eisenberg, Y., 1=16895
- Yeleonskii, V.M. and Zyryanov, P.S. Fluctuations of the spin density in the electron plasma, 1=7562
- Yemelyanov, A.A. and Chernavsky, D.S. On the effect of viscosity on energy distribution of secondary particles in the process of multiple production, 1=3276
- Yemelyanov, A.A. and Rosenthal, I.J. On high energy  $\mu$ -meson showers, 1=2121
- Yen, J.T. and Chang, C.C. Magnetohydrodynamic channel flow under time-dependent pressure gradient, 1=19003
- Yen Wu-Kuang. See Aksenov, S.I., 1=13633
- Yennie, D.R., Frautschi, S.C. and Suura, H. The infrared divergence phenomena and high-energy processes, 1=12044
- Yeremenko, V.V. Absorption of polarized light by pyrene and chrysene monocrystals, 1=11384
- Yerg, D.G. and Gildersleeve, P.M. Short-period time variations of extensive cosmic ray showers, 1=2112
- Yermolov, P.F. See Budagov, Yu.A., 1=5766
- Yezhik, I.L. Infrared luminescence of F-centres in alkali halide crystals, 1=11393
- Yiglane, Kh. Marshak invariance and four-fermion interactions, 1=19125
- Yiglane, Kh. and Kutuzova, G. A boson doublet equation, 1=19105
- Yih, C.S. Dual role of viscosity in the instability of revolving fluids of variable density, 1=10483
- Yikhovskii, I.R. Statistical theory of a mixed ion-dipole system of interacting particles, 1=10440
- Yildiz, M. and Mawardi, O.K. On the diffraction of multipole fields by a semi-infinite rigid wedge, 1=1798
- Yilmaz, F. Observations of sunspots in the second half of the year 1957, 1=2613
- Yntema, J.L. See Perlow, G.J., 1=7362
- Yntema, J.L. See Ramler, W.J., 1=5514
- Yntema, J.L. See Raz, B.J., 1=716
- Yntema, J.L. See Zeidman, B., 1=715
- Yoccoz, J. See Gorodetzky, S., 1=7360
- Yoccoz, J. See Gorodetzky, S., 1=17062
- Yoccoz, J. See Suffert, M., 1=2236
- Yoda, E. Anomalous growth of  $\text{MoO}_3$  crystals, 1=9110
- Yoda, E. See Hashimoto, H., 1=9111
- Yoder, R. See Signell, P., 1=9752
- Yodovich, V.I. Nonsteady planar motion of an ideal incompressible liquid, 1=10480
- Yoffe, A.D. See Parsons, R.B., 1=14570
- Yoffe, E.H. A dislocation at a free surface, 1=19779
- Yoganarasimhan, S.R. and Rao, C.N.R. Titanium dioxide (brookite),  $\text{TiO}_2$ , 1=4047
- Yokley, C.R. and Shumaker, J.B., Jr. Stepless variable resistor for high currents, 1=2924
- Yokoi, K. See Aizu, H., 1=3316
- Yokoi, K. See Aizu, H., 1=3317
- Yokoi, K. See Aizu, H., 1=13548
- Yokota, T. Expansion theorem of density matrix, virial expansion and new formula of multiple scattering, 1=8072
- Yokoyama, K. On a convergent model of quantum field theory with indefinite metric, 1=16645
- Yokozawa, Y. Paramagnetic resonance of  $\text{Mn}^{++}$ - $\text{F}^-$  pair in sodium chloride, 1=14801
- Yokozawa, Y. and Kazumata, Y. Paramagnetic resonance of  $\text{Mn}^{++}$  associated with impurities in alkali chlorides, 1=14789
- Yokozawa, Y. See Ogawa, S., 1=1262
- Yomosa, S. Statistical mechanics of antiferromagnetic layer crystal  $\text{FeCl}_2$ , 1=9043
- Yoneda, Y. On the interference phenomena of Compton scattering from diamond, 1=20493
- Yoneda, Y. X-ray diffraction spikes of diamond, 1=20524
- Yoneda, Y. and Nishioka, K. X-ray small angle scattering from precipitated platelets in Al-Ag alloy, 1=15121
- Yonemitsu, H., Maeda, H. and Miyazawa, H. Sign reversal of Hall coefficients at low temperatures in heavily compensated p-type germanium, 1=14384
- Yoneyama, T. See Ezawa, H., 1=13481
- Yoneyama, T. See Ezawa, H., 1=3170
- Yonezawa, M. See Ikeda, M., 1=10846
- Yonezawa, M. See Sawada, S., 1=3146
- Yonezawa, M. See Sawada, S., 1=13474
- Yonezawa, M. See Sawada, S., 1=16885
- Yonezawa, T. On the physical properties and composition of the upper atmosphere between 100 and 400 kilometres above ground in middle latitudes, 1=15253
- Yordanov, D. See Malinowski, A., 1=1508
- Yos, J.M. See Sherman, C., 1=9534
- Yoshida, I. Thermal conduction in ferroelectric ceramics, 1=12358
- Yoshida, I. and Sawada, S. Thermal conductivity of  $\text{KNO}_3$ , 1=9991
- Yoshida, I. See Sawada, S., 1=14550
- Yoshida, K. On the magnetic susceptibilities of some organic sulfur compounds, 1=1192
- Yoshida, M. Distribution of interstitials and vacancies produced by an incident fast neutron, 1=12375
- Yoshida, S. Competition between direct interactions and compound nuclear processes, 1=8671
- Yoshida, S. (d,p) and (d,t) reactions and pairing plus quadrupole-quadrupole force model, 1=8762
- Yoshida, S. Studies of stripping and pickup reactions on the basis of the pairing plus quadrupole-quadrupole interaction model, 1=13840
- Yoshida, S. See Sekido, Y., 1=2141
- Yoshida, T. See Fujiki, Y., 1=2552
- Yoshida, T. See Suganuma, R., 1=14302
- Yoshihara, H. Motion of thin bodies in a highly rarefied plasma, 1=2966
- Yoshihara, H. Collisionless plasma shock waves, 1=18841
- Yoshikawa, H. and Sata, T. Measurement of tensile strength of granular brittle materials, 1=20380
- Yoshiki, H. and Nikolic, N.M. The observation of  $p^+$ - $\gamma$  angular correlation at a nuclear resonance, 1=2210
- Yoshimatsu, M. Experimental evidence for Frank's theorem on dislocations by X-ray diffraction micrography, 1=14277
- Yoshimatsu, M. and Kohra, K. X-ray observations of the surfaces of plastically deformed LiF crystals with the Berg-Barrett method, 1=2509
- Yoshimatsu, M. and Kohra, K. X-ray observations on cleavage faces of LiF single crystals, 1=11208
- Yoshimatsu, M. and Kohra, K. X-ray study of lattice defects in Si single crystals by transmission Berg-Barrett technique, 1=14262
- Yoshimori, A. Instability of antiferromagnetic screw-type structure of an electron gas, 1=17480
- Yoshimori, A. See Nagai, O., 1=14762
- Yoshimoto, H. and Yamashita, Y. Group velocity of moving striations in Hg-A discharge, 1=18792
- Yoshimura, H. Paramagnetic resonance of manganese in alkali-chlorides, 1=9054
- Yoshimura, T. Asymptotic theory of interacting fields without Hamiltonian, 1=3112
- Yoshimura, T. On high energy limit of fermion-fermion interaction, 1=3131
- Yoshimura, T. Some considerations on the parity-non-conserving interactions in the theory of propagators, 1=10841
- Yoshinaga, H. See Minami, S., 1=8230
- Yoshioka, H. On the structure of green rust of iron, 1=4048
- Yoshioka, H. and Fujita, T. Proton magnetic relaxation in solutions of a manganese salt, 1=157
- Yoshizawa, Y. See Katoh, T., 1=12175
- Yoshizawa, Y. See Nozawa, M., 1=12174



- Yosida, K. and Miwa, H. Magnetic ordering in the ferromagnetic rare-earth metals, 1-6268
- Yosinobu, H. A linearized theory of magnetohydrodynamic flow past a fixed body in a parallel magnetic field, 1-7135
- Yosinobu, H. and Kakutani, T. Two-dimensional Stokes flow of an electrically conducting fluid in a uniform magnetic field, 1-357
- You Hing Tshao. The influence of the external [magnetic] field on the [e.s.r.] line width of powdered DPPH, 1-1271
- Youden, W.J. Systematic errors in physical constants, 1-18240
- Young, A.G., Gardiner, K.M. and Rotsey, W.B. The plastic deformation of alpha-uranium, 1-20354
- Young, A.P., Wilson, W.B. and Schwartz, C.M. Effect of high pressure on electrical properties of NiO, CoO, CuO, and Cu<sub>2</sub>O, 1-1024
- Young, B.H. See Young, F.J., 1-9442
- Young, B.H. See Young, F.J., 1-12948
- Young, C.E. Extended curves of the space charge, electric field, and free carrier concentration at the surface of a semiconductor, and curves of the electrostatic potential inside a semiconductor, 1-5015
- Young, C.W., Spencer, C.L., Moreton, G.E. and Roberts, J.A. A preliminary study of the dynamic spectra of solar radio bursts in the frequency range 500-950 Mc/s, 1-2656
- Young, D.A. Surface heterogeneity in irradiated solids, 1-20660
- Young, D.A. See Jacobs, P.W.M., 1-2558
- Young, D.R. Recent developments in high speed superconducting devices, 1-16220
- Young, F.J. The natural frequencies of musical horns, 1-8188
- Young, F.J. and Young, B.H. Smoothly and step tapered structures, 1-9442
- Young, F.J. and Young, B.H. Impedance of tapered structures, 1-12948
- Young, F.J. See Strattan, R.D., 1-16490
- Young, F.W., Jr. Etch pits at dislocations in copper, 1-3676
- Young, F.W., Jr. Elastic-plastic transition in copper crystals as determined by an etch-pit technique, 1-14888
- Young, F.W., Jr. and Wilson, T.R. Acid cutting and acid polishing of copper crystals, 1-9107
- Young, J. See Bell, E.E., 1-1512
- Young, J. See Dobrowolski, T., 1-13702
- Young, J. See Oetjen, R.A., 1-1511
- Young, J.C. See Ghose, S.C., 1-9696
- Young, J.E. The optical model and deuteron stripping, 1-5885
- Young, J.E. and Stein, P.R. A cluster model representation for the 3-body ground state, 1-13604
- Young, J.E. and Stein, P.R. Reactions in the A = 4 system. III. T(p,n), 1-16916
- Young, J.L., III. See Duff, R.E., 1-10536
- Young, J.R. Use of an ion pump as a leak detector, 1-4391
- Young, J.R. and Whetten, N.R. Purity of helium permeating through quartz into a vacuum system, 1-10542
- Young, K.M. See Jones, W.M., 1-9619
- Young, L. Synthesis of multiple antireflection films over a prescribed frequency band, 1-11843
- Young, L. Transient kinetics of formation of anodic oxide films on tantalum in dilute sulphuric acid, 1-20675
- Young, L. Stepped waveguide transformers and filters, 1-12943
- Young, R.A. Pressure dependence of the absolute catalytic efficiency of surfaces for removal of atomic nitrogen, 1-7912
- Young, R.A. Measurements of the diffusion coefficient of atomic nitrogen in molecular nitrogen and the catalytic efficiency of silver and copper oxide surfaces, 1-7913
- Young, R.A. and Clark, K.C. Rate of the three-body atomic oxygen reaction for the excitation of the airglow OI (5577 Å) line, 1-1552
- Young, R.A. See Sharpless, R.A., 1-9427
- Young, R.D. See Müller, E.W., 1-18946
- Young Soo Kim, Standley, C.L., Kruh, R.F. and Clayton, G.T. X-ray diffraction study of liquid mercury-indium alloys, 1-9378
- Young, T.E. See Ashwin, B.S., 1-107
- Young, T.E. See Spencer, R.R., 1-3396
- Young, T.R. Frustrated total reflection — its application to proximity problems in metrology, 1-15772
- Young, W.H. A variational approach to correlation in an electron gas, 1-7567
- Young, W.H. and March, N.H. A density matrix approach to correlation in a uniform electron gas, 1-953
- Young, W.H. See March, N.H., 1-951
- Younglove, B.A. See Thompson, J.C., 1-19863
- Youngs, E.G. The drainage of liquids from porous materials, 1-15832
- Yousef, Y.L. and Zaher, S.A. A sensitive electrostatic meter with a balanced reed, 1-7003
- Youssef, T.H. See Omar, M., 1-14957
- Youtz, B.L. See Gerbracht, R.J., 1-737
- Ypsilantis, T. See Foote, J.H., 1-7279
- Ypsilantis, T. See Rogers, E.H., 1-16876
- Ythier, C. Interpretation of the level scheme of cadmium 112, 1-4831
- Ythier, C. and Van Lieshout, R. The interaction energy of the last neutron and last proton in odd-odd nuclei, 1-2170
- Ythier, C. and Van Lieshout, R. The difference between the neutron separation energies for even-odd and even-even nuclei, 1-7319
- Ythier, C. and Van Lieshout, R. Excitation energy of the first 2<sup>+</sup> level of even-even nuclei, 1-13642
- Ythier, C. and Van Lieshout, R. γ-rays from As<sup>76</sup>, 1-13747
- Ythier, C. and Van Lieshout, R. Gamma-ray spectra of short half-life emitters of mass number close to 80, 1-13748
- Yuan, L.C.L. See Lindenbaum, S.J., 1-16789
- Yuan, L.C.L. See Miller, G.L., 1-3088
- Yuan, S.W. and Brogren, E.W. Turbulent flow in a circular pipe with porous wall, 1-4687
- Yuan-Han-Yung. See Małuszyńska, K., 1-13815
- Yuasa, K. See Hisatake, K., 1-8730
- Yuasa, T. The type of invariant of the Gamow-Teller interaction in the β-decay of He<sup>6</sup>, 1-13712
- Yuasa, T. Colour center and gaseous ions produced in high frequency spark between the electrodes of semi-metals, metal elements and ionic crystals, 1-14328
- Yuasa, T. A self-triggered Wilson cloud chamber of variable pressure (1-76 cm Hg) of a new type, 1-16628
- Yuasa, Y., Corbe, G. and Reide, F. The realisation of a self-triggering, variable pressure Wilson cloud chamber of a new type. II, 1-13241
- Yudin, D.M. See Karapetyan, G.O., 1-19809
- Yudin, N.P. See Balashov, V.V., 1-19442
- Yudin, N.P. See Neudachin, G.V., 1-8686
- Yudin, V.A. See Klepikov, N.P., 1-19260
- Yudkovskii, S.I. See Funke, V.F., 1-9144
- Yudovich, V.I. Nonsteady planar motion of an ideal incompressible liquid, 1-6828
- Yuhara, J. See Suzuki, T., 1-12031
- Yuhara, J. See Suzuki, T., 1-13198
- Yukhnovs'kii, I.R. The statistical theory of ionic systems, 1-11710
- Yukhnovs'kii, I.R., Rakhimova, I.Sh. and Vladymirov, V.V. The theory of systems of rarefied particles in an external field, 1-15078
- Yukhvidin, Ya.A. A system of gas sample bottles with metallic vacuum connections, 1-11801
- Yukhvidin, Ya.A. See Kaljabina, I.A., 1-9430
- Yukhvidin, Ya.A. See Lyubimov, M.L., 1-9429
- Yukimoto, Y. See Kōi, Y., 1-11464
- Yuldashbaev, T.S. See Azimov, S.A., 1-3273
- Yuldashev, A.A. See Azimov, S.A., 1-3274
- Yung Yi Chen. Effect of final state interactions on the (Σ<sup>-</sup>, d) capture reactions, 1-5786
- Yurasova, V.E., Pavlovskaya, E.A., Tyapunina, N.A. and Predvoditelev, A.A. Application of ionic etching for revealing the dislocations in metal crystals, 1-4017
- Yur'ev, V.G. Thermoelectric properties of a gaseous semiconductor, 1-18474
- Yur'eva, E.K. See Rozhdestvenskaya, M.V., 1-20440
- Yurevich, A. See Solov'ev, L.D., 1-19233
- Yurkevich, Yu.N. See Funke, V.F., 1-9144
- Yurkov, B.Ya. The dependence of the number of radiation defects in silicon on the initial electron energy, 1-3696
- Yurkov, B.Ya. The range-energy relationship for atoms in crystalline silicon knocked out into interstitial sites by electron bombardment, 1-14343
- Yursik, I. See Berlovich, E.E., 1-2181
- Yursik, I. See Berlovich, E.E., 1-3405
- Yursik, I. See Berlovich, E.Ye., 1-5862
- Yushin, A.Ya. See Petukhov, B.S., 1-8250
- Yushin, A.Ya. See Petukhov, B.S., 1-10616
- Yushkevich, P.M. Secondary hardness and red hardness of high-speed steel, 1-20392

- Yushkevych, P.M. Temper ageing of residual austenite in high-speed steel, 1=15136
- Yushko, K.B. See Zel'dovich, Ya.B., 1=16065
- Yushko, K.B. See Zel'dovich, Ya.B., 1=16577
- Yushmanov, E.E. See Ioffe, M.S., 1=16672
- Yushmanov, E.E. See Ioffe, M.S., 1=16673
- Yuster, P.H. See Delbecq, C.J., 1=3840
- Yuta, H. See Takahashi, K., 1=17113
- Yutlandov, I. See Abdurazakov, A., 1=646
- Yutlandov, I.A. See Božek, E., 1=13728
- Yutlandov, I.A. See Chojnacki, S., 1=2195
- Yutlandov, J.A. See Chojnacki, S., 1=670
- Yutsis, A.P. See Vizbaraitė, Ya.I., 1=2271
- Yutsis, A.P. See Vizbaraitė, Ya.I., 1=3502
- Yutsis, A.P. See Vizbaraitė, Ya.I., 1=4895
- Yutsis, A.P. See Vizbaraitė, Ya.I., 1=11061
- Yuzuri, M. On the magnetic properties of Cr, As and Cu, Sb, 1=12547
- Yuzuri, M. and Yamada, M. On the magnetic properties of the compound  $Mn_2As$ , 1=11459
- Yvon, J. Quantum statistical mechanics. Density operators and thermodynamic quantities, 1=18294
- Yvon, J. The relaxation of a system weakly coupled to a thermostat, 1=18319
- Zabeta, K. Galvanomagnetic effect in ferrites in the region of the Curie point, 1=14373
- Zaborov, V.I. and Rosin, G.S. Measurement of the dynamic parameters of sound insulating materials, 1=18540
- Zacaroli, A.R. See Gorton, H.C., 1=7651
- Zaccheroni, E. H.F. power meter for operation at 2.5 MW pulsed power, 1=16727
- Zacharias, J.R. Team approach to education, 1=8034
- Zachariasen, F. Relativistic model field theory with finite self-masses, 1=4754
- Zachariasen, F. Self-consistent calculation of the mass and width of the  $J = 1$ ,  $T = 1$ ,  $\pi\pi$  resonance, 1=12100
- Zachariasen, F. Self-consistent calculation of the mass and width of the  $J = 1$ ,  $T = 1$ ,  $\pi\pi$  resonance, 1=19141
- Zachariasen, F. See Byers, N., 1=9755
- Zachariasen, F. See Gell-Mann, M., 1=13323
- Zachariasen, F. See Gell-Mann, M., 1=19243
- Zador, P. [Transl.]. Stochastic processes. Problems and solutions, 1=4180
- Zaffarano, D.J. See Laslett, L.J., 1=13765
- Zaffiro, C. See Gadola, A., 1=6803
- Zăgănescu, M. Mass spectrum deduced from an equation of propagation containing partial derivatives of infinite order, 1=13292
- Zăgănescu, M. See Sălceanu, C., 1=2821
- Zăgănescu, M. See Sălceanu, C., 1=16027
- Zagury, N. See Tiommo, J., 1=5775
- Zaher, S.A. See Yousef, Y.L., 1=7003
- Zähringer, J. and Gentner, W.  $Xe^{136}$  in the meteorite Abec, 1=9262
- Zahlan, A.B. See Katul, J., 1=6090
- Zahlan, A.B. See Kazzaz, A.A., 1=14227
- Zahn, H. On the spectroscopic method for the quantitative determination of  $N^{15}$  in nitrogen, 1=4917
- Zahner, J.C. and Drickamer, H.G. Pressure effect in nickel dimethylglyoxime and related chelates, 1=3833
- Zahner, J.C. and Drickamer, H.G. Effect of pressure on the electronic absorption spectra of ferrocene and ferricinium ion, 1=11089
- Zahner, J.C. and Drickamer, H.G. Effect of pressure on crystal-field energy and covalency in octahedral complexes of  $Ni^{2+}$ ,  $Co^{2+}$ , and  $Mn^{2+}$ , 1=17888
- Zähringer, J. See Goebel, K., 1=7376
- Zaidel', A.N. Spectral analysis of isotopic composition, 1=3526
- Zaidel', A.N., Malyshev, G.M., Berezin, A.B. and Razdobarin, G.T. Investigations of spectra in the "Alpha" apparatus. III. Time characteristics of the plasma emission, 1=5481
- Zaidel', A.N., Malyshev, G.M., Berezin, A.B. and Razdobarin, G.T. Investigations of spectra in the "Alpha" apparatus. III. Time characteristics of the plasma emission, 1=9607
- Zaidel', A.N., Malyshev, G.M., Moskalev, E.I., Ptitsyna, E.A., Sokolova, L.V. and Chashchina, G.I. Investigations of spectra in the "Alpha" apparatus. II. The directed motion of ions, 1=5480
- Zaidel', A.N., Malyshev, G.M., Moskalev, E.I., Ptitsyna, E.A., Sokolova, L.V. and Chashchina, G.I. Investigations of spectra in the "Alpha" apparatus. II. The directed motion of ions, 1=9606
- Zaidel', A.N., Malyshev, G.M. and Shreider, E.Ya. Spectroscopic methods for the investigation of a hot plasma, 1=10699
- Zaidel', A.N., Malyshev, G.M. and Shreider, E.Ya. Spectroscopic methods for the investigation of a hot plasma, 1=11952
- Zaidel', A.N., Malyshev, G.M., Shreider, E.Ya., Berezin, A.B., Belyaeva, B.A., Gladushtak, B.I., Skidan, V.V. and Sokolova, L.V. Investigations of spectra in the "Alpha" apparatus. I. The nature of spectra and the temperature, 1=5479
- Zaidel', A.N., Malyshev, G.M., Shreider, E.Ya., Berezin, A.B., Belyaeva, B.A., Gladushtak, B.I., Skidan, V.V. and Sokolova, L.V. Investigations of spectra in the "Alpha" apparatus. I. The nature of spectra and the temperature, 1=9605
- Zaidel', A.N. and Ostrovskaya, G.V. A spectroscopic determination of the isotopic composition of carbon, 1=2305
- Zaidel', A.N., Razumovskii, A.N. and Chaika, M.P. A spectroscopic analysis of the isotopic composition of lithium, 1=13971
- Zaidel', A.N. See Afrosimov, V.V., 1=9602
- Zaidel', A.N. See Zhiglinskii, A.G., 1=18607
- Zaidel', R.M. and Lebedev, V.S. The stability of a particular converging spherical shock wave, 1=2779
- Zaidel', R.M., Ryzhov, O.S. and Andriankin, E.I. The propagation of an approximately spherical heat front, 1=16138
- Zaidel', R.M. and Semendyaev, K.A. Limiting solutions of a non-linear equation of parabolic type, 1=5115
- Zaika, M.I. and Nyemets', O.F. Stripping reactions on  $Be^0$ ,  $Si^{28}$  and  $Bi^{209}$  [using] 13.6 MeV deuterons, 1=13842
- Zaika, N.I. and Nemets, O.F. Stripping reactions of the  $Zr^{90}$  and  $Zr^{91}$  nuclei, 1=17148
- Zaikova, V.A. and Shur, Ya.S. Causes of the increase of the coercive force on reduction of the thickness of ferromagnetic sheets, 1=5066
- Zaikova, V.A. See Shur, Ya.S., 1=3905
- Zainutdinov, Kh. See Azimov, S.A., 1=19227
- Zaitsev, A.A. The use of Laplace transforms for evaluating the partition function, 1=18302
- Zaitsev, A.A. and Vasil'eva, M.Ya. Connection between oscillation and rate of loss of charged particles in a cylindrical plasma of low pressure in a longitudinal magnetic field, 1=16352
- Zaitseva, A.K. and Gliberman, A.Ya. Investigation of the impurity distribution in the surface layer of n-type silicon photoelectric converters of solar energy, 1=19888
- Zaitseva, A.S. See Lazarev, A.N., 1=5037
- Zaitseva, M.A. See Belov, K.P., 1=1239
- Zajax, A., Sadowski, H. and Licht, S. Real fringes in the Sagnac and Michelson interferometers, 1=12996
- Žák, L. See Syneček, V., 1=9139
- Zakharchenya, B.P. See Gross, E.F., 1=17885
- Zakharov, L.N. Propagation of audiofrequency signals in a plane layer of water with a surface disturbed by waves, 1=9448
- Zakharova, M.I. and Eliseeva, I.I. Investigation of the initial stages of ageing of aluminium-zinc alloys, 1=10273
- Zakharova, R.R. and Buinov, N.I. The effect of additions of a third component on ageing of aluminium/silver alloys, 1=15148
- Zakin, J.L. See Simha, R., 1=2753
- Zakrzewski, J. See Bogdanowicz, J., 1=12122
- Zakrzewski, J. See Davis, D.H., 1=5782
- Zakrzewski, J. See Davis, D.H., 1=19498
- Zakrzewski, J. See Evans, D., 1=19267
- Zakrzewski, J. See Jones, B.D., 1=8500
- Zakrzewski, J. See Jones, B.D., 1=9772
- Zakrzewski, J. See Jones, B.D., 1=19502
- Zaks, R.B. See Karpenko, B.V., 1=3917
- Zaleski, C.P. See Mulot, P., 1=5955
- Zalenskii, A.B. Use of a suspension tension transducer for measuring magnetostriction and heat expansion, 1=20109
- Zalenskii, A.C. and Fonton, S.S. Device for orienting and marking ferromagnetic monocrystal spheres, 1=20111
- Zalenskii, A.V. The quadratic magnetoresistance effect in monocrystalline manganese ferrite, 1=14380
- Zalenskii, A.V. See Tikhomirova, N.A., 1=20326
- Zalewski, K. A theory of exciton transfer in anthracene, 1=17473
- Zalharchenya, B.P. See Gross, E.F., 1=19971



- Zaliubowskii, I.I. See Val'ter, A.K., 1=8706
- Zalivadnyi, B.S. A wideband velocity microphone, 1=18528
- Zalivchii, V.N., Koshkin, N.I. and Nozdrev, V.F. New possibilities in the pulse technique of two fixed distances, 1=2825
- Zalkin, A. See Dodge, R.P., 1=11574
- Zal'tsman, E.B. Measurement of the parameters of magnetized ferrite using a 36-I dielectric test set, 1=12001
- Zalyubovs'kii, I.I. See Val'ter, K., 1=13616
- Zalyubovs'kii, I.I. See Val'ter, A.K., 1=13649
- Zalyubovs'kii, I.I. See Val'ter, A.K., 1=13663
- Zalyubovs'kii, I.I. See Val'ter, A.K., 1=19455
- Zama, W.A., Lang, D.D. and Brotzen, F.R. Steady-state creep of tin near the melting point, 1=1325
- Zamkov, V.A. A rapid-response resistance thermometer, 1=4505
- Zamolodchikov, B.I. See Danilov, V.I., 1=344
- Zamolodchikov, B.I. See Dmitrievsky, V.P., 1=18962
- Zámori, Z. See Kardon, B., 1=8651
- Zamorzaev, A.M. and Palistrant, A.F. The two-dimensional Shubnikov groups, 1=14941
- Zamyatin, Iu.S., Ivanova, N.I. and Safina, I.N. Neutron spectra resulting from the passage of 14 MeV neutrons through thick layers of Fe, Pb, and U, 1=19482
- Zana, R. See Candau, S., 1=10512
- Zana, R. See Cerf, R., 1=6938
- Zanberg, É.Ya. and Ionov, N.I. Surface ionization, 1=4567
- Zanchetta, J. See Pacault, A., 1=3764
- Zandberg, E.Ya. Effect of electric fields on the temperature threshold of the appearance of positive ions during surface ionization of atoms, 1=3019
- Zandberg, É.Ya. Surface ionization of atoms of indium and thallium on polycrystalline tungsten with electric fields up to 2 MV/cm, 1=4568
- Zander, M. High temperature phosphorescence in coronene, 1=1178
- Zandstra, P.J. and Weissman, S.I. Note on measurement of rates of electron transfer processes by broadening of E.S.R. lines, 1=14803
- Zandstra, P.J. See Anderson, M.E., 1=880
- Zandstra, P.J. See Hoihtink, G.J., 1=14055
- Zannoni, G. See Manduchi, C., 1=19411
- Zanotti, L. See Lanzi, G., 1=15905
- Zapalski, G. See Blicharski, J., 1=9409
- Zapalski, G. See Hannel, J.W., 1=15908
- Zaplatin, N.L. See Danilov, V.I., 1=344
- Zappa, L. See Bisi, A., 1=8901
- Zappa, L. See Bisi, A., 1=19754
- Zappa, L. See Bisi, A., 1=19918
- Zare, R., Cook, W.R., Jr and Shozawa, L.R. X-ray correlation of the A-B layer order of cadmium selenide with the sign
- Zaretskii, D.F. and Urin, M.G. The nature of collective levels in nonspherical nuclei, 1=19360
- Zaretskii, D.F. See Drozdov, S.I., 1=8599
- Zaretskii, D.F. See Drozdov, S.I., 1=13608
- Zaretskii, D.F. See Grin', Yu.T., 1=8551
- Zaripov, M.M. See Al'tshuler, S.A., 1=20234
- Zaripov, M.M. See Valiev, K.A., 1=18435
- Zaripov, M.M. See Vinokurov, V.M., 1=4334
- Zaripov, M.M. See Vinokurov, V.M., 1=10013
- Zaripov, M.M. See Vinokurov, V.M., 1=17936
- Zaripov, M.M. See Vinokurov, V.M., 1=20205
- Zaripov, M.M. See Vinokurov, V.M., 1=20220
- Zasimchuk, I.K. See Ovsienko, D.E., 1=6110
- Zaslavskaya, I.G. The exciton for intermediate binding taking translation into account, 1=6089
- Zaslavskaya, I.G. Calculation of energies of 2-p excited exciton states with intermediate coupling, 1=19748
- Zaslavskii, A.I. and Sergeeva, V.M. Polymorphism in  $\text{In}_2\text{Te}_3$ , 1=4065
- Zaslavskii, A.I., Sergeeva, V.M. and Smirnov, I.A. Thermal conductivity of  $\alpha$ - and  $\beta$ -modifications of  $\text{In}_2\text{Te}_3$ , 1=2381
- Zaslavskii, A.I. and Tutov, A.G. Structure of a new antiferromagnetic  $\text{BiFeO}_3$ , 1=5100
- Zaslavskii, A.I. and Tutov, A.G. Structure of a new antiferromagnetic  $\text{BiFeO}_3$ , 1=10262
- Zaslavskii, A.I. See Sheftel', I.T., 1=19883
- Zastavenko, L.G. and Podgoretskii, M.I. The effect of external fields on the angular correlations and resonance processes during quantum transitions, 1=19599
- Zatsepin, G.T. The role played by fluctuations in the development of air showers, 1=3295
- Zatsepin, G.T. and Kuz'min, V.A. Angular distributions of high-energy muons in the atmosphere and their production mechanism, 1=16834
- Zatsepin, G.T. See Alexeyev, I.S., 1=2123
- Zatsepin, G.T. See Berezinskii, V.S., 1=16831
- Zatsepin, G.T. See Dedenko, L.G., 1=2136
- Zatsepin, G.T. See Dovzenko, O.I., 1=3290
- Zatsepin, G.T. See Goryunov, N.N., 1=516
- Zatespin, G.T. See Goryunov, N.N., 1=2128
- Zatsepin, N.N. See Drozhzhina, V.I., 1=16479
- Zatsepin, V.I. See Chudakov, A.E., 1=3282
- Zatsepin, V.I. See Denisov, E.V., 1=16938
- Zauli, C. See Magnusson, E.A., 1=12303
- Zavadovskaya, E.K., Ivankina, M.S. and Melik-Gaikazyan, I.Ya. Formation of pores in annealed KCl-KBr crystals, 1=12374
- Zavadovskaya, E.K. See Melik-Gaikazyan, I.Ya., 1=4983
- Zavadovskaya, E.K. See Melik-Gaikazyan, I.Ya., 1=14331
- Zavadovskaya, E.K. See Melik-Gaikazyan, I.Ya., 1=14332
- Zavadskii, E.A. and Fakidov, I.G. Electrical conductivity of n-Ge in strong magnetic fields, 1=10041
- Zavadskii, E.A. See Fakidov, I.G., 1=7117
- Zavarin, D.E. See Glukhikh, V.A., 1=4617
- Zavarin, D.E. See Glukhikh, V.A., 1=9528
- Zavaritskaya, É.I. Thermal effects in studies of the electrical conductivity of germanium at liquid-helium temperatures, 1=14432
- Zavaritskaya, E.I. See Vul, B.M., 1=3749
- Zavaritskii, N.V. Thermal conductivity of superconductors in the intermediate state, 1=4973
- Zavaritskii, N.V. The thermal conductivity of high purity thallium and tin, 1=17433
- Zavaritskii, N.V. The tunnel effect between thin films of superconducting material, 1=18707
- Zavaritskii, N.V. Measurement of the anisotropy of thermal conductivity of zinc and cadmium in the superconducting state, 1=18724
- Zavattini, E. See Gatti, G., 1=16854
- Zavenyagin, Yu.A. See Budyansky, G.M., 1=9655
- Závěta, K. The magnetoresistance in zinc-manganese ferrites in the vicinity of the Curie point, 1=14376
- Závěta, K. On the electrical conductivity of Mn-Zn ferrites, 1=17635
- Závěta, K. See Gerber, R., 1=20067
- Zavoiskii, E.K. and Skoryupin, V.A. Magnetic spectrum analysers, 1=19047
- Zavoiskii, E.K. See Akhmatov, A.P., 1=4628
- Zavoiskii, E.K. See Bartov, A.V., 1=18859
- Zav'yalov, O.I. "Non-physical" steps in the perturbation theory, 1=5684
- Zav'yalov, O.I. and Pavlov, V.P. The matrix element of the reaction  $\pi + N \rightarrow \pi + \pi + N$  at low energies, 1=19236
- Zav'yalov, P.I. and Pavlov, V.P. The matrix element of the reaction  $\pi + N \rightarrow \pi + \pi + N$  at low energies, 1=16861
- Zawislak, F.C. See Dietzsch, O., 1=17147
- Zdanis, R., Owen, G.E. and Madansky, L. Angular distributions for  $\text{C}^{13}(\text{d}, \text{n})\text{N}^{14}$ , 1=3459
- Żdanowicz, W. Thermoelectric properties of cadmium arsenide ( $\text{Cd}_3\text{As}_2$ ), 1=17811
- Zdanuk, E.J., Bierig, R., Rubin, L.G. and Wolsky, S.P. An omegatron spectrometer, its characteristics and application, 1=16438
- Zdanuk, E.J. See Wolsky, S.P., 1=1930
- Zdanuk, E.J. See Wolsky, S.P., 1=8361
- Zdanuk, E.J. See Wolsky, S.P., 1=18491
- Zdorovets' O.S. Thermodynamic theory of relaxation phenomena in binary solid solutions, 1=11575
- Zdorovets' O.S. The influence of stressed states on the diffusion process in binary solutions, 1=14297
- Zehler, V. Investigations on rotational hysteresis, 1=11427
- Zehler, V. See Wolff, W., 1=8368
- Zeidman, B., Yntema, J.L. and Raz, B.J. (d,t) reactions on nuclei with  $A \approx 60$ , 1=715
- Zeidman, B. See Raz, B.J., 1=716
- Zeiger, H.J. See Lax, B., 1=7570
- Zeil, W., Winnissner, M., Bodenseh, H.K. and Buchert, H. The microwave spectra of some substituted acetylenes, 1=3537
- Zeitler, E. See Kell, E., 1=13330
- Zeitz, L. See Dils, R.R., 1=13146

- Zelazny, R. Green functions of the mixed Cauchy problem of the Gordon-Klein equation and their connection with advanced and retarded Green functions, 1=5639
- Zelazny, R. Exact solution of a critical problem for a slab, 1=10890
- Zelazny, R. and Kuszell, A. Milne's problem for two adjacent half spaces, 1=15749
- Zelazny, R. and Kuszell, A. A special model of a two-group approach in neutron transport theory, 1=16799
- Zelazny, R. and Kuszell, A. Albedo problem for a slab, 1=16803
- Zeldes, H. and Livingston, R. Paramagnetic resonance study of irradiated single crystals of calcium tungstate, 1=3655
- Zeldes, H. and Livingston, R. A paramagnetic species in irradiated  $\text{NaNO}_3$ , 1=12561
- Zel'dovich, A.G. See Belonogov, A.V., 1=3097
- Zel'dovich, A.G. See Malkov, M.P., 1=4916
- Zel'dovich, M.P. and Rubchinskii, S.M. Instrument for measuring the azimuthal symmetry of the fields of strong electromagnets [with round pole-pieces], 1=4689
- Zel'dovich, M.P. See Kurochkin, S.S., 1=5519
- Zel'dovich, V.I. See Gavranek, V.V., 1=20393
- Zel'dovich, Ya.B. Dipole moment of unstable elementary particles, 1=3148
- Zeldovich, Ya.B. A contribution to the theory of unstable states, 1=3403
- Zel'dovich, Ya.B. Symmetric composite model of strongly interacting elementary particles, 1=13366
- Zel'dovich, Ya.B. Unstable particle in the Lee model, 1=16672
- Zel'dovich, Ya.B. Theory of fermion masses, 1=16686
- Zel'dovich, Ya.B. The form factor for  $K_{\mu 3}$  and  $K_{e3}$  decay, 1=16884
- Zel'dovich, Ya.B. Symmetry of molecules, melting of crystals and ordering of liquids, 1=18679
- Zel'dovich, Ya.B. Electron and positron polarization correlation in relativistic pairs, 1=19179
- Zel'dovich, Ya.B. and Gershtein, S.S. Nuclear reactions in cold hydrogen. I. Mesonic catalysis, 1=8751
- Zel'dovich, Ya.B., Kormer, S.B., Sinitsyn, M.V. and Yushko, K.B. Investigation of the optical properties of transparent materials at ultra-high pressures, 1=16065
- Zel'dovich, Ya.B., Kormer, S.B., Sinitsyn, M.V. and Yushko, K.B. Investigation of the optical properties of transparent materials at ultra-high pressures, 1=18577
- Zel'dovich, Ya.B. and Perelomov, A.M. The effect of weak interaction on the electromagnetic properties of particles, 1=19120
- Zel'dovich, Ya.B. and Smorodinskii, Ya.A. The upper limit of neutrino, graviton and baryon density in the universe, 1=18007
- Zel'dovich, Ya.B. See Barenblatt, G.I., 1=1473
- Zel'dovich, Ya.B. See Baz', A.I., 1=11084
- Zel'dovich, Ya.B. See Gribov, V.N., 1=16687
- Zelenetskaya, E.V. See Shul'man, A.R., 1=13106
- Zelený, M. See Kaczér, J., 1=14713
- Zeleny, W.B. I-space parity connection in non-leptonic weak interactions, 1=10843
- Zeleny, W.B. A model for non-leptonic weak interactions, 1=19119
- Zeleny, W.B. and Barut, A.O. Boson currents in the theory of weak interactions, 1=3128
- Zel'manov, A.L. Deformation of the accompanying space in the Einstein theory of gravitation, 1=4241
- Zel'manovich, I.L. See Zhuravlev, V.I., 1=9474
- Zemach, C. See Calogero, F., 1=485
- Zemanek, J., Jr and Rudnick, I. Attenuation and dispersion of elastic waves in a cylindrical bar, 1=16002
- Zemel, J.N. and Varela, J.O. Surface properties of PbS photoconductors, 1=1106
- Zemlyanova, L.I. See Spitsyn, V.I., 1=20656
- Zenger, J. See Benveniste, J., 1=12840
- Zenger, J.H. See Benveniste, J., 1=2221
- Zenger, J.H. See Benveniste, J., 1=2070
- Zenger, J.H. See Jopson, R.C., 1=17050
- Zenner, G.H. The storage and handling of cryogenic liquids, 1=4510
- Zernik, W. See Rustgi, M.L., 1=553
- Zetzmann, H.J. See Krawinkel, G.H., 1=9403
- Zetzsche, R. Contribution towards the understanding of processes occurring during the electrolytic polishing of metals, 1=9161
- Zeuli, T. Axially symmetric magnetohydrodynamic oscillations in an electrically conducting isothermal atmosphere subject to gravitation, 1=16533
- Zevin, L.S., Umanskii, M.M., Kheiker, D.M. and Panchenko, Yu.M. Diffractometer methods in the precision measurement of unit cell parameters, 1=20469
- Zevin, V.Ya. The hyperfine dipole-dipole spin-lattice relaxation of localized electronic centres, 1=20242
- Zevin, V.Ya. Spin-lattice relaxation of localized electrons (combination scattering acoustic phonons), 1=20245
- Zevin, V.Ya. See Deigen, M.F., 1=20244
- Zgaevskii, V.E. See Chanyshev, S.M., 1=12448
- Zhabotinskii, M.E. See Grigor'yants, V.V., 1=4506
- Zharinov, A.V. A stepwise increase in the electron current to a probe placed in a discharge in a magnetic field, 1=9598
- Zharinov, A.V. The diffusion of electrons in a magnetic field, 1=9599
- Zharkov, V.N. and Kalinin, V.A. The equations of state of iron at pressures of up to several millions atmospheres, 1=3610
- Zharkov, V.N. and Kalinin, V.A. The equation of state of iron at pressures of up to several millions atmospheres, 1=9983
- Zhdan, A.G. See Elinson, M.I., 1=5490
- Zhdan, A.G. See Elinson, M.I., 1=13099
- Zhdanov, A.P., Kolpakov, M.I., Kuz'min, V.N., Raguzin, R.M. and Fedotov, P.I. Device for measuring gaps in particle tracks in emulsions, 1=3099
- Zhdanov, A.P. and Kuks, I.M. A device for the identification of multiply-charged particles stopping in nuclear emulsions, 1=13263
- Zhdanov, A.P., Kuks, I.M., Skirda, N.V. and Yakovlev, R.M. On the multiple production of particles in the interaction of nucleons of energy  $10^{10}$ - $10^{11}$  eV with emulsion nuclei, 1=3260
- Zhdanov, A.P., Kuks, I.M., Skirda, N.V. and Yakovlev, R.M. Multiple particle production in the interaction between  $>10^{11}$  eV nucleons and emulsion nuclei, 1=19186
- Zhdanov, G.B. See Soo, J.P., 1=3263
- Zhdanov, G.S., Solov'ev, S.P., Venevtsev, Yu.N. and Ivanova, V.V. The internal fields in the orthorhombic form of  $\text{BaTiO}_3$ , 1=14151
- Zhdanov, G.S. See Fedulov, S.A., 1=20575
- Zhdanov, G.S. See Kogan, V.S., 1=11865
- Zhdanov, G.S. See Kogan, V.S., 1=20528
- Zhdanov, G.S. See Kuz'min, R.N., 1=15087
- Zhdanov, G.S. See Solov'ev, S.P., 1=14150
- Zhdanov, G.S. See Venevtsev, Yu.N., 1=15018
- Zhdanov, G.S. See Venevtsev, Yu.N., 1=20504
- Zhdanov, G.S. See Zhuravlev, N.N., 1=15123
- Zhdanova, V.V. A second order phase transition in  $\text{SnSe}$ , 1=14935
- Zhdanova, V.V. See Brach, B.Ya., 1=17813
- Zheenbaev, Zh. An investigation of a high-frequency discharge subjected to hydrodynamic compression, 1=2949
- Zheigurs, B. See Ginzburg, A., 1=4688
- Zhekulin, L. Radio wave propagation characteristics of a simple ionospheric model based on rocket data, 1=6616
- Zhelazkov, I. See Ruskov, T., 1=387
- Zheleznykh, I.M. See Markov, M.A., 1=19300
- Zhelnov, B.L. Emergence into vacuum of the Cherenkov radiation produced from longitudinal waves in a medium, 1=13388
- Zheludev, I.S. Complete symmetry of scalars, vectors, and tensors of rank two, 1=4008
- Zheludev, I.S. Complete finite symmetry groups of scalars, vectors, and second-rank tensors and their combinations, 1=14942
- Zheludev, I.S. See Gurevich, V.M., 1=1130
- Zheludev, I.S. See Gurevich, V.M., 1=6194
- Zheludev, I.S. See Gurevich, V.M., 1=14396
- Zheludev, I.S. See Meleshina, V.A., 1=12613
- Zheludev, I.S. See Romanyuk, N.A., 1=3805
- Zheludev, I.S. See Romanyuk, N.A., 1=17836
- Zheludev, I.S. See Vlokh, O.G., 1=3824
- Zhelyazkov, I. and Marinov, M. Delay in the onset of discharge in low-voltage halogen counters as a function of temperature, 1=7166
- Zherebtsova, K.I. See Alekseev, N.V., 1=17144
- Zherebtsova, N.D. See Dobrovenskii, V.V., 1=5369
- Zhestovskaya, M.I. See Kolontsova, E.V., 1=5702
- Zhevandrov, N.D. See Gribkov, V.I., 1=20025



- Zhidkov, V.A. The steady-state concentration of thermal acceptors in germanium after various heat treatments, 1=12433
- Zhidkov, V.A. Thermal acceptors with high energy levels in germanium, 1=12434
- Zhidkov, V.A. See Belyaev, Yu.I., 1=7593
- Zhiglinskii, A.G., Zaidel', A.N. and Kund, G.G. An autocollimation system for photo-electric recording of hyperfine structure, 1=18607
- Zhigulev, V.N. Theory of the "restoring" layer, 1=5444
- Zhigulev, V.N. The magnetic pinch effect in a free molecular plasma stream (a contribution to the theory of flow around the magnetic dipole of the earth by corpuscular streams from the sun), 1=8656
- Zhigulev, V.N. Theory of the "restoring" layer, 1=8329
- Zhigulev, V.N. On a class of motions in magnetohydrodynamics, 1=10777
- Zhigulev, V.N. Some magneto-fluid dynamic effects in a finitely conducting medium, 1=10780
- Zhigulev, V.N. The magnetic pinch effect in a free molecular plasma stream (a contribution to the theory of flow around the magnetic dipole of the earth by corpuscular streams from the sun), 1=11654
- Zhilich, A.G. and Makarov, V.P. Band structure of cuprous oxide, 1=17884
- Zhilin, Yu.L. Fundamental relations across a strong steady shockwave giving rise to discontinuity in conductivity, 1=19011
- Zhilinskii, A.P. See Golant, V.E., 1=4603
- Zhilinskii, A.P. See Golant, V.E., 1=9687
- Zhilinskii, A.P. See Golant, V.E., 1=9688
- Zhilinskii, A.P. See Golant, V.E., 1=12019
- Zhilinskii, A.P. See Golant, V.E., 1=12020
- Zhil'tsova, L.Ya. See Medvedev, M.N., 1=10809
- Zhivlyuk, Yu.N. and Mandel'shtam, S.L. The temperature of lightning and force of thunder, 1=20866
- Zhizhin, E.D. The behaviour of the total cross-section for photoproduction of  $\pi$ -mesons at high energies, 1=528
- Zhmud's'kyi, A.Z. Intensity distribution along a spectral line width versus the size and form of a reflecting surface, 1=11603
- Zhm'yeva, I.A. See Viktorova, E.N., 1=3866
- Zholkevich, G.A. The mechanism of negative photo-conductivity, 1=2426
- Zhukhovitskii, A.A. See Bao-Syue-Sin', 1=17557
- Zhukhovitskii, E.M. Stability of a non-uniformly-heated electrically-conducting liquid in a magnetic field, 1=4707
- Zhukhovitskii, E.M. See Gershuni, G.Z., 1=362
- Zhukhovitskii, E.M. See Gershuni, G.Z., 1=12849
- Zhukovitskii, E.M. See Gershuni, G.Z., 1=4704
- Zhumartbaev, M.T. Stability of magnetic tangential discontinuities in relativistic hydrodynamics, 1=18997
- Zhurakovskii, E.A. See Vainshtein, E.E., 1=2449
- Zhuravlev, G.V. See Egorov, L.B., 1=5988
- Zhuravlev, G.V. See Egorov, L.B., 1=17298
- Zhuravlev, G.V. See Egorov, L.B., 1=19226
- Zhuravlev, N.N., Smirnov, V.A. and Mingazin, T.A. An X-ray study of Rb<sub>2</sub>Bi and Rb<sub>2</sub>Sb, 1=4044
- Zhuravlev, N.N., Zhdanov, G.S. and Kuz'min, R.N. Atomic structures of some compounds of bismuth and antimony, 1=15123
- Zhuravlev, V.I. and Zel'manovich, I.L. Photoelectric luxmeter for the near infrared range of the spectrum, 1=9474
- Zhurkov, S.N., Levin, B.Ya. and Tomashevskii, E.E. Dependence of the [tensile] strength on the duration of application of a load in high vacuum, 1=12600
- Zhurkov, S.N. See Betekhtin, V.I., 1=12599
- Zhuze, V.P., Sergeeva, V.M. and Shel'kh, A.I. Electrical properties of In<sub>2</sub>Te<sub>3</sub> which is a semiconductor with imperfect structure, 1=2415
- Ziauddin, M. See Narasimhamurthy, T.S., 1=10607
- Ziauddin, S. Simultaneous observations of pulsations in the geomagnetic field and in ionospheric absorption, 1=2577
- Ziauddin, S. A method of estimating ionospheric absorption heights from recovery times, 1=21058
- Ziauddin, S. and Forsyth, P.A. Three-frequency measurements of auroral absorption, 1=21064
- Zichichi, A. See Charpak, G., 1=5742
- Zidarov, D. The experimental solution of the direct magnetic problem, 1=353
- Ziebland, H. and Burton, J.T.A. The thermal conductivity of heavy water between 75° and 260°C at pressures up to 300 atm, 1=18396
- Ziegler, G. The growth of dislocation-free silicon single crystals, 1=9115
- Ziegler, H. Correlation between the flow condition of a rigid-plastic body and its flow law, 1=20333
- Ziegler, H. Correlation between the flow condition of an elastic-plastic body and its flow law, 1=20334
- Ziegler, H. On the theory of the plastic potential, 1=20335
- Ziering, S. and Ek, F. Mean-free-path definition in the Mott-Smith shock wave solution, 1=10534
- Ziering, S., Ek, F. and Koch, P. Two-fluid model for the structure of neutral shock waves, 1=11775
- Ziering, S. See Schiff, D., 1=13886
- Zietek, W. Quantum mechanical derivation of the magnetic structure of anisotropic ferromagnetic single crystals, 1=20071
- Zigareva, T.A. See Emel'yanova, E.N., 1=14997
- Zijlstra, H. Magnetic annealing of "Ticonal" G magnet steel, 1=6342
- Zijlstra, H. Device for the rapid measurement of magnetic anisotropy at elevated temperatures, 1=10756
- Zikán, M. See Krejčí, M., 1=761
- Zil'berman, G.E. See Kulik, I.O., 1=14995
- Zil'berman, G.E. See Ratner, A.M., 1=14625
- Zil'berman, G.R. and Kulik, I.O. On the problem of free transit time of high energy electrons in metals, 1=7547
- Zimakov, I.E. See Spitsyn, V.I., 1=20656
- Ziman, J.M. A note on the selection rules for optical transitions in alloys, 1=3626
- Ziman, J.M. Approximate calculation of the anisotropy of the relaxation time of the conduction electrons in the noble metals, 1=3627
- Ziman, J.M. The ordinary transport properties of the noble metals, 1=8893
- Ziman, J.M. "Ordinary" transport properties and the shape of the Fermi surface 1=17461
- Ziman, J.M. A theory of the electrical properties of liquid metals. I. The monovalent metals, 1=18428
- Zimani, L., Erš, Ya., Poch, L. and Sentpeteri, I. Circular polarization of gamma quanta in the reaction B<sup>10</sup>(d, p) B<sup>11</sup>, 1=19519
- Zimmerman, A.H. Mass difference between the sigma hyperons, 1=3243
- Zimmerman, A.H. See Ito, D., 1=13340
- Zimm, B.H. and Rice, S.A. The helix-coil transition in charged macromolecules, 1=14138
- Zimmer, E. International Conference on Plutonium Metallurgy, 1=7871
- Zimmerer, R.W. and Mizushima, M. Precise measurement of the microwave absorption frequencies of the oxygen molecule and the velocity of light, 1=837
- Zimmerman, B.A. See Clayton, D.D., 1=7389
- Zimmerman, G.O. See Strongin, M., 1=8277
- Zimmerman, J.E. Measurement of electrical resistivity of bulk metals, 1=7004
- Zimmerman, J.E. and Hoare, F.E. Low-temperature specific heat of dilute Cu-Mn alloys, 1=17419
- Zimmerman, J.E. and Root, R.C. Level indicator for permanent installation in liquid helium storage Dewar, 1=10636
- Zimmerman, J.E. See Crane, L.T., 1=11161
- Zimmermann, W. Two-particle structure of the Mandelstam representation, 1=13337
- Zimmermann, W. Analytic behavior of the scattering amplitude at zero energy, 1=13344
- Zimmermann, W. Evaluation of photopeaks in scintillation gamma-ray spectrometry, 1=16739
- Zin, G. Analytical foundations of the theory of the electromagnetic field, 1=3039
- Zinchenko, M.S. See Ovchinnikov, I.K., 1=11972
- Zinevich, A.N. See Grushin, V.F., 1=4746
- Zingerman, Ya.P., Ishchuk, V.A. and Morozovskii, V.A. Electronic and adsorption properties of atomic barium films on tungsten, 1=15182
- Zingerman, Ya.P., Ishchuk, V.A. and Morozovskii, V.A. Adsorption of atoms of alkaline earths on polycrystalline tungsten, 1=20694
- Zingerman, Ya.P. and Morozovskii, V.A. An ionization method of investigating the kinetics of adsorption on solids, 1=20683

- Zingery, W.L. System for the precision measurement of long-time change of an inhomogeneous magnetic field, 1=10760
- Zingery, W.L. and Wirt, T.M. The reversible temperature coefficient of remanence of a Pt-Co permanent magnet, 1=20112
- Zingery, W.L. See Wilcox, D.E., 1=13150
- Zingl, H. See Urban, P., 1=13393
- Zinn, J. See Chan, S.I., 1=2322
- Zinn, J. See Chan, S.I., 1=7500
- Zinn, W. See Keil, E., 1=13330
- Zinn, W. See Kulenkampff, H., 1=5746
- Zinov, V.G., Konin, A.D., Korenchenko, S.M. and Pontekorvo, B. [Pontekorvo], Search for the  $\rho^0$ -meson and a check of the dispersion relations in  $\pi$ N-scattering, 1=4804
- Zinov'eva, K.N. See Peshkov, V.P., 1=4523
- Ziack, K. See Ottinger, C., 1=17271
- Ziack, K. See Prepost, R., 1=3202
- Ziomek, J.S. and Piotrowski, E.A. Normal coordinate treatments and calculated thermodynamic properties of phosphoryl chloride, thiophosphoryl chloride, and phosphoryl fluoride, 1=6016
- Zipf, T.F. See Cook, V., 1=16895
- Zipoy, D. See Forward, R.L., 1=8040
- Zipov, D. See Weber, J., 1=1686
- Zirin, H. See Eddy, J.A., 1=2287
- Zirin, H. See House, L.L., 1=5155
- Zirin, H. See Münch, G., 1=2593
- Zirin, H. See Ramseyer, H., 1=9277
- Zirker, J.B. See Orrall, F.Q., 1=11677
- Zirker, J.B. See Orrall, F.Q., 1=11680
- Zirker, J.B. See Thomas, R.N., 1=5968
- Zipf, T.F. See Cook, V., 1=10867
- Zipf, T.F. See Cook, V., 1=10927
- Zisin, Iu.A. See Antropov, G.P., 1=3454
- Zitron, N. and Karp, S.N. Higher order-approximation in multiple scattering. I. Two-dimensional scalar case, 1=6934
- Zitron, N. and Karp, S.N. Higher-order approximations in multiple scattering. II. Three-dimensional scalar case, 1=6935
- Ziuzin, V.P., Manakova, M.A. and Tsukerman, V.A. Sealed sharp-focusing pulse X-ray tubes, 1=4685
- Živanović, M.D., Konstantinović, J.M. and Jović, D.M. Growing large monocrystals of lead, 1=14987
- Živojinov, J.M. Determination of the entropy of boiling, 1=8265
- Žižka, E. Formation of cathode spots and current density distribution in cathode spots of short-time high-intensity electric discharge, 1=8315
- Zlatev, M.P. Calculation of eddy currents by means of electric vector potential, 1=7017
- Zlatkis, A.S. See Avetkov, V.G., 1=3800
- Zmbov, K.F. See Dogramadži, N.N., 1=1477
- Zmerli, A. Phosphorescence spectra of acenaphthene at low temperatures, 1=11400
- Zmuidzin, J.S. and Wu, C.S. Electron distribution function of a weakly ionized gas in magnetic and time-dependent electric fields, 1=18770
- Zmuidzin, J.S. See von Roos, O., 1=3644
- Znamenskaya, M.N. See Rumanova, I.M., 1=15105
- Znamenskii, B.V. See Fakidov, I.G., 1=20046
- Zoellner, W. See Wolf, J., 1=13507
- Zoli, A.M. A uniqueness theorem for the equation of propagation of heat by natural convection, 1=4496
- Zoli, M.T. See Toraldo Di Francia, G., 1=16059
- Zolina, Z.K. See Umanskii, M.M., 1=11554
- Zöllei, M. A chemical method of sensitizing a CdS film formed by sintering, 1=11523
- Zöllei, M. See Gombay, L., 1=10058
- Zöllner, H. See Schilling, J., 1=18570
- Zollweg, R.J. and Taylor, C.R. Temperature-dependent bismuth-cesium photosurfaces, 1=10732
- Zolotarev, V.S. See Raiko, V.I., 1=13975
- Zolotareva, Yu.M. See Drokin, A.I., 1=17977
- Zolotavin, A.V. See Grigor'ev, E.P., 1=10975
- Zolotavin, A.V. See Grigoriev, E.P., 1=5874
- Zolotavin, A.V. See Grigoryev, E.P., 1=477
- Zolototrubov, I.M., Pyzhov, N.M., Skoblik, I.P. and Tolok, V.T. Behaviour of a plasma in an alternating magnetic field, 1=4598
- Zöllner, H. Mirror- versus lens-objective, 1=8248
- Zöllner, H. See Schilling, J., 1=4443
- Zollweg, R.J. and Gottlieb, M. Oscillations and saturation current measurement in thermionic conversion cells, 1=8346
- Zombkovskii, S.M. See Ainutdinov, M.S., 1=10818
- Zordoli, G.B. See Bonalumi, R., 1=5732
- Zorn, B.S. and Zorn, G.T. Interaction of  $K^+$  mesons with emulsion nuclei;  $K^+$  energy range 140-375 MeV, 1=540
- Zorn, G.T. See Fischer, J., 1=9700
- Zorn, G.T. See Zorn, B.S., 1=540
- Zorski, H. Variational principle for compatibility equations, 0=1
- Zorski, H. General solutions of the conservation equations in curved spaces, 1=1720
- Zorski, H. See Piechocki, W., 1=1716
- Zorzoli, G.B. Theoretical analysis and experimental results for c-h moderated assemblies, 1=11052
- Zorzoli, G.B. See Bonalumi, R., 1=2060
- Zouckermann, R. See Cartraud, R., 1=10006
- Zouckermann, R. See Gillet, M., 1=10280
- Zubarev, D.N. Double-time Green functions in statistical physics, 1=5212
- Zubenko, V.V. See Umanskii, M.M., 1=11554
- Zubenko, Yu.V. Adsorption, migration and evaporation of barium on tungsten carbide, 1=20692
- Zubenko, Yu.V. and Sokol'skaya, I.L. Field and thermionic emission from layers of thorium and radium on tungsten, 1=16361
- Zubkov, V.A. See Adamov, M.N., 1=13922
- Zubova, E.V. See Vereshchagin, L.F., 1=1355
- Zubova, E.V. See Vereshchagin, L.F., 1=3729
- Zubova, E.V. See Vereshchagin, L.F., 1=9098
- Zubrin, H.P. See Lashkar'ov, V.Ye., 1=14453
- Zuccoli, J.L. See Carbonell, J.R., 1=9460
- Zucker, A. The study of nuclear structure with heavy ions, 1=8781
- Zucker, A. See Halbert, M.L., 1=732
- Zucker, A. See Newman, E., 1=19531
- Zucker, C. Measurements of a magnetic field, 1=13147
- Zucker, I.J. The reduced equation of state of the inert gas solids at the absolute zero, 1=8886
- Zucker, I.J. See Fisher, M.E., 1=3583
- Zucker, I.J. See Sykes, M.F., 1=14755
- Zückler, K. The influence of the flow of gas on an arc burning in a nozzle, 1=5435
- Zugrăvescu, D. See Atanasiu, G., 1=1574
- Zugrăvescu, D. See Atanasiu, G., 1=1575
- Zukale, W. See Fickelscher, H., 1=5049
- Zul'karneev, R.Ya. See Golovin, B.M., 1=19200
- zum Bruch, J. See Gobrecht, H., 1=7728
- Zumino, B. See Keller, J.B., 1=16197
- Župancić, M. See Marinkov, L., 1=13741
- Župancić, M. See Mladjenovic, M., 1=13742
- Zuprański, P. See Ratyński, W., 1=2216
- Zuprański, P. See Ratyński, W., 1=2218
- Żurawski, B. Positions and intensities of the absorption bands of tryptaflavine and fluorescein cations, 1=14013
- Zurmühle, R. See Meyer, V., 1=19471
- Zusman, Sh.I. The existence of "two Curie points" in Fe-Al alloys, 1=1213
- Zvenglinskii, B. See Delvagin, N.N., 1=2164
- Zverev, G.M. and Prokhorov, A.M. Electron paramagnetic resonance of vanadium in rutile, 1=1264
- Zverev, G.M. and Prokhorov, A.M. Cross spin relaxation in the hyperfine structure of the electron spin resonance of  $Co^{2+}$  in corundum, 1=3940
- Zverev, G.M. and Prokhorov, A.M. Electronic paramagnetic resonance in the  $V^{3+}$  ion in corundum, 1=20238
- Zverev, L.P., Noskov, M.M. and Shur, M.Ya. The shape of exciton bands in copper oxide, 1=943
- Zverev, V.A. and Kalachev, A.I. Application of frequency modulation to acoustical measurements, 1=16036
- Zviagin, B.B. See Popov, N.M., 1=4036
- Zvinchuk, R.A. An X-ray investigation of polymorphism in  $Nb_2O_5$ , 1=1398
- Zvinchuk, R.A. See Elistratov, A.M., 1=1357
- Zvol'ska, V. See Grigor'ev, E.P., 1=10975
- Zvyagin, B.B. Electron-diffraction determination of the structure of kaolinite, 1=10264



- Zvyagin, B.B. and Mishchenko, K.S. Electron-diffraction refinement of the structure of muscovite, 1=15104
- Zwanzig, R. Nonequilibrium processes in isotopically disordered crystals. Dependence on degree of order, 1=7528
- Zwanzig, R. Theory of vibrational relaxation in liquids, 1=10513
- Zwanzig, R. Memory effects in irreversible thermodynamics, 1=18291
- Zwanzig, R. See Shuler, K.E., 1=3496
- Zwanzig, R.W. Intermolecular forces from optical spectra of impurities in molecular crystals, 1=14128
- Zwanziger, D.E.  $\alpha^3$  corrections to hyperfine structure in hydrogenic atoms, 1=3505
- Zweifel, P.F. Neutron self shielding, 1=11045
- Zweifel, P.F. See Klug, N.P., 1=17197
- Zweifel, P.F. See Levine, M.M., 1=13436
- Zweig, H.J. Theoretical considerations on the quantum efficiency of photographic detectors, 1=4484
- Zwell, L. See Garofalo, F., 1=14893
- Zwerdling, S., Kleiner, W.H. and Theriault, J.P. Oscillatory magnetoabsorption in InSb under high resolution, 1=17900
- Zwerdling, S. See Lax, B., 1=6203
- Zwicker, E. Subdivision of the audible frequency range into critical bands (Frequenzgruppen), 1=7963
- Zwicker, E. A method for calculating loudness, 1=8203
- Zwicker, E. On the subdivision of the audio frequency range into frequency groups, 1=9219
- Zwicker, E.F. See Grossweiner, L.I., 1=7919
- Zwicker, H. and Erbslöh, F.D. On the mechanism of linear pinch effect, 1=9586
- Zwicky, F. and Humason, M.L. Spectra and other characteristics of interconnected galaxies and of galaxies in groups and in clusters. I, 1=2642
- Zwicky, F. and Humason, M.L. Spectra and other characteristics of interconnected galaxies and of galaxies in groups and in clusters. II, 1=8007
- Zwifel, P.F. See Mack, R.J., 1=13438
- Zwislocki, J. See Hellman, R.P., 1=7661
- Zych, W. See Rytz, A., 1=19461
- Życzkowski, M. See Wnuk, M., 1=1320
- Zykov, A.I. Splitting of an electron beam at the exit of a linear accelerator by means of an electromagnetic wave in a guide, 1=4677
- Zykov, G.A. See Nakhodkin, N.G., 1=16364
- Zylicz, J., Preibisz, Z., Chojnacki, S., Wolowski, J. and Norseev, Yu. Positron radiation of  $Tm^{166}$ , 1=13720
- Zylicz, J. See Chojnacki, S., 1=2195
- Zyryanov, P.S. Quantum theory of acoustic oscillations of an electron-ion plasma in a magnetic field, 1=18860
- Zyryanov, P.S. Quantum theory of the spectrum of excitations of an electron gas in a magnetic field, 1=18903
- Zyryanov, P.S. See Yeleonskii, V.M., 1=7562

IT IS REGRETTED THAT THE FOLLOWING ENTRIES  
HAVE BEEN OMITTED FROM THE TEXT OF THIS INDEX :

- Bookmyer, B.B. Observations and times of minima for three W Ursae Majoris systems, 1=4203
- Ernsberger, F.M. Detection of strength-impairing surface flaws in glass, 1=1347
- Guldashvili, A.I. See Chkuaseli, D.V., 1=4566
- Hogg, B.G. See Armrod, J.H., 1=4363
- Jnanananda, S. See Lakshminarayana, V., 1=7226
- Kaufman, A.S., Hughes, T.P. and Williams, R.V. Sceptre III — an intense source of the spectra of highly ionized atoms, 1=235
- Ortenburger, B. See Hanson, W.B., 1=20986







